


GL
482
G7583
Ent.



SYSTEMATIC CATALOGUE

OF

BRITISH INSECTS:/

BEING

AN ATTEMPT TO ARRANGE ALL THE HITHERTO
DISCOVERED INDIGENOUS INSECTS IN ACCORD-
ANCE WITH THEIR NATURAL AFFINITIES.

CONTAINING ALSO

THE REFERENCES TO EVERY ENGLISH WRITER ON
ENTOMOLOGY, AND TO THE PRINCIPAL
FOREIGN AUTHORS.

WITH ALL THE PUBLISHED BRITISH GENERA TO THE PRESENT TIME.

BY

JAMES FRANCIS STEPHENS, F.L.&Z.S. &c.
...

"..... *Ten thousand different tribes*
People the blaze." Thomson.

LONDON:

PUBLISHED FOR THE AUTHOR,
BY BALDWIN AND CRADOCK, PATERNOSTER-ROW.

1829.

LONDON :
PRINTED BY RICHARD TAYLOR,
RED LION COURT, FLEET-STREET.



INTRODUCTION.

THE following Catalogue was originally designed to have appeared as the precursor of my "Illustrations of British Entomology," but the magnitude of the undertaking, as well as the necessity for previously commencing the latter work, so far frustrated my designs as to render it precursive in part only.

I have been induced to publish it in its present form (as the work above alluded to will not only require several years for its elaboration and completion, but must necessarily be proportionally more expensive and bulky,) in order to meet the wishes of several entomological friends, who have repeatedly solicited me to furnish them with an arrangement of all our indigenous insects, from the circumstance that scarcely one-third have yet been commemorated as British; and the works hitherto published on the subject are either confined to particular orders, families, or genera, or are so limited when embracing all the orders, and are nearly all, moreover, either arranged in conformity with the Linnean system, or totally destitute of arrangement, that they render but little information to the student who is desirous of obtaining a more perfect knowledge of the classification, either of the genera or of the species.

Although fully aware of the objections which have been so frequently urged by the most learned entomologists against the publication of mere catalogues, I feel confident that the plan and object of the following will so far have their utility, as at least to disarm my compatriots of the opposition *they* have hitherto exhibited towards similar performances, as in fact it may be considered as an appendage to my "Illustrations," and it cannot have escaped the notice of the most cursory inspector of entomological collections, that the nomenclature of each differs in numberless instances, and that *various names* are applied in different cabinets to the *same identical species*. Such confusion arises from several causes; primarily from the difficulty there is in many instances of correctly ascertaining the name given by the first describer, either from the description being so vague and indefinite as to preclude the possibility of accurately determining the species intended, or from the impracticability of obtaining the books in which the first description is to be found; secondarily, from the contemporaneous appearance of two or more publications upon the same group of insects, in which the new species are necessarily (unless by the merest accident)

called by different names; and lastly from the dissimilar MS. names which have been applied by various practical entomologists to such species as they have not been able to identify in any printed works. An endeavour to assimilate such discrepancies, and also to render the labours of my countrymen more generally useful, prompted me to attempt the synonymous portion of the Catalogue, in which I have also introduced such MS. names as are in general use in the more extensive collections, so far as circumstances will permit; and also those which I have applied to the *apparently undescribed species* in my own cabinet*, by way of showing the present extent of the various groups.

Upon the propriety of introducing the MS. names either of genera or species, there is, and probably ever will be, considerable diversity of opinion. Latreille exclaims against the publication of mere generic names without characters, in the following terms: “*Je remarque que plusieurs naturalistes s’empressent, comme par une anticipation titulaire, de donner des noms à quelques coupes, qui leur paroissent devoir former de nouveaux genres, sans le donner la peine d’en établir les caractères. Ces ne sont que de simple indications, et qui n’imposent aucune loi.*” But this celebrated entomologist appears to forget that naturalists generally, however zealous in the pursuit of knowledge, have other and more paramount avocations to follow than those of attending to the minutiae of science, and that all are not equally fortunate with himself in being able to devote their exclusive attention to that branch thereof which their inclination prompts them to study. An individual thus necessarily occupied with the ordinary callings of life, and devotedly attached to the study of natural objects, discovers while arranging a group of animals, a specimen which differs so essentially from the rest in general characters, as to satisfy him that it belongs to a genus whose characters have not been described, and the elaboration of which his want of time *alone* prevents him from attempting: nevertheless he is desirous of giving it a name by which he may more readily remember it, or register any peculiarities he may have observed relative to its habits, locality, &c., than by attaching a mark or number thereto. Is he not therefore entitled to the merit (if such it be) of discovering the new group; and ought he not to be permitted to apply a name to it, and to publish that name even before his leisure allows him to elaborate its characters? M. Latreille †, I grant, does not deny such right; but merely infers that

* Excepting to the Hymenoptera Pupivora, for the reasons stated in the note at p. 343, to the last section of that order; and to the Hemiptera and Homoptera, from want of time to investigate their contents sufficiently: the number of species in the respective genera is however indicated.

† This author in his last work, “*Familles Naturelles*,” has himself introduced names without distinguishing characters.

the name may be adopted or not, at the pleasure of the individual whose time permits him to describe its characters, and thereby stamp an additional value thereon, by rendering it more generally known.

With regard to the MS. names in the following pages, it is of little consequence whether those which I have proposed be adopted or not; as they will ultimately appear in my "Illustrations," unless the species to which they are applied should be described by others in the interim. It is sufficient for my purpose to have pointed out the new species, and the divisions (by whatever names caprice or convenience may please to term them), and to have retained *all* such as could satisfactorily be identified, which have been imposed by others; not only *in justice* to their authors, but as I do not choose *wilfully* to create additional inconvenience by applying new ones for the mere purpose of securing the paltry fame dependent upon mere priority of nomenclature.

Now with reference to such simple indications, as Latreille terms them, not imposing any law, as to the adoption of the generic or specific names, proposed by others without characters, I would inquire whether such names (at least those of genera), especially when applied to well known species, do not as satisfactorily point out the new groups, as when the characters are given in a language peculiar to one nation alone, and unknown to a foreign student; e. g. the genera of Lepidoptera by Ochsenheimer and Treitschke are invariably characterized in German; and many of Latreille's recent ones in French alone, and are consequently useless to the mere English student, as are those of the Englishman or Frenchman to the German, when given in their respective languages. I therefore conceive that if writers are to be governed by the Latreillian precept, the characters to be efficient should be given in that language which is more or less known to all men of science throughout the civilized world, notwithstanding it has been remarked that a work is *more generally* useful for being *entirely written* in English! But, as I before stated, I do not choose unnecessarily to incumber the science with additional names; I have considered the genera of Ochsenheimer, &c. here alluded to as sufficiently characterized, though my ignorance of German prevents me from correctly ascertaining their typical species; and I have also endeavoured, so far as is consistent with its nature, to show how my predecessors have cleared the way towards the ascertaining of the new indigenous species, by referring to *every* English writer, and to such foreign ones as lay within my reach, including even such names as have hitherto appeared in the various German and French catalogues when known to me by the inspection of original specimens transmitted to this country by the respective authors.

By the foregoing remarks it may be supposed that I am laying too much stress upon nomenclature; but as Linné says, "Nomina

si periit, periit et cognitio rerum;" and without names, how can any one communicate to another the knowledge he has acquired relative to any particular fact that he may have observed, either of physiology, habit, utility, or locality*? Is he upon the discovery of an injurious or useful property belonging to any species of whose name he chooses to remain in ignorance, to give a detailed description thereof when he wishes to develop its qualities? Such an antiquated proceeding, at this period, would doubtless tend to disparage the science, and to justify the appellation of a zoological writer, who terms the study of insects "specious idleness†!" But as this subject has been fully discussed by others, I shall merely add that it appears to me very great advantage must accrue from having all natural objects distinguished, and as far as possible by appropriate names.

The arrangement I have adopted, though obviously defective, appears to me more consonant to Nature in its details than any that has hitherto been promulgated: but my very limited acquaintance with exotic groups will inevitably lead me into several errors, as every attempt to classify the productions of a limited spot must necessarily be extremely imperfect, especially the first.

With reference to one of the alterations from the Latreillian system which I have published in my "Illustrations," it has been truly remarked "that no good system ought to be disturbed without solid reasons:" it is therefore merely necessary to show the imper-

* The following anecdote admirably illustrates the value of a knowledge of nomenclature, especially of synonymy:—Two individuals, residing upwards of two hundred miles apart, in the course of their correspondence communicated to each other the intelligence that their respective collections had received the accession of two specimens of *Achatia piniperda* (part ii. p. 87.); one of them calling the insect by the name of *Noctua piniperda*, the other by that of *Bombyx sprcta*. This was followed by a request on the one part to exchange one specimen of the former for one of the latter, whereby each cabinet might be mutually benefited by the addition of a new species! The result (as may be anticipated) was far from satisfactory: the two specimens, after the exchange was ratified, proving to be of the same species; one party having sacrificed a fine and beautiful example, reared from the larva, for an injured one captured by mothing, and both parties having been put to some expense without obtaining their object.

† In the Monthly Epitome for February 1825 are some remarks upon this point, contained in a notice of Professor Kidd's anatomy of the *Gryllus gryllotalpa*, Linné (*Gryllotalpa vulgaris*, p. 303.), which tend to show the feeling of literary persons regarding the study of zoology, in which, concernedly do I add, the writer is supported in his illiberal sentiments by the learned editor, who seems, in the warmth of his zeal for his own favourite pursuit, to imagine that all sciences should succumb to the hypercritical acumen of the elocutionist; and that the study of enunciation is of infinitely more importance than an insight into the structure of the wonderful and multifarious works of the divine Creator and disposer of all things.

fection of the *good systems* already promulgated, by the following succession of groups extracted from the last work of Latreille,—whose system, alluded to in the above quotation, has been termed, “par excellence,” the “*Natural System*,”—the names of the typical genera being given for the sake of brevity:—Cicindela, Carabus, Dyticus, Gyrinus, Staphylinus, Buprestis, Elater, Lampyris, Clerus, Ptinus, Hister, Silpha, Scydmaenus, Dermestes, Byrrhus, Heterocerus, Hydrophilus, Sphæridium, Scarabæus, Lucanus; thence to Blaps, &c.—which in the majority of instances have no affinity with each other, beyond the mere circumstance of possessing five joints to all the tarsi; a fact so notoriously manifest, that I shall not waste the reader’s time by attempting to show it. Now as Latreille professes to arrange his subjects according to their organization and affinities, I am at a loss to conceive why the Buprestidæ, &c. are interposed between the Dyticidæ and the Hydrophilidæ in all his works; an arrangement that the merest tyro in entomology must perceive cannot be natural. Many other defects in his “good system” might be pointed out with facility without the aid of figures, by the *only correct* standard—that of Nature herself; but sufficient has been adduced to show that even the system of the “first of entomologists” may be advantageously revised. I do not however pretend to be capable of executing so arduous a task; nevertheless, as it is possible that others may benefit from a fortuitous hit in the position of some of the groups, I have ventured to remove several genera from situations that experience has convinced me were untenable: and notwithstanding the remark of Mr. Bicheno, that “he who is constantly dwelling upon particulars, and following them out to still minuter elements, is taking the opposite course to another, whose object is combination and enlargement,”—I contend that the “analysis of species, which after all is our chief business,” must conduce towards the attainment of the knowledge of the true natural system.

It is almost needless to add, that I have gleaned much valuable information from the erudite labours of Mr. MacLeay, in his valuable *Horæ Entomologicæ* and *Annulosa Javanica*, and that I have endeavoured, though at a very humble distance, and without the necessary acquaintance with exotic groups, to follow his steps; as I am convinced that natural objects cannot be arranged agreeably to their affinities, otherwise than by a series of circles “returning,” as the above author expresses it, “into themselves,” although I continue sceptical as to the quinary arrangement being universal throughout Nature.—With such views I have attempted the following Catalogue, the grouping of which may be more readily comprehended by means of the subjoined tables.

MANDIBULATA.	
I.	Coleoptera.
II.	Dermoptera.
III.	Orthoptera.
IV.	Neuroptera.
V.	Trichoptera.
VI.	Hymenoptera.
VII.	Strepsiptera.
<hr/>	
Diploptera et Fossores, Latr.	
I.	Anthophila, Latr.
II.
III.
IV.
V.
VI.
VII.	Parasitica: Pupophaga, Latr. Terebrantia, Latr.
<hr/>	
Serricornes, Latr. Clavicornes, Lamelli-cornes, Latr. . . . Imbricornes, mihi . . . Helocera, Dum.	
Adephaga, Rypophaga, Latr. Brachelytra.	
Longicornes, Rhinophoroi, I. Latr. .	
<hr/>	
Heteromera p, Trimeri, Dum. Eupodina, Latr. Latr. Cyclici, Latr.	
<hr/>	
II. Blattina.	
III. Gryllina.	
Locustina.	
<hr/>	
HAUPELLATA.	
Serricornes, Latr. Clavicornes, Lamelli-cornes, Latr. . . . Imbricornes, mihi . . . Helocera, Dum.	
Adephaga, Rypophaga, Latr. Brachelytra.	
Longicornes, Rhinophoroi, I. Latr. .	
<hr/>	
Heteromera p, Trimeri, Dum. Eupodina, Latr. Latr. Cyclici, Latr.	
<hr/>	
II. Blattina.	
III. Gryllina.	
Locustina.	
<hr/>	
Megaloptera, . . . Termitina, MacL.	
Panorpina, IV. Libellulina, MacL.	
Anisoptera, Lea.	

In order to render the views I have adopted more distinct, some of the details of the Mandibulata are introduced; though I must remark that a great mass of the Coleoptera, comprising most of the Heteromera of Latreille, seems to require extensive removals; but whether the Cœdemeridæ imitate the Telephoridæ and Melyridæ by any real affinity, or merely by the property which opposite points of the circle possess of resembling each other, I am not prepared to show: it is however supposed that these families are allied:—the situation of the Scydmænidæ is very doubtful.

Some of the remarkable affinities in the Order Coleoptera may be still further exemplified by the following more detailed tabular view of the first seven groups; which it is unnecessary to observe, might be rendered still more complete were it not that want of space necessarily obliges me to be concise.

		110.					
Dyticus.	88	Heterocerus.	Sphaeridium.				
Gyrinus.		{ Parnus.	Hydrophilus.				
.			.				
Haliplus.	.	93	.				
Bembidium.	.		Helophorus.				
Elae-	57		.				
phrus.	.	Silpha	.				
Carabus.	.	.	Dermestes.				
Cicindela.	.	.	.				
Dromius.	11	126	.				
Lesteva.	.	.	164				
Omalium.	.	Nitidula.	149				
		Micropeplus:	Byrrhus	179			
			Abræus.		Hister.		
							Rhinocolus.

By this view the affinities of Dromius to Lesteva, Elaphrus to Cicindela, Bembidium to Haliplus?, Gyrinus to Heterocerus and Parnus, Helophorus to Silpha, Micropeplus to Abræus, Byrrhus to Trox, Sinodendron to Bostrichus, Hylurgus to Rhinocolus, Omalium to Nitidula, &c. are rendered evident, notwithstanding in a linear arrangement several hundreds or even thousands of species necessarily intervene, and *apparently* disturb the series, thereby exemplifying the utter impracticability of placing the whole in one continuous succession*.

* The figures in the table point out the position of other genera, which are introduced in order to render the circular distribution of each group more evident; the numbers corresponding with those of the respective genera in the Catalogue, as do those in the first and last of the following tables.

I shall now introduce a table of the distribution of the Lepidoptera.

Ægeriidæ : Sesiidæ.	Papilionidæ : Nymphalidæ.
II. Sphingidæ : Hesperiidæ.	I. .
Zygænidæ.	Lycænidæ.
Notodontidæ : Hepialidæ.	Geometridæ : Platypteridæ.
III. .	V.*
Bombycidæ : Arctiidæ.	. Pyralidæ.
. .	.
Lithosiidæ : Tineidæ.	Tortricidæ.
Noctuidæ. IV. .	VI.* Yponomeutidæ.
	Pterophoridæ.

My limits will not, however, permit me to dilate upon the above; I shall therefore merely remark, that it appears to me the Platypteridæ are far more intimately allied to the Lep.-semidiurna than to the Lep.-pomeridiana; their affinity to the former in their perfect state being evident from some peculiar characters they possess in common with the conterminous genera of the Geometridæ and Pyralidæ, as I shall elsewhere have occasion to notice; while their resemblance in their larva state to the Lep.-pomeridiana I conceive to be analogical, and to result from their relative positions in the circle.

I have now to refer to the two remaining tables, in order to show how nearly the arrangement of the Lep.-pomeridiana which I have adopted, from a consideration of the perfect insect, accords with Dr. Horsfield's sketch deduced from the larva.

Pygara.		Hepialus.	
Notodontæ. II.	Cossus.	I.	
Endromis.	Zeuzera : <i>Oiketicos.</i>		
. Aglia.	Psyche.		
.....
Saturnia.	III.	Limacodes.	Nudaria.
.....
Lasiocampa.	Eutricha.	Penthophera.	
IV. Cnethocampa	: Dasychira.	V. Arctia.	
Eriogaster.		Hypercampa.	

The above represents the five groups which Dr. Horsfield appears to recognise in his "Descriptive Catalogue;" and the subjoined, the four into which I have divided the same subjects in the following pages.

* Strictly, these two sections ought to have been reversed in the following arrangement as here given; but not being prepared to enter into details, I preferred a slight modification of the usual beaten track, rather than its total subversion.

		Pygæra.		Hepialus.
Notodonta.	II.	Cossus.	I.	
	Endromis.		Zeuzera : <i>Oiketicos</i> .	
			Psyche.	
		Aglia.		
Saturnia.		Limacodes.		Nudaria.
Lasiocampa.	III.	Eutricha.	IV.	Penthoptera.
		Cnethocampa		Arctia.
		: Dasychira.		Hypercampæ.
Eriogaster.				Callimorpha.

Upon an inspection of the above tables, it will be manifest that the principal difference between the two methods exists in the conterminous genera alone; though it must be added that Dr. Horsfield has not entered into details as to the succession of his groups, or their affinities to each other; neither does the first table exhibit the five groups in accordance with the schemes employed by Mr. MacLeay; my object being simply to show that the difference in our arrangements is in reality more apparent than real, and seems to depend upon the relative position of the lines of separation, as indicated by the dots;—a fact which is again observable at that point of the fourth circle which impinges upon the Lithosiidæ, and consequently renders the position of the genus Hypercampæ debateable.

The number of genera herein given will doubtless alarm many persons: it however seems to me, that the extensive and multifarious nature of the subject demands the adoption of such as I have indicated in the following pages *, without being shackled by numerical convenience. Upon this point there will probably always exist considerable diversity of opinion; but it is allowed by all parties, that some addition should be made to the genera instituted, as adopted by Linnæus, though the followers of that great man rest contented by admitting a few new genera only, and totally disregard every attempt to increase the number; stating as reasons, that they merely tend to burthen the memory unnecessarily, and to introduce confusion into the science. Another reason assigned by them for not introducing new genera into their systems, is, that many of them contain one species only; not considering the very confined knowledge we have of the latter, and the vast accessions

* With regard to the number of genera, it has been well observed by Mr. MacLeay, that writers are frequently guided in their views by the extent of their collections; persons with small collections not seeing that necessity for subdivision which those with larger ones think expedient. It may be added, that a writer, who most strenuously opposes the formation of new genera, has adopted, without restriction, *all* the genera which I have proposed in my "Illustrations," to the Sphaeridiidæ, and which are correspondent with those in the following pages; and that other writers who have succeeded me in the Haustellata have subdivided some of the genera therein given.

to their numbers that are daily arising from abroad, and even discovered in this country alone: for if they were, they would find that many of the genera, formerly supposed to contain one species only, have received such additions since Linné's time, as to have their numbers augmented to a considerable extent: they would also repeatedly find, that not a single species even is noticed by him in the "Systema Naturæ," of many of the modern genera which are now known to contain a great number, especially amongst the Carabidæ and Staphylinidæ; nay, the entire and singular family of Pselaphidæ is totally unnoticed by him. These are points, however, that few persons trouble themselves to investigate; the majority of entomologists taking all for granted that they see advanced in print, or meeting every argument in support of new genera by some sweeping conclusion against their adoption *: and I have frequently heard it asserted, that modern entomologists have run to such excessive lengths in their career, as to have separated the individuals belonging to *one* variable species into *three* genera! and that it is no uncommon occurrence to find the sexes placed in two!

Now as I never found an individual who could point out a single instance of the former allegation, nor have I ever noticed the fact myself, I conceive no refutation is necessary; but with regard to the second, there may be some plausibility in the objection, as instances of such a proceeding are upon record:—e. g. in the delightful "Horæ Entomologicæ," p. 98, the learned author has given the female of Pholidotus as a new genus, by the name of Casignetus, accompanied by a query whether it ought to be considered distinct: but in this, as in other examples, the mistake has arisen from a laudable desire to be accurate, and not with a view to attain reputation by the mere imposition of a generic name; and the author has promptly corrected his error in his second part. Other examples might be adduced, but the above is fully sufficient to justify the remarks of the objectors when applied to the modern innovators, as they are pleased to term them. Yet the moderns are not alone guilty of such misconceptions: will not therefore these objectors be inclined to palliate such venial errors as the one referred to, when the justly-celebrated Linné is shown to have committed similar ones? This "great master," in the last edition of his "Systema Naturæ," and "Fauna Suecica," has placed the sexes of a well known and common little beetle (the Cercyon quisquilius, p. 65.) in *two* different genera, calling the male *Scarabæus quis-*

* Amongst the absurdities that I have heard advanced in opposition to new genera, a naturalist of some eminence once asserted that a genus in question could not be a good one because the name applied to it was one that Linnæus would not have used! He might as well have asserted that there were no new objects in nature because Linnæus had not supplied names for them.

quilius (Syst. Nat. ii. 558.—Faun. Suec. No. 397.), and the female *Coccinella!* unipunctata (Syst. Nat. ii. 579.—Faun. Suec. No. 470.); which is the more to be wondered at, as, from the insect being far from uncommon in Sweden, he might have had frequent opportunities of detecting the identity of the sexes. But in the instance noticed from Mr. MacLeay, the insect in question is a native of South America, and consequently the writer had no means of ascertaining any portion of its history, but was subsequently indebted to the observations of Mr. Swainson, whose zeal for entomology led him to explore the distant region of Brazil, for correcting the mistake into which he had accidentally fallen*. But as I have elsewhere advocated the expediency of generic division, I shall proceed to give some cursory observations upon species, and upon the difficulty of discriminating them. It cannot be denied that much obscurity prevails upon these subjects: it therefore becomes the duty of every inquirer to endeavour to dispel the mist, and to contribute his mite towards their elucidation; though I do not assume that such should be the sole object of every one. I would rather that attention should be paid to the economy, &c. of the interesting objects of the entomologist's research; though I would ask, how can an individual communicate to others the knowledge he has acquired by his observations, unless he be able to define with accuracy the *very* animal which furnished it? Upon this consideration, therefore, it is manifest that an examination into the true distinctive characters of species should occupy at least *a portion* of his time, instead of devoting it almost exclusively to searching after the relationship of affinities,—which has been so much insisted on by late writers, almost to the total exclusion of specific investigation; or in generalizing upon structure before he is acquainted with particulars.

In pursuing this investigation, the first question which presents itself is, In what do the characteristics of a species consist? I need scarcely add, that its solution is one of the utmost difficulty, as the characters of many species are very obscure, and are not readily detected, owing to the innumerable variations to which they are subject from age, locality, or climate, or from the close approximation of those in kindred species. Of the latter description, the genus *Cucullia* (part ii. p. 102.) offers a remarkable example; most of the species of which it is composed resembling each other so closely in their final state, that were it not from a knowledge of them during their previous appearance (their larvæ being totally dissimilar, and their food and time of flight very different), they might

* A more recent example, however, occurs in a work which assumes superior accuracy in the generic distribution of insects; in which the *Musca putris* of Linné is converted into *three* species belonging to *two genera*. Vide part ii. p. 319. Nos. 9126 and 9140.

still continue, as they formerly were, to be considered as mere varieties of one inconstant species.

Again, *Acronycta* (another Lepidopterous genus) contains also similar examples; among which may be pointed out the two well-known insects *A. Psi* and *A. tridens*, which approximate so closely to each other in the winged state, and moreover are each subject to such considerable variations, that none but an experienced entomologist can reduce all the varieties to their proper species; yet their larvae are singularly dissimilar.

Many similar examples might be cited amongst the Coleoptera, especially among the Protean genus *Pœcilius*, the species of which are so remarkably alike, and so prone to vary, that even the most acute entomologists err upon the point of their specific differences, from not attending sufficiently to their minutiae.

It has been observed, that the chief points of specific distinction consist of "form, sculpture, and disposition of colour." But a very slight acquaintance with the works of Nature will show that each of these characters must be handled with the greatest circumspection, as they are all subject to much variation: however, the first is the most stable; sculpture the next so, though in many of the Coleoptera a considerable deviation from the usual standard takes place, as instanced in the Geodephaga generally*, and more particularly so in *Carabus monilis*: slight variations of this character also occur in some of the other Orders. Disposition of colour is, however, a most inconstant specific diagnostic, though its various shades and gradations admirably distinguish the larger groups, as I have elsewhere taken occasion to notice, and as Mr. Kirby has indicated amongst the Geodephaga. Do we not, for example, find the Dyticidae characterized by prevalent tints of brown, fuscous, or olive, rarely with metallic shades? and is not the succeeding family (the Gyrinidae) usually of a deep leaden hue, and mostly glossed with æneous? and are not the Chrysomelidae eminently distinguished by the splendour of their brilliant golden or cupreous tints, most frequently upon a green or bluish ground? while in the neighbouring family of Coccinellidae, the species of which seemingly differ greatly in colour, all metallic splendour vanishes, and the only tints of colour which occur are black and white, with various combinations of red and yellow. Numerous other examples might be pointed out, as may be readily seen by an inspection of several of the groups in this Catalogue. There are, however, many species, especially amongst the Geodephaga and the Crioceridae, that partake of nearly every colour of the rainbow: *Donacia Proteus*,

* The monstrous variations in the sculpture of the elytra,—such as the interrupted confluent striae, or the rugose crenulated appearance of the surface,—are clearly not indicative of specific difference, although such has been employed. Vide Nos. 190, 196, &c.

for instance, varying in different individuals by almost imperceptible changes, from coppery-red to gold-colour, bronze, green of various tints, bright blue, purple, violaceous and even intense metallic black. The same may be remarked of all the Poecili, several of the Carabi, Harpali, &c.; and it may be added, that all metallic greens have a tendency in some specimens to become blue, and *vice versa*. Numberless similar examples might be adduced; but enough has been said to show the slight dependence to be placed on colour alone in the detection of species. Some very extraordinary discrepancies in the Lepidoptera may, however, be pointed out. In this Order, the chief distinguishing specific marks consist in the position and number of the various coloured lines, fasciæ, ocellated or simple spots, &c. which adorn the wings; yet such remarkable changes often take place in their disposition, as to be tantamount to a variation in colour:—e. g. *Abraxas grossulariata*, in its usual appearance, has the wings white, with spots and streaks of black, and two orange fasciæ on the anterior ones,—one at the base, and the other towards the posterior margin; but specimens have occurred totally suffused with black, with the usual black markings of a darker hue, and the orange fasciæ barely perceptible; others have been found nearly of an immaculate white; while occasionally this latter colour is totally obliterated, and a yellow or orange tint adorns the wings. Of the latter description, I once saw an example, captured near Edinburgh, nearly of as brilliant an orange as *Colias Edusa*, and but sparingly maculated with black. *Arctia Caja* offers another conspicuous example: in this insect the usual sinuated white or cream-coloured strigæ on the anterior wings sometimes become changed to a deep fuscous, while the rest of the wing becomes of a paler colour than usual: and I possess a specimen in which the anterior wings are white speckled with brown, instead of being brown or black with sinuated white streaks.

Among the more conspicuous changes of colour in this Order may be mentioned that of *Colias Edusa*, which is usually of a bright fulvous orange; but specimens occur nearly of a pure white*. Again, *Melitaea Euphrosyne* also varies from deep tawny to pale luteous. *Lycæna Phlæas* is sometimes found of a clear glossy white, in lieu of its brilliant fiery copper-colour. The well known “illuminated females,” as they are termed, of the Polyommati may also be cited as examples of the variation of colour; and *P. Argus* has once been found of the exact colour of *Hipparchia Pamphilus*,—pale fulvous! And in conclusion, *Anthrocera Hippocrepidis* and *Callimorpha Jacobææ* have each occurred with the brilliant sanguineous markings on their anterior wings, and similarly coloured posterior ones, converted into a clear pale luteous. Sufficient, therefore, has been adduced to show the very little de-

* A beautiful intermediate specimen is in the collection at the British Museum.

pendence that is to be placed on colour alone in discriminating species *. And that form and markings are supposed to be inconstant, the following observation on *Cicindela hybrida* of DeJean sufficiently testifies :—“ I feel satisfied, from the variation in form and markings, that *Ci. riparia* and *Ci. aprica* are only varieties of *Ci. hybrida* †.” In fine, it may be remarked that even the presence or absence of particular organs is not always indicative of specific difference: e. g. *Clivinae Fosso* and *collaris*, the *Dromii*, *Patrobi*, &c. the species of which are sometimes winged, at others apterous.

From my experience I conceive that, where an insect differs from its nearest congener by some trifling variation of form ‡, combined with a diversity of sculpture, dissimilar bulk, or prevalent discrepancy of colour, either in the disposition of particular markings or in an universal change, we are perfectly justified in considering such examples as distinct species, unless we are enabled by experience to show uncontestedly that such is contrary to nature, as in the examples of the *Donaciæ* before alluded to, and in several of the species of *Coccinellæ* and *Cicadæ*, as hereafter united in the synonymy. Such principles have guided me in my endeavours to discriminate the indigenous species, as given in the following pages: but to expect that I should invariably be correct in my ideas respecting their real distinction, I need not remark would be absurd; although it is observed in the “ *Horæ Entomologicæ*,” that “ in describing species, each of which Nature has manifestly insulated, a failure in precision denotes an inability to seize their characteristic marks—it is in short a glaring fault.” But I think if the learned writer of the above paragraph had been better acquainted with some of the indigenous groups, especially such genera as *Agrotis*, *Cucullia*, *Peronea*, &c., he would at least have altered the concluding sentence; for, as Mr. Kirby with propriety observes, “ As we do not know the value and weight of the momenta by which climate, food, and other supposed fortuitous circumstances operate upon animal forms, we cannot point out any certain diagnostic by which in all cases a species may be distinguished from a variety; for these characters that in some are constant, in others vary.”

* One consequence of assuming colour to be indicative of specific distinction has been to falsify physiological facts. Marsham, p. 169, says, “ *Ex coitu Coccinellarum inter omnes familias promiscuo, varietates plurimæ ortæ sunt.*” Whereas this apparent promiscuous intercourse of the families (sections) arises entirely from regarding the mere varieties, differing in trifling spots of colour, as distinct species, and distributing these varieties, as Marsham has done, into different sections, according to their colour.

† Curtis, No. I. second edition;—a writer who in other places considers form as conclusive of specific difference.

‡ Considerable diversity of form is rather indicative of sectional or generic difference than of specific.

If, therefore, it be so difficult for entomologists of experience occasionally to discriminate the distinction of the perfect productions of the Creator, how much more so must be the task of detecting them through the imperfect descriptions of the creature †?

It now only remains for me to add a few words upon the Catalogue itself. Although I have endeavoured to render it as perfect as its nature will admit, so far as relates to the number of species at present discovered, many are doubtless omitted; for if no single cabinet has ever yet contained a specimen of each of the indigenous Lepidoptera diurna, the most conspicuous and eagerly sought after of our insects (and such has been the case with those which I have inspected, at least two hundred in number), how much less chance is there of obtaining a knowledge of all the minute and hitherto neglected species? And as the following Catalogue is necessarily in several places entirely prepared from the contents of my own cabinet; from the extreme difficulty of recognizing kindred species in particular groups, added to the facts that *no* British collection has as yet been named throughout, and that the less favoured insects are usually kept in a confused and unnamed mass, a correct knowledge of such species is perfectly unattainable; nevertheless, as *less than* four thousand species have hitherto been recorded by name, by *all* preceding English writers, to inhabit Britain, and nearly ten thousand are named in the following pages, the fact of my having *more than* doubled the number sufficiently evinces the exertions I have made to attain perfection: and by way of increasing its utility, I have endeavoured to form this work into an Entomologia Londinensis, by placing a * at the end of every species which to my knowledge has been captured *within* twenty-five miles of St. Paul's. I have also given an authority for the insertion of *every* species, where practicable, by a set of characters which require explanation.—To such insects as I have never

† That this is an object of difficulty may be seen with facility by an inspection of the numerous synonyms, many doubtless arising from misconception, and may be illustrated by a reference to the genus Cicindela, as being the first in the series, and containing insects of considerable size. Marsham gives three indigenous species of this genus; since his time, other species have turned up, amongst which one termed Ci. hybrida by Sowerby has occurred in no little profusion. Upon this insect I hazarded the conjecture that it was the true Ci. hybrida of Linné, as it had been *invariably* recorded by English writers, and suspected to be by the best continental ones; and upon the re-examination of the series in my collection, I detected a single example of an insect which has since proved to appertain to a distinct species, and which has recently been given as the true Ci. hybrida, by a writer who previously gave the former species that appellation, notwithstanding he had repeated opportunities of examining both kinds in my collection, and at the time of his first recording Ci. hybrida, Linn. as an indigenous insect, that species had not been detected by English entomologists, but only the one which he now terms Ci. maritima!

seen, a . is placed after its number *in the genus* (e. g. Chrysomela Sparshallii, No. 2299.); to those which I have merely seen preserved in cabinets, a , is similarly attached (as to Cicindela Sylvicola, No. 4.); a : to such as have been seen alive by me (as Drypta emarginata, No. 7.); and a ; to those insects which have actually been captured by myself (as Cicindela sylvatica, No. 1.*). The uncertain species are placed beneath those of which they may be varieties, and are known by having their names within [] (as Dromius notatus, No. 20, which may prove to be a variety of No. 19.). Such insects of which I have obtained foreign specimens alone, for the sake of illustration are indicated by a ‡; and such as I do not possess, by a †; and *every collection* in which such species are respectively contained, is referred to so far as in my power; distinguishing the instances where *I have seen* the insects themselves, by printing the possessor's name in Italics; and where *I have not seen* them, in Roman characters (e. g. Anisoplia Donovanii, No. 1196.). The specimens of uncertain British origin† are inserted in their proper

* What merit there can possibly be in being the discoverer of a *new species*, I am totally at a loss to comprehend, knowing from experience that such an occurrence is purely a matter of chance, and that as many valuable acquisitions have been made by the mere *ignorant mechanic* as by the most *assiduous entomologist*; hence the absurdity of attempting to indicate such species as appear to have been detected by myself, which would answer no good purpose, but probably tend to mislead; e. g. in a recent compilation, grossly infringing upon my copyright, the compiler assumes that he discovered, *inter alia*, the four following insects placed consecutively:—Chlaenius sulcicollis, Licini Silphoides and depressus, and Badister cephalotes. Of these insects, the first, which is unique as British, was found by Mr. Charles Curtis: the second was taken by the late Mr. Swainson before he left London, some thirty years ago; two specimens, captured at Dover, were in the collection of the late Rev. J. Lyon, which was sold by auction in 1815, and two in that of Mr. Spratt, purchased by Dr. Leach in 1813; the last four specimens are now in the British Museum. Licinus depressus was taken near Hull, as it appears by Mr. Marsham's MSS., in 1807, by Mr. Watson; and Badister cephalotes was found by Mr. Haworth, I believe, in the same neighbourhood about the same time, and shortly after by the Rev. W. Kirby in Kent. The above dates contrasted with those given in the places cited in pages 14 and 15 of the following Catalogue, Nos. 97, 100, 102 and 105, fully justify the position I have above advanced.

† It may not be irrelevant in this place to add a few words upon Papilio Europome of Haworth, *not of Esper*. Of this species it has been observed, with a total disregard to facts, "It is not a British insect, those described and even figured as such being the P. Philodice of Godart, a North American species, of which there is no testimony of a single specimen having been taken in Britain, nor, it may be added, in Europe: the old examples in the cabinets of the late Mr. Francillon, and Mr. Swainson, and two in Mr. Plastead's, were no doubt placed there as representatives of C. Hyale." Upon this paragraph I must remark, that Mr. Marsham declared to me that *every insect* in his British cabinet had been captured in Britain; and a memorandum in a Catalogue of Mr. Francillon's collection, which I once saw in the possession of B. Clark, Esq., stated that "every insect in that collection, except those set in the German

situations, with their synonyms at the foot of the page, the authority for their insertion being shown by a (!) after the reference (as *Scarites subterraneus*, No. 42, which is printed in Italics to denote the species to be extra-european): while the same character (!) in the body of the page indicates that the author referred to gives England as the habitat of the species (e.g. *Lebia turcica*, No. 27; *Carabus turcicus*, *Fab.*). Finally, as in all entomological works, even in those treating upon genera, the *real synonyms* of the genera are not pointed out, I have endeavoured to remedy that inconvenience by attaching a *p* to such genera as are not strictly synonymous (as *Lamprias* of Bonelli includes a *portion only* of Latreille's *Lebiæ*, while it is really synonymous with *Echimuthus* of Leach*). And I may add, that although occasionally the oldest name may by accident occupy a secondary position, I have attempted in all instances to give it the priority.

I cannot conclude this Introduction, without returning my most sincere acknowledgements to the several individuals who have so kindly and handsomely assisted me by the presentation of rare insects, or the loan of scarce and valuable publications. To particularize might appear invidious; but as the List of Subscribers contains the names of those to whom I have been thus indebted, I

style, had been taken at large in England." I have recently inspected the late Mr. Swainson's cabinet (in which are fine specimens of the insect in question), which his son, W. Swainson, Esq., tells me is still arranged in the precise state it was left by his father, who never introduced a foreign specimen into his cabinet without attaching a memorandum thereto; and the insects in question are without. Now as all the above cabinets contained *not only* examples of *Colias Europome*, *but also* of *Co. Hyale* and *Edusa* (and I possess specimens of *each* from the two first cabinets, set in the English style), it is palpable that the former species could not be introduced as representatives of *C. Hyale*; and the concurrent testimony of the three respectable and unprejudiced individuals above referred to is at least as conclusive as the mere assertions of a writer who, "without note or comment," gives *Cantharis longicornis* and *Noctua subterranea* of Fabricius, both of which are natives of *South America*, as British insects. And as Mr. Plastead was in the constant habit of purchasing specimens of Mr. Latham the dealer (and I speak *advisedly* upon this point), it is most probable his insects were not British, any more than his specimen of *Hipparchia Arcanius*, which there is every reason to believe was also obtained from the same source. In fine, the mere silence of continental writers regarding *Co. Europome* is no proof of its not inhabiting Europe; as till within these few months the *Hesperia Artaxerxes* of *Fabr.* was likewise unknown to them, though comparatively common in Britain.

* And I have also endeavoured to show where a genus or a species has not been described, but only the name published, by including the references to its author or recorder in (), as *Drypta*, (Kirby,) and *Polistichus fasciolatus*, (Ing. Inst. 90.), page 2: the references in such cases being made to the genera, as indicating the authors who have adopted them, and to the species, as showing where their localities, habits, peculiarities of structure, &c., have been recorded by English writers.

beg to repeat my thanks to the persons therein named, as without their support the following work would not have appeared. There is, however, one absent name, that of my esteemed and regretted friend Dr. W. E. Leach, of whom it has been said, "*nihil non tetigit, et omnia quæ tetigit ornavit*,"—as well as that of his commander, my friend the Rev. W. Kirby, from whom I have received such signal marks of assistance, that it would be unpardonable were I to pass them over tacitly.

* * Every Species is referred to, which are mentioned in the Works quoted herein, to which a * is attached in the subjoined List.

AUTHORS QUOTED.

- Act. Hall.*—Abhandlungen der Hallischen Naturforschenden Gesellschaft. Dessau und Liepzig. 8vo.
- Act. H. N. Paris.*—Annales de la Société Linnéene de Paris. 1827, &c. 8vo.
- Act. H., or Act. Holl.*—Kongl. Svenska Vetenskaps Academiens Handlingar. Stockholm. 1739—1829. 8vo.
- Act. Taur.*—Mem. della R. Acad. delle Scienze di Torino. Tom. xxiv. Taurino. 1819. 4to.
- Act. U., or Act. Ups.*—Nova Acta Regiae Societatis Scientiarum Upsaliensis. 1773, &c. 4to.
- Ahr. F., or Ahrens F.*—A. Ahrensi Fauna Insectorum Europæ. Halæ. 1812. 12mo.
- **Albin.*—A Natural History of English Insects, illustrated with 100 copper plates, curiously engraved from the life, by E. Albin. London. 1720. 1 vol. 4to.
- Albin Sp.*—A Natural History of Spiders and other curious Insects, by E. Albin. London. 1736. 1 vol. 4to.
- Annal. du Mus. N. H.*—Annales du Muséum National d'Histoire Naturelle à Paris. An xii. (1804), &c. 4to.
- Ann. Sci. Nat.*—Annales des Sciences Naturelles. Paris. 8vo.
- Anon. Rem. L. G.*—Remarks on the Linnean Orders of Insects. London. 1828. 4to.
- Baker M.*—Of Microscopes and the Discoveries made thereby. By H. Baker. London. 1785. 2 vols. 8vo.
- Barb. G.*—The Genera Insectorum of Linnæus exemplified by various specimens of English Insects, drawn from Nature. By J. Barbut. London. 1781. 1 vol. 4to.
- Beck. Beyt.*—Beiträge zur Baierschen Insecten Fauna, &c. Von L. Beck. Ausburg. 1817.
- Bergstraesser Nom.*—Nomenclatur und Beschreibung der Insekten in der Graffschaft Hanau-Münzenberg. Von J. A. B. Bergstraesser. Hanau. 1778. 4to.
- **Berk. S.*—Synopsis of the Natural History of Great Britain and Ireland. By J. Berkenhout, M.D.; being A second edition of the Outlines, &c. London. 1789. 2 vols. 8vo.
- Biche. Add.*—An Address delivered at the Anniversary Meeting of the Zoological Club of the Linnean Society. By J. E. Bicheno. 1826. 8vo.
- Billberg.*—G. J. Billberg Monographia Mylabridum. Holmiæ. 1813. 8vo.
- Bingley.*—Animal Biography, or Popular Zoology. By W. Bingley. 4th edition. London. 1813. 3 vols. 8vo.
- Boisd.*—Europæorum Lepidopterorum Index Methodicus: auctore J. A. Boisduval. Pars 1ma, sistens genera Papilio, Sphinx, Bombyx et Noctua Linne. Parisiis. 1829. 1 vol. 8vo.
- Boisd. Zy.*—Essai sur une Monographie des Zygénides, suivi du Tableau Methodique des Lépidoptères d'Europe: par J. A. Boisduval. Paris. 1829. 1 vol. 8vo.

- Boit. M.*—Manuel d'Entomologie, ou Histoire Naturelle des Insectes : par M. Boitard. 2 vols. 18mo. Paris. 1828.
- Bonelli Obs.*—Observations Entomologiques : par F. A. Bonelli. Turin. 1809. 4to.
- Bonsd. Cu.*—Historia Naturalis Cucujionum Suecicæ. Pars prima et secunda. Auctore G. Bonsdorff. Upsaliæ. 1785. 4to.
- Bork. E. S.*—Naturgeschichte der Europäischen Schmetterlinge nach Systematischen Ordnung, von M. B. Borkhausen. Frankfort. 1788, &c. 4 tom. 8vo.
- Brahm I. K.*—Insekten-Kalender von N. J. Brahm. Mainz. 1790. 8vo.
- **Brit. B.*—British Butterflies, their distinctions, generic and specific ; with Lithographic Illustrations of each genus. Birmingham. 1828. 24mo. 1 vol.
- Bull. Sci. Nat.*—Bulletin des Sciences Naturelles. Paris. 8vo.
- Cederh. F.*—Faunæ Ingricæ Prodromus, exhibens methodicam descriptionem Insectorum agri Petropolensis, &c. Auctore J. Cederhielm. Lipsiæ. 1798. 1 vol. 8vo.
- Charp. & Z. S.*—Die Zünsler, Wickler, Schaben und Geistchen (Pyralis, Tortrix, Tinea et Alucita) des Systematischen Verzeichnisses der Schmetterlinge der Wiener Gegend, &c. Von T. von Charpentier, und J. L. Th. Fr. Zincken G. Sommer. Braunschweig. 1821. 1 vol. 8vo.
- Childr. Address.*—An Address delivered at the Anniversary Meeting of the Zoological Club of the Linnean Society. By J. G. Children. London. 1827. 8vo.
- Christius B., or Hy.*—Naturgeschichte, Klassification und Nomenclatur der Insekten vom Bienen, Wespen und Ameisengeschlecht. Von J. C. Christius. Frankfurt am Main. 1791. 4to.
- Clairv., or Clairv. E. H.*—Entomologie Helvetique, ou Catalogue des Insectes de la Suisse rangés d'après une nouvelle méthode (par J. Clairville). Zuric. 1798—1806. 2 vols. 8vo.
- Clark.*—An Essay on the Bots of Horses and other Animals. By B. Clark. London. 1815. 4to.
- Clerck Ic.*—Icones Insectorum rariorum cum nominibus eorum trivialibus. Auctore C. Clerck. Holm. 1764. 4to.
- Coqueb., Coqueb. Ic., or Coqueb. Ill.*—Illustratio iconographica Insectorum quæ in musæis Parisinis observavit et in lucem edidit J. C. Fabricius. Auctore J. A. Coquebert. Parisiis. 1779. 4to.
- Cramer.*—Papillons exotiques des trois parties du Monde, L'Asia, L'Afrique, et L'Amérique : par P. Cramer. Utrecht. 1779. 4to.
- Creutz. E. V.*—C. Creutzer Entomologische Versuche. Wien. 1799. 8vo.
- **Curtis.*—British Entomology ; being illustrations and descriptions of the genera of Insects found in Great Britain and Ireland, &c. By J. Curtis. London. 1824. 6 vols. 8vo.
- **Curtis 2nd edit.*—Idem : 2nd edition (No. I. only).
- Curtis G.*—A Guide to an Arrangement of British Insects. By J. Curtis. June 1829. 8vo.
- Curtis C.*—Idem : Catalogue on No. 45 of the above.
- Curtis W.*—A short history of the brown-tailed Moth, &c. By W. Curtis. London. 1782. 4to.
- Czempiński.*—Totius regni animalis Genera. Auctore P. Czempiński. Vindob. 1778. 8vo.
- Dalman A. E.*—Analecta Entomologica. Auctore J. W. Dalman. Holmiæ. 1823. 1 vol. 4to. cum tabulis æneis.
- DeGeer.*—Mémoires pour servir à l'histoire des Insectes : par Charles DeGeer. Stockholm. 1752, &c. 7 tom. 4to.
- DeGeer G.*—Carolli Lib. Bar. DeGeer Genera et Species Insectorum, curante A. J. Retzio. Lipsiæ. 1783. 8vo.

- DeJean C.*—Catalogue de la Collection de Coléoptères de M. le Baron DeJean, &c. Paris. 1821. 8vo.
- DeJean Col.*—Histoire Naturelle et Iconographie des Insectes Coléoptères d'Europe, par M. Latreille et M. le Baron DeJean, &c. 1—3 livr. Paris. 1822. 8vo.
- DeJean Sp.*—Species Général des Coléoptères de la Collection de M. le Comte DeJean. Paris. 1824—1828. 3 tom. 8vo.
- **Denny M.*—Monographia Pselaphidorum et Scydmænidarum Britanniae. By H. Denny. Norwich. 1825. 8vo.
- **Don.*—The Natural History of British Insects, explaining them in their several states; illustrated with coloured figures, &c. By J. E. Donovan. London. 1792—1816. 16 vols. 8vo.
- Duftschmid. F.*—Fauna Austriae: Oder Beschreibung der Österreichischen Insecten für angehende Freunde der Entomologie. Von C. Duftschmid. Linz. 1803—1825. 3 vols. 12mo.
- Dumeril.*—Traité élémentaire d'histoire naturelle. Par A. M. C. Dumeril. Paris. 1807. 8vo.
- Ent. Hefte.*—Entomologische Hefte, enthaltend Beiträge zur weitern Kenntniß und Aufklärung der Insectengeschichte, &c. Frankfurt am Main. 1803. 8vo.
- **Ent. Trans.*—Transactions of the Entomological Society of London. London. 1807. 1 vol. 8vo.
- Esper.*—Die Schmetterlinge in abbildungen nach der natur mit Beschreibungen, E. J. C. Esper. Erlangen. 1777, &c. 4to.
- Fabr.*—Joh. Chr. Fabricii Entomologia Systematica emendata et aucta. Hafniæ. 1792. 4 vols. 8vo.
- Fabr. S.*—Idem: Supplementum. Hafniæ. 1794. 8vo.
- Fabr. A.*—J. C. Fabricii Systema Antliatorum. Brunsvigæ. 1805. 8vo.
- Fabr. E.*—J. C. Fabricii Systema Eleutherotorum. Kiliae. 1801. 2 vols. 8vo.
- Fabr. Gen.*—J. C. Fabricii Genera Insectorum, &c. Chilonii. 8vo.
- Fabr. M.*—J. C. Fabricii Mantissa Insectorum, &c. Haffniæ. 1787. 8vo.
- Fabr. P.*—J. C. Fabricii Systema Piezatorum. Brunsvigæ. 1804. 8vo.
- Fabr. R.*—J. C. Fabricii Systema Rhyngotorum. Brunsvigæ. 1803. 8vo.
- Fabr. S. E.*—J. C. Fabricii Systema Entomologiæ, sistens Insectorum Classes, Ordines, Genera, Species, &c. Flensburgi et Lipsiæ. 1775. 8vo.
- Fabr. S. I.*—J. C. Fabricii Species Insectorum, &c. Hamburgi et Kilonii. 1781. 2 vols. 8vo.
- Fallen C. S.*—Monographia Cimicum Sueciæ. Auctore C. F. Fallen. Hafniæ. 1807. 8vo.
- Fall. D. S.*—Diptera Sueciæ descripta a C. F. Fallen. Lundæ. 1814. 4to.
- Fall. H.*—Specimen novam Hemiptera disponendi methodum exhibens: a C. F. Fallen. Lundæ. 1814. 4to.
- Fallen Hy.*—Specimen novam Hymenoptera disponendi methodum exhibens: a C. F. Fallen. Lundæ. 1813. 4to.
- Fallen M. C.*—Monographia Cantharidum et Malachiorum Succiæ: a C. F. Fallen. Lundæ. 1807. 4to.
- Fallen Obs. Ent.*—Observationes Entomologicæ, &c.: a C. F. Fallen. Lundæ. 1802. 4to.
- Faun. F.*—Faune Française, ou Histoire Naturelle, générale et particulière, des Animaux qui se trouvent en France, &c. Par MM. Vielot, Desmarest, de Blainville, Audinet-Serville, St.-Fargeau et Walckenaer. Paris. 1824—1829. 8vo.
- Faun. I.*—Vide *Cederh. F.*
- Fisch. E. R.*—Entomographia Imperii Russici, &c. Vol. 1. par E. R. Fischer. Mosquæ. 1820. 4to.
- **Forst. C.*—Novæ Species Insectorum. Centuria 1^a. Auct. J. R. Forster. Londini. 1771. 8vo.

- Fourc.*, or *Fourc. P.*—*Entomologia Parisiensis, sive Catalogus Insectorum quæ in Agro Parisiensi reperiuntur, &c. edente A. F. Fourcroy.* Paris. 1785. 2 vols. 12mo.
- Frisch.*—*J. L. Frisch Beschreibung von allerley Insekten in Deutschland.* Berlin. 1766. 4to.
- Fuessl. Ar.*—*Archives de l'Histoire des Insectes publiées en Allemand par Jean Caspar Fuessly, traduits en François.* Winterthur. 1794. 4to.
- Fuessly M.*—*Neues Magazin für die Liebhaber der Entomologie.* Herausgegeben von J. C. Fuessly. Zürich und Winterthur. 1782. 8vo. 2 St.
- Geoff.*—*Histoire Abregée des Insectes, dans laquelle ces animaux sont rangés suivant un Ordre Methodique,* par M. Geoffroy, M.D. Paris. 1764. 2 vols. 4to.
- Germ. I. N.*—*Insectorum Species novæ aut minùs cognitæ, descriptionibus illustratæ.* Auctore E. F. Germar. Halle. 1824. 8vo.
- Germ. M.*—*Magazin der Entomologie,* von E. F. Germar. Halle. 1813, &c. 4 vols. 8vo.
- Gmel.*—*Caroli a Linné Systema Naturæ, &c.* Editio 13^a, aucta, reformatæ. Cura J. F. Gmelin. Liepsiaæ. 1788. 3 tom. 8vo.
- Godart E. M.*—*Encyclopédie Methodique. Art. Papillon.* 4to.
- Godart. Dup.*—*Histoire Naturelle des Lépidoptères de France.* Par M. Godart, et M. Duponchel. Paris. 1818, &c. 8vo.
- Goëz.*—*Entomologische Beiträge, &c.* Von J. A. E. Goëze. Leipzic. 1777. 3 vols. 8vo.
- **Gor. & Pr.*—*The Natural History of several new, popular and diverting living Objects for the Microscope, &c.* By C. R. Goring, M.D., and A. Pritchard. London. 1829. 8vo.
- Gould A.*—*An Account of English Ants.* By Rev. W. Gould. London. 1747. 1 vol. 18mo.
- Grav. I. P.*—*Monographia Ichneumonum pedestrium, &c.* Auctore J. L. C. Gravenhorst, &c. Lipsiaæ. 1815. 1 vol. 8vo.
- Grav. Mi.*—*Coleoptera Microptera Brunsvicensia, neenon exoticorum quotquot extant in collectionibus Brunsvicensium.* Auct. J. L. C. Gravenhorst. Brunsvigæ. 1802. 8vo.
- Grav. Mo.*—*Monographia Coleopterorum Micropterorum.* Auct. J. L. C. Gravenhorst. Gottingæ. 1806. 1 vol. 8vo.
- Gyll.*—*Insecta Suecica descripta a Leonardo Gyllenhal.* Classis 1. Coleoptera sive Eleutherata. Scaris. 1808—1828. 4 vols. 8vo.
- **Harr. A.*—*The Aurelian; or Natural History of English Insects;* namely, Moths and Butterflies. By M. Harris. London. 1778. Fol.
- **Harr. Ex.*—*An Exposition of English Insects, &c.* By M. Harris. London. 1782. 4to.
- **Harr. V. M.*—*The English Lepidoptera, or the Aurelian's Pocket Companion, &c.* By M. Harris. London. 1775. 8vo.
- **Haw.*—*Lepidoptera Britannica, sistens Digestionem novam insectorum Lepidopterorum quæ in Magna Britannia reperiuntur, &c.* Auct. A. H. Haworth. Londini. 1803—1828. 8vo.
- **Haw. Pr.*—*Prodromus Lepidopterorum Britannicorum.* A concise Catalogue of British Insects, with the times and places of appearance in the winged state. By a Fellow of the Linnean Society. Holt. 1802. 4to.
- Hellwig.*—*Fauna Etrusea, &c. iterum edita et Annotatis perpetuis aucta,* a D. J. C. Lud Hellwig. Helmstadii. 1795. 8vo.
- Herbst Ar.*—*Archiv der Insectengeschichte herausgegeben von J. C. Fuessly.* Zürich und Winterthur. 1781. 4to.
- Herbst C.*—*Natursystem aller bekannten in und ausländischen Insecten,*

- &c. von C. G. Jablonsky, und forgetgesetzt von J. F. W. Herbst. Berlin. 1789. 40 vols. 8vo.
- Herbst Gem. Nat.*—Herbst Gemeinnützige Naturgeschichte.
- Herbst Nat.*—Natursystem aller bekannten und auslandischen Insecten, &c., von C. G. Jablonsky. Berlin. 1785, &c. 8vo.
- Herman.*—Mémoire Apterologique par J. F. Herman, M.D. Strasburgh. 1804. Folio.
- Hist. Ins.*—A short History of Insects (extracted from works of credit), designed as an Introduction to the Study of that branch of Natural History, &c. Norwich. 1 vol. 12mo.—No date.
- Höppe.*—Davidi Henrici Höppe, M.D. *Enumeratio Insectorum Elytratorum circa Erlangam indigenarum.* Erlangæ. 1795. 8vo.
- Horsfield.*—A Descriptive Catalogue of the Lepidopterous Insects contained in the Museum of the Honourable East India Company. By T. Horsfield, M.D. London. 1827—1829. 4to.
- Hort. Trans.*—Transactions of the Horticultural Society. London. 1814, &c. 4to.
- Hübner B.*—Beiträge zur geschichte der Schmetterlinge von J. Hübner. Augsburg. 1786—1789. 2 tom. 8vo.
- Hübner.*—Der Samlung Europäischer Schmetterlinge von J. Hübner. Augsburg. 1776, &c. 4to.
- Illig. K.*—Verzeichniss der Käfer Preussens entworfen von J. Gottlieb Kugelann, ausgegeben beitet von J. K. W. Illiger, &c. &c. Halle. 1798. 8vo.
- Illig. M.*—Magazin für Insectenkunde herausgegeben von J. K. W. Illiger. Braunschweig. 1801—1806. 7 tom. 8vo.
- **Ing. Inst.*—Instructions for collecting, rearing and preserving British Insects. By A. Ingpen. London. 1827. 18mo.
- Ins. Suec.*—Vide *Thun. I. S.*
- Isis.*—Isis von Oken. Jena. 4to.
- **Jerm.*—The Butterfly Collector's Vade Mecum; or A Synoptical Table of English Butterflies. Ipswich. 1824. 12mo.
- **Id. 2 edit.*—Idem, 2nd edition. Ipswich. 1827.
- Jurine Hy.*—Nouvelle Methode de Classes les Hyménoptères et les Dip-tères. Par L. Jurine. Tom. 1. Hyménoptères. A Genève. 1807. 4to.
- Kirby & Sp. I. E.*—Introduction to Entomology. By the Rev. W. Kirby and W. Spence. London. 1818—1827. 4 vols. 8vo. (Vols. 1 and 2, 4th edit.; vols. 3 and 4, 1st edit., quoted in this work.)
- **Kirby M. A.*—Monographia Apum Angliæ. By William Kirby, B.A. Ipswich. 1802. 2 vols. 8vo.
- Klug Bl.*—Die Blattwespen nach ihren Gattungen und Arten zusammengestellt von F. Klug. Berlin. 1818, 1819. 4to.
- Klug Ci.*—Versuch der Blattwespen gattung Cimbex, Fab. Von Dr. F. Klug. Berlin. 1819. 4to.
- Klug Si.*—Monographia Siricum Germaniæ atque Generum illis adnumerorum. Auct. D. F. Klug. Berolini. 1803. 1 vol. 4to.
- Knoch Beitr.*—Beiträge zur Insecten geschichte. Von A. W. Knoch. Leipzig. 1781. 8vo.
- Kunzé E. F.*—Entomologische Fragmente. Von G. Kunze. Halle. 1818. 8vo.
- Laich. T.*—J. N. V. von Laicharting der Tyrolier Insecten. Zurich. 1781. 8vo.
- Lama.*—Histoire Naturelle des Animaux sans Vertèbres, &c. Par M. de Lamarck. Tom. 3 et 4. Paris. 1816, 1817. 8vo.
- Lasp.*—Sesiæ Europæ Iconibus et Descriptionibus illustratæ. Auct. J. H. Laspeyres. Berolini. 1801. 4to.

- Latr. Essai.*—*Essai sur l'Hist. des Fourmis de la France.* Par P. A. Latreille. Paris. 8vo.
- Latr. F.*—*Histoire Naturelle des Fourmis et recueil des Mémoires et d'observations sur les Abeilles, &c.* Par P. A. Latreille. A Paris. 1802. 8vo.
- Latr. G.*—*Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata.* Auct. P. A. Latrcille. Parisiis et Argentorati. 1806—1810. 8vo.
- Latr. H.*—*Histoire Naturelle générale et particulière des Crustacés et des Insectes.* Par P. A. Latreille. Paris. 1802, &c. 14 tom. 8vo.
- **Leach Ar., or Leach E. I.*—*On the genera and species of Eproboscideous Insects, and on the arrangement of Oestrideous Insects.* By Dr. Leach (From the Memoirs of the Wernerian Nat. Hist. Society). Edinburgh. 1817. 8vo.
- **Leach E. E.*—*Leach in Edinburgh Encyclopædia: articles Entomology and Insecta.* Edinburgh. 1810, &c. 4to.
- **Leach E. B. Sup.*—*Leach in Supplement to the Encyclopedia Britannica: articles Annulosa and Entomology.* Edinburgh. 1818, &c.
- **Leach Z. M.*—*The Zoological Miscellany; or descriptions of new, rare, or highly interesting Animals.* By W. E. Leach. London. 1814. 3 vols. 8vo.
- Lchnan D.*—*De Sensibus externis Animalium exsanguium Commentatio, &c.* Goëttinb. 1798. 8vo.
- **Lew.*—*The Papilios of Great Britain.* By W. Lewin. London. 1795. 4to.
- Linn., or Linn. S.*—*Caroli a Linné Systema Naturæ per Regna tria Naturæ.* Editio decima tercia. Vindobonæ. 1767. 3 tom. 8vo.
- Linn. F.*—*Ejusdem Fauna Suecica.* Editio altera auctior. Stockholmiae. 1761. 8vo.
- Linn. M.*—*Ejusdem Mantissa Plantarum altera generum editionis sexta, &c.* Holmiæ. 1771. 8vo.
- Linn. Mus.*—*Ejusdem Systema Naturæ per Ulricæ Reginæ.* Holmiæ. 1764. 8vo.
- Linn. Trans.*—*Transactions of the Linnean Society of London.* 1791—1829. 16 vols. 4to.
- List. Goëd.*—*Johannes Goëdartius de Insectis in Methodum redactus, cum Notularum Additione, Operâ M. Lister.* Londini. 1685. 8vo.
- Id. (Ang.)*—*Johannes Goëdartius of Insects, done into English, and methodized, with the addition of Notes.* By M. L. The Figures etched upon copper. By Mr. F. York. 1682. (*In my copy there is a MS. systematic arrangement and description of the indigenous Papilioes, dated 1692.*)
- Loudon M.*—*The Magazine of Natural History: conducted by J. C. Loudon.* 1828—1829. 8vo.
- MacL. A.J.*—*Annulosa Javanica.* By W. S. MacLeay. London. 1824. 4to.
- MacL. H. E.*—*Horæ Entomologicæ, or Essays on the Annulose Animals.* By W. S. MacLeay. 1819. 8vo.
- Macq.*—*Insectes Diptères du nord de la France, Tipulaires, &c.* Par J. Macquart. Paris. 1825—8. 8vo.
- Man. Euc.*—*Eucnemis, Insectorum genus, Monographiæ tractatuin a C. G. de Mannerheim.* Petropoli. 1823. 8vo.
- **Marsh.*—*Entomologia Britannica, sistens Insecta Britanniae indigena secundum methodum Linnaeanam disposita.* Auctore T. Marsham. Tomus 1. Coleoptera. Londini. 1802. 8vo.
- Mart. C.*—*The English Entomologist, exhibiting all the Coleopterous Insects found in England, &c.* By T. Martyn. London. 1792. Large 4to. (*References on the authority of Marsham.*)

- Mart. V. M.*—The Aurelian's Vade Mecum; containing an English alphabetical and Linnean systematical Catalogue of Plants affording nourishment to Butterflies, &c. By M. Martyn. Exeter. 1785. 12mo.
- Meig. Kl.*—Klassifikation und Beschreibung der Europäischen Zweiflügeligen Insekten, von J. W. Meigen. Braunschweig. 1804. 2 vols. 4to.
- Meig. Zw.*—Systematische beschreibung der bekannten Europ. Zweiflügeligen Insecten, von J. W. Meigen. Aachen. 1818—1828. 5 vols. 8vo.
- Merret Pinax.*—Pinax Rerum Naturalium Britannicarum, &c. Auctore C. Merret. Londini. 1667. 12mo.
- Mikan. B.*—Monographia Bombyliorum Bohemiæ. Auct. J. C. Mikan. 1796. 8vo.
- **Mill. B. E.*—Outlines of British Entomology, in Prose and Verse. By S. W. Millard. Bristol. 1821. 12mo.
- Mouff.*—Insectorum sive minimorum Animalium Theatrum, &c. Auct. T. Mouffetti. Londini. 1634. Folio.
- Müll. F. F.*—Otto Fr. Müller Fauna Insectorum Fridrichsdalina. Hafniæ et Lipsiæ. 1764. 8vo.
- Müll. Z. D.*—Zoologiae Danicæ Prodromus, seu Animalium Daniæ et Norvegiæ indigenarum, &c. Auctore O. F. Müller. Hafniæ. 1786. 8vo.
- Nat. Comp.*—The Naturalist's and Traveller's Companion. By J. C. Lettsom. London. 1772. 8vo.
- Naturf., or Naturforscher.*—Der Naturforscher. Halle. 1774, &c.
- Nicol. Col. Hal.*—Diss. sistens Coleopterorum Species agri Halensis. Auct. E. A. Nicolai. Halæ. 1822. 8vo.
- Nov. Act. Hal.*—Neue Schriften der Naturforschenden G. Halle. Halæ. 1811—1818. 8vo.
- Nova Act. U.*—Nova Acta Regiæ Societatis scientiarum Upsaliensis. Upsal. 1773, &c. 4to.
- Ochs.*—Die Schmetterlinge von Europa. Von F. Ochsenheimer. 4 vols. 8vo. 1807—1816.
- Ochs. Tr.*—Die Schmetterlinge von Europa (Fortsekung des Ochsenheimer'schen Werks). Von F. Treitschke. 3 vols. 1825—1828.
- O. Fab.*—Fauna Groenlandica. Auct. O. Fabricio. Hafniæ et Lipsiæ. 1780. 8vo.
- Olfers.*—De Vegetativis et Animatis corporibus in corporibus animatis reperiundis commentarius. Auctore J. Fr. M. de Olfers. Pars 1. Berolini. 1816. 12mo.
- Oliv. E.*—Entomologie, ou Histoire Naturelle des Insectes, avec des caractères génériques et spécifiques, &c. Par M. Olivier, M.D. à Paris. 1789. 8 Tom. 4to.
- Oliv. E. M.*—Encyclopédie Methodique. Histoire Naturelle des Insectes, &c. Par M. Olivier. 1782, &c. 4to.
- Pallas Sp. Zo.*—Spicilegia Zoologica quibus novæ imprimis atque obscuræ animalium species describuntur, &c. Auct. P. S. Pallas. Hagæ Com. 1766. 4to.
- Panz. E.*—Entomologia Germanica, exhibens Insecta per Germaniam Indigena, &c. Auct. G. W. F. Panzeri. Norimbergæ. 1795. 12mo.
- Panz. F.*—Fauna Insectorum Germanicæ Initia. Auct. Dr. G. W. F. Panzer. Nurnberg. 1789, &c. 12mo.
- Panz. I.*—Index Entomologicus sistens omnes Insectorum species, &c. Auct. G. W. F. Panzeri. Norimbergæ. 1813. 12mo.
- Panz. Beitr.*—Dr. G. W. F. Panzer Beytrage zur Geschichte der Insecten. Erlangæ. 1793. 12mo.
- Panz. Krit. Rev.*—Ejusdem Kritische Revision der Insectenfaune Deutschlands nachdem System bearbeiter. Nurnberg. 1805. 12mo.
- Panz. Schäf.*—D. J. C. Schäfferi Iconum Insectorum circa Ratisbonam

- Indigenorum Enumeratio Systematica ; opera et studio Dr. G. W. F. Panzeri.* Erlangæ. 1804. 4to.
- Pap. d'Eur.*—*Papillons d'Europe peints d'après Nature, par M. Ernst, &c. décrits par le R. P. Engramelle.* Paris. 1779, &c. 8 vols. 4to.
- Payk. F.*—*G. Paykull Fauna Suecica. Insecta.* Upsaliæ. 1798, &c. 8vo.
- Payk. Ca.*—*Monographia Caraborum Sueciæ.* 1790.
- Payk. Cu.*—*Monographia Curculionum Sueciæ.* 1792.
- Payk. M.*—*Monographia Staphylinorum Sueciæ : a G. Paykull.* Upsaliæ. 1789. 8vo.
- Payk. M. S.*—Vide *Payk. M.*
- Payk. M. H.*—*Monographia Histeroidum.* Auct. G. Paykull. Upsaliæ. 1811. 8vo.
- Petagna I. C.*—*V. Petagna Specimen Insectorum Ulterioris Calabriæ. Francofurti et Moguntiæ.* 1787. 4to.
- Pet. Cent.*—*Musci Petiveriani centuria prima.* Auct. J. Petiver, &c. London. 1695. 12mo.
- Pet. Gaz.*—*Jacobi Petiveri Gazophylaceum Naturæ et Artis.* London. sine anno. Folio.
- **Pet. Pap.*—*Papilionum Britanniae Icones, Nomina, &c. ; containing the Figures, Names, Places, Seasons, &c. of above Eighty English Butterflies, &c.* By J. Petiver. London. 1717.
- Preysler B.*—*Verzeichniss Böhmischer Insekten.* Von J. D. Preysler. Prag. 1790. 4to.
- Quensel Diss.*—*Dissertatio Historico-Naturalis, Ignatas Insectorum species continens.* Auct. C. Quensel. Lundæ. 1790. 4to.
- Raii or Ray S.*—*Historia Insectorum.* Auctore Joanne Raio. Londini. 1710. 4to.
- Reaum. Ins.*—*Mémoires pour servir à l'Histoire des Insectes.* 6 Tom. Par R. A. S. Reaumur. A Paris. 1734. 4to.
- Redi.*—*Experimenta circa Generationem Insectorum.* Amstelodami. 1671. 24mo.
- Rees's Cyclop.*—*The New Cyclopædia.* By A. Rees. London. 1802, &c. &c. 4to.
- Règne Animal.*—*Le Règne Animal distribue d'après son Organisation.* Tom. 3. Par M. Latreille. A Paris. 1817. 8vo.
- Reich M.*—*Mantissæ Insectorum Iconibus illustratæ, species novas aut nondum depictas exhibentis, Fasc. I.* Auct. G. C. Reich, &c. Norimbergæ. 1797. 8vo.
- Reich. Ps.*—*Monographia Pselaphorum.* Auct. H. F. L. Reichenbach. Lipsiæ. 1816. 8vo.
- Rhein. M.*—*Rheinisches Magazine zu erweiterung der Naturkunde.* Von M. B. Borkhausen. Giesen. 1793. 8vo.
- Ræm. G.*—*Genera Insectorum Linnæi et Fabricii Iconibus illustrata, a J. J. Ræmer.* Vitoduri Helvetorum. 1789. 4to.
- Rossi F.*—*Fauna Etrusca, sistens Insecta quæ in Provinciis Florentina et Pisana præsertim collegit P. Rossius, &c.* Liburni. 1794. 2 vols. 4to.
- Rossi M.*—*Mantissa Insectorum exhibens species nuper in Etruria collectas, a P. Rossio, adjectis Faunæ Etruseæ illustrationibus ac emendationibus.* Pisis. 1792, 1794. 2 tom. 4to.
- Sahlb. I. F.*—*Diss. Ent. Insecta Fennica enumerans.* Præs. C. R. Sahlberg. Aboæ. 1817—1823. 8vo.
- St. Farg. M.*—*Monographia Tenthredinetarum Synonymia Extricata.* Auct. Am. Le P. de Saint-Fargeau. Parisiis. 1823.
- **Samou.*—*The Entomologist's Useful Compendium, or an Introduction to the Knowledge of British Insects, &c.* By G. Samouelle. London. 1819. 8vo.
- **Sam. I.*—*A Nomenclature of British Entomology, alphabetically arranged.* By G. Samouelle. London. 1819. 8yo.

- Schæff. Ic.*—D. Jacobi Christiani Schæfferi Icones Insectorum circa Ratisbonam indigenorum, &c. Regensburg. 1769. 3 tom. 4to.
- Schell. G. M.*—Genres des mouches Diptères représentés en xlii planches, a J. R. Schellenberg. Zuric. 1803. 8vo.
- Schell. H.*—Cimicum in Helvetiæ aquis et terris degentium, &c. Auct. J. R. Schellenberg. Turici. 1800. 8vo.
- Schneid. Mag.*—Nuestes Magazin fur die Liebhaber der Entomologie, herausgegeben von D. H. Schneider. Stralsund. 1791—1794.
- Schön., or Schön. S.*—Synonymia Insectorum, &c. von C. J. Schönherr. Stockholm. 1806—1827. 4 tom. 8vo.
- Schön. Cu.*—Curculionidum dispositio methodica. Auct. C. J. Schönherr. Lipsiæ. 1826. 8vo.
- Schrantz, or Schrank A.*—F. de P. Schrank, Enumeratio Insectorum Austriae: cum figuris. Augustæ Vindeliorum. 1781. 1 vol. 8vo.
- Schra. B., or Schrank B.*—Ejusdem Fauna Boica: Durchgedachte Geschichte der in Bagern einheimischen und zahmen Thiere. Nürnberg. 1798, &c. 8vo.
- Schrank N.*—Vide *Naturforscher*.
- Schwatz N.*—Nomenciator über die in den Roselschen Insecten belustigungen und Kleemanschen Beytragen zur Insectengeschichte, &c. Erste Abtheilung: Kafer. Nurnberg. 1793. 4to.
- Scop. C.*—Entomologia Carniolica, exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linneana. Auct. J. A. Scopoli. Vindobonæ. 1763. 8vo.
- Scriba B.*—Beiträge zu der insekten geschichte. Von L. G. Scriba. Frankfurt. 1790. 4to.
- Scriba Jo.*—Journal für die Liebhaber der Entomologie, herausgegeben von L. G. Scriba. Frankfurt. 1790. 8vo.
- Sepp.*—Beschouwing der Wonderen Gods in de Minstgeachte Schepzelen of Nederlandse Insecten. Door J. C. Sepp. Amsterdam. 1760—1829. 5 vols. 4to.
- Shaw G. Z.*—General Zoology, vol. 6. Insecta. By George Shaw, M.D. &c. 1806. 8vo.
- Shaw N. M.*—Vivarium Naturæ, or the Naturalist's Miscellany. By G. Shaw. The Figures by R. P. Nodder. London. 1790, &c. 8vo.
- Smith and Abb.*—The Natural History of the Rare Lepidopterous Insects of Georgia, collected from the observations of John Abbott. By J. E. Smith. Folio. 1797. 2 vols.
- **Sower. B. M.*—British Miscellany, or Coloured Figures of new, rare, or little-known Animal Subjects, many not before ascertained to be natives of the British Isles, &c. By J. Sowerby. London. 1806. 8vo.
- Spinola I. L.*—Insectorum Liguriæ Species novæ aut rariores, quas in Agro Ligustico nuper detexit, descripsit et Iconibus illustravit. Auct. M. Spinola. Genuæ. 1806—1808. 4to.
- Stark E.*—Elements of Natural History, adapted to the present state of the science, containing the generic characters of nearly the whole animal kingdom, and descriptions of the principal species. By J. Stark. Edinburgh. 1828. 2 vols. 8vo.
- Steph. Nom.*—The Nomenclature of British Insects. By J. F. Stephens. London. 1829. 12mo.
- **Steph. Ill. (H.)*—Illustrations of British Entomology (Haustellata). By J. F. Stephens. London. 1827—1829. 2 vols. 8vo.
- **Steph. Ill. (M.)*—Idem: Mandibulata. London. 1827—1829. 2 vols. 8vo.
- **Stew.*—Elements of Natural History; being an Introduction to the Systema Naturæ of Linnæus. London and Edinburgh. 1802. 2 vols. 8vo.
- Stoll. Ci.*—Représentation exactement colorée d'après nature des Punaises, &c. Par C. Stoll. Amsterdam. 1788. 4to.

- Stoll. Cic.*—Idem: *Cigales*. Amsterdam. 1788. 4to.
- Sturm D. F.*—*Deutschland's Fauna in Abbildungen nach der Natur mit Beschreibungen von J. Sturm*. 5e Abtheilung; die Insecten. Kafer. Nurnberg. 1805—1828. 7 Band. 18mo.
- Sturm V.*—*Verzeichnis meiner Insecten-Samlung oder Entomologisches Handbuch für Leibhaber und Sammler*: von J. Sturm. Nurnberg. 1800. 1 tom. 8vo.
- Sulzer, or Sulz. K.*—Dr. Sulzer's *Abgekürzte Geschichte der Insecten*, 2 theile. Winterthur. 1776. 4to.
- Swam. B. N.*—*The Book of Nature, or the Book of Insects, &c.* By John Swammerdam. Translated by John Hill. London. 1758. Fol.
- Thunb. A. U.*—*Museum Naturalium Academic Upsaliensis, &c.* Auct. P. C. P. Thunberg. Ups. 1800. 4to.
- Thunb. Diss.*—Ejusdem *Dissertatio Entomologica Novas Insectorum Species sistens, &c.* Upsaliæ. 1781—1791.
- Thunb. Ins. S.*—*Dissertatio Entomologica sistens Insecta Sueciæ*. Auct. P. C. P. Thunberg. Upsaliæ. 1784—1795.
- Thunb. Mus.*—Ejusdem *Museum Naturalium Academiæ Upsaliensis, &c.* Upsaliæ. 1787—1800.
- **Turt.*—*A General System of Nature through the three grand kingdoms of Animals, Vegetables, and Minerals, &c.* Translated from Gmelin's last edition of *Systema Naturæ*, by W. Turton, M.D. London. 1806, &c. 8vo. Vols. 2 and 3.
- Vieillot Anal.*—*Analyse d'une nouvelle Ornithologie élémentaire*. Par L. P. Vieillot. Paris. 1816. 8vo.
- Vieweg T. V.*—Quoted on the authority of Treitschke. (I am ignorant of the title.)
- Vill., Vill. E., Villers, or Villars.*—Car. Linnæi *Entomologia &c. curante et angente Carolo de Villers*. Lugduni. 1789. 4 tom. 8vo.
- Voët C.*—J. E. Voët. *Descriptiones et Icones Coleopterorum*. 4to.
- Voët (Pz.)*—J. E. Voët *Icones Insectorum Coleopterorum, &c.* Illustravit Dr. G. W. F. Panzer, &c. Erlangæ. 1794. 4to.
- Walck. M.*—*Mémoires pour servir à l'Histoire Naturelle des Abeilles solitaires qui composent le genre Halicte*. Par C. A. Walckenaer. Paris. 1817. 1 vol. 8vo.
- Walck. F.*—*Faune Parisienne, Insectes, ou Histoire abrégée des Insectes des environs de Paris, &c.* Par C. A. Walckenaer. 2 tom. 8vo. An xi. 1802.
- Weber Obs.*—*Observationes Entomologicæ continentis Novorum quæ condidit Generum Characteres*. Auct. F. Weberi. Killiaæ. 1801.
- Wied. Z. M.*—*Zoologische Magazine*. Von J. Wiedeman. 1816, &c. 8vo.
- Wien. V.*—*Systematisches Verzeichniss der Schmetterlinge der Wienergegend, &c.* Wien. 1776. 4to.
- **Wilkes.*—*One Hundred and Twenty Plates of English Moths and Butterflies, &c.* By B. Wilkes. London. 1773. 4to.
- **Wilkes D.*—*Twelve New Designs of English Butterflies*. By B. Wilkes. London. 1742. imp. 4to.
- Wilkin Catal.*—*Catalogue of some rare Insects in the Collection of S. Wilkin*. Norwich. 1816. 8vo.
- Will. Ich.*—Fr. Willoughby de *Historia Piscium*. Oxf. 1686. Fol.
- Wolff C.*—*Icones Cimicinum, descriptionibus illustratæ: fasc. 1—5.* Erlangæ. 1800—1806. 4to.
- **Wood.*—*Illustrations of the Linnæan Genera of Insects*. By W. Wood. London. 1821. 12mo.
- Zool. Journ.*—*The Zoological Journal*. Edited by N. A. Vigors, &c. London. 1825, &c. 8vo.

LIST OF SUBSCRIBERS.

- Charles Anderson, Esq., Lea, Lincolnshire.
Mrs. Ashton, Bexley.
Charles C. Babington, Esq., St. John's College, Cambridge.
J. O. Backhouse, Esq., Darlington.
T. Backhouse, Esq., York.
Mr. Bainbridge, London.
Mr. Henry Baines, York.
Rev. F. Baker.
Mr. J. S. Barnes, St. Luke's Hospital, Old Street.
P. Barrow, Esq., Manchester.
Mr. T. Beck, Mile End.
J. J. Bedingfield, Esq., Ditchingham Hall, Norfolk.
E. T. Bennett, Esq. F.L.S. &c. Edward Street, Portman Square, London.
Mr. Bentley, City Road.
J. E. Bicheno, Esq. F.R.S. &c. Furnival's Inn, London.
Rev. C. S. Bird, M.A. F.L.S., Burghfield, near Reading.
Captain Blomer, Teignmouth.
Mr. Peter Bown, Scarborough.
Rev. W. T. Bree, M.A., Allersley, near Coventry.
W. J. Broderip, Esq. F.L.S. &c., Raymond's Buildings, Gray's Inn.
Mr. Brown, Brighton.
Rev. J. Bulwer, B.A. F.L.S. &c., Dublin.
Mr. Burrough, London.
Cambridge Philosophical Society.
R. Chambers, Esq. F.L.S., Castle Street, Leicester Square.
Miss Champernowne, Teignmouth.
Mr. Chant, City Road.
J. G. Children, Esq. F.R.S. &c., British Museum. 3 copies.
C. C. Clark; Esq., Twickenham.
William Barnard Clarke, Esq., Jun., Ipswich.
W. Clear, Esq., Cork.
T. Cocks, Esq., High Buckington, Devon.
A. Cooper, Esq. R.A., New Millman Street, London.
J. Curtis, Esq., F.L.S., Grove Place, Lisson Grove. 2 copies.
J. C. Dale, Esq. F.L.S., Glanvilles Wootton, Dorset. 2 copies.
J. Dallinger, Esq., Hertford.
C. Darwin, Esq., Cambridge.
A. H. Davis, Esq. F.L.S., Nelson Square, London.
Mr. C. J. Derbyshire.

- Mr. B. Dillon, Wrexham.
L. W. Dillwyn, Esq. F.R.S., &c. Pentlegare, Glamorganshire.
J. Dixon, Esq., Worthing.
Mr. H. Doubleday, Epping.
Lady Emily Drummond.
W. H. Dikes, Esq. M.G.S., Lincolnshire.
Rev. — Dyson.
T. W. Edwards, Esq. F.L.S. &c., Chelsea.
E. C. Faithfull, Esq., Gray's Inn.
Rev. J. Fleming, D.D. F.R.S.E. &c., Flisk, Fifeshire.
W. D. Fox, Esq., Christ College, Cambridge. 3 copies.
Rev. J. Francis, M.A. F.L.S., Edgefield, Norfolk.
Right Hon. Lord Galway.
Charles Ganneys, Esq., Bungay.
Rev. W. L. P. Garnons, B.D. F.L.S. &c., Sidney Sussex College, Cambridge.
Mr. S. Gibson, Hebden Bridge, Yorkshire.
Mr. J. B. Giles, London.
Rev. E. Goodenough, D.D. F.R.S. &c., Little Cloisters, Westminster.
A. Griesbach, Esq., Brompton.
J. H. Griesbach, Esq., York Street, Baker Street.
J. E. Gray, Esq. F.G.S. &c., British Museum.
Right Hon. Baroness Grey de Ruthyn, Beaksbourne, near Canterbury.
W. S. Grey, Esq., St. John's College, Cambridge.
Right Hon. Countess Dowager of Guildford.
A. H. Haliday, Esq., Clifton, near Belfast, Ireland.
Mr. S. Hanson, London. 2 copies.
Major General Thomas Hardwicke, F.L.S. &c., Clapham.
Robert Harrison, Esq., Hull.
Mr. J. Hatchett, F.L.S., Kingsland Road.
Rev. T. T. Haverfield, M.A., Kew.
A. H. Haworth, Esq. F.L.S. &c., Little Chelsea.
G. S. Heales, Esq., Doctors' Commons.
Dr. Heinekin, Madeira.
H. Helsham, Esq., Norfolk.
Rev. J. S. Henslow, M.A. F.L.S. &c., Professor of Botany, Cambridge.
W. C. Hewitson, Esq., Newcastle.
Mrs. Hey.
T. C. Heysham, Esq., Carlisle.
Miss Hillman, Teignmouth.
Mr. Hoare, Queen's College, Cambridge.
Mr. Holdsworth, St. Paul's Churchyard. 2 copies.
H. Hole, Esq., Ebberley House, Devon.
Rev. F. W. Hope, M.A. F.L.S. &c., Upper Seymour Street, Portman Square. 5 copies.
M. J. Horner, Darlington.

- T. Horsfield, Esq., M.D. F.R.S. &c., Raymond's Buildings.
— Howitt, Esq., M.D., Nottingham.
H. Hursley, Esq.
G. C. Hyndeman, Esq., Portsmouth.
Rev. Dr. Jacob, Plymouth.
Rev. L. Jenyns, M.A. F.L.S. &c., Bottisham Hall, Cambridge.
Mr. Thomas Ingall, Bank.
Mr. A. Ingpen, A.L.S., Chelsea.
Mr. E. Ingpen, Clarendon Square, Somer's Town.
George Johnson, Esq. M.P., Berwick.
J. Jones, Esq.
S. Irvine, Esq., Surgeon R.N.
Miss Kenrick, Oswalds, near Canterbury.
Mrs. Kenrick, Broom, near Dorking.
Rev. W. Kirby, M.A. F.R.S. &c., Barham, near Ipswich. 2 copies.
J. Lamb, Esq., Nottingham.
R. Latham, Esq. F.L.S. &c., Great Russell Street.
W. F. Latham, Esq., Umberleigh House, near Barnstaple.
Mr. Thomas Letts, Royal Exchange.
Robert Leyland, Esq., Halifax.
Mr. R. Lightbody, Liverpool.
J. Lindley, Esq. F.R.S. &c., Prof. of Botany to the London University.
Rev. Thomas Lloyd, M.A., Hertford.
J. C. Loudon, Esq. F.L.S. &c., Bayswater.
George Lyell, jun. Esq. F.R.S. &c., Temple.
T. Lupton, Esq., Leigh Street, Burton Crescent.
W. S. MacLeay, Esq. F.L.S. &c., Havannah.
Mr. J. Marlow, Nottingham.
T. Marshall, Esq., London.
Rev. George May, Monkton Vicarage, Kent.
Mr. T. Maynell, jun.
George Milne, Esq., F.L.S. &c., Forfar.
J. Milne, Esq., Sun Fire Office.
Mr. George Music, Peterhead.
The Norfolk and Norwich Institute.
F. Paget, Esq., Christchurch.
Hon. Capt. W. Percy, R.N., Portman Square.
H. Philips, Esq., York.
William Raddon, Esq., Sidmouth Street, Gray's Inn Lane.
Wm. Reader, Esq., Stoneham, Hants.
J. Rennie, Esq. M.A., Lewisham.
T. Richards, Esq.
M. J. Robinson, Commercial Road.
Rev. G. T. Rudd, M.A., Kimpton Rectory, near Andover.
F. Russell, Esq., Stockwood House, Brislington, near Bristol.
H. Salter, Esq., Plymouth.
Mr. G. Samouelle, A.L.S., British Museum.
J. Scales, Esq., Beachamwell, Norfolk.
E. W. Sergeant, Esq., Manchester.

- Miss Simcoe, Exeter.
Lady Charlotte Shaw.
Rev. T. Skrimshire, M.A., South Creak, near Fakenham.
J. Smith, Esq., North Lodge, Rippon, York.
J. de C. Sowerby, Esq. F.L.S. &c., Mead Place, Lambeth.
Mr. J. Sparshall, Norwich.
Wm. Spence, Esq. F.R.S. &c., Brussels. 2 copies.
C. H. Spragg, Esq., Cambridge.
Rev. E. Stanley, M.A. F.L.S. &c., Alderley Rectory, Cheshire.
J. Stark, Esq. F.R.S.E., Edinburgh.
Mr. Stent.
J. Stephenson, Esq. M.D. F.L.S., Millbank Street, Westminster.
Charles Stokes, Esq. F.R.S. &c., Verulam Buildings. 2 copies.
Mr. Stone, Ratcliff.
Rev. J. Streathfield.
H. Strickland, Esq., Ripon.
W. Swainson, Esq. F.R.S. &c., Tittenhanger Green, St. Albans.
J. Tardy, Esq., Dublin.
Mr. William Tayloure, Teignmouth.
C. J. Thompson, Esq. F.L.S., Fulham.
Miss Trotter, Horton, Epsom.
J. R. Turner, Esq., Manchester.
N. A. Vigors, Esq. M.A. F.R.S. &c., Bruton Street, Berkeley Square.
George Wailes, Esq., Newcastle-on-Tyne.
Rev. — Walford, Long Stratton, Norfolk.
Sir P. Walker, Knt. F.R.S.E. &c., Drumseugh, near Edinburgh.
Mr. Ward, Wellclose Square.
Mr. G. Waterhouse, Brompton.
P. W. Watson, Esq., Cottingham, near Hull.
J. Watton, Esq., Upper Bedford Place, Russell Square.
Mr. R. Weaver, Birmingham.
William Wenman, Esq., Trinity Hall, Cambridge.
J. O. Westwood, Esq. F.L.S., Little Chelsea. 2 copies.
Mrs. Wilde, Guilford Street, Russell Square.
Rev. W. H. Wilder, F.L.S., Purley Hall, Reading.
H. Williams, Esq.
Thomas Williams, Esq. M.D., Guilford Street, Russell Square.
Mr. J. Williamson, Scarborough.
J. Wilmore, Esq., Birmingham.
Rev. Edward Wilson, M.A., Swinton, near Rotherham.
W. F. Withington, Esq., Hadlow Street, Burton Crescent.
William Wood, Esq. F.R.S. &c., Strand. 2 copies.
Mr. G. Wood, Manchester.
William Wolley, Esq., Hull.
Rev. T. Yonge, M.A., Robertsbourne, near Salisbury.

W. Beadon, Esq., Stoneham, Hants.
Rev. James Browne, Norwich.

Works published by the Author.

THE
NOMENCLATURE
OF
BRITISH INSECTS;

Being a Compendious List of such Species as are contained in his
Systematic Catalogue of British Insects, and forming a Guide to
their Classification, &c. &c. Price 4s. 6d. in cloth boards; or,
printed upon one side for labelling Cabinets, &c., price 5s.

A ND


(*In Monthly Numbers, price 5s. each,*)

ILLUSTRATIONS
OF
BRITISH ENTOMOLOGY;
OR

A Synopsis of Indigenous Insects;

Containing their Generic and Specific distinctions, with an Account
of their metamorphoses, times of appearance, localities, food,
and œconomy, as far as practicable: illustrated with Coloured
Figures of some of the rarer species.

(*To be completed in 87 Numbers; 28 of which are published.*)



A

SYSTEMATIC CATALOGUE
OF
BRITISH INSECTS.

INSECTA MANDIBULATA.

ORDO I. COLEOPTERA.

ELEUTHERATA, *Fabricius*.—ELYTROPTERA, *Clairville*.
Anglice “Beetles, Chaffers, Dors, Clocks and Bobs.”

SECTIO I. ADEPHAGA, *Clairville*.

ADEPHAGANA, *Kirby*.—ENTOMOPHAGA, *Latreille*.—CARNIVORA, *Cuvier*.
(PENTAMERA p., *Latr.*.—CHILOPODOMORPHA p., *MacLeay*.—
CHILOPODOMORPHITA p., *Kirby*.)

Subsectio 1. GEODEPHAGA, *MacLeay*.

(CICINDELETÆ et CARABICI, *Latr.*.—GEODEPHAGENA, *Kirby*).
“Ground-beetles.”

Familia I. CICINDELIDÆ, *Leach*.

(EUPTERINA, *Kirby*.)

Genus 1. CICINDELA, *Linné*, &c. Scale-beetle, or Sparkler.
BUPRESTIS p., *Geoffroy*.—ARENARIUS, *Voët*.

No. Sp.

1. 1; sylvatica*. *Linn.* ii. 658.—*Don.* x. 69. *pl.* 351. *f.* 1.—
Stew. ii. 74.—*Marsh.* i. 391.—*Shaw G. Z.* vi. 86.—*Leach E. E.*
ix. 78.—*Samou.* 144. *pl.* 3. *f.* 8.—(*Curtis l. c. infra.*)—*Steph. Ill.*
(M.) i. 7.
Ar. fuscus. *Voët. (Pz.)* ii. 95.
2. 2; hybrida. *Linn.* ii. 657.—*Sower. B. M.* i. *pl.* 18.—*Turt.*
ii. 395.—*Ent. Trans. (Burrell.)* i. 202.—*Leach E. E.* ix. 78.—

- (Sam. I. 11.)—Wood. i. 61.—(Curtis l. c. *infra*.)—Steph. Ill. (M.) i. 8.
 Ci. maculata. DeGeer. iv. 115?
 Ci. maritima. DeJean Col. i. 52. pl. iv. f. 5.
 3. 3, riparia *? Megerle.—DeJean Col. i. 50. pl. iv. f. 2.—Steph. Ill. (M.) i. 9. pl. 1. f. 1.
 3. * 4, aprica. Steph. Ill. (M.) i. 18.
 Ci. hybrida. DeJean Col. i. 48. pl. iv. f. 1.—(Curtis C. no. 46.)
 4. 5, Sylvicola *. Megerle.—DeJean Sp. i. 67.—Curtis. i. pl. 1.—Steph. Ill. (M.) i. 10.
 Ci. hybrida. Dufts. F. ii. 225.
 5. 6; campestris *. Linn. ii. 657.—Barb. G. pl. 6. f. 12.—Berk. S. i. 104.—Don. i. 29. pl. 12.—Stew. ii. 73.—Marsh. i. 389.—Turt. ii. 395.—Shaw G. Z. vi. p. 86.—Leach E. E. ix. 79.—Samou. 57.—(Curtis l. c. *supra*)—Steph. Ill. (M.) i. 11.
 Ci. austriaca. Schra. B. i. 69.
 Ar. viridis. Voët. (Pz.) ii. 96.
 6. 7; germanica *. Linn. ii. 657.—Panz. F. vi. f. 5.—Marsh. i. 391.—(Sam. I. 11.)—(Curtis l. c. *supra*)—Steph. Ill. (M.) i. 11.
 Ar. carniolicus. Voët. (Pz.) ii. 97.

Familia II. BRACHINIDÆ, MacLeay.

CA.-TRUNCATIPENNES, Latreille.

- (EUPODINA-AMAURONA p, Kirby.—CARABIDÆ p, Leach.)
 (CARABUS p, CICINDELA p, Linné, Marsh. &c.—BUPRESTIS p, Geoff.)

- Genus 2. DRYPTA, Fabricius, Leach, Samouelle, (Kirby,) Stephens.
 7. 1: emarginata. Fabr. E. i. 230.—Leach E. E. ix. 81.—Samou. 156.—Steph. Ill. (M.) i. 13. pl. 1. f. 2.
 Ca. chrysostomos. Marsh. i. 469.—Sower. B. M. i. pl. 59.
 Ca. dentatus. Rossi F. i. 222.

Genus 3. POLISTICHUS, Bonelli, Steph.

GALERITA p, Fabricius.—ZUPHIUM p, Latreille.—LEBIA p, Duftschmid.

8. 1: fasciolatus. Bonelli.—(Ing. Inst. 89.)—Steph. Ill. (M.) i. 13. pl. 1. f. 3.
 Ga. fasciolata. Fabr. E. i. 216.

- Genus 4. ODACANTHA, Paykul, Leach, Samou., (Kirby,) Steph.—DRYPTA p, Lamarck.—ATTELABUS p, Linné.

9. 1, melanura. Payk. F. i. 169.—Leach E. E. ix. 82.—(Samou. 156.)—Steph. Ill. (M.) i. 14.
 At. melanurus. Linn. ii. 620.—Don. xv. pl. 513.

Ci. angustata. *Fabr. E. S.* 169..

Ca. angustatus. *Sower. B. M. i. pl.* 36.—*Eut. Trans* (*Burrell.*)
i. 225.

Genus 5. DEMETRIAS, *Bonelli*, *Samou.*, *Curtis*, *Steph.*

LEBIA p, *Latr.*—*DROMIUS*, *Germar.*—*RHYZOPHILUS*, *Leach*.—
(*RISOPHILUS* in *E. E.* ix. 81.)

10. 1; atricapillus *. *Samou.* 156.—(*Curtis l. c. infra.*)—*Steph.*
Ill. (M.) i. 15.

Ca atricapillus. *Linn.* ii. 673.—*Mart. C. pl.* 38. *f.* 36?—
Oliv. E. iii. 111. *pl.* 9. *f.* 106. *a, b?*—*Marsh. i.* 462.

Ri. atricapillus. *Leach E. E.* ix. 81.

Dr. elongatus. *DeJean Sp.* i. 232.

11. 2, monostigma. *Samou.* 156.—*Curtis.* iii. *pl.* 119.—*Steph. Ill.*
(M.) i. 15.

Le. atricapilla c. *Gyll.* ii. 183?

Ri. monostigma. *Leach MSS.*

Dr. unipunctatus. *Creutzer.*—*Germ. I. N.* i. 1.

Genus 6. DROMIUS, *Bonelli*, *Samou.*, *Steph.*

DEMETRIAS *p*, *Panzer*.—*LEBIA p*, *Latr.*, *Leach*, &c.—*DROMIA*,
(*Kirby.*)
A. Alati.

12. 1; meridionalis *. *DeJean Sp.* i. 242.—(*Ing. Inst.* 38.)—
Steph. Ill. (M.) i. 16.

Ca. agilis. *Panz. F.* lxxv. *f.* 11.

13. 2; agilis *. *DeJean Sp.* i. 240.—*Steph. Ill. (M.)* i. 21.

Ca. agilis. *Fabr. E.* i. 185.

Ca. 4-maculatus e. *Illig. K.* i. 102.

β; *Steph. Ill. l. c.*

Ca. atricapillus. *Panz. F.* xxx. *f.* 9.—*Turt. ii.* 447.

Ca. truncatus. *Fabr. E.* i. 269.

Dr. rufescens. (*Sam. I.* 15.)

Ca. planatus. *Brahm?*

γ; *Steph. Ill. l. c.*

Ca. fenestratus. *Fabr. E.* i. 209.

Ca. arcticus. *Oliv. E.* iii. 97. *pl.* 12. *f.* 145.

δ; *Steph. Ill. l. c.*

Dr. bimaculatus. (*DeJean C. 3.*)

14. 3; quadrimaculatus *. *DeJean Sp.* i. 239.—(*Samou.* 155.)—
Steph. Ill. (M.) i. 21.

Ca. 4-maculatus. *Linn.* ii. 673.—*Mart. C. pl.* 38. *f.* 47.—
Stew. ii. 82.—*Marsh. i.* 459.—*Turt. ii.* 460.—*Panz. F.* lxxv.
f. 10.

Le. 4-maculata. *Leach E. E.* ix. 81.—(*Kirby & Sp. I. E.* ii. 443.)

Ca. crux-major. *Schrantz.* 216.

15. 4; quadrinotatus*. *DeJean Sp.* i. 238.—*Steph. Ill. (M.)* i. 21.
 Ca. 4-notatus. *Panz. F.* lxxiii. f. 5.
 Lc. 4-notata. (*Kirby & Sp. I. E.* ii. 443.)
 Ca. punctomaculatus. *Marsh.* i. 460.
 Dr. punctomaculatus. (*Sam. I.* 15.)
 Le. fasciata b. *Gyll.* ii. 190.
 β ; *Steph. Ill. (M.)* i. 22. pl. 1. f. 4.
16. 5; melanocephalus*. (*DeJean C.* 3.)—*DeJean Sp.* i. 234.
 —*Steph. Ill. (M.)* i. 22. pl. 1. f. 5.
 Le. pusilla. *Kirby MSS.*
 Dr. pusillus. (*Sam. I.* 15.)
 Le. linearis b. *Gyll.* ii. 187?
 Dr. pallidus. *Sturm.*
 β ; *Steph. Ill. l. c.*
 Le. venustula. *Spence MSS.*
- γ ; *Steph. Ill. l. c.*
 Dr. scutellaris *mihi* (*olim*).
17. 6; impunctatus*. *Kirby MSS.*—*Steph. Ill. (M.)* i. 23.
 Dr. spilotus var? *DeJean Sp.* i. 246?
 Dr. aeratus *mihi* (*olim*).
18. 7, humeralis. *Curtis MSS.*—*Steph. Ill. (M.)* i. 23.
 Dr. quadrillum. *Creutzer?*—*DeJean Sp.* i. 249?
 B. Apteris.
 a. *Corpore oblongo.*
19. 8, fasciatus. *DeJean Sp.* i. 238.—*Steph. Ill. (M.)* i. 24.
 Ca. fasciatus. *Fub. E.* i. 186.
 Ca. atricapillus var. f. *Illig. K.* i. 204.
20. [9, notatus.] (*Ing. Inst.* 88.)—*Steph. Ill. (M.)* i. 24.
21. 10; linearis*. (*Sam. I.* 15.)—*DeJean Sp.* i. 233.—*Steph. Ill. (M.)* i. 25.
 Ca. linearis. *Oliv. E.* iii. 111. pl. 14. f. 167. a, b.—*Marsh.* i. 163.
 Le. punctato-striata. *Dufts. F.* ii. 258.
 Dr. parasiticus. *Leach MSS.*
22. 11; glabratus*. *DeJean Col.* i. 190. pl. xv. f. 3.—*Steph. Ill. (M.)* i. 25.
 Le. glabrata. *Dufts. F.* ii. 248.
 Le. laevissima. *Kirby MSS.*
23. 12; femoralis*. *Steph. Ill. (M.)* i. 25.
 Ca. femoralis. *Marsh.* i. 463.
 b. *Corpore brevi.*
24. 13; truncatellus*. (*Panz. I.* i. 73.)—*Steph. Ill. (M.)* i. 26.
 Ca. truncatellus. *Linn.* ii. 673.—*Panz. F.* lxxv. f. 12.—*Marsh.* i. 464.—*Turt.* ii. 462.
52. 14; foveolus *. *Steph. Ill. (M.)* i. 26.

- Le. soveola. *Gyll.* ii. 183.
 Le. truncatella. *Latr. G.* i. 193.
 Le. punctatella. *Dufts. F.* ii. 248.
 Dr. punctatellus. *DeJean Col.* i. 194. *pl. xv. f.* 7.

Genus 7. LEBIA, *Latreille, Samou., Curtis, Steph.*

26. 1, crux-minor*. (*Samou.* 155.)—(*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 24. *pl. 1. f.* 6.
 Ca. crux-minor. *Linn.* ii. 673.—*Marsh.* i. 465.—*Turt.* ii. 453.
 Ca. crux-major. *Oliv. E.* iii. 96. *pl. 4. f. 41. a, b.*—*Stew.* ii. 82.
 Ca. Andreæ. *Rossi F.* i. 221.
 ♀, Ca. erratus. *Rossi M.* i. 91?
- 27 † 2, turcica. *Curtis.* ii. *pl. 87.*—*Steph. Ill. (M.)* i. 27.
 Ca. turcicus. *Fabr. E.* i. 203. (!)
 Le. humeralis. *Sturm.* In *Musco Britannico.*
- 28 † 3, hæmorrhoidalis. (*Panz. I.* 72.)—(*Ing. Inst.* 88.)—*Steph. Ill. (M.)* i. 28.
 Ca. hæmorrhoidalis. *Fabr. E.* i. 203.—*Panz. F.* lxxv. *f.* 6.
 In *Mus. D. Hope.*

Genus 8. LAMPRIAS, *Bonelli, Samou., Steph.*

- LEBIA p**, *Latr.*—**BRACHINUS p**, *Clairv.*—**ECHIMUTHIUS**, *Leach.*
29. 1; cyanocephalus*. *Samou.* 155.—*Steph. Ill. (M.)* i. 29. *pl. 2. f.* 1.
 Ca. cyanocephalus. *Linn.* ii. 671.—*Berk. S.* i. 107.
 Ec. cyanocephalus. *Leach E. E.* ix. 81.—(*Sam. I.* 16.)
30. [2; nigritarsis*.] *Leach MSS.*—(*Ing. Inst.* 88.)—*Steph. Ill. (M.)* i. 29.
31. 3; chlorocephalus*. *Samou.* 155.—*Steph. Ill. (M.)* i. 30.
 Ca. cyanocephalo affine. *Illig. K.* i. 207 nota.
 Ca. chlorocephalus. *Ent. Hefte.* ii. 117.
 Ca. cyanocephalus. *Mart. C. pl.* 36. *f.* 14.—*Don.* iii. 35. *pl. 86.*—*Stew.* ii. 81.—*Marsh.* i. 451.—*Turt.* ii. 457.
 Le. cyanocephala. *Lama.* iv. 503.
32. 4, rufipes. (*Ing. Inst.* 88.)—*Steph. Ill. (M.)* i. 30.
 Le. rufipes. *DeJean Sp.* i. 258?—*DeJean Col.* i. 161. *pl. xiii. f.* 1.

Genus 9. TARUS, *Clairville, Steph.*

- CYMINDIS**, *Latr., Leach, Samou., (Kirby.)*—**CYRIDIS**, *Gyllenhal ex errore.*—**ANOMÆUS**, *Fischer.*—**LEBIA p**, *Dufts.*
33. 1, angularis. *Steph. Ill. (M.)* i. 31.
 Cy. angularis. *Gyll.* ii. 173.—*DeJean Col.* i. 144. *pl. xii. f.* 1
 Ca. humeralis β. *Puyk. F.* i. 122.

34. 2 : lævigatus *. *Steph. Ill. (M.)* i. 32. *pl. 2. f. 2.*
35. 3, macularis. *Steph. Ill. (M.)* i. 32. *pl. 2. f. 3.*
Cy. macularis. Fisch. E. R. (Mannerheim.) iii. 25. *pl. 3.*
f. 4 β.
- ✓ 36 † 4, humeralis. *Clairv. ii. 96.*—*Steph. Ill. (M.)* i. *pl. 2. f. 4.*
Ca. humeralis. Marsh. i. 452.
Cy. humeralis. Leach E. E. ix. 81.—(*Samou. I. 14.*)
Ca. Dianæ. Panz. F. xxx. f. 8.
Ca. humerosus. Schon. S. i. 184. In *Mus. Brit. et D. Hope.*
- Genus 10. BRACHINUS, *Weber, Leach, Samou., (Kirby) Steph.*
37. 1 ; crepitans *. *Fabr. E. i. 219.*—*Leach E. E. ix. 81.*—
Samou. 154. pl. 3. f. 19.—(*Kirby & Sp. I. E. ii. 246. Id. iv. 129.*)
—*Steph. Ill. (M.)* i. 34. *pl. 2. f. 6.*
Ca. crepitans. Linn. ii. 671.—*Berk. S. i. 107.*—*Mart. C. pl. 36. f. 17.*—*Marsh. i. 468.*—*Stew. ii. 80.*—*Turt. ii. 440.*
—*Don. xiv. 49. pl. 486.*—*Mill. B. E. 221.*
Bombardier. Bingley. iii. 147.
Bup. erythrocephalus anglus. Voët. (Panz.) ii. 78.
- 37 * 2 ; immaculicornis *. *DeJean Sp. ii. 466.*—*Steph. Ill. (M.)* i. app.
Br. crepitans var. A. DeJean Sp. i. 319.
Br. pectoralis. Dahl.
38. 3, explodens. *Dufts. F. ii. 234.*—*Steph. Ill. (M.)* i. 35.
- 39. 4; glabratus. *Bonelli.*—*DeJean Sp. i. 320.*—*DeJean Col. i. pl. 8. f. 8.*—(*Ing. Inst. 87.*)—*Steph. Ill. (M.)* i. 36.
Br. strepitans. Dufts. F. ii. 235?
40. 5, sclopeta. *Fabr. E. i. 220.*—(*Ing. Inst. 87.*)—*Steph. Ill. (M.)* i. 36. *pl. 2. f. 5.*

Familia III. SCARITIDÆ, MacLeay.

CA.-BIPARTITI, Latreille.

(EUPODINA-AMAURONA *p*, Kirby.—CARABIDÆ *p*, Leach.)

(TENEBRIÖ *p*, Linné.—CARABUS *p*, Marsh.—SCARITES *p*, Fabr.)

Genus 11. SCARITES, *Fabricius, (Kirby,) Steph.*

A. Tibiis intermediis bispinosis.

- 41 † 1, Beckwithii. *Steph. Ill. (M.)* i. 37. *pl. iii. f. 1.*
In *Mus. Brit. D. Swainson et Vigors.*

42 † 2. *subterraneus*^a.

B. Tibiis intermediis unispinosis.

43 † 3. *lævigatus*^b.

Genus 12. OXYGNATHUS^c.

Genus 13. CLIVINA, *Latreille*, *Leach*, *Samou.*, (*Kirby*), *Curtis*, *Steph.*

ATTELABUS *p.*, *DeGeer*.

45. 1; *Fosser**. *Leach E. E.* ix. 79.—(*Sam. I.* 11.)—*Steph. Ill. (M.)* i. 39.—(*Curtis l. c. infra.*)

Te. *Fosser*. *Linn. ii.* 675.—*Turt. ii.* 477.

Sc. *arenarius*. *Fabr. E. i.* 125.—*Panz. F.* xlili. *f.* 11.

Cl. *arenaria*. *Latr.*—(*Samou.* 153.)

Ca. *distans*. *Marsh. i.* 472.

Pseudocupis minor. *Voët. (Panz.) ii.* 63.

β, Cl. *discicollis*. *Megerle?*

46. 2; *collaris**. *Steph. Ill. (M.)* i. 40. *pl. iii. f. 3.*—*Curtis. iv. pl. 175.*

Ca. *collaris*. *Herbst A.* 141. *pl. 29. f. 15.*

Te. *collaris*. *Gmel. iv.* 1994.—*Turt. ii.* 477.

Sc. *Fosser β*. *Illig. K. i.* 121.

β, Cl. *discipennis*. *Megerle?*

Genus 14. DYSCHIRIUS, *Panzer*, *Samou.*, *Steph.*

CLIVINA *p.*, *Gyll.*, *Leach*.

47. 1, *nitidus*. *Steph. Ill. (M.)* i. 40.

Cl. *nitida*. *DcJean Sp. i.* 421.

Cl. *elloughtonensis*. *Spence MSS.?*

47 *† 2. *æratus*. *Zool. Journ. (Halliday.)* iv.—*Steph. Ill. (M.)* i. app. In *Mus. D. Halliday.*

48. 3, *thoracicus*. (*Panz. I.* 67.)—*Steph. Ill. (M.)* i. 41.

^a 42 † 2. *subterraneus*. *Fabr. E. i.* 124.—*Oliv. E. iii. 8. pl. i. f. 10.*—*Steph. Ill. (M.)* i. 37, nota.

Te. *subterraneus*. *Gmel. iv.* 1993.—*Turt. ii.* 476. (!)

At. *Fosser*. *DeGeer. iv.* 350. *pl. 13. f. 1. 2.*

Ca. *interruptus*. *Herbst A.* 133. *pl. 29. f. 4.*

Ca. *subterraneus*. *Mart. C. pl. 58. f. 46.* (!)

^b 43 † 3. *lævigatus*. *Fabr. E. i.* 124.—*Wilkins' Catal.* (!)—*Steph. Ill. (M.)* i. 38, nota.

Sc. *littoralis*. *Creutzer. i.* 134.

Sc. *sabulosus*. *Oliv. E. iii. 11. pt. 1. f. 8.*

^c Genus 13. OXYGNATHUS? *DcJean*, *Steph.*—ARTEPHORUS, *Hope MSS.*

44 † 1, *anglicanus*. *Steph. Ill. (M.)* i. 38. *pl. iii. f. 2*, nota.

Ar. *anglicanus*. *Hope MSS.* In *Mus. D. Hope.*

- Sc. thoracicus. *Illig.* K. i. 125.—*Panz. F.* lxxxiii. f. 2.—*Ent. Trans. (Burrell.)* i. 250, 313.
49. 4, politus *. *Steph. Ill. (M.)* i. 41.
Cl. polita. *DeJean Sp.* i. 422.
50. 5, cylindricus. *Steph. Ill. (M.)* i. 41.
Cl. cylindrica. *DeJean Sp.* i. 423.
Dy. maritimus *mihi (olim)*.
51. 6, arenosus. *Leach MSS.*—*Steph. Ill. (M.)* i. 42.
52. 7, digitatus. *Steph. Ill. (M.)* i. 42.
Cl. digitata. *DeJean Sp.* i. 427?
53. 8, æneus *. *Steph. Ill. (M.)* i. 42.
Cl. ænea. *Ziegler.*—*DeJean Sp.* i. 423.
54. 9; tristis *—? *MSS.*—*Steph. Ill. (M.)* i. 43.
Cl. obscura. *Gyll.* iv. 456?
55. 10; gibbus *. (*Panz. I.* i. 67.)—(*Samou.* 153.)—(*Ing. Inst. pl. f. 6.*)—*Steph. Ill. (M.)* i. 43.
Sc. gibbus. *Fabr. E.* i. 126.—*Panz. F.* v. f. 1.
Ca. remotus. *Marsh.* i. 473.
Sc. globosus. *Herbst A.* 142. *pl. 29. f. 17.*
Cl. gibba. *Leach E.* E. ix. 79.

Genus 15. DISTOMUS, *Leach MSS.*—*Steph.*

DITOMUS *p.*, *Bonelli.*—ARISTUS *p.*, *Ziegler.*

- 56 † 1, Leachii. (*Ing. Inst. 88.*)—*Steph. Ill. (M.)* i. 44. *pl. iii. f. 4.*
Dit. fulvipes. *DeJean Sp.* i. 444?
Ar. sulcatus. (*Bich. Add.* 13. (!) In Mus. Brit.

Familia IV. CARABIDÆ, *MacLeay.*

CA.-ABDOMINALES, *Latreille.*

(EUPODINA-LAMPRONA, *Kirby.*)

(CARABUS *p.*, *Linné*, *Marsham*, &c.—BUPRESTIS *p.*, *Geoffroy.*)

Genus 16. CYCHRUS, *Fabricius*, *Leach*, *Samou.*, (*Kirby.*) *Steph.*—TENEBRIO *p.*, *Linné.*

57. 1; rostratus *. *Fabr. E.* i. 165.—*Leach E.* E. ix. 82.—(*Samou.* 145.)—*Steph. Ill. (M.)* i. 45.
Te. rostratus. *Linn. ii.* 677.
Te. caraboides. *Linn. ii.* 677.
Ca. rostratus. *Mart. C. pl. 37. f. 27.*—*Marsh.* i. 470.—*Turt.* ii. 442.—*Don.* xiv. 90. *pl. 504. f. 2.*
Ca. coadunatus. *DeGeer.* iv. 92. *pl. 3. f. 13.*

58 † 2. elongatus ^a.

59 † 3. attenuatus ^b.

Genus 17. PROCRUSTES ^c.

Genus 18. CARABUS *Auctorum*.

TACHYPUS, Weber.

A. Elytris haud sulcatis.

a. *Elytris elevato-striatis, striis alternis interruptis: corpore oblongo subconvexo.* Granulati. Panz. I. i. 34.

61. 1, intricatus. Linn. F. no. 780.—Don. xv. pl. 526. fig. inf. —Leach E. E. ix. 83.—Samou. 145.—Steph. Ill. (M.) i. 47. pl. iii. f. 5.

Ca. cyaneus. Fabr. E. i. 117.—Turt. ii. 439.

62 † 2. purpurascens ^d.

63. 3; catenulatus *. Fabr. E. i. 170.—Panz. F. iv. f. 6.—Leach E. E. ix. 82.—Samou. 145.—DeJean Sp. ii. 68 (!).—Steph. Ill. (M.) i. 48.

Ca. intricatus. Marsh. i. 432.

Ca. problematicus. Herbst A. 177. pl. 47. f. 5?

Ca. purpurascens. Payk. Ca. 13.

64 † 4, agrestis? Creutz. E. V. 110. pl. 2. f. 15. A?—Steph. Ill. (M.) i. 49.

Ca. Leachiellus mihi (olim.)

In Mus. Brit.

65. 5; monilis *. Fabr. E. i. 171.—Panz. F. cviii. f. 1.—Samou. 146.—Steph. Ill. (M.) i. 49.

Ca. catenulatus. Linn. F. no. 781.—Oliv. E. iii. 36. pl. 3. f. 29.—Marsh. i. 434.—Leach E. E. ix. 83.

Ca. granulatus. Berk. S. i. 107.

β; Steph. Ill. (M.) i. 50.

Ca. interlineatus. Wilk. MSS.

Ca. inæqualis. Kirby MSS.

Ca. consitus. Panz. F. cviii. f. 3.

γ; Steph. Ill. l. c.

Ca. rugulosus. Marsh. i. 434.

66. 6; cancellatus *. Fabr. E. i. 176. Steph. Ill. (M.) i. 50.

^a 58 † 2. elongatus. DeJean Sp. ii. 7.—Literary Gazette, 11th March 1827. (!)—Steph. Ill. (M.) i. 46, nota.

^b 59 † 3. attenuatus. Fabr. E. i. 166.—Steph. Ill. (M.) i. 46, nota.
Ca. proboscideus. Oliv. E. iii. 45. pl. 11. f. 128.

^c Genus 17. PROCRUSTES, Bonelli, Stephens.

60 † 1. coriaceus. Sturm D. F. iii. pl. liv.—Steph. Ill. (M.) i. 46, nota.
Ca. coriaceus. Linn. ii. 668.—Turt. ii. 439 (!).

^d 62 † 2. purpurascens. Fabr. E. i. 170.—Oliv. E. iii. 20. pl. 4. f. 40.—Stew. ii. 80 (!).—Steph. Ill. (M.) i. 48, nota.

- Ca. granulatus, b. c. *Linn.* ii. 668?—*Stew.* ii. 79.—*Mart.* C. pl. 37. f. 20.—*Don.* vii. 15. pl. 222. f. 3.—*Marsh.* i. 433.—*Turt.* ii. 442.
- Ca. morbillosus. *Leach E. E.* ix. 83.—*Samou.* 146. pl. 3. f. 17.
67. 7, granulatus *. *Linn.* ii. 668.—*Steph. Ill. (M.)* i. 51. pl. iv. f. 1.
- Ca. cancellatus. *Illig. K. i.* 154.
- Ca. clathratus. *Scriba B. i.* 12. pl. 1. f. 6.
68. 8; arvensis *. *Fabr. E. i.* 174.—*Ent. Trans. (Sowerby, &c.)* i. 93. et 246. pl. 4. fig. med.—*Leach E. E.* ix. 83.—(*Sam. I. 9.*)—*Steph. Ill. (M.)* i. 51.
- b. *Elytris lœvibus aut punctulatis: corpore valdè elongato convexo.*
Punctati. *Panz. I. i.* 37.
69. 9; violaceus *. *Linn.* ii. 669.—*Barb. G. pl. 7. f. 2.*—*Berk. S. i.* 107.—*Mart. E. pl. 36. f. 16.*—*Don. vii. 13. pl. 222. f. 1.*—*Marsh. i. 432.*—*Stew.* ii. 80.—*Turt.* ii. 439.—*Shaw G. Z. vi.* 99.—*Leach E. E.* ix. 82.—*Samou.* 145.—(*Kirby & Sp. I. E.* ii. 247.)—*Steph. Ill. (M.)* i. 52.
- Ca. coriaceus. *Scop. C. no.* 265.
- β; Ca. marginalis. *Fabr. E. i.* 169?
70. 10, glabratus *? *Fabr. E. i.* 170.—*Ent. Trans. (Haworth.)* i. 93. pl. 2. fig. inf.—*Don. xv. pl. 506.*—(*Sam. I. 9.*)—(*Kirby & Sp. I. E.* iv. 499.)—*Steph. Ill. (M.)* i. 52.
- Ca. coriaceus. *DeGeer. iv.* 90.
- Ca. convexus. *Herbst A.* 130. pl. 29. f. 2.
- Ca. violaceus. *Müll. Z. D. no.* 810.
- c. *Elytris confertissimè striatis, singulis scriebus tribus puncrorum impressorum distinctissimorum: corpore abbreviato valdè convexo.* Convexi. *Panz. I. i.* 37.
- 71 † 11, convexus. *Fabr. E. i.* 172.—(*Ing. Inst.* 88.)—*Steph. Ill. (M.)* i. 53. pl. iv. f. 2. In *Mus. Brit. D. Hope, Kirby & Vigors.*
72. 12; hortensis *. *Fabr. E. i.* 172.—*Marsh.* i. 433.—*Steph. Ill. (M.)* i. 53.
- Ca. nemoralis. *Illig. K. i.* 152.—*Stew.* ii. 79.—*Turt.* ii. 440.—*Leach E. E.* ix. 83.—*Samou.* 145.
- Ca. violaceus. *DeGeer. iv.* 89.
- Ca. gemmatus. *Don. vii. 14. pl. 222. f. 2.*
- Ca. catenulatus. (*Mill. B. E.* 221. pl. 3. f. 2.)
- d. *Elytris confertissimè striatis, singulis scriebus tribus puncrorum excavatorum dilatatorum: corpore oblongo subconvexo.* Striatopunctati. *Panz. I. i.* 38.
- 73 † 13. gemmatus ^a.

^a 73 † 13. gemmatus. *Fabr. E. i.* 172.—*Panz. F. lxxiv. f. 2.*—*Stew.* ii. 79 (!).—*Turt.* ii. 440 (!).—*Steph. Ill. (M.)* i. 53, nota.
Ca. hortensis. *Linn.* ii. 668.—*Shaw G. Z. vi.* 99 (!).
Ca. striatus. *DeGeer. iv.* 90. pl. 3. f. 1.

B. *Elytris sulcatis.*a. *Elytris scriebus tribus punctorum excavatorum.*

74. 14, clathratus. *Linn.* ii. 669.—*Turt.* ii. 442.—*Ent. Trans.* (*Haworth.*) i. 338.—(*Don.* xv. *pl.* 526. *fig. sup.*)—(*Sam. I.* 9.)—*Wood.* i. 70. *pl.* 25.—*Steph. Ill. (M.)* i. 54.

Ca. æneopunctatus. *DeGeer.* iv. 87.

Ca. adspersus. *Gmel.* iv. 1968.

b. *Elytris tantum porcis costis elevatis tribus.*

75 † 15. auronitens. *Fabr. E.* i. 175.—*Panz. F.* iv. *f.* 7.—*Steph. Ill. (M.)* i. 54. In *Mus. D. I. H. Griesbach.*

76. 16, auratus. *Linn.* ii. 669.—*Stew.* ii. 80.—*Turt.* ii. 441.—(*Kirby & Sp. I. E.* i. 269.)—(*Ing. Inst.* 88.)—*Steph. Ill. (M.)* i. 55. *pl.* iii. *f.* 6.

Ca. sulcatus. *DeGeer.* iv. 104. *pl.* 17. *f.* 20.

77. 17 : nitens. *Linn.* ii. 669.—*Don.* ix. 53. *pl.* 313.—*Marsh.* i. 435.—*Sower. B. M.* i. *pl.* 27.—(*Sam. I.* 9.)—*Steph. Ill. (M.)* i. 56.

Ca. aureus. *DeGeer.* iv. 91.

Genus 19. CALOSOMA, *Weber, Leach, Samou., (Kirby,) Steph.*

78. 1, Sycophanta *? *Fabr. E.* i. 212.—*Ent. Trans.* (*Haworth.*) i. 252.—*Leach E. E.* ix. 82.—*Leach Z. M.* ii. 94.—(*Sam. I.* 8.)—(*Kirby & Sp. I. E.* i. 269—275. *pl.* 1. *f.* 1.)—*Steph. Ill. (M.)* i. 57. Ca. Sycophanta. *Linn.* ii. 670.—*Turt.* ii. 452.—*Don.* xiv. 27. *pl.* 477. *f.* 1.

Ca. nitens. *Scop. C. no.* 262.

79 † 2. *Scrutator* ^a.

80. 3 ; Inquisitor *. *Fabr. E.* i. 212.—(*Leach Z. M.* ii. 93.)—(*Sam. I.* 8.)—*Steph. Ill. (M.)* i. 58.

Ca. Inquisitor. *Linn.* ii. 669.—*Mart. C. pl.* 38. *f.* 42.—*Turt.* ii. 452.—*Don.* xiv. 89. *pl.* 504. *f.* 1.

Genus 20. NEBRIA, *Latr., Leach, Samou., Curtis, (Kirby,) Steph.*

81. 1, complanata. *Leach E. E.* ix. 83.—*Samou.* 146. *pl.* 3. *f.* 18.—(*Curtis l. c. infra.*)—(*Kirby & Sp. I. E.* iii. 513.)—*Steph. Ill. (M.)* i. 59.

Ca. complanatus. *Linn.* ii. 671.—*Don.* xiv. 53. *pl.* 488.

Ca. arenarius. *Fabr. E.* i. 179.—*Turt.* ii. 443.

Ne. arenaria. *Latr. H.* viii. 276 (!).—*DeJean Sp.* ii. 223 (!)

^a 79 † 2. *Scrutator.* *Fabr. E.* i. 213.—*Leach Z. M.* ii. 94. *pl.* 93.—*Steph. Ill. (M.)* i. 57, nota.

Ca. Sycophanta. *Linn. Mus. Utr. no.* 95.—*DeGeer.* iv. 105. *pl.* 17. *f.* 19.

- 82 † 2. collaris^a.
 83. 3, livida. *Steph. Ill. (M.)* i. 60.
 Ca. lividus. *Linn. ii.* 670?
 Ne livida a, *Gyll. ii.* 38?—(*Sam. I.* 28.)—*Curtis i. pl. 6.*
 Ca. sabulosus. *Fabr. E. i.* 179?
 84. 4, picicornis. *DeJean Sp. ii.* 227.—(*Ing. Inst. 89.*)—*Steph. Ill. (M.)* i. 60. *pl. iv. f. 3.*
 Ca. picicornis. *Fabr. E. i.* 180.—*Panz. F. xcii. f. 1.*
 Ca. erythrocephalus. *Fabr. M. i.* 199.

Genus 21. HELOBIA, *Leach MSS.*, *Curtis*, *Steph.*

NEBRIA p., *Gyllenhal.*

85. 1; brevicollis*. (*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 61.
 Ca. brevicollis. *Fabr. E. i.* 191.—*Sturm D. F. iii. pl. lxvii.*
 Ca. infidus. *Rossi M. i.* 83.
 Ca. rugimarginatus. *Marsh. i.* 444.
 Ne. brevicollis. *Leach E. E. ix.* 83.—(*Sam. I.* 28.)
 β, Ne. fuscata. *Bonelli Obs. i.* 44.
 87. 3, Gyllenhalii. *Curtis iii. pl. 103.*—*Steph. Ill. (M.)* i. 62.
 Ca. Gyllenhalii. *Schon. S. i.* 196.
 Ne. Gyllenhalii. (*Sam. I.* 28.)
 Ca. nivalis β. *Payk. F. i.* 119.
 86. 2, Marshallana mihi.—*Steph. Ill. (M.)* i. 61. *pl. iv. f. 4.*—
 (*Curtis C. no. 45.*)
 Ne. arctica. *DeJean Sp. ii.* 235?

Genus 22. ALPÆUS, *Bonelli*, *Steph.*

NEBRIA p. *DcJean.*

- 88 † 1, castaneus. *Bonelli Obs. i.* 55?—*Steph. Ill. (M.)* i. 63.
 Ne. castanea. *DeJean Sp. ii.* 250.
 Ne. concolor. (*DeJean Cat. 7.*) In Mus. Brit.

Genus 23. LEISTUS, *Frölich*, *Samou.*, *Curtis*, *Steph.*

- POGONOPHIORUS, *Latr.*, *Leach.* (*Kirby.*)—MANTICORA, *Jurine.*
 89. 1; spinibarbis*. (*DeJean C. 7.*)—*Steph. Ill. (M.)* i. 63.—
 (*Curtis l. c. infra.*)
 Ca. spinibarbis. *Fabr. E. i.* 181.—*Stew. ii.* 80.—*Marsh. i.* 451.
Turt. ii. 445.—*Panz. F. xxx. f. 6.*
 Po. cæruleus. *Latr. G. i.* 223.—*Leach E. E. ix.* 83.
 Le. cæruleus. (*Samou. 147.*)
 β; Ma. pallipes. *Panz. F. lxxxix. f. 2?*

^a 82 † 2. collaris. *Steph. Ill. (M.)* i. 59, nota.
 Ca. collaris. *Act. Not. (Thunb.)* iv. 50. *pl. f. 12.*
 Ca. lateralis. *Fabr. E. 180.*—*Turt. ii.* 443 (!).

90. 2; fulvibarbis *. *Hoffmansegg*.—*DeJean Sp.* ii. 215.(!)—*Steph.*
Ill. (M.) i. 64.)—*Curtis.* iv. pl. 176.
Ca. rufibarbis. *Fabr. E.* i. 201?
Le. Rawlinsii. *Leach MSS.*—(*Sam. I.* 24.)
Ca. xantholoma. *Kirby MSS.*
91. 3, montanus. *Dale MSS.*—*Steph. Ill. (M.)* i. 64. pl. iv. f. 5.
—(*Curtis C.* no. 45.)
92. 4; spinilabris *. *DeJean Sp.* ii. 216.—*Steph. Ill. (M.)* i. 65.
—(*Curtis l. c. supra.*)
Ca. spinilabris. *Fabr. E.* i. 204.—*Panz. F.* xxxix. f. 11.
Le. testaceus. *Naturf. (FröL.)* xxvii. 8.
Ca. brunneus. *Marsh.* i. 455.
Le. brunneus. (*Sam. I.* 24.)
Ca. rufescens α. *Payk. F.* i. 123.
Ma. fuscoænea. *Panz. F.* lxxxix. f. 3.
93. 5; rufescens *. (*Sam. I.* 24.)—*Steph. Ill. (M.)* i. 65.—(*Curtis l. c. supra.*)
Ca. rufescens. *Fabr. E.* i. 205.(!)—*Stew.* ii. 81.—*Marsh.* i. 458.
—*Turt.* ii. 459.
Ca. terminatus. *Panz. F.* vii. f. 2.
Po. spinilabris b. *Gyll.* ii. 47.
Le. melanocephalus. *Leach MSS.*

Familia V. HARPALIDÆ, MacLeay.

CA.-THORACICI, Latreille.

(EUPODINA-AMAURONA, Kirby.—CARABIDÆ p., Leach.)
(CARABUS p., Linné, Marsham, &c.—HARPALUS, Latr., &c.)
Imps, Sunshiners.

Genus 24. LORICERA, Latreille, Leach, Samou., Steph.

94. 1; pilicornis *. *Steph. Ill. (M.)* i. 69.
Ca. pilicornis. *Fabr. E.* i. 193.—*Mart. C.* pl. 36. f. 18.—
Turt. ii. 454.—*Marsh.* i. 446.—*Don. xi.* 21. pl. 367. f. 1.
Ca. seticornis. *Müll. Z. D.* no. 860.
Lo. ænea. *Latr. G.* i. 224.—*Leach E. E.* ix. 82.—(*Samou.* 150.)

Genus 25. PANAGÆUS, Latreille, Leach, Samou., Steph.

95. 1; quadripustulatus *. *Sturni D. F.* iii. 72. pl. lxxiii. f. P. p.
(*Ing. Inst.* 89.)—*Steph. Ill. (M.)* i. 70. pl. iv. f. 6.
96. 2; crux-major *. *Latr. G.* i. 220.—*Leach E. E.* ix. 82.—
(*Samou.* 147.)—*Steph. Ill. (M.)* i. 71.
Ca. crux-major. *Linn. ii.* 673.—*Mart. C.* pl. 38. f. 49.—
Marsh. i. 470.—*Turt.* ii. 458.—*Don. xiv.* 28. pl. 477. f. 2.
Ca. bipustulatus. *Fabr. M.* i. 204.—*Stew.* ii. 81.
Ca. nobilis. *Gmel.* iv. 1986.

Bu. equestris. *Fourc.* i. 45.

Pa. Crux. *Gyll.* ii. 78.

Genus 26. BADISTER, *Clairville*, *Leach*, *Samou.*, *Curtis*, *Steph.*

AMBLYCHUS, *Cylenhal*.—**LICINUS p.**, *Latreille*.

97. 1; cephalotes *. *DeJean Sp.* ii. 406.—*Curtis* iii. pl. 139.—*Steph. Ill. (M.)* i. 72.

Ba. megacephalus. *Kirby MSS.*

98. 2; bipustulatus *. *Clairv.* ii. 92.—*Leach E. E.* ix. 80.—(*Samou.* 147.)—(*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 72.

Ca. bipustulatus. *Fabr. E.* i. 203.—*Marsh.* i. 464.—*Turt.* ii. 459.—*Don. xv. pl. 516.*

Ca. crux-minor. *Oliv. E.* iii. 99. pl. 8. f. 9. a, b.—*Stew.* ii. 81.

Ca. balteatus. *Naturf. (Schra.)* xxiv. 88.

99. 3; suturalis *. *Steph. Ill. (M.)* i. 73. pl. v. f. 1.

Genus 27. LICINUS, *Latreille*, *Leach*, *Curtis*, *Steph.*

100. 1: depresso *. *Curtis.* i. pl. 75.—*Steph. Ill. (M.)* i. 73.

Ca. depresso. *Payk. F.* i. 110.

Ca. cassideus. *Illig. K.* i. 159.

Li. cossyphoides. *Sturm D. F.* iii. pl. lxxiv. f. O. o.

Ca. Watsoni. *Marsh?* MSS.

Ca. olens. *Brahm?*

101 † 2, cassideus. *Clairv.* ii. 104. pl. 16. f. a.—(*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 74.

Ca. cassideus. *Fabr. E.* i. 190.

Ca. emarginatus. *Oliv. E.* iii. 55. pl. 13. f. 150.

Li. emarginatus. *Leach E. E.* ix. 80. In *Mus. Brit.*

102. 3: Silphoides *. *Clairv.* ii. 106.—*Sturm D. F.* lxxiv. f. a—n.—(*Curt. l. c. supra.*)—*Steph. Ill. (M.)* i. 74. pl. v. f. 2.

Ca. Silphoides. *Fabr. E.* i. 190.

Ca. Agricola. *Oliv. E.* iii. 55. pl. 5. f. 53?

Genus 28. REMBUS^a.

Genus 29. EPOMIS, *Bonelli*, *Samou.*, *Steph.*

CHLÆNIUS p., *Sturm.*

104. 1, circumscriptus. *DeJean. Sp.* ii. 369.—*Steph. Ill. (M.)* i. 76. pl. v. f. 3.

Ch. circumscriptus. *Dufts. F.* ii. 166.

^a Genus 28. REMBUS, *Latreille*, *Steph.*

103. 1, impressus. *Steph. Ill. (M.)* i. 75. nota.

Ca. impressus. *Fabr. E.* i. 188.

Ca. subæqualis. *Marsh.* i. 442.

Et in *Mus. D. Kirby.*

Ca. cinctus. *Panz. I.* xxx. f. 7.—*Mart. C. pl.* 38. f. 39.—
Marsh. i. 449.

Ca. crœsus. *Fabr. E. i.* 183.

β^a ?

Genus 30. CHLÆNIUS, Bonelli, Samou., Curtis, Steph.

POECILLUS *p*, Samouelle.—CHLÆNIA, (Kirby.)

A. Thorace subquadrato.

105 † 1, sulcicollis. *Curtis. ii. pl.* 83.—*Steph. Ill. (M.) i.* 77.

Ca. sulcicollis. *Payk. F. i.* 153. In Mus. D. *Curtis.*

106. 2 : holosericeus. (*Curtis l. c. supra*). *Steph. Ill. (M.) i.* 77.
pl. v. f. 4.

Ca. holosericeus. *Fabr. E. i.* 193.—*Panz. F. xi. f. 9. a.*

Ca. carbonarius. *Rossi F. i.* 216.

107. 3; nigricornis *. (*Curtis l. c. supra*).—(*Kirby & Sp. I. E. iv.*
554.)—*Steph. Ill. (M.) i.* 77.

Ca. nigricornis. *Fabr. E. i.* 198.—*Marsh. i.* 441.

Ca. nitidulus. *Act. H. (Thunb.) iv.* 20.

Ca. holosericeus var. *Panz. F. xi. f. 9. b, c.*

Ca. Upsaliensis. *Gmel. iv.* 1980.

Po. nigricornis. (*Sam. I.* 34.)

108. 4, melanoceras. (*Ing. Inst. 88.*)—*Steph. Ill. (M.) i.* 78.

Ch. melanocornis. *Ziegler.*—*DeJean Sp. ii.* 350.

Ch. nigricornis. *Sturm D. F. v.* 135.

Ca. holosericeus var. δ . (*Schon. S. i.* 198.)

109. 5, fulgidus. *Steph. Ill. (M.) i.* 78. *pl. v. f. 5.*

110. 6, Agrorum. *DeJean Sp. ii.* 313.—*Steph. Ill. (M.) i.* 79.
pl. v. f. 6.

Ca. Agrorum. *Oliv. E. iii.* 86. *pl. 12. f. 144.*

Epomis cincta. (*Samou. 152.*)

B. Thorace posticè attenuato.

111. 7; vestitus *. (*Curtis l. c. supra*).—(*Kirby & Sp. I. E. iv.* 554.)
—*Steph. Ill. (M.) i.* 79.

Ca. vestitus. *Fabr. E. i.* 200.—*Panz. F. xxxi. f. 5.*—*Marsh.*
i. 448.

Ca. marginatus. *Linn. ii.* 670.

Ca. dubius. *Hoppe.*

Ch. festivus. (*Samou. 151.*)

112 † 8, xanthopus. *Steph. Ill. (M.) i.* 80. In Mus. D. *Swainson.*

^a β ? Ep. nigricans. *DeJean Sp. ii.* 371.

Genus 31. CALLISTUS, Bonelli, Samou., Curtis, Steph.

ANCHOMENUS p, Sturm.

113. 1; lunatus. (*Panz. I. i. 52.*)—(*Samou. 150.*)—*Curtis. iv. pl. 180.*—*Steph. Ill. (M.) i. 81.*
Ca. lunatus. Fabr. E. i. 205.—Marsh. i. 466.—Don. xv. pl. 530.
 —*Turt. ii. 459.*
Ca. crux-minor. Herbst C. xxiv. 88.
Ca. Eques. Schra. A. 215.
Bu. plateosus. Fourc. i. 53.

Genus 32. ANCHOMENUS, Bonelli, Samou., Steph.

AGONUM p, Samouelle.

A. Alati.

114. 1; prasinus*. (*Panz. I. i. 55.*)—(*Samou. 151.*)—*Steph. Ill. (M.) i. 82.*
Ca. prasinus. Fabr. E. i. 195.—Panz. F. xvi. f. 6.
Ha. prasinus. (Kirby & Sp. I. E. ii. 246.)
Ca. viridanus. Fabr. M. i. 204.—Mart. C. pl. 37. f. 25.—Marsh. i. 467.
Ca. violaceus. Act. H. (Thunb.) iv. 20.
Ca. viridis. Gmel. iv. 1986.
115. 2; albipes*. *Steph. Ill. (M.) i. 82.*
Ca. albipes. Illig. K. i. 54.
Ca. pallipes: (albipes Sup.) Fabr. E. i. 187.
Ca. pavidus. Panz. F. lxxxiii. f. 7.
Ca. circulatus. Marsh. i. 450.
Ca. dilutus. Marsh. i. 469.
Ag. albipes. (Sam. I. 2.)
116. [3, sordidus.] *Steph. Ill. (M.) i. 82.*
Ca. sordidus. Marsh. i. 457.
Ag. sordidum. (Sam. I. 2.)

B. Apterí.

117. 4; oblongus*. (*DeJean C. 10.*)—*Steph. Ill. (M.) i. 82.*
Ca. oblongus. Fabr. E. i. 186.
Ca. tæniatus. Panz. F. xxxiv. f. 3.
Ca. elegantulus. Marsh. i. 470.
Ca. obscurus. Herbst A. 139. pl. 29. f. 12.

Genus 33. PLATYNUS, Bonelli, Steph.

ANCHOMENUS p, Sturm.—SPHODRUS p, Samou.

A. Alati.

118. 1; angusticollis*. (*DeJean C. 10.*)—*Steph. Ill. (M.) i. 83.*
Ca. angusticollis. Fabr. E. i. 182.
Ca. assimilis. Payk. F. i. 119.—Panz. F. lxxiii. f. 9.

Ca. collaris. *Marsh.* i. 443.

Sp. collaris. (*Sam.* I. 38.)

Ca. junceus. *Scop.* C. 89.

Sp. affinis. *Kirby MSS.*

B. Apterí.

119 † 2; scrobiculatus. *Steph. Ill. (M.)* i. 83.

Ca. scrobiculatus. *Fabr. E.* i. 178.—*Panz. F.* cix. f. 7.

In Mus. *Brit.*

Genus 34. SPHODRUS, *Clairville*, *Leach*, *Samou.*, (*Kirby,*) *Steph.*

A. Alati.

120. 1; leucophthalmus *. (*Kirby & Sp. I. E.* iii. 332.)—*Steph. Ill. (M.)* i. 34.

Ca. leucophthalmus. *Linn.* ii. 668.—*Berk. S.* i. 107.—*Stew.* ii. 79.—*Marsh.* i. 431.

Ca. planus. *Fabr. E.* i. 179.—*Panz. F.* xi. f. 4.

Sp. planus. *Clairv.* ii. 86.—*Leach E. E.* ix. 80.—(*Samou.* 152.) *

Ca. spiniger. *Payk. F.* i. 114.

Ca. obsoletus. *Rossi F.* i. 209.

B. Apterí.

121. 2; Terricola *. (*Sam. I. 38.*)—*Steph. Ill. (M.)* i. 85.

Ca. Terricola. *Payk. M.* 17.—*Panz. F.* xxx. f. 3.—*Marsh.* i. 443.

Ca. subcyaneus. *Illig. M.* i. 57.

Genus 35. AGONUM, *Bonelli*, *Samou.*, *Steph.*, *Curtis.*

A. Thorace suborbiculato.

122. 1; marginatum *. (*Panz. I.* i. 52.)—(*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 85.

Ca. marginatus. *Linn. F. no.* 804.—*Mart. C. pl.* 36. f. 19.—*Marsh.* i. 449.—*Panz. F.* xxx. f. 14.—*Turt. ii.* 457.

Ca. Agrorum. *Oliv. E. M.* v. 346?

123. 2; sexpunctatum *. (*Panz. I.* i. 53.)—*Samou.* 150. *pl.* 3. *f.* 20.—(*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 86.

Ca. sexpunctatus. *Linn.* ii. 672.—*Berk. S.* i. 103.—*Stew.* ii. 82.—*Marsh.* i. 447.—*Turt. ii.* 456.

β? Ca. impressus. *Illig. K.* i. 195?—*Panz. F.* xxxvii. f. 17?

124 † 3: austriacum. (*Panz. I.* i. 53.)—*Curtis.* iv. *pl.* 183.—*Steph. Ill. (M.)* i. 87.

Ca. austriacus. *Fabr. E.* i. 198.

Ca. nigricornis. *Oliv. E.* iii. 83.

Ca. modestum. *Sturm D. F.* v. 205. In Mus. *Brit.* et *D. Hope.*

125. 4; parumpunctatum *. (*Panz. I.* i. 53.)—(*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 87.

- Ca. parumpunctatus. *Fabr. E.* i. 199.—*Panz. F.* xcii. f. 4.
 Ca. cærulescens. *Mart. C. pl.* 35. f. 1.—*Marsh. i.* 446.
 Ag. cærulescens. (*Sam. I. 2.*)
 Ca. sexpunctatus. *Müll. Z. D. pr. no.* 78.
 Ca. Mülleri. *Herbst A.* 139.
126. 5, plicicolle. *Nicol. Coll. Hal. p.* 19.—*Steph. Ill. (M.)* i. 87.
 127. 6; viduum*. (*DeJean C. 10.*)—(*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 88.
 Ca. viduus. *Illig. K.* i. 196.—*Panz. F.* xxxvii. f. 8.
 Ca. vernalis. *Payk. F.* i. 133.—*Eut. Trans. (Haworth.)* i. 94.
 —*Id. (Burrell.)* i. 218.
128. 7; versutum*. *Sturm D. F. v.* 191. *pl. cxxxii. f. a. A.*—
 (*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 88.
129. 8; læve*. (*DeJean C. 10.*)—*Steph. Ill. (M.)* i. 88.
 Ha. lævis. *Gyll. iv.* 451.
 Ag. nitidulum. *Ziegler.*
130. 9; emarginatum*. *Gyll. iv.* 450.—*Steph. Ill. (M.)* i. 89.
 Ag. æsopus. *Hoffmausegg MSS.*—(*Curtis l. c. supra.*)
 Ag. humerosum. *Kirby MSS.*
131. 10; mœstum*. *Sturm D. F. v.* 187. *pl. cxxxiv. f. b. B.*—
 (*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 89.
 Ca. mœstus. *Ziegler.*—*Dufts. F. ii.* 138.
132. [11; afrum*.] (*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 89.
 Ca. afer. *Ziegler.*—*Dufts. F. ii.* 138.
 Ag. afer. *Sturm D. F. v.* 188. *pl. cxxxiv. f. a. A.*
 Ag. lugubre. (*DeJean C. 10.*)
 Ag. complanatum. *Kirby MSS?*
 Ag. triste *michi (olim).*
- 133 † 12. Bogemanni. (*Curtis l. c. supra.*)—*Steph. Ill. (M.)* i. 89.
 Ha. Bogemanni. *Gyll. iii.* 697. In Mus. D. Curtis.
 B. Thorace oblongo-ovato, angulis posticis sæpè subacutis.
134. 13, quadripunctatum. *Sturm D. F. v.* 217.—*Steph. Ill. (M.)* i.
 90. *pl. vi. f. 1.*
 Ca. quadripunctatus. *DeGeer. iv.* 102.—*Oliv. E.* iii. 107.
pl. 13. f. 158. a, b.
 Ca. foveolatus. *Illig. M.* i. 61.
 Ca. cærulescens. *Act. U. (Thunb.) v.* 117.
 Ca. substriatus. *Gmel. iv.* 1987.
 Ag. violaceum *michi.*
135. 14; consimile*. *Steph. Ill. (M.)* i. 90.
 Ha. consimile. *Gyll. ii.* 160.
136. 15, atratum* *Sturm D. F. v.* 189. *pl. cxxxv. f. a. A.*—*Steph. Ill. (M.)* i. 91.—(*Curtis l. c. supra.*)

- Ca. atratus. *Dahl*.—*Dufts.* F. ii. 138.
 Ag. nigrum. (*DeJean C.* 10.) —
137. [16; cursitor *.] *Kirby MSS.*—*Steph. Ill. (M.)* i. 91.
 138. 17; micans *. *Nicol. Col. Hal.* 19.—*Steph. Ill. (M.)* i. 91.
 Ag. nitidum *mihi*. (*Curtis l. c. supra?*)
139. 18; piceum *. (*Curtis l. c. supra?*)—*Steph. Ill. (M.)* i. 91.
 Ca. piceus. *Linn.* ii. 672 ?
140. 19; Simpsoni *. *Spence MSS.*—(*Sam. I. 2.*)—*Steph. Ill. (M.)*
 i. 92.—(*Curtis l. c. supra.*)
 Ca. pilipes. *Fabricius?*
141. [20; pullum *.] *Hoffmannsegg MSS.*—*Steph. Ill. (M.)* i. 92.—
 (*Curtis l. c. supra.*)
142. 21; striatum * *mihi*.—*Steph. Ill. (M.)* i. 92.
143. 22, fuscipenne. *Nicol. Col. Hal.* 20.—*Steph. Ill. (M.)* i. 93.
144. 23; fuliginosum *. (*Panz. I. i. 54.*)—*Steph. Ill. (M.)* i. 93.
 Ca. fuliginosus. *Knoch*.—*Panz. F. cviii. f. 5.*
145. 24; picipes *. (*Sam. I. 2.*)—*Steph. Ill. (M.)* i. 93.—(*Curtis l. c. supra.*)
 Ca. picipes. *Fabr. E.* i. 203.
 Ca. lutescens. *Panz. F. xxx. f. 20.*
 Ca. pelidnus. *Herbst A.* 139.
 Ag. brunnipes. (*DeJean C.* 10.)
- 146 [25; gracile *.] *Sturm D. F.* v. 197. *pl. cxxxvi. f. a. A.*—*Steph. Ill. (M.)* i. 94.—(*Curtis l. c. supra.*)
 Ha. picipes b. *Gyll.* ii. 152.
147. 26; pelidnum *. *Steph. Ill. (M.)* i. 94.
 Ca. pelidnus. *Payk. F.* i. 134.
148. 27; affine * *mihi*.—*Steph. Ill. (M.)* i. 94.
 Ag. pelidnum. *Sturm D. F.* v. 194. *pl. cxxxv. f. b. B.*—(*Curtis l. c. supra?*)
149. 28, pusillum *. *Steph. Ill. (M.)* i. 95.
150. 29, livens. *Steph. Ill. (M.)* i. 95.—(*Curtis l. c. supra.*)
 Ha. livens. *Gyll.* ii. 149.
 Ag. bipunctatum. *Sturm D. F.* v. 184. *pl. cxxxiii. f. b. B.*

Genus 36. ODONTONYX *mihi*.AGONUM *p.*, *Bonelli*, &c.

151. 1; rotundatus *. *Steph. Ill. (M.)* i. 96. *pl. vi. f. 2.*
 Ca. rotundatus a. *Payk. F.* i. 136.
 Ca. ochropus. *Marsh.* i. 471.
 Ca. flavipes. *Panz. F. cviii. f. 9?*
 Ha. picicornis *Museorum Norfolciensium?*
152. [2, rotundicollis.]—*Steph. Ill. (M.)* i. 96.

Ca. rotundicollis. *Marsh.* i. 471.

Ca. Sturmii. *Dufts.* F. ii. 143?

Ag. Sturmii. *Sturm D. F.* v. 198. *pl. cxxxvi. f. b. B?*

Ha. hypoxanthus. *Kirby MSS.?*

Genus 37. SYNUCHUS, *Gyllenhal, Samou., Steph.*

TAPHRIA, *Bonelli.—AGONUM p., Panzer.*

153. 1; vivalis *. *Gyll.* ii. 77.—(*Sam. I. 40.*)—*Steph. Ill. (M.)* i. 97.
 Ca. vivalis. *Illig. K.* i. 197.—*Ent. Trans. (Haworth.)* i. 96.
 Ca. rotundatus, b. *Payk. F.* i. 136.
 Ca. nivalis. *Panz. F.* xxxvii. *f. 19.*
 Ca. impiger. *Panz. F.* cviii. *f. 7.*

Genus 38. CALATHUS, *Bonelli, Samou., Curtis, Steph.*

A. Apteris.

a. *Thorace posticè subrotundato.*

154. 1; piceus *. (*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 98.
pl. vi. f. 3.
 Ca. piceus. *Linn.* ii. 672?—*Turt. ii. 444?*—*Marsh. i. 444.*
 Ha. interritus. *Spence MSS.*
 Cal. Stephensii. *Leach MSS.*

b. *Thorace posticè angulis acutis.*

155. 2; melanocephalus *. (*Panz. I. i. 60.*)—(*Sam. I. 8.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 98.
 Ca. melanocephalus. *Linn.* ii. 671.—*Berk. S.* i. 107.—*Mart. C. pl. 37. f. 26.*—*Stew. ii. 81.*—*Marsh. i. 438.*—*Don. xiv. pl. 480.*—*Turt. ii. 457.*

156. 3; Cisteloides *. (*Panz. I. 60.*)—(*Sam. I. 8.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (M.)* i. 99.
 Ca. Cisteloides *. *Illig. K.* i. 163.—*Panz. F.* xi. *f. 12.*
 Ca. flavipes. *Oliv. E.* iii. 76. *pl. 8. f. 86.*—*Marsh. i. 437.*
 Ca. punctulatus. *Rossi M.* i. 76.
 Cal. frigidus. *Sturm D. F.* v. 101. *pl. cxxi.*
 Ca. fuscipes. *Gmel. iv.* 1987.

β; Ca. obscurus. *Marsh. i. 437.*

- 157 † 4, latus. (*DeJean C. 11.*)—*Curtis. iv. pl. 184.*—*Steph. Ill. (M.)* i. 99.
 In *Mus. Brit.*

158. 5; crocopus *. *Hoffmannsegg MSS.*—*Steph. Ill. (M.)* i. 99.
 Ca. flavipes var. *Payk. M.* 87?

Cal. flavipes. *Sturm D. F.* v. 112. *pl. cxxii. f. a.*, A.—(*Curtis l. c. supra.*)

Cal. fulvipes. (*DeJean. C. 11?*)

159. 6, fuscus. (*Curtis l. c. supra?*)—*Steph. Ill. (M.)* i. 100.
 Ca. fuscus. *Fabr. E.* i. 191.

Car. ambiguus. *Oliv. E.* iii. 77. *pl. 12. f. 147.*

B. Alati.

160. 7; rufangulus *. *Steph. Ill. (M.)* i. 100. *pl. vi. f. 4.*
 Ca. rufangulus. *Marsh. i. 441.*
 Ca. fuscus b. *Payk. F. i. 165.—(Curtis l. c. infra?)*
161. 8; mollis *. *Steph. Ill. (M.)* i. 101.
 Ca. mollis. *Marsh. i. 456.*
 Cal. littoralis. *Hoffmannsegg.—(Sam. I. 3.)—(Curtis l. c. infra.)*
 Cal. micropterus. *Sturm D. F. v. 113. pl. cxxii. f. b. B?*
 Ha. melanocephalus b. *Gyll. ii. 129.*

Genus 39. PLATYDERES *mihi*.CALATHUS *p?* *DeJean.*

162. 1; ruficollis *. *Steph. Ill. (M.)* i. 101.
 Ca. ruficollis. *Marsh. i. 456.*
 Cal. rufus. (*DeJean C. 11?*)
 β ; Ca. rotundatus. *Marsh. i. 457.*
 γ ; Pl. ferrugineus *mihi* (*olim*).

Genus 40. ARGUTOR, (*Megerle*,) *Steph.*

PÆCILUS *p*, *Latreille*.—PLATYSMA *p*, *Sturm*.—OMASEUS *p*, *DeJean*.

A. Elytris striâ abbreviatâ suturali nullâ.

163. 1; inquinatus *.
 Ca. inquinatus. *Megerle.*
 Pl. inquinata. *Sturm D. F. v. 79. pl. cxvi. f. c. C.*
164. 2; vernalis *. (*DeJean C. 11.*)
 Ca. vernalis. *Fabr. E. i. 207.—Panz. F. xxx. f. 17.*
 Ca. tibialis. *Marsh. i. 445.*
 Ha. tibialis. (*Sam. I. 20.*)
165. 3; inæqualis *.
 Ca. inæqualis. *Marsh. i. 456.*
 Ca. crenulatus. —? *MSS.*
 Ca. crenata. *Dufts. F. ii. 92?*
 Pl. crenata. *Sturm D. F. v. 73. pl. cxv. f. b. B.*
166. [4; Scalesii *.]
 Ca. Scalesii. *Marsh. MSS.*
167. 5, longicollis.
 Ca. longicollis. *Dufts. F. ii. 180.*
 Pl. longicollis. *Sturm D. F. v. 80. pl. cxvi. f. d. D.*

B. Elytris striâ suturali abbreviatâ.

168. 6; diligens *. (*DeJean C. 11.*)
 Pl. diligens. *Sturm D. F. v. 81. pl. cxvii. f. A. a.*
 Ar. elongatulus *mihi.*
169. 7; interstinctus *.

Pl. interstincta. *Sturm D. F.* v. 77. *pl. cxvi. f. b. B.*

Ar. affinis *miki*.

170. 8; erythropus *.

Ca. erythropus. *Marsh.* i. 461.

Ha. erythropus. (*Sam. I.* 20.)

171. 9; strenuus *. (*DeJean C.* 11.)

Ca. strenuus. *Illig.* K. i. 185.—*Panz. F.* xxxviii. *f. 6.*—*Ent. Trans. (Burrell.)* i. 225.

Ca. exaratus. *Marsh.* MSS.

172. 10; pullus *.

Ha. pullus. *Gyll.* iv. 429.

Ar. eruditus. (*DeJean. C.* 11?)

Ar. politus *miki*.

173. 11; Anthracinus *.

Ca. Anthracinus. *Gyll.* ii. 89.

Ca. Nigrita var. *Payk. F.* i. 157.

Om. minor. (*DeJean C.* 10.)

Ca. Nigrita. *Panz. F.* xi. *f. 11.*

Genus 41. POGONUS, (*Ziegler,*) *Curtis, Steph.*

RAPTOR, (*Megerle.*)—**PLATYSMA p**, *Sturm.*

174. 1, Burrellii. *Curtis i. pl. 47.*

Ca. Burrellii. *Haworth* MSS.

Po. pallidipennis. (*DeJean C.* 9?)

Po. iridipennis. *Nicol. Col. Hal.* 17?

175. 2; chalceus *. *Steph. Ill. (M.) i. pl. vi. f. 5.*

Ca. chalceus. *Marsh.* i. 460.

Ca. littoralis. *Dufts. F.* ii. 183.

Pl. littoralis. *Sturm D. F.* v. 67. *pl. cxv. f. a, A.*

Ra. pilipes. *Germar.*

β; Ca. parallelipedus. *Marsh.* i. 469.

γ; Ca. orichalceus. *Kirby* MSS.

176 [3, brevis] *miki*.

Po. halophilus. *Nicol. Col. Hal.* 16?

177. 4, æruginosus *miki*. *Steph. Ill. (M.) i. pl. vi. f. 6.*

Po. oceanicus. (*DeJean C.* 9?)

Genus 42. POECILUS, *Bonelli, (Kirby,) Curtis, Steph.*

PLATYSMA p, *Sturm.*—**POECILLUS**, *Samou.*

A. Apterí.

178. 1; lepidus *. (*Sam. I.* 34.)—(*Curtis l. c. infra.*)—*Steph. Ill. (M.) i. pl. vii. f. 1.*

Ca. lepidus. *Fabr. E.* i. 189.

Ca. vulgaris. *DeGeer. iv.* 97.

- † β , Ca. cærulescens. *Herbst. A.* v. 133.
 Poë. lepidus var. f. *Curtis. iv. pl. 107.*
 β in *Mus. Brit.*, *D. Jenyns*, et *Samouelle.*
- B. Alati.
179. 2; dimidiatus*. (*Sam. I. 34.*)—(*Curtis l. c. supra.*)
 Ca. dimidiatus. *Oliv. E. iii. 72. pl. ii. f. 121.*—*Marsh. i. 445.*
 —*Don. xvi. pl. 565.*
 Ca. Kugellani. *Illig. K. i. 166.*
 Ca. tricolor. *Fabr. E. i. 185?*
- 180 [3, crenatostriatus*] mihi.
181. 4; cupreus*. (*Sam. I. 34.*)—(*Curtis l. c. supra.*)
 Ca. cupreus. *Linn. ii. 672.*—*Mart. C. pl. 35. f. 2. 3.*—*Stew. ii. 81.*—*Marsh. i. 439.*—*Don. xvi. pl. 554.*—*Turt. ii. 454.*—*Shaw G. Z. vi. 100.*
 β ; Ca. cærulescens. *Linn. ii. 672?*—*Stew. ii. 81.*—*Turt. ii. 454.*
- 182 † 5. rufifemoratus mihi.
 Pl. affinis. *Ziegler?*—*Sturm D. F. v. pl. cxx. f. a. A.?*
 In *Mus. D. Halliday.*
183. 6; versicolor*. (*Curtis l. c. supra.*)
 Pl. versicolor. *Ziegler.*—*Sturm D. F. v. 99. pl. cxx. f. b. B. c.*
 Ca. assimilis. *Marsh?* *MSS.*
 Poë. assimilis. (*Steph. Ill. (M.) i. 69. nota.*)
 Poë. micans *mihi* (*olim*).
- 184 [7; punctatostriatus*] mihi.
- Genus 43. SOGINES, *Leach MSS.*, *Steph.*
 POECILUS *p.*, *DeJean.*
- 185 † 1, punctulatus.
 Ca. punctulatus. *Illig. K. i. 175.*—*Panz. F. xxx. f. 10.*
 In *Mus. Brit.*
- Genus 44. OMASEUS, (*Ziegler,*) *Curtis*, *Steph.*
 PLATYSMA *p.*, *Samou.*—PTEROSTICHUS *p.*, *Sturm.*—POECILUS *p.*, *Bonelli.*
- A. Alati, elytris punctis excavatis ornatis.
186. 1: aterrimus. (*Nicol. Col. Hal. p. 22.*)—*Curtis. i. pl. 15.*
 Ca. aterrimus. *Fabr. E. i. 198.*
187. 2, Bulwerii *mihi*.—*Steph. Ill. (M.) i. pl. vii. f. 2.*
188. 3, orinomum. *Leach MSS.*—(*Curtis l. c. supra.*)—*Steph. Ill. (M.) i. pl. vii. f. 3.*
189. 4, Anthracinus. (*DeJean C. 12.*)
 Ca. Anthracinus. *Illig. K. i. 181.*
 Om. rotundicollis *mihi*.
190. 5; Nigrita*. (*Nicol. Col. Hal. p. 22.*)—(*Curtis l. c. supra.*)

- Ca. Nigrita. *Fabr. E. i.* 200.—*Ent. Trans. (Burrell.) i.* 218.
 Pl. nigritum. (*Sam. I.* 34.)
 Ca. aterrimus. *Panz. F. xxx. f.* 12.—*Marsh. i.* 444.
 β ; Ca. confluens. *Panz. F. xxx. f.* 22.
 191. 6, lavigatus *mihi*.
 Ca. lœvicollis. *Duft. F. ii.* 163?
 192 † 7. rufifemoratus *mihi*. In Mus. D. Halliday.
 B. Apteris, elytris haud excavato-punctatis. (*MOLOPS p? Bonelli.*)
 193. 8; melanarius *. (*Nicol. Col. Hal. p.* 22.)
 Ca. melanarius. *Illig. K. i.* 163.
 Ca. leucophthalmus. *Fabr. E. i.* 177.—*Panz. F. xxx. f.* 1.—
 Turt. ii. 442.
 Ca. angustior. *Marsh. i.* 442.
 Ab. angustior. (*Sam. I. i.*)
 194. [9; rugicollis *] *mihi*.
 195 [10; affinis *].
 Ca. affinis. *Marsh. MSS.*
 Ca. intermedius. *Kirby MSS.?*

Genus 45. STEROPUS, (*Megerle,*) *Curtis, Steph.*

PTEROSTICHUS *p?* *Bonelli.*—*MOLOPS p, Sturm.*

196. 1; madidus *. (*DeJean C. 13.*)—(*Curtis l. c. infra.*)
 Ca. madidus. *Fabr. E. i.* 181.—*Stew. ii.* 81.—*Marsh. i.* 443.
 —*Turt. ii.* 444.
 St. concinnus. (*DeJean C. 13.*)
 Mo. concinnus. *Sturm D. F. iv.* 175. *pl. civ. f. e.*
 β ; Ha. crenulatus. *Leach MSS.*
 197. 2, Æthiops. (*DeJean C. 13?*)
 Ca. Æthiops. *Panz. F. xxxvii. f.* 22.
 St. concinnus. *Curtis. iv. pl.* 171.

Genus 46. BROSCUS, *Panzer, Samou., (Kirby,) Steph.*

SCARITES *p, Olivier.*—CEPHALOTES ^a, *Bonelli.*

198. 1; cephalotes. (*Panz. I. i.* 62.)—(*Samou. 153.*)
 Ca. cephalotes. *Linn. ii.* 669.—*Mart. C. pl. 38. f.* 41.—*Stew.*
 ii. 80.—*Marsh. i.* 472.—*Turt. ii.* 449.—*Don. xiv. pl.* 484.
 Ce. vulgaris. *Bonelli.*
 Pseudocupis major. *Voët. (Panz.) ii.* 64. *pl. 33. f.* 2.

Genus 47. STOMIS, *Clairville, Leach, Samou., (Kirby,) Steph.*

199. 1; pumicatus *. *Clairv. ii.* 48. *pl. vi. f. A. a.*—*Leach E. E.*
 ix. 80.—(*Samou. 153.*)

^a Cephalotes: Genus Mammaliorum. Vide Cuvier *Règne Animal. v. i.* p. 127.

Ca. pumicatus. *Illig.* K. i. 186..

Ca. tenuis. *Marsh.* i. 468.

β , Ca. picicolor var. minor. *Marsh.* i. 458.

Genus 48. PATROBUS, (*Megerle,*) *Steph., Curtis.*

AGONUM *p*, *Samou.*—BLETHISA *p*, *Panz.*

200. 1; rufipes *. (*DeJean C. 10.*)—(*Ing. Inst. 89.*)—(*Curtis l. c. infra.*)

Ca. rufipes. *Fabr. E.* i. 184.

Ca. excavatus. *Payk. F.* i. 123.—*Panz. F.* xxiv. f. 2.—*Ent. Trans. (Haworth)* i. 95.

Ca. picicolor var. major. *Marsh.* i. 458.

Ag. rufipes. (*Sam. I. 2.*)

β , Ha. ochropterus. *Kirby MSS.*

201 † 2. alpinus. *Curtis. iv. pl. 192.*

Ha. septentrionalis. *Schönher?*—*Gyll. iv. 428?*

In Mus. D. *Curtis.*

Genus 49. PTEROSTICHUS, (*Bonelli,*) *Steph., Curtis.*

PŒCILUS *p*, *Panzer.*

202 † 1, fasciatopunctatus. (*Panz. I. 70.*)—(*Curtis l. c. infra.*)

Ca. fasciatopunctatus. *Fabr. E.* i. 178.—*Panz. F.* lxvii. f. 9.
In Mus. *Brit.*

203 † 2, brunnipes. *Samou. MSS.*—(*Curtis l. c. infra.*) In Mus. *Brit.*

204 † 3, elongatus. *Samou. MSS.*—*Curtis. v. pl. 196.* In Mus. *Brit.*

205 † 4, Panzeri. (*DeJean C. 12?*)

Ca. Panzeri. *Megerle?*—*Panz. F.* lxxxix. f. 8?

Pt. Selmanni? (*Curtis l. c. supra?*) In Mus. *Brit.*

206. 5, oblongopunctatus *. (*DeJean C. 12.*)—(*Curtis l. c. supra.*)

Ca. oblongopunctatus. *Fabr. E.* i. 183.—*Panz. F.* lxxiii. f. 2.
Ca. hafniensis. *Gmel. iv. 1977.*

207 [6, octopunctatus *?]—*Steph. Ill. (M.) i. pl. vii. f. 4.*—(*Curtis l. c. supra.*)

Ca. octopunctatus. *Marsh.* i. 447.

208. 7; macer *. *Steph. Ill. (M.) i. pl. vii. f. 5.*—(*Curtis l. c. supra.*)

Ca. macer. *Marsh.* i. 466.

Ca. piceus. *Oliv. E.* iii. 53. *pl. ii. f. 123?*

Ca. picimanus. *Dufts. F. A.* 159?

Ca. striatus. *Rossi M.* i. 76?

β , Ca. corticalis. *Marsh?* *MSS.*

Genus 50. PLATYSMA, (*Bonelli,*) *Steph.*

SIMOTHELUS, (*Megerle.*)—PTEROSTICHUS *p*, *Sturm.*—ABAIX *p*, *Samou.*

209. 1; niger *. (*DeJean C. 12.*)

- Ca. niger. *Fabr. E. i.* 178.
 Ca. nigrostriatus. *DeGeer. iv.* 96.
 Ca. striatus. *Payk. F. i.* 115.—*Ent. Trans. (Haworth) i.* 93.
 Ca. leucopthalmus. *Oliv. E. iii.* 48. *pl. i. f. 4.*
 Ca. Frishii. *Gmel. iv.* 1981.
 Ab. melanarius. (*Sam. I. 1.*)

Genus 51. ABAX, *Bonelli, Samou., (Kirby,) Steph.*

PTEROSTICHUS p, Sturm.

210. 1; striola*. (*Sam. I. 1.*)
 Ca. striola. *Fabr. E. i.* 188.—*Panz. F. xi. f. 6.*
 Ca. depressus. *Marsh. i.* 435.
 211 ‡ 2, metallicus. (*DeJean C. 12.*)
 Ca. metallicus. *Fabr. E. i.* 101.—*Panz. F. xi. f. 6.*
 In Mus. D. I. H. Griesbach.

Genus 52. OÖDES, *Bonelli, Samou., Steph.*

212. 1; Helopioides*. (*Sam. I. 32.*)—*DeJean Sp. ii.* 378.
 Ca. Helopioides. *Fabr. E. i.* 196.—*Panz. F. xxx. f. 11.*
 Ca. ovatus α. *Payk. M. 132.*

Genus 53. AMARA, *Bonelli, Samou., Steph.*

213. 1; ærata*. *Kirby MSS.*—(*Sam. I. 2.*)—*Steph. Ill. (M.) i.*
pl. vii. f. 6.
 Am. lata. *Sturm D. F. vi.* 23. *pl. cxl. f. B. b?*
 β, Am. viridipennis. *Kirby MSS.*
 214. 2; acuminata*. *Sturm D. F. vi.* 42. *pl. cxlii. f. c. C.*
 Ca. acuminatus. *Payk. F. i.* 166.
 Ca. vulgaris. *Oliv. E. iii.* 75. *pl. iv. f. 36.*
 Ca. æneus. *DeGeer. iv.* 98.
 215 [3; eurynota*].—(*Panz. I. 58.*)
 Ca. eurynotus. *Illig. K. i.* 167.—*Panz. F. xxxvii. f. 23.*—
Ent. Trans. (Burrell.) i. 218.
 216. 4; similata*. *Sturm D. F. vi.* 40. *pl. cxliv. f. a, A.*
 Ha. similatus. *Gyll. ii.* 138.
 217. 5; vulgaris*. (*Sam. I. 2.*)
 Ca. vulgaris. *Linn. ii.* 672.—*Berk. S. i.* 108.—*Mart. C. pl. 37.*
f. 28?—*Panz. F. xl. f. 1.*—*Stew. ii.* 81.—*Marsh. i.* 438.—
Turt. ii. 455?
 Ca. dispar a. *Payk. F. i.* 167.
 Ca. ovatus. *Rossi E. i.* 89.
 β? Am. obsoleta. *Sturm. vi.* 52. *pl. cxlv. f. A. a.*
 Ca. obsoleta. *Dufts. F. ii.* 116.
 218. 6; ovata*. *Sturm D. F. vi.* 51. *pl. cxliv. f. B, b.*
 Ca. ovatus. *Fabr. E. i.* 196?

219. 7; *trivialis* *. (*Nicol. Col. Hal.* p. 14.)
Ca. *trivialis*. *Dufts. F.* ii. 116.
220. 8; *nitida* *. *Sturm D. F.* vi. 35. *pl. cxlii. f. B. b.*
Am. *lævis mihi*.
221. 9; *kevis* *. *Sturm D. F.* vi. 34. *pl. cxlii. f. A. a.*
Am. *nitens mihi*.
222. 10; *cursor* *. *Sturm D. F.* vi. 57. *pl. cxlvii. f. D. d.*
Am. *subpunctata*. *Kirby MSS.*
223. 11; *bifrons* *. (*DcJean C. 9.*)
Ha. *bifrons*. *Gyll. ii. 144.*
Am? *castanea*. *Ziegler?*
224. 12, *brunnea* *. (*DeJean C. 9.*)—*Sturm D. F.* vi. 56. *pl. cxlvii.*
f. C. c.
Ha. *brunneus*. *Gyll. ii. 143.*
Am. *aeneofusca*. *Kirby MSS.*
225. 13, *discrepans*.
Ca. *discrepans*. *Marsh. MSS.*
226. 14, *crassa mihi*.
227. 15; *convexior* *.
Ha. *convexior*. *Wilk. MSS.*
Am. *atrocærulea*. *Sturm D. F.* vi. 54. *pl. cxlvii. f. A. a?*
228. 16; *plebeia* *. *Sturm D. F.* vi. 25.
Ha. *plebeius*. *Gyll. ii. 141.*
229. 17, *obtusa* * *mihi*.
230. 18; *cognata* * *mihi*.
231. 19; *latescens* * *mihi*.
Am. *lata mihi* (*olim*).
- 232 † 20, *laticollis* * *mihi*.
Ca. *erraticus*. *Dufts. F.* ii. 120?
Am. *erratica*. *Sturm D. F.* vi. 55. *pl. cxlvii. f. B. b?*
In *Mus. D. Hatchett.*
233. 21; *communis* *. (*Panz. I. 59.*)
Ca. *communis*. *Fabr. E. i. 195.*—*Panz. F. xl. f. 2.*—*Marsh.*
i. 439.
Ca. *dispar* b. *Payk. F. i. 167.*
Ca. *ovatus* γ. *Payk. M. 81.*
Ha. *trivialis*. *Gyll. ii. 140.*
234. 22; *familiaris* *. (*Crcutzer*.—(*Nicol. Col. Hal.* p. 15.)
Ca. *dispar* c. *Payk. F. i. 168.*
Ca. *ovatus* β. *Payk. M. 81.*
Ca. *communis*. *Illig. K. i. 168.*
Ca. *viridis*. *Dufts. F. ii. 120.*
Am. *intacta*. *Kirby MSS.*

235. 23; lucida*.
 Ca. lucida. *Anderseh.*—*Dufts.* F. ii. 121.
 Ha. familiaris b. *Gyll.* iv. 445.
 Am. limbata *mihi.*
236. 24; erythropa*. 1
 Ca. erythropus. *Marsh. MSS.*
 Am. viridis. *Sturm D. F.* vi. 60. *pl. cxlvii. f. B. b.?*
237. 25, atra* *mihi.*
238. 26; tibialis*. (*DeJean C. 9.*)
 Ca. tibialis. *Payk. F.* i. 168.—*Ent. Trans. (Burrell.)* i. 218.
239. 27; infima*. (*DeJean C. 9.*)
 Ca. infimus. *Dufts. F.* ii. 114.
 Am. nitidula *mihi.*

Genus 54. BRADYTUS *mihi.*AMARA p, *Bonelli?*—(*Samou.*)

240. 1; consularis*.
 Ca. consularis. *Dufts. F.* ii. 112.
 Am. consularis. *Sturm D. F.* vi. 26. *pl. cxxxix. f. a. A.*
 Ha. latus. *Gyll.* ii. 133?
241. 2; apricarius*.
 Ca. apricarius. *Fabr. E.* i. 205.—*Panz. F.* xl. *f. 3.*—*Ent. Trans. (Burrell.)* i. 222.
 Ha. apricarius. (*Sam. I.* 20.)
 Ca. par. *Marsh.* i. 460.
 Ca. latus. *Fabr. E.* i. 196?
242. 3; fulvus*.
 Ca. fulvus. *DeGeer.* iv. 101?—*Panz. F.* xxxix. *f. 10.*
 Ca. apricarius a. *Payk. F.* i. 162.
243. 4; ferrugineus*.
 Ca. ferrugineus. *Linn.* ii. 672.—*Panz. F.* xxxix. *f. 9.*—*Stew.* ii. 81.—*Marsh.* i. 440.—*Turt.* ii. 455.
 Ha. ferrugineus. (*Sam. I.* 20.)
 Ca. concolor. *Oliv. E.* iii. 80. *pl. 12. f. 136?*

Genus 55. CURTONOTUS *mihi.*AMARA p, *Bonelli?*

244. 1; convexiusculus*. *Scph. Ill. (M.)* i. *pl. viii. f. 1.*
 Ca. convexiusculus. *Marsh.* i. 462.
245. 2; aulicus*.
 Ca. aulicus. *Illig. K.* i. 174.—*Panz. F.* xxxviii. *f. 3.*
 Ha. aulicus. (*Sam. I.* 20.)
 Ca. bicolor. *Payk. F.* i. 159.
 Ca. ruficornis. *DeGeer.* iv. 95.

- Ca. spinipes. *Linn.* ii. 671?
 Ca. convexus. *Marsh.* i. 445.
 Am. picea. *Sturm D. F.* vi. 10.

Genus 56. ZABRUS, *Clairville*, *Leach*, *Samou.*, *Steph.*, *Curtis*.

246. 1; gibbus*. (*Sam. I.* 44.)—*Sturm D. F.* iv. 128. *pl. xcviij.*
 —(*Curtis l. c. infra.*)
 Ca. gibbus. *Fabr. E.* i. 189.
 Ca. tenebroides. *Panz. F.* lxxiiij. *f. 8.*
 Ca. gibbosus. *Marsh.* i. 436.
 Ca. spinipes. *Scop. C.* 267.
 Ca. piger. *Fourc. i.* 42.
 Ha. tardus. *Latr. G.* i. 205.
 Za. tardus. *Leach E. E.* ix. 80.

247 † 2, obesus. (*DeJean C.* 13.)—*Curtis.* iv. *pl. 188.*

Za. obesus. *Latreille?* In *Mus. Brit.*

Genus 57. HARPALUS, *Latreille*, *Leach*, *Samou.*, *Steph.*

- A. Thoracis angulis posticis obtusis.
 a. *Elytris apice sinuato-truncatis.*
 1. Thorace posticè haud attenuato.
 * *Corpore brevi, convexo.*—CYRTOMA *mihi* (*olim.*)

248. 1, serripes*. *Sturm D. F.* iv. *pl. lxxxij. f. b. B.*
 Ca. serripes. *Schon. S.* i. 199. *pl. 3. f. 4.*
249. 2, tardus*. *Sturm D. F.* iv. 34.
 Ca. tardus. *Illig. K.* i. 168.—*Panz. F.* xxxvii. *f. 24.*
 Ca. proteus *f.* *Payk. F.* i. 163?
- 250 [3; rufimanus*].
 Ca. rufimanus. *Marsh.* i. 441.
 Ca. tardus *b.* *Illig. K.* i. 51?
251. 4, stygius. *Wilkin MSS?*
 Cy. obscura *mihi* (*olim.*)
252. 5; fuliginosus*. *Sturm D. F.* iv. 91. *pl. xcii. f. d. D.*
 Ca. fuliginosus. *Dufts. F.* ii. 83.
253. 6; latus*.
 Ca. latus. *Linn.* ii. 672.—*Schæff. Ic.* 194. *f. 7.*—*Marsh.* i. 440.
254. 7; fuscipalpis*. *Sturm D. F.* iv. 66. *pl. lxxxviiij. f. b. B.*
 ** *Corpore elongato, subdepresso.*
255. 8; nigripes*. *Sturm D. F.* iv. 69. *pl. lxxxviii. f. d. D.*
256. 9; piger*. *Sturm D. F.* iv. 31. *pl. lxxxii. f. c. C.*
 Ca. piger. *Creutzer.*—*Dufts. F.* ii. 104.
 Ha. ruficrus? *Kirby MSS.*
257. 10, anxius*. *Sturm D. F.* iv. 72. *pl. lxxxix. f. b. B.*—*Steph.*
Ill. (M.) i. *pl. viii. f. 2.*

Ca. anxius. *Dufts.* F. ii. 101.
Ha. rufimarginatus. *Wilk. MSS.*
Ha. cognatus. *Kirby MSS.*

258. 11, *femoralis mihi.*
259. 12, *maritimus.* *Kirby MSS.*
Ha. coracinus. *Sturm D. F.* iv. 45. *pl. lxxxiv. f. a. A?*
260. 13, *flaviventris *.* *Sturm D. F.* iv. 47. *pl. lxxxiv. f. b. B?*
Ca. proteus c. *Payk. F. i.* 164.
 *** *Corpore lato, valde depresso.*
261. 15; *thoracicus *.* *Leach MSS.*—*Steph. Ill. (M.) i. pl. viii. f. 3.*
Ca. crassipes. *Dufts.* F. iii. 95?
Ha. crassipes. *Sturm D. F.* iv. 14. *pl. lxxix. f. b. B?*
Ha. crassus. (*Steph. Ill. (M.) i. 68.*)
- 262 † 14. *depressus *.* *Sturm D. F.* iv. 15. *pl. lxxx. f. a. A.*
Ca. depressus. *Dufts.* F. iii. 73. In Mus. D. Waterhouse.
 2. Thorace posticè attenuato.
263. 16, *cupreus.* (*DeJean. C. 14.*)—*Steph. Ill. (M.) pl. viii. f. 4.*
264. 17; *rubripes *.* *Gyll. ii. 118.*—*Sturm D. F.* iv. 55. *pl. lxxxvi. f. a. A.*
Ca. azurescens. *Gyll. iv. 432.*
265. [18; *azureus *.*] *Sturm D. F.* iv. 42. *pl. lxxxiii. f. c. C.*
Ca. azureus. *Fabr. E. i.* 196.
266. [19; *cyanopterus *.*] *Kirby MSS.*
267. [20; *chloropterus *.*] *Kirby MSS.*
268. [21; *subsinuatus *.*] *Sturm D. F.* iv. 52. *pl. lxxxv. f. b. B.*
Ca. subsinuatus. *Dufts.* F. ii. 30.
Ha. xanthoceras. *Kirby MSS.*
269. 22; *marginellus *.* *Ziegler.*—(*DeJean C. 14.*)
Ca. pisseropus. *Kirby MSS.*
270. 23; *punctiger * mihi.*
271. 24; *lentus *.* *Sturm D. F.* iv. 28. *pl. lxxxii. f. a. A.*
272. 25; *fulvipes *.* *Sturm D. F.* iv. 58. *pl. lxxxvi. f. c. C.*
273. 26; *limbatus *.* *Sturm D. F.* iv. 50. *pl. lxxxv. f. a. A.*
Ca. limbatus. *Dufts.* F. ii. 84.
Ha. nitidus. *Ziegler?*
Ha. rubripes b, f. *Gyll. ii. 118.*
- β; *Ha. xanthopus.* *Kirby MSS.*
274. 27; *niger * mihi.*
275. 28; *annulicornis *.* *Kirby MSS.*
Ha. cærulescens. *Sturm.*

276. [29; atrocærulescens *.] *Kirby MSS.*
277. 30; rufipalpis *. *Sturm D. F.* iv. 70. *pl. lxxxix. f. a. A.*
278. 31; obscuricornis. *Megerle*.—*Sturm D. F.* iv. 67. *pl. lxxxviii. f. c. C.*
279. 32; notatus *. *Kirby MSS.*
280. 33; gracilis *. *Wilkin MSS.*
281. 34; cuniculinus *. *Sturm D. F.* iv. 61. *pl. lxxxvii. f. b. B.*
Ca. cuniculinus. *Dufts. F.* ii. 87.
282. 35, servus. *Sturm D. F.* iv. 73. *pl. lxxxix. f. c. C.*
Ca. servus. *Creutzer*.—*Dufts. F.* ii. 101.
283. 36, luteicornis. *Sturm D. F.* iv. 60. *pl. lxxxvii. f. a. A.*
Ca. luteicornis. *Dufts. F.* ii. 86.
284. 37, nitidus. *Sturm D. F.* iv. 40. *pl. lxxxiii. f. b. B.*
285. 38, ignavus. *Sturm D. F.* iv. 44. *pl. lxxxiii. f. d. D.*
Ca. ignavus. *Creutzer*.—*Dufts. F.* ii. 85.
Ha. honestus. (*DeJean C.* 14.)
3. Thoracis lateribus angulisque posticis rotundatis.
* *Antennæ mediocres.*
286. 39, cyaneus *mihi*.
287. 40, pœcilioides * *mihi*. *Steph. Ill. (M.)* i. *pl. viii. f. 5.*
Ha. virens. *DeJean*.
288. 41, scaritides *. *Sturm D. F.* iv. 81. *pl. xci. f. c. C?*
** *Antennæ breviores.*
289. 42, vernalis.
Ca. vernalis. *Dufts. F.* ii. 102.
Ha. picipennis. *Sturm D. F.* 14. 75. *pl. xc. f. a. A.*
Ha. Orfordensis. *Spence MSS.*
Ha. brevicornis. *Kirby MSS.*
Ha. nanus *mihi* (*olim.*)
290. 43, pumilus. *Sturm D. F.* iv. 77. *pl. xc. f. b, B.*
b. *Elytris apice eroso-dentatis.*
291. 44; æneus *. *Gyll.* ii. 116.
Ca. æneus. *Fabr. E.* i. 197.—*Marsh.* i. 439.—*Panz. F.* lxxxv. f. 4.
Ca. discolor. *Marsh.* i. 450.
Ca. azureus. *Marsh.* i. 450.—*Mart. C.* pl. 36. f. 15.—*Panz. F.* lxxxv. f. 3.
Ca. Proteus. *Payk. F.* i. 163.
292. [45, confinis *.] *Kirby MSS.*
Ha. suturalis *mihi*.
293. [46; æneopiceus *.] *Kirby MSS.*

Ha. æneus d. *Gyll.* ii. 117.

β ? Ha. castanipes. *Kirby MSS.*

294. [47; dentatus *.] *Kirby MSS.*

β ? Ha. oblongus *mihi.*

295. [48; subcæruleus *.] *Kirby MSS.*

Ha. æneus e. *Gyll.* ii. 117.

β ; Ha. brevis *mihi.*

B. Thoracis angulis posticis acutis.

296. 49, caffer *? *Sturm. D. F.* iv. 33. *pl. lxxxii. f. d. D.*

Ca. caffer. *Dufts. F.* ii. 99.

Ca. tardus. *Fubr. E.* i. 194.

Ca. nitidulus. *Mus. Marsham.*

Ha. piciceps. *Kirby MSS.*

297. 50; binotatus *. *Gyll.* ii. 122.

Ca. binotatus. *Fabr. E.* i. 193.—*Panz. F.* xcii. *f. 3.*—*Ent. Trans. (Haworth.)* i. 94.

Ha. bizonatus. (*Sam. I.* 20.)

298 [51; spurcaticornis.] *Ziegler.*—(*DeJean C.* 15.)

Ca. binotatus var. *Dufts. F.* ii. 78.

299. 52; ruficornis *. *Gyll.* ii. 107.—*Leuch E.* E. ix. 80.—*Sturm D. F.* iv. 8. *pl. lxxvi. f. a. A.*—(*Sam. I.* 20.)

Ca. ruficornis. *Fabr. E.* i. 180.—*Stew. ii.* 80.—*Mart. C. pl. 36. f. 13.*—*Marsh. i.* 436.—*Turt. ii.* 443.

Ca. rufipcs. *DeGeer.* iv. 96.

Ca. fuscus. *Gmel.* iv. 1987.

Ca. pulverulentus. *Rossi F.* i. 213.

β ; Ca. bicolor. *Marsh.* i. 436.

Ha. bicolor. (*Sam. I.* 20.)

Ca. pubescens. *Müll. Z. D. pr. no. 77.*

300. [53. griseus.] (*DeJean C.* 14.)

Ha. griseus. *Panz. F.* xxxviii *f. 1.*

Ca. ruficornis b. *Illig. K.* i. 171.

Genus 52. OPHONUS, (*Ziegler.*) *Steph., Curtis.*

301. 1, stictus *? *Steph. Ill. (M.)* i. *pl. viii. f. 6.*

Ca. stictus. *Marsh. MSS.*

Op. elongatulus. (*DeJean C.* 13?)

302. 2; obscurus *. (*Ing. Inst.* 89.)—(*Curtis l. c. infra.*)

Ca. obscurus. *Fabr. E.* i. 192.—*Turt. ii.* 453.

Ha. obscurus. (*Sam. I.* 20.)

Ca. purpuro-cæruleus. *Marsh.* i. 450.

Ha. obscurus. *Sturm D. F.* iv. 85. *pl. xcii. f. a. A.*

β , Ha. venustus. *Kirby MSS.*

303. [3; Sabulicola *.] (*DeJean C.* 13.)—*Curtis l. c. infra.*)

Ca. Sabulicola. *Fabr. E.* i. 190?

- Ca. azureus. *Oliv. E. iii. 76. pl. 12. f. 135.*
 Ca. obscurus β . (*Schon. S. i. 197.*)
 Ha. Sabulicola. *Sturm D. F. iv. 87. pl. xcii. f. B.* (thorax.)
304. 4; punctatulus *. (*DeJean C. 13.*)
 Ca. punctatulus. *Dufls. F. ii. 89.*
 Ha. punctatulus. *Sturm D. F. iv. 101. pl. xciii. f. d. D.*
305. 5; nitidulus *.
 Ca. nitidulus. *Schra. A. 213.*
 Ca. holosericeus. *Marsh. MSS.*
 Op. Millardii. *Leach MSS.*
 Op. nitidulus. (*Curtis l. c. infra?*)
306. 6; azureus *. (*DeJean C. 13.*)—(*Curtis l. c. infra.*)
 Ca. azureus. *Illig. M. i. 51.—Turt. ii. 455.*
 Ca. chlorophanus. *Zenker.—Panz. F. lxxiii. f. 3.*
307. 7, germanus. (*DeJean C. 14.*)—*Curtis. iv. pl. 191.—Steph. Ill. (M.) i. pl. ix. f. 1.*
 Ca. germanus. *Liun. ii. 672.—Panz. F. xvi. f. 4.*
 Ha. germanus. (*Sam. I. 20.*)
308. 8; puncticollis *. (*DeJean C. 13.*)—(*Curtis l. c. supra.*)
 Ca. puncticollis. *Payk. F. i. 120.*
 Ha. puncticollis. *Sturm D. F. iv. 103. pl. xciii. f. a. A?*
- 309 [9; foraminulosus *.]
 Ca. foraminulosus. *Marsh. i. 457.*
310. 10; cribellum *. *Leach MSS.—(Curtis l. c. supra.)*
 Op. brevicollis. (*DeJean C. 13?*)
311. 11; punctatissimus * *mihi.*
 Ha. rupicola. *Sturm D. F. iv. 105. pl. xciv. f. b?*
 Op. rupicola. (*Curtis l. c. supra?*)
 Op. subcordatus. (*DeJean C. 13?*)
312. 12; puncticeps *mihi.*
 Op. angustatus. *Curtis l. c. supra?*
313. 13; subpunctatus *mihi.*

Genus 59. STENOLOPHIUS, (*Ziegler,*) *Steph.*AGONUM *p*, *Samou.*—TRECHUS *p*, *Sturm.*

314. 1: vaporariorum *. (*DeJean C. 15.*)—(*Ing. Inst. 89.*)—*Steph. Ill. (M.) i. pl. ix. f. 2.*
 Ca. vaporariorum. *Linn. ii. 671.—Panz. F. xvi. f. 7.—Turt. ii. 461.*
 Ca. teutonus. *Schra. A. i. 214.*
 Ag. vaporariorum. (*Sam. I. 2.*)
315. [2, Skrimshiranus] *mihi.*

316. 3 : vespertinus *. (*DeJean C. 15.*)—(*Ing. Inst. 39.*)—*Steph.*
Ill. (M.) i. pl. ix. f. 3.
 Ca. vespertinus. *Illig. K. i. 197.*—*Panz. F. xxxvii. f. 21.*
 Ca. mixtus. *Herbst A. 143.*
 Ca. meridianus, e. *Payk. F. i. 147.*
 Ca. lateralis. *Marsh. i. 457.*
- 317 † [4, Ziegleri.] (*DeJean C. 15.*)
 Ca. Ziegleri. *Megerle.*—*Panz. F. cviii. f. 8.* In *Mus. Brit.*
318. 5 : dorsalis *. (*DeJean C. 15.*)—*Steph. Ill. (M.) i. pl. ix. f. 4.*
 Ca. dorsalis. *Fabr. E. i. 208.*
 Tr. dorsalis. *Sturm D. F. vi. 72. pl. cxlix. f. b. B.*
 Ca. vaporariorum. *Linn. F. no. 796?*
 Ca. meridianus, α . *Payk. F. i. 147.*
 Ca. Kiloniensis. *Gmel. iv. 1978.*
319. 6, parvulus *.
 Tr. parvulus. *Sturm D. F. vi. 79. pl. cl. f. B. b?*
 Tr. discoidalis. *Kirby MSS.*
320. 7, cognatus *.
 Ca. cognatus. *Gyll. iv. 455.*
- Genus 60. TRECHUS, *Clairville, Samou., (Kirby,) Steph.*
BEMBIDIUM p, *Gyllenhal.*—**ELAPHRUS p,** *Illiger.*—**OPHONUS p,** *DeJean.*
321. 1; pubescens *.
 Ca. pubescens. *Payk. F. i. 124.*
 Ca. echinatus. *Marsh. i. 455.*
 β ; Ca. punctulatus. *Marsh. i. 455.*
 γ ; Ha. limbatus. *Kirby MSS.*
 δ ; Ha. ruficeps. *Kirby MSS.*
322. 2; pallipes* *mihi.*
323. 3; fulvus *. (*Sam. I. 42.*)
 Ca. fulvus. *Marsh. i. 456.*
 Ca. collaris. *Payk. F. i. 146?*
 Tr. collaris. *Sturm D. F. vi. 74. pl. cl. f. a. A.*
324. [4; pallidus *] *mihi.*
 Tr. testaceus *mihi (olim).*
325. 5; suturalis *. *Leach MSS.*
 Tr. fulvescens. (*DeJean. C. 16?*)
326. [6; ruficollis *] *mihi.*
327. 7; flavicollis *. *Sturm D. F. vi. 87. pl. cli. f. c. C.*
 Tr. fulvicollis. *Leach MSS.*
328. 8; meridianus *. *Clairv. ii. 24. pl. 2. f. A. a.—(Sam. I. 42.)*
 Ca. meridianus. *Linn. ii. 673.—Panz. F. lxxv. f. 9.—Marsh.*
i. 454.—Turt. ii. 460.

Ca. cruciger. *Fabr. E.* i. 209?
Ca. DeGeeri. *Gmel.* iv. 1983.

329. 9; minutus *.
Ca. minutus. *Fabr. E.* i. 210.
El. aquatilis. *Illig. K.* i. 232.
Ca. ustulatus, e. *Payk. F.* i. 142.
Ca. aquaticus. *Panz. F.* xxxviii. f. 10.—*Marsh.* i. 461.
Tr. aquaticus. (*Sam. I.* 42.)
Be. Doris, b. *Gyll.* ii. 24.

330. [10; fuscipennis *.]
Ha. fuscipennis. *Wilk.?* MSS.

331. 11; tristis *.
Ca. tristis. *Payk. F.* i. 145.
Ca. nigriceps. *Marsh.* i. 461.
Be. quadrastriatum, b. *Gyll.* ii. 31.

Genus 61. BLEMUS, (*Ziegler.*) Steph.

BEMBIDIUM p, *Gyllenhal.*—TRECHUS p, *Samou.*

332. 1, rubens.
Ca. rubens. *Fabr. E.* i. 187.
Tr. rubens. *Clairv.* ii. 26. *pl.* ii. f. B. b.
Be. paludosum. *Gyll.* ii. 34.
Ca. tristis var. (*Schon. S.* i. 220.)

333. 2; discus *. (*DeJean C.* 16.)—(*Ing. Inst.* 87.)
Ca. discus. *Fabr. E.* i. 207.
Tr. discus. (*Sam. I.* 42.)
Ca. micros. *Herbst. A.* 142.—*Panz. F.* xl. f. 4.

334. 3, unifasciatus *. (*Ing. Inst.* 87.)
Ca. unifasciatus. *Panz. F.* xxxviii. f. 7.—*Marsh.* i. 466.
Ca. elevatus. *Fabr. E.* i. 204.

- 335 † 4. longicornis. (*Curtis Cat. no.* 45.)
Tr. longicornis. *Sturm D. F.* vi. 83. *pl.* cli. f. a. A.
In Mus. D. Curtis.

336. 5; humeralis *. *Steph. Ill. (M.)* i. *pl.* ix. f. 5.
Tr. humeralis. *Leach MSS.*—(*Sam. I.* 42.)

337. 6, consputus *. *Steph. Ill. (M.)* i. *pl.* ix. f. 6.
Ca. consputus. *Dufts. F.* ii. 148.
Tr. consputus. *Sturm D. F.* vi. 71. *pl.* cxlix. f. a. A.
Ha. Ephippiger b. *Gyll.* iv. 454.

Genus 62. EPAPHIUS, *Leach, Samou., Steph.*

BEMBIDIUM p, *Gyllenhal.*—TRECHUS p, *Sturm.*

338. 1, Secalis. *Leach MSS.*—(*Sam. I.* 16.)
Ca. Secalis. *Payk. F.* i. 146.—*E. t. Trans. (Haworth.)* i. 96.
Tr. Secalis. *Sturm D. F.* vi. 96. *pl.* clii. f. d. D.

Ca. Bruntoni. Kirby MSS.

β , *Ca. testaceus.* Fabr. E. i. 209?—Turt. ii. 461?

Genus 63. AËPUS, Leach, Samou., Steph.

BLEMUS *p.* DeJean.

339. 1, fulvescens. Leach MSS.—Samou. 149.

Familia VI. BEMBIDIIDÆ *mihi.*

CA.-SUBULIPALPI, Latreille.

(EUPODINA-AMAURONA *p.* Kirby.—CARABIDÆ *p.* Leach.)

(CARABUS *p.* BEMBIDIION et BEMBIDIUM Auctorum.—ELAPHRUS *p.* Illiger.—OCYS, Kirby MSS.—OCYDROMUS, Clairv.)

Genus 64. LYMNAEUM *mihi.*

340. 1, nigropiceum.

Ca. nigropiceus. Marsh. i. 468.

341. 2, depressum.

Tachys? depressus. (Curtis Cat. no. 45?)

Genus 65. CILLENUM, Leach MSS., Samou., Curtis.

BLEMUS, *p.* DeJean.

342. 1, laterale. Leach MSS.—Samou. 148.—Curtis. v. pl. 200.

Genus 66. TACHYS, (Ziegler.)

343. 1, scutellaris *mihi.*

Ci. minimum. (Curtis. fo. 200?)

344. 2; binotatus * *mihi.*

345. 3; vittatus * *mihi.*

346. 4; immunis *.

Oc. immunis. Kirby MSS.

Ta. violaceus *mihi.*

347. [5; obtusus *.]

Be. obtusum. Sturm D. F. vi. 165. pl. clxi. f. c. C.

Oc. fuscipennis. Kirby MSS.?

Ta. pieeus *mihi.*

348. 6; pusillus *. (DeJean C. 16.)

349. 7, gracilis *mihi.*

350. 8, minutissimus. Leach? MSS.

Genus 67. PHILOCHTHES *mihi.*

LEJA *, (Megerle.)

351. 1, ænea.

Be. æneum. Spence MSS.—Germ. I. N. i. 28.

* Leia: Genus Dipterorum:—vide Meig. Zw. i. 253.

352. 2; fuscipes *.
Le. fuscipes. (*DeJean C. 17.*)
Ca. Doris. *Marsh.* i. 453.
353. 3; subfenestrata *.
Le. subfenestrata. *Megerle.*
Be. apicalis. *Hoffmansegg.*
Ca. tristis. *Sturm:* teste *DeJean C. 17.*
354. 4; biguttatus *.
El. biguttatus. *Illig. K. i. 230.*
Be. biguttatum. *Sturm D. F. vi. 162. pl. clxi. f. b. B.*
Ca. ustulatus. *Berk. S. i. 108?*
355. 5; guttula *.
El. guttula. *Illig. K. i. 229.*
Be. guttula. (*Sam. I. 6.*)
Ca. riparius. *Oliv. E. iii. 115. pl. xiv. f. 162. A. b.*

356. 6; hæmorrhous *.
Oc. hæmorrhous. *Kirby MSS.*

Genus 68. OCYS.

357. 1; currens *. *Kirby MSS.*
Be. cyaneum. *Wilkin MSS.*
358. 2; tempestivus.
Ca. tempestivus. *Panz. F. lxxiii. f. 6.*
359. [3; melanocephalus *.]
Be. melanocephalum. *Leach MSS.*
Be. ruficolle. *Gyll. iv. 401?*

Genus 69. PERYPHUS, (*Megerle.*)

A. Elytris maculatis.

360. 1; femoratus *. (*DeJean C. 17.*)
Be. femoratus. *Sturm D. F. vi. 117. pl. clv. f. B. a..*
Oc. cruciger. *Kirby MSS.*
Be. crucigerum. (*Sam. I. 6.*)
361. 2; concinnus *.
Oc. concinnus. *Kirby MSS.*
362. 3; saxatile *.
Be. saxatile. *Gyll. iv. 407?*
Pe. femoralis *michi* (*olim.*)
363. 4; littoralis *.
Ca. littoralis. *Oliv. E. iii. 110. pl. 9. f. 103.—Marsh. i. 452.—Panz. F. xxxv. f. 6.*
Ca. ustulatus *β.* *Puyk. F. i. 141.*
El. rupestris. *Fabr. E. i. 246.*
Be. littorale. *Leach E. E. ix. 79.—(Sam. I. 6.)*

364. 5, lunatus. (*DeJean C. 17.*)
 El. lunatus. *Dufts. F. ii. 24.*
 Be. lunatum. *Sturm D. F. vi. 119. pl. clv. f. C. c.*
365. 6, ustus. (*DeJean C. 17.*)
 Ca. ustus. *Schon. S. i. 221.*
 Ca. Spencii. *Marsh. MSS.*
 Be. Spencii. (*Sam. I. 6.*)
366. 7; decorus*. (*DeJean C. 17.*)
 Be. decorum. *Panz. F. lxxiii. f. 4.*
 Ca. immunis. *Marsh. i. 452.*
 Be. rufipes, b. *Gyll. ii. 18.*

B. Elytris haud maculatis.

367. 8 viridiæneus *mihi.*
 Be. virens. *Gyll. iv. 407?*
368. 9; nitidulus*.
 Ca. nitidulus. *Marsh. i. 454.*
 Oc. celer. *Kirby MSS.*
369. 10, agilis.
 Be. agilis. *Spence MSS.—(Sam. I. 6.)*
 Oc. auratus. *Kirby MSS.*
 Pe. fuscicornis. (*DeJean C. 17?*)
 Be. luridum. *Sturm D. F. vi. 125. pl. clvi. f. b. B?*
370. 11, tibialis.
 Be. tibiale. *Leach MSS.*
371. 12, Leachii.
 Be. Leachii. *Spence MSS.*
372. 13, picipes.
 Oc. picipes. *Kirby MSS.*
373. 14, atrocaeruleus *mihi.*
 El. prasinus. *Dufts. F. ii. 201?*
 Be. olivaceum. *Gyll. iv. 408?*

Genus 70. NOTAPHUS, (*Megerle.*)

A. Elytris maculatis aut variegatis.

374. 1; articulatus*. (*DeJean C. 16.*)
 Be. articulatus. *Sturm D. F. vi. 156. pl. clx. f. D. d.*
 Be. undulatum. *Sturm?*
 Be. majus. *Gyll. iv. 411.*
375. 2; ustulatus*. (*DeJean C. 16.*)
 El. ustulatus. *Illig. K. i. 231.*
 Ca. ustulatus. *Linn. ii. 673.—Stew. ii. 82.—Turt. ii. 461.—Ent. Trans. (Burrell.) i. 224.*

376. 3, nebulosus *mihi*.
 Ca. ustulatus. *Panz. F.* xl. f. 7?
 Ca. dentellus. *Thunb. Mus. Ups.* iv. 50?
377. 4; seinipunctatus.
 Ca. semipunctatus. *Don. xi. 22. pl. 367. f. 2.*
 Be. varium. *Latr. G. i. 185?*
 Be. bifasciatum. *Leach MSS.*
378. 5, obliquus.
 Be. obliquus. *Sturm D. F.* vi. 160. *pl. clxi. f. A. a.*
 No. confinis *mihi*.
379. 6; stictum* *mihi*.
380. 7, fumigatus. (*DeJean C. 16.*)
 El. fumigatus. *Creutzer.—Dufts. F.* ii. 204.
 B. Elytris immaculatis.
381. 8: ephippium.
 Ca. ephippium. *Marsh. I.* 462.
 Be. ephippium. (*Sam. I.* 6.)
382. 9; castanopterus* *mihi*.

Genus 71. LOPHA, (*Megerle.*)LEJA p, *DeJean.*

383. 1; poecila*. (*DeJean C. 18.*)
 Be. poecilum. *Hoffmansegg MSS.*—(*Sam. I.* 6.)
 Ca. articulatus. *Panz. F.* xxx. f. 21?
 Ca. subglobosus β. *Payk. F.* i. 143.
 El. quadrimaculatus β. *Illig. K.* i. 233.
 Ca. nebulosus. *Marsh. MSS.*
384. 2; quadriguttata*. (*DeJean C. 17.*)
 Ca. quadriguttatus. *Fabr. E.* i. 207.—*Marl. C. pl. 38. f. 37.*
 —*Panz. F.* xl. f. 5.—*Stew. ii. 82.*—*Marsh. i. 459.*—*Turt. ii. 460.*
 Be. quadriguttatum. (*Sam. I.* 6.)
 Bu. ustulatus. *Fourc. P.* i. 46.
 Chlorocephalotes mas. *Voët. (Pz.) ii. pl. 35. f. 20.*
385. 3; quadrimaculata*. (*DeJean. C. 17.*)
 Ci. 4-maculata. *Linn. ii. 658.*
 Ca. subglobosus. *Payk. F.* i. 142.
 Ca. pulchellus. *Panz. F.* xxxviii. f. 8.
 Be. 4-notatum. *Mus. Marsham.*
 Ca. 4-maculatus. *Berk. S.* i. 108.
386. 4, pulchella.
 Ca. pulchellus. *Marsh. i. 454.*
387. 5, Doris.

- El. Doris. *Illig. K.* i. 232.—*Panz. F.* xxxviii. *f.* 9.
 Be. Kirbii. *Spence?* MSS.
388. 6; Spencii *.
 Oc. Spencii. *Kirby* MSS.
389. 7; assimilis *.
 Be. assimile. *Gyll. ii.* 26.
 Oc. haemorrhoidalis. *Kirby* MSS.
390. 8, Kirbii * *mihi*.
391. 9; nigra *.
 Be. nigra. *Wilkin* MSS.
 Oc. pulchellus. *Kirby* MSS.
392. 10; pulicarius *.
 Ca. pulicarius. *Marsh. MSS.*
 Oc. nitidulus? *Kirby* MSS.
393. 11; minima *.
 Ca. minimus. *Fabr. E.* i. 210?
- Genus 72. TACHYPUΣ. (*Megerle?*)
 LEJA p, *DeJean.*
 A. Corpore brevi, ovato.
394. 1, Andreæ.
 Ca. Andreæ. *Fabr. E.* i. 204.
 El. pallidipennis. *Illig. M.* i. 439.
- B. Corpore elongato, oblongo.
395. 2, striatus.
 El. striatus. *Dufls. F.* ii. 198.
 Be. striatus. *Sturm D. F.* iv. 186. *pl. clxiii. f. B. b.*
 Be. puncticolle. *Leach* MSS.—(*Sam. I.* 6.)
 Oc. chaleonotus. *Kirby* MSS.
396. 3, chlorophanus. (*Curtis Cat. no. 45.*)
 Be. chlorophanus. *Sturm D. F.* vi. 187. *pl. clxiii.*
397. 4; bipunctatus *.
 Ca. bipunctatus. *Linn. ii.* 672.—*Oliv. E.* iii. 112. *pl. xiv.*
f. 163. a, b.—*Marsh. i.* 453.
 Be. bipunctatum. (*Sam. I.* 6.)
398. 5; properans *.
 Be. properans. *Hoffmansegg* MSS.—(*Sam. I.* 6.)
 Ca. rufipes. *Marsh. i.* 453.
 Be. rufipes. (*Sam. I.* 6.)
399. 6; celer *.
 Ca. celer. *Fabr. E.* i. 210.—*Turt. ii.* 461.
 Ca. pygmaeus. *Payk. F.* i. 148.
 Ca. rufipes. *Oliv. E.* iii. 112. *pl. 14. f. 164. a. b?*
 Ca. Lampros. *Herbst A.* 143?

- 400 [7; acutus *.]
 Ca. acutus. *Marsh.* i. 461.
 Be. acutum. (*Sam.* I. 6.)
401. 8; orichalcicus *.
 El. orichalcicus. *Illig.* K. i. 228.
 Ca. orichalceus. *Panz.* F. xxxviii. f. 11.
402. 9; chalceus * mihi.

Genus 73. BEMBIDIUM, *Illiger*, *Leach*, *Samou.*

CICINDELA *p*, *Linné*.

- 403 † 1, paludosum. (*Panz.* I. 47.)
 El. paludosus. *Panz.* F. xx. f. 4. In *Mus. Brit. et D. Haworth.*
404. 2, impressum. *Gyll.* ii. 13.
 El. impressus. *Fabr.* E. i. 246.—*Panz.* F. xl. f. 8.
 Ci. striata. *Marsh.* i. 393.
405. 3; flavipes *. *Gyll.* ii. 12.—*Leach* E. E. ix. 79.—(*Sam.* I. 6.)
 Ci. flavipes. *Linn.* ii. 658.—*Panz.* F. xx. f. 2.—*Marsh.* i. 394.—
 —*Turt.* ii. 400.
406. 4, pallipes. *Sturm D.* F. vi. 111. *pl. cliv. f. B. b.*
 Ca. pallipes. *Duf's.* F. ii. 197.
 Be. pallipes. (*Sam.* I. 6.)
 Be. cromerense. *Wilkin* MSS.

Familia VII. ELAPHRIDÆ mihi.

(CA.-ABDOMINALES *p*, *Latreille*.—EUPODINA-LAMPRONA *p*, *Kirby*.)

(CARABUS *p*, CICINDELA *p*, *Linné*, &c.—ELAPHRUS *p*, *Fabr.* &c.)

Genus 74. NOTIOPHIILUS, *Dumeril*, *Leach*, *Samou.*, (*Kirby*.)

407. 1; aquaticus *. *Leach* E. E. ix. 79.—(*Sam.* I. 30.)
 Ci. aquatica. *Linn.* ii. 658.—*Berk.* S. i. 105.—*Stew.* ii. 74.—
 —*Don.* viii. *pl. 351. f. 2.*—*Marsh.* i. 393.—*Turt.* ii. 400.
 Ci. striata. *DeGeer* iv. 18.
 β; El. semipunctatus. *Fabr.* E. i. 246.
 Ci. semipunctata. *Marsh.* i. 394.
 γ, No. purpuro-caeruleus mihi.
408. 2; biguttatus *. *Leach* E. E. ix. 79.—(*Sam.* I. 30.)
 El. biguttatus. *Fabr.* E. i. 247.
 Ci. biguttata. *Marsh.* i. 395.
 El. aquaticus β. *Illig.* K. i. 224.

Genus 75. ELAPHRUS, *Fabricius*, *Leach*, *Samou.*, (*Kirby*.) *Curtis*.

409. 1; uliginosus *. *Fabr.* E. i. 245.—*Leach* E. E. ix. 79.—
 (*Sam.* I. 16.)—*Curtis* iv. *pl. 179.*
 Ci. uliginosa. *Marsh.* i. 392.
 Ci. riparia. *Schrink.* A. 192.

410. 2; cupreus*. *Megerle*.—*Dufts. F. ii.* 194.—(Ing. Inst. 88.)—
(Curtis l. c. supra.)
 El. riparius. *Oliv. E. ii.* 34. *pl. i. f. 1. a—e.*
 El. uliginosus. *Ill. K. i.* 225.
411. 3; riparius*. *Fabr. E. i.* 245.—*Leach E. E. ix.* 79.—(Sam. I. 16.)—*(Curtis l. c. supra.)*
 Ci. riparia. *Linn. ii.* 658.—*Berk. S. i.* 105.—*Stew. ii.* 74.—
Don. ix. pl. 301.—*Marsh. i.* 392.—*Turt. ii.* 400.
 El. paludosus. *Oliv. E. ii.* 5. *pl. 1. f. 4. a, b.*
 Arenarius parvus. *Voet. (Pz.) ii.* 98. *pl. 40. f. 7.*
 β , El. purpurascens. *Kirby?* MSS.

Genus 76. BLETHISA, Bonelli, Samou.

NEBRIA p, Latreille.—HELOBIUM. (*Leach E. E.*)—BLETHISUS,
(Kirby.)

412. 1; multipunctata*. (Sam. I. 6.)
 Ca. multipunctatus. *Linn. ii.* 672.—*Panz. F. xi. f. 5.*—
Marsh. i. 467.—*Turt. ii.* 445.
 He. multipunctatum. *Leach E. E. ix.* 83.

Subsectio 2. HYDRADEPHAGA, MacLeay.

(HYDROCANTHARI, Latreille.—HYDRADEPHAGENA, Kirby.)
Water-Beetles, Toe-biters.

Familia VIII. DYTICIDÆ, Leach.

EUNECHINA, Kirby.

(DYTISCUS p, Linné, &c.)

Genus 77. HALIPLUS, Latreille, Leach, Samou., (Kirby.)

CNEMIDOTUS, Illiger.—HOPLITUS, Clairville.

A. “Elytris lineis elevatis.” Leach.

413. 1; elevatus*. *Gyll. i.* 545.—(Sam. I. 20.)
 Dy. elevatus. *Panz. F. xiv. f. 9.*

B. “Elytris striis nullis elevatis.” Leach.

414. 2; impressus*. *Latr. G. i.* 234. *pl. 6. f. 6.*—*Leach E. E. ix.* 84.—(Sam. I. 20.)
 Dy. impressus. *Fabr. E. i.* 271.—*Panz. F. xiv. f. 7.*—*Turt. ii.* 429.

Dy. laminatus. *Gmcl. iv.* 1952.

Dy. thoracicus. *Fourc. P. i.* 69.

Dy. flavigollis. *Marsh. i.* 430.

Ha. flavigollis. (Sam. I. 20.)

Dy. minutus. *Don. ii. pl. 68. f. 1, 2.*—*Turt. ii.* 430.

β ; Ha. excavatus. Kirby MSS.

γ ; Ha. nigriceps. Kirby MSS.

δ ; Ha. ruficeps. Kirby MSS.

415. 3; mucronatus. *Leach MSS.*
Ha. ophthalmicus. Kirby MSS?
416. 4; ferrugineus*. *Gyll. i. 546.—(Sam. I. 20.)*
Dy. ferrugineus. Linn. ii. 666.
 β ; Dy. fulvus. *Fabr. E. i. 271.*
Dy. assimilis. Marsh. i. 428.
Ha. assimilis. (Sam. I. 20.)
 γ ; Dy. interpunctatus. *Marsh. i. 429.*
417. 5; obliquus *. *Gyll. i. 550.—(Sam. I. 20.)*
Dy. obliquus. Illig. K. i. 268.—Panz. F. xiv. f. 6.
Dy. amoenus. Oliv. E. iii. 40?
Dy. obliquus. Ent. Trans. (Burrell.) i. 215.
418. 6; confinis*. *Kirby MSS.*
 β ; Ha. nebulosus. *Kirby MSS.*
Ha. varius. Nicol. Col. Hal. p. 54?
419. 7; lineato-collis *. *Gyll. i. 549.—(Sam. I. 20.)*
Dy. lineato-collis. Marsh. i. 429.
Dy. bistriolatus. Dufts. F. i. 285.
420. 8; marginepunctatus. *(Schon. S. ii. 27.)*
Dy. marginepunctatus. Panz. F. xiv. f. 10.
421. 9; ruficollis*. *(Sam. I. 20.)*
Dy. ruficollis. DeGeer iv. 404. pl. 16. f. 9, 10?—Marsh. i. 428.
Ha. impressus var. c. Gyll. i. 548.
Dy. cæsus. Dufts. F. i. 284.
422. 10; affinis* *mihi.*
423. 11, brevis. *Kirby MSS.*
424. 12, melanocephalus* *mihi.*

Genus 78. PÆLOBIUS, Schönher, *Leach, Samou., (Kirby.)*

HYGROBIA, Clairville.—HYDRACHNA *p*, Fabricius.

425. 1; Hermanni*. *Leach E. E. ix. 84.—Samou. 157. pl. 3. f. 14.*
Dy. Hermanni. Fabr. E. i. 255.—Mart. C. pl. 33. f. 17.—
Marsh. i. 418.—Don. xiv. pl. 501. f. 2.
Pæ. tardus. (Schon. S. ii. 27.)

Genus 79. HYPHIDRUS, Illiger.

HYDRACHNA *p*, Fabricius.—HYDRACHNE, (Haworth.)—HYPHYDRUS, Leach Z. M.—Samou., (Kirby.)

426. 1; ovatus*. *Samou. 157.*
Dy. ovatus. Linn. ii. 667.—Mart. C. pl. 33. f. 12.—Marsh.
i. 419.—Turt. ii. 428.
Dy. ferrugineus. Don. ii. pl. 68. f. 3, 4.—Stew. ii. 78?
Hy. ferrugineus. Latr. G. i. 233.—Leach E. E. ix. 84.
Hy. gibbus. Fabr. E. i. 256.—Ent. Trans. (Haworth.) i. 88.
Dy. sphæricus. DeGeer iv. 492.

- 427 [2; ovalis *.] *Gyll.* i. 519.
 Hy. ovalis. *Fabr.* E. i. 256.—*Ent. Trans.* (*Haworth.*) i. 88.
 Dy. ovatus. *Oliv.* E. iii. 33. *pl.* 3. *f.* 28. *a, b.*
 Dy. ovatus var. *Marsh.* i. 419.
 β ; Dy. brunneus. *Kirby MSS.*
 γ ; Dy. variatus. *Kirby MSS.*
- 428 [3, variegatus?] *Illiger?*—(*DeJean C.* 20?)
- Genus 80. HYGROTUS *mihi*.
- HYPHIDRUS *p.*, *Illig.*—HYDRACHNA *p.*, *Fabr.*—HYDROPORUS *p.*,
Clairv.—HYDROPORUS** *Samouelle*.—AQUARIUS —? *MSS.*
429. 1, fluviatilis.
 Hyd. fluviatilis. *Leach MSS.*—(*Sam. I.* 22.)
 Hydro. assimilis β . *Kunzé. E. F.* 64.
430. 2, assimilis.
 Dy. assimilis. *Payk. F.* i. 236.—*Ent. Trans.* (*Haworth.*) i. 91.
 Hy. halensis. *Graven.* 105.
 Hyp. rotundatus. *Illig. M. (Müller.)* iv. 211.
- 431 † 3, decoratus.
 Hyp. decoratus. *Gyll. ii. add.* 16.
 Hyp. cuspidatus. *Mus. Germar.*—*Ahr. F.* v. *pl.* 4.
 Hydro. cuspidatus. *Kunzé. E. F.* 68. In *Mus. Brit.*
432. 4; confluens *.
 Dy. confluens. *Fabr. E.* i. 270.—*Panz. F.* xiv. *f.* 5.—*Marsh.* i. 424.
 Hyd. confluens. (*Sam. I.* 22.)
433. 5; collaris *.
 Dy. collaris. *Panz. F.* xxvi. *f.* 4.
 Dy. recurvus. *Marsh.* i. 424.
 Dy. inæqualis γ . *Payk. F.* i. 238.
 Hyp. reticulatus b. *Gyll. ii.* 521.
- 434 [6; affinis *] *mihi*.
- 435 [7; reticulatus *].
 Dy. reticulatus. *Fabr. E.* i. 273.
 Hyd. variegatus. *Kirby MSS.*
436. 8; inæqualis *.
 Dy. inæqualis. *Fabr. E.* i. 272.—*Oliv. E.* iii. 36. *pl.* 3. *f.* 29. *a, b.*
 Dy. trifidus. *Marsh.* i. 423.
 Hyd. trifidus. (*Sam. I.* 22.)
 Dy. versicolor. *Gmel.* iv. 1952.
437. 9; scitulus *.
 Dy. scitulus. *Spence MSS.*
438. 10; pictus *.
 Dy. pictus. *Fabr. E.* i. 273.
 Dy. arcuatus. *Panz. F.* xxvi. *f.* 1.

Dy. flexuosus. *Marsh.* i. 425.

Hyd. flexuosus. (*Sam.* I. 22.)

β , Dy. Crux. *Fabr.* E. i. 271?

Genus 81. HYDROPORUS, *Clairville, Leach, Samou., (Kirby.)*

HYPHIDRUS *p., Illiger.*

A. "Thoracis lateribus rotundatis." *Kirby MSS.*

a. *Elytris apice dentatis.*

439. 1; frater*. *Spence MSS.*—*Kunzé.* E. F. 62.

Dy. depressus. *Dufls.* F. i. 272.

440. 2; areolatus. (*DeJean C.* 19.)

Dy. areolatus. *Dufls.* F. i. 274.

Hy. halensis. *Kunzé* E. F. 66.

Dy. picipes. *Thunb.* I. S. 76.

Dy. griseostriatus. *DeGeer* iv. 103.

441. 3; depressus*. *Kunzé* E. F. 63.—(*Sam.* I. 22.)

Dy. depressus. *Fabr.* E. i. 268.

Dy. elegans. *Illig.* K. i. 265.—*Panz.* F. xxiv. f. 5.—*Marsh.* i. 421.

Dy. 12-pustulatus var. minor. *Oliv.* E. iii. 31. pl. 5. f. 46.

Dy. Neuhoffi. *Cederh.* F. 32. pl. 2. f. 1.

b. *Elytris apice haud dentatis.*

442. 4; duodecimpustulatus*. (*Sam.* I. 22.)

Dy. 12-pustulatus. *Fabr.* E. i. 270. *Oliv.* E. iii. 21. pl. 5. f. 46. a, b.—*Marsh.* i. 422.—*Don.* xiv. 73. pl. 496.

443. 5; consobrinus. *Kunzé* E. F. 61.

444. 6, nigrolineatus. *Gyll.* iii. 688.

Hyp. nigrolineatus. *Schon.* S. ii. 33. pl. 4. f. 2. a, b.

445. 7, lineatus*.

Dy. lineatus. *Marsh.* i. 426.

Dy. parallelogrammus. *Ahr.* F. ii. f. 2.

Hy. nigrolineatus. *Kunzé* E. F. 60.

446. [8; picipes*.] *Kunzé* E. F. 61.

Dy. punctatus. *Marsh.* i. 426.

447 † 9, alternans. *Kunzé* E. F. 62.

Hyp. lineellus. *Gyll.* i. 529.

Hyd. lineellus. (*Sam.* I. 22.)

Hyp. lineatus. (*Schon.* S. ii. 10.)

Hy. stragula. *Illig.* Misc.

In Mus. Brit.

448. 10; dorsalis*. (*Sam.* I. 22.)

Dy. dorsalis. *Fabr.* E. i. 269.—*Marsh.* i. 421.

Dy. rufifrons. *Fabr.* E. i. 198.

β ; Hy. immaculatus. *Kirby MSS.*

- γ ; Dy. dorsalis. *Panz. F. xiv. f. 2.*
Hy. triguttatus. *Kirby MSS.*
449. 11; alpinus. *Kunzé E. F. 67.*
Dy. alpinus. *Payk. F. i. 226?*
Hy. rivalis. *Leach MSS.—Gyll. iv. 384. (!)*
- β ? Hyp. borealis. *Gyll. iv. 586?*
450. 12; sexpustulatus*. (*DeJean C. 20.*)
Dy. sexpustulatus. *Fabr. E. i. 269.—Ent. Trans. (Haworth.) i. 89.*
Dy. palustris. *Illig. M. i. 76.*
Dy. lituratus. *Panz. F. xiv. f. 4.—Marsh. i. 423.*
Hyd. lituratus. (*Sam. I. 22.*)
Dy. variegatus. *Fourc. i. 68.*
- β ; Dy. palustris. *Linn. ii. 667?*
- γ ; Hy. rufescens. *Kirby MSS.*
Dy. fimbriatus. *Gmel. iv. 1957.*
- 451 [13; proximus.]
Hy. proximus. *Wilk. ? MSS.*
452. 14; tristis*. (*DeJean C. 20.*)
Dy. tristis. *Payk. F. i. 232.*
453. 15, umbrosus.
Hyp. umbrosus. *Gyll. i. 538.*
B. "Thoracis lateribus in elytrorum arcu." *Kirby MSS.*
a. *Elytris apice subtruncatis.*
454. 16; rufifrons*.
Dy. rufifrons. *Dufts. F. i. 270.*
Hyp. axillaris. *Schönher?*
Hy. punctulatus *mihi.*
455. 17; marginatus*. *Kunzé E. F. 67.*
Dy. marginatus. *Dufts. F. i. 269.*
Hy. Lapponum. *Gyll. i. 532.*
Hy. basalis. *Mus. Hoffmann.*
456. 18; deplanatus*.
Hyp. deplanatus. *Gyll. iv. 391?*
b. *Elytris apice haud truncatis.*
457. 19, Scalesianus *mihi.*
458. 20; unistriatus*. (*Sam. I. 22.*)
Dy. unistriatus. *Illig. K. i. 266.*
Dy. parvulus a. *Payk. F. i. 232.—Panz. F. xcix. f. 2.*
Hy. impressicollis. *Kirby MSS.*
Dy. monostictus. *Fourc. i. 69.*
Dy. nanus. *Gmel. iv. 1956.*
459. 21; geminus*. (*DeJean C. 20.*)

- Dy. geminus. *Fabr. E.* i. 272.—*Ent. Trans. (Haworth.)* i. 92.
 Dy. trifidus. *Panz. F.* xxvi. f. 2.
 Dy. parvulus, b. *Payk. F.* i. 233.
 Dy. pygmæus. *Oliv. E.* iii. 39.
 Dy. unistriatus. *Schra. A.* 205.
460. 22; minimus*.
 Dy. minimus. *Scop. E.* 297.
461. 23; granularis*. (*Sam. I.* 22.)
 Dy. granularis. *Linn. ii.* 667.—*Oliv. E.* iii. 33. *pl. 2. f. 13.*
 a, b.—*Marsh. i.* 426.—*Turt. ii.* 429.
 Dy. unilineatus. *Gmel. iv.* 1953.
462. 24; ovalis*.
 Dy. ovalis. *Marsh. i.* 425.
 Dy. lineatus. *Fabr. E.* i. 272?
 Hyd. lineatus. (*DeJean C.* 20.)
 Hy. stagnicola. *Leach MSS.*
 β; Hy. trilineatus. *Kirby MSS.*
463. 25; nigrata*. (*DeJean C.* 20.)
 Dy. nigrata. *Fabr. E.* i. 273.—*Ent. Trans. (Haworth.)* i. 91.
 Hy. lateralis. *Kirby MSS.*
464. 26; trivialis*. *Spence?* *MSS.*
465. 27; minutus* *mihi.*
 Hy. memnonius. *Nicol. Col. Hal.* 33?
466. 28, planus*. (*Sam. I.* 22.)
 Dy. planus. *Marsh. i.* 425.
467. 29; melanocephalus*. (*Sam. I.* 22.)
 Dy. melanocephalus. *Marsh. i.* 423.
468. 30; erythrocephalus*. (*DeJean C.* 20.)
 Dy. erythrocephalus. *Linn. F. no.* 774.—*Panz. F. ci. f. 3.*—
Ent. Trans. (Haworth.) i. 90.
469. 31; flavipes*. (*Sam. I.* 22.)
 Dy. flavipes. *Fabr. E.* i. 273.—*Ent. Trans. (Haworth.)* i. 90.
 Dy. rufipes. *Oliv. E.* iii. 30. *pl. 4. f. 39. a, b.*
 Dy. fusculus. *Illig. K.* i. 264.
 Dy. planus. *Payk. F.* i. 223.
 Dy. lividus. *Fourc.* i. 68.
 Dy. humeralis. *Marsh. i.* 422.
 Hy. humeralis. (*Sam. I.* 22.)
 Hy. fusculus. *Leach E. E.* ix. 84.
 β; Hy. picipennis. *Kirby MSS.*
470. 32, ater?
 Dy. ater. *Forst. C.* i. 54.
471. 33; holosericeus*.

- Dy. holosericeus. *Marsh.* i. 427.
 Dy. planus. *Fabr. E.* i. 268.
 Dy. erythrocephalus. *Linn.* ii. 666?—*Turt.* ii. 427.
 472. 34, pubescens*.
 Hyp. pubescens. *Gyll.* i. 536.
 Hy. erythropus. *Kirby MSS.*
 473. 35, fuscatus*. *Kirby MSS.*
 Ily. scopularis. *Illiger?*
 474. 36, piceus*. *Kirby MSS.*

Genus 82. NOTERUS, *Clairville, Leach, Samou., (Kirby.)*

HALIPLUS p, Schon.

475. 1; crassicornis*. *Leach E. E.* ix. 84.
 Dy. crassicornis. *Fabr. E.* i. 273.—*Marsh.* i. 420.—*Panz. F.* ci. f. 5.
 Dy. clavicornis. *DeGeer.* iv. 402.
 Dy. capricornis. *Herbst A.* 128.
 No. Geerii. *Leach Z. M.* iii. 71.—*Samou.* 158.
 476. 2; sparsus*. *Leach Z. M.* iii. 71.—*Samou.* 158.
 Dy. sparsus. *Marsh.* i. 430.—*Ent. Trans. (Burrell.)* i. 211.

Genus 83. LACCOPHILUS, *Leach, Samou.*

477. 1; minutus*. *Leach E. E.* ix. 84.—*Samou.* 158.
 Dy. minutus. *Linn.* ii. 667.—*Stew.* ii. 78.—*Mart: C.* pl. 33. f. 13.—*Marsh.* i. 419.—*Samou.* 158.
 Dy. hyalinus. *DeGeer.* iv. 406.
 Dy. marmoreus. *Oliv. E.* iii. 27.
 Dy. obscurus. *Panz. F.* xxvi. f. 3.
 478. 2; interruptus*.
 Dy. interruptus. *Panz. F.* xxvi. f. 5.
 Dy. hyalinus. *Marsh.* i. 420.
 La. hyalinus. (*Samou.* 153.)

Genus 84. COLYMBETES, *Clairville, Leach, Samou., (Kirby.)*

479. 1: oblongus*. (*Sam. I.* 12.)
 Dy. oblongus. *Illig. M.* i. 72.
 480. 2; guttatus*. (*DeJean C.* 19.)
 Dy. guttatus. *Payk. F.* i. 211.
 Dy. fenestratus. *Panz. F.* xc. f. 1.
 Dy. picinus. *Marsh.* i. 428.
 481 [3; fontinalis.] *Leach MSS.*—(*Sam. I.* 12.)
 482. 4; angustior*.
 Dy. angustior. *Gyll.* i. 500.
 Dy. nitidus. *Kirby MSS?*

- 483 † 5, vittiger.
Dy. vittiger. *Gyll.* iv. 379? In Mus. Brit.
484. 6, immunis *mihi*.
485. 7; fuliginosus *. (*Sam. I.* 12.)
Dy. fuliginosus. *Fabr. E.* i. 263.
Dy. lacustris. *Fabr. E.* i. 264.—*Panz. F.* xxxviii. f. 14.
Dy. uliginosus. *Mart. C. pl.* 32. f. 2—5.—*Marsh. i.* 416.
Dy. foetidus. *Müll. Z. D.* p. 71.
- 486 † 8, lævigatus *. *Wilkin MSS.*
Dy. glaber. *Forst. C.* i. 55?—*Stew. ii.* 78?—*Turt. ii.* 434?
Co. elongatus. *Leach MSS.* In Mus. Brit. et *D. Vigors.*
487. 9, fuscus *?
Dy. fuscus. *Linn. ii.* 665?
Dy. striatus. *Panz. F.* lxxxvi. f. 5.
- 488 [10; striatus *.] (*Sam. I.* 12.)
Dy. striatus. *Linn. ii.* 665.—*Mart. C. pl.* 34. f. 27.—*Marsh. i.* 414.—*Turt. ii.* 424.
Dy. transverse-striatus. *De Geer.* iv. 399. *pl.* 15. f. 16.
489. 11; pulverosus *.
Dy. pulverosus. *Knoch.*
Dy. conspersus. *Gyll.* i. 482.
Dy. Gyllenhalii *mihi* (*olim.*)
490. 12; notatus *. (*Sam. I.* 12.)
Dy. notatus. *Fabr. E.* i. 267.—*Oliv. E.* iii. 29. f. 5. f. 47.—
Ent. Trans. (Haworth.) i. 89.—*Id. (Burrell.)* i. 209.
Dy. roridus. *Müll. Z. D.* pr. 771.
Dy. frontalis. *Marsh. i.* 425. (mas.)
Dy. virgulatus. *Illig. M.* v. 225. (fœm.)
Co. suturalis. (*De Jean C.* 19.)
491. 13; collaris *. (*Sam. I.* 12.)
Dy. collaris. *Payk. F.* i. 200.—*Marsh. i.* 415.
Dy. adspersus. *Illig. K.* i. 261.—*Panz. F.* xxxviii. f. 18.
Dy. oculatus. *Herbst A.* 125.
Dy. exsoletus. *Forst. C.* 57.—*Stew. ii.* 78.—*Turt. ii.* 434.
492. 14, agilis. (*Sam. I.* 12.)
Dy. agilis. *Fabr. E.* i. 266.—*Panz. F.* xc. f. 2.—*Ent. Trans. (Haworth.)* i. 251.
Dy. bilineatus var. β . *De Geer.* iv. 400.
493. 15, adspersus *. (*De Jean C.* 19.)
Dy. adspersus. *Fabr. E.* i. 267.
Dy. collaris var. *Marsh. i.* 415.
Dy. adperso affino. *Illig. M.* i. 71, nota.
Dy. funebris. *Schra. B.* i. 713.
494. 16; bipunctatus *. (*Sam. I.* 12.)

- Dy. bipunctatus. *Illig.* K. i. 262.—*Mart.* C. pl. 33. f. 19.—
Marsh. i. 418.—*Don.* ix. pl. 303.
- Dy. nebulosus. *Forst.* C. 56.—*Stew.* ii. 78.—*Turt.* ii. 434.
495. 17, subnebulosus * *mihi.*
496. 18; conspersus *. (*Sam.* I. 12.)
- Dy. conspersus. *Marsh.* i. 427.
497. 19; Sturmii *. (*DeJean* C. 19.)
- Dy. Sturmii. *Gyll.* i. 493.
- Dy. umbrinus. *Sturm.*
498. 20, congener. (*DeJean* C. 19.)
- Dy. congener. *Payk.* F. i. 214.
- Dy. brunnipennis. *Kirby* MSS.
499. 21; paludosus *. (*DeJean* C. 19.)
- Dy. paludosus. *Fabr.* E. i. 266.
- Dy. politus. *Marsh.* i. 419.
- Dy. congener β. *Schon.* S. ii. 22.
- Co. politus. (*Sam.* I. 12.)
500. 22; maculatus *. *Samou.* 158. pl. 3. f. 15.—(*Sam.* I. 12.)
- Dy. maculatus. *Linn.* ii. 666.—*Oliv.* E. iii. 27. pl. 2. f. 16.—
Stew. ii. 78.—*Marsh.* i. 418.—*Turt.* ii. 427.—*Don.* xiv. pl.
 501. f. 1.
- Dy. ornatus. *Gmel.* iv. 1953.
- β; Dy. inæqualis. *Panz.* F. xiv. f. 8.—*Marsh.* i. 417.
501. 23, abbreviatus. (*Sam.* I. 12.)
- Dy. abbreviatus. *Fabr.* E. i. 265.—*Panz.* F. xiv. f. 1.—*Ent.*
Trans. (*Burrell.*) i. 210.
- Dy. undulatus. *Schra.* A. 202.
502. 24, vitreus *. (*Sam.* I. 12.)
- Dy. vitreus. *Payk.* F. i. 217.—*Ent.* *Trans.* (*Burrell.*) i. 210.
 —*Id.* (*Haworth.*) i. 251.
- Dy. didymus. *Oliv.* E. iii. 26. pl. 4. f. 37.
- Dy. abbreviatus var. *Illig.* K. i. 263.
- Dy. fenestratus. *Rossi* F. i. 201.
503. 25; chalconotus *. (*Sam.* I. 12.)
- Dy. chalconotus. *Illig.* K. i. 260.—*Panz.* F. xxxviii. f. 17.—
Ent. *Trans.* (*Burrell.*) i. 213.
- Dy. concinnus. *Marsh.* i. 427.
- Dy. bipustulatus minor. *Rossi*.
- 504 [26; montanus *.] *Leach* MSS.
505. 27; nigroæneus *.
- Dy. nigroæneus. *Marsh.* i. 428.
506. 28; femoralis *. (*DeJean* C. 19.)
- Dy. femoralis. *Payk.* F. i. 215.

507. 29; affinis. (*DeJean C. 19.*)
Dy. affinis. *Payk. F.* i. 211.
- 508 † 30, æratus *mihi.* In Mus. *Brit.*
509. 31; niger. (*DeJean C. 19?*)
Dy. niger. *Illig. M.* i. 73?
510. 32; bipustulatus*. *Leach E. E.* ix. 84.—(*Sam. I. 12.*)
Dy. bipustulatus. *Linn. ii.* 667.—*Oliv. E.* iii. 21. *pl. 3. f. 26.*
—*Marsh. i.* 415.—*Turt. ii.* 426.
Dy. carbonarius. *Fabr. E.* i. 263.
Dy. luctuosus. *Fourc. i.* 67.
 β ; Dy. acuductus. *Marsh. i.* 416.
 γ ; Dy. phæopterus. *Kirby MSS.*
511. 33; subopacus* *mihi.*
512. 34, striolatus.
Dy. striolatus. *Gyll. i.* 508.
513. 35, uliginosus. (*Sam. I. 12.*)
Dy. uliginosus. *Linn. ii.* 667.—*Stew. ii.* 78.—*Turt. ii.* 427.
Dy. Hybneri. *Marsh. i.* 417.
514. 36; guttiger*. (*DeJean C. 19.*)
Dy. guttiger. *Gyll. i.* 499.
515. 37; fenestratus*. (*Sam. I. 12.*)
Dy. fenestratus. *Fabr. E.* i. 264.—*Marsh. i.* 416.
Dy. æneus. *Illig. K.* i. 259.—*Panz. F.* xxxviii. *f. 16.*
516. 38; ater*. (*DeJean C. 19.*)
Dy. ater. *DeGeer. iv.* 401.—*Panz. F.* xxxviii. *f. 15.*—*Ent. Trans. (Haworth.)* i. 88.
Dy. fenestratus. *Oliv. E.* iii. 23.
517. [39; obscurus*.] (*Sam. I. 12.*)
Dy. obscurus. *Marsh. i.* 414.
- 518 † 40, Grapii. *Ahn. F.* vi. *f. 4.*—(*Ing. Inst. 88.*)
Dy. Grapii. *Gyll. i.* 505.
In Mus. *D. Bentley, Chant, Curtis et Vigors.*
- Genus 85. HYDATICUS, *Leach, Samou., Curtis.*
519. 1; transversalis*. (*Sam. I. 22.*)—(*Curtis l. c. infra.*)
Dy. transversalis. *Fabr. E.* i. 265.—*Panz. F.* lxxxvi. *f. 6.*—*Turt. ii.* 426.
520. 2; Hybneri*. *Samou.* 159.—(*Curtis l. c. infra.*)
Dy. Hybneri. *Fabr. E.* i. 265.—*Oliv. E.* iii. 24. *pl. 4. f. 33.*
Dy. seminiger. *DeGeer. iv.* 401.
Dy. parapleurus. *Marsh. i.* 427.
521. 3, stagnalis. (*Sam. I. 22.*)—(*Curtis l. c. infra.*)
Dy. stagnalis. *Fabr. E.* i. 265.—*Panz. F.* xci. *f. 7.*

522 † 4, cinereus*. *Curtis.* ii. pl. 95.

Dy. cinereus. *Linn.* ii. 666.—*Stew.* ii. 77.

In Mus. D. Bentley et Chant.

Genus 86. DYTICUS, *Geoffroy*, *Leach*, *Samou.*, *Curtis*.

HYDROCANTHARUS, *Ray*.

A. "Elytra margine non dilatato." *Leach*.

523. 1, circumcinetus*. *Nov. Act. Hall. (Ahr.)* i. 55.

Dy. marginatis fœm. var. *Nov. Act. Hall. (Ahr.)* i. 51.

Dy. circumscriptus ♀. *Eschscholtes*.

♀ Dy. dubius. *Gyll.* iv. 372.

524. 2, conformis.

Dy. conformis. *Nov. Act. Hall. (Kunzé.)* ii. 58.

Dy. circulatus. *Kirby MSS.*—(*Vide Leach Z. M.* iii. 97.)

Dy. flavoscutellatus. *Latr. H.* viii. 162?

Dy. flavomaculatus. (*Curtis l. c. supra.*)

Dy. excrucians *mihi*.

Dy. marginalis b. *Gyll.* i. 467.

525. 3; circumflexus*. *Illig. M.* i. 370.—*Leach. E. E.* ix. 84.—*Samou.* 159. pl. 3. f. 13. b. (sternum)—(*Curtis l. c. supra.*)

526. 4, angustatus *mihi*.—(*Curtis l. c. supra.*)

527. 5; marginalis*. *Linn.* ii. 665.—*Berk. S.* i. 106.—*Mart. C.* pl. 34. f. 25, 26.—*Stew.* ii. 77.—*Don. v. pl.* 161.—*Turt.* ii. 423.—*Shaw G. Z.* vi. 91.—*Bingley.* iii. 145.—*Leach E. E.* ix. 84.—*Samou.* 159. pl. 3. f. 13.—(*Mill. B. E. pl. 3.*)—(*Kirby & Sp. I. E.* ii. 255.—*Id. iv. 254.*)—(*Curtis l. c. supra.*)

Dy. totomarginalis. *DeGeer.* iv. 391. pl. 16. f. 1. ♀, f. 2. ♂.

♀; Dy. semistriatus. *Linn.* ii. 665.—*Berk. S.* i. 106.—*Stew.* ii. 77.

528. [6; submarginatus*] *mihi*.

529. 7; punctulatus*. *Illig. M.* i. 67.—*Marsh.* i. 412.—*Mart. C.* pl. 34. f. 24.—*Don. xv. pl.* 540.—(*Sam. I.* 15.)—(*Curtis l. c. supra.*)

Dy. marginalis β. *Illig. K.* i. 253.

Dy. punctatus. *Oliv. E.* iii. 12.

Dy. laterali-marginalis. *DeGeer.* iv. 396.

♀; Dy. porcatus. *Thunb. I. S.* 74.

Dy. semisulcatus. *Müll. Z. D. pr.* 666.

530. 8, dimidiatus. *Curtis.* iii. pl. 99.

Dy. dimidiatus. *Bergst. Num.* pl. 7. f. 1.

B. "Elytra margine dilatato." *Leach*.

531 † 9. latissimus^a.

^a 531 † 9. latissimus. *Linn.* ii. 665.—*Panz. F.* lxxxvi. f. 1. ♂. f. 2. ♀.—*Berk. S.* i. 106 (!)—*Stew.* ii. 77 (!)—*Turt.* ii. 423 (!)

♀. Dy. amplissimus. *Müll. Z. D. pr.* 662.

Genus 87. CYBISTER, *Curtis*.TROGUS^a, *Leach*.

- 532 † 1, Rœselii. *Curtis* iv. *pl.* 151.
 Dy. Rœselii. *Fabr. E.* i. 259.
 Dy. dispar. *Rossi F.* i. 199.
 Dy. dissimilis. *Rossi M.* i. 66.
 Dy. glaber. *Bergs. Nom. pl.* 6. *f.* 4. 5.—*pl.* 8. *f.* 4. *pl.* 9. *f.* 2.
 Dy. virens. *Müll. Z. D. pr.* 70.
 Dy. virescens. *Gmel. iv.* 1958.
 Dy. intricatus. *Act. Hal. (Schall.)* i. 311.
 Dy. punctulatus. *Schwatz. Nom.* i. 34.

In Mus. *D. I. H. Griesbach*.Genus 88. ACILIUS, *Leach, Samou., Curtis, (Kirby.)*

533. 1; sulcatus*. (*Samou.* 159.)—(*Curtis l. c. infra.*)
 Dy. sulcatus. *Linn. ii.* 666.—*Berk. S.* i. 107.—*Mart. C. pl.* 32.
f. 7. ♂. *f.* 8. ♀.—*Don. ii. pl.* 68. *f.* 5.—*Stew. ii.* 78.—*Turt. ii.* 424.
 Dy. fasciatus. *DeGcer. iv.* 397.
 Dy. cinereus. *Fabr. E. S.* i. 262.—*Berk. S.* i. 106.—*Marsh. i.* 413.—*Turt. ii.* 425?—*Shaw G. L.* vi. 93.—(*Kirby & Sp. I. E.* ii. 251.)
 Dy. punctatus. *Scop. C.* 295.
 Dy. Scopolii. *Gmel. iv.* 1954.
 534 † 2, varipes *nihi*. In Mus. *D. Cooper.*
 535 † 3. scoticus. *Curtis MSS.* In Mus. *D. Curtis.*
 536. 4, canaliculatus.
 Dy. canaliculatus. *Knock.*—*Nicol. Col. Hal. p.* 29.
 Dy. sulcipennis. *Sahlb. I. F.* 157.
 Dy. dispar. *Ziegler.*—(*DeJean C.* 18.)
 Ac. caliginosus. *Curtis. ii. pl.* 63.
 Ac. cinereus. (*Curtis l. c. olim.*)

Familia IX. GYRINIDÆ, *Leach*.GYRONECHINA, *Kirby*.(OTIOPHORI *p.*, *Latreille*.—AMPHIBII *p.*, *Gyllenhal.*)Genus 89. GYRJNUS *Auctorum*. Waterflea or Whirlwig.DYTISCUS *p.*, *Linn. F.*

A. Elytris glabris.

537. 1; æneus*. *Leach MSS.*—(*Sam. I.* 20.)—(*Curtis l. c. infra.*)
 538. 2; marinus. *Gyll. i.* 143.—(*Sam. I.* 20.)—(*Curtis l. c. infra.*)

^a TROGUS: Genus Hymenopterorum. Vide *Panz. Krit. Rev.* ii. 80.

- β ; Gy. dorsalis. *Gyll.* i. 142.
 Gy. marginatus. *Kirby MSS.*
539. 3; minutus*. *Fabr. E.* i. 276.—(*Sam. I.* 20.)—(*Kirby & Sp. I. E.* ii. 241.)—(*Curtis l. c. infra.*)
 Gy. bicolor. *Oliv. E.* iii. 14. *pl. 1. f. 8. a, b.*
 Gy. natator b. *Payk. F.* i. 239.
 Gy. Kirbii. *Marsh. i.* 100.
540. 4; natator*. *Linn. ii.* 567.—*Berk. S.* i. 91.—*Mart. C. pl. 7. f. 1?*—*Stew. ii.* 35.—*Marsh. i.* 99.—*Shaw G. Z.* vi. 39. *pl. 11.*—*Leach E. E.* ix. 84.—*Samou.* 159. *pl. 2. f. 2.*—(*Kirby & Sp. I. E. ii.* 241.)—(*Curtis l. c. infra.*)
 Pulex aquaticus. *Merrit Pinax,* 203.
 Scarabæus aquaticus. *Ray I.* 87.
 β ; Gy. analis. *Kirby MSS.*
541. 5; substriatus* *mihi.*
 Gy. niergus. *Scopoli?*—*Ahr. F.* ii. *f. 6?*
542. 6; bicolor*. *Fabr. E.* i. 274.—*Ent. Trans. (Burrell.)* i. 125.—*Curtis. ii. pl. 79.*
 Gy. elongatus. *Marsh. i.* 100.—(*Sam. I.* 20.)
 B. Elytris villosis.—(*POTAMOBIUS, Leach MSS.*)
543. 7, villosus. *Illig. K.* i. 271.—(*Sam. I.* 20.)—(*Kirby & Sp. I. E.* ii. 241. *Id. iv.* 56.)—(*Curtis l. c. supra.*)
 Gy. Modeeri. *Marsh. i.* 100.

Subsectio 3. PIILHYDRIDA, MacLeay.

(PALPICORNES et CLAVICORNES p, *Latreille*.—HELOCERA p, *Dumeril.*)

Familia X. PARNIDÆ, Leach.

(OTIOPHORI p, *Latreille*.—AMPHIBII p, *Gyllenhal.*)

Genus 90. PARNUS, *Fabricius, Leach, Samou., Millard, (Kirby,) Curtis.*

DRYOPS p, *Olivier*.—ELATER p, *Linné.*

544. 1; prolefericornis*. *Fabr. E.* i. 332.—*Panz. F.* xiii. *f. 1.*—*Marsh. i.* 399.—(*Curtis l. c. infra.*)
 El. dermestoides. *Gmel. iv.* 1910.—*Turt. ii.* 393.
545. [2; sericeus*.] *Leach MSS.*—*Samou.* 185. *pl. 3. f. 10.*
546. [3, impressus*.] *Curtis. ii. pl. 80.*
547. 4; auriculatus*. *Illig. K.* i. 351.—*Curtis l. c. supra.*
 Dr. auriculatus. *Oliv. E.* iii. 4. *pl. 1. f. 1. a—e.*
 Pa. villosus. *Bonelli?*
548. [† 5, bicolor*.] *Curtis l. c. supra.* In Mus. D. *Curtis.*

Familia XI. HETERO CERIDÆ, MacLeay.

(BYRRHII p, Latreille.—AMPHIBII p, Gyllenhal.)

Genus 91. HETERO CERUS, Bosc, Leach, Samou., Millard, (Kirby.)
DERMESTES p, Thunberg.—APATE p, Fabr.

549. 1; marginatus*. Fabr. E. i. 355.—Panz. F. xxiii. f. 12.—

Marsh. i. 400.—Leach E. E. ix. 95.—Samou. 185. pl. 3. f. 11.

De. fenestratus. Art. Ups. (Thunb.) iv. 3.

De. villosus. Gmel. iv. 1600.

De. marginatus. Turt. ii. 84.

He. laevigatus. Ent. Trans. (Burrell.) i. 204.

550. 2, obsoletus. Marsh. MSS.

551. 3: laevigatus*. Fabr. E. i. 356.—Panz. F. xxii. f. 11.—

(Ing. Inst. 88.)

He. marginatus b. Gyll. i. 137.

He. marginatus. Ent. Trans. (Burrell.) i. 204.

552. 4, nebulosus mihi.

553. 5, flexuosus* mihi.

554 † 6, minutus? (DeJean C. 50?) In Mus. D. Bentley et Chant.

Familia XII. LIMNIIDÆ.

(BYRRHII p, Latreille.—HYDROCANTHARI p, Gyllenhal.)

Genus 92. GEORYSSUS, Latreille, Leach, (Kirby.)

PIMELIA p, Fabricius.—TROX p, Panzer.—BYRRHUS p, Rossi.

555. 1; pygmæus*. (DeJean C. 49.)

Pi. pygmæa. Fabr. E. i. 133.

Tr. dubius. Panz. F. lxii. f. 5.—Ent. Trans. (Haworth.) i. 253.

By. crenulatus. Rossi M. ii. App. 81.

Genus 93. ELMIS, Latreille, Millard, (Kirby,) (MacLeay.)

LIMNIUS, Müller, Leach, Samou.—DYTISCUS p, Panzer.—CHIRYSOME LA p, Marsham.

A. Thorace lineis elevatis.

a. Vide Schon. S. ii. 117. A.

556. 1; Volkmar*. Latr. G. ii. 51. (!)

Li. Volkmar. Illig. M. (Müller.) v. 195.—(Sam. I. 25.)

Dy. Volkmar. Panz. F. vii. f. 4.

Ch. buprestoides. Marsh. i. 192.

El. Maugetii. Latr. H. ix. 228. pl. 78. f. 3.

557. 2, tuberculatus.

Li. tuberculatus. Illig. M. (Müller.) v. 199.

El. lineatus. Kirby MSS.

558. 3, variabilis.
Li. variabilis. *Leach MSS.*
El. Dargelasi. *Latr. G.* ii. 51?
559. 4, lacustris. *Spence?* *MSS.*
El. stagnalis. *Kirby MSS?*
560. 5, fluviatilis *michi*.
Li. *Troglodytes*. *Gyll.* iv. 395?
561. 6, parallelipipedus.
Li. *parallelipipedus*. *Illig. M. (Müller.)* v. 200.
b. *Vide Schon. S.* ii. 117. *B.*
562. 7, æneus*. (*Kirby & Sp. I. E.* ii. 258.)
Li. æneus. *Illig. M. (Müller.)* v. 202.
Lim. Megerlei. *Illiger?*
563. 8, Maugetii.
El. Maugetii. *Latr. G.* ii. 50?
B. Thorace lineis elevatis nullis.
564. 9: cupreus*.
Li. cupreus. *Illig. M. (Müller.)* v. 205.
β, Lim. Spencii. *Leach MSS.*

Familia XIII. HELOPHORIDÆ, Leach.

(HYDROPHILII II. *Latreille*.—SPHÆRIDIOTA p, *Gyllenhal.*)
(HYDROPHILUS p, *Marsham, &c.*)

Genus 94. HYDROCHUS, *Germar, Leach, Samou.*

ELOPHORUS p, *Fabr.*—NITIDULA p, *Gmel.*

565. 1; elongatus*. (*Sam. I.* 22.)
El. elongatus. *Fabr. E.* i. 277.—*Panz. F.* xxvi. f. 7.
He. elongatus. (*Leach E. E.* ix. 95.)
Hy. cicindeloides. *Marsh.* i. 411.
Hyd. cicindeloides. (*Sam. I.* 22.)
566. 2; crenatus*. (*Sam. I.* 22.)
El. crenatus. *Fabr. E.* i. 278.
El. elongatus. *Oliv. E.* iii. 8. *pl.* 1. *f.* 4. *a, b?*
567. 3: brevis. (*Sam. I.* 22.)
El. brevis. *Herbst C.* v. 141. *pl.* 49. *f.* 10. *K. K.*—*Ent. Trans.*
(*Haworth.*) i. 252.

Genus 95. HELOPHORUS, *Leach, Samou.*

ELOPHORUS, *Fabricius*.—SILPHA p, *Linné*.—PELTIS p, *Müller*.
—DERMESTES p, *Geoffroy*.—BUPRESTIS p, *Forster*.—NITIDULA p, *Gmelin*.

A. Elytris lincis vix elevatis ornatis.

568. 1; aquaticus*.

- Si. aquatica.* *Linn.* ii. 575.—*Berk. S.* i. 92.
El. aquaticus. *Panz. F.* xxvi. f. 6.—(*Kirby & Sp. I. E.* ii. 257.)
Ni. aquatica. *Stew.* ii. 39.—*Turt.* ii. 112.
El. grandis. *Illig. K.* i. 272.
El. flavipes. *Herbst C.* v. 138.
Hy. æneus. *De Geer.* iv. 379.
Hy. stagnalis. *Marsh.* i. 409.
He. stagnalis. (*Sam. I.* 21.)

569. 2; *granularis**.
Bu. granularis. *Linn.* ii. 663.—*Berk. S.* i. 105.—*Stew.* ii. 74.
—*Turt.* ii. 420.

El. granularis. *Gyll.* i. 127.
El. aquaticus. *Illig. K.* i. 273.
El. flavipes. *Oliv. E.* iii. 7. *pl.* 1. *f.* 3. *a, b.*

570. 3; *griseus**. (*Sam. I.* 21.)
El. griseus. *Illig. K.* i. 273.
El. minutus. *Oliv. E.* iii. 7. *pl.* 1. *f.* 6. *a, b.*
Ni. minuta. *Stew.* ii. 39.
El. flavipes. *Thunb.* v. 66.
Hy. affinis. *Marsh.* i. 409.

571. 4; *dorsalis**.
Hy. dorsalis. *Marsh.* i. 410.

572. 5; *viridicollis**. *Kirby MSS.*

573. 6; *tuberculatus*.
El. tuberculatus. *Gyll.* i. 129.

B. *Elytris lineis elevatis.* (*OPATRUM p.*, *Fabr.*)

574. 7; *Fennicus**. (*Sam. I.* 21.)
El. Fennicus. *Payk. F.* i. 243.
Hy. cinereus. *Marsh.* i. 410.

575. 8; *nubilus**. (*Sam. I.* 21.)
El. nubilus. *Oliv. E.* iii. 6. *pl.* 1. *f.* 2. *a, b.*
Hy. nubilus. *Marsh.* i. 410.
Ni. nubila. *Turt.* ii. 112.
Op. minutum. *Fabr. E.* i. 120.

Genus 96. OCHTHEBIUS, Leach, Samou.

ELOPHORUS p., *Fabricius*.—*HYDRÆNA p.*, *Illiger*.

A. *Elytris punctato-striatis.*

576. 1; *marinus*. (*Leach E. E.* ix. 95.)—(*Sam. I.* 31.)
El. marinus. *Payk. F.* i. 245.—*Ent. Trans. (Haworth.)* i. 87.
Hy. margipallens. *Marsh.* i. 408.
577. 2; *dilatatus**. *Leach MSS.*
578. 3; *pygmæus**. (*Sam. I.* 31.)—*Ahr. F.* viii. *f.* 7.

- El. pygmaeus. *Fabr. E.* i. 278.
 Hy. riparia. *Illig. K.* i. 279.
 Oc. riparius. (*Leach E. E.* ix. 95.)—(*Sam. I.* 31.)
 579. [4; impressus *.]
 Hy. impressus. *Marsh.* i. 408.
 580. 5, bicolon. *Germ. I. N.* i. 92.
 Hy. bicolon. *Kirby MSS.*
 581. 6, rufimarginatus *mihi.*
 582. 7, nanus *mihi.*
 583. 8, æratus* *mihi.*

B. Elytris punctatis, haud striatis.

584. 9, punctatus *mihi.*

Genus 97. HYDRÆNA, *Kugellan*, *Leach*, *Samou.*, (*Kirby.*)

ELOPHORUS *p*, *Gyllenhal.*—NITIDULA *p*, *Gmel.*

585. 1; riparia *. *Schnid. Mag.* (*Kugellan.*) 578.
 Hy. longipalpis. *Marsh.* i. 407.
 El. minutus. *Fabr. E.* i. 278.
 Ni. minimata. *Turt.* ii. 113.
 El. minimus. *Ahr. F.* viii. f. 6.
 Hy. Kugellani. (*Leach Z. M.* iii. 91.)—(*Sam. I.* 22.)—(*Kirby & Sp. I. E.* iv. 522.)
 586. 2; pusilla* *mihi.*
 587. 3, minutissima. (*Schon. S.* ii. 42?)
 El. minutissimus. *Gyll.* i. 136?

Familia XIV. HYDROPHILIDÆ, *Leach.*

(HYDROPHILII I. *Latreille.*—SPIRERIDIOTA *p*, *Gyllenhal.*)

(HYDROPHILUS, *Marsham*, &c.)

Genus 98. LIMNEBIUS, *Leach*, *Samou.*

DERMESTES *p*, *Marsham.*

588. 1; ater* *mihi.*
 589. 2; affinis* *mihi.*
 590. 3; truncatellus*.
 Hy. truncatellus. *Fabr. E.* i. 255.
 Hy. parvulus. *Herbst C.* vii. 314. *pl.* 114. *f.* 10. *K.*
 591. 4; marginalis* *mihi.*
 592. 5; nigrinus*. (*Sam. I.* 25.)
 De. nigrinus. *Marsh.* i. 77.
 593. 6, lutosus.
 Hy. lutosus. *Marsh.* i. 407.

594. 7; mollis*. (*Sam. I.* 25.)
 Hy. mollis. *Marsh.* i. 407.
 Hy. truncatellus b. *Gyll.* i. 124.
595. 8, minutus.
 Hy. minutus. *Fabr. E.* i. 254.
 Hy. picinus. *Marsh.* i. 407.
596. 9, nitidus. (*Sam. I.* 25.)
 Hy. nitidus. *Marsh.* i. 407.

Genus 99. HYDRÖUS, *Linn. MSS.*, *Leach, Samou.*

DYTICUS p, Linné.

597. 1; piceus*. *Linn. MSS.*—(*Leach E. E.* ix. 96.)—(*Sam. I.* 22.)
 Dy. piceus. *Linn.* ii. 664.—*Berk. S.* i. 105.—*Barb. G.* 74.
pl. 6. f. 24.—*Mart. C. pl. 32. f. 3, 4.*
 Hy. piceus. *Stew.* ii. 76.—*Marsh.* i. 401.—*Turt.* ii. 420.—
Shaw N. M. ix. *pl. 292.*—*Shaw G. Z.* vi. 95. *pl. 34.*—*Sam.*
 58.—(*Kirby & Sp. I.* iii. 33.)
 Hy. ruficornis. *DeGeer.* iv. 371.

Genus 100. HYDROPHILUS *Auctorum.*

DYTISCUS p, Linné.

598. 1; caraboides*. *Fabr. E.* i. 250.—*Stew.* ii. 76.—*Marsh.* i.
 402.—*Turt.* ii. 421.—(*Leach E. E.* ix. 96.)—(*Samou.* 187. *pl. 3.*
f. 1 6.)—*Curtis.* iv. *pl. 159.*
 Dy. caraboides. *Linn.* ii. 664.—*Berk. S.* i. 106.—*Mart. C.*
pl. 34. f. 28.
 Hy. nigricornis. *DeGeer.* iv. 376.

Genus 101. SPERCHEUS, *Fabricius, Leach, Samou.*

599. 1, emarginatus*. *Fabr. E.* i. 248.—*Panz. F.* xci. *f. 4.*
 Hy. sordidus. *Marsh.* i. 403.
 Sp. sordidus. (*Leach Z. M.* iii. 93.)—(*Sam. I.* 38.)
 β, Hy. verrucosus. *Marsh.* i. 403.

Genus 102. BEROSUS, *Germar, Leach, Samou.*

DYTISCUS p, Linné.

600. 1; luridus*. (*Leach Z. M.* iii. 93.)—(*Sam. I.* 6.)
 Dy. luridus. *Linn.* ii. 665.—*Mart. C. pl. 33. f. 10.*
 Hy. luridus. *Fabr. E.* i. 253.—*Stew.* ii. 77.—*Panz. F.* vii. *f. 3.*
 —*Marsh.* i. 404.—*Turt.* ii. 422.—(*Leach E. E.* ix. 96.)
 Hy. fuscus. *DeGeer.* iv. 378.
601. 2; æriceps*.
 Hy. æriceps. *Spence? MSS.*
602. 3; obsoletus * mihi. (*Ing. Inst.* 87.)

Genus 103. HYDROBIUS, Leach, Samou.

DYTISCUS et SCARABÆUS *p.*, Linné.

A. Elytris striatis.

603. 1; picipes *.

Hy. picipes. *Fabr. E.* i. 251.Hy. oblongus. *Herbst C.* vii. 300. *pl. 113. f. 10.*Hy. substriatus. *Marsh. MSS.*604. 2; fuscipes *. (*Sam. I.* 22.)Dy. fuscipes. *Linn. ii.* 664.—*Berk. S.* i. 106.—*Mart. C. pl.* 33. *f. 15.*Hy. fuscipes. *Stew. ii.* 77.—*Marsh. i.* 403.—*Panz. F.* lxvii. *f. 13.*Hy. niger. *Gmel. iv.* 1944.Sea. aquaticus. *Linn. F. no.* 404.Hy. scarabæoides. *Fabr. E.* i. 251.—*Turt. ii.* 421.Dy. gyrinoides. *Schrantz A.* 372.605. 3; chalconotus *. *Leach MSS.*—(*Sam. I.* 22.)606. 4; subrotundus * *mihi.*

B. Elytris haud striatis.

a. *Corpore elongato, convexo.*607. 5; melanocephalus *. (*Sam. I.* 22.)Hy. melanocephalus. *Fabr. E.* i. 253.—*Ent. Trans. (Haworth.)* i. 86.Hy. minutus. *Payk. F.* i. 182.Hy. 4-punctatus. *Herbst C.* vii. 307. *pl. 114. f. 4. D.* β ; Hy. torquatus. *Marsh. i.* 405.Hy. torquatus. (*Sam. I.* 24.)Hy. grisescens. *Gyll. iv.* 276. γ ; Dy. dermestoides. *Forst. C.* i. 53.Hy. dermestoides. *Marsh. i.* 405.

608. 6; testaceus.

Hy. testaceus. *Fabr. E.* i. 252?

609. [7, ochropterus.]

Hy. ochropterus. *Marsh. i.* 409.Hy. melanocephalus e. *Gyll. i.* 120.

610. 8; bicolor *.

Hy. bicolor. *Payk. F.* i. 184.Hy. fulvus. *Marsh. i.* 408.Hy. fulvus. (*Sam. I.* 22.)Hy. lividus. *Latr. G.* ii. 66.611. 9; griseus *. (*Sam. I.* 22.)Hy. griseus. *Illig. K.* i. 246.—*Ent. Trans. (Burrell.)* i. 207.Hy. bicolor. *Fabr. E.* i. 252.Hy. chrysomelinus. *Panz. F.* lxvii. *f. 15.*

- Dy. lividus. *Forst. C.* i. 52.
 Hy. lividus. *Marsh.* i. 405.
 Hy. obscurus. *Müll. Z. D. pr.* 69.
 Hy. pallidus. *Rossi M.* i. 66.
 β ; Hy. variegatus. *Herbst C.* viii. 304. *pl. 114. f. 8, E.*
 612. 10; marginellus*. (*Sam. I.* 22.)
 Hy. marginellus. *Fabr. E.* i. 252.—*Herbst C.* viii. 303. *pl. 114. f. 2, B.*—*Ent. Trans. (Haworth.)* i. 85.
 613. [11; affinis*]
 Hy. affinis. *Payk. F.* i. 185.
 Hy. marginellus β . *Illig. M.* i. 66.
 b. *Corpore subgloboso.*
 614. 12; atricapillus*. *Marsh.?* MSS.—(*Sam. I.* 22.)
 615. 13; orbicularis*. (*Sam. I.* 22.)
 Hy. orbicularis. *Fabr. E.* i. 252.—*Panz. F.* lxvii. *f. 13.*—*Marsh. i.* 403.
 Hy. Pilula. *Müll. Z. D. p.* 69.
 616. 14; bipunctatus*.
 Hy. bipunctatus. *Fabr. E.* i. 254.—*Panz. F.* lxvii. *f. 14.*—*Marsh. i.* 406.—*Turt. ii.* 422.
 Chry. minuta. *Linn. ii.* 593?
 Hy. chrysomelinus. *Müll. Z. D. pr.* 69.
 Hy. coccinelloides. *Rossi F.* i. 197.
 Dy. coccinelloides. *Mart. C. pl.* 33. *f. 9.*
 Dy. marginellus. *Herbst A.* v. 129.
 617. [15; striatulus*.]
 Hy. striatulus. *Fabr. E.* i. 254.
 618. 16; Colon* *mihi.*
 619. 17; bipustulatus*. (*Sam. I.* 22.)
 Hy. bipustulatus. *Marsh. i.* 406.
 620. 18; minutus*. (*Sam. I.* 22.)
 Hy. minutus. *Fabr. E.* i. 254.—*Marsh. i.* 406.—*Turt. ii.* 422.
 Dy. minutus. *Mart. C. pl.* 33. *f. 16.*
 621. 19; ochraceus* *mihi.*
 622. 20; lutescens* *mihi.*
 623. 21; foveolatus*.
 Hy. foveolatus. *Ent. Trans. (Haworth.)* i. 86.
 624. 22, sordens. *Kirby MSS.*
 625. 23; globulus*.
 Hy. globulus. *Payk. F.* i. 188.
 Hy. minutus. *Herbst C.* vii. 313. *pl. 114. f. 8. H.*
 626. 24; seminulum*. (*Sam. I.* 22.)
 Hy. seminulum. *Payk. F.* i. 190.—*Herbst C.* vii. 314. *pl. 114. f. 11. L.*

Familia XV. SPHÆRIDIIDÆ Leach.

SPHÆRIDIOTA, Latreille.—SPHÆRIDIIDÆ p, MacLeay.
(*DERMESTES p, Linné, &c.*)

Genus 104. CERCYON, Leach, Samou., (Kirby.)

SPHÆRIDIUM p, Fabr.—HYDROPHILUS p, Fabr.—PIHALACRUS p, Illiger.—COCCINELLA et SCARABÆUS p, Linné.—SILPHA p, Gmel.

627. 1; ruficorne*.

Sp. ruficorne. Kirby MSS.

628. 2; littorale*.

Sp. littorale. Gyll. i. 111.

Hy. obscurus. Fabr. E. i. 253.

De. bipustulatus. Marsh. MSS.

629. [3; binotatum] mihi.

630. 4; dilatum mihi.

631. 5; depresso* mihi.

632. 6; aquaticum*.

Sp. aquaticum. Kirby MSS.

633. 7; flavipes*.

Sp. flavipes. Fabr. E. i. 97.—Panz. F. ciii. f. 2.—Ent. Trans. (Haworth.) i. 251.

Sp. melanocephalus c. Gyll. i. 103?

Sc. haemorrhoidalis. Schra. A. 9.

634. 8; terminatum*. (Sam. I. 10.)

De. terminatus. Marsh. i. 70.

Hyd. analis. Payk. F. i. 187?

Sp. leucorrhœum. Kirby MSS.

Sp. aquaticum. (DeJean C. 274.)

635. 9; acutum*.

Sp. acutum. Kirby MSS.

β ? Sp. nitidum. Kirby MSS.

γ ? Sp. nigriclave. Kirby MSS.

636. 10; Calthæ*.

De. Calthæ. Scop. C. 18.—Marsh. i. 70.

637. 11, bolitophagum*.

De. bolitophagus. Marsh. i. 72.

638. 12; immune*.

Sp. immune. Kirby MSS.

639. 13; lævigatum*.

Sp. lævigatum. Kirby MSS.

640. 14; apicale * mihi.

641. 15; obsoletum*.

- Sp. obsoletum. *Gyll.* i. 107.
 Sp. atomarium. *Payk. F.* i. 58.
 Sp. lugubre. *Oliv. E.* ii. 7. *pl. 2. f. 12. a, b.*
 De. lugubris. *Marsh.* i. 67.
642. 16; piceum*.
 De. piceus. *Marsh.* i. 69.
 Sp. hæmorrhoidale b. *Payk. F.* i. 59.
643. 17; picinum*.
 De. picinus. *Marsh.* i. 69. .
644. 18; simile*. (*Sam. I.* 20.)
 De. similis. *Marsh.* i. 68.
 Sp. melanocephalum b. *Payk. F.* i. 62.
645. 19; suturale* *mihi.*
646. 20; laterale*. (*Sam. I.* 10.)
 De. lateralis. *Marsh.* i. 69.
647. 21; hæmorrhoidale*. (*Kirby & Sp. I. E.* iv. 500.)
 Sp. hæmorrhoidale. *Fabr. E.* i. 96.—*Panz. F.* lxi. *f. 1.*
 Sp. melanocephalum b. *Illig. K.* i. 66.
648. 22; femorale*.
 Sp. femorale. *Kirby MSS.*
649. 23; hæmorrhoum*.
 Sp. hæmorrhoum. *Gyll.* i. 107.
 Hy. hæmorrhoidalis. *Fabr. E.* i. 252?
650. 24, xanthorhœum*. *Leach MSS.*
651. 25, xanthocephalum*.
 Sp. xanthocephalum. *Kirby MSS.*
652. 26; infuscatum* *mihi.*
653. 27, impressum.
 Sp. impressum. *Sturm D. F.* ii. 9. *pl. xxii. f. a. A.*
654. 29; melanocephalum*. (*Sam. I.* 10.)
 De. melanocephalus. *Linn.* ii. 563.—*Herbst C.* iv. 74. *pl. 37.*
f. 10. K.—*Marsh.* i. 68.
 Si. melanocephala. *Turt.* ii. 106.
- β; Sp. nigripes. *Kirby MSS.*
655. 29, conspurcatum*.
 Sp. conspurcatum. *Sturm D. F.* ii. 15. *pl. xxii. f. b. B.*
656. 30, atomarium*.
 Sp. atomarium. *Fabr. E.* i. 96.
 Si. atomaria. *Turt.* ii. 106.
 Sp. minutum. *Payk. F.* i. 63.
 Sp. crenatum. *Panz. F.* xxiii. *f. 3.*
657. 31, sordidum. (*Sam. I.* 10.)
 De. sordidus. *Marsh.* i. 69.

658. 32, convexium *.
Sp. convexium. *Kirby MSS.*
659. 33, convexior *.
De. convexior. *Marsh. MSS.*
660. 34, convexiusculum *.
De. convexiusculum. *Marsh. MSS.*
661. 35, nigrinum.
De. nigrinum. *Mus. Marsham.*
662. 36, immaculatum *.
Sp. immaculatum. *Kirby MSS.*
663. 37; stercorator *.
Sp. stercorator. *Kirby MSS.*
664. 38; merdarium *.
Sp. merdarium. *Sturm D. F. ii. 26. pl. xxii. f. f. F.*
665. 39; pygmæum *.
Sp. pygmæum. *Illig. K. i. 104.*
666. 40; erythropum *.
Sp. erythropum. *Kirby MSS.*
667. 41, lugubre *.
Sp. lugubre. *Fabr. E. i. 96.*
Sp. triste. *Illig. M. i. 39.*
668. 42, minutum *. (*Sam. I. 10.*)
Sp. minutum. *Fabr. E. i. 98. (!)*
De. minutus. *Marsh. i. 75.*
Sp. flavipes. *Payk. F. i. 60.*
Si. minuta. *Turt. ii. 107.*
669. 43, obscurum.
De. obscurus. *Marsh. i. 72.*
670. 44, contaminatum *.
Sp. contaminatum. *Kirby MSS.*
671. 45; concinnum *.
De. concinnus. *Marsh. i. 74.*
Sp. ferrugineum. *Herbst C. iv. 70. pl. 37. f. 5, E?*
Sp. melanocephalum var. pygmæa. *Payk. F. i. 62.*
672. 46, ferrugineum *.
De. ferrugineus. *Marsh. i. 74.*
673. 47, stercorarium *.
De. stercorarius. *Marsh. i. 76.*
674. 48; fuscescens * *mihi.*
675. 49, immundum.
Sp. immundum. *Sturm D. F. ii. 25. pl. xxii. f. c. C. D.*

676. 50, nigriceps.
De. nigriceps. *Marsh.* i. 72.
677. 51, atricapillum.
De. atricapillus. *Marsh.* i. 72.
678. 52, atriceps.
Sp. atriceps. *Kirby MSS.*
679. 53, læve.
De. lævis. *Marsh.* i. 73.
680. 54, testaceum.
Sp. testaceum. *Kirby MSS.*
681. 55, inustum *.
De. inustus. *Marsh.* i. 76.
Sp. centrimaculatum. *Sturm D. F.* ii. 23. *pl. xxii. f. e.* E.
682. 56, ustulatum.
Sp. ustulatum. *Kirby MSS.*
683. [57, bimaculatum *] mihi.
684. 58; quisquilius * (*Sam. I.* 10.)
Sp. dispar. *Payk. F.* i. 62.
♂; Sca. quisquilius. *Linu.* ii. 558.—*Stew.* ii. 27.
De. quisquilius. *Marsh.* i. 71.
Sca. minimus. *Scop. C.* 29.
Sp. melanocephalum var. *Herbst C.* iv. 63. *pl. 37. f. 10,* L.
Sp. xanthopterum. *Laich. T.* i. 86.
- ♀; Coc. unipunctata. *Linn.* ii. 579.
De. unipunctatus. *Marsh.* i. 70.
Si. unipunctata. *Turt.* ii. 107.
Ce. unipunctatum. (*Sam. I.* 10.)
Hyd. cordiger. *Herbst Ar.* 122.
685. [59; flavum *]
De. flavus. *Marsh.* i. 71.
686. 60; scutellare * mihi.

Genus 105. SPHÆRIDIUM, *Fabricius, Leach, Samou., (Kirby.)*

SCARABÆUS *p.*, *Linné*.—HISTER *p.*, *DeGeer*.—SILPIA *p.*, *Gmelin*.

687. 1; Scarabæoides *. *Fabr. E.* i. 92.—*Leach E.* E. ix. 96.—*Samou.* 187. *pl. 3. f. 12.*—*Gyll.* iv. 274. (!)

De. Scarabæoides. *Linn.* ii. 563.—*Marsh.* i. 65.—*Don.* vii.
pl. 231. f. 4.

Si. Scarabæoides. *Stew.* ii. 39.—*Turt.* ii. 105.

Hi. testudinarius. *DeGeer.* iv. 345.

De. 4-maculatus. *Schra. A.* 43.

De. hortensis. *Fourc.* i. 21.

688. [2; bipustulatum *.] *Fabr. E.* i. 93.

- Sp. Scarabæoides, ♂. *Illig.* K. i. 66.
 Sp. marginatum b. *Payk.* F. i. 56.
 De. bipustulatus. *Marsh.* i. 66.
 De. hæmorrhous. *Schra. A.* 44.
 De. testudinarius. *Fourc.* i. 24.
 Si. stercorea. *Gmel.* iv. 1626.
689. 3; quadrimaculatum *.
 De. 4-maculatus. *Marsh.* i. 66.
 Sp. marginatum c. *Gyll.* i. 101.
690. 4; lunulatum. *Kirby MSS.*
691. 5; lunatum *. *Fabr. E.* i. 93.
 Sp. bipustulatum. *Herbst C.* iv. 66. *pl. 37. f. 2.*
 Sp. Scarabæoides β. *Illig.* K. i. 65.
 De. lunatus. *Marsh.* i. 66.
692. 6; marginatum *. *Fabr. E.* i. 93.—*Herbst C.* iv. 67. *pl. 37.*
 f. 3.—(*Samou. I.* 38.)
 Sp. Scarabæoides γ. *Illig.* K. i. 65.
 De. marginatus. *Marsh.* i. 66.
 De. gagatinus. *Fourc.* i. 21.
693. 7, Daltoni. *Kirby MSS.*

Familia XVI. ANISOTOMIDÆ.

DIAPERIALES p. et EROTYLENÆ p, *Luttreille*.—SPHÆRIDIIDÆ p,
MacLeay.

Genus 106. TRITOMA, *Fabricius*, *Leach*, *Samou.*, *Millard*.

DERMESTES p, *Marsham*.

694. 1; bipustulatum *. *Fabr. E.* ii. 571.—*Stew.* ii. 40.—*Turt.*
 ii. 116.—(*Leach E. E.* ix. 115.)—*Samou.* 51. *pl. 2. f. 9.*
 De. humeralis. *Marsh.* i. 67.

Genus 107. PHALACRUS, *Paykul*, *Leach*, *Samou.* (*Kirby*.)

SPHÆRIDIUM p, *Fabricius*.—DERMESTES p, *Marsham*.—ANISOTOMA p, *Illiger*, *Samou*.—VOLVOXIS p, *Kugellan*.—ANTHIRIBUS p, *Geoffroy*.—SILPHA p, *Gmelin*.—TETRATOMA p, *Herbst*.

695. 1; maritimus *mihi*.
696. 2; æneus *. *Payk. F.* iii. 349.—(*Sam. I.* 33.)
 Sp. æneus. *Panz. F.* ciii. *f. 3.*
 De. æneus. *Marsh.* i. 79.
697. 3; ovatus *.
 De. ovatus. *Marsh.* i. 76.
698. [4, cognatus *] *mihi*.

699. 5; corticalis*. *Illig. M.* i. 40.—*Sturm D. F.* ii. 74. *pl. xxx.*
—(*Sam. I.* 33.)
De. politus. *Marsh. i.* 75.
700. 6; affinis*. *Sturm D. F.* ii. 76. *pl. xxxi. f. a?*
701. 7; corruscus*. *Payk. F.* iii. 438.—(*Sam. I.* 33.)—(*Kirby & Sp. I. E.* iv. 503.)
An. corruscum. *Panz. F.* xxvii. *f. 10.*
Sp. fimetarium. *Fabr. E.* i. 97.
Si. fimetaria. *Stew.* ii. 39.—*Turt.* ii. 107.
De. fimetarius. *Marsh. i.* 74.
Te. atra. *Herbst C.* iv. 86. *pl. 38. f. 4.*
An. lævis. *Kirby MSS.*
702. 8; picipes. *Kirby?* *MSS.*
703. 9; substriatus*. *Gyll.* iii. 428.
An. corruscum. *Illig. K.* i. 79.
704. 10, nigrinus.
De. nigrinus. *Marsh. i.* 77.
705. 11; Caricis*. *Sturm D. F.* ii. 80. *pl. xxi. f. D. d.*—(*Sam. I.* 33.)
An. striatula. *Kirby MSS.*
 β , An. picicornis. *Kirby?* *MSS.*
706. 12; Millefolii*. *Payk. F.* iii. 439.—*Panz. F.* ciii. *f. 5.*—(*Sam. I.* 33.)
707. 13; Achillææ*. *Mus. Marsham.*
An. ovalis. *Kirby MSS.*
708. [14, æneopiceus.]
An. æneopicea. *Kirby MSS.*
709. 15; bicolor*. *Payk. F.* iii. 439.—(*Leach E. E.* ix. 116.)—(*Sam. I.* 33.)
Sp. bicolor. *Panz. F.* ciii. *f. 4.*
De. nitidus. *Marsh. i.* 75.
710. 16; Leachiellus* *mihi.*
711. 17; flavicornis*. *Sturm D. F.* ii. 78. *pl. xxi. f. b. B.*
712. 18; Stephensii*. *Leach MSS.*
713. 19; rufipes*. —? *MSS.*
714. 20; geminus*. *Sturm D. F.* ii. 75.—(*Sam. I.* 33.)
An. geminus. *Illig. K.* i. 80.
An. testaceum. *Panz. F.* xxxvii. *f. 12.*
715. 21; consimilis*. (*Sam. I.* 33.)
De. consimilis. *Marsh. i.* 75.
716. 22, piceus*. *Knoch.*
717. 23; Ulicis. *Kirby MSS.*—*Gyll.* iii. 430.

718. 24; pygmæus *. *Sturm D. F.* ii. 34. *pl. xxxii. f. c. C.*
De. æneus var. *Mus. Marsham.*
719. 25, globosus *. *Sturm D. F.* ii. 82. *pl. xxxii. f. a. A?*
720. 26; piceorrhœus *.
De. piceorrhœus. *Marsh. i. 78.*
Ph. dimidiatus. *Sturm D. F.* ii. 85. *pl. xxxii. f. d. D.*
721. 27, pulchellus.
De. pulchellus. *Marsh. i. 72.*
722. 28, nitens.
De. nitens. *Marsh. i. 79.*

Genus 108. EPHISTEMUS. *Westwood MSS.*DERMESTES *p.*, *Marsham.*

723. 1, Gyrinoides.
De. Gyrinoides. *Marsh. i. 77.*
724. 2; nigriclavis * *mihi.*
- 725 † 3, confinis * *mihi.* In *Mus. D. Westwood.*

Genus 109. LEIODES, *Latreille, Leach, Samou.*

ANISOTOMA *p.*, *Illiger, (Kirby,)—VOLVOXIS p., Kugellan.—SIL-*
PHIA p., Marsh.—DERMESTES p., Marsh.—TRITOMA p., Panzer.
—SPIÆRIDUM p., Payk.—AGATHIDIUM p., Samou.

726. 1; punctata *.
An. punctata. *Sturm D. F.* ii. 42. *pl. xxv. f. a. A.*
An. testaceum. *Kirby MSS.*
727. 2, aciculata *.
An. aciculatum. *Kunzé.*
728. 3, dentipes *.
An. dentipes. *Gyll. ii. 567?*
729. 4; brunnea *.
An. brunneum. *Gyll. ii. 566.*
730. [5, badia.]
An. badia. *Sturm D. F.* ii. 41. *pl. xxiv. f. e. E.*
Le. rufa. —? *MSS.*
731. 6; pallens *.
An. pallens. *Sturm D. F.* ii. 39. *pl. xxiv. f. b. B.*
732. 7; multistriata *.
An. multistriatum. *Gyll. ii. 708.*
733. 8, castanea *.
An. castaneum. *Illig. K. i. 77.—Sturm D. F.* ii. 48. *pl. xxv.*
f. c. C.

734. 9; Marshami * *mihi*.
De. castaneus. *Marsh.* i. 78.
735. 10; punctulata.
An. punctulatum. *Gyll.* ii. 566.
736. 11; thoracieus * *mihi*.
737. 12; polita *. (*Sam. I.* 24.)
Si. polita. *Marsh.* i. 124.
738. 13, nigriclavis * *mihi*.
739. 14, ferruginea *.
An. ferrugineum. *Fabr. E.* i. 99.
Te. ferruginea. *Herbst C.* iv. 90. *pl. 38. f. 9. I?*
740. 15; maxillosa *. *Kirby MSS.*
741. 16, testaceus *mihi*.
742. 17; rufipennis *.
Sp. rufipenne. *Payk. F.* i. 70.
Ag. rufipenne. (*Sam. I.* 2.)
An. dubium. *Illig. K.* i. 78.
De. ruber. *Act. Ups. (Thunb.)* iv. 3.
743. 18, Lycoperdi *mihi*.
744. 19, cinnamomea.
Te. cinnamomea. *Panz. F.* xii. *f. 15.*
745. 20, Tuberis *mihi*.
746. 21, picea *. *Latr. G.* ii. 181.—(*Leach E. E.* ix. 103.)—
(*Sam. I.* 24.)
An. picea. *Illig. K.* i. 75.—*Panz. F.* xxxvii. *f. 8.*—(*Sam. I.* 3.)
An. piceum. (*Sam. I.* 3.)
Vo. armata. *Schneid. M. (Kugell.)* v. 536.
Sp. ferrugineum. *Payk. F.* i. 72.
747. 22, armata.
An. armata. *Sturm D. F.* ii. 34. *pl. xxiv. f. a. A.*
B. Corpore subhemisphærico.
748. 23; humeralis *. (*Sam. I.* 24.)
An. humeralis. *Fabr. E.* ii. 558.
Sp. humeralis. *Panz. F.* xxiii. *f. 1.*

Genus 110. AGATHIDIUM, *Illiger, Leach, Samou. (Kirby)*.

ANISOTOMA *p*, *Fabricius, Samou.*—SILPHA *p*, *Linné.*—SPHÆRIDIUM *p*, *Payk.*—VOLVOXIS *p*, *Kugellan.*—DERMESTES *p*, *Marsh.*—TETRATOMA *p*, *Herbst.*—PELTIS *p*, *Thunb.*

749. 1; ruficolle *. *Sturm D. F.* ii. 68. *pl. xxix. f. d. D.*
De. ruficollis. *Marsh.* i. 68. -

- Leioides ruficollis. (*Sam. I.* 24.)
 Ag. nigripenne. (*Leach E. E.* ix. 116.)—(*Sam. I.* 2.)
 Ani. nigripenne. (*Sam. I.* 3.)
750. 2, ferrugineum*. *Sturm D. F.* ii. 66. *pl. xxix. f. b.* B.
 An. staphylæum. *Gyll.* ii. 569?
751. 3; atrum*.
 An. atrum. *Payk. F.* iii. 417.
 Ag. affine. *Kirby MSS.*
752. 4; globus*. (*DeJean C.* 129?)
 An. globus. *Payk. F.* iii. 437.
 Ag. ruficolle. *Sturm D. F.* ii. 68?
753. 5; seminulum*. *Sturm D. F.* ii. 59. *pl. xxvi.*
 Si. seminulum. *Linn.* ii. 570.
 An. seminulum. *Fabr. E.* i. 100. (!)
 Ag. globosum. *Illig. K.* i. 83.
754. 6; orbiculare*.
 Te. orbicularis. *Herbst C.* iv. 91. *pl. 38. f. 10.* K.
 Sp. seminulum b. *Payk. F.* i. 67.
755. 7; mandibulare*. *Sturm D. F.* ii. 58. *pl. xxvii. f. c.* C.
756. 8, nigrinum*. *Sturm D. F.* ii. 56. *pl. xxvii. f. a.* A.
757. 9, affine.
 De. affinis. *Marsh. MSS.*
 Ag. marginatum. *Sturm D. F.* ii. 62. *pl. xxviii. f. a.* A?
758. 10, carbonarium*. *Sturm D. F.* ii. 61. *pl. xxvii. f. d.* D.
 Ag. aquaticum. *Kirby MSS.*?
759. 11, atratum*. *Sturm D. F.* ii. 63. *pl. xxviii. f. d.* D.
760. 12, minutum*. *Sturm D. F.* ii. 64. *pl. xxviii. f. e.* E.
761. 13; nanum*. (*Sam. I.* 1.)
 Ag. atomarium. *Sturm D. F.* ii. 65. *pl. xxix. f. a.* A?
 Ag. punctulum. (*DeJean C.* 129.)—*Gyll.* iv. 515.

Genus 111. CLAMBUS, Fischer.

MONOMERA, *Latr.*—DERMESTES *p.*, *DeGeer.*, *Marsh.*—SCAPHIDIUM *p.*, *Gyllenhal.*

762. 1, Armadillus*. *Zool. Jour. (Halliday et Steph.)* iv.
 De. Armadillus. *DeGeer.* iv. 220. *pl. 8. f. 21—23.*
 De. convexus. *Marsh.* i. 73.
763. 2, coccinelloides.
 An. coccinelloides. *Kirby MSS.*
764. 3; enshamensis*. *Westwood MSS.*

Genus 112. CLYPEASTER, *Andersch.*

CORYLOPHUS, *Leach MSS.*—COSYPHUS, *Gyll.*—DERMESTES *p,*
Marsh.

765. 1; cassidoides *.

De. cassidoides. *Marsh.* i. 77.

Co. lateralis. *Megerle.*—*Gyll.* iv. 516.

Genus 113. —————

DERMESTES *p*, *Marsh.*—ANISOTOMA *p*, *Kirby MSS.*

766. 1, Punctum.

De. Punctum. *Marsh.* i. 80.

767. 2 [picea.]

An. picea. *Kirby?* *MSS.*

768. 3, picatus.

De. picatus. *Marsh.* i. 80.

769. 4, truncatus.

An. truncatus. *Kirby MSS.*

770. 5; nigrescens * *mihi.*

771. 6, Atomos.

An. Atomos. *Kirby MSS.*

Genus 114. —————

SCAPHIDIUM *p*, *Marsh.*

772. 1; thoracicum * *mihi.*

Sc. dubium. *Marsh.* i. 234.

Subsectio 4. NECROPHAGA, *MacLay.*

(NECROPHAGI, et XYLOPHAGI *p*, *Latreille.*—HELOCERA *p*, *Dumeril.*—DERMESTIDÆ et NITIDULARIAE *p*, *Gyllenhal.*)

(SILPHA et DERMESTES *p*, *Linné*, &c.)

Familia XVII. SCAPHIDIDÆ, *MacLay.*

SCAPHIDILIA, *Latreille.*

Genus 115. SCAPIIIDUM *Auctorum.*

773. 1; quadrimaculatum *. *Oliv.* E. ii. 20. pl. 1. f. 1. a. c.—*Marsh.* i. 233.—*Leach E.* E. ix. 89.—*Samou.* 168.

Genus 116. SCAPHISOMA, *Leach*, *Samou.*

SCAPHIDIUM *p*, *Fabr.*, *Marsh.*—SPHÆRIDIUM *p*, *Rossi.*

774. 1; Agaricinum *. *Leach E.* E. ix. 89.—*Samou.* 168.
Si. Agaricina. *Linn.* ii. 570.—*Panz. F.* ii. f. 2.

Sp. pulicarium. *Rossi M.* 11. 46.

Sc. Boleti. *Marsh.* i. 234.

775. 2; Boleti*.

Sc. Boleti. *Panz. F.* xii. f. 16.

Sc. Agaricinum b. *Gyll.* i. 187.

Genus 117. MYLÆCHUS, *Latreille*, *Leach*, *Samou*.

CATOPS p, *Payk.*—HALLOMINUS p, *Panz.*—CHOLEVA p, *Spence*.

776 + 1, brunneus. *Latr. G.* ii. 30. *pl. 8. f. 11.*—*Leach E. E.* ix. 89.

—*Samou.* 169.

Ca. brevicornis. *Payk. F.* i. 140.

Ha. testaccus. *Panz. F.* lvii. f. 23.

Ch. brunnea. *Linn. Trans. (Spence)* xi. 158.

In *Mus. D. Jenyns?* *Spence et Watson*.

Genus 118. PTOMAPIHAGUS, *Illiger*.

CHOLEVA p, *Latr.*, *Spence*, *Millard*.—CATOPS p, *Panzer*.—MOR-

DELLA p, *Marsham*.—PELTIS p, *Geoffroy*.—MYCETOPHIAGUS p, *Kugellan*.—HELOPS p, *Panzer*.—CISTELA p, *Olivier*.—PTO-

MOPHIAGUS, *Samou*.—TENEBRIO p, *Gmel*.

777. 1; truncatus*. *Illig. M.* i. 42.—(*Sam. I.* 35.)

Ch. villosa. *Latr. G.* ii. 29.—*Linn. Trans. (Spence.)* xi. 152.

Pt. villosa. (*Sam. I.* 35.)

Te. villosa. *Turt.* ii. 480?

Mo. silphoides. *Marsh.* i. 493.

My. picipes. *Schneid M. (Kugellan.)* i. 558.

He. dermestoides. *Panz. F.* lvii. f. 2?

He. sericeus. *Panz. F.* lxxiii. f. 10?

778. 2; velox*.

Ch. velox. *Linn. Trans. (Spence.)* xi. 154.

Ca. agilis. *Panz. F.* xciv. f. 10?

779. 3; fumatus*. (*Sam. I.* 35.)

Ch. fumatus. *Linn. Trans. (Spence.)* xi. 155.

Ca. agilis. *Gyll.* i. 279.

Ci. fusca. *Oliv. E.* iii. 10. *pl. 1. f. 14. a. b.*?

780. 4, Watsoni.

Ch. Watsoni. *Linn. Trans. (Spence.)* xi. 156.

781. 5; anisotomoides*.

Ch. anisotomoides. *Linn. Trans. (Spence.)* xi. 157.

782. 6; Wilkinii*.

Ch. Wilkinii. *Linn. Trans. (Spence.)* xi. 158.

Genus 119. CATOPS, *Paykul*, *Samou*.

PTOMAPIHAGUS p, *Illiger*.—LUPERUS p, *Frölich*.—MORDELLA p,

Forster, *Marsh*.—*HELOPS p*, *Panz*.—*CISTELA p*, *Fabr*.—*TRITOMA p*, *Fabr*.—*CHRYSOMELA p*, *Thunb*.—*CHOLEVA p*, *Latr*., *Spence*, *Millard*.

A. “Thorace margine basilari prope angulos exciso.” *Spence*.

783. 1; *fornicatus* *.

De. *fornicatus*. *DcGeer*. iv. 216. *pl*. viii. *f*. 15?

Lu. *niger*. *Naturf. (Frölich)* xxviii. *f*. 3. *pl*. 1. *f*. 17?

Ch. *nigricans*. *Linn. Trans. (Spence)* xi. 141.

Ca. *nigricans*. (*Sam. I. 9.*)

β; Mo. *cicatricata*. *Marsh*. i. 495.

784. 2; *sericeus* *. *Payk. F*. i. 342.—*Samou*. 168.

Lu. *fusca*. *Naturf. (Frölich)* xxviii. *f*. 24. *pl*. 1. *f*. 16?

Ch. *sericea*. *Linn. Trans. (Spence)* xi. 142.

785. 3; *tristis* *.

He. *tristis*. *Panz. F*. viii. *f*. 1.

Ch. *tristis*. *Latr. G*. ii. 28.—*Linn. Trans. (Spence)* xi. 144.

Pt. *fornicatus*. *Illig. K*. i. 89.

Ca. *Morio*. *Payk. F*. i. 344.

Mo. *clavicornis*. *Forst. C*. i. 166.—*Stew. ii*. 87.—*Marsh*. i. 494.

Ci. *ovata*. *Oliv. E*. iii. 10. *pl*. 1. *f*. 11. *a. b*?

Ch. *gibbosa*. *Nova. A. U. (Thunb.)* iv. 14.

786. 4; *festinans* *.

Ch. *festinans*. *Linn. Trans. (Spence)* xi. 145.

787. 5; *affinis* *. *Mus. Marsham*.

788. 6; *elongatus* * *mihi*.

B. “Thorace margine basilari prope angulos recto.” *Spence*.

a. “*Thoracis lateribus ad angulos posticos subrectis*.” *Spence*.

789. 7; *chrysomelooides* *. (*Sam. I. 9.*)

He. *chrysomelooides*. *Panz. F*. lvii. *f*. 1.

Ch. *chrysomelooides*. *Linn. Trans. (Spence)* xi. 146.

790. 8; *Leachii* *.

Ch. *Leachii*. *Linn. Trans. (Spence)* xi. 148.

791. 9; *Kirbii*.

Ch. *Kirbii*. *Linn. Trans. (Spence)* xi. 148.

792. 10; *Spencii* * *mihi*.

793. 11; *caliginosus* * *mihi*.

b. “*Thoracis lateribus rotundatis*.” *Spence*.

794. 12, *Marshami*.

Ch. *Marshami*. *Linn. Trans. (Spence)* xi. 149.

795. 13; *dissimulator* *.

Ch. *dissimulator*. *Linn. Trans. (Spence)* xi. 150.

Genus 120. CHOLEVA, Latreille, Spence, Leach, Samou.

PTOMAPHAGUS *p*, Illiger.—CATOPS *p*, Paykul.—MORDELLA *p*, Marsham.—HELOPS *p*, Panzer.—LUPERUS *p*, Frölich.—CRYPTOCEPHALUS *p?* Stewart, Turton.—TRITOMA *p?* Fabr.

796. 1; angustata *.

Ca. angustata. Fabr. E. S. i. b. 46.

Ch. oblonga. Latr. G. ii. 27.—Linn. Trans. (Spence.) xi. 138.
—Leach E. E. ix. 89.—Samou. 168. pl. 4. f. 9.

Ca. elongatus. Payk. F. i. 345.

Pt. rufescens. Illig. K. i. 87.

Mo. picea. Marsh. i. 494.

Lu. cisteloides. Naturfors. (Frölich.) xxviii. 25. pl. 1. f. 15.

Cr. angustata. Stew. ii. 50?—Turt. ii. 184?

797. 2; agilis *. Linn. Trans. (Spence.) xi. 140.—(Sam. I. 10.)

Pt. agilis. Illig. K. i. 88.

He. fuscus. Panz. F. xviii. f. 1?

Ca. fuscus. Gyll. i. 281.

Tr. dubia. Fabr. E. S. i. b. 506?

β, Ch. testacea. Latr. G. ii. 26.

798. 3, gomphosata *. Spence MSS.

Familia XVIII. SILPHIDÆ, Leach.

(SILPHALES, Latreille.)

Carrion Beetles.

Genus 121. NECROPHORUS, Fabricius, Leach, Curtis.

DERMESTES *p*, Geoffroy.—NECROPHAGUS, Leach E. E.—Samou.
Grave digger.

A. Tibiis posticis rectis : trochanteribus simplicibus.

a. Thorace anticè valdè dilatato.

799. 1, germanicus *? Fabr. E. i. 333.—(Sam. I. 28.)—Curtis.
ii. pl. 71.

Si. germanica. Linn. ii. 569.—Marsh. i. 113.—Turt. ii. 105.
—Wood. i. 24. pl. 8.

Si. nigra major. DeGeer. iv. 173. pl. 6. f. 4–6.

De. Listerianus. Fourcroy. i. 17.

Pollinictor niger. Voët. (Pz.) pl. 30. f. 4.

800. 2; anglicus *. Leach MSS.—(Curtis l. c. supra.)

Ne. anglicanus. (Sam. I. 28.)

Ne. britannicus. Wilk. ? MSS.

b. Thorace anticè vix dilatato.

801. 3; humator *. Fabr. E. i. 333.—(Sam. I. 28.)—(Curtis l. c. supra.)

Ne. germanicus b. Payk. F. i. 323.

Si. germanica. (Shaw G. Z. vi. 51. pl. 14.)

- Si. nigra major var. *De Geer.* iv. 173.
 Si. humator. *Oliv.* ii. 8. *pl.* 1. *f.* 2. *c.*—*Marsh.* i. 114.—*Don.* xv. *pl.* 537. *f.* 1.
 β; Si. bimaculata. *Ent. Trans. (Haworth.)* i. 82. *pl.* 2. *fig. sup.*
 802. 4; vestigator*. *Illig. Mag. (Herschel.)* vi. 274.—(*Curtis l. c. supra.*)
 Si. Vesillo. *Panz. F.* ii. *f.* 2.
 Ne. investigator. *Act. Holm. (Zettersted.)* 1824. p. 151.
 803. 5; Sepultor*. (*De Jean C. 42.*)—*Gyll.* iv. 308.
 Ne. Vesillo. (*Samou. pl. 2. f. 6.*)
 804. 6; Mortuorum*. *Fabr. E.* i. 335.—*Panz. F.* xli. *f.* 3.—(*Sam. I. 28.*)—(*Curtis l. c. supra.*)
 Ne. Vesillo g. *Payk. F.* i. 325.
 Si. Mortuorum. *Marsh.* i. 115.—*Don.* xv. *pl.* 537. *f.* 2.
 Ne. Vespilloides. *Herbst A.* 32.
 Silpha. *Mill. B. E.* *pl.* 2. *f.* 5.
 B. Tibiis posticis curvis: trochantibus spinosis.
 805. 7; Vesillo*. *Fabr. E.* i. 335.—*Illig. Mag. (Herschel.)* vi. 274.—(*Kirby & Sp. I. E.* i. 350.)—*Samou.* 166.—(*Curtis l. c. infra.*)
 Si. Vesillo. *Linn.* ii. 569.—*Barb. G.* 30. *pl.* 3. *f.* 8.—*Berk. S.* i. 91.—*Don.* i. *pl.* 23?—*Stew.* ii. 37.—*Marsh.* i. 114.—*Turt.* ii. 105.—*Shaw G. Z.* vi. 50.—*Bingley.* iii. 126.—*Samou.* 51.
 Ne. spinipes. *Kirby.*—*Leach E. E.* ix. 88.—*Samou.* 166.
 Ne. curvipes. *Megerle.*

Genus 122. NECRODES, *Wilk. MSS., Leach, Samou.*
Shore Beetle.

CYCLOPHORUS, *Kirby.*—PELTIS *p.*, *Müller.*

806. 1; littoralis*. *Leach Z. M.* ii. 88.—*Samou.* 166.
 Si. littoralis. *Linn.* ii. 570.—*Panz. F.* xl. *f.* 15.—*Marsh.* i. 116.—*Turt.* ii. 99.—*Leach E. E.* ix. 88.
 Si. rufo-clavata. *De Geer.* iv. 176.
 Pe. gibbosa. *Fourc.* i. 30.
 ♂; Pe. femorata. *Müll. Z. D. pr.* 64.
 ♀; Si. simplices. (*De Jean C. 42.*)
 β; Ne. Curtisii. *Leach E. E.* ix. 89.

Genus 123. OICEOPTOMA, *Leach, Samou.*

PELTIS *p.*, *Geoffroy.*

A. “Elytra in utroque sexū integra.” *Leach.*

- 307 † 1, *marginalis*^a*?

^a 807 † 1, *marginalis*? *Fabr. E.* i. 338?

In Mus. *D. Vigors.*

808. ♀; thoracica*. *Leach E. E.* ix. 89.—*Samou.* 167.
 Si. thoracica. *Linn.* ii. 571.—*Don.* ii. *pl.* 63. *f.* 1.—*Stew.* ii. 38.—*Marsh.* i. 117.—*Turt.* ii. 100.
809. ♂; rugosa*. *Leach.*—(*Sam. I.* 32.)
 Si. rugosa. *Linn.* ii. 571.—*Panz. F.* xl. *f.* 17.—*Stew.* ii. 38.—*Marsh.* i. 120.—*Turt.* ii. 100.
 Pe. complicata. *Fourc.* i. 30.
 Si. scabra. *Scop. C.* 59.
- B. “Elytra fœminæ apice emarginata.” *Leach.* (ΤΗΑΝΑΤΟΦΙΛΟΣ *Leach.*)
810. 4; sinuata*. (*Sam. I.* 32.)
 Si. sinuata. *Fabr. E.* i. 341.—*Oliv. E.* ii. 18. *pl.* 2. *f.* 12.—*Stew.* ii. 33.—*Marsh.* i. 120.—*Turt.* ii. 101.—*Don.* xv. *pl.* 539.
 ♀; Si. opaca. *Marsh.* i. 119.
 Pe. scabra. *Fourc.* i. 30.
 ♂ β, Si. rugicollis. *Kirby MSS.*
811. 5, dispar.
 Si. dispar. *Illig. K.* i. 359.—*Herbst C.* v. 204. *pl.* 52. *f.* 1.
 Si. sinuata b. *Payk. F.* i. 333.

Genus 124. SILPHA Auctorum.

- A. “Thorace anticè emarginato.” *Gyllenhal.*
812. 1; quadripunctata*. *Linn.* ii. 571.—*Berk. S.* i. 91.—*Don.* ii. *pl.* 86. *f.* 2.—*Stew.* ii. 38.—*Marsh.* i. 118.—*Turt.* ii. 101.—*Samou.* 51.
 Si. quadrimaculata. (*Samou.* 167. *pl.* 2. *f.* 7.)
- B. “Thorace anticè integro.” *Gyllenhal.*
- a. *Elytris lineis elevatis tribus.*
813. 2; obscura*. *Linn.* ii. 572.—*Don.* ii. *pl.* 63. *f.* 4.—*Marsh.* i. 118.—*Turt.* ii. 101.—*Leach E. E.* ix. 89.—*Samou.* 167.
 Si. atrata. *Herbst C.* v. 183. *pl.* 51. *f.* 1.
 β; Si. tenebrosa. *Schonher teste Gyll.* iv. 310.
814. 3, tristis. *Illig. K.* i. 366.—(*Sam. I.* 38.)
 Si. recta. *Marsh.* i. 117.
 Si. granulata. *Thunb. I. S.* 72.
 Si. punctata ♀. *DeGeer.* iv. 177?
- 815 + 4, *Griesbachiana mihi.* In Mus. Brit.
816. 5, nigrita. *Crcutz. E. V.* i. 116. *pl.* 2. *f.* 20.—(*Ing. Inst.* 89.)
 Si. nitidiuscula. *Kirby MSS.*—(*Sam. I.* 38.)
 β, Si. bicolor. *Ent. Trans. (Haworth.)* i. 82.
817. 6; reticulata*. *Fabr. E. E.* i. 341.—(*Sam. I.* 38.)
 Si. rugosa. *Panz. F.* v. *f.* 9.
 Si. granulata. *Marsh.* i. 119.

Si. cancellata. *Gmel.* iv. 1622.

Pe. undata. *Müll. Z. D. pr.* 64.

818. 7; *opaca**. *Linn.* ii. 571.—*Turt.* ii. 101.—(*Sam. I.* 38.)

Si. tomentosa. *DeGeer.* iv. 183.—*Herbst C.* v. 203. *pl.* 51. *f.* 16.—*Marsh.* i. 120.

Si. hirta. *Gmel.* iv. 1622.

Si. villosa. *Act. Holm. (Næzen.)* 1792. 163. *pl.* 7.

b. *Elytra lævia simplicia.*

819. 8; *lævigata**. *Fabr. E.* i. 340.—*Oliv. E.* ii. 14. *pl.* 1. *f.* 1.

a, b.—*Marsh.* i. 119.—*Turt.* ii. 100.—(*Sam. I.* 38.)

Si. polita. *Sulzer.*

Genus 125. PHOSPHUGA, *Leach, Samou.*

PELTIS *p.*, *Müller.*

820. 1; *atrata**. *Leach Z. M.* iii. 75.—*Samou.* 167.

Si. atrata. *Linn.* ii. 571.—*Stew.* ii. 37.—*Marsh.* i. 116.—*Turt.* ii. 100.

Si. punctata. *Herbst C.* v. 199. *pl.* 51. *f.* 13.

β ; *Si. brunnea.* *Herbst C.* v. 202. *pl.* 51. *f.* 15.

γ ; *Si. fusca.* *Herbst C.* v. 200. *pl.* 51. *f.* 14.

821. 2, *subrotundata.* *Leach Z. M.* iii. 75.—*Samou.* 167.

Genus 126. AGYRTES^a.

Genus 127. PELTIS^b.

Familia XIX. NITIDULIDÆ MacLeay.

NITIDULARIÆ, *Latr.*—(NITIDULA, *Fabr.*, &c.)

Genus 128. THYMALUS, *Latreille, Curtis.*

PELTIS *p.*, *Paykul.*—CASSIDA *p.*, *Olivier.*

824. 1: *limbatus**. *Curtis.* i. *pl.* 39.

Ca. limbata. *Fabr. E. S. i. a.* 294.

^a Genus 126. AGYRTES, *Frölich.*

MYCETOPHAGUS *p.*, *Fabr.*

822† 1. *castaneus.* *Naturf. (Frölich.)* 28. *pl.* 1. *f.* 11.—(*Leach E. E.* ix. 89.) (!)

My. spinipes. *Panz. F.* xxiv. *f.* 20.

^b Genus 127. PELTIS, *Kugellan.*

OSTOMA *p.*, *Laicharting.*—THYMALUS, *Samou.*

825† 1. *ferrugineus.* *Schneid. Mag. (Kugellan.)* 509.

Si. ferruginea. *Linn.* ii. 572.—*Panz. F.* lxxv. *f.* 17.—*Stew.* ii. 38. (!)

Si. ferruginea. (*Samou.* 170. (!))

Si. cimicoides. *DeGeer.* iv. 183.

Pe. limbata. (*Kirby & Sp. I. E.* iv. 136.)

Pe. brunnea. *Payk. F.* i. 340.

Ca. rubiginosa. *Gmel.* iv. 1643.

Ca. ænea. *Wilkin MSS.*

Genus 129. NITIDULA *Auctorum.*

PELTIS *p.* Müller.—OSTOMA *p.* Laicharting.—STRONGYLUS *p.* Herbst.

825. 1; marginata*. *Fabr. E.* i. 348.—(*Sam. I.* 28.)

Ni. biloba. *Panz. F.* xxxv. f. 10.

826. 2; punctatissima*. *Schnid. Mag. (Illiger.)* v. 598.—*Panz. F.* xxv. f. 7.

Si. maculata. *De Geer.* iv. 184.

Ni. elevata. *Kirby MSS.*

827. [3; grisea*.] *Marsh.* i. 134.—(*Sam. I.* 28.)

Si. grisea. *Linn.* ii. 574.—*Linn. Trans. (Curtis.)* ii. 86. pl. 5. f. 6—11.—*Turt.* ii. 102.

Ni. variegata. *Oliv. E.* ii. 4. pl. 1. f. 1. a, c.

Ni. varia. *Fabr. E.* i. 350.

Si. ferruginea. *Scop. C.* 21.

828. 4; depressa*. *Marsh.* i. 133.—(*Sam. I.* 28.)

Si. depressa. *Linn.* ii. 573.

Ni. sordida. *Fabr. E.* i. 351.

Ni. varia. *Oliv. E.* ii. 12. pl. 2. f. 10. a, b.

Ni. ferruginea. *Herbst A.* 159.

Ni. Colon. *Herbst C.* v. 234. pl. 53. f. 5. a. E.

Ni. immaculata. *Oliv. E.* ii. 11. pl. 2. f. 16. a, b.

829. 5; Colon*. *Fabr. E.* i. 351.—*Oliv. E.* ii. 13. pl. 1. f. 4. a, b.—*Marsh.* i. 132.

Si. Colon. *Linn.* ii. 573.

β; *Ni. haemorrhoidalis.* *Fabr. E.* i. 352?

830. 6; discoidea*. *Fabr. E.* i. 252.—*Stew.* ii. 40.—*Panz. F.* lxxxiii. f. 5.—*Marsh.* i. 133.—*Turt.* ii. 111.—*Samou.* 51. pl. 2. f. 5.

Ni. haemorrhoidalis b. *Payk. F.* i. 252.

831. 7; bipustulata*. *Fabr. E.* i. 347.—*Berk. S.* i. 91.—*Panz. F.* iii. f. 10.—*Stew.* ii. 40.—*Marsh.* i. 129.—*Turt.* ii. 110.—*Leach E.* E. ix. 90.—*Samou.* 170.

Si. bipustulata. *Linn.* ii. 570.

De. Scarabæoides. *Scop. C.* 15.

De. bipunctatus. *Fourc.* i. 18.

832. 8; obscura*. *Fabr. E.* i. 348.—*Oliv. E.* ii. 12. pl. 1. f. 3. a, b.—*Marsh.* i. 130.—(*Sam. I.* 28.)

Si. rufipes. *Linn.* ii. 573.

De. fulvipes. *Fourc.* i. 22.

- β ; Ni. immunis. *Kirby*.
 Ni. ossium. *Marsh. MSS.*
833. 9, quadripustulata. *Fabr. E. S. i. a.* 255?
 Ni. guttalata. *Herbst C. v.* 247. *pl. 54. f. 7. g. G.*
 Si. carnaria. *Gmel. iv.* 1619.
834. [10, variata] *mihi*.
 Ni. variegata. *Kirby MSS.*
835. 11; oblonga*. *Herbst C. v.* 245. *pl. 54. f. 4. d. D.*
836. 12, Silacea*. *Herbst C. v.* 232. *pl. 53. f. 3. c.*
837. 13; æstiva*. *Oliv. E. ii.* 16. *pl. 3. f. 23. a, b.*
 Si. æstiva. *Linn. ii.* 574.—*Turt. ii.* 110.
838. 14; depressa*. *Illig. K. i.* 386.
 Ni. æstiva. *Fabr. E. i.* 348.—*Panz. F. lxxxiv. f. 10.*—*Marsh. i.* 135.
 Ni. villosa. *Thunb. I. S. v.* 70.
839. 15; obsoleta*. *Illig. K. i.* 384.—*Marsh. i.* 135.—(Sam. I. 28.)
 Si. biguttata. *Act. Ups. (Thunb.) iv.* 9.
 Ni. unicolor. *Oliv. E. ii.* 17. *pl. 2. f. 9. a, b?*
840. 16; variegata*. *Herbst C. v.* 245. *pl. 54. f. 3. c?*
 Ni. obsoleta var. *Illig. K. i.* 384. (nota.)
 β ; Ni. thoracica *mihi*.
841. 17, impressa*. *Kirby MSS.*
842. 18; pusilla*. *Illig. K. i.* 386?
 Ni. pubescens. *Schneid. M. (Kugell.) iv.* 512.
843. 19, pygmæa. *Gyll. i.* 226.
844. 20; truncata*. *Kirby MSS.*
845. 21, affinis*. *Marsh?* *MSS.*
846. 22, melanocephala. *Marsh. i.* 136.
847. 23; limbata*. *Fabr. E. i.* 352.—*Oliv. E. ii.* 20. *pl. 3. f. 18. a, b.*
 Ni. Agaricina. *Kirby MSS.*
 Ni. nebula —?
848. 24, fervida*. *Oliv. E. ii.* 15. *pl. 4. f. 32. a, b.*
849. 25; decemguttata*. *Fabr. E. i.* 350.—*Oliv. E. ii.* 10. *pl. 3. f. 24. a, b.*—*Marsh. i.* 135.—(Sam. I. 28.)

Genus 130. STRONGYLUS, *Herbst*.SPHÆRIDIUM *p*, *Panzer*.

A. Elytris haud striatis.

850. 1; strigatus*. *Herbst C. iv.* 187. *pl. 43. f. 7. g. G.*
 Ni. strigata. *Fabr. E. i.* 350.—*Panz. F. lxxxiii. f. 4.*—(Ing.
Inst. 89.)

Ni. undata. *Marsh.* i. 134.

Ni. Verbasci. *Thunb.* I. S. v. 71.

De. graphicus. *Schrän.* B. 423.

851. 2; *imperialis**. (*DeJean C.* 43.)

Ni. *imperialis*. *Fabr.* E. i. 350.

Ni. undulata. *Oliv.* E. ii. 14. pl. 3. f. 17. a, b.

Ni. nebulosa. *Marsh.* i. 134.

B. *Elytris striatis.*

852. 3; *ferrugineus**. (*DeJean C.* 43.)

Ni. *ferruginea*. *Fabr.* E. i. 349. (!)—*Turt.* ii. 110.

Sp. *ferrugineum*. *Panz.* F. lxxxiv. f. 2.

Ni. *fulva*. *Marsh.* i. 136.—(*Sam.* I. 28.)

St. *aestivus*. *Herbst* C. iv. 186. pl. 43. f. 6. c. E.

Sp. *pilosum*. *Rossi M.* ii. 84.

Ni. *striata*. *Oliv.* E. ii. 14. pl. 1. f. 7. a, b.

Genus 131. CAMPTA, *Kirby* MSS.

STRONGYLUs *p*, *Herbst*.—**SPIÆRIDIUM** *p*, *Fabricius*.—**ANTH**RI^bUS *p*, *Olivier*.—**CYCHRAMUS** *p*, *Kugellan*.

853. 1; *lutea**.

St. *luteus*. *Herbst* C. iv. 183. pl. 43. f. 3. c. C.

De. *luteus*. *Marsh.* i. 73.

De. *Rosæ*. *Scop.* C. 15.

An. *unicolor*. *Oliv.* E. M. iv. 160.

Ni. *Boleti*. (*Sam.* I. 28.)

β?; De. *ovalis*. *Marsh.* i. 73.

Genus 132. MELIGETHES, *Kirby* MSS.

SCARABÆUS *p*, *Geoffroy*.—**ANTH**RI^bUS *p*, *Olivier*.—**STRONGY**-
LUS *p*, *Herbst*.—**LARIA**, *Scopoli*.

854. 1, *Dulcamaræ**.

La. *Dulcamaræ*. *Scop.* C. 22.

Ni. *olivacea*. *Gyll.* iii. 679?

Ni. *Aceris*. *Kirby* MSS.

855. 2; *rufipes**.

Si. *rufipes*. *DeGeer.* iv. 188.

Ni. *rufipes*. *Marsh.* i. 130.—*Turt.* ii. 112.—(*Sam.* I. 28.)

Ni. *atrata*. *Oliv.* E. ii. 18. pl. 4. f. 31. a, b.

856. [3, *flavimanus*.] *Kirby* MSS.

Ni. *ænea*. *Marsh.* i. 131?

857. 4; *viridescens**.

Ni. *viridescens*. *Fabr.* E. i. 353.—*Panz.* F. lxxxiii. f. 7.—*Marsh.* i. 131.

Ni. *Pedicularia* g. *Payk.* F. i. 353.

Ni. *ænea* c. *Gyll.* i. 238.

- β ; Ni. rufipes. *Fabr. E. i.* 355.—*Oliv. E. ii.* 21. *pl. 5. f. 33. a, b.*
De. *Brassicæ. Scop. C.* 45.
 γ ; Ni. ænea. *Fabr. E. i.* 353.—*Panz. F. lxxxiii. f. 6.*
858. [5; cœruleus *.]
Ni. cœrulea. *Marsh. i.* 132.
Ni. ænea b. *Gyll. i.* 238.
859. [6; Urticæ*.]
Ni. Urticæ. (*Sam. I.* 28.)
860. 7, nigrescens *mihi.*
861. 8; Pedicularius*.
Si. *Pedicularia. Linn. ii.* 574?
Ni. *Pedicularia. Fabr. E. i.* 352.—*Oliv. E. ii.* 19. *pl. 3. f. 21. a, b.*
Ni. solidæ. *Illig. K. i.* 389.
Ni. latipes. *Marsh. i.* 131.
862. 9, xanthoceras *mihi.*
Ni. serripes. *Gyll. iv.* 301?
863. 10, nigricornis. *Kirby MSS.*
864. 11; subrugosa*.
Ni. subrugosa. *Gyll. i.* 236.
865. 12; nigrina*.
Ni. nigrina. *Marsh. i.* 138.—(*Sam. I.* 28.)
Ni. æthiops. *Latr. G. ii.* 14?
866. 13; erythropa*.
Ni. erythropa. *Marsh. i.* 132.—(*Sam. I.* 28.)
- Genus 133. PRIA, *Kirby MSS.*
867. 1, truncatella.
Si. truncatella. *Marsh. i.* 123.

Genus 134. CARPOPHILUS, *Leach.**COLOBUS, Kirby?*

868. 1; flexuosus*.
Ni. flexuosa. *Fabr. E. S. i. a.* 258.—*Herbst C. v.* 246. *pl. 34. f. e. E.—Marsh. i.* 133.
De. *hemipterus. Linn. ii.* 565?
Ni. bimaculata. *Gyll. i.* 244.
Ni. quadriguttata. *Thunb. I. S. v.* 70.
869. 2; pusillus* *mihi.*

Genus 135. CATERETES, *Herbst, Leach, Samou., Millard.*

SPHÆRIDIUM *p*, *Fabricius*.—SCAPHIDIUM *p*, *Panzer*.—STRONGYLUS *p*, *Herbst*.—BRACHYPTERUS, *Kugellan*.—CERCUS,
G

Latreille.—*ANTHRIBUS* *p*, *Fourcroy*.—*GYNURÆ*, *Kirby MSS.*
—*CATHERETES* (*Kirby*.)

870. 1; bipustulatus*. *Gyll.* i. 248.—(*Sam. I.* 9.)
De. bipustulatus. *Payk. F.* i. 286.
Si. histeroides. *Act. Hol. (Thunb.)* iv. 8.
Si. bimaculata. *Marsh.* i. 126.
Gy. biguttata. *Kirby MSS.*
6; Si. punctulata. *Marsh.* i. 126.
Ni. pusilla. *Thunb. I. S.* v. 69.
γ, Gy. fusciventris. *Kirby MSS.*
871. 2; pedicularius*. *Herbst C.* v. 12. *pl. 45. f. 1. a. A.*
De. pedicularius. *Linn.* ii. 564.—*Panz. F.* vii. f. 5.—*Turt.* ii. 82.
Si. unicolor. *Marsh.* i. 127.
β; Si. similis. *Marsh.* i. 127.
Ca. gravidus. *Illig. K.* i. 395.—(*Kirby & Sp. I. E.* i. 295.)
872. 3; Urticæ*. *Illig. K.* i. 395.—(*Kirby & Sp. I. E.* i. 295.)
De. Urticæ. *Fabr. E. S.* i. a. 235.
Sca. scutellatum. *Panz. F.* iv. 11.
St. abbreviatus. *Herbst C.* iv. 190. *pl. 43. f. 10. k. K.*
Si. pulicaria. *Linn.* ii. 574?—*Berk. S.* i. 93.—*Stew.* ii. 39.—
Marsh. i. 128.—*Turt.* ii. 108.
De. pulicarius. *Linn.* ii. 564?—*Berk. S.* i. 89?
De. hemipterus. *Naturf. (Panzer.)* xxiv. 11. *pl. 1. f. 14. b.*
873. 4, Linariae. *Kirby MSS.*
874. 5; nitidus*. *Kirby MSS.*
De. glaberrimus. *Payk. F.* i. 287?
875. 6; ruficornis*.
Ni. ruficornis. *Marsh.* i. 131.
876. 7; pyrrhopus*.
Ni. pyrrhopus. *Marsh.* i. 138.
877. 8, rufilabris. *Samou.* 170.
Ce. rufilabris. *Latr. G.* ii. 16.
Si. collaris. *Marsh.* MSS.
878. [9, Junci.] *Kirby?* MSS.
879. 10, Caricis. *Spence MSS.*
880. 11, Agarici. *Kirby MSS.*

Genus 136. MICROPEPLUS, *Latreille*, *Leach*, *Samou.*, (*Kirby*.)

STAPHYLINUS *p*, *Paykul*.—OMALIUM *p*, *Gyllenhal*.—CLATHRIDUM, *Kirby MSS.*

881. 1; porcatus*. *Latr. G.* iv. 377.—*Leach. E.* E. ix. 90.—
Samou. 171.
St. porcatus. *Payk. M. S.* 50.—*Oliv. E.* iii. 35. *pl. 4. f. 33. a, b.*

- Ni. porcata. *Marsh.* i. 137.
 Ni. sulcata. *Herbst Col.* v. 247. *pl. 54. f. 6. f.*
 882. 2; staphylinoides *. (*Sam. I.* 27.)
 Ni. staphylinoides. *Marsh.* i. 137.

Familia XX. ENGIDÆ, *MacLeay.*

NITIDULARIÆ p,—IPSIDES, *Latr.*—XYLOPHAGI et EROTYLENÆ p, *Latr.*—DERMESTIDEÆ p, *Gyllenhal.*—SILPHIIDÆ p, CISSIDÆ p, DIAPERIDÆ et MYCETOPHAGIDÆ, *Leach.*

(SILPHA et DERMESTES p, *Linné*, &c.)

Genus 137. TRICHOPTERYX, (*Kirby.*)

LATRIDIUS p, *Herbst.*—OPATRUM p, *Brongniart.*—CATHERETES p, *Wolf.*—SCAPHIDIUM p, *Gyllenhal.*—PTYCHOPTERYX, *Kirby MSS.* (*olim.*)—PTILIUM, *Schüpp.*

883. 1; atomaria *. (*Kirby & Sp. I. E.* iii. 40. nota)

De. atomarius. *De Geer.* iv. 218. *pl. 8. f. 16–20.*

Si. minutissima. *Marsh.* i. 125.

La. fasciculatus. *Herbst C. v. 8. pl. 44. f. 7. g. G.?*

De. Armadillo. *Payk. F. i.* 296?

Ca. atomos. *Wolf. Beit.*

Op. plumigerum. *Brongniart.*

884. 2; minima *.

De. miniuinus. *Marsh.* i. 80.

885. 3; pusilla *.

Sc. pusillum. *Gyll. i.* 189.

886. 4; nana * mihi.

887. 5; minuta * mihi.

Pt. punctatum. *Gyll. iv.* 293?

888. 6, trisulcata —?

Genus 138. ATOMARIA, (*Kirby.*) *Millard.*

CORTICARIA p, *Marsh.*—LATRIDIUS p, *Kugellan.*—CATERETES p, *Herbst.*—CRYPTOPHAGUS ** p, *Gyll., Samou.*—PTILIUM p, *Schüpp.*

A. Corpore lato, subovato.

889. 1; punctula * mihi.

890. 2; minutissima *. *Kirby MSS.*

891. 3, perpusilla.

De. perpusillus. *Marsh.* i. 80.

892. 4; Melas *.

De. Melas. *Marsh.* i. 78.

893. 5; nitida * mihi.

894. 6, pilosella.
De. pilosellus. *Marsh.* i. 78.
895. 7, nitidula.
De. nitidulus. *Marsh.* i. 79.
896. 8, brunnea.
De. brunneus. *Marsh.* i. 78.
B. Corpore sublineare.
a. *Antennis basi remotis.*
897. 9; fulvicollis *mihi.*
898. 10; thoracica* *mihi.*
899. 11; evanescens*.
Si. evanescens. *Marsh.* i. 126.
900. 12; phæogaster*.
Si. phæogaster. *Marsh.* i. 125.
901. 13, basella. *Kirby MSS.*
902. 14; atricapilla*. *Kirby MSS.*
903. 15; hirta*.
Si. hirta. *Marsh.* i. 124.
Cr. hirtus. (*Sam. I.* 13.)
Cr. villosus. *Wolf. Beit.*
904. 16, testacea. *Kirby MSS.*
905. 17; castanea*. *Kirby MSS.*
906. 18; nigripennis*.
De. nigripennis. *Payk. F.* i. 292.
Cr. ruficollis. *Panz. F.* xcix. f. 13.—(*Sam. I.* 13.)
La. ater var. *Schneid. M.* (*Kugellan.*) v. 578.
907. 19; mesomelas*.
De. mesomelus. *Herbst C.* iv. 143. *pl.* 41. *f.* 7. *g.* *G.*
Si. phæorrhœa. *Marsh.* i. 124.
Cr. phæorrhœus. (*Sam. I.* 13.)
Cr. globulus. *Gyll. i.* 184?
908. 20; dimidiata*.
Co. dimidiata. *Marsh.* i. 112.
909. 21; atra*.
Ca. ater. *Herbst C.* v. 15. *pl.* 45. *f.* 5. *c.* *E.*
De. fimetarius. *Payk. F.* i. 293.
Si. nitidula. *Marsh.* i. 123.
910. 22; carbonaria*.
911. 23; rufipes*.
Cr. umbrinus. *Schüppel.*—*Gyll.* iv. 291?
Cr. fimetarius c. *Gyll.* i. 182.

912. 24; ruficornis*.
Si. ruficornis. *Marsh.* i. 125.
913. 25; dorsalis*. *Kirby MSS.*
914. 26, fuscipes.
Cr. fuscipes. *Gyll.* i. 182.
b. *Antennis basi approximatis.*
915. 27; nigrirostris*. *Kirby MSS.*
916. 28, nigriventris*. *Kirby MSS.*
917. 29; linearis* *mihi.*

Genus 139. TYPHÆA, *Kirby MSS.*

MYCETOPIHAGUS *p*, *Fabr.*, *Curtis.*—BOLETARIA *p*, *Marsh MSS.*—CRYPTOPHAGUS *p*, *Leach MSS?*—PENTAPHYLLUS *p*, *DeJean.*

918. 1; Sparganii*.
Cr. Sparganii. *Leach?* *MSS?*
Ty. suturalis. *Kirby MSS?*
919. 2; ferruginea*.
Si. ferruginea. *Marsh.* i. 125.
My. ferrugineus. (*Curtis. fo.* 156.)

920. 3; testaceus*.
My. testaceus. *Fabr. E.* ii. 570.

921. [4, tomentosa*.]
Bo. tomentosa. *Marsh. MSS.*

Genus 140. CRYPTOPHAGUS, *Herbst*, *Leach*, *Samou.*, *Millard*,
(*Kirby,*) *Curtis.*

IPS *p*, *Oliv.*—CORTICARIA *p*, *Marsh.*—ONCINUM, *Kirby MSS.*

A. Thoracis lateribus denticulatis.

922. 1; Populi*. *Payk. F.* iii. 355.—(*Sam. I. 13.*)—*Curtis. iv.*
pl. 160.
923. 2; bituberculatus*. *Kirby MSS.*—(*Curtis l. c. supra.*)
924. 3; humeralis* *mihi.*
925. 4; uncinnata*.
Co. uncinnata. *Marsh. MSS.*
Co. affinis. —? *MSS.*—(*Curtis l. c. supra?*)
926. 5, Marshami *mihi.*
Co. acutangulus. *Gyll.* iv. 285?
927. 6, Lycoperdi*. *Herbst C.* iv. 176. *pl. 42. f. 13. n. N.*—
(*Curtis l. c. supra.*)
De. Fungorum. *Panz. F.* xxxix. *f. 14.*
Co. rufa. *Marsh.* i. 111.
On. testaceum. *Kirby MSS.*

928. 7; fumatus*. *Gyll.* i. 167.—(*Curtis l. c. supra.*)
Co. fumata. *Marsh.* i. 110.
929. 8; Illicis*. *Kirby* MISS.—(*Curtis l. c. supra.*)
930. 9; Abietis*. *Payk. F.* iii. 356.—(*Curtis l. c. supra.*)
Co. obcordata. *Marsh.* i. 112.
De Vini. *Panz. F.* xl. f. 14?
931. 10; cellaris*. *Payk. F.* iii. 356.—*Leach E. E.* ix. 89.—
Samou. 169.—(*Curtis l. c. supra.*)
Co. denticulata. *Marsh.* i. 111.
Cr. denticulatus. (*Sam. I.* 13.)
 β ; Cr. crenatus. *Herbst C.* iv. 177. *pl. 42. f. 14. o. O.*
932. 11; serratus*. *Gyll.* i. 171?—(*Sam. I.* 13.)—(*Curtis l. c. supra.*)
Co. serrata. *Marsh.* i. 109.
933. 12, ruficornis *michi*.
B. Thoracis lateribus vix crenulatis.—*BYTURUS p., Latr.*
934. 13; Caricis. *Gyll.* ii. iv.
Ips Caricis. *Oliv. E.* ii. 15. *pl. 5. f. 23. a, b.*
935. 14; Typhæ*. *Gyll.* i. 174.—(*Sam. I.* 13.)
De. fulvipes. *Marsh.* MSS.
Cr. Typhæ. *Fallen. Obs. Ent.* i. 16.

Genus 141. ANTHEROPHAGUS, (*Megerle.*)

- TENEBRIOS p., *Linné*, *Marsh.*—MYCETOPHAGUS p., *Fabr.*—CRY-
PTOPHAGUS p., *Gyll.*—STENE p., *Kirby* MSS.
936. 1; pallens*. (*DeJean C.* 45.)
Te. pallens. *Linn.* ii. 675.—*Oliv. E.* iii. 19. *pl. 2. f. 25.*—
Mart. C. pl. 39. f. 3.—*Marsh.* i. 477.
Cr. pallens. (*Sam. I.* 13.)
937. 2; Silaceus*.
Ips Silaceus. *Herbst C.* iv. 169. *pl. 42. f. 7. g. G.*
Te. pallens. *Payk. F.* i. 90.
My. nigricornis. *Fabr. E.* ii. 369.—
An. nigricornis. (*Ing. Inst.* 87.)
Cr. ? ferrugineus. *Latr.*
St. ferruginea. *Kirby* MSS. —
938. 3, glaber*.
Cr. glaber. *Gyll.* i. 178.
St. Bombi. *Kirby* MSS?

Genus 142. BYTURUS, *Latreille*, *Leach*, *Samou.*, (*Kirby.*)

IPS p., *Olivier*.—TRIXAGUS p., *Kugellan.*

939. 1; tomentosus*. *Latr. G.* ii. 18.—*Leach E. E.* ix. 90.—
Samou. 170.—(*Kirby & Sp. I. E.* i. 194.)

- De. tomentosus. *Fabr. E. S.* i. 316.—*Stew. ii.* 32.—*Marsh. i.* 64.—*Panz. F.* xcvi. f. 4.—*xl. f.* 12.—*Turt. ii.* 81.
 De. Sambuci. *Scop. C.* 16.
 β ; De. fumatus. *Fabr. E. S.* i. 231.—*Panz. F.* xcvi. f. 3.
 De. flavescens. *Marsh. i.* 64.
 De. ochraceus. *Scriba. Jo.* 153.
 γ . Tr. nigriceps. *Kirby MSS.*

Genus 143. MYCETÆA, *Kirby MSS.*

CRYPTOPHAGUS *p*, *Payk.*—**MYCETOPHAGUS** *p*, *Gyll.*, *Curtis.*—
BITURUS *p*, *Samou.*—**TRIPHYLLUS** *p*, *DeJean.*

940. 1, *fumata* *.
 De. fumatus. *Linn. ii.* 564.—*Berk. S.* i. 89.—*Stew. ii.* 32.—
Marsh. i. 65.—*Turt. ii.* 31.
 Bi. fumatus. (*Sam. I.* 6.)
 Mycetop. fumatus. *Gyll. iii.* 599.—(*Curtis. fo.* 156.)
 De. stercoreus. *Linn. F. no.* 432.
 Cr. variabilis. *Payk. F.* iii. 354.
 De. variabilis. *Herbst C.* iv. 141. *pl.* 41. *f.* 5?
 De. Rosæ. *Scop. C.* 39.
 My. fungorum. *Kirby MSS.*

Genus 144. TRIPHYLLUS, (*Megerle.*)

IPS *p*, *Fabr.*—**MYCETOPHAGUS** *p*, *Gyll.*, *Curtis.*—**CRYPTOPHAGUS** *p*, *Payk.*—**MYCETÆA** *p*, *Kirby MSS.*—**BOLETARIA** *p*, *Donovan.*

941. 1; *punctatus* *. (*DeJean C.* 102.)
 Ips punctata. *Fabr. E.* ii. 579.
 My. punctatus. *Panz. F.* xii. *f.* 12.—(*Curtis. fo.* 156.)
 Bo. punctata. *Don. xv. pl.* 538. *f.* 3.
 Cr. pilosus. *Herbst C.* iv. 177. *pl.* 42. *f.* 15.
 Si. humeralis. *Marsh. i.* 120.
 942. 2; *bifasciatus* *. (*DeJean C.* 102.)
 Ips bifasciata. *Fabr. E.* ii. 579.
 My. bifasciatus. (*Curtis. fo.* 156.)
 De. fasciatus. *Act. Ups. (Thunb.)* iv. 57.
 My. signatus. *Panz. F.* lvii. *f.* 20.
 β , Ips marginalis. *Panz. F.* ii. *f.* 24.

Genus 145. MYCETOPHAGUS, *Fabr.*, *Don.*, *Leach*, *Samou.*—
 (*Kirby.*)—*Curtis.*

BOLETARIA, *Marsh.*, *Millard.*—**CARABUS** *p*, *Linné.*—**CHRY-**
SOMELA *p*, *Linné.*

943. 1; *quadripustulatus* *. (*Curtis l. c. infra.*)
 Ch. quadripustulata. *Linn. ii.* 597.—*Turt. ii.* 161.
 Bo. quadripustulata. *Marsh. i.* 138.—(*Sam. I.* 6.)
 My. quadripustulatus. (*Leach E. E.* ix. 110.)—(*Sam. I.* 28.)

- My. quadrimaculatus*. *Fabr. E.* ii. 565.—*Don. vi. pl. 185. f. 5.*
 Si. quadrimaculata. *Turt. ii. 102.*
- β; My. assimilis *mihi* (*olim*).
 944. 2; atomarius*. *Fabr. E.* ii. 568.—*Panz. F. xii. f. 10.*—
 (*Sam. I. 28.*)—(*Curtis l. c. infra.*)
 Bo. atomaria. *Marsh. i. 141.*—*Don. xv. pl. 538. f. 2.*
945. 3; multipunctatus*. *Fabr. E.* ii. 568.—*Panz. F. xii. f. 11.*—
 (*Sam. I. 28.*)—(*Curtis l. c. infra.*)
 Bo. multipunctata. *Marsh. i. 139.*—*Don. xv. pl. 538. f. 1.*
- β, Bo. varia. *Marsh. i. 140.*
 My. varius. (*Sam. I. 28.*)
946. 4; variabilis*. *Schneid. Mag. (Hellwig.)* iv. 397.
 α, My. piceus. *Fabr. E.* ii. 569.—*Panz. F. i. f. 22.*—*Curtis. iv. pl. 156.*
 β, My. piceus. *Payk. F.* iii. 318.—*Panz. F. ii. f. 5.*
 γ, My. lunaris. *Fabr. E.* ii. 568.
 δ, My. brunneus. *Panz. F.* lvii. f. 21.
 ε, My. atoniarius, b. *Payk. F.* iii. 318.
 ζ, Bo. undulata. *Marsh. i. 140.*
 My. undulatus. (*Sam. I. 28.*)
 η, Bo. similis. *Marsh. i. 141.*
 Mi. similis. (*Sam. I. 28.*)
947. 5, Populi? *Fabr. E.* ii. 570.
 Bo. rufa. *Marsh. i. 140.*
 My. rufus. (*Sam. I. 28.*)
948. 6, pubescens *mihi*.

Genus 146. BIPHYLLUS, DeJean.

COLOBICUS *Museorum Londinensis*.—DERMESTES *p*, Fabricius?
 BITOMA *p*, Gyllenhal.—NITIDULA *p*, Rossi?—SPHÆRIO-
 PHAGUS, Kirby MSS.

949. 1, Sphæriæ*.
 Si. Sphæriæ. *Marsh. i. 122.*
 De. lunatus. *Fabr. E.* i. 317?—*Panz. F. lxxv. f. 14?*
 Ni. punctata. *Rossi F. i. 58?*

Genus 147. TRIPLAX, Paykul, Fabricius, Leach, Samou.

TRITOMA *p*, Latr.—IPS, Panzer.

950. 1; russica*. *Herbst C. v. 147. pl. 49. f. 12. m.*—(*Leach E. E.* ix. 115.)—(*Sam. I. 42.*)
 Si. russica. *Liun. ii. 570.*—*Marsh. i. 121.*
 Tr. nigripennis. *Fabr. E.* ii. 581.
 Ips nigripennis. *Panz. F. xxx. f. 7.*
 Si. nigripennis. *Turt. ii. 104.*

951. [2; castanea *.]
Si. castanea. *Marsh.* i. 122.
952. 3; ænea *. *Fabr. E.* ii. 582.
Cr. æneus. *Herbst C.* iv. 173. *pl. 42. f. 9. i.*
Si. ænea. *Turt. ii.* 104.
953. 4; bicolor *. *Gyll.* i. 206.—(*Sam. I.* 42.)
Si. bicolor. *Marsh.* i. 122.
954. 5, rufipes *. *Fabr. E.* ii. 582.—(*Sam. I.* 42.)
Ips rufipes. *Panz. F.* xiii. *f. 17.*
Si. collaris. *Act. Hall. (Schall.)* i. 256.
Si. rufipes. *Turt. ii.* 104.
955. 6, ruficollis. (*DeJean. C.* 129?)

Genus 148. TETRATOMA, *Herbst*, *Leach*, *Samou.*, *Curtis*.BOLETARIA *p*, *Marsh.*

956. 1; fungorum *. *Fabr. E.* ii. 574.—*Panz. F.* ix. *f. 10.*—(*Sam. I.* 40.)—(*Curtis l. c. infra.*)
Bo. bicolor. *Marsh.* i. 141.
Te. dermestoides. *Herbst C.* iv. 88.
De. collaris. *Quensel. Diss.* 8.
- 957 † 2, ancora *. *Fabr. E.* ii. 575.—*Curtis. iii. pl.* 123.
In Mus. *D. Beck, Bennett, Bentley, Curtis et Walker.*

Genus 149. ENGIS, *Latreille*, *Leach*, *Samou.*Ips *p*, *Herbst*.—EROTYLUS *p*, *Olivier*.—DACNE, *Latreille*.

958. 1; rufifrons *. *Fabr. E.* ii. 585.—(*Sam. I.* 16.)
Ips rufifrons. *Fabr. M.* i. 46.—*Panz. F.* xxxvi. *f. 19.*
Ni. rufifrons. *Marsh.* i. 136.
Si. rufifrons. *Stew.* ii. 37.—*Turt. ii.* 105.
En. humeralis b. *Payk. F.* i. 350.
β; Ni. rufa. *Marsh.* i. 136.
959. 2; humeralis *. *Fabr. E.* ii. 583.—*Leach E. E.* ix. 90.—*Samou.* 169.
De. scanicus. *Linn.* ii. 564.—*Panz. F.* iv. *f. 9.*—*Ent. Trans. (Haworth.)* i. 251.
Ni. scanica. *Ent. Trans. (Burrell.)* i. 137.
De. bipustulatus. *Act. Ups. (Thunb.)* iv. 4.
β; Si. flava. *Marsh.* i. 122.
En. humeralis β. *Gyll.* i. 203.
960. [3, angustata.] *Kirby MSS.*

Genus 150. IPS, *Herbst*, *Leach*, *Samou*.

LYCTUS p, *Kugellan*.—*ENGIS p*, *Samou*. I.—*MYCETARIA*, *Kirby MSS.*

A. Corpore elongato-cylindrico.

961. 1, ferruginea. *Fabr. E. ii. 580*.—*Leach E. E. ix. 90*.—(*Sam. I. 23.*)

De. ferrugineus. *Linn. ii. 564*.

En. ferrugineus. (*Sam. I. 16.*)

Ly. dermestoides. *Panz. F. viii. f. 15*.

B. Corpore depresso.

962. 2, quadriguttata. *Fabr. E. ii. 580*.—*Panz. F. iii. f. 18*.
Ips 4-maculatus. (*Sam. I. 23.*)

963. 3, quadripustulata *. *Fabr. E. ii. 579*.—(*Sam. I. 23.*)
Si. pustulata. *Linn. ii. 570*.—*Berk. S. i. 91*.—*Turt. ii. 104*.
Ni. 4-pustulata. *Oliv. E. ii. 8. pl. 3. f. 22. a, b*.—*Marsh. i. 130*.

964. 4, quadripunctata. *Herbst C. iv. 165. pl. 42. f. 2. b*.
Ni. 4-punctata. *Oliv. E. ii. 12. pl. 3. f. 19. a. b*.

Genus 151. NEMOSOMA, *Latr.*, *Leach*.

COLYDIUM p, *Herbst*.—*NEMOZOMA*, *Gyllenhal*.

- 965 † 1; elongatum *. *Latr. G. iii. 13. pl. 11. f. 4*.—(*Leach E. E. ix. 110.*)—(*Ing. Inst. 89.*)

De. elongatus. *Linn. ii. 561*.

Co. faseiatum. *Herbst C. viii. 81*.—*Panz. F. xxxi. f. 22*.

In *Mus. Brit.*

Genus 152. SYNCHITA, *Hellwig*.

LYCTUS p, *Fabr.*.—*MONOTOMA p*, *Herbst*.—*CERYLON p*, *Gyll.*

966. 1; Juglandis *. *Schneid. M. (Hellwig.) iv. 403*.

Ly. Juglandis. *Fabr. E. ii. 561*.—(*Kirby & Sp. I. E. ii. 231.*)

Mo. striata. *Herbst C. v. 23. pl. 46. f. 1. a*.

Genus 153. CERYLON, *Latr.*, *Leach*, *Samou*.

LYCTUS p, *Fabr.*.—*IPS p*, *Olivier*.—*SYNCHITA p*, *Hellwig*.—*CORTICARIA p*, *Marsh*.—*RHYZOPHIAGUS*, (*Sam. I.*)

967. 1; histeroides *. *Latr. G. iii. 14*.—(*Leach E. E. ix. 110.*)—(*Sam. I. 10.*)

Ly. hysteroides. *Panz. F. v. f. 16*.

Rh. histeroides. (*Sam. I. 36.*)

968. [2; pilicorne *.]

Co. pilicornis. *Marsh. i. 112*.

Genus 153 a. TRIBOLIUM, *MacLeay*:—*Vide Appendix*.

969. 3; picipes *.

Ips picipes. *Oliv. E.* ii. 18. *pl. 2. f. 12. a—d.*

Co. picipes. *Marsh. i.* 106.

Ly. minutus. *Turt. ii.* 483?

970. 4; ferrugineum* mihi.

971. 5; obsoletum.

Ly. obsoletus. *Spence MSS.*

β? Ni. Oryzæ. *Marsh. MSS.*

Genus 154. CICONES, *Curtis.*

972 † 1, Carpinii*. *Curtis. iv. pl. 149.*

In *Mus. D. Bainbridge et Beck.*

Genus 155. RHYZOPHAGUS, *Herbst.*

LYCTUS *p.*, *Fabr.*—TRITOMA *p.*, *Thunb.*—SYNCHITA *p.*, *Hellwig.*
—IPS *p.*, *Olivier.*—MONOTOMA, *Leach, Samou.*

973. 1; ferrugineus*.

Ly. ferrugineus. *Payk. F.* iii. 326.

Tr. stercorea. *Thunb. M. U.* iii. 39.

974. 2; cylindricus*.

Ly. cylindricus. *Panz. F.* xxxv. *f. 18.*

975. 3; rufus*.

Co. rufa. *Mus. Marsh.*

976. 4; dispar*.

Ly. dispar. *Payk. iii.* 328.

Ips elongata. *Oliv. E.* ii. 18. 8. *pl. 2. f. 15. a. b.*

Rh. bipunctatus. *Herbst C. v.* 19. *pl. 45. f. 9. 1.*

Mo. Juglandis. (*Leach E. E.* ix. 110.)—(*Sam. I.* 27.)

Co. taxicornis. *Marsh. i.* 106.—(*Sam. I.* 13.)

Si. taxicornis. *Turt. ii.* 103.

977. 5; bipustulatus. (*DeJean C.* 103.)

Ly. bipustulatus. *Fabr. E.* ii. 561.

Rh. clavicornis. *Herbst C. v.* 20. *pl. 45. f. 10. K.*

Rh. dispar c. *Gyll. iii.* 425.

978. 6, parvulus*.

Ly. parvulus. *Payk. F.* iii. 329.

Genus 156. MONOTOMA, *Herbst.*

LYCTUS *p.*, *Payk.*—LATRIDIUS *p.*, *Kugellan.*—CORTICARIA *p.*,
Marsh., Millard.—CERYLON *p.*, *Gyll.*

979. 1; picipes*.

Herbst C. v. 24. *pl. 46. f. 2.*

La. monotomus. *Schneid M. (Kugellan.) v.* 576.

Co. contracta. *Marsh. i.* 110.

980. 2; *angustata* *.
Co. *angustata*. *Marsh. MSS.*
981. 3, *pallida mihi*.

Genus 157. CRYPTA, Kirby MSS.

- NOTOXUS p*, Panzer.—*ANTHICUS p*, Fabr.—*CORTICARIA p*, Marsh.—*LATRIDIUS p*, DeJean.—*CERYLON p*, Samou. I.
982. 1; *bipunctata* *.
An. *bipunctatus*. *Fabr. E. i. 291. (!)*
No. *bipunctatus*. *Panz. F. xxvi. f. 9.*
Co. *bipunctata*. *Marsh. i. 108.*
Ce. *bipunctatum*. (*Sam. I. 11.*)

Genus 158. SILVANUS, Latreille, Leach, Samou.

- COLYDIUM p*, Payk.—*LYCTUS p*, Kugellan.—*IPS p*, Olivier.
A. *Thoracis lateribus multidentatis*.

983. 1; *Surinamensis* * ^a.

984. 2; *dentatus* * ^b.

B. *Thoracis lateribus unidentatis*.

985. 3, *unidentatus* *. *Latr. G. iii. 20. pl. 11. f. 2.*—(Leach E. E. ix. 111.)
De. *unidentatus*. *Fabr. E. i. 317.*
Co. *planum*. *Herbst C. vii. 285. pl. 113. f. 3.*

Genus 159. BITOMA, Herbst.

- LYCTUS p*, Fabr.—*IPS p*, Olivier.—*MONOTOMA p*, Panz.—*SYNCHITA p*, Hellwig.—*DITOMA*, Latr., Leach, (Kirby.).

986. 1, *crenata* *. *Herbst C. v. 30.*
Mo. *crenata*. *Panz. F. i. f. 24.*
Ly. *crenatus*. *Ent. Trans. (Haworth.) i. 339.*
Di. *crenata*. *Leach E. E. ix. 110.*

Genus 160. CORTICARIA, Marsh, Millard.

LATRIDIUS p, Herbst.

987. 1; *pubescens* *.
La. *pubescens*. *Illiger.—Gyll. iv. 123.*

^a 983. 1; *Surinamensis* *.
De. *Surinamensis*. *Linn. ii. 565.*
Ips frumentaria. *Oliv. E. ii. 10. pl. 2. f. 13. a. d.*
Cor. *frumentaria*. *Marsh. i. 107. (!)*
Si. *frumentarius*. (*Samou. 208 (!)*)
De. *sexdentatus*. *Panz. F. xiv. f. 11.—Stew. ii. 32 (!).*

^b 984. 2; *dentatus* *.
Cor. *dentata*. *Marsh. i. 108 (!)*

- De. fenestralis. *Payk. F.* i. 197.
 De. longicornis. *Herbst A.* iv. 23. *pl. 20. f. 8.*
 Co. punctulata. *Marsh. i.* 109.
 La. serratus. *Latr. G.* iii. 18?
 $\beta?$ Co. testacea. *Kirby MSS.*
988. 2; crenulata*.
 La. crenulatus. *Schüppel.—Gyll.* iv. 125.
989. 3; denticulata*.
 La. denticulatus. *Schüppel.—Gyll.* iv. 126.
990. 4; longicornis*.
 La. longicornis. *Herbst C. v. 4. pl. 44. f. 1.*
 La. ruficornis. *Schneid. Mag. (Kugellan.) v.* 574.
991. 5; linearis*.
 De. linearis. *Payk. F.* i. 302.
992. 6; ferruginea*. *Marsh. i.* 121.
 De. fenestralis. *Linn. ii.* 565?
993. 7, elongatus.
 Co. immunis. *Kirby MSS.?*
994. 8; gibbosa*.
 La. gibbosus. *Herbst C. v. 5. pl. 44. f. 2.*
 De. minutus. *Fabr. E.* i. 319.
 Co. impressa. *Marsh. i.* 110.
 La. impressus. (*Sam. I.* 24.)
995. 9; transversalis*.
 La. transversalis. *Schiüppel.—Gyll.* iv. 133.
 Co. suleicollis. *Kirby MSS.*
996. 10, pallida. *Marsh. i.* 112.
 La. fusculus. *Megerle.—Gyll.* iv. 133?
 La. angulatus. *Gyll. (olim.)*
997. 11, similata*.
 La. similatus. *Schüppel.—Gyll.* iv. 134.

Genus 161. LATRIDIUS, *Herbst, Leach, Samou., Millard.*

TENEBRIOP p, *DeGeer.*—IPS p, *Oliv.*—CORTICARIA p, *Marsh.*—RISSA, *Kirby MSS.*

998. 1; quadratus*. *Herbst C. v. 8. pl. 44. f. 6. F.*
 Te. lardarius. *DeGeer. v. 45. pl. 2. f. 25–31.*
 Co. nigricollis. *Marsh. i.* 113.
 La. nigricollis. (*Sam. I.* 24.)
 La. nigricollis. (*Sam. I.* 24?)
 De. acuminatus. *Payk. F.* i. 299.
 Ri. acuta. *Kirby MSS.*

999. 2; porcatus*. *Herbst. C. v. pl. 41. f. 4. d.*—(Leach E. E. ix. 111.)—(Sam. I. 24.)
 Co. pulla. *Marsh. i. 111.*
 De. marginatus. *Payk. F. i. 300.*
 La. minutus. *Latr. G. iii. 18.*
 Ips minuta. *Oliv. E. ii. 18. pl. 3. f. 22. a, b.*
 Te. minuta. *Linn. ii. 675?*
1000. 3; ferrugineus*. *Kirby MSS.*
 β; Ri. testacea. *Kirby MSS.*
 γ; Ri. flava. *Kirby MSS.*
1001. 4; hirsutulus*.
 Co. hirsutulus. *Marsh. MSS.*
 La. hirtus. *Gyll. iv. 139?*
1002. 5; transversus*. (Sam. I. 24.)
 Ips transversus. *Oliv. E. ii. 14. pl. 3. f. 20. a, b.*
 Co. transversa. *Marsh. i. 109.*
 La. transversalis. (DeJean C. 102.)
 La. sculptilis. *Gyll. iv. 141.*
 La. asperatus. (Megerle.)
1003. [6; crassicornis*.]
 Ri. crassicornis. *Kirby MSS.*
1004. 7; ruficollis*. (Sam. I. 24.)
 Co. ruficollis. *Marsh. i. 111.*
 La. constrictus. *Gyll. iv. 139.*
1005. 8; angustatus* mihi.
 La. filiformis. *Gyll. iv. 143?*

Genus 162. LYCTUS, *Fabr.*, Leach, Samou.

Ips p, Olivier. *BITOMA p*, Herbst.—*CORTICARIA p*, Marsh.—*SYNCHITA p*, Hellwig.

1006. 1; oblongus*. *Latr. G. iii. 116.*—(Leach E. E. ix. 111.)—(Sam. I. 26.)
 Ips oblonga. *Oliv. E. ii. 18. 7. pl. 1. f. 5. a. b.*
 Co. oblongus. *Marsh. i. 111.*—(Sam. I. 13.)
 Ly. canaliculatus. *Fabr. E. ii. 562.*
 Bi. unipunctata. *Herbst C. v. 26. pl. 46. f. 3, c.*
 Si. fusca. *Linn. ii. 573?*
 De. linearis. *Thunb. A. U. iv. 4.*
1007. [2; pusillus*.] *Kirby MSS.*
 Ly. pubescens. *Panz. F. vi. f. 7?*

Genus 163. —

1008. 1; parasiticus* mihi.

Familia XXI. DERMESTIDÆ, Leach.

(DERMESTINI, Latreille.—DERMESTIDÆ p, Gyllenhal.)
(DERMESTES, Linné, &c.)

Genus 164. THROSCUS, Latreille, Leach, Samou., Curtis.

ELATER p, Linné.—TRIXAGUS p, Kugellan.—CISTELAP, Millard.

1009. 1; dermestoides*. Leach E. E. ix. 94.—Samou. 183.—
(Curtis l. c. infra.)

El. dermestoides. Linn. ii. 656.

De. adstrictor. Payk. F. i. 284.—Panz. F. lxxv. f. 15.

El. clavicornis. Oliv. E. ii. 54. pl. 8. f. 85. a, b.

1010. 2; obtusus*. Westwood MSS.—(Ing. Inst. 89.)—Curtis. iv.
pl. 163.

Genus 165. MEGATOMA, Herbst, Leach.

ATTAGENUS p, Samou.

1011. 1; Serra*. Latr. G. ii. 35. pl. 8. f. 10.

De. Serra. Fabr. E. i. 319.—Marsh. i. 63.

At. Viennensis. Herbst C. vii. 336. pl. 115. f. 10. K?

At. Serra. (Sam. I. 5.)

Genus 166. ATTAGENUS, Latreille.

MEGATOMA p, Herbst, Leach, Samou.

1012. 1; undatus*. Latr. H. ix. 143. pl. 78. f. 7.

De. undatus. Linn. ii. 562.—Panz. F. lxxv. f. 13.—Marsh.
i. 62.—Turt. ii. 79.

Me. undatus. Leach E. E. ix. 84.—Samou. 182.

♂; Me. undulata. Herbst C. iv. 96. pl. 39. f. 4. a, b.

1013 † 2; trifasciatus*. Leach E. E. ix. 94.

De. trifasciatus. Fabr. E. i. 313.—Oliv. E. ii. 13. pl. 1. f. 7.
a, b. In Mus. Brit. et D. Haworth.

1014. 3; pellio*. Leach E. E. ix. 94.—Samou. 182.

De. pellio. Linn. ii. 562.—Berk. S. i. 89.—Don. vii. pl. 231.
f. 3.—Stew. ii. 31.—Marsh. i. 63.—Turt. ii. 79.—Shaw
G. Z. vi. 32. pl. 7.—(Kirby & Sp. I. E. i. 231.)

De. bipunctatus. DeGeer. iv. 197.

♂; Me. atra. Herbst C. iv. 95. pl. 39. f. 2. a, b.

Me. Schrankii. Schneid. M. (Kugellan.) i. 480.

De. cylindricornis. Naturf. (Schrank.) xxiv. 65.

Genus 167. DERMESTES Auctorum. Leather-eater.

1015. 1; lardarius*. Linn. ii. 561.—Barb. G. pl. 3. f. 1.—Berk.
S. i. 89.—Stew. ii. 31.—Marsh. i. 69.—Turt. ii. 78.—Shaw G. Z.
vi. 31. pl. 7.—Bingley iii. 122.—Leach E. E. ix. 94.—Samou. 181.

1016. 2; murinus*. *Linn.* ii. 563.—*Marsh.* i. 61.—*Turt.* ii. 80.
Shaw. *G. Z.* vi. pl. 7.—*Don.* xv. pl. 515.—(*Leach E. E.* ix. 94.)—
Samou. 49. pl. 1. f. 4.
 De. *Catta.* *Herbst C.* iv. 123. pl. 40. f. 4.—*Panz. F.* xl. f. 11.
 De. *nebulosus.* *DeGeer.* iv. 197.
1017. 3, liniarius? *Illig. M.* i. 85.
 De. *ater.* *Oliv. E.* ii. 9. pl. 2. f. 12. a, b?
 De. *macellarius.* *Herbst C.* iv. 126. pl. 40. f. 7. e, E.
1018. 4; vulpinus^a.
 1019. 5, tessellatus. *Fabr. E.* i. 315.—*Turt.* ii. 80.—*Leach. E.*
E. ix. 94.)—(*Sam. I.* 15.)
 De. *murinus.* *Oliv. E.* ii. 8. pl. 1. f. 3. a, b.
 De. *vulpecula.* *Illig. K.* i. 313, *nota.*

SECTIO II.

PENTAMERA et HETEROMERA p, *Latreille*.—CHILOGNATHO-
 MORPHIA, *MacLeay*.

Subsectio 1.

(CLAVICORNES p, *Latreille*.)

Familia XXII. BYRRHIDÆ Leach.

(BYRRHII p, *Latreille*.—DERMESTIDÆ p, *Gyllenhal*.)
 (BYRRHUS, *Linné*, &c.)

Genus 168. ANTHRENUS, *Geoffroy*, *Leach*, *Samou.*, (*Kirby*.)

1020. 1; Verbasci*. *Oliv. E.* ii. 7. pl. 1. f. 2. a—d.
 By. *Verbasci.* *Linn.* ii. 563.—*Berk. S.* i. 91.—*Stew.* ii. 37.—
Marsh. i. 101.—*Turt.* ii. 98.—(*Sam. I.* 3.)
 An. varius a. *Illig. K.* i. 399.—*Panz. F.* c. f. 3.
 An. tricolor. *Herbst C.* vii. 333. pl. 115. f. 8. H.
 An. *Scrophulariae.* (*Samou.* pl. 2. f. 4.)
1021. 2; varius*. (*Fabr. E.* i. 108.)
1022. 3; Museorum*. *Fabr. E.* S. i. 61.—*Turt.* ii. 98.—*Shaw*
G. Z. vi. 48. pl. 13.—(*Sam. I.* 3.)—(*Kirby & Sp. I.* E. ii. 226.
Id. iii. 177.)
 By. *Museorum.* *Linn.* ii. 568.

^a 1018. 4; vulpinus*. *Fabr. E.* S. i. 229.—(*Leach E. E.* ix. 94.)
 De. *maculatus.* *DeGeer.* iv. 223.
 De. *murinus.* *Panz. F.* xl. f. 10.
 De. *marginatus.* *Ins. Succ.* (*Thunb.*) 7. f. 6.
 De. *Frishii.* *Schneid. M.* (*Kugel.*) i. 478.
 De. *cadaverinus.* *Rossi M.* i. 33.
 De. *tessellatus.* *Marsh.* i. 61 (!).

An. varius b—e. *Illig.* K. i. 399.

An. Verbasci. *Panz.* F. c. f. 2.

An. nebulosus. *Forst.* C. i. 10?

1023. 4; Scrophulariæ*. *Fabr.* E. i. 104.—*Turt.* ii. 98.—*Shaw G. Z.* vi. 47. pl. 13.—*Sturm D. F.* ii. 123. pl. xxxvi.—*Leach E. E.* ix. 94.—*Samou.* 182.

By. Scrophulariæ. *Linn.* ii. 568.—*Berk. S.* i. 91.—*Stew.* ii. 36.

De. variegatus. *Scop. C.* 41.

1024. 5; Pimpinellæ*. *Fabr. S. E.* i. 61.—*Panz. F. c. f.* 1.

By. Pimpinellæ. *Marsh.* i. 101.

An. Scrophulariæ. *Fourc.* i. 27.

Genus 169. TRINODES, (*Megerle.*)

ANTHIRENUS p, *Fabr.*—**NITIDULA p**, *Gmel.*

1025. 1, hirtus. (*DeJean C.* 47.)

An. hirtus. *Fabr. E.* i. 103.—*Panz. F. xi. f.* 16.

β, An. pubescens. *Fabr. E.* i. 108?

An. pilosus. *Herbst A.* 39. pl. 21. f. G. g.

By. rufipes. *Schneid. M. (Kugell.)* i. 485.

Genus 170. ASPIDIPHORUS, (*Ziegler.*)

NITIDULA p, *Gyll.*—**ARPIDIPHORUS**, (*DeJean.*)

1026 † 1. orbiculatus. (*DeJean C.* 47.)—(*Ing. Inst.* 87.)

Ni. orbiculatus. *Gyll.* i. 242.

As. viennensis. *Ziegler.* In Mus. D. Spence.

Genus 171. NOSODENDRON, *Latreille*, *Leach.*

1027. 1, fasciculare. *Latr. G.* ii. 44.—(*Leach E. E.* ix. 95.)—(*Ing. Inst.* 89.)

Sp. fasciculare. *Fabr. E.* S. i. 81.

By. fascicularis. *Panz. F.* xxiv. f. 2.

1028 † 2, setigerum. (*Ing. Inst.* 89.)

By. setiger. *Illig.* K. i. 95.—*Sturm D. F.* ii. 116. pl. xxxv. f. d, D. In Mus. Brit.

Genus 172. BYRRHUS *Auctorum.* Pill-Beetle.

CISTELA, *Forst.*, *Marsh.*, *Millard.*

1029. 1; pilula*. *Linn.* ii. 568.—*Stew.* ii. 36.—*Panz. F.* iv. f. 3.

—*Turt.* ii. 97.—*Shaw G. Z.* vi. 48. pl. 13.—(*Leach E. E.* ix. 94.)

—*Samou.* 50. pl. 2. f. 3.—*Wood.* i. 22. pl. 7.—(*Curtis l. c. infra.*)

Ci. pilula. *Marsh.* i. 102.

Ci. viridescens. *Fourc.* i. 28.

β; Ci. striata. *Forst.* C. i. 15.—*Marsh.* i. 103.

By. ater. *Illig.* K. i. 91.—*Panz. F.* xxxii. f. 2.

γ; Ci. ferruginea. *Marsh.* i. 104.

δ ; Ci. concolor. Kirby MSS.

ε , By. albopunctatus. Fabr. E. i. 103?

1030. [2; Dennii.] Kirby MSS.—Curtis. iii. pl. 135.
Ci. elegans mihi (olim.)

1031. 3; fasciatus*. Fabr: E. S. i. 85.—(Sam. I. 8.)—(Curtis l. c. supra.)

By. pilula δ . Payk. F. i. 75.

Ci. fasciata. Forst. C. i. 12.—Ent. Trans. (Burrell.) i. 127.

Ci. undulata. Marsh. i. 103.

β ; By. Dianaæ. Fabr. E. i. 103.

By. ornatus. Panz. F. xxiv. f. 1.

By. cinctus. Illig. K. i. 91.—(Ing. Inst. 87.)

γ ; Ci. similis. Kirby MSS.

Ci. annulus. Marsh. MSS.

1032. 4, oblongus*. Sturm D. F. ii. 97. pl. xxxiv. f. a. A.—
(Curtis l. c. supra.)

Ci. ater. Mus. Marsham.

By. ater. (Curtis l. c. supra.)

1033. 5; dorsalis*. Fabr. E. i. 85.—(Sam. I. 8.)—(Curtis l. c. supra.)

Ci. dorsalis. Marsh. i. 104.

By. fasciatus. Illig. K. i. 92.—Panz. F. xxxii. f. 1.

By. pilula ε . Payk. F. i. 75.

β ; By. ater. Fabr. E. S. i. 85?

By. Morio. Illig. K. i. 93.—Panz. F. xxxvii. f. 15.

Ci. nigra. Forst. C. i. 14?

By. bimaculata. Kirby MSS.

1034. 6; sericeus*.

Ci. sericea. Forst. C. i. 16.—Marsh. i. 104.

De. pilula. DeGeer. iv. 213. pl. 7. f. 23, 26.

By varius. Fabr. E. S. i. 85.—Stew. ii. 36.—Panz. F. xxxii.
f. 3.—Turt. ii. 97.—(Sam. I. 8.)—(Curtis l. c. supra.)

β ; Ci. bicolor. Marsh. i. 105.

γ ; Ci. stoica. Müll. Z. D. pr. 58.

1035. 7; fuscus. (Curtis l. c. supra.)

Ci. fusca. Marsh. i. 105.

By. varius β , Gyll. i. 197.

1036. 8; murinus. Fabr. E. i. 104.—Panz. F. xxv. f. 1.—(Sam. I. 8.)—(Curtis l. c. supra.)

By. undulatus. Panz. F. xxxvii. f. 14.

By. rubidus. Schneid. M. (Kugell.) i. 484

Ci. bilineata. Marsh. MSS.

Genus 173. SIMPLOCARIA, *Marsh. MSS.*

CISTELA p., Marsh.

1037. 1; *semistriata* *.

By. *semistriatus*. *Illig. K. i.* 97.—*Panz. F. xxv. f. 2.*—(*Sam. I. 8.*)

Ci. picipes. Marsh. i. 105.

β; *Ci. picea. Marsh. i.* 106.

By. *rufipes. Schneid. M. (Kugell.) i.* 485.

By. *minutus. Thunb. Ins. S.* 68?

1038. 2, *picipes* *?

By. *picipes. Oliv. E. ii.* 89. *pl. 2. f. 9. a. b.*

Genus 174. —————

CHÆTOPHORA^a, (*Kirby.*)—*CISTELA p., Marsh.*—*GEORYSSUS* **,
Leach.

1039. 1, *maritimus.*

Ci. maritima. Marsh. i. 105.

1040. 2, *arenarius.*

By. *arenarius. Sturm D. F. ii.* 117. *pl. xxxv. f. e. E.*

Ci. cretaria. Marsh. MSS.

Ge. *arenifera. Kirby MSS.*—(*Kirby & Sp. I. E. ii.* 258.)

1041. 3; *cretiferus.*

Ch. *cretifera. Mus. Marsham.*

Familia XXIII. HISTERIDÆ, *Leach.*

(*BYRRHII p., Latreille.*—*HISTEROIDES, Gyll.*)

(*HISTER, Linné, &c.*)

Genus 175. ABRÆUS, *Leach, Samou.*

1042. 1, *globosus. (Leach Z. M. iii. 79.)*

Hi. globosus. Ent. Hefte. i. 100. *pl. 2. f. 1.*

Hi. minimus. Rossi F. i. 30.

Hi. perpusillus. Marsh. i. 99.

Ab. perpusillus. (Sam. I. 1.)

1043. 2; *minutus* *. (*Leach Z. M. iii. 79.*)

Hi. minutus. Fabr. E. i. 90.—*Herbst C. iv.* 41. *pl. 36. f. iv. a, b.*

Hi. minimus. Marsh. i. 99.

Hi. nigricornis. Ent. Hefte. i. 127.

Hi. atomos. Rossi M. i. 15.

Hi. atomarius. Schneid. M. (Kugell.) i. 305.

Hi. laevigatus. Kirby MSS.

^a CHÆTOPHORA: Genus Fungorum. Vide *Greville's Cryptog. of Scotland.*

- Genus 176. ONTHOPHILUS, *Leach*, *Samou.*, (*Kirby.*)
1044. 1; striatus *. (*Leach Z. M.* iii. 79.)—(*Sam. I.* 32.)
 Hi. striatus. *Forst. C.* i. 11.—*Fabr. E.* i. 90.—*Stew. ii.* 35.
 —*Marsh. i.* 97.
 Hi. sulcatus. *Oliv. E.* i. 17. *pl. 1. f. 6.*—*Turt. ii.* 94.
1045. 2, sulcatus. (*Leach Z. M.* iii. 79.)—(*Sam. I.* 32.)
 Hi. sulcatus. *Fabr. E.* i. 89.—*Panz. F.* lxxx. *f. 5.*—*Ent. Trans. (Burrell.)* i. 124.
 Hi. globulosus. *Oliv. E.* i. 16. *pl. 2. f. 15. a, b.*
 Hi. striatus var. major. *Herbst C.* iv. 38. *pl. 36. f. 1. a, b.*
- Genus 177. HISTER *Auctorum.* *Mimic-Beetle.*
- ATTELABUS *p.*, *Geoffroy.*
- A. “Elytris striatis; striis externis integris.” *Leach.*
- a. “Thorace lateribus longitudinaliter bistriatis.” *Leach.*
1. “Elytris striâ marginali.” *Leach.*
1046. 1, Marshami *mihi.*
1047. 2, merdarius *. *Ent. Hefte.* i. 39. *pl. 1. f. 3.*—(*Ing. Inst.* 88.)
1048. 3; unicolor *. *Linn. ii.* 567.—*Barb. G.* 24. *pl. 3. f. 5?*—*Berk. S.* i. 90?—*Stew. ii.* 35—*Ent. Hefte.* i. *pl. 1. f. 1.*—*Turt. ii.* 94.—*Shaw G. Z.* vi. 38. *pl. 10.*—(*Leach Z. M.* iii. 78.)—(*Sam. I.* 22.)—*Wood. i.* 15. *pl. 5.*
 Hi. inæqualis. *Marsh. i.* 93.
 Hi. ater. *DeGeer. iv.* 342. *pl. 12. f. 12.*
- β, Hi. undulatus. *Kirby MSS.*
1049. 4; cadaverinus *. *Ent. Hefte.* i. 34. *pl. 1. f. 2.*—(*Leach Z. M.* iii. 78.)—(*Sam. I.* 22.)
 Hi. unicolor. *Marsh. i.* 92.
 Hi. duplicatus. *Kirby MSS.*
 β, Hi. brunneus. *Fabr. E.* i. 86.
1050. 5, quadrimaculatus. *Linn. ii.* 567.—*Turt. ii.* 95. (!)—*Shaw G. Z.* vi. 38. (!)
 Hi. sinuatus. *Herbst C.* iv. 43.
 Hi. reniformis. *Oliv. E.* i. 10. *pl. 1. f. 5. a.*
 Hi. 4-notatus. *Scriba. I.* i. 72.
 Hi. lunatus. *Fabr. E.* i. 86?
 2. “Elytris striâ marginali nullâ.” *Leach.*
1051. 6; sinuatus *. *Illig. K.* i. 57.—*Panz. F.* lxxx. *f. 1.*—(*Leach Z. M.* iii. 78.)—(*Sam. I.* 22.)
 Hi. 4-maculatus. *Marsh. i.* 94.—*Don. xv.* *pl. 525.*
1052. 7, quadrinotatus. *Illig. K.* i. 58.—(*Leach Z. M.* iii. 78.)—(*Sam. I.* 22.)
 Hi. 4-maculatus. *DeGeer. iv.* 344.—*Panz. F.* lxxx. *f. 2.*

b. *Thorace lateribus unistriatis.*

1. " *Elytris striâ marginali nullâ.*" *Leach.*

1053. 8; duodecimstriatus*. *Payk. F. i. 39.—Marsh. i. 96.—Ent. Hefte. i. 58. pl. 1. f. 6, a.—Leach Z. M. iii. 78.—(Sam. I. 22.)*
Hi. bis-sexstriatus. *Fabr. E. i. 84.*

β, Hi. picatus. *Kirby MSS.*

1054. 9; bimaculatus*. *Linn. ii. 567.—Berk. S. i. 90.—Stew. ii. 35.—Marsh. i. 93.—Turt. ii. 95.—Payk. M. H. 34. pl. 3. f. 6.—(Leach E. E. ix. 78.)—(Sam. I. 22.)*
Hi. erythropterus. *Fabr. E. i. 88.*
Hi. apicatus. *Schran. ii. 452.*

1055. 10; parvus*. *Marsh. i. 93.—(Leach Z. M. iii. 78.)—(Sam. I. 22.)*
Hi. bis-sexstriatus, a. *Payk. M. H. 32. pl. 3. f. 3.*

2. " *Elytris striâ marginali.*" *Leach.*

1056. 11; stercorarius*. *Ent. Hefte. i. 57. pl. i. f. 5.—(Leach Z. M. iii. 79.)—(Sam. I. 22.)*
Hi. obscurus. *Panz. E. F. 20?*

1057. 12; neglectus*. *Megerle.—(Leach Z. M. iii. 79.)—(Sam. I. 22.)*

1058. 13; Leachii* *mihi.*

1059. 14; carbonarius*. *Ent. Hefte. i. 54. pl. 1. f. 4.—(Leach Z. M. iii. 79.)—(Sam. I. 22.)*
Hi. 12-striatus. *Fabr. E. i. 85.*

1060. 15; quisquilius* *mihi.*

1061. 16; purpurascens*. *Fabr. E. i. 87.—(Leach Z. M. iii. 79.)—(Sam. I. 22.)—Payk. M. H. 38. pl. 3. f. 7.*
Hi. bimaculatus. *Schra. A. 39.*

Hi. bipustulatus. *Marsh. i. 94.*

β, Hi. brunneus. *Marsh. i. 97.*

1062. 17; Kirbii* *mihi.*

1063. 18; castanipes*. *Kirby MSS.*

1064. 19; Nigrita* *mihi.*

1065. 20, caliginosus* *mihi*

B. " *Elytris striatis: striis externis abbreviatis.*" *Leach.*

1066. 21; nitidulus*. *Fabr. E. i. 85.—Payk. M. H. 58. pl. 5. f. 3.—(Leach Z. M. iii. 79.)—Samou. 184. pl. 2. f. 1.*

Hi. semipunctatus. *Payk. F. i. 45.—Marsh. i. 95.—Samou. 49.*

Hi. semistriatus. *Herbst C. iv. 30. pl. 35. f. 6.*

Hi. acuminatus var. *Fabr. E. i. 86.*

Hi. æneus. *Rossi F. i. 29.*

Hi. unicolor. *Scop. C. 30.*

1067. 22; pulcherrimus*. *Weber Obs.* 37.—(*Schon.* S. i. 97.)
 Hi. speculifer. *Latr. G.* ii. 48.—*Payk. M. H.* 71. pl. 6. f. 4.
 —(*Leach Z. M.* iii. 79.)—(*Sam. I.* 22.)
 Hi. personatus. *Illig. M.* vi. 39.
1068. 23, maritimus. *Kirby MSS.*
1069. 24, variabilis. *Leach MSS.*
 Hi. rugosus *mihi*.
 Hi. immundus. *Schuppel?*—*Gyll.* iv. 266?
1070. 25, quadristriatus. *Payk. F.* i. 45.—*Ent. Hefte.* i. 85. pl. 1. f. 9.
1071. 26; æneus*. *Fabr. E.* i. 88.—*Stew.* ii. 35.—*Panz. F.* xciii. f. 2.—*Marsh. i.* 95.—*Turt. ii.* 95.—(*Leach Z. M.* iii. 79.)—(*Sam. I.* 22.)
 At. æneus. *Fourc.* i. 68.
1072. 27, metallicus. *Fabr. E.* i. 89.—*Payk. M. H.* 67. pl. 6. f. 3.
 Hi. rugifrons. *Payk. F.* i. 47.
1073. 28; smaragdulus* *mihi*.
1074. 29, violaceus. *Marsh. i.* 96.
1075. 30; virescens*. *Payk. F.* i. 48.—*Marsh. i.* 96.—(*Leach Z. M.* iii. 79.)—(*Sam. I.* 22.)—*Payk. M. H.* 69. pl. 6. f. 7.

Genus 178. DENDROPHILUS, *Leach, Samou., Curtis.*

PLATYSOMA *p.*, *Leach, Samou.*

A. Elytris striatis: corpore subgloboso.

- 1076 † 1, Sheppardi. *Curtis.* iii. pl. 131.
 Hi. Sheppardi. *Kirby MSS.* In Mus. *D. Kirby.*

B. Elytris striis nonnullis externis.

1077. 2; rotundatus*.
 Ili. rotundatus. *Fabr. E.* i. 90.—*Ent. Hefte.* i. 87. pl. i. f. 11.
 Hi. piceus. *Marsh. i.* 97.
 Hi. pygmæus. *DeGeer.* iv. 344.
 Hi. punctatus. *Payk. F.* i. 49.
 Hi. nanus. *Herbst C.* iv. 56.
1078. 3; punctatus*. (*Sam. I.* 14.)—(*Curtis l. c. supra.*)
 Hi. punctatus. *Illig. K.* i. 60.—*Ent. Hefte.* i. 92. pl. 1. f. 12.
 Hi. pygmæus. *Fabr. E.* i. 89?
 Hi. corticalis. *Payk. F.* i. 50.
 Hi. abbreviatus. *Rossi F.* i. 30.
1079. [4, seminulum.] *Kirby MSS.*—(*Curtis l. c. supra.*)—(*Ing. Inst.* 88.)
 Hi. pygmæus. *Fabr. E.* i. 89?
 Dr. *Curtisi.* *Leach MSS.*—(*Curtis l. c. supra.*)

C. Elytris striis nullis: corpore sublineare.

1080. 5, flavigornis. (*Curtis l. c. supra.*)
 Hi. flavigornis. *Herbst C. iv. 40. pl. 36. f. 2. a, b.*
 Pl. flavigornis. (*Sam. I. 34.*)
 Hi. parvulus. *Rossi M. i. 14.*
 Hi. picipes. *Payk. F. i. 52.*
 Hi. minutus. *Panz. F. xciii. f. 3.*
1081. 6, picipes. (*Curtis l. c. supra.*)
 Hi. picipes. *Fabr. E. i. 92.*
 Pl. picipes. (*Sam. I. 34.*)
 Hi. pusillus. *Schneid. M. (Kugell.) i. 305.*
 Hi. parallelipipedus. *Herbst C. iv. 37. pl. 35. f. ii. a, b. L.*
 Hi. pygmæus. *Linn. ii. 567?—Marsh. i. 98.*
- 1082 † 7, Milleri. *Leach MSS.—(Curtis l. c. supra.) In Mus. Brit.*
- Genus 179. PLATYSOMA, *Leach, Samou.*
 HOLOLEPTA *p, DeJean.*
1083. 1; depresso*. (*Sam. I. 34.*)
 Hi. depresso. *Fabr. E. S. i. 10.—Panz. F. lxxx. f. 6.—*
Marsh. i. 98.—(Sam. I. 22.)
 Hi. compressus. *Herbst A. 20.*
- 1084 † 2, oblongus. (*Sam. I. 34.*)
 Hi. oblongus. *Fabr. E. S. i. 13.—Panz. F. xciii. f. 5.*
 Hi. elongatus. *Oliv. E. i. 16. pl. 2. f. 14. a, b. In Mus. Brit.*

Subsectio 2. LAMELLICORNES, *Latreille.*(PETALOCERA, *Dumeril.*)Familia XXIV. LUCANIDÆ, *Leach.*(LUCANIDES, *Latreille.*—LUCANOIDES, *Gyll.*)(LUCANUS, *Linné, &c.*)Genus 180. PLATYCERUS, *Geoffroy, Leach.*

1085. 1, caraboides. *Fourc. i. 3.—(Leach E. E. ix. 100.)*
 Lu. caraboides. *Linn. ii. 561.—Mart. C. pl. 5. f. 5.—Berk.*
S. i. 89.—Stew. ii. 31.—Marsh. i. 50.—Turt. ii. 77.
 Lu. Caprea. *DeGeer. iv. 334. pl. 12. f. 11.*

Genus 181. DORCUS, *MacLeay.*PLATYCERUS *p, Latr.*

1086. 1; parallelipipedus*. *MacLeay H. E. i. 111.*
 Lu. parallelipipedus. *Linn. ii. 561.—Barb. G. 16. pl. 2. f. 3.*
Mart. C. pl. 5. f. 3, 4.—Berk. S. i. 88.—Don. viii. pl. 264.
f. 1.—Stew. ii. 31.—Marsh. i. 48.—Turt. ii. 77.—(Sam.
I. 26.)—(Kirby & Sp. I. E. ii. 227.)

- Lu. infractus.* *Bergs.* N. i. 8. *pl.* 8. *f.* 2.
 ♀; *Lu. Capra.* *Panz.* F. lviii. *f.* 12.
Lu. bipunctatus. *Schra.* B. i. 376.
Lu. Dama. *Müll.* Z. D. pr. 52.
Do. tuberculatus. *MacLeay H. E.* i. 112.

Genus 182. LUCANUS *Auctorum.* *Stag-beetle.* *Pinch-bob.*

PLATYCECUS *p.*, *Geoffroy.*

1087. 1; *Cervus**. *Linn.* ii. 559.—*Barb.* G. 15. *pl.* 2.—*Mart. C.* *pl.* 5. *f.* 1. ♂, *f.* 2. ♀.—*Berk.* S. i. 88.—*Don.* i. *pl.* 13.—*Stew.* ii. 30.—*Marsh.* i. 46.—*Turt.* ii. 76.—*Shaw G. Z.* vi. 27. *pl.* 6.—*Bingley.* iii. 120.—*Ent. Trans. (Haworth.)* i. 78.—(*Leach E. E.* ix. 100.)—(*Samou.* 48 & 192. *pl.* 1. *f.* 3.)—(*Kirby & Sp. I. E.* iii. 33. et 314.)
 β; *Lu. dorcas.* *Panz.* F. lviii. *f.* 11.—*Ent. Trans. (Haworth.)* i. 77.
Lu. hircus. *Herbst C.* iii. 299. *pl.* 33. *f.* 4, 5.
Lu. Capreolus. *Fabr. E.* ii. 249.—*Mill. B. E.* 153. *pl.* 2. *f.* 4.
Lu. Capra. *Oliv. E.* i. 11. *pl.* 1. *f. e.* *pl.* 2. *f.* 1. *g.*
 γ; *Lu. grandis.* *Ent. Trans. (Haworth.)* i. 77.
 ♀; *Lu. inermis.* *Marsh.* i. 48.—*Don.* xii. 13. *pl.* 400.

Genus 183. SINODENDRON, *Fabricius*, *Leach*, *Samou.*, *Millard.*
 SCARABÆUS *p.*, *Linné.*

1088. 1; *cylindricum**. *Fabr. E. S.* i, b. 358.—*Don.* xi. *pl.* 368.—*Turt.* ii. 89.—*Leach E. E.* ix. 98.—*Samou.* 190.
Sc. cylindricus. *Linn.* ii. 544.—*Mart. C.* *pl.* 3. *f.* 20, 21.
Lu. cylindricus. *Laich. Ty.* i. 3.—*Marsh.* i. 50.
Lu. Tenebroides. *Scop. C.* 5.

Familia XXV. SCARABÆIDÆ, *MacLeay.*
 (COPROPHAGI *p.*, *Latreille.*—SCARABÆIDES *p.*, *Gyll.*)
 (SCARABÆUS *p.*, *Linné*, &c.)

Genus 184. COPRIS, *Geoffroy*, *Leach*, *Samou.*, (*Kirby.*)

1089. 1; *lunaris**. *Fabr. E.* i. 36.—(*Leach E. E.* ix. 96.)—(*Sam. I.* 12.)—(*Kirby & Sp. I. E.* ii. 240.)
Sc. lunaris. *Linn.* ii. 543.—*Mart. C.* *pl.* 2. *f.* 15, 16.—*Berk. S.* i. 86.—*Don.* v. *pl.* 154. *f.* 4.—*Stew.* ii. 23.—*Marsh.* i. 31.—*Turt.* ii. 21.—*Wood.* i. 5. *pl.* 1.
Sc. 4-dentatus. *De Geer.* vii. 638.
 ♀, *Sc. emarginatus.* *Fabr. E. S.* i. 46.—*Marsh.* i. 32.

Genus 185. ONTHOPHAGUS, *Latreille*, *Leach*, *Samou.*, (*Kirby.*),
Curtis.

COPRIS *p.*, *Fabr.*—ATEUCHUS *p.*, *Fabr.*
 A. Capite cornuto.

- 1090 † 1, *Taurus.* *Latr. H.* x. 213.—*Curtis.* ii. *pl.* 52.

- Sc. Taurus. *Linn.* ii. 547.
♂, Sc. illyricus. *Scop. C.* no. 25.
♀, Sc. rugosus. *Scop. C.* no. 23. In Mus. *D. Stone.*
1091. 2; Vacca *? *Latr. H.* x. 115.—(*Leach E. E.* ix. 97.)—
(*Sam. I.* 32.)—(*Curtis l. c. supra.*)
Sc. Vacca. *Linn.* ii. 547.—*Panz. F.* xii. f. 4. ♂.—*Marsh.* i. 34.
—*Don.* xvi. 59. *pl.* 561.
Sc. conspurcatus. *Fourc.* i. 14.
Sc. gibbulus. *Pall. I.* 7. *pl. A.* f. 6. ♀.
1092. 3; medius *. *Latr. H.* x. 114.—(*Ing. Inst.* 89.)
Co. media. *Illig. K.* i. 41.
Sc. media. *Panz. F.* xxxvii. f. 4.—*Ent. Trans. (Burrell.)* i. 110.
1093. 4; fracticornis *. (*DeJean C.* 53.)
Sc. fracticornis. *Preysler. B.* i. 99.—*Panz. F.* xlix. f. 9.
Sc. Xiphias. *Panz. F.* xlix. f. 8.—*Mart. C. pl.* 1. f. 6.—
Marsh. i. 33.
On. Xiphias. (*Sam. I.* 32.)
Sc. nuchicornis. *Payk. F.* i. 31.
β; On. affinis. *Mus. Marsham.*
1094. 5; cænobita *. *Latr. H.* x. 112.—(*Sam. I.* 32.)—(*Curtis l. c. supra.*)
Sc. cænobita. *Fabr. E.* i. 49.—*Mart. C. pl.* 1. f. 5?—*Panz. F.* xlvi. f. 6.—*Marsh.* i. 33.
Sc. tenuicornis. *Preysler. B.* i. 44.
β; On. obsoletus. *Kirby MSS.*
- 1095 † 6; austriacus. (*Curtis l. c. supra.*) (!)
Sc. austriacus. *Schneid.*—*Panz. F.* xii. f. 6. In Mus. ——?
1096. 7; Dillwynii. *Leach MSS.*—(*Sam. I.* 32.)—(*Curtis l. c. supra.*)
On. reticulatus. *Kirby MSS.*
Co. similis. *Scriba. B.* i. 35. *pl.* 4. f. 5?
Sc. nuchicornis. *Mus. Linn. (teste D. Kirby.)*
1097. 8; nuchicornis *. *Latr. H.* x. 113.—(*Sam. I.* 32.)—(*Curtis l. c. supra.*)
Sc. nuchicornis. *Linn.* ii. 547.—*Berk. S.* i. 86.—*Don.* viii.
pl. 255. f. 2.—*Stew.* ii. 24.—*Turt.* ii. 34.
Sc. Xiphias. *Fabr. E.* i. 50.
Sc. planicornis. *Herbst C.* ii. 210. *pl.* 14. f. 13.
β; On. muticus. *Kirby MSS.*
♀; Sc. acornis. *Fourc. P.* i. 14.
1098. 9; nutans *. *Latr. H.* x. 111.—(*Sam. I.* 32.)—(*Curtis l. c. supra.*)
Sc. nutans. *Fabr. E.* i. 50.—*Don.* viii. *pl.* 255. f. 1.—*Marsh.* i.
35.—*Turt.* ii. 34.
Sc. verticicornis. *Laich. T.* i. 22.

B. Capite haud cornuto. (*ATEUCHUS p*, *Fabr.*)

1099. 10; ovatus*. *Latr. H.* x. 110.—(*Sam. I.* 32.)—(*Curtis l. c. supra.*)

Sc. ovatus. *Linn. ii.* 551.—*Mart. C. pl. 4. f. 36.*—*Stew. ii.* 27.—*Panz. F. xlviij. f. 11.*—*Marsh. i.* 35.—*Turt. ii.* 45.

Genus 186. ONITICELLUS^a.

Familia XXVI. GEOTRUPIDÆ, *MacLeay.*

(GEOTRUPINI, *Latreille*.—SCARABÆIDES, *Gyllenhal.*)

(SCARABÆUS *p*, *Linné*, &c.)

Genus 187. BOLBOCERUS, *Kirby*.

ODONTÆUS, (*Köppé*), (*Samou.*)

1101. 1; mobilicornis*. (*Kirby & Sp. I. E.* iii. 329.)—(*Ing. Inst. 87.*)

Sc. mobilicornis. *Fabr. E. i.* 24.—*Mart. C. pl. 4. f. 40, 41.*—*Stew. ii.* 23.—*Marsh. i.* 8.—*Turt. ii.* 18.—*Sturm D. F. i.* 21.
pl. vi. f. s—v.

Sc. bicolor. *Gmel. iv.* 1548.

Od. mobilicornis. (*Sam. I.* 31.)

1102. 2, testaceus.

Sc. testaceus. *Fabr. E. i.* 26.—*Panz. F. xxviii. f. 5.*—*Stew. ii.* 26.—*Marsh. i.* 16.—*Turt. ii.* 28.

Sc. mobilicornis β. *Herbst C. ii.* 135. *pl. 6. f. 7. ♂.*—*pl. 12. f. 3. ♀.*

1103 † 3. quadridens.

Sc. quadridens. *Fabr. E. i.* 23.—*Panz. F. xii. f. 1.*—*Ent. Trans. (Skrimshire.) i.* 316. (!)

Sc. quadridentatus. *Oliv. E. i.* 62.

Sc. Aeneas. *Panz. Beit. p.* 34.

Sc. unicornu. *Schrantz. N.* 24. *pl. 61.*

In Mus. D. G. Skrimshire?

Genus 188. TYPHŒUS, *Leach*, *Samou.* Bull-comber.

GEOTRUPES *p*, *Latreille.*

1104. 1; vulgaris*. (*Leach E. E.* ix. 97.)—(*Samou.* 189. *pl. 1. f. 1.*)—(*Kirby & Sp. I. E.* ii. 475.)

^a Genus 186. ONITICELLUS, (*DeJean.*)

ONITIS *p*? *Fabr.*—*COPRIS p*, *Fabr.*—*ONTOPHAGUS p*, *Samou.*

1100 † 1. verticicornis.

Sc. verticicornis. *Fabr. E. S. i.* 61. (!)—*Stew. ii.* 24. (!)—*Marsh. i.* 34. (!)

Sc. verticornis. *Turt. ii.* 34. (!)

Ont. verticornis. (*Sam. I.* 32.) (!)

Oni. flavipes β. (*Schon. S. i.* 33.)

Sc. *Typhœus*. *Linn.* ii. 543.—*Barb. G. pl.* 1. *f.* 1.—*Mart. C. pl.* 1. *f.* 3. 4.—*Berk. S.* i. 86.—*Stew. ii.* 23.—*Panz. F.* xi. *f.* 23.—*Marsh. i.* 7.—*Turt. ii.* 17.—*Bingley. iii.* 111.—*Samou.* 47.

Sc. *ovinus*. *Rai. Ins.* 103.

β ; Sc. *pumilus*. *Marsh. i.* 8.—*Sowerb. B. M. i. pl.* 57.

Genus 189. GEOTRUPES, *Latreille, Samou.* *Dor, Clock or Shard-borne-Beetle.*

1105. 1; *vernalis**. *Latr. H.* x. 146.—(*Sam. I.* 19.) Spring Beetle.

Sc. *vernalis*. *Linn. ii.* 551.—*Barb. G. i. pl.* 1. *f.* 6.—*Berk. S. i.* 87.—*Mart. C. pl.* 2. *f.* 9.—*Stew. ii.* 86.—*Marsh. i.* 23.—*Turt. ii.* 36.—*Bingley. iii.* 111.—*Don. xvi. pl.* 547. *f.* 1.—(*Leach E. E.* ix. 97.)

1106. 2; *lævis**.

Sc. *lævis*. *Ent. Trans. (Haworth.) i.* 79.

1107. 3; *sylvaticus**. *Latr. H.* x. 146.—(*Sam. I.* 19.)

Sc. *sylvaticus*. *Payk. F. i.* 5.—*Panz. F.* xlix. *f.* 3.—*Marsh. i.* 23.—*Don. xvi. pl.* 547. *f.* 2.

Sc. *stercorosus*. *Scriba. I.* 250.

1108. 4; *niger**. (*Sam. I.* 19.)

Sc. *niger*. *Marsh. i.* 22.

1109. 5; *foveatus**.

Sc. *foveatus*. *Marsh. i.* 21.—*Sowerb. B. M. i. pl.* 55. *f.* 2.

1110. 6, *punctatostriatus*. *Kirby MSS.*

1111. 7; *mutator**.

Sc. *mutator*. *Marsh. i.* 22.—*Mill. B. E.* 132. *pl.* 2. *f.* 1.

Sc. *politus*. *Molinousky.*

Ge. *politus*. (*Sam. I.* 19.)

β ; Ge. *splendidus*, *Kirby MSS.*

Sc. *caballinus*. *Köhler?*

1112. 8; *puncticollis**. (*Sam. I.* 19.)

Sc. *puncticollis*. *Molinousky.*

Sc. *bulbilus*. *Köhler?*

1113. 9; *sublævigatus** *michi*.

1114. 10; *stercorarius**. *Latr. H.* x. 146.—(*Sam. I.* 19.)—*Kirby & Sp. I. E. i.* 253.—ii. 234.)

Sc. *stercorarius*. *Linn. ii.* 550.—*Mart. C. pl.* 3. *f.* 25.—*Berk. S. i.* 87.—*Don. viii. pl.* 264. *f.* 3.—*Stew. ii.* 26.—*Marsh. i.* 20.—*Turt. ii.* 36.—*Sturm D. F. i.* 22. *pl.* vi. *f. a—r.*—*Bingley. iii.* 111.

δ ; Sc. *spiniger*. *Marsh. i.* 21.—*Sowerb. B. M. i. pl.* 35. *f.* 1.

Familia XXVII. APHODIIDÆ, MacLeay.

(COPROPHAGI p, Latreille.—SCARABÆIDES p, Gyllenhal.)
Dung-beetles.

(SCARABÆUS p, Linné, &c.)

Genus 190. APHODIUS, Illiger, Leach, Samou., (Kirby,) Curtis.

A. Scutellum magnum subelongatum.

a. Corpore convexo.

1115. 1; Fosser*. *Fabr. E. i. 67.*—*Sturm D. F. i. 31. pl. 12.*—
(Sam. I. 4.)—(Curtis l. c. infra.)Sc. Fosser. *Linn. ii. 548.*—*Mart. C. pl. 3. f. 30.*—*Berk. S. i. 87.*—*Stew. ii. 25.*—*Marsh. i. 16.*—*Turt. ii. 26.*—*Don. xii. pl. 417. f. 3.*1116. 2; subterraneus*. *Illig. K. i. 20.*—(Sam. I. 4.)Sc. subterraneus. *Linn. ii. 548.*—*Mart. C. pl. 4. f. 33.*—*Panz. F. xxviii. f. 3.*—*Marsh. i. 18.*1117. 3; hæmorrhoidalis*. *Illig. K. i. 23.*—(Sam. I. 4.)Sc. hæmorrhoidalis. *Linn. ii. 548.*—*Mart. C. pl. 4. f. 31.*—*Berk. S. i. 87.*—*Panz. F. xxviii. f. 8.*—*Stew. ii. 25.*—*Marsh. i. 19.*β; Sc. sanguinolentus. *Herbst A. 6. pl. 19. f. 4.*—*Marsh. i. 28.*

b. Corpore depresso.

1118. 4; erraticus*. *Illig. K. i. 34.*—(Sam. I. 4.)Sc. erraticus. *Linn. ii. 548.*—*Mart. C. pl. 4. f. 37.*—*Marsh. i. 9.*

B. Scutellum parvum, breve.

a. Clypeo tuberculato, sæpiùs emarginato.

1. Corpore convexo.

1119 † 5. Scrutator. *Fabr. E. i. 69.*—(Sam. I. 4.)—(Curtis Cat. No. 45.)Sc. Scrutator. *Panz. F. xxxi. f. 1.*—*Marsh. i. 11.*Sc. rubidus. *Oliv. E. i. 77. pl. 26. f. 224.*

In Mus. D. Atkinson et MacLeay.

1120. 6; fimetarius*. *Illig. K. i. 31.*—(Sam. I. 4.)Sc. fimetarius. *Linn. ii. 548.*—*Mart. C. pl. 3. f. 22.*—*Berk. S. i. 87.*—*Stew. ii. 25.*—*Marsh. i. 10.*—*Panz. F. xxxi. f. 2.*—*Turt. ii. 28.*—*Don. xii. 29. pl. 404. f. 1.*Sc. bicolor. *Fourc. P. i. 9.*Sc. pedellus. *DeGeer. iv. 266. pl. 10. f. 8.*1121. 7; fætens*. *Illig. K. i. 31.*—(Sam. I. 4.)Sc. fætens. *Fabr. E. S. i. 21.*—*Panz. F. xlvi. f. 1.*—*Marsh. i. 17.*Sc. vaccinarius. *Herbst C. ii. 138. pl. 12. f. 5.*

1122. 8; scybalarius *. *Illig.* K. i. 33.
 Sc. scybalarius. *Panz.* F. xlviij. f. 1.
 Sc. coprinus. *Marsh.* i. 12.—*Don.* xii. pl. 404. f. 4.
 Ap. coprinus. (*Sam.* I. 4.)
 Sc. conflagrans. *Turt.* ii. 28?
 β ; Sc. conflagratus. *Fabr.* E. S. i, a. 27.—*Don.* ii. pl. 70.—*Stew.*
 26.—*Marsh.* i. 11.—*Turt.* ii. 28.
 Ap. conflagratus. (*Sam.* I. 4.)
 Sc. conspurcatus. *Laich.* T. i. 12.
1123. 9; rufescens *. *Fabr.* E. i. 74.
 Ap. sordidus β . *Illig.* K. i. 32.
 Sc. fœtens. *Oliv.* E. i. 85. pl. 9. f. 71. a, b.
 β ; Sc. unicolor. *Marsh.* i. 11.
 Ap. unicolor. (*Sam.* I. 4.)
1124. [10; castaneus *.]
 Sc. castaneus. *Marsh.* i. 12.
1125. 11; ochraceus * *michi*.
1126. 12; sordidus *. *Illig.* K. i. 32.—(*Sam.* I. 4.)
 Sc. sordidus. *Fabr.* E. S. i. 29.—*Mart.* C. pl. 2. f. 13.—
Panz. F. xlviij. f. 2.—*Marsh.* i. 10.—*Stew.* ii. 25.—*Turt.* ii.
 29.—*Don.* xii. pl. 404. f. 2, 3.
 Sc. fimetarius β . *Linn.* ii. 548.
 Sc. conspurcatus. *DeGeer.* iv. 268.
 Sc. quadripunctatus. *Naturf. (Panz.)* xxiv. pl. 1. f. 4.
 β , Ap. marinus. *Kirby MSS.*
1127. 13; nitidulus *. *Fabr.* E. i. 75.
 Sc. nitidulus. *Fabr.* E. S. i. 30.
 Sc. ictericus. *Payk.* F. i. 17.
 Ap. ictericus. *Creutz.* E. V. i. 52. pl. 1. f. 8. a.—*Ent. Trans.*
 (*Haworth.*) i. 80.—*Id. (Burrell.)* i. 105.—(*Sam.* I. 4.)
 Sc. merdarius. *Panz.* F. xlviij. f. 3.
1128. 14; lividus *. *Creutz.* E. V. i. 44. p. 1. f. 7. a.
 Sc. lividus. *Oliv.* E. i. 86. pl. 26. f. 222. a, b.
 Ap. vespertinus. *Panz.* F. lxvii. f. 3.
 Ap. anachoreta. *Fabr.* E. i. 74.
 Sc. bilituratus. *Marsh.* i. 15.
 β , Sc. vespertinus var. *Panz.* F. lxvii. f. 4.
 γ , Sc. Limicola. *Panz.* F. lviii. f. 6.
1129. 15, conspurcatus *. (*DeJean C.* 54.)
 Sc. conspurcatus. *Linn.* ii. 549.—*Stew.* ii. 25.—*Marsh.* i. 12.
1130. 16; sticticus *. *Creutz.* E. V. i. 26.
 Sc. sticticus. *Panz.* F. lviii. f. 4.
 Ap. prodromus. *Fabr.* E. i. 70.
 Sc. conspurcatus var. *Marsh.* i. 13.

- Sc. lineolatus. *Marsh. MSS.*
- β ; Sc. nemoralis. *Panz. F. lxvii. f. 1.*
1131. 17; inquinatus*. *Creutz. E. V. i. 24.*—(*Sam. I. 4.*)
Sc. inquinatus. *Fabr. E. S. i. 28.*—*Panz. F. xxviii. f. 7.*—
Marsh. i. 13.
- Sc. vaginosus. *Voet. C. i. pl. 21. f. 149.*
- Sc. distinctus. *Müll. Z. D. pr. 53.*
- β ; Sc. attaminatus. *Marsh. i. 13.*—*Don. xii. pl. 417. f. 1.*
Ap. attaminatus. (*Sam. I. 4.*)
- γ ; Sc. födatus. *Marsh. i. 14.*
Ap. födatus. (*Sam. I. 4.*)
- δ ; Sc. centrolineatus. *Panz. F. lviii. f. 1.*—*Marsh. i. 14.*
- ε ; Ap. Panzeri. *Kirby MSS.*
Ap. lunula. *Kirby MSS.*
Ap. nubilus. *Leach?* *MSS.*
- ζ ; Ap. putridus. *Kirby MSS.*
1132. 18, tessulatus*. *Sturm D. F. i. 112.*—(*Ing. Inst. 87.*)
Sc. tessulatus. *Payk. F. i. 20.*
- Sc. inquinatus var. *Herbst C. ii. 156.*
- Sc. contaminatus. *Panz. F. xlvi. f. 7.*
1133. 19; terrestris*. *Fabr. E. i. 71.*—(*Sam. I. 4.*)
Sc. terrestris. *Fabr. Sp. i. 16.*—*Mart. C. pl. 2. f. 14?*—*Stew. ii. 25.*—*Marsh. i. 17.*—*Turt. ii. 27.*
Sc. ater. *DeGeer. iv. 270.*—*Panz. F. xliii. f. 1.*
1134. [20; obscurus*]. (*Sam. I. 4.*)
Sc. obscurus. *Marsh. i. 18.*
1135. 21; terrenus*. *Kirby MSS.*
Sc. pusillus. *Marsh. i. 18.*
Ap. pusillus. (*Sam. I. 4.*)
1136. 22; ater*. *Fabr. E. i. 71?*
1137. 23; nitidus*. *Kirby MSS.*
1138. 24; lucens*. *Gyll.?* *MSS?*
1139. 25; hæmorrhous*. *Kirby?* *MSS.*
1140. 26; niger*. *Illig. K. i. 24.*
Sc. niger. *Panz. F. xxxvii. f. 1.*
Sc. terrestris. *Payk. F. i. 22.*
- 1141 \ddagger 27, bimaculatus. *Fabr. E. i. 71.*—(*Ing. Inst. 87.*)
Sc. bimaculatus. *Panz. F. xliii. f. 2.*
- Sc. terrestris β . *Illig. K. i. 24.*
Ap. humeralis. (*Sam. I. 4.*) In Mus. Brit.
1142. 28; granarius*. *Gyll. i. 18.*—(*Sam. I. 4.*)
Sc. granarius. *Linn. ii. 547.*—*Marsh. i. 19.*—*Stew. ii. 26.*
Ap. carbonarius. *Sturm D. F. i. 128. pl. xiv. f. c, C.*

- Ap. niger. *Creutz. E. V.* 20.
 Sc. hæmorrhoidalis. *DeGeer. iv.* 271.
1143. 29; emarginatus * *mihi.*
1144. 30; melanopus *. *Kirby.*
1145. 31; borealis *. *Gyll. iv.* 248 ?
 2. Corpore depresso.
1146. 32, porcus *. *Illig. K. i.* 31.
 Sc. porcus. *Fabr. E. S. i.* 26.
 Sc. anachoreta. *Panz. F. xxxv. f. 1.*
 Sc. turpis. *Marsh. i.* 15.
 Ap. turpis. (*Sam. I. 4.*)
1147. [33, ruficerus.]
 Sc. ruficerus. *Marsh. i.* 16.
1148. 34, fulvicrus *mihi.*
 b. *Clypeo haud tuberculato.*
 1. Corpore depresso; clypeo integro.
1149. 35; rufipes *. *Fabr. E. i.* 76.—(*Leach E. E. ix.* 97.)—
 (*Sam. I. 4.*)—(*Curtis l. c. infra.*)
 Sc. rufipes. *Linn. ii.* 559.—*Mart. C. pl. 3. f. 29.*—*Marsh. i.* 26.—*Don. xii. pl. 417. f. 4.*
 Sc. capitatus. *DeGeer. iv.* 263. *pl. 10. f. 6.*
 Sc. oblongus. *Scop. C.* 19.
1150. 36; muticus * *mihi.*
1151. 37, depressus *. *Illig. K. i.* 19.—*Ent. Trans. (Sowerby.) i.* 246. *pl. fig. sup.*—(*Sam. I. 4.*)
 Sc. depressus. *Panz. F. xxxix. f. 1.*
 Ap. abdominalis. —?
1152. 38; nigripes *. *Fabr. E. i.* 76.
 Sc. nigripes. *Panz. F. xlvi. f. 9.*
 Ap. rufipes a. *Illig. K. i.* 28.
 Sc. luridus b. *Payk. F. i.* 14.
 Sc. Arator. *Herbst A.* 9.
 Sc. gagates. *Oliv. E. i.* 87.—*Mart. C. pl. 4. f. 39.*—*Marsh. i.* 26.
 Sc. gagatinus. *Fourc. i.* 10.
 Ap. ruftarsis. —?
1153. 39; luridus *. *Fabr. E. i.* 76.—(*Sam. I. 4.*)—(*Kirby & Sp. I. E. iv.* 397.)
 Sc. luridus. *Panz. F. xlvi. f. 6.*—*Mart. C. pl. 3. f. 23.*—
Marsh. i. 27.—*Turt. ii.* 29.
 Ap. rufipes. *Illig. K. i.* 28.
- β; Sc. variegatus. *Herbst A.* 9. *pl. 19. f. 12.*—*Marsh. i.* 26.
 Sc. varius. *Gmel. i.* 1553.
- γ; Sc. interpunctatus. *Herbst A.* 8. *pl. 19. f. 11.*

- Sc. luridus. *Don.* ix. 75. *pl.* 323.
 δ; Sc. nigro-sulcatus. *Marsh.* i. 27.
 2. Corpore subconvexo; clypeo subemarginato.
1154. 40; contaminatus *. *Fabr. E.* i. 77.—*Creutz. E. V.* i. 34.
pl. 1. *f.* 5. *a.*
 Sc. ciliaris. *Marsh.* i. 14.
1155. 41; prodromus *. *Creutz. E. V.* i. 37.
 Sc. contaminatus. *Payk. F.* i. 21.
 Ap. consputus. *Fabr. E.* i. 77.
1156. 42; sphacelatus *. *Gyll.* i. 37.
 Sc. sphacelatus. *Panz. F.* lviii. *f.* 5.—*Marsh.* i. 15.—*Don.* xii.
pl. 417. *f.* 2.
 Ap. prodromus β. *Illig. M.* i. 27.
1157. 43; marginalis * *mihi.*
 Ap. punctato-sulcatus. *Sturm D. F.* i. 113. *pl.* 13. *f. a.* *A. B.*
- 1158 † 44, Pecari *. *Fabr. E.* i. 80.—(*Ing. Inst.* 87.)
 Sc. Pecari. *Panz. F.* xxxi. *f.* 3.
 Sc. satellitus. *Herbst C.* ii. 281. *pl.* 19. *f.* 1. In *Mus. Brit.*
1159. 45; merdarius *. *Illig. K.* i. 34.—(*Sam. I.* 4.)
 Sc. merdarius. *Oliv. E.* i. 94. *pl.* 19. *f.* 173. *a, b.*—*Mart. C.*
pl. 4. *f.* 34.—*Marsh.* i. 30.
 Sc. quisquilius. *Panz. F.* xlvi. *f.* 4.
 Sc. ictericus. *Laich. T.* 1. 14.
- β; Ap. affinis. *Kirby MSS.*
1160. 46, phæopterus. *Marsham MSS.*
1161. 47; pusillus *. *Sturm D. F.* i. 160.
 Sc. pusillus. *Panz. F.* xlix. *f.* 11.
 Ap. granum c. *Gyll.* i. 19.
1162. 48; granum *. *Gyll.* i. 19.
 Ap. granarius. *Fabr. E.* i. 75.
 Sc. granarius. *Panz. F.* xlvi. *f.* 3.
 Sc. hæmorrhoidalis. *Herbst C.* ii. 152. *pl.* 12. *f.* 11.
1163. 49; cænosus *.
 Sc. cænosus. *Panz. F.* lviii. *f.* 7.
 Ap. granarius c. *Sturm D. F.* i. 131.
1164. 50; tristis *. *Illig. M.* ii. 193.—*Ent. Trans. (Haworth.)* i. 80.
 Sc. tristis. *Zenker.*—*Panz. F.* lxxiii. *f.* 1.
1165. 51, quadrimaculatus *. *Illig. K.* i. 35.
 Sc. quadrimaculatus. *Linn. ii.* 558.—*Don. ii.* *pl.* 70. *f.* 3.—
Stew. ii. 27.—*Marsh.* i. 28.—*Turt. ii.* 38.
 Ap. quadripustulatus. *Fabr. E.* i. 78.
1166. 52, plagiatus. *Fabr. E.* i. 79.
 Sc. plagiatus. *Linn. ii.* 559.—*Panz. F.* xlvi. *f.* 6.—*Ent. Trans. (Skrimshire.)* i. 318.

1167. 53, arenarius. *Illig.* K. i. 22.—*Sturm V.* i. 50. *pl. 2. f. v. V.*
 Sc. rhododactylus. *Marsh.* i. 29.
 Sc. pusillus. *Panz.* F. lviii. *f. 8.*
1168. 54, Scrofa. *Fabr.* E. i. 80.
 Sc. Scrofa. *Panz.* F. xlvi. *f. 12.*
 Sc. tomentosus. *Schneid.* M. i. 269.
 Sc. minutus. *Herbst C.* ii. 269. *pl. 18. f. 7.*
 Sc. fuscus. *Rossi M.* i. 8.
 Ips! platycephalus. *Marsh.* i. 56.
- 1169 † 55, villosus. *Gyll.* i. 40.—*Curtis.* i. *pl. 27.*
 In Mus. *D. Vigors.*
1170. 56, Sus. *Illig.* K. i. 27.—(*Sam. I.* 4.)
 Sc. Sus. *Fabr. E. S.* i. 78.—*Panz.* F. xxviii. *f. 11.*—*Marsh.* i. 29.
 Sc. pubescens. *Oliv.* E. i. 91. *pl. 24. f. 205. a, b.*
1171. 57; testudinarius*. *Illig.* K. i. 35.—(*Sam. I.* 4.)
 Sc. testudinarius. *Fabr. E. S.* i. 38.—*Panz.* F. xxviii. *f. 12.*—
Don. ii. pl. 70. f. 1.—*Stew. ii.* 27.—*Marsh.* i. 29.—*Turt. ii.* 39.
- Genus 191. PSAMMODIUS, *Gyllenhal, Leach, Samou., (Kirby.)*
 APHODIUS *p., Illiger, Curtis. i. fo. 27.*
- A. Thorace haud sulcato.
1172. 1, elongatus *mihi.*
1173. 2, sabuleti. *Gyll.* i. 7.
 Ap. Sabuleti. *Illig.* K. i. 21.—*Sturm D. F.* i. 169. *pl. 15. f. a.*
 A. B.
 Sc. punctulatus. *Marsh.* i. 30.
1174. 3; porcatus*. *Gyll.* i. 8.
 Sc. porcatus. *Fabr. E. S.* i. 38.—*Panz.* F. xxxviii. *f. 13.*—
Marsh. i. 30.
 Ap. porcatus. (*Curtis l. c. supra.*)
1175. 4; cæsus. (*DeJean C.* 55.)
 Ap. cæsus. *Fabr. E.* i. 82.—(*Curtis l. c. supra.*)
 Sc. cæsus. *Panz.* F. xxxv. *f. 2.*
- B. Thorace sulcato.
1176. 5, asper. *Gyll.* i. 9.
 Ap. asper. *Fabr. E.* i. 82.—(*Curtis l. c. supra.*)
 Sc. asper. *Panz.* F. xlvi. *f. 13.*
 Ptinus germanus. *Linn.* ii. 566.
1177. 6, sulcicollis. *Gyll.* i. 9.—(*Sam. I.* 35.)
 Ap. sulcicollis. *Illig.* M. i. 20.
 Sc. sulcicollis. *Panz.* F. xcix. *f. 1.*
 Sc. asper. *Payk.* F. i. 29.

Familia XXVIII. TROGIDÆ, MacLeay.

(SCARABÆIDES-XYLOPHILIP, Latr.—SCARABÆUS p, Marsh. &c.)

Genus 192. ÆGIALIA, Latreille, Leach, Samou.

APHODIUS p, Illiger.—PSAMMODIUS p, Gyll.

1178. 1, globosa. Latr. G. ii. 97.—Leach E. E. ix. 98.—Samon. 190.
 Ap. globosus. Illig. K. i. 20.
 Sc. globosus. Panz. F. lvii. f. 2.—Don. xiv. 13. pl. 470.—
 Ent. Trans. (Burrell.) i. 109.
 Sc. arenarius. Payk. F. i. 27.
 Sc. ovalis. Sower. B. M. i. pl. 34.

Genus 193. TRACHYSCELIS, Latreille, Leach.

1179. 1, Aphodioides. Latr. G. iv. app.—(Leach E. E. ix. 103.)
 (Ing. Inst. 89.)

Genus 194. TROX, Fabricius, Leach, Samou., (Kirby.)

SILPHA p, Linné.

1180. 1; sabulosus *. Fabr. E. i. 110.—(Sam. I. 42.)—(Kirby &
 Sp. I. E. ii. 248.)
 Sc. sabulosus. Linn. ii. 551.—Mart. C. pl. 3. f. 26.—Stew. ii.
 30.—Marsh. i. 24.—Turt. ii. 74.
 Sc. femoralis. DeGeer. iv. 269. pl. 10. f. 12.
 Sc. subterraneus. Fourc. i. 8.
 1181. 2; arenosus *. Gyll. i. 11.
 Tr. arenarius. Payk. F. i. 80.
 Tr. niger. Rossi M. i. 9?
 Tr. hispidus. (DeJean C. 56?)
 1182. 3; arenarius *. Fabr. E. i. 111.—Panz. F. xcvi. f. 1.—
 (Sam. I. 42.)
 Si. scabra. Linn. ii. 573.
 Tr. hispidus. Payk. F. i. 81?
 Sc. arenarius. Marsh. i. 25.
 Sc. arenosus. Gmel. iv. 1586.
 Tr. barbarus. Laich. T. i. 31.
 1183 † 4, lutosus.
 Sc. lutosus. Marsh. i. 25. In Mus. D. Kirby.

Familia XXIX. DYNASTIDÆ, MacLeay.

(SCARABÆIDES-XYLOPHILIP, Latreille.)

Genus 195. ORYCTES, Illiger, Leach.

GEOTRUPES p, Fabricius.

- 1184 † 1, nasicornis *. Illig. K. i. 14.—Sturm D. F. i. 8. pl. 4 & 5.

Sc. nasicornis. *Linn.* ii. 544.

Ge. nasicornis. *Fabr. E.* i. 13.—*Ent. Trans. (Haworth.)* 1. 76.
In Mus. *D. Haworth.*

1185 ♀ 2, inermis.

Sc. inermis. *Mart. C. pl. 4. f. 35.*—*Marsh. i. 9.*
In Mus. *D. Kirby et Vigors.*

Genus 196. DYNASTES?*

Familia XXX. MELOLONTIDÆ, *MacLeay.*

(SCARABÆIDES-PII YLLOPHAGI, *Latreille.*)

(SCARABÆUS *p.*, *Linné*, *Marsham.*—MELOLONTA, *Fabricius.*)

Genus 197. SERICA, *MacLeay*, (*Kirby.*)

OMALOPLIA *p.* (*Megerle.*)—TROX *p.*, *Schrank.*

1186. 1; brunnea*. *MacLeay H. E.* i. 147.

Sc. brunneus (brunnus). *Linn. ii. 556.*—*Mart. C. pl. 3. f. 24.*
—*Panz. F. xcv. f. 7.*—*Marsh. i. 38.*—*Turt. ii. 51.*

Me. brunneus. (*Sam. I. 27.*)

Sc. fulvus. *DeGeer. iv. 277.*

Sc. fulvescens. *Fourc. i. 10.*

Tenuicrusta rubens. *Voet. C. i. 34. pl. 7. f. 53.* ♂. *f. 54.* ♀.

Genus 198. OMALOPLIA, (*Köppen.*)

AMALOPLIA, (*Samou.*)

1187. 1; Ruricola*. (*DeJean C. 59.*)

Me. Ruricola. *Fabr. E. S. i. 173.*

Sc. Ruricola. *Mart. C. pl. i. f. 7.*—*Stew. ii. 28.*—*Marsh. i. 39.*
—*Don. xi. pl. 378.*—*Turt. ii. 54.*

An. ruricola. (*Samou. 191.*)

Me. nigromarginata. *Herbst A. 150. pl. 43. f. 7.*

Sc. marginatus. *Fourc. i. 9.*

Me. floricola. *Laich. T. i. 41.*

β; Sc. varius. *Marsh. i. 39.*

Me. humeralis. *Schon. S. iii. 185.*

Genus 199. ZANTHEUMIA, *Leach MSS.* *Fern Web.*

AMPHIMALLA, (*Latreille.*)

1188. 1; solstitialis*. *Leach MSS.*

* Genus 196. DYNASTES? *MacLeay.*

GEOTRUPES *p.*, *Fabricius.*

1185 ♀ 1. Juvencus. (*Wilkin Catalogue (!).*)

Ge. Juvencus. *Fabr. E. i. 20.*

Sc. Juvencus. *Oliv. E. i. 45. pl. 16. f. 143.* ♂.—*pl. 8. f. 66.* ♀.

- Sc. solstitialis. *Linn.* ii. 554.—*Mart. C. pl. 2. f. 17.*—*Berk. S. i. 88.*—*Stew. ii. 29.*—*Marsh. i. 38.*—*Turt. ii. 47.*
 Me. solstitialis. *Leach E. E. ix. 99.*—(*Sam. I. 27.*)—(*Kirby & Sp. I. E. i. 205.*)
 Sc. autumnalis. *Fourc. i. 6.*

Genus 200. MELOLONTA *Auctorum. Cockchaffer.*

1189. 1; *vulgaris* *. *Fabr. E. ii. 161.*—(*Leach E. E. ix. 99.*)—(*Sam. I. 27.*)

- Sc. *Melolontha.* *Linn. ii. 554.*—*Mart. C. pl. 2. f. 12.*—*Berk. S. i. 87.*—*Don. viii. pl. 264. f. 2.*—*Stew. ii. 28.*—*Marsh. i. 36.*—*Turt. ii. 46.*—*Shaw G. Z. vi. 21. pl. 3.*—(*Bingley. iii. 112.*)—*Mill. B. E. 142. pl. 2. f. 2.*—(*Kirby & Sp. I. E. i. 177, 205.*)

Brown-tree Beetle, Blind Beetle, Chaffer, Cockchaffer, Jack-horner, Jeffry-cock, Maybug, Tree-beetle, Brown Clock, Dor, Miller. *Bingley l. c.* Acre-bob, May-bob (*in Surry*), Oak Web (*Devon*).

1190. 2: *Fullo.* *Fabr. E. ii. 160.*—(*Sam. I. 27.*)

- Sc. *Fullo.* *Linn. ii. 553.*—*Mart. C. pl. i. f. 1, 2.*—*Don. iv. pl. 112.*—*Stew. ii. 27.*—*Marsh. i. 36.*—*Turt. ii. 45.*—*Shaw G. Z. vi. 26. pl. 5.*

Genus 201. ANOMALA, (*Köppé,*) *Samou.*

A. Capite thoraceque valdè pubescentes.

1191. 1; *Horticola* *. (*Sam. I. 3.*) *Bracken-Clock.*

- Sc. *Horticola.* *Linn. ii. 554.*—*Mart. C. pl. 4. f. 43.*—*Berk. S. i. 87.*—*Stew. ii. 28.*—*Panz. F. xlvi. f. 15.*—*Marsh. i. 44.*—*Turt. ii. 53.*

- Me. *Horticola.* *Leach E. E. ix. 99.*—(*Kirby & Sp. I. E. i. 205.*)

- Sc. *viridicollis.* *DeGeer. iv. 278. pl. 10. f. 18.*

- Sc. *adiaphorus.* *Scop. C. 5.*

- β; Sc. *Arvicola.* *Marsh. i. 40.*

1192. 2, *errans* *. (*DeJean C. 58.*)

- Sc. *errans.* *Fabr. E. ii. 173. (!)*—*Oliv. E. i. 5. pl. 8. f. 92.*—*Turt. ii. 52.*

B. Capite thoraceque glabris.

1193. 3; *Frishii* *. (*Sam. I. 3.*)

- Me. *Frishii.* *Fabr. E. ii. 172.*

- Sc. *Frishii.* *Mart. C. pl. 4. f. 42.*—*Marsh. i. 40.*—*Don. xi. pl. 390. f. 2.*—*Turt. ii. 52.*

- Me. *Vitis.* *Latr. G. ii. 111.*

- β; Me. *Julii.* *Fabr. E. ii. 171.*

- Me. *dubia.* *Herbst C. iii. 128. pl. 25. f. 9.*

- Me. *holosericea.* *Fabr. E. ii. 171.*

- γ, Sc. *æneus.* *DeGeer. iv. 277. pl. 10. f. 16.*

- Me. oblonga. *Fabr. E.* ii. 165?
 ♂, Me. cyanocephala. *Fabr. E.* ii. 169?
 Sc. Scopolii. *Fuesl.* v. 2.
 Sc. teres. *Gmel.* iv. 1568.

1194. 4, Vitis*? (*DeJean C.* 58.)
 Sc. Vitis. *Vill. E.* i. 38.—*Mart. C. pl.* 1. *f.* 8.—*Marsh. i.* 41.
 —*Turt. ii.* 52.
 Sc. dubius. *Frisch.* iv. 29. *pl.* 14.
 Me. Vitis. (*Leach E. E.* ix. 99.)

Genus 202. ANISOPLIA, (Köppen.)

ANOMALA p, Samou.

1195. 1, Agricola. (*DeJean C.* 58.)
 Sc. Agricola. *Linn. ii.* 553.—*Panz. F.* xlvi. *f.* 18.—*Marsh. i.* 43.—*Don. xi. pl.* 390. *f.* 1.
 Me. Agricola. (*Leach E. E.* ix. 99.)
 Ano. Agricola. (*Sam. I.* 3.)
 Sc. cyathiger. *Scop. C.* 46.
 Me. crucifer. *Herbst C.* iii. 100. *pl.* 24. *f.* 9?
 Me. graminicola β. *Latr. G.* ii. 114.

- 1196 † 2, Donovani.
 Sc. Donovani. *Marsh. i.* 44.
 Ano. Donovani. (*Sam. I.* 3.)
 Me. graminicola γ. *Latr. G.* ii. 114?
 Me. Agricola. *Fabr. E.* ii. 176? In *Mus. Brit. et D.* Donovan.

Genus 203. HOPLIA, Illiger, Leach, Samou.

1197. 1; argentea*. *Dufts. F.* i. 180.
 Me. argentea. *Oliv. E.* i. 67. *pl.* 3. *f.* 22. *a—d.*
 Sc. argenteus. *Mart. C. pl.* 2. *f.* 11.—*Marsh. i.* 45.—*Turt. ii.* 55.
 Ho. pulverulenta. (*Leach E. E.* ix. 99.)—(*Sam. I.* 23.)—
 (*Kirby & Sp. I. E.* i. 178.—*Id. ii.* 234.)
 Ho. philanthus. *Latr. G.* ii. 116. (!)
 ♀; Sc. pulverulentus. *Fabr. E.* ii. 181.—*Marsh. i.* 46.

Familia XXXI. CETONIADÆ, MacLeay.

(SCARABÆIDES-ANTHOBII, Latreille.)

(SCARABÆUS p, Linné, &c.)

Genus 204. TRICHIUS, Fabricius, Leach, Samou., (Kirby.)

MELOLONTIA p, Herbst.—CETONIA p, Oliv.

A. Corpore tomentoso.

1198. 1, fasciatus. *Fabr. E. S.* i. 119.—(*Leach E. E.* ix. 99.)—
 (*Sam. I.* 42.)
 Sc. fasciatus. *Linn. ii.* 556.—*Mart. C. pl.* 2. *f.* 10.—*Berk. S.*

i. 88.—*Don.* iv. *pl.* 140.—*Stew.* ii. 29.—*Marsh.* i. 43.—
—*Turt.* ii. 72.—(*Mill. B. E. pl. i. f. 1.*)

1199. [2, succinctus.] *Fabr. E. S.* ii. 132.

B. Corpore glabro.

1200. 3: variabilis*. *Ent. Trans. (Haworth.)* i. 81. *pl.* 1. *fig. inf.*
—(*Sam. I.* 42.)—(*Ing. Inst.* 89.)
Sc. variabilis. *Linn.* ii. 558.
Tr. octopunctatus. *Fabr. E.* ii. 131.
Sc. cordatus. *Fabr. M.* i. 27.
Tr. decempunctatus. *Schränk. B.* i. 414.

1201. 4; nobilis*. Rose-beetle. *Fabr. E.* ii. 130.—(*Leach E. E.*
ix. 99.)—(*Samou.* 191. *pl.* 1. *f.* 2.)
Sc. nobilis. *Linn.* ii. 558.—*Mart. C.* *pl.* 3. *f.* 28.—*Berk. S.* i.
88.—*Don. v. pl.* 154. *f.* 1, 2, 3.—*Stew.* ii. 29.—*Marsh.* i. 42.
—*Turt.* ii. 71.
Sc. cuspidata. *Fabr. M.* i. 27.
Sc. viridulus. *DeGeer.* iv. 297.
Sc. auratus. *Schränk. A.* 9.

1202 † 5. hemipterus^a.

Genus 205. CETONIA, *Fabricius*, *Leach*, *Samou.*, (*Kirby.*)

1203. 1; aurata*. *Fabr. E. S.* i. b. 127.—(*Leach E. E.* ix. 99.)
—(*Sam. I.* 10.)—(*Kirby & Sp. I. E.* iii. 344.)
Sc. auratus. *Linn.* ii. 557.—*Barb. G.* 14. *pl.* 1. *f.* 2.—*Mart. C.*
pl. 3. *f.* 27.—*Berk. S.* i. 88.—*Stew.* ii. 29.—*Marsh.* i. 41.—
—*Turt.* ii. 71.—*Bingley.* iii. 116.—*Millard.* 150. *pl.* 2. *f.* 3.
Sc. Smaragdulus. *DeGeer.* iv. 279. *pl.* 11. *f.* 1.
Sc. nobilis. *Schränk. A.* 10.
Rose May Chaffer, Green Beetle, Brass Beetle, *Bingley.* l. c.
—June-bob (in Surry).

1204 † 2, stictica. *Fabr. E.* ii. 155.—*Panz. F.* i. *f.* 4.

Sc. sticticus. *Linn.* ii. 552.

Ce. albopunctata. *DeGeer.* iv. 301. 29. *pl.* 10. *f.* 22.

Sc. funestus. *Schränk. A.* 13.

Ce. funeraria. *Fourc.* i. 8.

Sc. Greenii. *Don.* xii. *pl.* 418.

In Mus. *D. Curtis*, *Donovan*, *I. H. Griesbach et Haworth.*

^a 1202 † 5. hemipterus. *Fabr. E.* ii. 132.—*Herbst C.* iii. 187. *pl.* 27. *f.* 13, 14.
Sc. hemipterus. *Linn.* ii. 555.—*Berk. S.* i. 88, (!)—*Stew.* ii. 30. (!)
—*Turt.* ii. 72. (!)

Sc. variegatus. *Scop. C.* 12.

Sc. squamulatus. *Müll. Z. D. pr.* 55.

Subsectio 3.

(SERRICORNES : STERNOXI, Latreille.)

Familia XXXII. BUPRESTIDÆ, Leach.

(BUPRESTIDES, Latr.)

(BUPRESTIS, Linné, &c.) Burncows.

Genus 206. BUPRESTIS Auctorum.

A. Elytris apice dentatis vel serratis.

a. " *Elytrorum margine apicis serrato.*" Gyllenhal.1205 † 1. chrysostigma^a.1206 † 2, rutilans *. *Fabr. E. ii. 192.—Panz. F. xxii. f. 8.*
In Mus. D. —?b. " *Elytris apice bi- vel tri-dentatis.*" Gyllenhal.1207 † 3, ænea. *Linn. ii. 662.—(Ing. Inst. 87.)*Bu. carniolica. *Fabr. E. ii. 189.*Bu. subrugosa. *Herbst C. ix. 92. pl. 143. f. 2.*

In Mus. D. Hole.

1208. 4, rustica*? *Linn. ii. 660.—Berk. S. i. 105.—Panz. F. lxviii. f. 19.—Stew. ii. 75.—Marsh. i. 395.—Turt. ii. 412.*Bu. violacea. *DeGeer. iv. 130.*1209. 5, flavomaculata*. *Fabr. E. ii. 193.—Panz. F. xxii. f. 9.*Bu. flavopunctata. *DeGeer. iv. 129.*Elater tetrastichon. *Linn. ii. 656?*1210 † 6. octoguttata^b.

B. Elytris integris, muticis." Gyllenhal.

a. *Corpore haud depresso.*1211 † 7. splendens *^c.b. *Corpore valde depresso.*1212. 8, Salicis *. *Fabr. E. ii. 216.—Don. iv. pl. 127.—Stew. ii. 75.—Marsh. i. 397.—Turt. ii. 417.—(Curtis l. c. infra.)*1213 † 9, nitidula. *Linn. ii. 662.—Turt. ii. 417.—Curtis. i. pl. 31.*^a 1205 † 1. chrysostigma. *Linn. ii. 660.—Berk. S. i. 105. (!)—Panz. F. lxviii. f. 18.—Stew. ii. 75. (!)—Turt. ii. 409. (!)*^b 1210 † 6. octoguttata. *Linn. ii. 659.—Turt. ii. 411. (!)—Herbst A. v. 118. pl. 28. f. 7. a, b.*
Bu. albopunctata. *DeGeer. iv. 132.*^c 1212 † 7. splendens *. *Fabr. E. ii. 104.—(Linn. Trans. (Marsham.) x. 399. pl. xxxii. f. 1, 2. (!)*
Bu. splendida. *Payk. F. ii. 229.*
Bu. pretiosa. *Herbst C. ix. 127?*

1214 † 10. manca^a.

1215 † 11. quadripunctata^b.

Genus 207. AGRILUS, (*Megerle*,) *Curtis*.

A. Corpore linear-i-elongato, acuminato.

1216. 1; biguttata*. (*Curtis l. c. infra.*)

Bu. biguttata. *Fabr. E.* ii. 212.—*Stew.* ii. 75.—*Marsh.* i. 396.—*Panz. F.* xc. f. 8.—*Turt.* ii. 416.—*Leach E. E.* ix. 85.—*Samou.* 58 & 160.

1217. 2; viridis*. (*Curtis l. c. infra.*)

Bu. viridis. *Linn.* ii. 663.—*Don. v. pl.* 174.—*Stew.* ii. 75.—*Marsh.* i. 397.—*Turt.* ii. 416.—(*Sam. I.* 8. *pl.* 3. *f.* 9.)

1218 † 3, chryseis*. *Ziegler.*—*Curtis.* ii. *pl.* 67.

In Mus. *D. Griesbach et Stone.*

B. Corpore cylindrico.

1219 † 4. Rubi^c.

1220. 5, novemmaculata.

Bu. novemmaculata. *Linn.* ii. 662?—*Marsh.* i. 396.—*Panz. F.* lxviii. *f.* 17.—(*Linn. Trans. (Marsham.)* x. 402.)

Genus 208. APHANISTICUS, *Latr.*, *Leach*, *Samou.*

1221. 1, emarginatus*. (*Leach E. E.* ix. 85.)—(*Sam. I.* 4.)—(*Ing. Inst.* 87.)

Bu. emarginatus. *Fabr. E.* ii. 213.—*Herbst C.* ix. 261. *pl.* 155. *f.* 7. *a. b.*

Bu. pusilla. *Gyll.* i. 460?

Genus 209. TRACHYS, *Fabr.*, *Leach*, *Samou.*, *Millard.*

1222. 1: pygmæa*. *Fabr. E.* ii. 219.

Bu. pygmæa. *Don. viii. pl.* 282.—*Marsh.* i. 398.—*Turt.* ii. 415.
Tr. viridis. (*Sam. I.* 42.)

1223. 2; minuta*. *Fabr. E.* ii. 219.—*Leach E. E.* ix. 85.—*Samou.* 160.

Bu. minuta. *Linn.* ii. 663.—*Don. viii. pl.* 256.—*Marsh.* i. 398.—*Turt.* ii. 415.

1224. 3; nana*. *Fabr. E.* ii. 220.—*Panz. F.* xcv. *f.* 9.—(*Ing. Inst.* 89.)

^a 1214 † 10. manca. *Fabr. E.* ii. 211.—*Turt.* ii. 415. (!)

^b 1215 † 11. quadripunctata. *Linn.* ii. 662.—*Turt.* ii. 415. (!)—*Oliv. E.* ii. 80. *pl.* 10. *f.* 117. *a, b.*

^c 1219 † 4. Rubi.

Bu. Rubi. *Linn.* ii. 661.—*Turt.* ii. 413. (!)

Genus 210. MELASIS, Olivier, Leach, Samou., Curtis.

ELATER p, Linné.—HISPA p, Gmelin.—PTILINUS p, Kugell.

1225. 1, buprestoides*. Curtis. ii. pl. 55.

El. buprestoides. Linn. ii. 656.

Me. flabellicornis. Fabr. E. ii. 331.—Leach E. E. ix. 85.—Samou. 160.

Hil. flabellicornis. Stew. ii. 53.—Turt. ii. 201.

Familia XXXIII. ELATERIDÆ, Leach.

(ELATERIDES, Latreille.)

(ELATER, Linné, &c.)

Blacksmiths, Clickers, Snaps, Spring beetles and Skipjacks.

Genus 211. CERATOPHYTUM, Leach, Samou.

CEROPHYTUM, Latreille.—MELASIS p, Latreille H.

1226 † 1, Latreillii. Leach MSS.—(Sam. I. 10.)

Me. elateroides. Latr. H. ix. 76.

Ce. elateroides. (Leach E. E. ix. 85.) In Mus. Brit.

Genus 212. EUKNEMIS, Mannerheim.

1227 † 1, pygmæus. (DeJean C. 34?)—Mann. Euc. 30. pl. 2. f. 4, 5, 6.

El. pygmæus. Fabr. E. ii. 246? In Mus. D. Vigors.

Genus 213. HEMIRHIPUS, Latreille. Larvæ: Wire worms.

A. Thorace sublineari.

1228. 1; limbatus*.

El. limbatus. Fabr. E. ii. 242.

El. pusillus. Herbst C. x. 85. pl. 165. f. 11.

El. nitidulus. Marsh. i. 380.—(Sam. I. 16.)

β, El. pallens. Fabr. E. ii. 242.

1229. 2; acuminatus* mihi.

1230. 3; marginatus*.

El. marginatus. Linn. ii. 654.—Turt. ii. 381.—Leach E. E. ix. 85.—Samou. 162.

El. lateralis. Oliv. E. ii. 31. pl. 8. f. 80. a, b.

El. lineatus. DeGeer. iv. 158.

El. dorsalis. Payk. F. iii. 4.

El. suturalis. Marsh. i. 379.

β; El. fulvus. Marsh. i. 379.

B. Thorace valdè convexo.

1231. 4; sputator*.

El. sputator. Linn. ii. 654.—Stew. ii. 72.—Turt. ii. 382?—(Sam. I. 16.)

El. variabilis. *Herbst C.* x. 75. *pl.* 164. *f.* 11.

El. fusculus. *Illig. M.* iv. 101.

1232. 5; obscurus*.

El. obscurus. *Linn. ii.* 655.—*Mart. C.* *pl.* 30. *f.* 1.—*Stew. ii.* 72.—*Marsh. i.* 377.—*Turt. ii.* 381.—(*Sam. I.* 16.)—(*Kirby & Sp. I. E.* i. 179.)

El. obtusus. *GeGeer. iv.* 147.

El. variabilis. *Fabr. E.* ii. 241.

El. hirtellus. *Herbst C.* x. 94. *pl.* 166. *f.* 11.

β ; El. similis. *Kirby MSS.*

1233. 6; lineatus*.

El. lineatus. *Linn. ii.* 653.—*Marsh. i.* 377.—(*Sam. I.* 16.)—(*Kirby & Sp. I. E.* i. 179.)

El. segetis. *Act. Holm. (Bierkandcr.)* 1779. 284. *pl.* 10. *f.* 1-3.

El. striatus. *Fabr. E.* ii. 241.—*Panz. F.* xciii. *f.* 13.

Genus 214. ELATER Auctorum.

A. Corpore subcylindrico.

a. Thorace brevi, anticè convexo.

1234. 1: fugax. *Fabr. E.* ii. 237.—(*Ing. Inst.* 88.)

El. vulgaris. *Herbst A.* i. 114.

El. brunneus β . *Payk. F.* iii. 29.

1235. 2: brunneus. *Linn. ii.* 653.—*Turt. ii.* 381.—*Herbst A.* v. 112. *pl.* 27. *f.* 6.—(*Ing. Inst.* 88.)—(*Curtis Cat.* no. 45.)

1236 † [3. maritimus.] (*Curtis Cat.* no. 45.)? In Mus. D. Curtis.

1237. 4, fulvicollis *mihi*.

b. Thorace elongato, medio convexo.

1238. 5; cylindricus*. *Payk. F.* iii. 24.—(*Sam. I.* 16.)

El. obsoletus. *Marsh. i.* 387.

1239. 6, nigripes. *Gyll. i.* 395.

El. obtusicornis. *Kirby MSS.*

c. Thorace oblongo, posticè convexo.

1240. 7; serraticornis*. *Payk. F.* iii. 21.—(*Ing. Inst.* 88.)

El. serraticornis. *Herbst C.* x. 100. *pl.* 167. *f.* 7.

El. quadricollis. *Kirby MSS.*

1241. 8; minutus*. *Linn. ii.* 656.—*Marsh. i.* 381.—*Turt. ii.* 383.—(*Sam. I.* 16.)

El. angustus. *Herbst C.* x. 98. *pl.* 167. *f.* 4.

β El. lævicollis. *Kirby MSS.*

1242. 9, nigroæneus. *Marsh. i.* 384.

1243 † 10. Bructeri. *Fabr. E.* ii. 243.—*Panz. F.* xxxiv. *f.* 13.—(*Wilk. Catal.*)

El. minutus. *Payk.* F. iii. 40.

El. æneo-niger. *DeGeer.* iv. 159. In Mus. D. Vigors?

1244 † 11, subrugosus *mihi.* In Mus. D. C. Griesbach.

B. Corpore plus minusve depresso.

a. *Thorace æquali, lateribus haud dilatatis.*

1245. 12, ephippium *. *Fabr.* E. ii. 238.—*Panz.* F. v. f. 14.—
Marsh. i. 383.—(*Sam. I.* 16.)

El. sanguinolentus. *Schra.* A. 341.

El. sanguineus var c. *Payk.* F. iii. 33.

1246. 13; sanguineus *. *Linn.* ii. 654.—*Berk.* S. i. 104.—*Mart. C.*
pl. 40. f. 6?—*Stew.* ii. 72?—*Marsh.* i. 382.—*Turt.* ii. 382.—*Shaw*
G. Z. vi. 85.—*Don.* xv. pl. 508. f. 2.—*Samou.* 57. pl. 3. f. 6?

1247. 14, rufipennis. *Hoffmansegg.* MSS.—(*Sam. I.* 16.)

1248. [15, semiruber.] *Hoffmansegg.* MSS.—(*Sam. I.* 16.)

1249. 16, Pomonæ *. *Hoffmansegg.* MSS.—(*Sam. I.* 16.)

1250. 17; præustus *. *Fabr.* E. ii. 238.—*Panz.* F. xciii. f. 8.—
(*Sam. I.* 16.)

El. sanguineus b. *Payk.* F. iii. 33.

1251. 18; balteatus *. *Linn.* ii. 654.—*Berk.* S. i. 104.—*Mart. C.*
pl. 30. f. 5.—*Stew.* ii. 72.—*Marsh.* i. 384.—*Panz.* F. xciii. f. 9.—
Turt. ii. 382.—(*Sam. I.* 16.)—*Wood.* i. 58. pl. 21.

b. *Thorace inæquali, lateribus dilatatis.*

1. Corpore subpubescenti.

1252. 19; ustulatus. *Payk.* F. iii. 32.—(*Ing. Inst.* 38.)

1253. 20; bipustulatus *. *Linn.* ii. 652.—*Berk.* S. i. 104.—*Stew.* ii.
71.—*Panz.* F. lxxvi. f. 10.—*Marsh.* i. 375.—(*Sam. I.* 16.)

1254. 21, aterrimus. *Linn.* ii. 653?—*Mart. C.* pl. 31. f. 19.—
Stew. ii. 72.—*Marsh.* i. 380.—*Turt.* ii. 378?

2. Corpore densè pubescenti.

* *Antennæ articulo secundo haud dilatato.*

1255. 22; holosericeus *. *Fabr.* E. ii. 228.—*Marsh.* i. 386.—
(*Sam. I.* 16.)

El. undulatus. *Herbst* C. x. 41. pl. 161. f. 9.

** *Antennæ articulo secundo dilatato; primo magno.*

1256. 23; murinus *. *Linn.* ii. 655.—*Mart. C.* pl. 31. f. 17.—
Herbst C. x. 39. pl. 161. f. 8.—*Marsh.* i. 385.—*Turt.* ii. 378.—
Leach E. E. ix. 85.—*Samou.* 162.

1257 † 24. fasciatus ^a.

^a 1257 † 24. fasciatus. *Linn.* ii. 655.—*Panz.* F. lxvi. f. 2.—*Turt.* ii. 379(!).
El. inæqualis. *DeGeer.* iv. 148.

Genus 215. —

A. Antennis articulis 2, 3, et 4 brevibus.

1258. 1, riparius*.

El. riparius. *Fabr. E.* ii. 243.—(*Sam. I.* 16.)

El. littoreus. *Herbst C.* x. 86. *pl.* 165. *f.* 12.

El. æneus. *Marsh. i.* 383.

1259. 2, rivularis.

El. rivularis. *Gyll. i.* 403.

El. riparius. *Panz. F.* xxxiv. *f.* 12.

B. Antennis articulis 2, et 3 brevibus.

1260. 3; quadripustulatus*.

El. quadripustulatus. *Fabr. E.* ii. 248.—*Ent. Trans. (Burrill.)* i. 202.—*Don. xvi. pl.* 545.—(*Sam. I.* 16.)—(*Curtis Cat. no. 45.*)

β ; El. Dermestoides. *Herbst C.* x. 85. *pl.* 165. *f.* 10?

1261. 4, pulchellus?

El. pulchellus. *Linn. ii.* 656.—*Panz. F.* lxxvi. *f.* 8.—*Turt. ii.* 384.

β , El. trimaculatus. *Fabr. E.* ii. 245.

γ , El. nanus. *Vigors MSS.*?

Genus 216. —

1262. 1; fulvipes*.

El. fulvipes. *Herbst C.* x. 46. *pl.* 162. *f.* 2.

- El. castanipes. *Payk. F.* iii. 23.—*Marsh. i.* 381.—(*Sam. I.* 16.)

El. obscurus. *Fabr. E.* ii. 233.

El. fuscus-major. *DeGeer. iv.* 146.

β , El. rugosus. *Marsh. i.* 381.

Genus 217. LUDIUS, Latreille.

1263. 1, ferrugineus*.

El. ferrugineus. *Linn. ii.* 654.—*Mart. C.* *pl.* 31. *f.* 12.—*Don. x.*

pl. 356. *f.* 1.—*Marsh. i.* 382.—*Turt. ii.* 373.—*Shaw G. Z.*

vi. 85. *pl.* 30.—*Leach E. E.* ix. 85.—*Samou.* 161.

Genus 218. CLENIOCERUS, Leach MSS.

A. Antennis pectinatis.

1264 † 1, aulicus.

El. aulicus. *Panz. F.* lxxvii. *f.* 6.—(*Ing. Inst.* 88.)
In *Mus. Brit.*

1265. 2, pectinicornis.

El. pectinicornis. *Linn. ii.* 655.—*Berk. S.* i. 104.—*Mart. C.* *pl.* 3. *f.* 10, 10.—*Don. x.* *pl.* 356. *f.* 2.—*Stew. ii.* 73.—*Marsh. i.* 387.—*Turt. ii.* 379.—*Sam. I.* 16.—(*Curtis Cat. no. 45.*)

El. æneo-pectinicornis. *DcGeer. iv.* 145.

- El. flabellicornis. *Voët. (Pz.)* ii. 120. *pl. 45. f. 31.*
 ♀ β? El. picipes. *Kirby?* MSS.
1266. 3 : cupreus*.
 El. cupreus. *Fabr. E.* ii. 231.—*Mart. C. pl. 31. f. 16.*—*Stew. ii. 73.*—*Panz. F. lxxvii. f. 22.*—*Marsh. i. 384.*—*Turt. ii. 380.*
 —*Don. xv. pl. 508.*—(*Sam. I. 16.*)—(*Curtis Cat. no. 45.*)
 β, El. chalybeus. *Sowerb. B. M. i. pl. 72.*
 El. æruginosus. *Fabr. E. ii. 231?*
- 1267 ‡ 4, castaneus.
 El. castaneus. *Linn. ii. 654.*—*Berk. S. i. 104.*—*Panz. F. lxxvii. f. 4.*—*Stew. ii. 72.*—*Turt. ii. 380.*—*Samou. 161.*
 El. flavo-pechinicornis. *DeGeer. iv. 153.* In Mus. *D. Vigors. B. Antennis haud pectinatis.*
1268. 5 : sanguinicollis*.
 El. sanguinicollis. *Hellwig.*—*Panz. F. vi. f. 13.*—(*Ing. Inst. 88.*)
 El. ruficollis. (*Don. xv. pl. 518. f. 1.*)
1269. 6; tessellatus*.
 El. tessellatus. *Linn. ii. 655.*—*Herbst C. x. 32. pl. 161. f. 1.*
 —*Marsh. i. 386.*—*Turt. ii. 379.*—*Shaw G. Z. vi. 85.*—*(Sam. I. 16.)*
 El. rufounguiculatus. *DeGeer. iv. 48.*
 β; El. assimilis. *Gyll. i. 394.*
 El. nigripes. *Kirby MSS.*
1270. 7; metallicus*.
 El. metallicus. *Gyll. i. 392.*—(*Sam. I. 16.*)
 El. nigricornis. *Panz. F. lxi. f. 5.*
- Genus 219. —————
1271. 1, æneus*.
 El. æneus. *Linn. ii. 655.*—*Turt. ii. 379.*—(*Sam. I. 16.*)
 El. impressus. *Marsh. i. 387.*—*Don. xv. pl. 535. f. 2.*
 El. æneus rufipes. *DeGeer. iv. 149.*
 β, El. germanus. *Linn. ii. 655.*—*Turt. ii. 379.*
 El. cyaneus. *Marsh. i. 388.*—*Sowerb. B. M. i. pl. 26.*—*Don. xv. pl. 535. f. 1.*—*Samou. 57. pl. 3. f. 7.*
- 1272 ‡ 2, cruciatus*? *Linn. ii. 653.*—*Stew. ii. 72.*—*Turt. ii. 380.*
 —*Panz. F. lxxvi. f. 6.* In Mus. *Brit.*
- 1273 † 3, bimaculatus. (*Ing. Inst. 88.*)
 El. bimaculatus. *Fabr. E. ii. 121.*—*Panz. F. lxxvi. f. 9.*
 In Mus. *Brit.*
- Genus 220. —————
1274. 1, thoracicus*.
 El. thoracicus. *Fabr. E. ii. 236.*—*Panz. F. vi. f. 12.*—*Mart. C. pl. 31. f. 12.*—*Stew. ii. 72.*—*Marsh. i. 376.*—*Turt. ii. 381.*
 —(*Sam. I. 16.*)
1275. 2, ruficollis*.

- El. ruficollis. *Linn.* ii. 653.—*Berk.* S. i. 104.—*Mart. C.* pl. 30. f. 3.—*Stew.* ii. 72.—*Marsh.* i. 376.—*Turt.* ii. 381.—*Don.* xv. pl. 7.—(*Sam. I.* 16.)
1276. 3; *Equiseti* *.
El. *Equiseti*. *Herbst C.* x. 67. pl. 163. f. 12.—(*Ing. Inst.* 88.)
El. *pilosus*. *Payk. F.* iii. 25.
1277. [4; *cordiger* *.]
El. *cordiger*. *Kirby MSS.*
- 1278 † 5, *cylindrus*. *Leach?* *MSS.* In Mus. Brit.
- Genus 221. ——
1279. 1: *pubescens*.
El. *pubescens*. *Marsh. MSS.*—(*Ing. Inst.* 88.)
El. *Bydderi*. *Wilk. MSS.*
El. *rufus*. *Fabr. E.* ii. 225?—*Panz. F.* x. f. 11?
El. *melanophthalum*. *Gmel.* iv. 1914.
1280. 2; *niger* *.
El. *niger*. *Linn.* ii. 656.—*Berk.* S. i. 104.—*Stew.* ii. 73.—*Panz. F.* ci. f. 16?—*Turt.* ii. 375.—(*Sam. I.* 16.)
El. *aterrimus*. *Fabr. E.* ii. 227.
El. *hirtus*. *Herbst A.* v. 114.
1281. [3; *nigrinus* *.]
El. *nigrinus*. *Marsh.* i. 389.
- 1282 † 4, *varius* *.
El. *varius*. *Fabr. E.* ii. 229.—*Panz. F.* lxxvi. f. 3.—(*Ing. Inst.* 88.)
El. *Quercus*. *Herbst A.* iv. pl. 27. f. 11. C?
In Mus. D. H. Griesbach.
1283. 5, *hirsutus mihi*.
1284. 6; *ruficaudis* *.
El. *ruficaudis*. *Gyll.* i. 409.
El. *fuscus minor*. *DeGeer.* iv. 147.
El. *analisis*. *Herbst C.* x. 66. pl. 163. f. 11.
El. *sputator*. *Oliv. E.* ii. 30.—*Don.* iii. pl. 96. f. 4.—*Mart. C.* pl. 31. f. 20.—*Marsh.* i. 384.
El. *obscurus*. *Payk. F.* iii. 2.
El. *haemorrhoidalis*. *Fabr. E.* ii. 235.
1285. [7, *elongatus*.]
El. *elongatus*. *Marsh.* i. 385.
1286. 8; *subfuscus* *.
El. *subfuscus*. *Gyll.* i. 411.
El. *linearis*. *Payk. F.* iii. 3.
El. *varians*. ——? *MSS.*
1287. 9; *vittatus* *.

- El. vittatus. *Fabr.* E. ii. 231.—*Panz.* F. xcix. f. 6.—*Ent. Trans.* (Burrell.) i. 202.—*Don.* xv. pl. 518. f. 2.—(Sam. I. 16.)
- El. marginatus. *Oliv.* E. ii. 31. pl. 3. f. 29.
1288. 10, angularis *mihi*.
El. erythrogonos. *Germ.* (M.) Müller.) iv. 186?—*Ahr.* F. v. f. 7?
El. auritus. *Schon.* S. iii. App. 139?
1289. 11, testaceus.
El. testaceus. *Fabr.* E. ii. 238.—(*Ing. Inst.* 88.)
1290. [12, ochropterus] *mihi*.
1291. 13; rufipes *.
El. rufipes. *Fabr.* ii. 242.—*Marsh.* i. 389.—*Panz.* F. xciii. f. 14.—(Sam. I. 16.)
1292. [14, tibialis *.]
El. tibialis. *Kirby* MSS.
1293. 15; longicollis *.
El. longicollis. *Fabr.* E. ii. 241.—(Sam. I. 16.)
El. marginatus. *Payk.* F. iii. 15.—(*Mart. C.* pl. 31. f. 15.—*Marsh.* i. 379.)
El. marginellus. *Herbst C.* x. 75. pl. 164. f. 10.
 β ; El. unicolor. *Marsh.* i. 379.—(Sam. I. 16.)
El. longicollis. *Panz.* F. xciii. f. 12.
El. impressus. *Kirby* MSS.
 φ ; El. lateralis. *Marsh.* i. 380.

Genus 222. CAMPYLYS, Fisher.

EXOPTHALMUS, (*Latreille*)—CAMPYLYS (*Gyll.*)

1294. 1; dispar *.
El. linearis. *Linn.* ii. 653.—*Turt.* ii. 380.
El. variabilis. *De Geer.* iv. 154.
El. dispar. *Payk.* F. iii. 37.
El. bicolor. *Panz.* F. viii. f. 11.—*Marsh.* i. 378.
 β , El. livens. *Fabr.* E. ii. 232.—*Turt.* ii. 380.
 γ , El. mesomielus. *Linn.* ii. 653.—*Panz.* F. vii. f. 6.—*Marsh.* i. 378.—*Turt.* ii. 380.—(Sam. I. 16.)

Subsectio 4.(SERRICORNES: MALACODERMI p, et XYLOPHAGI p, *Latreille*.)

Familia XXXIV. CEBRIONIDÆ?

(CEBRIONITES, *Latreille*.)Genus 223. ATOPA. *Paykul*, Leach.CHRYSOMELA p, *Linn.*, *Don.*—PTINUS p, *De Geer.*—CISTELA p, *Olivier*.—CRIOCERIS p, *Marsh.*—DASCILLUS^a, *Latr.*, *Samou.*, (*Kirby*.)—CRYPTOCEPHALUS p, *Gmel.*^a DASCILLUS: Piscis antiquorum.

1295. 1; *cervina* *. *Payk. F. ii.* 117.—*Leach E. E. ix.* 85.
Ch. cervina. Linn. ii. 602.—*Don. iii. pl. 78, f. 3, 4.*
Cryp. cervinus. Stew. ii. 50.—*Turt. ii.* 182.
Da. cervinina. Samou. 162.
♂; *Cri. cervina. Marsh. i.* 220.
♀; *Cri. cinerea. Marsh. i.* 220.
Cry. cinereus. Turt. ii. 182.
Pti. testaceo-villosus. DeGeer. iv. 235. *pl. 9, f. 8.*

Familia XXXV. CYPHONIDÆ.

Genus 224. SCIRTES, *Illiger, Leach, Samou.*

CYPHON *p., Fabr.*—ELODES *p., Latr.*—CHRYSOMELA *p., Linné,*
Marsh.—ALTICA *p., Panz.*

1296. 1; *hemisphæricus* *. *Leach E. E. ix.* 86.—*Samou.* 163.
Ch. hemisphærica. Linn. ii. 595.—*Panz. F. xcvi. f. 7.*—
Marsh. i. 199.
Cy. hemisphæricus. (Sam. I. 14.)
Ch. fusca. DeGeer. iv. 348.
Al. latiuscula. Müll. Z. D. pr. 926.

1297. 2, *pallescens* * *mihi.*

Sc. *testaceus. Leach MSS.*

Genus 225. CYPHON, *Payk., Leach.*

CHRYSOMELA *p., Linn., Marsh.*—CRIOCERIS *p., Marsh., Millard.*
—CISTELA *p., Panz.*—LAMPYRIS *p?* *Linné.*—ELODES, *Latr.,*
Samou.

A. Capite thorace abscondito.

a. *Corpore hemisphærico.*

1298. 1; *chrysomeloides* *. *Wilkin MSS.*

Ch. pubescens. Marsh. i. 183.

Cy. serraticornis. Germ. M. (Müller.) iv. 221.

b. *Corpore oblongo.*

1299. 2; *melanurus* *. *Fabr. E. i.* 502.

El. melanura. (Sam. I. 16.)

Cy. pallidus. Fabr. E. i. 501.—*Leach E. E. ix.* 85.—(Sam. I. 14.)

Ci. pallida. Panz. F. viii. f. 7.—Turt. ii. 184.

Ci. pallida. Marsh. i. 227.

El. pallida. Samou. 162.

Cry. pallidus. Stew. ii. 51.

La. ? minuta. Linn. ii. 645 ?

♂; *Cy. villosus. Kirby MSS.*

1300. [3: læta.]

Ci. læta. Panz. F. viii. f. 8.

Cy. melanurus β. Gyll. i. 366.

1301. 4; assimilis * *mihi*.
 1302. 5; lividus *. *Fabr. E.* i. 501.
 Cy. pallidus a. *Payk. F.* ii. 118.
 Cr. mollis. *Marsh. i.* 225.
 El. mollis. (*Sam. I.* 16.)
 1303. 6; testaceus * *mihi*.
 Cy. flavicornis. *Kirby MSS.?*
 1304. 7; obscurus * *mihi*.
 1305. 8, marginatus. *Fabr. E.* i. 502.
 Ci. nimbata. *Panz. F.* xxiv. f. 15.
 Cy. pallidus c. *Payk. F.* ii. 119.
 1306. 9; pubescens *. *Fabr. E.* i. 502.
 Can. variabilis. *Mus. Acad. (Thunb.)* iv. 54.
 1307. [10, *dorsalis*.]
 Cryptocephalus! *dorsalis.* *Marsh. i.* 210.—(*Curtis l. c. i.*
 folio 35.)
 1308. 11; griseus *. *Fabr. E.* i. 502.
 Cy. coarctatus. *Payk. F.* ii. 120.
 Can. variabilis var. *Mus. Acad. (Thunb.)* iv. 54.
 El. fuscescens. *Latr. G.* ii. 253.
 β; *Cr. nigricans.* *Marsh. i.* 226.
 El. nigricans. (*Sam. I.* 16.)
 Cy. niger. *Kirby MSS.*
 γ, *Cr. concolor.* *Marsh. i.* 226.
 Cy. latus. *Kirby MSS.*
 1309. 12; *Padi* *. *Gyll. i.* 371.
 Ch. Padi. *Linn. ii.* 588.
 Cr. Padi. *Marsh. i.* 226.
 Cy. coarctatus var. pygmaea. *Payk. F.* ii. 121.
 Cy. discolor. *Panz. F.* xcix. f. 8.
 1310. 13; *ater* * *mihi*.
 B. Capite exerto.
 1311. 14; *angulosus* *.
 Cr. angulosa. *Marsh. i.* 228.
 Cy. bicolor. —?
 1312. 15, *dubius* * *mihi*.

Familia XXXVI. LAMPYRIDÆ, Kirby.

(LAMPYRIDES, Latreille.)

Genus 226. LAMPYRIS Auctorum. Glow-worm.

1313. 1; *noctiluca* *. *Linn. ii.* 643.—*Berk. S.* i. 102.—*Stew. ii.*
 68.—*Marsh. i.* 361.—*Turt. ii.* 358.—*Shaw. G. Z.* vi. 77. *pl. 28.*
 —*Bingley iii.* 140.—*Leach E. E.* ix. 86.—*Samou. 55. pl. 3. f. 1.* ♂.

f. 2, ♀.—*Millard.* 217. *pl. 3. f. 1.*—*Wood.* i. 53. *pl. 20.*—(*Kirby*
& *Sp. I. E.* ii. 410.)

1314 † 2. *splendidula* ^a.

Genus 227. LYCUS, *Fabr.*, *Leach*, *Samou.*, *Millard*, (*Kirby.*)

HOMALYSUS *p*, *Illig.*

1315 † 1. *sanguineus* ^b.

1316 † 2. *festivus* ^c.

1317. 3; *minutus* *. *Fabr. E.* ii. 117.—*Panz. F.* xli. *f. 11.*—*Leach E. E.* ix. 86.—*Samou.* 163.

La. *nigrorubra*. *De Geer.* iv. 46.

La. *pusilla*. *Marsh.* i. 363.

Familia XXXVII. TELEPHORIDÆ, *Leach.*

(CANTHARIS, *Linné*, *Marsh*, &c.)

Soft-wings, Soldiers, Sailors.

Genus 228. TELEPHORUS, *De Geer*, *Leach*, *Samou.*, (*Kirby.*)

A. Thoracis lateribus vix rotundatis.

a. Thorace transverso, lateribus posticè excisis: (Antennæ serratae, articulo secundo minuto.)

1318. 1, *ruficollis* *. (*Sam. I.* 40.)

Ca. *ruficollis*. *Fabr. E.* ii. 299.—*Stew.* ii. 70.—*Marsh.* i. 366.
—*Mart. C. pl. 29. f. 11?*—*Turt. ii.* 367.

Ca. *torquata*. *Gyll.* iv. 340?

b. Thoracē transverso, angulis posticis integris.

1. Antennæ articulo secundo tertio multo breviore.

1319. 2; *thoracicus* *. *Oliv. E.* ii. 12. *pl. 1. f. 2. a, b.*

Ca. *fulvicollis*. *Illig. K. i.* 302.—(*Sam. I.* 40.)—*Ent. Trans. (Burrell.) i.* 196.

Ca. *bicolor*. *Herbst A.* v. 108.

Ca. *fulva*. *Gmel.* iv. 1896.

1320. 3; *fulvicollis* *. *Sahl. I. F.* viii. 113.—*Fabr. E.* i. 300?

Te. *sanguinicollis mihi* (*olim.*)

1321. [4; *affinis* *.] *mihi*.

1322. 5; *ater* *. *Oliv. E.* ii. 13. *pl. 1. f. 3. a, b.*

^a 1314 † 2. *splendidula*. *Linn. ii.* 644.—*Stew.* ii. 68. (!)—*Marsh.* i. 362. (!)
—*Leach E. E.* ix. 86. (!)—(*Sam. I.* 24. (!)—*Panz. F.* xli. *f. 8.*

^b 1315 † 1. *sanguineus*. *Fabr. E.* ii. 116.—*Panz. F.* xli. *f. 9.*
La. *sanguinea*. *Linn. ii.* 646.—*Stew.* ii. 68. (!)
La. *villosa*. *De Geer.* iv. 37.

^c 1316 † 2. *festivus*.
La. *festiva*. *Don.* xvi. *pl. 544.* (!)

Ca. atra. *Linn.* ii. 649.—*Turt.* ii. 366.

Ca. Iridis. *Marsh?* MSS.

1323. 6; *flavilabris* *.

Ca. *flavilabris*. *Fallen. M. C.* i. 12.—*Gyll.* i. 337.

Ca. *picea*. *Kirby* MSS.

β ; Ca. *nigrina*. *Kirby* MSS.

γ , Ca. *dissimilis*. *Marsh.* MSS.

1324. 7; *pulicarius*. *Oliv. E.* ii. 26. *pl. 3. f. 20. a, b.*

Te. *aethiops*. (*Curtis Cat.* no. 45?)

2. Antennæ articulis secundo et tertio ferè æqualibus.

1325. 8; *lateralis* *. (*Sam. I.* 40.)

Ca. *lateralis*. *Linn.* ii. 648.—*Turt.* ii. 366.—*Ent. Trans.* (*Burrell.*) i. 196.

1326. 9; *marginatus* * *mihi*.

1327. 10; *testaceus* *. *DeGeer.* iv. 71.—(*Sam. I.* 40.)

Ca. *testacea*. *Linn.* ii. 649.—*Stew.* ii. 69.—*Mart. C. pl.* 29. *f. 6.* —*Marsh.* i. 367.—*Turt.* ii. 369.

1328. [11; *pallipes* *.] *mihi*.

Ca. *testacea*. *Panz. F.* lvii. *f. 4.*

Ca. *flavipes*. *Kirby* MSS.?

c. *Thorace elongato*. (*Antennæ elongatae*.)

1329. 12; *pallidus* *. *Oliv. E.* ii. 14. *pl. 2. f. 9. a, b.*—(*Sam. I.* 40.)

Ca. *pallida*. *Fabr. E. S.* i. a. 217.—*Marsh.* i. 368.

β ; Te. *femoralis*. *Ziegler*.

1330. 13; *fuscicornis* *. *Oliv. E.* ii. 11. *pl. 1. f. 4. a, b.*

Ca. *melanocephala*. *Panz. F.* xxxix. *f. 12.*

Ca. *flavicollis*. *Marsh.* i. 375.

1331. 14; *melanurus* *. *Oliv. E.* ii. 8. *pl. 3. f. 21.*—(*Sam. I.* 40.)

Ca. *melanura*. *Fabr. E.* i. 302.—*Stew.* ii. 70.—*Marsh.* i. 368.

—*Turt.* i. 368.

Te. *bimaculata*. *DeGeer.* iv. 71.

1332. 15; *pilosus* *. (*DeJean C.* 37.)

Ca. *pilosa*. *Payk. F.* i. 264.

Te. *longicornis* *mihi*.

B. Thoracis lateribus manifestè rotundatis.

a. *Thorace anticè rotundato*.

1. Antennæ articulo secundo tertio vix longiore.

1333. 16; *clypeatus*.

Ca. *clypeata*. *Illig. K.* i. 299.

Ca. *nivea*. *Panz. F.* lvii. *f. 5.*

Ca. *testacea*. *Scop. C.* 123.

Ca. *discoidalis*. *Kirby* MSS.

1334. 17; *dispar* *.
 Ca. *dispar*. *Fabr. E.* i. 295.
 Ca. *livida* var. a. *Illig. K.* i. 296.
 Ca. *rufipes*. *Herbst A.* v. 107.
 Te. *opacus*. *Müll. Z. D. pr.* 61.
1335. 18; *nigricans* *. *Müll. Z. D. pr.* 61.
 Ca. *nigricans*. *Fabr. E.* i. 296.
 Ca. *obscura*. *Linn. F.* 706.—*Marsh. i.* 365. *desc. Faun. Suec.*
 Ca. *obscura* var. *Payk. F.* i. 262.
1336. [19; *discoideus* *.] *mihi*.
 Ca. *nigricans* var. *Gyll. i.* 334.
1337. 20; *obscurus* *? *Oliv. E.* ii. 8. *pl. 2. f. 10. a, b.*—(*Sam. I.* 40.)—(*Curtis Cat. no. 45.*)
 Ca. *obscura*. *Linn. ii.* 648.—*Marsh. i.* 365. *desc. Syst. Nat.*—*Turt. ii.* 366.
2. Antennæ articulo secundo tertio breviore.
1338. 21, *tricolor*. *Marsh. MSS.*
 Ca. *abdominalis*. *Panz. F.* lxxxiv. *f. 5.*—(*Curtis Cat. no. 45.*)
- 1339 † 22, *violaceus* ^a.
1340. 23; *pellucidus* *.
 Ca. *pellucida*. *Fabr. E.* i. 296.
1341. [24; *cantianus* *] *mihi*.
1342. 25, *fuscus* *. *De Geer. iv.* 60. *pl. 2. f. 5—15.*—*Leach E. E.* ix. 86.—*Samou.* 164.
 Ca. *fuscus*. *Linn. ii.* 647.—*Barb. G. pl. 6. f. 3.*—*Berk. S.* i. 103.
 —*Stew. ii.* 69.—*Marsh. i.* 365.—*Turt. ii.* 365.—*Samou.* 56.
 Ca. *antica*. *Illiger.*
1343. 26; *rusticus* *.
 Ca. *rustica*. *Gyll. i.* 330.—*Fallen. M. C.* i. 9.
 Te. *fuscus*. *Oliv. E.* ii. 6. *pl. 1. f. 1. a—c.*—*Mart. C. pl. 29.*
f. 13. 14?
 Ca. *femoralis*. *Kirby MSS.*
1344. 27; *lividus* *. *Oliv. E.* ii. 7. *pl. 2. f. 8.*—(*Sam. I.* 40. *pl. 3.* *f. 4.*)—(*Kirby & Sp. I. E.* ii. 312.)
 Ca. *livida*. *Linn. ii.* 647.—*Barb. G. pl. 6. f. 8.*—*Berk. S.* ii. 103.
 —*Mart. C. pl. 29. f. 7?*—*Stew. ii.* 69.—*Marsh. i.* 366.—*Turt. ii.* 365.
 Te. *flavus*. *De Geer. iv.* 70.
 Ca. *dispar* ♂. *Payk. F.* i. 259.
1345. 28; *confinis* * *mihi*.
 Te. *nigricornis*. *Kirby MSS.?*

^a 1339 † 22. *violaceus*. *Wilk. Catal.* (!)
 Ca. *violacea*. *Payk. F.* i. 260.

1346. 29; litoratus*.
 Ca. litorata. *Gyll.* i. 348.
 Ca. assimilis var. b. *Payk. F.* i. 262.
 Ca. nigriventris. *Kirby MSS.*
1347. 30; analis*.
 Ca. analis. *Fabr. E.* i. 295.
1348. 31; rufus*. *Müll. Z. D. pr.* 62.—(*Sam. I.* 40.)
 Ca. rufa. *Linn. ii.* 647.—*Ent. Trans. (Burrell.)* i. 197.
 Ca. livida. *Herbst A. v.* 107.—*Panz. F.* lvii. f. 3.
1349. 32; bicolor*.
 Ca. bicolor. *Fabr. E.* i. 303.—*Panz. F.* xxxix. f. 18.
 b. *Thorace anticè emarginato. (Antennæ articulis 2 et 3 brevibus.)*
1350. 33; Alpinus*.
 Ca. alpinus. *Payk. F.* i. 259.
 Te. angulatus. (*Wilk. Catal.?*)
- Genus 229. MALTHINUS, *Latreille, Leach, Samou.*
 NECYDALIS p, *Geoff.*—TELEPHORUS p, *Oliv.*—APOTOMA,
Kirby MSS.
- A. Capite rhomboidali: oculis prominulis.
1351. 1; flavus*. *Latr. G.* i. 262.—*Leach. E. E.* ix. 86.—
Samou. 164.
 Ca. flaveola. *Payk. F.* iii. app. 446.
 Te. minimus. *Oliv. E. ii. pl.* 1. f. 6. a.
1352. [2; immunis*.] (*Sam. I.* 26.)
 Ca. immunis. *Marsh. i.* 374.
1353. 3; humeralis*. (*Schon. S.* ii. 74.)—(*Sam. I.* 26.)
 Ca. humeralis. *Marsh. i.* 374.
1354. [4; luteola.] *Kirby MSS.*
1355. 5; fasciatus*. (*Schon. S.* ii. 74.)
 Te. fasciatus. *Oliv. E. ii. 18. pl.* 4. f. 14. a, b.
1356. 6; collaris. *Latr. G.* i. 262.—*Leach E. E.* ix. 87.
1357. 7; biguttulus*. (*Schon. S.* ii. 74.)
 Ma. longicornis. *Kirby MSS.*
 Ca. biguttula. *Payk. F.* iii. App. 445.
 Te. biguttatus. *Oliv. E. ii. 26. pl.* 2. f. 12. a, b.
1358. 8; frontalis*.
 Ca. frontalis. *Marsh. i.* 363.
1359. [9; iminaculatus*.] *Kirby MSS.*
 Ca. biguttulus b. *Gyll. i.* 342.
1360. 10; Pinicola* mihi.

B. Capite rotundato.

a. Thorace elongato.

1361. 11; biguttatus*. (*Schon. S. ii. 74.*)
Ca. biguttata. *Linn. ii. 648.*—*Berk. S. i. 103.*—*Mart. C. pl. 29.*
f. 5.—*Stew. ii. 69.*—*Marsh. i. 372.*—*Turt. ii. 369.*
1362. 12; nigricollis*. *Kirby MSS.*
1363. 13; sanguinicollis*. (*Schon. S. ii. 75.*)
Ca. sanguinicollis. *Fallen. M. C. 15.*
Ca. minima var. *Payk. F. i. 268.*
Ma. ruficollis. *Latr. G. ii. 261?*—*Leach E. E. ix. 86.*
1364. 14, fulvicollis*. *Kirby MSS.*
1365. 15; minimus*.
Ca. minima. *Linn. ii. 649.*—*Berk. S. i. 103.*—*Stew. ii. 69.*—
Turt. ii. 369.
Ma. marginatus. *Latr. G. i. 261.*—*Leach E. E. ix. 86.*
1366. 16; cognatus* *mihi.*
Ca. minimus. *Marsh. i. 373.*
1367. 17, melanocephalus*.
Ca. melanocephalus. *Marsh. i. 374.*
1368. 18; concolor*. *Kirby MSS.*
Ca. minima b. *Gyll. i. 344?*
Ma. marginatus β . (*Schon. S. ii. 75?*)
b. Thorace transverso.
1369. 19, brevicollis*. (*Schon. S. ii. 75.*)
Ca. brevicollis. *Payk. F. i. 269.*

Familia XXXVIII. MELYRIDÆ.

(MELYRIDES *p.*, Leach.)

Genus 230. MALACHIUS, *Fabr.*, *Leach*, *Samou.*, *Millard*, *Curtis*.
CANTHARIS *p.*, *Linn.*, *Marsh.*—CICINDELA *p.*, *Geoff.*—TELEPHORUS *p.*, *DeGeer.*

1370. 1; æneus*. *Fabr. E. i. 306.*—*Leach E. E. ix. 87.*—
Samou. 165.—(*Curtis l. c. infra.*)
Ca. ænea. *Linn. ii. 648.*—*Mart. C. pl. 29.* *f. 4.*—*Berk. S. i.*
103.—*Stew. ii. 70.*—*Don. iii. pl. 96.* *f. 2.*—*Marsh. i. 369.*—
Turt. ii. 372.—*Wood. i. 55.* *pl. 20.*
Donacia Ranunculorum. *Voct. (Panz.) ii. 129.* *pl. 46.* *f. 7.*
1371. 2; bipustulatus*. *Fabr. E. i. 306.*—(*Sam. I. 26.* *pl. 3.*
f. 5.)—(*Curtis l. c. infra.*)—(*Kirby & Sp. I. E. ii. 323.*)
Ca. bipustulatus. *Linn. ii. 648.*—*Mart. C. pl. 29.* *f. 1.*—
Stew. ii. 70.—*Marsh. i. 369.*—*Turt. ii. 372.*—*Don. xv.*
pl. 528. *f. 2.*

- Ma. biguttatus. (*Sam. I.* 26.)
 Ca. biguttata. *Samou.* 56.
 Donacia Asparagorum. *Voet.* (*Panz.*) iii. 128. *pl.* 46. *f.* 6.
1372. 3; viridis*. *Fabr. E.* i. 307.—*Oliv. E.* ii. 7. *pl.* 3. *f.* 11. *a, b.*
 —(*Curtis l. c. infra.*)
 Ma. bipustulatus, β . *Illig. K.* i. 303.
 Ca. cyanea. *Thunb. M. U.* iv. 55.
 β , Ma. elegans. *Fabr. E.* i. 307.—*Oliv. E.* ii. 6. *pl.* 3. *f.* 12. *a, b.*
1373. 4, marginellus. *Fabr. E.* i. 307.—*Oliv. E.* ii. 6. *pl.* 3. *f.* 18.
a, b.—(*Curtis l. c. infra.*)
 Ma. bipustulatus γ . *Illig. K.* i. 303.
- δ , Ma. bispinosus. *Curtis MSS.*—*Curtis.* iv. *pl.* 167.
1374. 5: sanguinolentus*. *Fabr. E.* i. 307.—*Oliv. E.* ii. 7. *pl.* 3.
f. 13. *a, b.*—(*Sam. I.* 26.)—(*Curtis l. c. supra.*)
 Ca. sanguinoleuta. *Marsh.* i. 370.
 Ca. coccinea. *Gmel.* iv. 1894.
 Ma. erythromelas. *Gmel.* iv. 1899.
 Ma. rufus. *Herbst A.* 108.
- 1375 † 6, ruficollis*. *Fabr. E.* i. 307?—*Panz. F.* ii. *pl.* 8.—(*Ing. Inst.* 88.)—(*Curtis l. c. supra.*) In *Mus. D. Chant, Dale, et Stone.*
- 1376 † 7, thoracicus*. *Fabr. E.* i. 308.—*Oliv. E.* ii. 9. *pl.* 2. *f.* 10.
a, b.—(*Curtis l. c. supra.*) In *Mus. Brit.*
1377. 8; rubricollis*. *Gyll.* i. 362.—(*Curtis l. c. supra.*)
 Ca. rubricollis. *Marsh.* i. 371.
 Ma. ruficollis. *Oliv. E.* ii. 9. *pl.* 2. *f.* 9. *a, b.*—(*Sam. I.* 26.)
 Ma. pulicarius β . *Illig. K.* i. 306.
 δ , Ma. obliqua. *Kirby MSS.*
1378. 9, pulicarius*. *Fabr. E.* i. 308—*Panz. F.* x. *f.* 4. δ .—
 (*Curtis l. c. supra.*)
 Ca. nemoralis. *Gmel.* iv. 1898.
- 1379 † 10. pedicularius^a.
1380. 11; productus*. *Oliv. E.* ii. 13. *pl.* 3. *f.* 17. *a, b.* δ .
 Ma. præustus. *Fabr. E.* i. 308.
- φ ; Ma. flavipes var. *Fabr. E. S.* i. 225.
 Ma. apicalis. *Leach MSS.*—(*Curtis l. c. supra.*)
1381. 12; fasciatus*. *Fabr. E.* i. 309.—*Panz. F.* x. *f.* 5.—
 (*Sam. I.* 26.)—(*Curtis l. c. supra.*)
 Ca. fasciata. *Linn.* ii. 648.—*Berk. S.* i. 103.—*Stew.* ii. 70.—
Marsh. i. 371.—*Turt.* ii. 374.—*Don.* xv. *pl.* 528. *f.* 1.
1382. [13; bituberculatus*] mihi.—(*Curtis l. c. supra.*)
 Ma. fasciatus b. *Gyll.* i. 361.

^a 1379 † 10. pedicularius. *Oliv. E.* ii. 8. *pl.* 1. *f.* 3. *a, b.*—*Turt.* ii. 373. (!)
 δ , Ca. Cardiacæ. *Linn.* ii. 649?

- 1383 † 14, equestris. *Fabr.* E. i. 309.—*Panz.* F. x. f. 6.
Ma. bipunctatus. *Herbst A.* 108.
Ca. Herbstii. *Gmel.* iv. 1899.
Meloe Govani. *Gmel.* iv. 2021.
Ma. fasciatus γ. (*Schon.* S. ii. 82.) In Mus. Brit.
- 1384 † 15, humeralis. *Leach MSS.*—(*Curtis l. c. supra.*) In Mus. Brit.
- Genus 231. ELICOPIS, Besser.
- DASYTES** *p*, *Fabr.*—**LAGRIA** *p*, *Fabr.?*—**MELYRIS** *p*, *Illiger.*
1385. 1; impressus *. (*Ing. Inst.* 88.)
Cr. impressus. *Marsh.* i. 226.
Da. nigricornis. *Payk. F.* ii. 158?
- 1386 † 2, femoralis? *Illig. M.* vi. 302.
Me. nigricornis var. *Illig. M.* i. 82. nota. In Mus. Brit.
- 1387 † 3, quadripustulatus? (*Schon. S.* iii. 12.)
Hi. quadripustulatus. *Fabr. E.* ii. 59.
Me. quadrimaculatus. *Oliv. E.* ii. 10. *pl.* 1. *f.* 2. *a, b.* In Mus. Brit.
1388. [† 4, apicalis *mihi.*] In Mus. Brit.
- Genus 232. DASYTES, *Paykul*, *Leach*, *Samou.*
- DERMESTES** *p*, *Linné.*—**CICINDELA** *p*, *Geoff.*—**MELYRIS** *p*, *Oliv.*—**LAGRIA** *p*, *Rossi.*—**TILLUS** *p*, *Marsh.*—**CANTHARIS** *p*, *Scolopoli.*—**TELEPHORUS et CLERUS** *p*, *DeGeer.*—**ANOBIUM** *p*, *Fabr.*
- 1389 † 1, niger *. *Fabr. E.* ii. 72.—*Panz.* F. xcvi. *f.* 9.
De. niger. *Linn.* ii. 564.
Ca. nigra. *Fabr. E.* i. 303.—*Turt.* ii. 368.
Me. villosus. *Oliv. E.* ii. 9. *pl.* 2. *f.* 10. *a, b.* In Mus. Brit.
- 1390 † 2, ater *. *Fabr. E.* ii. 71.—(*Leach E. E.* ix. 87.—*Samou.* 164.—(*Kirby & Sp. I. E.* iii. 690.)
De. hirtus. *Linn.* ii. 563?
Me. ater. *Oliv. E.* ii. 9. *pl.* 2. *f.* 8. *a—e.*
Ca. pilosa. *Scop. C.* 131. In Mus. Brit.
1391. 3, cæruleus. *Fabr. E.* ii. 73.—*Panz.* F. xcvi. *f.* 10.—(*Sam. I.* 14.)
Pt. cyaneus. *Gmel.* iv. 1605.
1392. 4, viridis. (*Sam. I.* 14.)
La. viridis. *Rossi M.* i. 35.
Me. cyaneus. *Oliv. E.* ii. 8. *pl.* 2. *f.* 9. *a—d.*
Da. nobilis. *Illig. K.* i. 309. *nota ad Mel. cæruleum, teste Schonh.*
1393. 5; æratus * *mihi.*

- Ti. æneus. *Marsh.* i. 230.
 Da. æneus. (*Sam. I.* 14.)
1394. [6; serricornis*.] *Kirby MSS.*
 Da. fusculus. (*Schon. S.* iii. 14)?—*Gyll.* iv. 336?
1395. 7; flavipes*. *Fabr. E.* ii. 73.—(*Sam. I.* 14.)
 Me. flavipes. *Oliv. E.* ii. 12. *pl.* 3. *f.* 16. *a, b.*
 Me. plumbea. *Illig. K.* i. 310.
 Ti. virens. *Marsh.* i. 230.
- 1396 † 8, linearis. *Fabr. E.* ii. 73.
 Ti. filiformis. *Creutz. E. V.* 121. *pl.* 3. *f.* 25. *a.*
 In Mus. *D. Kirby.*
- Genus 233. DRILUS, *Olivier, Leach, Samou.*
 PTILINUS *p*, *Geoffroy*.—CANTHARIS *p*, *Marsh.*.—HISPA *p*, *Rossi*.
 —CRIOCERIS *p*, *Thunb.*.—COCHLEOCTONUS, *Mielzinsky.*
1397. 1; flavescens*. *Oliv. E.* ii. 4. *pl.* 1. *f.* 1. *a. e.*—*Leach E. E.* ix. 86.—*Samou.* 163.—(*Kirby & Sp. I. E.* iv. 479 note.)
 Ca. serraticornis. *Marsh.* i. 374.
 Ca. parisina. *Act. Ups. (Thunb.)* v. 93.
 † ♀. Co. vorax. *Bull. Sci. Nat. (Meilz.)* 1824. iii. 297.

Familia XXXIX. TILLIDÆ, *Leach.*

(CLERII, *Latreille.*)—(TILLUS et CLERUS, *Marsh.*)

Genus 234. TILLUS, *Olivier, Leach, Samou., Millard.*

CHRYSOMELA *p*, *Linn.*.—CLERUS *p*, *Fabr.*.—LAGRIA *p*, *Panz.*.—CRYPTOCEPHALUS *p*, *Gmelin.*

A. Thorace cylindrico.

1398. 1; elongatus*. *Oliv. E.* ii. 4. *pl.* 1. *f.* 1. *a-e.*—*Marsh.* i. 229.—*Samou.* 165.—*Leach E. E.* ix. 88.
 Chr. elongata. *Linn.* ii. 603.
 Cry. elongatus. *Stew.* ii. 52.—*Turt.* ii. 198.
 La. ruficollis. *Herbst A.* 68. *pl.* 23. *f.* 35.
1399. 2, ambulans*. *Fabr. E.* i. 282.—*Marsh.* i. 230.—(*Ing. Inst.* 89.)
 Ti. elongatus var. *Payk. F.* i. 154.—*Leach E. E.* ix. 88.
 La. atra. *Panz. F.* viii. *f.* 9.
 Cryp. Marchiæ. *Gmel. iv.* 1731.
 β, Ti. bimaculatus. *Don. xii. pl.* 411. *f.* 2.
- B. Thorace subcordato. (ATTELABUS *p*, *Gmelin.*)
1400. 3; unifasciatus*. *Latr. H.* ix. 145.—*Marsh.* i. 231.—*Leach E. E.* ix. 88.—*Samou.* 165.
 Cl. unifasciatus. *Oliv. E.* iv. 17. *pl.* 2. *f.* 21. *a, b, c.*

Genus 235. OPILUS, *Latreille, Leach, Samou.*

ATTELABUS *p*, *Linné*.—NOTOXUS *p*, *Fabricius*.—EUPOCUS, *Il-*
tiger.—OPILO? (*Kirby*.)

1401. 1; mollis*. *Latr. H.* ix. 149. *pl. 77. f. 2, 3*.—*Leach E. E.*
ix. 88.—*Samou.* 166. *pl. 12. f. 1*.

At. mollis. *Linn. ii.* 621.—*Mart. C. pl. 23. f. 7*.

Cl. mollis. *Illig. K. i.* 285.—*Marsh. i.* 322.—*Don. xii.*
pl. 411. f. 1.

Cl. fuscofasciatūs. *DeGeer. v.* 159. *pl. 5. f. 6*.

No. mollis. *Fabr. E. i.* 287.—*Stew. ii.* 62.—*Turt. ii.* 236.

1402. 2, fasciatus*. *Wilk.?* MSS.

Genus 236. THANASIMUS, *Latreille, Leach, Samou.*, (*Kirby*.)

ATTELABUS *p*, *Linn.*.—CLERIOIDES, *Schäffer*.

1403. 1; formicarius*. *Latr. G. i.* 270.—*Leach E. E.* ix. 88.—*Samou.* 165.

Cl. formicarius. *Fabr. E. i.* 280.—*Marsh. i.* 321.

At. formicarius. *Linn. ii.* 620.—*Mart. C. pl. 23. f. 8*.—*Berk. S.*
i. 100.—*Don. vii. pl. 231. f. 2*.—*Stew. ii.* 62.—*Turt. ii.* 285.

Genus 237. CLERUS, *Gcoffroy, Leach, Curtis*, (*Kirby*.)

TRICHODES, *Herbst*.

1404. 1: apiarius. *Fabr. E. S. i.* 208.—*Leach E. E.* ix. 88.—
(*Curtis l. c. infra*.)

At. apiarius. *Linn. ii.* 620.—*Berk. S. i.* 101.—*Don. vii.*
pl. 231. f. 1.—*Stew. ii.* 62.—*Turt. ii.* 286.

1405 † 2, alvearius*. *Fabr. E. S. i.* 209.—*Curtis. i. pl. 44*.—(*Ing.*
Inst. 88.)

Tr. apiarius var. *Herbst C. iv.* 156.

Genus 238. NECROBIA, *Olivier, Leach, Samou.*, (*Kirby*.)

DERMESTES *p*, *Linné*.—CORYNETES *p*, *Paykul, Samou.*, (*Kirby*).
—TILLUS *p*, *Samou.*

1406. 1; violacea*. *Oliv. E. iv. 5. pl. 1. f. 1. a, b, c*.—(*Sam. I. 28.*)

Cl. quadra. *Marsh. i.* 323.

Ti. quadra. (*Sam. I. 41.*)

1407. 2; ruficollis*. *Oliv. E. iv. 6. pl. 1. f. 3. a, b*.—*Leach E. E.*
ix. 88.—*Samou.* 166.

Cl. ruficollis. *Marsh. i.* 324.

Co. ruficollis. (*Sam. I. 13.*)—(*Kirby & Sp. I. E. i.* 255.)

1408. 3; rufipes*. *Oliv. E. iv. 5. pl. 1. f. 2. a, b*.—(*Sam. I. 23.*)

De. rufipes. *Fabr. E. S. i.* 230.

Genus 239. CORYNETES, *Paykul*, (*Samou.*)—(*Kirby*.)

DERMESTES *p*, *Linné*.—(Fam. XYLOPHAGI *p*, *Gyllenhal.*)

1409. 1; violaceus. *Payk. F. i.* 275.

- De. violaceus. *Linn.* ii. 563.—*Mart. C. pl. 6. f. 7?*—*Stew.* ii. 32.—*Turt.* ii. 80.—*Wood.* i. 12. *pl. 3.*
 Cl. violacea. *Marsh.* i. 323.
 Cl. cæruleus. *DeGeer.* v. 163. *pl. 5. f. 13.*
 At. *Geoffroyanus.* *Laich.* T. i. 247.

Familia XL. PTINIDÆ, Leach.

(PTINIORES et XYLOPHAGI p, Latreille.—CISSIDÆ p, Leach.)
 (PTINUS, Linné, &c.)

Genus 240. XILETINUS, Latreille, Leach.

SERROCERUS, *Kugellan.*—PTILINUS p, *Fabr.*—ANOBIUM p, *Illi-*
liger.—DERMESTES p, *Marsh.*—BRUCHUS p, *Quensel.*—ORION,
(Megerle.)

1410. 1, striatus?

- Le. striatus. *Schneid. M. (Kugell.)* i. 486?
 Pt. pectinatus. *Fabr. E. i. 329.*—*Panz. F. vi. f. 9.*
 Bru. rufipes. *Quensel. Diss. 11.*
 Pti. nigricornis. *Kirby MSS.*

1411. [2; ater*.] (*DeJean C. 40.*)

- Pt. ater. *Panz. F. xxxv. f. 9.*
 An. serraticorne. *Rossi F. i. 42.*
 Pt. pectinatus b. *Gyll. i. 302.*
 De. rufipes. *Marsh. i. 62.*
 Pt. serratus. *Fabr. E. i. 330.*
 Or. laticollis. *Megerle.*

Genus 241. PTILINUS, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)

DERMESTES p, *Linné.*—ANOBIUM p, *Illig.*—LIGNIPERDA p,
Herbst.—HISPA p, *Gmel.*, *Turt.*—BOSTRICHUS p, *Laich.*

1412. 1; pectinicornis*. *Fabr. E. i. 329.*—*Leach E. E. ix. 93.*
 —*Samou. 181.*

- Pt. cylindricus. *Müll. Z. D. pr. 81.*
 Ptin. pectinicornis. *Linn. ii. 565.*—*Berk. S. i. 90.*—*Don. x.*
pl. 326.—*Marsh. i. 81.*—*Shaw G. Z. vi. 37. pl. 9.*
 Hi. pectinicornis. *Stew. ii. 52.*—*Turt. ii. 200.*
 ♀; Pt. serraticornis. *Marsh. i. 81.*
 Pt. fuscus. *Fourc. i. 4.*
 Bo. pectinatus. *Laich. Ty. ii. 68.*
 β? Pt. costatus. *Gyll. iv. 329.*

Genus 242. PTINUS Auctorum. Chair-eater.

BRUCHUS p, *Geoffroy.*—CERAMBYX p, *Linn. F.*

1413. 1; imperialis*. *Linn. ii. 565.*—*Panz. F. v. f. 7.*—*Marsh. i.*
88.—*Turt. ii. 92.*—*Samou. 49.*
 Br. cruciatus. *Fourc. i. 58.*

1414. 2; Germanus*. *Oliv. E.* ii. 7. *pl. 1. f. 6. a, b.*—*Marsh. i.*
89.—(*Sam. I.* 35.)
Pt. imperialis. *Samou. pl. 1. f. 6?*
1415. 3; rufipes*. *Fabr. E.* i. 325.—*Oliv. E.* ii. 8. *pl. 2. f. 8.*
a. b.—(*Sam. I.* 35.)
Pt. germanus. *Payk. F.* i. 312.—*Leach E. E.* ix. 93.
♀; Pt. elegans. *Fabr. E.* i. 325.
Pt. bimaculatus. *Kirby MSS.*
1416. 4; Museorum*. *Leach MSS.*—(*Sam. I.* 35.)
Pt. sexpunctatus. *Panz. F.* i. *f. 20?*
1417. 5; Fur*. *Linn. ii.* 566.—*Berk. S.* i. 190.—*Stew. ii.* 34.—
Marsh. i. 89.—*Turt. ii.* 92.—*Shaw G. Z.* vi. 36. *pl. 9.*—*Don. xii.*
79. *pl. 422.*—*Leach E. E.* ix. 93.—*Samou.* 180.—*Wood. i.* 14.
pl. 4.—(*Kirby & Sp. I. E.* i. 238.)
Br. furunculus. *Müll. Z. D. pr.* 57.
Pt. rapax. *DeGeer. iv.* 231. *pl. 9. f. 1—7.*
- ♂: Pt. testaceus. *Marsh. i.* 91.
Pt. latro. *Fabr. E.* i. 326.—*Stew. ii.* 34.
Pt. clavipes. *Panz. F.* xcix. *f. 4.*
Pt. longipes. *Rossi M.* i. 20.
1418. 6; crenatus*. *Fabr. E.* i. 326.—(*Sam. I.* 35.)
Pt. ovatus. *Marsh. i.* 90.
1419. [7; Cerevisiae*]. *Marsh. i.* 90.—(*Sam. I.* 35.)
Pt. minutus. *Illig. K.* i. 347.
Pt. crenatus alter sexus?
1420. 8; Lichenum*. *Marsh. i.* 89.—(*Sam. I.* 35.)
1421. [9; similis*]. *Marsh. i.* 90.
Pt. bidens. *Oliv. E.* ii. 8. *pl. 2. f. 10. a, b?*
Pt. Lichenum ♂?

Genus 243. MEZIUM, *Leach*, (*Samou.*)

GIBBIUM *p.*, (*Samou.*)

1422. 1; sulcatum*. *Leach MSS.*—(*Samou.* 180.)
Pt. sulcatus. *Fabr. E.* i. 327.—*Marsh. i.* 91.
Gi. sulcatus. (*Sam. I.* 19.)

Genus 244. GIBBIUM, *Kugellan*, *Leach*, *Samou.*, (*Kirby.*)

SCOTIAS, *Czemspinski.*

- 1423 † 1, Scotias*. *Schneid. M.* (*Kugellan.*) iv. 502.—*Leach E. E.*
ix. 93.—(*Sam. I.* 19.)
Pt. Scotias. *Fabr. E.* i. 327.—*Panz. F.* v. *f. 8.*—*Turt. ii.* 93.
Pt. seminulum. *Schra. A.* 36.
Pt. apterus. *Gmel. iv.* 1608.
Sc. psylloides. *Czemspinski.*

In Mus. *Brit. D. Haworth et Hope.*

Genus 245. DORCATOMA, *Herbst, Leach, (Kirby.)*

ANOBIUM *p*, *Illig.*—DERMESTES *p*, *Panzer*.—SERROKERUS *p*, *Kugellan*.

1424. 1, Dresdensis. *Herbst C. iv. 104. pl. 39. f. 8. a, b.*—
(*Leach E. E. ix. 93.*)

De. bistriatus. *Payk. F. ii. 318.*

An. Dorcatoma. *Illig. K. i. 334.*

De. Serra. *Panz. F. xxvi. f. 10.*

Se. Serra. *Marsh. MSS.*

Se. glaber. *Schneid. M. (Kugellan.) iv. 486.*

1425. 2, Bovistæ. *Ent. Hefte. ii. 100. pl. 3. f. 11.*

Genus 246. ANOBIUM, *Fabricius, Leach, Samou., (Kirby.)*

DERMESTES *p*, *Thunb.*—BYRRHUS *p*, *Geoff.*

A. Elytris striatis.

1426. 1; castaneum*. *Fabr. E. i. 322.—Oliv. E. ii. 7. pl. 1. f. 2. a, b.*—(*Sam. I. 3.*)

An. excavatum. *Schneid. M. (Kugell.) iv. 488.*

Pt. castaneus. *Marsh. i. 83.*

By. mollis. *Fourc. i. 26.*

Pt. ferrugineus. *Gmel. iv. 1606.*

1427. 2; rufipes*. *Fabr. E. i. 322.—(Sam. I. 5.)*

An. elongatum. *Payk. F. i. 303.*

Pt. rufipes. *Marsh. i. 83.*

β; Pt. cylindricus. *Marsh. i. 83.*

An. Juglandis. *Herbst C. v. 61. pl. 47. f. 8. 9?*

1428. 3; pertinax*. *Oliv. E. ii. 6. pl. 1. f. 4. a, b.*

Pt. pertinax. *Linn. ii. 565.—Berk. S. i. 90.—Marsh. i. 82.*

An. striatum. *Fabr. E. i. 321.*

Pt. rugosus. *Gmel. iv. 1605.*

Pt. rufus. *Gmel. iv. 1606.*

1429. [4; Fagi*.] *Herbst C. v. 57. pl. 47. f. 4. c. C.*

1430. 5; striatum*. *Oliv. E. ii. 9. pl. 2. f. 7. a, b.*—*Leach E. E. ix. 93.—Samou. 181.*

Pt. punctatus. *DeGeer. iv. 230.*

An. pertinax. *Fabr. E. i. 322.—Stew. ii. 34.—Turt. ii. 90.*

By. domesticus. *Fourc. i. 26?*

1431. 6; paniceum*. *Fabr. E. i. 323.—Panz. F. lxvi. f. 6.*

De. paniceus. *Linn. ii. 564.*

An. paniceum. (*Sam. I. 3.*)

An. ferrugineum. *Herbst A. 27. pl. 20. f. 13.*

Pt. testaceus. *Act. Ups. (Thunb.) iv. 6.*

Pt. Upsaliensis. *Gmel. iv. 1608.*

- δ ; Pt. tenuicornis. *Marsh.* i. 84.
 φ ; Pt. rubellus. *Marsh.* i. 85.—(*Kirby & Sp. I. E.* i. 386.)
 B. Elytris vagè punctatis.
1432. 7; tessellatum*. *Fabr. E.* i. 321.—*Panz. F.* xlvi. f. 3.—
Leach E. E. ix. 93.—*Samou.* 181.—(*Kirby & Sp. I. E.* i. 36.—
Id. ii. 387.)
 Pt. tessellatus. *Marsh.* i. 85.—*Turt.* ii. 90.—*Bingley.* iii. 124.
 By. nigrofuscus. *Geoffr.* i. 112.
 An. pulsatorium. *Scriba. Jo.* 156.
 Pt. rufovillosum. *De Geer.* iv. 230.
 Pt. fatedicus. *Blumenb.*—*Shaw N. M.* iii. pl. 104.—*Shaw G. Z.*
 vi. 34. pl. 8.
 Pt. pulsator. *Gmel.* iv. 1605.—*Turt.* ii. 91.
 Pt. faber. *Gmel.* iv. 1608?
 Pt. fuscus. *Gmel.* iv. 1606?
 By. pertinax. *Fourc.* i. 26.
 By. rubiginosus. *Müll. Z. D. pr.* 57.
 Death-watch. *Shaw et Bingley l. c. supra.*
1433. 8; Abietis*. *Fabr. E.* i. 323.—*Panz. F.* lxvi. f. 7.—
 (*Sam. I. 3.*)
 An. molle b. *Payk. F.* i. 307.
 Pt. laevis. *Marsh.* i. 84.
1434. 9; molle*. *Fabr. E.* i. 323.—*Herbst C.* v. 61. pl. 47. f. 9.
h. H.—*Leach E. E.* ix. 93.—(*Sam. I. 3.*)
 Pt. mollis. *Liun.* ii. 565.—*Berk. S.* i. 90.—*Stew.* ii. 34.—
Marsh. i. 84.—*Turt.* ii. 90.
 Pt. testaceus. *Gmel.* iv. 1606.
- 1435 † 10, erythropum. *Leach MSS.* In Mus. Brit.
- Genus 247. OCHINA? (*Ziegler?*)
 ANOBIUM *p.* Schonher.—CRIOCERIS *p.* *Marsh.*
1436. 1; ptinoides*.
 Cr. ptinoides. *Marsh.* i. 228.
 An. ptinoides. (*Sam. I. 3.*)
 β , Pt. bifasciatus. *Marsh. MSS.*
- Genus 248. CHORAGUS, Kirby.—(Fam. CHORAGIDÆ, Kirby.)
- 1437 † 1; Sheppardi*. *Linn. Trans.* (*Kirby.*) xii. 448. pl. xxii. f. 14.—
 (*Kirby & Sp. I. E.* ii. 315.) In Mus. D. Kirby et Sheppard.
- 1438 † 2, niger. *Kirby MSS.* In Mus. D. Kirby.
- Genus 249. CISS, Latreille, Leach, Samou.
- ANOBIUM *p.* *Fabr.*—PTINUS *p.* *Marsh.*—DERMESTES *p.* *Scop.*—
 HYLESINUS *p.* *Fabr.*—BOSTRICHUS *p.* *Kugell.*—BOLITESTES,
Kirby MSS. (*olim.*)
1439. 1; Boleti*. *Latr. G.* iii. 12.—(*Leach E. E.* ix. 110.—
 (*Sam. I. 11.*)

- An. Boleti. *Fabr.* i. 323.
 De. picipes. *Herbst C.* iv. 137.
 An. bidentatum. *Oliv. E.* ii. 16. 11. *pl. 2. f. 5. a, b, c.*
 De. variabilis. *Fabr. E.* i. 319.
 Pt. Boletorum. *Marsh.* i. 85.
 β ? Ci. picipes. *Kirby MSS.*
1440. 2; concinnus *. (*Sam. I.* 11.)
 Pt. concinnus. *Marsh.* i. 87.
1441. 3, flavus. *Kirby MSS.*
1442. 4; micans *. *Gyll.* iii. 379.
 An. micans. *Fabr. E.* i. 324.—*Herbst C.* v. 64. *pl. 47. f. 11. K.*
 Pt. villosulus. *Marsh.* i. 86.
1443. 5; hispidus *. *Gyll.* iii. 380.
 An. hispidum. *Payk. F.* i. 310.
 An. micans. *Panz. F.* x. f. 8.
1444. 6, pyrrhocephalus.
 Pt. pyrrhocephalus. *Marsh.* i. 86.
1445. 7, pygmæus.
 Pt. pygmæus. *Marsh.* i. 86.
 An. festivum. *Panz. F.* vi. f. 7?
1446. 8, rhododactylus.
 Pt. rhododactylus. *Marsh.* i. 87.
1447. 9; nigricornis *.
 Pt. nigricornis. *Marsh.* i. 87.
1448. 10, ruficornis *.
 Pt. ruficornis. *Marsh.* i. 87.
 Ci. perforatus. *Gyll.* iii. 385.
1449. 11; nitidus *. *Gyll.* iii. 382.
 An. nitidum. *Fabr. E.* i. 324.
 β ; Ci. nitidulus. *Kirby MSS.*
 An. nitidum. *Panz. F.* x. f. 9.
1450. 12; fronticornis *. (*DeJean C.* 102.)
 An.? fronticornis. *Frölich.*
 Apate fronticornis. *Panz. F.* xcviii. f. 7?
 Ci. emarginatus. *Kirby MSS.* ?
1451. 13; bidentatus *. *Gyll.* iii. 383.—(*Sam. I.* 11.)
 δ ; Pt. bidentatus. *Marsh.* i. 86.
 φ ; Pt. inermis. *Marsh.* i. 87.

Familia XLI. BOSTRICIDÆ, Leach.

(XYLOPHAGI p, et CURCULIONITES-SCOLITARII, Latreille.)

Genus 250. APATE, Fabricius.

DERMESTES p, Linné.—BOSTRICHUS, Leach.

A. Elytris posticè dentatis.

1452. 1, muricata *. (*Ing. Inst.* 87.)De. muricatus. *Linn.* ii. 562.Sy. muricatum. *Fabr. E.* ii. 377.—*Panz. F.* xxxv. f. 7.Bo. bispinosus. *Oliv. E.* iv. 77. *pl.* 1. *f.* 1.

B. Elytris posticè muticis. LIGNIPERDA p, Herbst.

1453 † 2, capuzina *. *Fabr. E.* ii. 381.—*Panz. F.* xliii. f. 18.—*Ent. Trans. (Haworth.)* i. 81.De. capucinus. *Linn.* ii. 562.Bo. capucinus. *Childr. Address,* 7.

In Mus. D. Haworth et Sparshall.

Genus 251. BOSTRICHUS, Olivier.

IPS p, DeGeer.—DERMESTES p, Linné.—APATE p, Fabr.

1454. 1, dispar. *Illig. M.* iv. 129.♂, Bo. brevis. *Panz. F.* xxxiv. f. 20.♀, Bo. thoracicus. *Panz. F.* xxxiv. f. 18.1455. 2, domesticus. *Gyll.* iii. 365.De. domesticus. *Linn.* ii. 563.—*Berk. S.* i. 89.—*Stew.* ii. 32.—*Turt.* ii. 85.Ap. limbatus. *Fabr. E.* ii. 382.—*Panz. F.* xliii. f. 19.

Genus 252. TOMICUS, Latreille, Leach, Samou., (Kirby.)

DERMESTES p, Linné.—IPS p, DeGeer.—SCOLYTUS p, Olivier.—

BOSTRICHUS p, Fabr.—ECCOPTOGASTER p, Gyllenhal.

A. " Elytris posticè integris, rotundatis." Gyllenhal.

a. Thorace anticè angusto.

1456. 1; polygraphus *.

De. polygraphus. *Linn.* ii. 562.Bo. polygraphus. *Panz. F.* xv. f. 5.Ips polygraphus. *Marsh.* i. 52.

1457. 2; affinis * mihi.

b. Thorace anticè capite latiore.

1458. 3; villosus *.

Bo. villosus. *Payk. F.* iii. 154.—*Panz. F.* xv. f. 8.

- β , *Ips villosus*. *Marsh.* i. 53.
De. micrographus. *Linn. F. no.* 419?
1459. 4; *micrographus**.
Bo. micrographus. *Payk. F. iii.* 155.—*Panz. F. lxvi. f. 11.*—*Turt. ii.* 87.
 B. “*Elytris posticè retusis, plerumque dentatis.*” *Gyllenhal.*
 a. *Elytris posticè muticis.*
1460. 5; *fuscus**. (*Sam. I.* 41.)
Ips fuscus. *Marsh.* i. 53.
Bo. retusus. (*DeJean C.* 101.)
1461. 6; *pubescens**.
Ips pubescens. *Marsh.* i. 58.
Bo. cinereus. *Herbst C. v.* 116. *pl. 48. f. 15. O.*—*Gyll. iii.* 370?
Bo. Pini. *Kirby MSS.*
 b. *Elytris posticè dentatis.*
1462. 7; *bidens**.
Bo. bidens. *Fabr. E. ii.* 389.—*Panz. F. xxxix. f. 21.*
Sc. bidentatus. *Oliv. E. iv.* 78. *pl. 2. f. 13. a, b.*
Ips micrographus. *Marsh.* i. 52.
1463. 8; *Laricis**.
Bo. Laricis. *Fabr. E. ii.* 386.—*Panz. F. xv. f. 3.*
Sc. chalcographus. *Oliv. E. iv.* 78. *pl. 1. f. 8. a—c.*
1464. 9, *monographus*.
Bo. monographus. *Fabr. E. ii.* 387.
Bu. tuberculatus. *Herbst C. v.* 113. *pl. 48. f. 12.*
- 1465 + 10, *flavus*. *Wilk.?* *MSS.?*
Bo. octodentatus. *Payk. F. iii.* 146?
 In *Mus. D. Curtis et Vigors.*
1466. 11, *Typographus*? *Latr. G. ii.* 276.—(*Leach E. E. ix.* 109.)
 —(*Sam. I.* 41.)
Ips Typographus. *DeGeer. v.* 193. *pl. 6. f. 1—7.*—*Marsh.* i. 51.
Bo. Typographus. *Fabr. E. ii.* 385.—*Panz. F. xv. f. 2.*—*Stew. ii.* 33.—*Turt. ii.* 86.—(*Sam. I. 7.*)—(*Kirby & Sp. I. E. i.* 210.)
- Genus 253. PLATYPUS, *Herbst*, *Leach*, *Samou.*, *Curtis*, (*Kirby.*)
 BOSTRICHUS *p*, *Fabr.*—SCOLYTUS *p*, *Oliv.*—CYLINDRA, *Dufts.*
1467. 1, *cylindrus*. *Herbst C. v.* 120. *pl. 49. f. 3.*—*Curtis ii. pl. 51.*
Sc. cylindricus. *Oliv. E. iv.* 78. *pl. 1. f. 2. a, b.*
Pl. cylindricus. (*Sam. I. 34.*)
Bo. cylindricus. (*Sam. I. 7.*)
Cy. platypus. *Dufts. F. A. iii.* 87.
- Genus 254. HYLESINUS, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)
 SCOLYTUS *p*, *Olivier.*—BOSTRICHUS *p*, *Panz.*—IPS *p*, *Marsh.*

A. Corpore pubescente.

a. Corpus subelongatum.

1468. 1; crenatus*. *Fubr. E. ii. 390.*—(*Sam. I. 22.*)

Bo. crenatus. *Panz. F. xv. f. 7.*

Ips sulcatus. *Marsh. i. 59.*

Hylur. sulcatus. (*Ing. Inst. 88.*)

1469. 2; hæmorrhoidalis*.

Ips hæmorrhoidalis. *Marsh. i. 56.*

Bo. minutus. *Panz. F. xv. f. 11?*

1470. 3; picipennis* *michi.*

b. *Corpus breve, latum.*

1471. 4; scaber*.

Ips scaber. *Marsh. i. 56.*

B. *Corpore squamulis tecto.*

1472. 5; Fraxini*. *Fabr. E. ii. 390.*

Bo. Fraxini. *Panz. F. lxvi. f. 15.*

Ips varius. *Marsh. i. 54.*

Hy. varius. (*Sam. I. 22.*)

β; Sc. varius. *Oliv. E. iv. 78. 11. pl. 2. f. 17. a, b.*

Ips griseus. *Marsh. i. 55.*

γ; Ips rufescens. *Marsh. i. 55.*

1473. 6, furcatus.

Ips furcatus. *Marsh. i. 55.*

1474. 7; coadunatus*.

Ips coadunatus. *Marsh. i. 58.*

Ips maculosus. *Kirby MSS.*

1475. 8; sericeus*.

Ips sericeus. *Marsh. i. 55.*

Genus 255. SCOLYTUS, *Geoffroy, Leach, Samou., (Kirby,) Curtis.*

HYLESINUS *p., Fabr., MacLeay.*—ECKOPTOGASTER, *Herbst.*—

COPTOGASTER, *Illig.*—Ips *p., Marsh.*—BOSTRICHUS *p., Payk.*

1476. 1; Destructor*. *Oliv. E. iv. 78. 5. pl. 1. f. 4. a, b, c.—*

Leach E. E. ix. 109.—(*Sam. I. 37. pl. 1. f. 5.*)—*Curtis. i. pl. 43.*

Hy. scolytus. *Fabr. E. ii. 390.*

Bo. scolytus. *Stew. ii. 33.—Turt. ii. 87.*

De. scolytus. *Samou. 43.*

♂; Ips scolytus. *Marsh. i. 53.*

♀; Ips inermis. *Marsh. i. 53.*

1477. [2; picicolor*.] Kirby MSS.

1478. 3; pygmæus*. *Oliv. E. iv. 78. 6. pl. 1. f. 5. a. b.*

Ips multistriatus. *Marsh. i. 54.*

Sc. multistriatus. (*Sam. I. 37.*)

Genus 256. HYLURGUS, *Latr.*, *Leach*, *Samou.*, (*Kirby*,) *Curtis*.

Hylesinus p., *Fabr.*—*Ips p.*, *Marsh.*—*Bostrichus p.*, *Paykul*.—
Dermestes p., *Linné*.

1479. 1; *piniperda* *. *Latr. G.* ii. 275. (!)—(*Leach E. E.* ix. 109.)
—(*Sam. I.* 23.)—*Curtis* iii. *pl.* 104.

De. *piniperda*. *Linn. ii.* 563.

Bo. *piniperda*. *Stew. ii.* 33.

Ips piniperda. *Marsh. i.* 57.

β; *Hyle. testaceus*. *Fabr. E.* ii. 393.

Ips fumatus. *DeGeer. v.* 195.

1480. 2; *ater* *. (*Sam. I.* 22.)—(*Curtis l. c. supra.*)

Hyle. ater. *Fabr. E.* ii. 394.

Bo. *angustatus*. *Schneid. M.* (*Kugell.*) v. 524.

Ips Boleti. *Marsh. i.* 59.

Hylu. Boleti. (*Curtis l. c. supra.*)

β; *Ips niger*. *Marsh. i.* 59.

Hylu. niger. (*Sam. I.* 23.)

1481. 3; *palliatus* *. (*DeJean C.* 100.)

Hyle. palliatus. *Gyll. iii.* 340.

Bo. *ater*, b. *Payk. F.* iii. 154.

Bo. *angustata var.* *Herbst C.* v. 111.

1482. 4; *angustatus* *. (*Curtis l. c. supra.*)

Bo. *angustatus var. nigra*. *Herbst C.* v. 111. *pl.* 48. *f.* 9. *h.*

Ips ater. *Marsh. i.* 59.

Hy. *opacus*. (*DeJean C.* 100.)

1483. 5; *obscurus* *. (*Sam. I.* 23.)—(*Curtis l. c. supra.*)

Ips obscurus. *Marsh. i.* 57.

β; *Ips hispidus*. *Kirby MSS.*

1484. 6; *rufescens* * *mihi*.

1485. 7; *rufus* *. (*Curtis l. c. supra.*)

Ips rufus. *Marsh. i.* 57.

1486. 8; *piceus* *. (*Curtis l. c. supra.*)

Ips piceus. *Marsh. i.* 58.

1487. 9, *fuscescens* *mihi*.

1488. 10; *rhododactylus* *. (*Curtis l. c. supra.*)—*Gyll. iv.* 619. (!)

Ips rhododactylus. *Marsh. i.* 58.

Bo. *Ulicis*. *Kirby MSS.*

SECTIO III.

(*TETRAMERA p*, et *HETEROMERA p*, *Latreille*.—*HELMINTHO-*
MORPHIA? (larvæ vermiformes) *MacLeay*.)

Subsectio 1.

(*RHINCHOPHORI*, *Clairville*.—*RHINCHOPHORA*, *Latreille*.)

Familia XLII. CURCULIONIDÆ, Leach.

(*CURCULIONITES proprii*, *Latreille*.)

(*CURCULIO*, *Linné*, &c.—*CURCULIO*, *RHYNCHÆNUS*, *Fabr.*, &c.)

Weevils, *Longsnouts*.

Genus 257. RHYNCOLUS^a.

Genus 258. COSSONUS, *Clairville*, *Leach*, *Samou.*, *Curtis*.

1490. 1, *Tardii*. *Vigors' MSS.*—*Curtis*. ii. pl. 59.

1491. 2; *linearis**. *Fabr. E.* ii. 496.—*Clairv. E. H.* i. 60. *pl. 1.*
f. 1. 2.—(*Leach E. E.* ix. 109.)—(*Sam. I.* 13.)—(*Curtis l. c. supra*.)
Cu. *linearis*. *Panz. F.* xviii. *f. 7.*—*Marsh. i.* 271.
Cu. *parallelipedus*. *Herbst C.* vi. 275.

1492. [3, *elongatus**] *mihi*. (*Curtis l. c. supra*.)

Genus 259. CALANDRA, *Clairville*, *Leach*, *Samou.*, (*Kirby*).

RHYNCOPHORUS, *Herbst*.

1493. 1; *granaria**. *Clairv. E. H.* i. 62. *pl. 2. f. 1. 2.*—(*Leach E. E.* ix. 109.)—(*Sam. I.* 8.)—(*Kirby & Sp. I. E.* i. 171. et iii. 84.)
Cu. *granarius*. *Linn. ii.* 668.—*Berk. S.* i. 97.—*Stew. ii.* 55.
—*Marsh. i.* 274.—*Turt. ii.* 218.—*Shaw. G. Z.* vi. 64.—*Bingley. iii.* 132.

1494. [2, *unicolor*.]

Cu. *unicolor*. *Marsh. i.* 275.

1495. 3; *Oryzæ**^b.

1496. 4; *Frumentarius**^c.

^a Genus 257. RHYNCOLUS, (*Germar.*), *Schön. Cu.* 332.

HYLESINUS p, *Fabricius*.—*Cossonus p*, *Gyll.*

1489† 1, *ater*.

Cu. *ater*. *Linn. ii.* 617.

Hyl. chloropus. *Fabr. E.* ii. 593.

Cu. *chloropus*. *Panz. F.* xix. *f. 14.*

^b 1495. 3; *Oryzæ**. *Fabr. E.* ii. 438.

Cu. *Oryzæ*. *Marsh. i.* 275.

Cu. *frugilegus*. *DeGeer. v.* 278.

Rh. *Oryzæ*. *Herbst C.* vi. 18. *pl. 60. f. 9.*

^c 1496. 4; *Frumentarius** *mihi*.

Genus 260. BARIS? (*Germar.*)

Cossonus p, *Gyllenhal*.—*Calandra p*, *Samou*.—*Rhyncolus p*, *Schön?*

1497. 1; lignarius*.

Cu. lignarius. *Marsh.* i. 275.

Co. lignaria. (*Sam.* I. 8.)

1498. [2; piceus*.]

Co. piceus. *Wilk.* *MSS.*

Cu. picinus. *Marsh.* *MSS.*

Co. æneopiceus. *Kirby* *MSS.*

1499. 3, truncorum.

Co. truncorum. *Schüppel*.—*Germ.* I. N. i. 308.

Genus 261. BARIDIUS, *Schön.* Cu.

Baris p, (*Germar.*)—*Cossonus p*, *Samou*.—*Calandra p*, *Fabr.*.—*Michorhynchus et Stenorhynchus*, (*Megerle.*)—*Stenosoma*, *Kirby* *MSS.*

1500. 1; Atriplicis*.

Cu. Atriplicis. *Payk.* F. iii. 243.

Cu. funereus. *Herbst* C. vi. 164. pl. 71. f. 3.

Cu. hypoleucus. *Marsh.* i. 274.

Co. hypoleucus. (*Sam.* I. 13.)

Cu. T. album. *Gyll.* iii. 79.

1501. 2; pilistriatus*. *Kirby* *MSS.*

1502. 3; Artemisiæ*. *Germ.* I. N. i. 199.—(*Schön.* Cu. 276.)

Rh. Artemisiæ. *Fabr.* E. ii. 456.

Cu. Artemisiæ. *Panz.* F. xviii. f. 10.

Cu. laticollis. *Marsh.* i. 276.

1503. 4; picicornis*.

Cu. picicornis. *Marsh.* i. 276.

Cu. cærulescens. *Sturm?*

1504. 5, impunctatus. *Kirby* *MSS.*

Genus 262. MECINUS, (*Germar.*), *Schön.* Cu. 321.

BALANINUS *p*, *Samou*.

1505. 1; semicylindricus*. (*Schön.* Cu. 322.)

Cu. semicylindricus. *Marsh.* i. 294.

Ba. semicylindricus. (*Sam.* I. 5.)

Cu. Pyrastri. *Herbst* C. vi. 252. pl. 78. f. 6.

1506. 2, circulatus*.

Cu. circulatus. *Marsh.* i. 274.

Me. marginatus. (*Germar?*)

1507. 3, hæmorrhoidalis*.

Cu. hæmorrhoidalis. *Herbst* C. vi. 226. pl. 80. f. 4.

Genus 263. GYMNAËTRON, Schön. Cu. 319.

CIONUS *p*, Germ.—CLEOPUS *p*, DeJean.1508. 1; Beccabungæ. (*Schönher.*)Cu. Beccabungæ. *Linn.* ii. 611.—*Berk.* S. i. 99.—*Stew.* ii. 58.—*Turt.* ii. 243.Cu. grisescens. *Kirby MSS.* β ; Ci. Veronicæ. *Germ. Mag.* iv. 305.

Genus 264. RHINUSA, Kirby MSS.

CLEOPUS *p*, DeJean.—CIONUS *p*, Germar.—GYMNAËTRON 3 *p*, Schön. Cu.

1509. 1; Antirrhini *.

Cu. Antirrhini. *Payk. F.* iii. 257.—*Panz. F.* xxvi. f. 18.—*Marsh. i.* 264.Cu. ellipticus. *Herbst C.* vi. 171. *pl. 71.* f. 13?

1510. 2; acephalus *.

Cu. acephalus. *Marsh. i.* 271.

1511. 3; intaminata *. Kirby MSS.

1512. 4; tricolor.

Cu. tricolor. *Marsh. i.* 259.Cu. labilis. *Herbst C.* vi. 244. *pl. 77.* f. 12. β ; Naso hæmorrhous. Kirby MSS.

Genus 265. MIARUS, Schön. Cu. olim.

CLEOPUS *p*, DeJean.—CEUTORHYNCHUS *p*, Germar.—NASO, Kirby MSS.—GYMNAËTRON 2, Schön.

A. Femoribus dentatis.

1513. 1; Campanulæ *. (*Schön. Cu. 320.*)Cu. Campanulæ. *Linn.* ii. 607.—*Turt.* ii. 215.—*Herbst C.* vi. 161. *pl. 70.* f. 15.Cu. ellipticus. *Herbst C.* vi. 171. *pl. 71.* f. 13?

1514. 2, Nasturtii.

Cr. Nasturtii. *Spence MSS.*Ceu. Nasturtii. *Germ. I. N. i.* 233.

B. Femoribus posticis solè dentatis.

1515. 3, Graminis. (*Schön. Cu. 320.*)Rh. Graminis. *Gyll.* iii. 210.Cu. Campanulæ ♀. *Payk. F.* iii. 212.

1516. 4, Linariæ.

Cu. Linariæ. *Panz. F.* xxvi. f. 18.

Genus 266. CIONUS, Clairville, Leach, Samou., (Kirby.)

1517. 1; Scrophulariæ *. (*Leach. E. E.* ix. 108.)—(*Sam. I.* ii. *pl. 2.* f. 21.)—(*Kirby & Sp. J. E.* ii. 274.)

Cu. Scrophulariæ. *Linn.* ii. 614.—*Berk.* S. i. 99.—*Mart. C.* pl. 19. f. 25.—*Don.* ii. pl. 60.—*Stew.* ii. 59.—*Marsh.* i. 276.—*Turt.* ii. 233.—*Samou.* 54.

1518. [2; Verbasci *.] (*DeJean C.* 83.)
Rh. Verbasci. *Fabr. E.* ii. 479.
Cu. Scrophulariæ var. *Linn.* ii. 614.

1519. 3, Thapsi. (*Sam. I.* 11.)
Cu. Thapsi. *Fabr. E.* ii. 479.—*Herbst C.* vi. 187. pl. 73. f. 2.—*Marsh.* i. 277.

1520. 4; Hortulanus *. (*Sam. I.* 11.)
Cu. Hortulanus. *Vill.* i. 202.—*Stew.* ii. 59.—*Marsh.* i. 278.

1521. 5; Blattariæ *. *Clairv. E. H.* i. 66. pl. 3. f. 1. 2.
Cu. bipustulatus. *Marsh.* i. 278.
Ci. bipustulatus. (*Sam. I.* 11.)
Cu. Fraxini. *DeGeer.* v. 212?

Genus 267. CLEOPUS, (*Megerle.*)
CIONUS p., *Schön.*, *Samou.*

1522. 1; Solani *. (*DeJean C.* 83.)
Cu. Solani. *Payk. F.* iii. 457.
Cu. pulchellus. *Herbst C.* vi. 356. pl. 88. f. 1.
Cu. immunis. *Marsh.* i. 278.
Ci. immunis. (*Sam. I.* 11.)
Cu. Hortulanus. *Don.* vi. 62. pl. 205. f. 2.

1523. [2; rigidus *.] — MSS.?

1524. [3, flavus.] — MSS.?

Genus 268. SPHÆRULA, (*Megerle.*)

CIONUS p., *Clairv.*—*OROBITIS p.*, *DeJean.*—*CRYPTORHYNCHUS p.*, *Samou.*—*NANODES* ^a *Schön.*

1525. 1; Lythri *.
Cu. Lythri. *Payk. F.* iii. 263.—*Panz. F.* xvii. f. 8.—*Marsh.* i. 252.
Cr. Lythri. (*Sam. I.* 13.)
Cu. pygmæus. *Herbst C.* vi. 142. pl. 69. f. 7.
β; Rh. Salicariæ. *Fabr. E.* ii. 449.
Cu. Salicariæ. *Stew.* ii. 55.—*Panz. F.* xvii. f. 4.—*Marsh.* i. 251.—*Turt.* ii. 215.
γ; Or. varius. *Kirby* MSS.

Genus 269. OROBITIS, *Germar*, *Schön.*

SPHÆRULA p., *Megerle.*—*ATTELABUS p.*, *Fabricius.*—*CRYPTORHYNCHUS p.*, *Samou.*

1526. 1; cyaneus *.

^a NANODES: Genus Avium. Vide *Shaw Gen. Zool.* v. xiv. p. 118.

- Cu. cyaneus. *Linn.* ii. 606.—*Berk.* S. i. 97.—*Stew.* ii. 54.
 At. globosus. *Fabr. E.* ii. 426.—*Panz. F.* lvii. f. 10.
 Cu. hypoleucus. *Quensel. D.* 16.
 Sp. gigantea. *Megerle.*
 Cr. globosus. (*Sam. I.* 13.)
 Or. globosus. (*Ing. Inst.* 89.)

Genus 270. CEUTORHYNCHUS, (*Schüpp.*), *Schön.*

ENSIFER? (*Megerle.*)—CRYPTORHYNCHUS *p*, *Samou.*—NEYDUS *p*, *Schön.*

A. Thorax non tuberculatus, nec anticè reflexus.

1527. 1; Quercus*.

- Cu. Quercus. *Herbst C.* vi. 412. *pl. 92. f. 7.*
 Cu. pallens. *Marsh. i.* 251.

1528. [2; melanorhynchus*.]

- Cu. melanorhynchus. *Marsh. i.* 250.
 Cr. melanorhynchus. (*Sam. I.* 13.)
 Rh. Quercus, c. *Gyll.* iii. 133.

1529. [3; ruber*.]

- Cu. ruber. *Marsh. i.* 251.—*Don. xi. pl. 389. f. 1.*
 Cr. ruber. (*Sam. I.* 13.)
 Rh. Quercus, b. *Gyll.* iii. 133.

1530. 4; inermis*.

- Cu. inermis. —? *MSS.*

1531. 5; rufirostris*.

- Cu. rufirostris. —? *MSS.*

1532. 6; rubicundus*.

- Cu. rubicundus. *Payk. F.* iii. 263.—*Panz. F.* xcix. f. 12.—
 (*Rh. dumetorum.*)

1533. [7; melanocephalus*.]

- Cu. melanocephalus. *Marsh. i.* 253.

1534. 8; haemorrhoidalis*.

- Cu. haemorrhoidalis. *Panz. F.* xcix. f. 11.
 Cr. analis. (*Panz. I.* 193.)

B. “Thorax tuberculatus, aut margo anticus elevatus, reflexus.”
Schön.

a. *Femora mutica.*

1535. 9; Geranii*. (*Schön. Cu.* 298.)

- Cu. Geranii. *Payk. F.* iii. 256.

- En.? Lima. *Megerle.*

b. *Femora dentata.*

1536. 10; didymus*. (*Schön. Cu.* 298.)

- Cu. didymus. *Payk. F.* iii. 213.—*Herbst C.* vi. 397. *pl. 91.*
 f. 6.—*Ent. Trans. (Burrell.)* i. 176.

- Cu. arquata. *Herbst C. vi.* 396. *pl. 91. f. 5?*
 Cu. viduus. *Panz. F. xlvi. f. 17.*—*Ent. Trans. (Burrell.) i.* 176.
 Cr. viduus. (*Sam. I. 13.*)
 Cu. urticarius. *Clairv. E. H. i.* 98. *pl. xi. f. 1. 2.*
1537. [11; Urticæ *.]
 Cu. Urticæ. *Marsh. i.* 281.
 Cr. Urticæ. (*Sam. I. 13.*)
1538. 12; guttula *. (*Schön. Cu.* 298.)
 Rh. guttula. *Fabr. E. ii.* 482.
 Cu. Cardui. *Herbst A. pl. 24. f. 22?*
1539. [13; fuliginosus *.]
 Cu. fuliginosus. *Marsh. i.* 280.
1540. 14; ruficornis * *mihi.*
 Rh. Lamii. *Fabr. E. ii.* 483?
1541. 15; subrufus *.
 Cu. subrufus. *Marsh. i.* 282.
1542. 16; sulcicollis *.
 Cu. sulcicollis. *Payk. F. iii.* 217.
 Cu. pleurostigma. *Marsh. i.* 282.—(*Kirby & Sp. I. E. i.* 453.)
 Cr. pleurostigma. (*Sam. I. 13.*)
1543. [17; affinis *.]
 Cu. affinis. *Panz. F. lvii. f. 15.*
 Rh. Alauda. *Fabr. E. ii.* 454.
- Genus 271. NEDYUS *mihi.*
- FALCIGER, (*Megerle.*)—CEUTORHYNCHUS *p.*, Schüp.—CRYPTORHYNCHUS *p.*, Samou.—NEDYUS *p.*, Schön.
- A. Thorax nec tuberculatus, nec anticè reflexus.
1544. 1; Sisymbrii *.
 Cu. Sisymbrii. *Herbst C. vi.* 159.—*Panz. F. xvii. f. 6.*—
Marsh. i. 253.
 Rh. Sisymbrii. (*Sam. I. 36.*)
- B. Thorax tuberculatus, aut margo anticus elevatus, reflexus.
- a. Femoribus muticis.
1545. 2; assimilis *.
 Cu. assimilis. *Payk. F. iii.* 257.—*Marsh. i.* 257.
 Cr. assimilis. (*Sam. I. 13.*)
 Cu. Alauda. *Herbst C. vi.* 410. *pl. 92. f. 5.*
1546. 3; obstrictus.
 Cu. obstrictus. *Marsh. i.* 255.
 Cr. obstrictus. (*Sam. I. 13.*)
 Ce. Syrites. *Germ. Ins. Nov. i.* 232.

1547. 4; *Erysimi**.
 Cu. *Erysimi*. *Payk. F.* iii. 265.—*Panz. F.* xvii. f. 7.—
Marsh. i. 257.—*Turt. ii.* 217.
 Cr. *Erysimi*. (*Leach E. E.* ix. 108.)—(*Sam. I.* 13.)
1548. 5; *chloropterus**.
 Cr. *chloropterus*. *Kirby MSS.*
1549. 6; *contractus**.
 Cu. *contractus*. *Marsh. i.* 250.—(*Kirby & Sp. I. E.* i. 186 & 453.)
 Cr. *contractus*. (*Sam. I.* 13.)
1550. 7; *Cochleariæ**.
 Rh. *Cochleariæ*. *Gyll. iii.* 144.
 Cr. *subglobosus*. *Kirby MSS.*
1551. 8; *depressicollis**.
 Rh. *depressicollis*. *Gyll. iii.* 147.
 Cu. *nigrinus*. *Marsh. i.* 250.
1552. 9; *constrictus**.
 Cu. *constrictus*. *Marsh. i.* 258.
 Rh. *floralis*, c. *Gyll. iii.* 145.
1553. 10; *floralis**.
 Cu. *floralis*. *Payk. F.* iii. 266.
1554. 11, *monostigma*.
 Cu. *monostigma*. *Marsh. i.* MSS.
1555. 12; *pyrrhorhynchus**.
 Cu. *pyrrhorhynchus*. *Marsh. i.* 257.
1556. 13; *melanarius**.
 Cr. *melanarius*. *Kirby MSS.*
1557. 14; *sulculus**.
 Cr. *sulculus*. *Kirby MSS.*—(*Sam. I.* 13.)
1558. 15, *phæorhynchus*.
 Cu. *phæorhynchus*. *Marsh. i.* 258.
 Cr. *phæorhynchus*. (*Sam. I.* 13.)
- † β ? Cr. *phæopus*. *Kirby MSS.* β , in Mus. D. *Kirby*.
1559. 16; *ruficrus**.
 Cu. *ruficrus*. *Marsh. i.* 258.
1560. 17, *Ericæ*.
 Rh. *Ericæ*. *Gyll. iii.* 147.
 Fa. *rufirostris*. (*DeJean C.* 84.)
 b. *Femoribus dentatis*.
1561. 18; *ovalis**.
 Cu. *ovalis*. *Linn. ii.* 612?—*Marsh. i.* 279.
 Cr. *ovalis*. (*Sam. I.* 13.)
1562. 19; *leucomelanus**.

- Cr. leucomelanus. *Kirby MSS.*
 Cu. quadrimaculatus. *Linn. ii. 609?*—*Turt. ii. 217?*
1563. [20, detritus *] *mihi.*
1564. 21; *pollinarius**.
 Cu. *pollinarius*. *Forst. C. i. 33.*—*Stew. ii. 60.*—*Turt. ii. 240.*
 Cu. *dentatus*. *Marsh. i. 280.*
 Cr. *dentatus*. (*Sam. I. 13.*)
 Rh. *Raphani*. *Fabr. E. ii. 485?*
1565. 22; *nigrinus**.
 Cr. *nigrinus*. *Kirby MSS.*
1566. 23; *Quercicola**.
 Cu. *Quercicola*. *Payk. F. iii. 215.*—*Herbst C. vi. 403. pl. 91.*
f. 13.
1567. 24; *Borraginis**.
 Cu. *Borraginis*. *Payk. F. iii. Add. 457.*
 Cu. *quadridens*. *Panz. F. xxxvi. f. 13.*
 Cu. *Quercicola*. *Marsh. i. 280.*
 Cr. *Quercicola*. (*Sam. I. 13.*)
 Cr. *rufitarsis*. *Kirby MSS.*
1568. [25, *pallidactylus**.]
 Cu. *pallidactylus*. *Marsh. i. 259.*
1569. 26; *rugulosus**.
 Cu. *rugulosus*. *Herbst C. vi. 406. pl. 91. f. 16?*
 Cu. *Quercicola*, var. *Payk. F. iii. 216.*
 Cu. *melanostictus*. *Marsh. i. 282.*
 Cr. *melanostictus*. (*Sam. I. 13.*)
1570. 27; *Chrysanthemi**.
 Ceu. *Chrysanthemi*. *Germ. I. N. i. 221.*
 Rh. *rugulosus* c. *Gyll. iii. 231.*
1571. 28, *melanostigma*.
 Cu. *melanostigma*. *Marsh. i. 256.*
1572. 29, *cinereus*.
 Cu. *cinereus*. *Marsh. i. 283.*
1573. 30; *scutellatus* * *mihi.*
1574. 31; *litura**.
 Cu. *litura*. *Payk. F. iii. 210.*
 Cu. *cruciger*, var. *Herbst C. vi. 395.*
- 1575 † 32, *Crux*.
 Cr. *Crux*. *Leach MSS.*
 Rh. *Crux*. *Fabr. E. ii. 455?* In Mus. Brit.
1576. 33; *Asperifoliarum**.
 Cr. *Asperifoliarum*. *Kirby MSS.*

- Rh. Asperifoliarum. *Gyll.* iii. 221.
 Ceu. intersectus. *Germ. I. N.* i. 227.
1577. 34; quadrimaculatus*.
 Cu. quadrimaculatus. *Linn.* ii. 609?—*Marsh.* i. 252.
1578. 35; Echii*.
 Rh. Echii. *Fabr. E.* ii. 482.
 Cu. Echii. *Marsh.* i. 279.—*Panz. F.* xvii. f. 12.
 Cu. geographicus. *Vill.* i. 201.
 Rh. glypticus. *Schall.*
- C. Thorace mutico, anticè reflexo.
 a. *Elytris squamulis setiformibus armatis.*
1579. 36; horridus*.
 Cu. horridus. *Panz. F.* lxxxiv. f. 9.
 Cr. horridus. (*Sam. I.* 13.)
1580. 37; troglodytes*.
 Cu. troglodytes. *Fabr. E.* ii. 485.—*Marsh.* i. 281.
1581. [38; pusio*.]
 Cu. pusio. *Panz. F.* xxxvi. f. 15.
 Rh. troglodytes, b. *Gyll.* iii. 233.
1582. [39; spiniger.]
 Cu. spiniger. *Herbst C.* vi. 410. *pl.* 92. f. 4.
 Rh. troglodytes, c. *Gyll.* iii. 233.
- b. *Elytris haud setosis.*
1583. 40; marginatus*.
 Cu. marginatus. *Payk. F.* iii. 211.
 Cu. Resedæ. *Marsh.* i. 256.
- Genus 272. MONONYCHUS, (*Schiüpp.*)—*Schön.* Cu. 299.
 FALCIGER p, *DeJean.*
- 1584 † 1, Pseudacori. (*Schön.* Cu. 300.)
 Rh. Pseudacori. *Fabr. E.* ii. 450.
 Cu. Pseudacori. *Panz. F.* xvii. f. 5. In Mus. *D. Curtis.*
- Genus 273. RHINONCUS.
- CAMPYLIRHYNCHUS, (*Megerle.*)—RHINONCUS, *Schön.* olim.—
 CEUTORHYNCHUS 2, *Schön.*—PACHYRHINUS p, *Kirby MSS.*
 —PACHYLORHYNCHUS p, (*Megerle.*)
- A. Thorace bituberculato.
 a. *Tuberculis thoracis obtusis.*
1585. 1; Pericarpius*.
 Cu. Pericarpius. *Linn.* ii. 609.—*Berk. S.* i. 98.—*Stew.* ii. 56.
 —*Herbst C.* vi. 401. *pl.* 91. f. 12.—*Turt.* ii. 216.

1586. 2; Spartii*. *Kirby.*
Ceu. Spartii. *Kirby MSS.*
1587. 3; tibialis* *mihi.*
b. *Tuberculis thoracis acutis.*
1588. 4, flavipes *mihi.*
1589. 5; Castor*.
Rh. Castor. *Fabr. E.* ii. 451.
Cu. fruticulosus. *Herbst C.* vi. 400. *pl. 91. f. 10.*
1590. [6, leucostigma.]
Cu. leucostigma. *Marsh. i.* 255.
Rh. scabratus. *Fabr. E.* ii. 454?
1591. [7; interstitialis*.]
Cu. interstitialis. *Reich. M.* i. 6. *pl. 1. f. 2.*
Cu. seniculus. *Grav.*
Rh. Castor, b. *Gyll. ii.* 160.
1592. 8; rufipes* *mihi.*
1593. 9; crassus*.
Cu. crassus. *Marsh. i.* 264.
1594. 10; canaliculatus*.
Cu. canaliculatus. *Mus. Marsham.*
- B. Thorace quadrituberculato.
1595. 11; quadrituberculatus*.
Rh. quadrituberculatus. *Fabr. E.* ii. 448.
Cu. quadrituberculatus. *Herbst C.* vi. 409. *pl. 92. f. 3.*
1596. 12, inconspectus*.
Cu. inconspectus. *Herbst C.* vi. 405. *pl. 91. f. 15.*
Cu. accipitrinus. *Reich. M.* i. 5. *pl. 1. f. 1.*
Rh. suturalis. *Oliv. E.*
1597. 13, quadricornis.
Rh. quadricornis. *Gyll. iii.* 154.
Cu. quadrituberculatus var. *Herbst C.* vi. 409.

Genus 274. ACALLES, *Schön.* Cu.

- CRYPTORHYNCHUS p, *Samou.*—COMASINUS p, *Megerle?*
1598. 1; Ptinoides*. (*Schön. Cu.* 296.)
Cu. Ptinoides. *Marsh. i.* 258.
Cr. Ptinoides. (*Sam. I.* 13.)
1599. 2; variegatus* *mihi.*

Genus 275. —

CEUTORHYNCHUS 1, p, *Schön.*

1600. 1; globulus*.
Cu. globulus. *Herbst C.* vi. 398. *pl. 91. f. 7.*

Genus 276. CRYPTORHYNCHUS Illiger.

1601. 1; Lapathi*. (*Sam. I.* 13.)Cu. Lapathi. *Linn.* ii. 608.—*Berk.* S. i. 98.—*Linn. Trans. (Curtis.)* i. 86. pl. 5. f. 1—5.—*Don.* vi. pl. 205. f. 1.—*Stew.* ii. 85.—*Marsh.* i. 254.—*Turt.* ii. 230.Cu. albicaudis. *DeGeer.* v. 223.

Genus 277. BROTHEUS mihi.

1602. 1, porcatus*.

Cu. porcatus. *Marsh.* i. 255.Genus 278. BAGOÜS, (*Germar.*), (*Samou.*), Schön. Cu., (*Kirby.*)1603. 1, binodulus*. (*Schön. Cu.* 290.)Cu. binodulus. *Herbst C.* vi. 247. pl. 77. f. 15.Cu. atrirostris. *Payk. F.* iii. 227.Rh. atrirostris. (*Sam. I.* 36.)Ba. hydröus. *Kirby MSS.*1604. 2, lutosus. (*Schön. Cu.* 290.)Rh. lutosus. *Gyll.* iii. 85.Ba. tubercularis. *Kirby MSS.*1605. 3; lutulentus*. (*Schön. C.* 290.)Rh. lutulentus. *Gyll.* iii. 86.Cu. productus. *Illiger.* β , Cu. collignensis. *Herbst C.* vii. 50. pl. 98. f. 7. C.

1606. 4; binotatus*.

Rh. binotatus. —? *MSS.*1607. 5; tibialis* *mihi.*

Genus 279. LYPRUS, Schön. Cu.

LIXUS p, Ahrens.—BAGOÜS p, DeJean.

1608. 1, cylindrus*. (*Schön. Cu.* 289.)Rh. cylindrus. *Gyll.* iii. 78.Ba. attenuatus. (*DeJean C.* 89.)Li. attenuatus. *Act. Hal. (Ahrens.)* ii. 18. pl. 1. f. 9.

Genus 280. PACHYRHINUS.

CEUTORHYNCHUS 3, *Germar.*—PACHYLORHYNCHUS p, *Megele.*—PACHYRHINUS p, *Kirby.*—HYDATICUS^a, Schön.—CRYPTORHYNCHUS p, *Samou.*

A. Thorace bituberculato.

1609. 1; leucogaster*.

Cu. leucogaster. *Marsh.* i. 253.^a HYDATICUS: Genus Coleoptratorum. Vide Leach Z. M. iii. 69.

Cr. leucogaster. (*Sam. I.* 13.)
Rh. asperatus. (*Gyll. iv.* 583.)

1610. 2; *rufescens** *mihi.*

1611. 3; *Comari**.

Cu. Comari. *Herbst C. vi.* 411. *pl. 92. f. 6.*
 B. *Thorace quadrituberculato.*

1612. 4; *quadridentatus** *mihi.*

1613. 5, *quadrinodosus.*

Rh. quadrinodosus. (*Gyll. iii.* 155.)
Ceu. mucronulatus. (*Germ. I. N. i.* 259.)

1614. 6, *Hydrolapathi.*

Cu. Hydrolapathi. (*Mus. Marsham.*)

Genus 281. ANOPLUS, (*Schüpp.*) *Schön.*

1615. 1; *plantaris**. (*DeJean C.* 85.)

Rh. plantaris. (*Act. Holm. (Næzin.)* 1794. 270.—*Gyll. iii.* 252.)

Cu. brevis. (*Marsh. i.* 265.)

Rh. brevis. (*Sam. I.* 36.)

Rh. Alniarius. (*Kirby MSS.*)

1616. [2; *nitidulus**]

Rh. nitidulus. (*Wilk.?* *MSS.*)

1617. [3; *atratus**]

Rh. atratus. (*Wilk.?* *MSS.*)

Genus 282. AMALUS, *Schön.* *Cu.*

CRYPTORHYNCHUS *p.*, *Samou.*

1618. 1; *scortillum**. (*Schön. Cu.* 241.)

Cu. scortillum. (*Herbst C. vi.* 418. *pl. 92. f.* 13.)

Cu. Agricola. (*Payk. F.* iii. 260.)

Cu. inflexus. (*Marsh. i.* 253.)

Cr. inflexus. (*Sam. I.* 13.)

1619. 2; *castaneus**.

Cr. castaneus. (*Wilk.?* *MSS.*)

Genus 283. TYCHIUS, (*Germar.*) *Schön.* *Cu.*

SIBINIA *p.*, *DeJean.*—CRYPTORHYNCHUS *p.*, *Samou.*—MICCOTROGUS, (*Schönher.*)

A. *Femora dentata.*

1620. 1, *quinquepunctatus**. (*Schön. Cu.* 246.)

Cu. quinquepunctatus. (*Linn. ii.* 614.—*Panz. F.* lxxxiv. *f.* 8.)

1621. 2; *venustus**. (*Schön. Cu.* 246.)

Cu. venustus. (*Fabr. E. S.* ii. 456. (!)—*Herbst C.* vi. 163. *pl. 71. f. 2.*—*Stew. ii.* 56.)

- Cu. vernalis. *Reich. M.* i. 8. *pl. 1. f. 4.*—*Marsh. i. 272.*
 β ; Cu. parallelus. *Panz. F.* xviii. *f. 5.*
 Cu. bivittatus. *Marsh. i. 281.*
1622. [3; nervosus*.]
 Cu. nervosus. *Marsh. i. 282.*
 β , Rh. Beckwithii. *Kirby MSS.*
 B. Femora mutica.
1623. 4; Meliloti*. *Meliloti.* Kirby MSS.
1624. 5; flavicollis*. *flavicollis.* Kirby MSS.
1625. 6; picirostris*. (*Schön. Cu.* 246.)
 Cu. picirostris. *Payk. F.* iii. 253.
1626. [7; tomentosus*.]
 Cu. tomentosus. *Herbst C.* vi. 278. *pl. 81. f. 7.*
 Cu. villosus. *Marsh. i. 260.*
1627. 8; cinerascens*. *cinerascens.* Marsh. i. 248.
 Mi. cinerascens. *Schönher.*
1628. 9; parvulus*. *parvula.* Kirby MSS.
1629. 10; canescens*. *canescens.* Marsh. i. 259.
 Cr. canescens. (*Sam. I.* 13.)
- 1630 † 11, lineatulus.
 Si. lineatula. Kirby MSS. In Mus. D. Kirby.

Genus 284. SIBINIA, *Germar.*SIBYNES, *Schön. Cu.*

1631. 1, Arenariae*. Kirby MSS.
1632. 2, primita*. (*DeJean C.* 83.)
 Cu. primitus. *Herbst C.* vi. 104. *pl. 66. f. 8.*
 Cu. signatus. *Panz. F.* xcix. *f. 10.*
- 1633 † 3. Viscariæ^a.

Genus 285. ORCHESTES, *Illiger, Leach, Samou., (Kirby.)*SALIUS p, *Germar.*

A. Femora postica haud dentata.

1634. 1; Quercus*.
 Cu. Quercus. *Linn. ii. 609.—Berk. S. i. 98.—Stew. ii. 57.*

^a 1633 † 3. Viscariæ. (*Schön. Cu.* 249.)Cu. Viscariæ. *Linn. ii. 609.—Berk. S. i. 98. (!)—Stew. ii. 56. (!)—Turt. ii. 212. (!)*

- Cu. saltator Ulmi. *DeGeer.* v. 260. *pl.* 8. *f.* 5-11.
 Rh. Viminalis. *Fabr. E.* ii. 494.
 Cu. rufus. *Don.* xi. 81. *pl.* 389. *f.* 3.
 1635. 2; scutellaris*. (*DeJean C.* 82.)
 Rh. scutellaris. *Fabr. E.* ii. 495.
 Cu. rufus. *Schra. A.* 116.—*Stew.* ii. 58.—*Don.* vii. *pl.* 249.
f. 1.—*Marsh.* i. 261.—*Turt.* ii. 242.
 Or. rufus. (*Sam. I.* 32.)
 Cu. Alni, c. *Payk. F.* iii. 221.
 1636. 3; ferrugineus*. (*Sam. I.* 32.)
 Cu. ferrugineus. *Marsh.* i. 260.
 1637. 4; atricapillus*. (*Sam. I.* 32.)
 Cu. atricapillus. *Marsh.* i. 261.
 1638. 5; nigricollis*. (*Sam. I.* 32.)
 Cu. nigricollis. *Marsh.* i. 261.
 1639. 6; Alni*. (*Leach E. E.* ix. 108.)—(*Sam. I.* 32.)
 Cu. Alni. *Linn.* ii. 611.—*Berk. S.* i. 99.—*Don.* vii. *pl.* 249.
f. 2.—*Stew.* ii. 58.—*Marsh.* i. 260.—*Turt.* ii. 242.
 1640. 7; depressus*. (*Sam. I.* 32.)
 Cu. depressus. *Marsh.* i. 262.
 1641. 8; Ilicis*. (*DeJean C.* 82.)
 Cu. Ilicis. *Payk. F.* iii. 218.
 Cu. pilosus. *Herbst C.* vi. 426. *pl.* 93. *f.* 8.—*Marsh.* i. 262.
 Cu. saltator Segetis. *DeGeer.* v. 264.
 1642. 9; pilosus*. (*Sam. I.* 32.)
 Cu. pilosus. *Payk. F.* iii. 218.—*Stew.* ii. 58.—*Turt.* ii. 242.
 1643. 10; Calcar*.
 Rh. Calcar. *Fabr. E.* ii. 493.
 Cu. rhododactylus. *Marsh.* i. 262.
 Or. rhododactylus. (*Sam. I.* 32.)
 Rh. Fagi. *Gyll.* iii. 243.
 1644. [11; Fragariæ*].
 Cu. Fragariæ. *Payk. F.* iii. 217.—*Herbst C.* vi. 423. *pl.* 93.
f. 3.—*Marsh.* i. 263.
 1645. 12, Populi*. (*DeJean C.* 83.)
 Rh. Populi. *Fabr. E.* ii. 495?
 Cu. Populi. *Panz. F.* xviii. *f.* 17.
 Cu. rhodopus. *Marsh.* i. 263.
 B. Femora postica haud dentata.
 1646. 13; signifer*. *Creutzer.* 125. *pl.* 3. *f.* 29.
 Cu. bifasciatus β. *Payk. F.* iii. 270.
 Cu. Avellanæ. *Don.* vi. *pl.* 205. *f.* 3.—*Stew.* ii. 61.—*Marsh.* i.
 263.—*Turt.* ii. 251.
 Or. Avellanæ. (*Sam. I.* 32.)

1647. 14; x-album*. *Kirby MSS.*
 1648. 15; bifasciatus*. (*DeJean C. 83.*)
 Cu. bifasciatus. *Payk. F. iii. 270.*
 Sa. Rusci. *Germ. M. iv. 332.*
 1649. 16, confinis*. *Kirby MSS.*
 1650. 17; affinis* *mihi.*

Genus 286. TACHYERGES, *Schönher.*

ORCHESTES *p.*, *Illiger*.—SALIUS *p.*, *Germar.*

1651. 1; Salicis*. (*Schön. Cu. 256.*)
 Cu. Salicis. *Linn. ii. 611.—Stew. ii. 58.—Marsh. i. 264.*
 Or. Salicis. (*Sam. I. 32.*)
 Cu. scrutator. *Herbst Col. vi. 191.*
 Cu. Caprææ. *Fabr. E. S. ii. 409. (!)—Don. iv. pl. 121. f. 5-7.*
 —*Stew. ii. 56.—Turt. ii. 216.*
 Sa. bifasciatus. *Germ. M. iv. 332.*
 1652. 2; Saliceti*. (*Schön. Cu. 256.*)
 Rh. Saliceti. *Fabr. E. ii. 493.*
 1653. 3, scutellatus*.
 Or. scutellatus. *Wilk.? MSS.*
 1654. 4; nitidulus*.
 Or. nitidulus. *Kirby MSS.*
 1655. 5; rufitarsis.
 Or. rufitarsis. (*DeJean C. 82.*)
 1656. 6, Stigma*.
 Rh. Iota. *Payk. F. iii. 271.*
 Or. impressus. *Kirby MSS.*
 Sa. Stigma. *Germ. M. iv. 334.*
 Or. alboscutellatus. (*DeJean C. 82.*)

Genus 287. BALANINUS, *Germar*, *Samou.*, (*Kirby.*)

ARCHARIAS, (*Megerle.*)

A. Pygidium ab elytris non tectum.

1657. 1; Nucum*. (*Sam. I. 5. pl. 2. f. 20.*)—(*Kirby & Sp. I. E. iii. 84.*)
 Cu. Nucum. *Linn. ii. 613.—Mart. C. pl. 19. f. 26.—Berk. S. i. 99.—Panz. F. xlvi. f. 21.—Stew. ii. 59.—Marsh. i. 283.—Turt. ii. 236.—Shaw G. Z. vi. 63. pl. 21.—Samou. 54.—Bingley. iii. 134.—(*Kirby & Sp. I. E. i. 201.—Id. ii. 274.*)
 β, Ba. admotus. *Kirby MSS.*
 γ, Ba. rufogriseus. *Kirby MSS.*
 1658. 2; glandium*. (*Kirby & Sp. I. E. iii. 84.*)
 Cu. glandium. *Marsh. i. 284.**

- Ba. gladius. (*Sam. I.* 5.)
♂, Ba. longirostris. *Kirby MSS.*
1659. 3; villosus*. (*DeJean C.* 86.)
Cu. villosus. *Herbst C.* vi. 195. *pl. 73. f.* 8.
Cu. Cerasorum. *Panz. F.* xlvi. *f.* 22.—*Stew.* ii. 59.—*Marsh.* i. 284.—*Turt.* ii. 237.
Ba. Cerasorum. (*Sam. I.* 5.)
1660. 4; tenuirostris*. (*Sam. I.* 5.)
Cu. tenuirostris. *Herbst C.* vi. 210.—*Mart. C.* *pl. 20. f.* 40.—
Don. vii. *pl. 249. f.* 3.—*Stew.* ii. 59.—*Marsh.* i. 284.—
Turt. ii. 237.
- β, Ba. rostratus. *Kirby MSS.*
1661. 5; Betulæ* *mihi.*
Rh. Cerasorum. *Gyll.* iii. 204?—*Herbst C.* vi. 196. *pl. 73. f.* 9?
B. Pygidium ab elytris ferè tectum.
1662. 6, Salicivorus. (*DeJean C.* 86.)
Cu. Salicivorus. *Payk. F.* iii. 214.—*Herbst C.* vi. 200. *pl. 73. f.* 12.
Rh. Brassicæ. *Fabr. E.* ii. 483?
Cu. arcuatus. *Marsh.* i. 288.
1663. 7; curvatus*.
Cu. curvatus. *Marsh.* i. 287.
Rh. Salicivorus, b. *Gyll.* iii. 206.
1664. 8; scutellaris*.
Rh. scutellaris. — *MSS.*
1665. 9; intermedius*.
Cu. intermedius. *Marsh.* i. 288.
1666. 10; pyrrhoceras*. (*Schön. Cu.* 240.)
Cu. pyrrhoceras. *Marsh.* i. 288.
1667. 11, brunneus*.
Cu. brunneus. *Marsh.* i. 248.

Genus 288. ANTHONOMUS, *Germar.*PALLENE, (*Megerle.*)—BALANINUS *p.*, *Samou.*

A. Femoribus acutè dentatis.

1668. 1; incurvus*. *Germ. M.* iv. 323.
Cu. incurvus. *Panz. F.* xxxvi. *f.* 17.
Rh. Pomorum b. *Gyll.* iii. 188.
Cu. fasciatus. *Don. xii.* 58. *pl. 414. f.* 3.
1669. 2; Pomorum*. (*DeJean C.* 87.)
Cu. Pomorum. *Linn.* ii. 612.—*Herbst C.* vi. 157. *pl. 70. f.* 11.
—*Berk. S.* i. 99.—*Stew.* ii. 58.—*Marsh.* i. 285.—*Turt.* ii. 238.
Ba. Pomorum. (*Sam. I.* 5.)

1670. 3; *Ulmi**. (*Schön. Cu.* 237.)
 Cu. *Ulmi*. *DeGeer.* v. 215. *pl.* 6. *f.* 26—30.—*Marsh.* i. 287.
 Cu. *Pomorum* var. *Herbst C.* vi. 138.
 An. *clavatus*. (*DeJean C.* 87.)
1671. [4; *fasciatus**.]
 Cu. *fasciatus*. *Marsh.* i. 286.
 Ba. *fasciatus*. (*Sam. I.* 5.)
 Rh. *Ulmi*, b. *Gyll.* iii. 189.
 β , An. *maculosus*. *Kirby MSS.*
 γ , An. *rubescens*. *Kirby MSS.*
1672. 5; *pedicularius**.
 Cu. *pedicularius*. *Linn.* ii. 615.—*Marsh.* i. 286.
 Rh. *Avarus*. *Fabr. E.* ii. 488.
 Cu. *Druparum*, var. *Herbst C.* vi. 157. *pl.* 70. *f.* 10.
 Rh. *Ulmi*, c. *Gyll.* iii. 190.
1673. 6; *Druparum**. (*DeJean C.* 87.)
 Cu. *Druparum*. *Linn.* ii. 614.—*Herbst C.* vi. 156. *pl.* 70. *f.* 9.
 Rh. *Druparum*. *Fabr. E.* ii. 489. (!)
- B. *Femoribus obsoletè dentatis.*
1674. 7; *obscurus** *mihi*.
1675. 8; *ater**.
 Cu. *ater*. *Marsh.* i. 285.
1676. 9; *Rubi**. (*DeJean C.* 87.)
 Cu. *Rubi*. *Herbst C.* vi. 167. *pl.* 71. *f.* 8.
 Cu. *melanopterus*. *Marsh.* i. 289.
1677. 10, *clavatus*.
 Cu. *clavatus*. *Marsh.* i. 285.

Genus 289. HYDRONOMUS, *Schön.*BAGOÜS p, *Germar.*

1678. 1; *Alismatis**. (*Schön. C.* 232.)
 Cu. *Alismatis*. *Marsh.* i. 273.
 Rh. *Alismatis*. (*Sam. I.* 36.)
 β , Cu. *cнемеритрус*. *Marsh.* i. 268.

Genus 290. GRYPIDIUS, *Schön. Cu.*

GRYPUS*, (*Germar.*), (*Samou.*)—**ARACINIPUS**, (*Megerle.*)

1679. 1; *Equiseti**. (*Schön. Cu.* 231.)
 Rh. *Equiseti*. *Fabr. E.* ii. 443. (!)—(*Sam. I.* 36.)
 Cu. *Equiseti*. *Panz. F.* xlii. *f.* 4.—*Stew.* ii. 56.—*Marsh.* i. 254.
 —*Turt.* ii. 213.
 Cu. *nigro-gibbosus*. *DeGeer.* v. 224.

² **GRYPUS**: Genus Avium. Vide *Gen. Zoology* xiv. p. 256.

Genus 291. ERIRHINUS.

NOTARIS p, Germar.—*ERIRHINUS 2, Schön.*

1680. 1, *Festucæ* *. (*Schön. Cu. 230.*)
 Cu. *Festucæ*. *Herbst C. vi. 327. pl. 85. f. 13.*
 Cu. *Caricis*. *Thunb. Mus. Ups. App. vi. 111.*
 Rh. *lunula*. *Kirby MSS.*
1681. 2; *Nereis* *. (*Schön. Cu. 230.*)
 Cu. *Nereis*. *Payk. F. iii. 240.*
 Rh. *Nereis*. (*Sam. I. 36.*)
1682. 3; *inquisitor* *.
 Cu. *inquisitor*. *Herbst C. vii. 42. pl. 97. f. 12.*
 Rh. *Nereis*. *Gyll. iii. 77?*
 Rh. *Typhæ*. *Ahr. F. iv. f. 69.*
1683. 4; *Arundineti* *.
 Rh. *Arundineti*. *Kirby MSS.*

Genus 292. NOTARIS, *Germar.*

ERIRHINUS 1, p. Schön.

1684. 1; *acridulus* *.
 Cu. *acridulus*. *Linn. ii. 607.—Berk. S. i. 97.—Panz. F. xlvi. f. 10.—Stew. ii. 55.—Turt. ii. 217.*
 Cu. *resinosus*. *Marsh. i. 268.*
 Rh. *resinosus*. (*Sam. I. 36.*)
1685. [2; *punctum* *].
 Rh. *punctum*. *Fabr. E. ii. 442.*
 Cu. *rigidus*. *Marsh. i. 270.*
1686. 3; *bimaculatus* *.
 Rh. *bimaculatus*. *Fabr. E. ii. 442.—Herbst C. vi. 291. pl. 82. f. 8.*
 Rh. *Sparganii*. *Kirby MSS.*

Genus 293. DORYTOMUS, *Germar.*

BALANINUS p, Samou.—*ERIRHINUS 1. p, Schön.*

A. *Pedibus anticis elongatis.*

1687. 1; *vorax* *. (*DeJean C. 86.*)
 Cu. *vorax*. *Herbst C. vi. 165.—Panz. F. xviii. f. 13.*
 Cu. *longimanus*. *Forst. C. i. 32.—Marsh. i. 293.*
 Ba. *longimanus*. (*Sam. I. 5.*)
 Cu. *Forsteri*. *Stew. ii. 60.*
1688. 2, *ventralis*. (*DeJean C. 86?*)
 B. *Pedibus anticis haud elongatis.*
1689. 3; *Tortrix* *. (*DeJean C. 86.*)
 Cu. *Tortrix*. *Linn. ii. 615.—Mart. C. pl. 18. f. 2.—Berk. S. i. 100.—Panz. F. xviii. f. 14.—Marsh. i. 291.—Turt. ii. 238.*

Rh. Tortrix. *Leach E. E.* ix. 108.

Ba. Tortrix. (*Sam. I.* 5.)

Cu. fulvus. *DeGeer.* v. 214.

1690. 4; arcuatus*.

Cu. arcuatus. *Panz. F.* xviii. f. 6.

Rh. pectoralis, c. *Gyll.* iii. 179.

1691. 5; pectoralis*. (*DeJean C.* 86.)

Cu. pectoralis. *Panz. F.* xxxvi. f. 16.

Cu. rubellus. *Marsh.* i. 293.

Ba. rubellus. (*Sam. I.* 5.)

1692. 6; melanophthalmus*.

Cu. melanophthalmus. *Payk. F.* iii. 196.

Cu. fructuum. *Marsh.* i. 292.

Ba. fructuum. (*Sam. I.* 5.)

Rh. pectoralis, b. *Gyll.* iii. 179.

1693. 7, affinis*.

Cu. affinis. *Payk. F.* iii. 190.

Do. flavipes. (*DeJean C.* 86.)

1694. 8; Tremulæ*. (*DeJean C.* 86.)

Cu. Tremulæ. *Payk. F.* iii. 189.—*Marsh.* i. 291.

Ba. Tremulæ. (*Sam. I.* 5.)

1695. 9; maculatus*.

Cu. maculatus. *Marsh.* i. 292.

Ba. maculatus. (*Sam. I.* 5.)

Rh. maculatus. (*Sam. I.* 36.)

Rh. tæniatus. *Fabr. E.* ii. 492. (!)

Cu. tæniatus. *Herbst C.* vi. 271. *pl.* 80. *f.* 12.

Cu. fumosus. *Rossi M.* i. 124.

Rh. Tremulæ, b. *Gyll.* iii. 172.

1696. 10; tæniatus*. (*DeJean C.* 86.)

Rh. tæniatus. *Fabr. E.* ii. 492?—*Stew.* ii. 60.—*Turt.* ii. 238.

1697. 11, majalis*.

Cu. majalis. *Payk. F.* iii. 177?

1698 † 12. dorsalis^a.

Genus 294. PISSODES, *Germar.*

PISSOCLES, (*DeJean.*)—PINIPHILUS, (*Megerle.*)

1699. 1, Pini. (*Schön.* Cu. 226.)

^a 1698 † 12. dorsalis. (*DeJean C.* 86.)

Cu. dorsalis. *Linn.* ii. 608.—*Berk. S.* i. 98. (!)—*Panz. F.* xvii. f. 9. —*Stew.* ii. 55 (!)—*Turt.* ii. 217. (!)

Cu. Pini. *Linn.* ii. 608.—*Panz. F.* xlvi. f. 1.—*Stew.* ii. 56.—
—*Turt.* ii. 211.

Cu. numero 9. *Berk. S.* i. 98.

Rh. Abietis. *Leach E. E.* ix. 108.—(*Sam. I.* 36.)

1700 † 2, notatus *. (*Schön. Cu.* 226.)

Lixus notatus. *Fabr. E.* ii. 501.

Cu. notatus. *Herbst C.* vi. 65. *pl.* 97. *f.* 3.

In Mus. *D. Sparshall.*

1701 † 3, Fabricii. *Leach MSS.*

Cu. Pineti. *Herbst C.* vi. 293. *pl.* 82. *f.* 10? In Mus. *Brit.*

Genus 295. GRONOPS, *Schön.*

BAGOÜS p, Germ.—*ANLACUS, (Megerle.)*

1702. 1, lunatus *. (*Schön. Cu.* 158.)

Cu. lunatus. *Fabr. E.* ii. 524.(!)—*Stew.* ii. 61.—*Turt.* iii. 252.

Rh. Lathburii. *Kirby MSS.*—(*Sam. I.* 36.)

Cu. percussor. *Herbst C.* vi. 250. *pl.* 78. *f.* 4.

Rh. rubricus. *Act. Hal. Nov. (Ahrens)* ii. 16. *pl.* 1. *f.* 7.

1703. [2, costatus.]

Rh. costatus. *Gyll.* iii. 89.

Cu. Sheppardi. *Marsh. MSS.*

Genus 296. ORTHOCHÆTES, *Müller.*

STYPHLUS, Schön.?

1704. 1; setiger *. *Germ. I. N. v.* i. 304.

St. penicillus. *Schon. Cu.* 259?

Genus 297. —

HYPERA p, Curtis l. c. fo. 116.

1705. 1; picipes *.

Cu. picipes. *Marsh.* i. 272.

Hy. picipes. (*Curtis l. c. supra.*)

Cu. subnebulosus. *Wilkin MSS.*

Rh. subnebulosus. (*Sam. I.* 36.)

1706. 2, pyrrhodactylus.

Cu. pyrrhodactylus. *Marsh.* i. 259.

Genus 298. HYPERA, *Germar.*, (*Samou.*) *Curtis,* (*Kirby.*)

DONUS, (Megerle.)—*PHYTONOMUS, Schön.*

A. Corpus breve; ovatum.

1707. 1; punctata *. (*Curtis l. c. infra.*)

Cu. punctatus. *Fabr. E.* ii. 529.

Cu. medius. *Marsh.* i. 302.

Cu. austriacus. *Herbst C.* vi. 243. *pl.* 77. *f.* 11.—*Marsh.* i. 302.

Rh. austriacus. (*Sam. I.* 36.)

1708. 2; fasciculosa *. *Curtis*. iii. pl. 116.
 Rh. fasciculosa. *Gyll.* iii. 107.
 Cu. fasciculatus. *Herbst C.* vi. 289. *pl.* 82. *f.* 6.
 Rh. sticticus. *Kirby MSS.*
 Rh. Dauci. *Oliv. E.* v. 124. *pl.* 35. *f.* 542.
- B. Corpus oblongum.
- a. *Alati.*
1709. 3; Polygoni *. (*Curtis l. c. supra.*)
 Cu. Polygoni. *Fabr. E.* ii. 520.
 Cu. fasciatus. *DeGeer.* v. 234.
 Cu. lineatus. *Herbst C.* vi. 497. *pl.* 95. *f.* 5. *a, b.*
1710. 4; arator *. (*Curtis l. c. supra.*)
 Cu. arator. *Linn. M.* 531.—*Marsh.* i. 266.
 Cu. Polygoni. *Panz. F.* xix. *f.* 10.
 Cu. Polygoni b. *Gyll.* iii. 110.
 Rh. aerator. (*Sam. I.* 36.)
1711. 5; canescens * *mihi.*
1712. 6; Viciæ *. (*Curtis l. c. supra.*)
 Rh. Viciæ. *Gyll.* iii. 101.
1713. 7; lineatus * *mihi.*
1714. 8; picicornis *mihi.*
1715. 9; Ruminis *. (*Curtis l. c. supra.*)
 Cu. Ruminis. *Linn. ii.* 614.—*Stew. ii.* 57.—*Marsh.* i. 266.—
Turt. ii. 218.—*Bingley* iii. 136.
 Rh. Ruminis. (*Sam. I.* 36.)
 Cu. Acetosæ. *Panz. F.* xlvi. *f.* 9.
 β, Hy. albicans. *Kirby MSS.*
1716. 10; palustris *. (*Curtis l. c. supra.*)
 Rh. palustris. *Leach MSS.*—(*Sam. I.* 36.)
1717. 11; sublineata *. *Kirby MSS.*—(*Curtis l. c. supra.*)
1718. 12; nebulosus * *mihi.*
1719. 13; Pollux *. (*Curtis l. c. supra.*)
 Rh. Pollux. *Fabr. E.* ii. 457.
 Cu. commaculatus. *Herbst C.* vi. 230. *pl.* 76. *f.* 8.
 Cu. Ruminis, d. *Payk. F.* iii. 229.
 Cu. interruptus. *Marsh.* i. 269.
 Rh. interruptus. (*Sam. I.* 36.)
 Hy. dorsiger. *Kirby MSS.*
1720. 14; villosula *. —? *MSS.*—(*Curtis l. c. supra.*)
1721. 15; picipes * *mihi.*
1722. 16; murina *. (*Curtis l. c. supra.*)
 Cu. murinus. *Fabr. E.* ii. 520.

- Cu. Plantaginis. *Marsh.* i. 265.
 Rh. Plantaginis. (*Sam. I.* 36.)
1723. 17, nigrirostris *. (*Curtis l. c. supra.*)
 Cu. nigrirostris. *Fabr. E.* ii. 448.—*Panz. F.* xxxvi. f. 14.—
Stew. ii. 54.—*Marsh. i.* 267.—*Turt. ii.* 215.
 Rh. nigrirostris. (*Sam. I.* 36.)
 Cu. virescens. *Quensel. Diss.* 16.
 β; Cu. variabilis. *Fabr. E.* ii. 449.
1724. 18; fulvipes * *mihi.*
 b. *Apteri.*
1725. 19; Plantaginis *. (*Curtis l. c. supra.*)
 Cu. Plantaginis. *DeGeer. v.* 237. *pl. 7. f.* 17—21.
 Hy. interstinctus. *Kirby MSS.*
1726. 20; Trifolii *. (*Curtis l. c. supra.*)
 Cu. Trifolii. *Herbst C.* vi. 266. *pl. 80. f.* 5.
 Cu. trilineatus. *Marsh. i.* 268.
 Hy. meles. *Germ. M.* iv. 340.
1727. [21, straminea *.] (*Curtis l. c. supra.*)
 Cu. stramineus. *Marsh. i.* 267.
 Rh. stramineus. (*Sam. I.* 36.)
 Rh. Trifolii, d. *Gyll. iii.* 111.
 Hy. pallida. (*DeJean C.* 88.)
1728. 22; postica *. (*Curtis l. c. supra.*)
 Rh. postica. *Gyll. iii.* 113.
 Cu. haemorrhoidalis. *Herbst C.* vi. 266. *pl. 80. f.* 4.
 Cu. bimaculatus. *Marsh. i.* 266.
 Hy. cordicollis. *Kirby MSS.*
1729. 23; phæopa * *mihi.*
1730. 24; rufipes * *mihi.*
1731. 25; variabilis *. (*Curtis l. c. supra.*)
 Cu. variabilis. *Herbst C.* vi. 263. *pl. 80. f.* 1.
1732. 26, Arundinis. (*Curtis l. c. supra.*)
 Cu. Arundinis. *Fabr. E.* ii. 521.—*Panz. F.* xix. f. 11.
 Rh. Sii. *Leach MSS.*
1733. 27, elongata.
 Cu. elongata. *Payk. F.* iii. 236.
 Cu. fusco-cinerea. *Marsh. i.* 271.
 Hy. fusco-cinerea. (*Curtis l. c. supra.*)
1734. 28; pedestris *?
 Cu. pedestris. *Payk. F.* iii. 233?
 Hy. senex. *Kirby MSS.?*
1735. 29; miles *. (*Curtis l. c. supra.*)
 Cu. miles. *Payk. F.* iii. 233.

Cu. suspiciosus. *Herbst C. vi. 265. pl. 80. f. 3.*

Cu. bitæniatus. *Marsh. i. 268.*

♂; Cu. octolineatus. *Marsh. MSS.*

Genus 299. ELLESCUS, (*Megerle.*)

PHYTONOMUS p, Schön.—HYPERA p, Germ.

1736. 1, bipunctatus *. (*DeJean C. 87.*)

Cu. bipunctatus. *Linn. ii. 609.—Panz. F. xlvi. f. 7.*

Genus 300. PLINTHUS, *Germar.*

MELEUS, (*Megerle.*)—LIXUS p, *Fabricius.*—LIPARUS p, *Olivier.*

1737. 1, caliginosus *. *Germ. I. N. i. 330.—(Ing. Inst. 89.)*

Cu. caliginosus. *Fabr. E. S. ii. 427. (!)—Stew. ii. 59.—Marsh. i. 292.—Turt. ii. 230.*

Cu. didymus. *Don. xvi. pl. 570.*

Cu. reticulatus. *Marsh. MSS.*

Genus 301. LIPARUS, *Olivier, Leach, Samou.*

MOLYTES, Schön.

1738. 1; germanus. (*Leach E. E. ix. 108.*)—(*Sam. I. 25.*)

Cu. germanus. *Linn. ii. 613.—Mart. C. pl. 22. f. 68.—Stew. ii. 59.—Marsh. i. 290.*

Cu. fuscomaculatus. *Fabr. E. ii. 537.—Herbst C. vi. 327. pl. 86. f. 2.*

1739. 2; anglicanus *. (*Sam. I. 25.*)

Cu. anglicanus. *Mart. C. pl. 18. f. 7.—Don. i. pl. 34. f. 2.—Marsh. i. 290.*

Cu. germanus. *Fabr. E. ii. 475.—Turt. ii. 233.*

Genus 302. LEIOSOMA, *Kirby MSS.*

LIPARUS p, *Samou.*—MOLYTES p, *Schön.*

1740. 1; punctata *.

Cu. punctatus. *Marsh. i. 291.*

Li. punctatus. (*Sam. I. 25.*)

Genus 303. HYLOBIUS, *Germar.*

LIPARUS p, *Olivier.*

1741. 1, Abietis. (*DeJean C. 88.*)—*Zool. Journ. (MacLeay.) i. 445.*

Cu. Abietis. *Linn. ii. 613.—Mart. C. pl. 21. f. 60.—Panz. F. xlvi. f. 14.—Stew. ii. 59.—Turt. ii. 230.*

Cu. Pini. *Marsh. i. 289.—Don. xv. 529.*

Rh. Pini. (*Leach E. E. ix. 108.*)—(*Sam. I. 36.*)

Curculio. (*Millard B. E. 179. pl. 2. f. 8.*)

1742 † 2, Pinastri? (*DeJean C. 88?*)

Rh. Pinastri. *Gyll. iii. 168?*

In Mus. Brit.?

Genus 304. TANYSPHYRUS, *Germar*, (*Kirby*.)1743. 1; *Lemnæ**.Rh. *Lemnæ*. *Fabr. E.* ii. 455.—*Panz. F.* xvii. f. 10.Cu. *inconspectus*. *Herbst C.* vi. 301. *pl. 83. f. 9.*Rh. *nudus*. *Kirby MSS.* β ? *Ta. nanus mihi*.Genus 305. ALOPHUS, *Schön.* Cu.*LEPYRUS*, *Germar*, (*Samou.*)—*LIPARUS p*, *Leach*, (*Samou.*)—*GRAPTRUS*, *Schön. olim.*1744. 1; *triguttatus**. (*Schön. Cu.* 167.)Cu. *triguttatus*. *Fabr. E.* ii. 521.—*Stew. ii.* 60.—*Marsh. i.* 300.—*Turt. ii.* 251.Cu. *cordiger*. *Clairv. E. H.* i. 86. *pl. 7. f. 3, 4.*Li. *triguttatus*. (*Leach E. E.* ix. 108.) δ ; Cu. *striatirostris*. *Marsh. i.* 269. β , Cu. *rufimanus*. *Marsh. i.* 270.1745. [2, *Vau**.]Cu. *Vau*. *Schrink. A.* 227.—*Marsh. i.* 299.—*Don. xii. pl. 414. f. 1.*Li. *Vau*. (*Sam. I.* 25.)1746. [3, *trinotatus*.]Cu. *bipunctatus*. *Marsh. MSS.*Genus 306. BARYNOTUS, *Germar*.*LIPARUS p*, *Samou.*—*BRIUS p*, *Megerle*.1747. 1; *Mercurialis**. (*Schön. Cu.* 166.)Cu. *Mercurialis*. *Fabr. E.* ii. 530.Cu. *elevatus*. *Herbst C.* vi. 235. *pl. 77. f. 3.*Cu. *Lapidarius*. *Payk. F.* iii. 292.Cu. *Æscidii*. *Marsh. i.* 307.Li. *Æscidii*. (*Sam. I.* 25.) Ω ; Cu. *tomentosus*. *Marsh. i.* 270.Genus 307. MERIONUS, (*Megerle*)*LIPARUS p*, *Samou.*—*BARYNOTUS p*, *Schön.*1748. 1; *obscurus**. (*DeJean C.* 90.)Cu. *obscurus*. *Fabr. E.* ii. 530.Cu. *honorius*. *Herbst C.* vii. 59. *pl. 100. f. 3.*Cu. *murinus*. *Bonsd. Cu.* ii. 37. *f. 31.*Cu. *pilosulus*. *Marsh. i.* 299.Li. *pilosulus*. (*Sam. I.* 25.)1749. 2; *elevatus**.Cu. *elevatus*. *Marsh. i.* 306.Li. *elevatus*. (*Sam. I.* 25.)Cu. *Bohemanni*. *Gyll.* iv. 611. β ; Cu. *carinatus*. *Marsh. i.* 299.

Genus 308. LIOPHLÆUS, *Germar.*

GASTRODUS, (*Megerle*)—**LIPARUS** *p*, *Samou.*

1750. 1; *nubilus* *. (*Schön.* *Cu.* 160.)

Cu. nubilus. *Fabr. E.* ii. 538.—*Panz. F.* cvi. f. 5.

Cu. tessellatus. *Bonsd. Cu.* ii. 38. *f.* 32.

♂; *Cu. subclavatus*. *Marsh.* i. 314.

Cu. chrysopterus. *Herbst C.* vi. 339. *pl.* 86. *f.* 10.

♀; *Cu. floccosus*. *Marsh.* i. 314.—*Millard. B. E. pl.* 2. *f.* 9.

Cu. subglobosus. *Marsh.* i. 313.

Li. subglobosus. (*Sam. I.* 25.)

1751. 2; *maurus* *.

Cu. maurus. *Marsh.* i. 316.

Li. maurus. (*Sam. I.* 25.)

Genus 309. OTIORHYNCHUS, *Germar.*

LOBORHYNCHUS, (*Megerle*)—**BRACHYRHYNCHUS**, (*Megerle*)

—**BRACHYRHINUS** *p*, *Latreille*.—**PACHYGASTER**^a, *Germar*, (*Samou.*)—**MICOCERUS**, *Billb.*—**LIPARUS** *p*, *Oliv.*, (*Samou.*)

A. Femora dentata.

a. Corpus ovatum.

1752. 1; *Ligustici* *. (*Schön.* *Cu.* 206.)

Cu. Ligustici. *Linn.* ii. 615.—*Bonsd. Cu.* ii. 38. *pl. f.* 33.—*Marsh.* i. 313.—*Turt.* ii. 273.

Li. Ligustici. (*Sam. I.* 25.)

Cu. rugosus. *Schrantz*.?

b. Corpus oblongum.

1753. 2; *sulcatus* *. (*Schön.* *Cu.* 206.)

Cu. sulcatus. *Fabr. E.* ii. 539.—*Herbst C.* vi. 347. *pl.* 87. *f.* 5.—*Marsh.* i. 315.

Li. sulcatus. (*Sam. I.* 25.)

Cu. griseopunctatus. *DeGeer.* v. 217.

1754. 3; *notatus* *.

Cu. notatus. *Bonsd. Cu.* ii. 39. *f.* 34.

Cu. picipes. *Fabr. E.* ii. 346?

Cu. granulatus. *Fuesl. Ar. pl.* 24. *f.* 33?

Cu. vastator. *Marsh.* i. 300.

Li. vastator. (*Sam. I.* 25.)

Cu. Corruptor. *Host*?

1755. 4; *singularis* *.

Cu. singularis. *Linn.* ii. 1066?

^a **PACHYGASTER**: Genus Dipterorum. Vide *Meig. Klass.* i. 146.

- Cu. asper. *Marsh.* i. 301.
 Li. asper. (*Sam.* I. 25.)
1756. [5; squamiger *.]
 Cu. squamiger. *Marsh.* i. 301.
 Li. squamiger. (*Sam.* I. 25.)
1757. 6; scaber.
 Cu. scaber. *Linn.* ii. 609.—*Berk. S.* i. 98.—*Stew.* ii. 56.
1758. 7; rugifrons. (*Schön. Cu.* 206.)
 Cu. rugifrons. *Gyll.* iii. 319.
1759. 8; ovatus*. (*Schön. Cu.* 206.)
 Cu. ovatus. *Linn.* ii. 615.—*Herbst C.* vi. 357. *pl.* 88. *f.* 2.—
Marsh. i. 315.—*Turt.* ii. 275.
 Li. ovatus. (*Sam.* I. 25.)
 Cu. Rosæ. *DeGeer.* v. 219.
 Cu. rufipes. *Scop. C.* 32.
1760. [9; pabulinus *.]
 Cu. pabulinus. *Panz. F.* lvii. *f.* 19.
 Cu. ovatus b. *Gyll.* iii. 320.
 Pa. confinis. *Kirby MSS.*
1761. 10; Dilwynii.
 Pa. Dilwynii. *Kirby?* *MSS.*
 B. Femora mutica.
 a. *Elytris haud striatis.*
1762. 11, Lima.
 Cu. Lima. *Marsh.* i. 298.
1763. 12; tenebricosus*. (*Schön. Cu.* 205.)
 Cu. tenebricosus. *Herbst C.* vi. 333. *pl.* 86. *f.* 5.
 Cu. morio. *Puyk. F.* iii. 294.
 Cu. clavipes. *Bons. Cu.* ii. 40. *f.* 36.
 Cu. niger. *Marsh.* i. 297.
 Li. niger. (*Sam.* I. 25.)
 Cu. maritimus, var. *Don.* xv. 63. *pl.* 533. *f.* 2.
1764. 13, atroapterus.
 Cu. atroapterus. *DeGeer.* v. 243. *pl.* 7. *f.* 22—24.
 Cu. nigerrimus. *Marsh. MSS.*
1765. 14, ater. (*Schön. C.* 205.)
 Cu. ater. *Herbst C.* vi. 332. *pl.* 86. *f.* 4.
 Cu. niger. *Puyk. F.* iii. 295.
 Cu. maritimus. *Don.* xv. 63. *pl.* 533. *f.* 1.
 Cu. hypolaus. *Marsh. MSS.*
 Cu. arenosus. *Leach MSS.*
1766. 15, laevigatus.
 Cu. laevigatus. *Fabr. E.* ii. 531.—*Herbst C.* vi. 347. *pl.* 87. *f.* 6.

b. *Elytris striatis; glabris.*

1767. 16; piceus *.

Cu. piceus. *Marsh.* i. 305.

Li. piceus. (*Sam. I.* 25.)

c. *Elytris striatis, plus minusve scabrosis.*

1768. 17; scabrosus *.

Cu. scabrosus. *Marsh.* i. 298.

Li. scabrosus. (*Sam. I.* 25.)

1769. 18; scabridus *. *Kirby MSS.*

1770. 19; rugicollis *mihi.*

Larinus? rugicollis. (*Curtis. Catal.* no. 45.?)

1771. 20, maurus. (*Schön. C.* 205.)

Cu. maurus. *Gyll.* iii. 293.

Cu. morio. *Bons. Cu.* ii. 36. f. 29.

Cu. sulcatus, b. *Payk. F.* iii. 276.

1772. 21; raucus *. (*Schön. C.* 205.)

Cu. raucus. *Fabr. E.* ii. 529.—*Marsh.* i. 300.

Li. raucus. (*Sam. I.* 25.)

Cu. tristis. *Bons. Cu.* ii. 36. f. 28.—*Turt.* ii. 255?

Cu. arenarius. *Fuesly. A.* 127.

β; Cu. tristis. *Fabr. E.* ii. 529. (!)—*Turt.* ii. 255?

Genus 310. TRACHYPHLÆUS, *Germar.*

LIPARUS *p*, *Samou.*

1773. 1; tessellatus *.

Cu. tessellatus. *Marsh.* i. 307.

1774. 2; confinis * *mihi.*

Tr. grisescens. *Kirby MSS.* ?

1775. 3; ventricosus *. *Germ. I. N.* i. 405.

1776. 4; scabriculus *. (*DeJean C.* 96.)

Cu. scabriculus. *Linn. M.* ii. 531.—*Herbst C.* vi. 351. *pl.* 87. f. 10?—*Marsh.* i. 304.

Li. scabriculus. (*Sam. I.* 25.)

Br. scabriculus. (*Kirby & Sp. I. E.* ii. 219.)

1777. 5; hispidulus *.

Cu. hispidulus. *Herbst C.* vi. 354. *pl.* 87. f. 14.

Cu. scabriculus, b. *Gyll.* iii. 309.

Cu. bifoveolatus. *Beck.*

1778. 6; spinimanus *. *Germ. I. N.* i. 405.

Tr. manus *mihi.*

Genus 311. PHILOPEDON, *Schön. olim.*

THYLACITES *p*, *Germ.*, (*Samou.*)—**LIPARUS** *p*, *Samou.*—**CNEORHINUS** *p*, *Schön.*

1779. 1, geminatus. (*Schön. C.* 97.)

- Cu. geminatus. *Fabr. E.* ii. 323.—*Herbst C.* vi. 348. *pl. 87. f. 7.*
 Cu. plagiatus. *Act. Hal. (Schall.)* i. 284.
 Cu. maritimus. *Marsh. i.* 307.
 Li. maritimus. (*Sam. I.* 25.)
 β , Cu. lineatocollis. *Marsh. MSS.*
 γ , Cu. squamulatus. *Marsh. MSS.*
1780. 2, parapleurus *.
 Cu. parapleurus. *Marsh. i.* 306.
1781. 3; exaratus *. (*Schön. C.* 97.)
 Cu. exaratus. *Marsh. i.* 303.—*Don. xii.* 58. *pl. 414. f. 2.*
 β , Cu. sexstriatus. *Marsh. i.* 305.
 Li. sexstriatus. (*Sam. I.* 25.)
1782. 4, plumbeus.
 Cu. plumbeus. *Marsh. i.* 302.
- Genus 312. STROPHOSOMUS, Billberg.
- THYLCITES p, Germ.—BRYSSUS, (*Megerle.*)—LIPARUS p,
Samou.
- A. Thorax basi truncatus.
- a. “*Rostrum basi per strigam transversam a capite distinctum.*” Schön.
1783. 1; Coryli *. (*Schön. C.* 97.)
 Cu. Coryli. *Fabr. E.* ii. 524.—*Mart. C. pl. 19. f. 20.*—*Panz. F.* xix. f. 12.—*Stew. ii.* 60.—*Marsh. i.* 303.—*Turt. ii.* 252.
 Li. Coryli. (*Sam. I.* 25.)
 Th. Coryli. (*Samou.* 205.)
 Cu. capitatus. *Bons. Cu. ii.* 23. *f. 24.*
1784. 2; rufipes * *mihi.*
1785. 3; Asperifoliarum *.
 Th. Asperifoliarum. *Kirby MSS.*
1786. 4; obesus *.
 Cu. obesus. *Marsh. i.* 304.
 Li. obesus. (*Sam. I.* 25.)
 Cu. Coryli, c. *Gyll. iii.* 305.
1787. 5; cognatus * *mihi.*
1788. 6; atomarius *.
 Cu. atomarius. *Marsh. i.* 312.
1789. 7; subrotundus *.
 Cu. subrotundus. *Marsh. i.* 304.
 Li. subrotundus. (*Sam. I.* 25.)
- b. “*Rostrum capiti contiguum, nec per strigam transversam impressam a fronte distinctum.*” Schön.
1790. 8; nigricans *.
 Th. nigricans. *Kirby MSS.*

1791. 9; scrobiculatus.
Cu. scrobiculatus. *Marsh.* i. 307.
1792. 10; squamulatus*. (*Schön. Cu.* 98.)
Cu. squamulatus. *Fabr. E.* ii. 527.—*Herbst C.* vi. *pl.* 87. *f.* 12.
1793. 11; retusus*.
Cu. retusus. *Marsh.* i. 306.
Cu. Coryli, b. *Gyll.* iii. 304.
Cu. cervinus. *Fabr. E.* ii. 528?
Th. affinis. (*DeJean C.* 95.)
1794. 12; nebulosus* *mihi.*
B. "Thorax basi sub-bisinuatus." *Schön.*
1795. 13; chætophorus* *mihi.*
1796. 14; Sus*.
Th. Sus. *Kirby MSS.*
Cu. limbatus. *Marsh.* i. 301.—*Fabr. E.* ii. 527?
1797. 15; pilosellus*. (*Schön. Cu.* 97.)
Cu. pilosellus. *Gyll.* iii. 300.
Cu. pilosus. *Herbst C.* vi. 237. *pl.* 77. *f.* 6.
1798. 16; septentrionis*.
Cu. septentrionis. *Herbst C.* vi. 360. *pl.* 88. *f.* 6.
Cu. setosus. *Fabr. E.* ii. 527.
Cu. scaber. *Bons. Cu.* ii. 35.
Cu. griseo-punctatus. *DeGeer.* v. 244?

Genus 313. SCIAPHILUS, *Schön.*THYLACITES *p*, *Germar.*—LIPARUS *p*, *Samou.*

1799. 1; muricatus*. (*Schön. Cu.* 99.)
Cu. muricatus. *Fabr. E.* ii. 544.—*Herbst C.* vi. 323. *pl.* 87. *f.* 9.—*Ent. Trans. (Burrell.)* i. 183.
Cu. setosus. *Marsh.* i. 304.
Li. setosus. (*Sam. I.* 25.)
1800. [2; asperatus*].
Cu. asperatus. *Fabr. E.* ii. 541.—*Bons. Cu.* ii. 34. *f.* 25.
1801. 3; pusillus* *mihi.*

Genus 314. BRACHYSOMUS, *Schön. Cu.*TRACHYPHILÆUS *p*, *Germ.?*

1802. 1; hirsutulus*. (*Schön. Cu.* 99.)
Cu. hirsutulus. *Fabr. E.* ii. 526.—*Panz. F.* vii. *f.* 7.—*Marsh.* i. 305.
Tr. villosulus. *Germ. I. N.* i. 406?
Cu. echinatus. *Bons. Cu.* ii. 21. *f.* 22?

Genus 315. SITONA, *Germar.*, (*Samou.*)A. "Oculi parvi, subimmersi." *Kirby MSS.*a. "Elytra hispida." *Kirby.*

1. Apteris.

1803. 1; Ulicis*. *Kirby MSS.*1804. 2; Spartii*. *Kirby MSS.*1805. 3; femoralis* *mihi.*1806. 4; pleuritica*. *Kirby MSS.*

2. Alati.

1807. 5; hispidula*. (*Samou.* 204.)Cu. hispidulus. *Fabr. E.* ii. 526.—*Marsh.* i. 310.Cu. crinitus. *Herbst C.* vi. 245. *pl.* 77. *f.* 13.1808. 6, pallipes *mihi.*b. "Elytra pubescentia, haud pilosa." *Kirby.*1809. 7; lineata*. (*Samou.* 204.)Cu. lineatus. *Linn.* ii. 616.—*Marsh.* i. 309.—*Don.* xi. *pl.* 389.
f. 2.—*Turt.* ii. 252.Cu. cinerascens. *Herbst C.* vi. 214. *pl.* 75. *f.* 2.Cu. Mus. *Fabr. E.* ii. 524.1810. [8; pisivora*] *mihi.*

1811. 9; grisea*.

Cu. griseus. *Fabr. E.* ii. 520. (!)—*Stew.* ii. 60?—*Marsh.* i.
313.—*Turt.* ii. 251.Cu. lineatus a. *Gyll.* iii. 279.

1812. 10; ruficlavis*.

Cu. ruficlavis. *Marsh.* i. 312.Cu. lineatus d. *Gyll.* iii. 280.Cu. chloropus. *Bons. C.* ii. 31. *f.* 19?

1813. 11; nigriclavis*.

Cu. nigriclavis. *Marsh.* i. 312.1814. 12; canina*. (*DeJean C.* 94.)Cu. caninus. *Fabr. E.* ii. 524.Cu. lineatus b. *Payk. F.* iii. 308.

1815. 13; flavescens*.

Cu. flavescens. *Marsh.* i. 311.Cu. lineatus b. *Bons. C.* ii. 30. *f.* 16.Cu. canina b. *Gyll.* iii. 278.Si. octopunctatus. *Germ. I. N.* i. 416.

1816. 14; puncticollis*.

Cu. puncticollis. *Herbst C?*

1817. 15; longiclavis*.
Cu. longiclavis. *Marsh?* MSS.
1818. 16, suturalis *mihi*.
Cu. rufipes. *Marsh.* i. 310.
1819. 17; subaurata*. *Kirby* MSS.
1820. 18; tibialis*. (*DeJean C. 94.*)
Cu. tibialis. *Herbst C. vi. 217. pl. 75. f. 5.*
Cu. sulcifrons. *Thunb. Mus. Up. App. 6. 113.*
Cu. chloropus. *Marsh.* i. 310.
 β ; Si. affinis. *Kirby* MSS.
1821. 19; humeralis*. *Kirby* MSS.
1822. 20; Pisi* *mihi*.
B. "Oculi magni, prominuli." *Kirby* MSS.
a. *Elytra hispida*.
1823. 21; crinita*. (*DeJean C. 94.*)—*Gyll.* iv. 610. *nota.* (!)
Cu. crinitus. *Oliv. E. v. 382. pl. 3. f. 550.*
Cu. macularius. *Marsh.* i. 312.
Cu. Occator. *Herbst C. vi. 219. pl. 75. f. 8?*
Cu. lineellus c. *Gyll.* iii. 281.
1824. 22; lineella*.
Cu. lineellus. *Linn. F. No. 546.—Bons. C. ii. 30. f. 18.*
Cu. lineatus d. *Payk. F. iii. 308.*
1825. 23; albescens*. *Kirby* MSS.
b. *Elytra subpubescentia*.
1. Corpore brevi, ovato.
1826. 24; cambrica*. *Kirby* MSS.
 β , Si. rugulosa. *Kirby* MSS.
2. Corpore elongato, sublineari.
1827. 25; fusca*.
Cu. fuscus. *Marsh.* i. 313.
 β , Cu. trisulcus. *Kirby* MSS.

Genus 316. POLYDRUSUS, *Germar.*

POLYDROSUS *p*, *Schön.*

A. Femoribus dentatis.

1828. 1; amaurus*.
Cu. amaurus. *Marsh.* i. 319.
Cu. Rubi. *Gyll.* iii. 329.
1829. 2, confluens. *Kirby* MSS.
1830. 3; marginatus* *mihi*.
1831. 4; pulchellus* *mihi*.

1832. 5; *cervinus**.

- Cu. *cervinus*. *Linn.* ii. 615.—*Marsh.* i. 317.—*Turt.* ii. 254.
 Cu. *Iris*. *Fabr. E.* ii. 546.
 Cu. *Messor*. *Herbst C.* vi. 222. *pl. 75. f. 11.*
 Cu. *griseo-aeneus*. *DeGeer.* v. 220.

1833. 6; *melanotus**. *Kirby MSS.*

1834. 7; *sericeus**.

- Cu. *sericeus*. *Act. Hall. (Schall.)* i. 286.—(*Sam. I.* 14.)
 Cu. *splendidus*. *Herbst A.* 5. 82. *pl. 24. f. 30.*
 Po. *squamulosus*. (*Germ. I. N.* i. 452.)

B. Femoribus muticis.

1835. 8; *micans**. (*DeJean C.* 93.)

- Cu. *micans*. *Fabr. E.* ii. 519.

Cu. *Pyri*. *Linn. F.* no. 623.—*Marsh.* i. 317.—*Don.* iv. *pl. 121. f. 314.*

1836. 9; *flavipes**. (*DeJean C.* 93.)

- Cu. *flavipes*. *DeGeer.* v. 245.—*Marsh.* i. 311.

Cu. *sericeus*. *Herbst C.* vii. 37. *pl. 97. f. 10. F.*

Genus 317. —

POLYDROSUS *p*, *Schönher.*—DICHROA, *Kirby MSS.* (*olim.*)
 A. Femoribus muticis.

1837. 1; *undatus**.

- Cu. *undatus*. *Fabr. E.* ii. 525.

Cu. *tereticollis*. *DeGeer.* v. 246.

Cu. *albofasciatus*. *Herbst C.* vi. 220. *pl. 75. f. 9.*

Cu. *seleneus*. *Marsh.* i. 269.—*Millard. B. E.* 201.

1838. 2; *fulvicornis**.

- Cu. *fulvicornis*. *Fabr. E.* ii. 525.

Cu. *ruficornis*. *Bons. Cu.* ii. 27. *f. 13.*

B. Femoribus dentatis.

1839. 3; *oblongus**.

- Cu. *oblongus*. *Linn.* ii. 615.—*Panz. F.* xix. *f. 15.*—*Mart. C.* *pl. 20. f. 33.*—*Marsh.* i. 316.—*Turt.* ii. 275.—(*Sam. I.* 14.)

Cu. *floricola*. *Herbst C.* vi. 220. *pl. 75. f. 10.*

β; Cu. *rufescens*. *Marsh.* i. 316.

γ; Di. *testacea*. *Kirby MSS.*

Genus 318. PHYLLOBIUS, *Schön.*

POLYDRUSUS *p*, *Germ.*—CHRYUS, (*Megerle.*)—DASCIRUS, (*Megerle.*)—MURANUS *p*, (*Megerle.*)—EUSOMUS *p?* *Germ.*—CHLOROLEPIS *p?* (*Megerle?*)

A. Femoribus dentatis.

1840. 1; *Pyri**. (*Schön. Cu.* 182.)

Cu. Pyri. *Linn.* ii. 615.—*Berk. S.* i. 100.—*Panz. F.* cvii. f. 4.
—*Stew. ii.* 60.—*Turt. ii.* 274.—(*Samou.* 54. *pl. 2. f. 19.*)

Cu. æruginosus. *Bons. Cu.* ii. 23. *f. 8.*

1841. [2; cæsius *.]

Cu. cæsius. *Marsh. i.* 318.

β ; Po. angustatus. *Kirby MSS.*

1842. 3; Alneti*.

Cu. Alneti. *Fabr. E.* ii. 542.

Cu. cnides. *Marsh. i.* 318.—(*Sam. I.* 14.)

Cu. Pyri b. *Gyll.* iii. 323.

1843. 4; maculicornis*. *Germ. I. N.* i. 449.

Cu. Urticæ. *DeGeer.* v. 219?

1844. 5; argentatus*. (*Schön. Cu.* 182.)

Cu. argentatus. *Linn.* ii. 615.—*Berk. S.* 100.—*Don.* iii.
pl. 107.—*Stew. ii.* 60.—*Marsh. i.* 318.—*Turt. ii.* 274.—
Shaw. G. Z. vi. 66.—(*Leach E. E.* ix. 108.)—(*Sam. I.* 14.)

β ; Ph. flavidus. *Kirby MSS.*

γ ; Ph. femoralis. *Kirby MSS.*

δ ; Ph. nigripes. *Kirby MSS.*

ϵ ; Ph. angustior. *Kirby MSS.*

1845. 6; Mali*. (*Schön. Cu.* 182.)

Cu. Mali. *Fabr. E.* ii. 542.—*Mart. C.* *pl. 19. f. 21, 22.*—
Herbst C. vi. 261. *pl. 79. f. 5. a, b.*—*Marsh. i.* 317.—
(*Sam. I.* 14.)

β ; Cu. Padi. *Bons. Cu.* ii. 26. *f. 11.*

γ ; Cu. fulvipes. *Fabr. E.* ii. 525.

Cu. vespertinus. *Fabr. E.* ii. 542?

B. Femoribus muticis.

1846. 7; Pomonæ*. *Germ. I. N.* i. 450.

Cu. Poinonæ. *Oliv. E.* v. 455. *pl. 35. f. 548.*

1847. 8; uniformis*.

Cu. uniformis. *Marsh. i.* 311.

β ; Po. obscurior. *Kirby MSS.*

1848. 9; albidus* *mihi.*

Po. canescens. *Leach MSS.*—nec Po. canescens. *Germ. l. c.*

1849. 10; parvulus*. (*Schön. Cu.* 182.)

Cu. parvulus. *Fabr. E.* ii. 528?

Cu. fulvipes. *Payk. F.* iii. 310.

Cu. argentatus b. *Bons. Cu.* ii. 27.

1850. 11; minutus* *mihi.*

1851. 12; viridicollis*. (*Schön. Cu.* 182.)

Cu. viridicollis. *Fabr. E.* ii. 528.—*Panz. F.* xix. *f. 13.*

Genus 319. TANYMECUS, *Germar.*1852. 1; palliatus*. (*DeJean C. 94.*)Cu. palliatus. *Fabr. E. ii. 513.—Panz. F. xix. f. 5.*Cu. canescens. *Herbst C. vi. 240.*Cu. diffinis. *Marsh. i. 309.*Cu. graminicola. *Oliv. E?*1853. [2; affinis* *michi.*]Genus 320. BRACHYDERES^a.Genus 321. CLEONUS, *Schön.**LIXUS p, Illig., Leach.—EPIMECES p, Billb.—CLEONIS p, (Megerle.)—GEOMORUS, Schön. olim.*

A. Rostro carinato.

1855. 1, distinctus*.

Cu. distinctus. *Fabr. E. ii. 516.*Cu. ophthalmicus. *Panz. F. lvii. f. 7.*1856. 2: nebulosus*. (*Schön. Cu. 146.*)Cu. nebulosus. *Linn. ii. 617.—Berk. S. i. 100.—Herbst C. vi. 76. pl. 64. f. 8.—Stew. ii. 61.—Marsh. i. 308.—Turt. ii. 248.—(Kirby & Sp. I. E. ii. 219.)*Cu. carinatus. *DeGeer. v. 241.*1857. 3, glaucus*. (*Ing. Inst. 88.*)Cu. glaucus. *Fabr. E. ii. 516.—Panz. F. xix. f. 6.*Cu. nebulosus. *Payk. F. iii. 298.*

B. Rostro canaliculato.

1858. 4; sulcirostris*. (*Schön. Cu. 146.*)Cu. sulcirostris. *Linn. ii. 617.—Mart. C. pl. 19. f. 23.—Marsh. i. 308.—Don. xv. pl. 509. f. 1.*Li. sulcirostris. *Latr. G. ii. 260.—(Leach E. E. ix. 108.)*Genus 322. BOTHYNODERES, *Schön.**LIXUS p, Oliv.—EPIMECES p, Billb.—CLEONIS p, DeJean.*1859. 1, albidus. (*Schön. Cu. 148.*)Cu. albidus. *Fabr. E. ii. 517.—Panz. F. xix. f. 7.*^a Genus 320. BRACHYDERES, *Schön.*NAUPACTUS, (*Megerle.*)—THYLACITES p, *Germ., Samou.*1854 + 1. incanus. (*Schön. Cu. 103.*)Cu. incanus. *Linn. ii. 616.—Berk. S. i. 100. (!)—Stew. ii. 61. (!)—Turt. ii. 250. (!)*Th. incanus. (*Samou. 205. (!)*)

Cl. albidus. (*Ing. Inst.* 88.)

Cu. niveus. *Bons. Cu.* ii. 21. *f.* 6.

Genus 323. *LIXUS*, *Fabr.*, *Leach*, *Samou.*

A. *Elytris apice acuminatis* :—(*LEPTOSOMA*, *Leach.*)

1860 † 1, *Ascanii*. *Fabr. E.* ii. 503.

Cu. Ascanii. *Linn.* ii. 610.—*Panz. F.* xlvi. *f.* 13.

In *Mus. D. Sparshall?*

1861. 2, *paraplecticus*. *Fabr. E.* ii. 498.—(*Leach E. E.* ix. 108.)
—(*Sam. I.* 25.)

Cu. paraplecticus. *Linn.* ii. 610.—*Dou. x. pl.* 348. *f.* 2.—
Stew. ii. 57.—*Marsh. i.* 272.—*Turt. ii.* 219.—*Bingley. iii.* 135.

1862. 3; *productus* *. (*Sam. I.* 25.)

Cu. productus. *Marsh. MSS.*

B. *Elytris apicè muticis.*

1863. 4; *angustatus*. *Fabr. E.* ii. 502. (!)

Cu. angustatus. *Stew. ii. 57.*—*Marsh. i.* 273.—*Turt. ii.* 220.
—*Mart. C. pl.* 20. *f.* 43.—*Panz. F.* xlvi. *f.* 2.

Genus 324. *LARINUS*, (*Schüppel.*), *Germar.*

RHINOBATUS p. (*DeJean.*)

1864. 1, *Sturnus* *. *Germ. I. N.* i. 384.

Cu. Sturnus. *Herbst C.* vi. 126. *pl.* 68. *f.* 5.

Cu. Jaceæ mas. *Herbst C.* vi. 122. *pl.* 68. *f.* 2.

Rh. Fringilla. (*DeJean C.* 98.)

Genus 325. *RHINOBATUS*, (*Megerle.*)

LARINUS p. *Germar.*—*RHYNCHÆNUS p.* *Samou.*

1865. 1; *planus*. *Germ. I. N.* i. 389.

Cu. planus. *Fabr. E.* ii. 441.

Cu. odontalgicus. *Oliv. E?*

Cu. ebeneus. *Marsh. i.* 270.—(*Don. xv. pl.* 509. *f.* 2.)

Rh. ebencus. (*Sam. I.* 36.)

Genus 326. *RHINOCYLLUS*, (*Germar.*)

LIXUS p. *Oliv.*—*RHINOBATUS p.* *DeJean.*—*RHINOMACER,*
Leach.

1866. 1, *thaumaturgus*. (*Sehon. Cu.* 59.)

Cu. thaumaturgus. *Rossi.*

Li. antiodontalgicus. *Illiger?*

Cu. Cardui. *Don. xv. pl.* 512.

Rh. Cardui. *Leach MSS.*

Cu. hydrorhynchus. *Marsh. MSS.*

Genus 327. CHLOROPHANUS^a.Genus 328. MAGDALIS, *Germar*, (*Samou.*)

RHINODES *p*, *DeJean*.—BALANINUS *p*, *Samou.* I.—THAMNOPHILUS^b 1. *Schönh.*

1868. 1; carbonaria*. (*Germ. I. N. i.* 193.)

Cu. carbonarius. *Linn.* ii. 612.—*Herbst C. vi.* 70. *pl. 64. f. 3.*
—*Turt. ii.* 236?

1869. 2; atramentaria*. (*Germ. I. N. i.* 193.)

Cu. atramentarius. *Marsh.* i. 293.

Ba. atramentarius. (*Sam. I.* 5.)

Cu. aterrimus. *Herbst C. vi.* 72. *pl. 64. f. 5.*

♂; Rh. atratus. *Gyll.* iii. 187.

Cu. Cerasi ♂. *Payk. F.* iii. 193.

♀; Rh. carbonarius. *Gyll.* iii. 185.

1870. 3; aterrima*. (*Germ. I. N. i.* 193.)

Rh. aterrimus. *Fabr. E.* ii. 486.

Cu. Cerasi ♂. *Oliv. E.* v. 229. *pl. 22. f. 309.*

Cu. stygius. *Marsh.* i. 294.

Ba. stygius. (*Sam. I.* 5.)

1871. 4; Cerasi*.

Rh. Cerasi. *Fabr. E.* ii. 486.

Cu. Cerasi. *Turt. ii.* 236.—*Panz. F.* xlvi. *f. 19.*

Ma. asphaltina. (*Germ. I. N. i.* 193.)

Genus 329. RHINODES.

RHINA *p*, *Olivier*.—MAGDALIS *p*, *Germar*.—EDO? (*Germar.*)—
THAMNOPHILUS 2. *Schön*.—RHINODES *p*, *DeJean*.

1872. 1; Pruni*. (*DeJean C.* 98.)

Cu. Pruni. *Linn.* ii. 607.—*Berk. S.* i. 97.—*Turt. ii.* 214.

Cu. erythroceras. *Herbst C. vi.* 73. *pl. 64. f. 6.*

Rh. ruficornis. *Schönher.*

1873. [2, caliginosus] mihi.

Cu. Pruni. *Marsh.* i. 247.

1874. 3; Cerasi*. (*DeJean C.* 98?)

Cu. Cerasi. *Linn.* ii. 607.—*Berk. S.* i. 97.—*Stew. ii.* 55.—
Marsh. i. 265.—*Herbst C. vi.* 68. *pl. 64. f. 1.* ♀.

Rh. Armeniacæ. *Fabr. E.* ii. 447.

^a Genus 327. CHLOROPHANUS, (*Dalman.*)

CHLORIMA, (*DeJean.*)—PLATYRHINCHUS *p*, *Megerle*.—BRACHYRHINUS *p*,
Latr.

1867 ♀ 1. viridis. (*Schön.* Cu. 54.)

Cu. viridis. *Linn.* ii. 616.—*Panz. F.* cvii. *f. 3.*—*Stew. ii.* 61. (!)

Cu. flavocinctus. *DeGeer.* v. 256.

^b THAMNOPHILUS: Genus Avium. Vide *Viellot Anal.* 40.

1875. [4; *Rhina**.]Rh. *Rhina*. *Gyll.* iii. 83.Rhina *Cerasi*. *Illig. M. (Latr.)* iii. 104?

Genus 330. PANUS, Schönh.

RHINA p, *Latr.*—MAGDALIS p, *Germ.*1876. 1; *barbicornis**.Rh. *barbicornis*. *Latr. G.* ii. 264.Rh. *Rhina b.* *Gyll.* iii. 83.Ma. *barbicornis*. *Germ. I. N.* i. 192.Genus 331. APION, *Herbst*, *Kirby*, *Leach*, *Samou.*ATTELABUS p, *Fabr.*—RHINOMACER p, *Clairv.*—OXYSTOMA p, *Dumeril*.—APIUS p, *Billberg.*

A. Rostrum apice subulatum.

a. *Rostro brevi.*1877. 1; *Craccæ**. *Herbst C.* vii. 102. *pl. 102. f. 2.* B.—*Linn.**Trans. (Kirby.)* ix. 29.—(*Sam. I.* 3.)Cu. *Craccæ*. *Linn.* ii. 606.—*Marsh.* i. 245.Cu. *Viciae*. *DeGeer.* v. 253.1878. [2; *ruficorne**.] *Herbst C.* vii. 116. *pl. 102. f. 8.* U.—*Linn.**Trans. (Kirby.)* ix. 30.—(*Sam. I.* 3.)Ap. *Craccæ*, ♂. *Gyll.* iii. 38.1879. 3; *Pomonæ**. *Gyll.* iii. 39.Cu. *Pomonæ*. *Fabr. E.* ii. 425.Cu. *cærulescens*. *Marsh.* i. 245.Ap. *cærulescens*. *Linn. Trans. (Kirby.)* ix. 27. *pl. 1. f. 4.*—
(*Sam. I.* 3.)β; Cu. *glaber*. *Marsh.* i. 245.b. *Rostro elongato.*1880. 4; *subulatum**. *Linn. Trans. (Kirby.)* ix. 28. *pl. 1. f. 5.*—

(Sam. I. 3.)

1881. 5; *Marshamii** *miki.*

B. Rostrum filiforme, aut cylindricum.

a. *Rostro brevi.*

1. Antennæ in medio rostri positæ.

1882. 6, *Limonii*. *Linn. Trans. (Kirby.)* ix. 78. *pl. 1. f. 20.*1883. 7; *Rumicis**. *Linn. Trans. (Kirby.)* ix. 67.—(*Sam. I.* 3.)1884. 8; *affine**. *Linn. Trans. (Kirby.)* ix. 68.1885. 9; *Curtisi**. *Kirby MSS.*1886. 10; *Spartii**. *Linn. Trans. (Kirby.)* ix. 56.—(*Sam. I.* 3.)

1887. 11; curtirostre *. *Germ. M.* ii. 230.
Ap. brevirostre. *Linn. Trans. (Kirby.)* ix. 68.
1888. [12; humile *.] *Germ. M.* ii. 232. *pl. 3. f. 1.*
1889. 13; velox *. *Linn. Trans. (Kirby.)* x. 349.
β; Ap. minimum. *Germ. M.* ii. 234. *pl. 3. f. 9?*
1890. 14; simile *. *Linn. Trans. (Kirby.)* x. 351.
1891. 15; tenue *. *Linn. Trans. (Kirby.)* ix. 61.
1892. 16, seniculus. *Linn. Trans. (Kirby.)* ix. 61.
Ap. tenuius. *Gyll.* iii. 57.
1893. [17; plebeium *.] *Germ. M.* iii. 43?
1894. 18; violaceum*. *Linn. Trans. (Kirby.)* ix. 65. *pl. 1. f. 16.*
—(Sam. I. 3.)
Cu. Fagi var. *Linn. Mus.*
1895. 19; Hydrolapathi *. *Linn. Trans. (Kirby.)* ix. 66. *pl. 1.*
f. 17.—(Sam. I. 3.)
Cu. Hydrolapathi. *Marsh.* i. 249.
Ap. cyaneum. *Herbst C.* vii. 108. *pl. 102. f. 7?*
At. cyaneus. *Turt.* ii. 284?
1896. 20; cæruleopenne * *mihī.*
1897. 21; Malvæ *. *Linn. Trans. (Kirby.)* ix. 20. *pl. 1. f. 2.*—
(Sam. I. 3.)
At. Malvæ. *Fabr. E.* ii. 426.
Cu. Malvæ. *Marsh.* i. 246.—*Stew.* ii. 54.—*Turt.* ii. 284.
1898. 22; hæmatodes *. *Linn. Trans. (Kirby.)* ix. 76.—*Germ. M.*
ii. 251. *pl. 4. f. 25.*—(Sam. I. 3.)
Ap. frumentarium. *Gyll.* iii. 32.
1899. 23; frumentarium *. *Linn. Trans. (Kirby.)* ix. 77.—
(Sam. I. 3.)
Cu. frumentarius. *Linn.* ii. 608.—*Panz. F.* xx. *f. 14.*—
Marsh. i. 242.—*Turt.* ii. 284.—*Shaw G. Z.* vi. 65.
Cu. sanguineus. *DeGeer.* v. 251.
2. Antennis ad basin rostri positis.
1900. 24; vernale *. *Herbst C.* vii. 128.—*Linn. Trans. (Kirby.)*
ix. 21.—*Germ. M.* ii. 131. *pl. 2. f. 7. a, b.*—(Sam. I. 3.)
Cu. vernalis. *Payk. F.* iii. 183.
Cu. concinnus. *Marsh.* i. 248.
Cu. Lythri. *Panz. F.* xvii. *f. 8.*
Cu. urticarius. *Fuesly. A.* 74.
1901. 25; Onopordi *. *Linn. Trans. (Kirby.)* ix. 71.—*Germ. M.*
ii. 240. *pl. 2. f. 14.*
1902. 26; scabricolle * *mihī.*
1903. 27; caliginosum * *mihī.*

1904. 28; elongatum * *nihi*.
 1905. 29; Radiolus*. *Linn. Trans. (Kirby.)* ix. 56.—*Germ. M.*
 ii. 246. *pl. 2. f. 13.*
 Cu. Radiolus. *Marsh. i. 247.*
 Cu. aterrimus. *Marsh. i. 244.*
 Ap. oxurum. *Linn. Trans. (Kirby.)* ix. 57.—(*Sam. I. 3.*)
 1906. 30; nigrescens * *nihi*.
 1907. 31; lavigatum *. *Linn. Trans. (Kirby.)* ix. 70.—(*Sam. I. 3.*)
 1908. 32; æneum *. *Herbst C.* vii. 101. *pl. 102. f. 1. A.*—*Linn.*
Trans. (Kirby.) ix. 74.—(*Sam. I. 3.*)
 Cu. æneus. *Fabr. E.* ii. 423.—*Stew.* ii. 56.—*Marsh. i. 243.*—
Turt. ii. 214.
 Ap. Craccæ. *Panz. F.* xx. *f. 10.*
 β ; Cu. chalceus. *Marsh. i. 243.*
 At. cyaneus. *Panz. F.* xx. *f. 12.*
 1909. 33; Carduorum *. *Linn. Trans. (Kirby.)* ix. 72. *pl. 1. f. 19.*
 —(*Sam. I. 3.*)
 Cu. Sorbi. *Marsh. i. 244.*
 Cu. cyaneus. *DeGeer. v. 252.*
 At. æneus β . *Payk. F.* iii. 180.
 Ap. gibbirostre. *Gyll.* iii. 52.
 b. *Rostro longo vel mediocri.*
 1. Antennæ basales.
 * *Thorace subcylindrico.*
 1910. 34; rufirostre*. *Herbst C.* vii. 111. *pl. 102. f. 10. K.*—
Linn. Trans. (Kirby.) ix. 37.
 Cu. rufirostris. *Fabr. E. S.* ii. 390. (!)—*Stew.* ii. 55.—
Marsh. i. 246.—*Turt. ii. 283.*
 1911. [35; Malvarum *.] *Linn. Trans. (Kirby.)* ix. 33.—(*Sam. I. 3.*)
 Cu. Trifolii. *Marsh. i. 246.*—*Linn. Trans. (Markwick.)* vi.
 1912. 36, pallipes. *Linn. Trans. (Kirby.)* ix. 38. *pl. 1. f. 7.*
 $\dagger \beta$? Ap. geniculatum. *Germ. M.* ii. 175. *pl. 3. f. 25?*
 1913. 37; confluens *. *Linn. Trans. (Kirby.)* ix. 62. *pl. 1. f. 15.*
 1914. 38; pusillum *. *Germ. M.* ii. 209. *pl. 2. f. 4.*
 β , Ap. atomarium. *Germ. M.* ii. 209.
 1915. 39; pubescens*. *Linn. Trans. (Kirby.)* x. 350.
 1916. 40, vicinum. *Linn. Trans. (Kirby.)* ix. 25. *pl. 1. f. 3.*—
 (*Sam. I. 3.*)
 Ω ? Ap. incrassatum. *Germ. M.* ii. 140. *pl. 2. f. 3. a, b?*
 ** *Thorace subgloboso.*
 1917. 41, Hookeri. *Linn. Trans. (Kirby.)* ix. 69. *pl. 1. f. 18.*

2. Antennis submediis.
* *Coleoptra subglobosa.*
1918. 42; Pisi*. *Germ. M.* ii. 90.
At. Pisi. *Fabr. E.* ii. 425.
Cu. striatus. *Marsh. i.* 249.
Ap. striatum. *Linn. Trans. (Kirby.)* ix. 52. *pl. 1. f. 10.*
1919. 43; atratulum*. *Germ. M.* ii. 192. *pl. 3. f. 16.*
1920. 44; immune*. *Linn. Trans. (Kirby.)* ix. 52.—(Sam. I. 3.)
1921. [45; carbonarium*] *Germ. M.* ii. 176. *pl. 3. f. 17.*
1922. 46, Sorbi. *Herbst C.* vii. 111. *pl. 102. f. 9. I.*—*Linn. Trans. (Kirby.)* ix. 46.—(Sam. I. 3.)
At. Sorbi. *Fabr. E.* ii. 426.
Cu. lævigatus. *Payk. M. Cu.* 133.
Cu. viridescens. *Marsh. i.* 249.
1923. 47; Ervi*. *Linn. Trans. (Kirby.)* ix. 23.—*Germ. M.* ii. 133. *pl. 3. f. 13. a, b.*—(Sam. I. 3.)
1924. 48; sulcifrons*. *Herbst C.* vii. 132. *pl. 103. f. 12. M.*
1925. 49; punctigerum*. *Germ. M.* ii. 188.
At. punctiger. *Panz. F.* iii. 179.
Ap. sulcifrons. *Linn. Trans. (Kirby.)* ix. 50.—(Sam. I. 3.)
1926. 50, Spencii. *Linn. Trans. (Kirby.)* ix. 57. *pl. 1. f. 13.*
1927. 51; subcaeruleum * mihi.
1928. 52, unicolor. *Linn. Trans. (Kirby.)* ix. 58.
Ap. Æthiops. *Gyll. iii.* 54?
** *Coleoptra ovata.*
1929. 53; virens*. *Linn. Trans. (Kirby.)* ix. 53.—(Sam. I. 3.)—*Germ. M.* ii. 193. *pl. 4. f. 2.*
Ap. æneocephalum. *Gyll. iii.* 49.
1930. 54; Marchicum*. *Linn. Trans. (Kirby.)* ix. 54.—(Sam. I. 3.)—*Germ. M.* ii. 196. *pl. 3. f. 15.*
Ap. violaceum. *Gyll. iii.* 50.
1931. 55, Astragali. *Linn. Trans. (Kirby.)* ix. 55. *pl. 1. f. 12.*—*Ent. Trans. (Haworth.)* i. 339.—(Sam. I. 3.)
At. Astragali. *Payk. F.* iii. 180.
1932. 56, Loti. *Linn. Trans. (Kirby.)* ix. 53.—(Sam. I. 3.)
♀? Ap. incrassatum. *Germ. M.* ii. 140. *pl. 2. f. 3?*
1933. 57; civicum*. *Germ. M.* ii. 234. *pl. 3. f. 12.*
1934. 58; auratum * mihi.
1935. 59; pavidum*. *Germ. M.* ii. 203. *pl. 4. f. 4.*
1936. 60; scutellare*. *Linn. Trans. (Kirby.)* x. 355.
1937. 61, obscurum. *Linn. Trans. (Kirby.)* ix. 33.
Cu. obscurus. *Marsh. i.* 244.

1938. 62; *flavipes* *. *Herbst C.* vii. 106. *pl. 102. f. 5. C.—Linn.*
Trans. (Kirby.) ix. 37.—(Sam. I. 3.)
- 1939 † 63. *Fagi*^a. 3. *Antennis mediis.*
 * “*Coleoptris ovalibus.*” *Germar.*
1940. 64; *nigritarse* *. *Linn. Trans. (Kirby.) ix. 36. pl. 1. f. 6.*
 —(*Sam. I. 3.*)
1941. 65; *assimile* *. *Linn. Trans. (Kirby.) ix. 42.—(Sam. I. 3.)*
1942. 66; *flavifemoratum* *. *Linn. Trans. (Kirby.) ix. 42.—*
 (*Sam. I. 3.*)—(*Kirby & Sp. I. E. i. 176.*)
Ap. apricans. Herbst C. vii. 127. pl. 103. f. 5.
Ap. flavipes b. Gyll. iii. 36.
Cu. ochropus. Müll. Z. D. pr. 1018.
Cu. Trifolii var. Marsh. i. 246.
- 1943 † 67, *lævicolle.* *Linn. Trans. (Kirby.) x. 348.*
 In Mus. *D. Kirby.*
1944. 68; *æstivum* *. *Germ. M. ii. 169. pl. 4. f. 16.*
Ap. flavifemoratum β. Linn. Trans. (Kirby.) ix. 43.
Cu. flavipes. Laich. T. i. 132.
At. flavipes. Turt. ii. 284?
1945. [69; *ruficerus* *.] *Germ. M. ii. 171. pl. 4. f. 17.*
1946. 70, *Leachii** *mihi.*
Ap. Ononidis. Gyll. iv. 539?
1947. 71; *Gyllenhalii* *. *Linn. Trans. (Kirby.) ix. 63.—(Sam. I. 3.)*
Ap. æthiops. Gyll. iii. 54?
At. flavipes β. Payk. F. iii. 182.
1948. 72; *varipes* *. *Germ. M. ii. 173. pl. 4. f. 19.*
Ap. flavipes c. Gyll. iii. 37.
Ap. flavifemoratum γ. Linn. Trans. (Kirby.) ix. 43.
- 1949 † 73, *diforme.* *Germ. M. iii. 46.* In Mus. *D. Haworth.*
1950. 74; *filirostre.* *Linn. Trans. (Kirby.) ix. 46.*
- 1951 † 75. *glabratum.* *Germ. M. iii. 47. (!) In Mus. D. Spence.*
1952. 76; *ebeninum* *. *Linn. Trans. (Kirby.) ix. 55. pl. 1. f. 11.*
- 1953 † 77, *Kirbii.* *Leach MSS.—Germ. M. iii. 50.*
 In Mus. *Brit. et D. Kirby.*
- ** “*Coleoptris obovalibus.*” *Germar.*
1954. 78, *Viciae.* *Linn. Trans. (Kirby.) ix. 31.—Germ. M. ii. 150.*
pl. 4. f. 15. a, b.—(Sam. I. 3.)
At. Viciae. Payk. F. iii. 181.

^a 1939 † 63. *Fagi.* *Linn. Trans. (Kirby.) ix. 40. pl. 1. f. 8.—(Sam. I. 3) (!)*

Cu. Fagi. Linn. ii. 611.—Berk. S. i. 99. (!)—Stew. ii. 58. (!)—
Turt. ii. 243. (!)

1955. 79, Ononis. *Linn. Trans. (Kirby.)* ix. 25.—*Germ. M.* ii.
137. *pl. 3. f. 24. a, b.*—(*Sam. I. 3.*)
1956. 80; Lathyri*. *Linn. Trans. (Kirby.)* ix. 24.—(*Sam. I. 3.*)
1957. 81; vorax*. *Herbst C.* vii. 129. *pl. 103. f. 8. H.*—*Linn. Trans. (Kirby.)* ix. 26.—(*Sam. I. 3.*)
- ♂; Cu. fuscicornis. *Marsh. i.* 244.
- ♀; Cu. villosulus. *Marsh. i.* 250.

*** “Coleoptris subglobosis.” *German.*

1958. 82; punctifrons*. *Linn. Trans. (Kirby.)* ix. 50. *pl. 1. f. 9.*
1959. 83, subsulcatum. *Linn. Trans. (Kirby.)* ix. 46.—(*Sam. I. 3.*)
Cu. subsulcatum. *Marsh. i.* 249.
Ap. cæruleum. *Herbst C.* vii. 123. *pl. 102. f. 11. L?*
- 1960 † 84, foveolatum. *Linn. Trans. (Kirby.)* ix. 48.
Ap. cyaneum. *Gyll. iii.* 45. In Mus. *D. Kirby.*
1961. 85; Meliloti*. *Linn. Trans. (Kirby.)* ix. 64.—(*Sam. I. 3.*)

Genus 332. OXYSTOMA.

APION p, Herbst, Kirby, Samou.—*ATTELABUS p, Fabricius.*—
OXYSTOMA p, Dumeril.—*APIUS p, Billb.*—*EURHYNCHUS?*
Kirby? MSS.

1962. 1; fuscirostris*.
At. fuscirostris. *Fabr. E.* ii. 424.
Ap. albovittatum. *Herbst C.* vii. 126. *pl. 103. f. 4. D?*
Cu. melanopus. *Marsh. i.* 248.
Ap. melanopum. *Linn. Trans. (Kirby.)* ix. 19. *pl. 1. f. 1.*—
(*Sam. I. 3.*)
1963. 2; Ulicis*.
Cu. Ulicis. *Forst. C.* i. 31.—*Stew. ii. 57.*—*Marsh. i.* 256.—
Turt. ii. 222.
Ap. Ulicis. *Linn. Trans. (Kirby.)* ix. 18.—(*Sam. I. 3.*)—
(*Kirby & Sp. I. E. iv. 487.*)
1964. 3; Genistæ*.
Ap. Genistæ. *Linn. Trans. (Kirby.)* x. 347.

Genus 333. RAMPHUS, *Clairville, Leach, (Kirby.)*

RHYNCHÆNUS p, Gyll.

1965. 1; flavicornis*. *Clairv. E. H.* i. 104. *pl. xii. f. 1-4.*—
(*Leach. E. E. ix. 105.*)
Cu. Oxyacanthæ. *Marsh. i.* 263.
1966. [2; pulicarius*.]
Cu. pulicarius. *Herbst C.* vi. 429. *pl. 93. f. 12.*

Genus 334. DEPORAÜS, Leach MSS., Samou.

ATTELABUS *p*, Linn.—RHYNCHITES *p*, Herbst.—APODERUS *p*, (Kirby.)

1967. 1; Betulæ*. (Sam. I. 14.)

At. Betulæ. Linn. ii. 620.—Panz. F. xx. f. 15.—Marsh. i. 321.
—Wood. i. 42. pl. 15.

Cu. Populi b. Scop. no. 74.

Cu. excoriato-niger. DeGeer. v. 259.

At. Betuleti. Fabr. E. ii. 421.—Turt. ii. 285.

Genus 335. RHYNCHITES, Herbst, Leach, Samou., (Kirby.)

ATTELABUS *p*, Linné.—RHINOMACER *p*, Goffroy.—MECHORIS,
Billb.

A. Rostro brevi.

a. Corpore subcylindrico, glabro.

1968. 1; cylindricus*. Kirby MSS.—(Sam. I. 36.)

b. Corpore pubescente.

1969. 2; pubescens*. Herbst C. vii. 138. pl. 105. f. 3.—(Sam. I. 36.)

Cu. pubescens. Marsh. i. 240.

At. pubescens. Turt. ii. 282.

1970. 3; ophthalmicus * mihi.

B. Rostro elongato.

a. Corpore angustato, nudo.

1971. 4; angustatus*. Leach MSS.—(Sam. I. 36.)

b. Corpore ovato.

1. Elytris distinctè striatis. (Thorace in utroque sexù mutico.)

1972. 5; Alliariæ*. Gyll. iii. 26.—(Sam. I. 36.)

Cu. Alliariæ. Linn. ii. 606.—Berk. S. i. 97.—Stew. ii. 54.—
Marsh. ii. 238.

At. Alliariæ. Turt. ii. 283.

Cu. cæruleus. DeGeer. v. 251.

1973. 6; interpunctatus*. Wilkin? MSS.

1974. 7; nanus*. Gyll. iii. 28.—(Sam. I. 36.)

At. nanus. Payk. F. iii. 776.

Cu. nanus. Marsh. i. 238.

1975. 8; atrocæruleus * mihi.

1976. 9; æquatus*. Herbst C. vii. 132.—(Sam. I. 36.)

Cu. æquatus. Linn. ii. 607.—Don. iv. pl. 121. f. 1, 2.—
Stew. ii. 55.—Marsh. i. 233.

At. æquatus. Turt. ii. 283.

β; At. nigripes. Kirby MSS.

- 1977 † 10, cæruleocephalus. (*Schön.* *Cu.* 45.)
 At. cæruleocephalus. *Fabr.* *E.* ii. 423.
 At. cyanocephalus. *Herbst A.* *pl.* 24. *f.* 11? In *Mus. Brit.*
1978. 11; minutus*. *Herbst C.* vii. 135.
 Cu. æneovirens. *Marsh.* i. 239.
 Rh. æneovirens. (*Sam. I.* 36.)
1979. 12, cupreus*. *Herbst C.* vii. 138. *pl.* 105. *f.* 21?—(*Sam. I.* 36.)
 Cu. cupreus. *Linn.* ii. 608.—*Marsh.* i. 239.
 At. cupreus. *Turt.* ii. 283.
2. Elytris punctatis vix striatis. (Thorace in uno sexū spinoso.)
1980. 13; Betulæ*. (*Sam. I.* 36.)
 Cu. Betulæ. *Linn.* ii. 611.—*Berk.* *S.* i. 99.—*Don.* iii. *pl.* 74.
 —*Stew.* ii. 57.—*Marsh.* i. 241.
 At. Betulæ. *Turt.* iii. 282.
 Rh. Betuleti. *Herbst C.* vii. 246.
 At. Populi. *Payk. F.* iii. 170.
 β ; Cu. nitens. *Marsh.* i. 242.
 Rh. nitens. *Samou.* 54. *pl.* 2. *f.* 18.
1981. 14; Populi*. *Herbst C.* vii. 128.—(*Sam. I.* 36.)
 Cu. Populi. *Linn.* ii. 611.—*Panz. F.* xx. *f.* 7.—*Marsh.* i. 241.
 At. Populi. *Turt.* ii. 283.
1982. 15, Bacchus*. *Herbst C.* vii. 124.—(*Leach E. E.* ix. 107.)
 —(*Sam. I.* 36.)—(*Kirby & Sp. I. E.* i. 196 & 202.)
 Cu. Bacchus. *Linn.* ii. 611.—*Don. i.* *pl.* 34. *f.* 1.—*Stew.* ii. 57.
 —*Marsh.* i. 240.—*Wood.* i. 41. *pl.* 14.
 At. Bacchus. *Turt.* ii. 282.
 β , Cu. purpureus. *Linn.* ii. 607?—*Berk.* *S.* i. 98?—*Stew.* ii. 55?

Genus 336. ATTELABUS, *Linné*, *Marsh*, *Leach*, *Samou.*

RHINOMACER *p*, *Laich*.—RHYNCHITES *p*, *Illig*.—CHYPHUS,
Thunb.

1983. 1; curculionoides*. *Linn.* ii. 619.—*Mart. C.* *pl.* 23. *f.* 6.
 —*Don. v.* *pl.* 149.—*Stew.* ii. 62.—*Marsh.* i. 320.—*Turt.* ii. 282.
 —(*Leach E. E.* ix. 107.)—(*Sam. I.* 5.)
 Cu. nitens. *Payk. Cu.* 122.
 At. Coryli. *Berk. S.* i. 100.

Genus 337. APODERUS, *Oliv.*, *Leach*, *Samou.*, (*Kirby.*)

ATTELABUS *p*, *Fabr.*, *Marsh*.—APODERES, *Schön.*

1984. 1; Avellanae*. *Olivier*.—(*Leach E. E.* ix. 107.)
 At. Avellanae. *Linn.* ii. 619.—*Marsh.* i. 319.
 At. Coryli β . *Fabr. E.* ii. 416.—*Clairv. E. H.* i. 118. *pl.* 15.
f. 1, 2.
 At. Coryli. *Stew.* ii. 62.

β . Cu. collaris. *Scop. C. 25.*

Cu. excoriato-ruber. *DeGeer. v. 257. pl. 8. f. 3. 4.*

1985 † 2. Coryli^a.

Familia XLIII. BRUCHIDÆ, Leach.

(BRUCHELÆ, Latreille.)

(CURCULIO p, et BRUCHUS, Linné, &c.)

Genus 338. RHINOMACER^b.

Genus 339. ANTHRIBUS, Fabr.

MACROCEPHALUS p, Oliv.—PLATYRHINUS p, Clairv., Leach,
Samou.—ANTHRODUS, (Megerle.)—AMBLYCERUS p, Thunb.

1987. 1: albinus*. *Fabr. E. ii. 408.*—(Kirby & Sp. I. E. iii. 319.)

Cu. albinus. *Linn. ii. 616.*—*Don. x. pl. 348. f. 3.*—*Marsh. i. 295.*—*Turt. ii. 278.*

Rh. albinus. (*Sam. I. 34.*)

β , Cu. leucopsis. *Marsh. MSS.*

Genus 340. PLATYRHINUS, Clairv., Leach, Samou.

MACROCEPHALUS p, Oliv.—ANTHRIBUS p, Fabr.

1988. 1; latirostris*. (*Leach E. E. ix. 107.*)—(*Sam. I. 34.*)

Cu. latirostris. *Bons. Cu. ii. f. 3.*—*Don. x. pl. 348. f. 1.*—*Marsh. i. 295.*

Pl. costirostris. *Clairv. E. H. i. 114. pl. 14. f. 1, 2.*

Genus 341. TROPIDERES, Schön.

MACROCEPHALUS p, Oliv.—ANTHRIBUS p, Fabr.—AMBLYCERUS p, Thunb.—PLATYRHINUS p, Billb., Samou.

1989. 1, albirostris. (*Schön. Cu. 35.*)

An. albirostris. *Fabr. E. ii. 408.*—*Panz. F. xv. f. 13.*

Pl. fascirostris. *Clairv. E. H. 116. pl. 14. f. 3. 4?*

1990. 2; niveirostris*. (*Schön. Cu. 35.*)

Ma. niveirostris. *Oliv. E. iv. 80. pl. 1. f. 8. a, b.*

An. brevirostris. *Panz. F. lvii. f. 9.*

Cu. brevirostris. *Marsh. i. 296.*

Pl. brevirostris. (*Sam. I. 34.*)

^a 1985 † 2. Coryli.

At. Coryli. *Fabr. E. ii. 416.*—*Turt. ii. 281. (!)*—(*Leach E. E. ix. 107.*)—*Samou. 54. (!)*

^b Genus 338. RHINOMACER, Fabricius, Samou.

RHYNCHITES p, Gyll.—ANTHRIBUS p, Oliv.

1986 † 1. Attelaboides. *Fabr. E. ii. 428.*—*Sam. 200. (!)*

An. Rhinomacer β . *Payk. F. iii. 166.*

Genus 342. PHLOËOBIUS? Schön.

ANTHRIBUS p, Fabr.—*SCAPHIDIUM p*, Marsh.

1991. 1; griseus *. (*Schön. Cu.* 37.)

An. griseus. *Fabr. E.* ii. 410?

Sca. griseum. *Marsh. i.* 233.

Genus 343. BRACHYTARSUS, Schön.

ANTHRIBUS p, Fabr., Leach, Samou.—*MACROCEPHALUS p*, Oliv.
—*PAROPES*, (Megerle.)

1992. 1; scabrosus *. *Fabr. E.* ii. 411.—*Panz. F.* xv. f. 15.—
(*Leach E. E.* ix. 107.)—(*Sam. I. 3.*)

Br. scabrosus. *Stew. ii.* 53.—*Marsh. i.* 235.

An. fasciatus. *Forst. C.* 9.

Cu. scabrosus. *Turt. ii.* 278.

1993. 2, varius. *Fabr. E.* ii. 411.—*Panz. F.* xv. f. 16.—(*Sam. I. 3.*)

Genus 344. BRUCHUS, Linn., Don., Marsh., Leach, Samou., Millard, (Kirby.)

MYLABRIS p, Geoffroy.—*LARIA p*, Scop.

A. Femora dentata.

1994. 1; Pisi*. *Linn. ii.* 604.—*Panz. F.* lxvi. f. 11.—*Turt. ii.* 201.—*Samou.* 53.—*Wood. i.* 38. *pl. 13.*—(*Kirby & Sp. I. E. i.* 175.)

1995. 2; granarius *. *Linn. ii.* 605.—*Panz. F.* lxi. f. 8.—*Marsh. i.* 235.—*Turt. ii.* 203.—*Shaw G. Z.* vi. 61.—(*Kirby & Sp. l. c. supra.*)

Cu. atomarius. *Linn. F. no.* 628.

Br. Pisi. (*Samou. pl. 2. f.* 17.)

1996. 3; affinis * mihi.

Br. Viciae. *Kirby MSS.?*

1997. 4; Loti. *Payk. F.* iii. 158.

1998. 5; Lathyri*. *Kirby MSS.*

B. Femora mutica.

1999. 6; seminarius *. *Linn. ii.* 605.—*Fabr. E.* ii. 400. (!)—
Oliv. E. iv. 79. *pl. 2. f.* 12. a.—*Marsh. i.* 236.—*Turt. ii.* 203.—
Shaw G. Z. vi. 61.—(*Sam. I. 7.*)

β, Br. immaculatus. *Kirby MSS.*

2000. 7; Cisti*. *Fabr. E.* ii. 400.—*Panz. F.* lxvi. f. 15.

Bru. ater. *Marsh. i.* 236.—(*Sam. I. 7.*)

Familia XLIV. SALPINGIDÆ, Leach.

(CISTELENIÆ II. Latreille.)

Genus 345. MYCTERUS, Clairville, Leach, Samou., Millard.

RHINOMACER *p*, Fabr.—MYLAERIS *p*, Schaeffer.—ANTHRIBUS *p*, Payk.2001. 1, griseus. *Clairv. E. H.* i. 124. *pl. 16. f. 1, 2, 3.*—(Leach *E. E.* ix. 106.)—(Samou. 199.)Rh. curculionoides. *Fabr. E.* ii. 428.An. Rhinomacer. *Payk. F.* iii. 166.

Genus 346. SALPINGUS, Illiger, Leach, Samou.

CURCULIO *p*, Linn., Marsh.—RHINOSIMUS, Latreille.—ANTHRIBUS *p*, Fabr.2002. 1; ruficollis*. *Gyll. ii.* 640.Cu. ruficollis. *Linn. ii.* 609.—*Marsh. i.* 296.An. ruficollis. *Panz. F.* xxiv. *f. 19?*Cu. rostratus. *DeGeer. v.* 252. *pl. 7. f. 27, 28.*Cu. Roboris. *Payk. M. Cu.* 118.Sa. Roboris. (*Leach E. E.* ix. 106.)—(Sam. I. 36.)

2003. 2; viridipennis*.

Rh. viridipennis. *Ziegler?*Sa. ruficollis b. *Gyll. ii.* 640.Sp. dimidiatus. *Kirby MSS.*

2004. 3; bicolor*.

Cu. bicolor. *Mus. Marsham.*2005. 4; planirostris. *Gyll. ii.* 641.An. planirostris. *Fabr. E.* ii. 410.—*Panz. F.* xv. *f. 14.*Cu. planirostris. *Marsh. i.* 297.An. fulvirostris. *Payk. M. Cu.* 117.Sa. rufirostris. (*Sam. I.* 37.)

Genus 347. SPHÆRIESTES, Kirby MSS.

TENEBRIÖ *p*, Linn.?—CURCULIO *p*, Marsh.—SALPINGUS *p*, Gyll.—DERMESTES *p*, Payk.—RHINOSIMUS *p*, Latreille.

A. Thoracis lateribus integris.

2006. 1, ater.

Sa. ater. *Gyll. ii.* 642.De. ater. *Payk. F.* i. 298.

2007. 2; quadripustulatus*.

Cu. quadripustulatus. *Marsh. i.* 297.Sa. quadripustulatus. (*Sam. I.* 36.)Rh. quadriguttatus. *Latr.?*β; Sp. humeralis. *Kirby MSS.*

2008. [3; immaculatus *] *mihi.*

Sa. rufescens. (*DeJean C. 77?*)

B. Thoracis lateribus crenulatis.

2009. 4; denticollis *.

Sa. denticollis. *Gyll. iii. 715.*

Te. Cursor. *Linn. ii. 675?*—*Turt. ii. 477.*

Subsectio 2.

(*XYLOPHAGI p, PLATYSOMA et LONGICORNES, Latreille.*)

Familia XLV. CUCUJIDÆ.

(*TROGOSITARIÆ et CUCUJIPES, Latreille.—LUCANOIDES p, Gyllenhal.—MYCETOPHAGIDÆ p, Leach.*)

Genus 348. TROGOSITA, *Fabricius, Leach, Samou., (Kirby.)*

TENEBRIÖ *p, Linn., Marsh.—PLATYCERUS p, Geoffroy.*

2010. 1; mauritanica *. *Oliv. E. ii. 6. pl. 1. f. 2. a, b.—(Leach E. E. ix. 111.)—(Sam. I. 42.)*

Te. mauritanicus. *Linn. ii. 674.—Marsh. i. 478.—Ent. Trans. (Kirkup.) i. 329.*

Tr. caraboides. *Fabr. E. i. 151.—Panz. F. iii. f. 4.—(Kirby & Sp. I. E. i. 171.)*

Te. caraboides. *Stew. ii. 83.—Turt. ii. 482.*

Te. piceus. *Gmel. iv. 1998.*

Pl. striatus. *Fourc. P. i. 3.*

Genus 349. CUCUJUS, *Fabricius, Leach.*

CANTHARIS *p, Linné.—CORTICARIA p, Marsh.—COLYDIUM p, Herbst.—BRONTES p, Fabricius.*

2011 † 1. depressus ^a.

2012. 2; dermestoides. *Fabr. E. ii. 94.—Panz. F. iii. f. 13.*

Co. depressum. *Herbst C. vii. 286. pl. 113. f. 4. D.*

Co. dermestoides. *Marsh. i. 107.*

2013. 3; testaceus *. *Payk. F. iii. 168.*

Br. testaceus. *Fabr. E. ii. 98.*

Genus 350. ULEIOTA, *Latreille, Leach.*

BRONTES *p, Fabr.—CERAMBYX p, Linné.—CUCUJUS p, Gmel.*

2014. 1, flavipes. *Latr. G. iii. 26.*

Ce. planatus. *Linn. ii. 628.*

^a 2011 † 1. depressus. *Fabr. E. ii. 93.—Ræm. G. I. 48. pl. 34. f. 28.—(Leach E. E. ix. 111.) (!)*

Ca. sanguinolenta. Linn. ii. 647.

- Br. flavipes. *Fabr. E. ii. 97.*—*Panz. F. xcv. f. 4.*
 Cu. flavipes. *Turt. ii. 364. (!)*
 Ce. compressus. *Fourc. p. i. 76.*

2015. 2; monilicornis*.

- Co. monilicornis. *Marsh. MSS.*
 Br. pallens. *Fabr. E. ii. 98?*
 Cu. pallens. *Turt. ii. 364?*
 Cu. filicornis. *Kirby MSS.*
 Cu. complanatus. *Wilk. MSS.*—(*Ing. Inst. 88.*)

Familia XLVI. PRIONIDÆ, Leach.

(PRIONII, Latreille.)

Genus 351. PRIONUS, Geoffroy, Leach, Samou., (Kirby.)

CERAMBYX *p*, Linné, Marsh.

2016. 1; coriarius*. *Fabr. E. ii. 260.*—(Leach E. E. ix. 112.)
 —(Sam. I. 34.)—(Kirby & Sp. I. E. iii. 34.)
 Ce. coriarius. *Linn. ii. 622.*—*Mart. C. pl. 24. f. 4.*—*Berk. S. i. 101.*—*Stew. ii. 63.*—*Marsh. i. 325.*—*Turt. ii. 291.*—*Shaw G. Z. vi. 73. pl. 25.*—*Don. xiv. 61. pl. 491.*
 Ce. Prionus. *DeGeer. v. 59. pl. 3. f. 5.*

Familia XLVII. CERAMBYCIDÆ, Kirby.

(CERAMBYCINI, Latreille.)

(CERAMBYX *p*, Linné, &c.)

Bucks, Capricorns, Goatchafers, Timber-Beetles.

Genus 352. HAMATICHERUS, (Megerle.)

- 2017 † 1, Heros. (DeJean C. 105.)
 Ce. Heros. *Fabr. E. ii. 270.*—*Panz. F. lxxxii. f. 1.*
 Ce. Cerdo, var. major. *Linn. ii. 629.* In Mus. Brit.
 2018 † 2. Cerdo^a.

Genus 353. CERAMBYX Auctorum. Musk-beetle.

2019. 1; Moschatus*. *Linn. ii. 627.*—*Mart. C. pl. 24. f. 7.*—*Berk. S. i. 101.*—*Don. iii. pl. 94. f. 2.*—*Stew. ii. 64.*—*Marsh. i. 327.*—*Turt. ii. 293.*—*Shaw G. Z. vi. 72.*—(Leach E. E. ix. 112.)
 —(Sam. I. 9.)—*Rem. L. G. (Anon). pl. 1.*
 Ce. odoratus. *DeGeer. v. 63.*

* 2018 † 2. Cerdo. (DeJean C. 105.)

Ce. Cerdo. *Fabr. E. ii. 270.*—*Panz. F. lxxxii. f. 2.*
 Ce. Heros ♂. *Bergst. N. i. 67. pl. 11. f. 6.*
 Ce. Scopoli. *Laich. T. ii. 8.*
 Ce. piceus. *Fourc. P. i. 74.*

Genus 354. MONOCHAMUS, (Megerle.)

LAMIA p, Fabricius, Samou.

2020. 1: Sutor*. (DeJean C. 106.)

Ce. Sutor. Linn. ii. 628.—Oliv. E. iv. 111. pl. 3. f. 20. a—c. ♂.

—Marsh. i. 329.—Don. xiii. 5. pl. 435. f. 1.

La. Sutor. Fabr. E. ii. 294.—(Sam. I. 24.)

Ce. atomarius. DeGeer. v. 65.

Ce. anglicus. Voët. C. (Panz.) iii. 14. pl. 5. f. 6.

2021 + 2: Sartor*. (Ing. Inst. 89.)

La. Sartor. Fabr. E. ii. 294.—Panz. F. xix. f. 3. ♂.—Ent. Trans. (Haworth.) i. 339.

La. Sutor. Panz. F. xix. f. 2. ♀.

In Mus. Brit., D. Beck, Cooper, Samouelle et Vigors.

Genus 355. ACANTHOCINUS, (Megerle.)

LAMIA p, Fabricius, Leach, Samou.

2022. 1: ædilis*. (DeJean C. 106.)

Ce. ædilis. Linn. ii. 628.—Don. ii. pl. 72.—Mart. C. pl. 26. f. 4.—Marsh. i. 328.—Turt. ii. 303.—Shaw G. Z. vi. 73.

La. ædilis. Payk. F. iii. 62.—(Leach E. E. ix. 112.)—(Sam. I. 24.)

Genus 356. POGONOCERUS, (Megerle.)

LAMIA p, Latreille, Leach, Samou.

2023. 1; nebulosus*. (DeJean C. 107.)

Ce. nebulosus. Linn. ii. 627.—Mart. C. pl. 24. f. 6.—Marsh. i. 326.—Turt. ii. 298.—Don. xi. 95. pl. 394.

La. nebulosa. Latr. G. iii. 37.—(Leach E. E. ix. 112.)—(Sam. I. 24.)

2024. 2: fasciculatus. (DeJean C. 107.)

Ce. fasciculatus. Fabr. E. ii. 277.

Ce. fascicularis. Panz. F. xiv. f. 15.

Ce. hispidus α. Linn. ii. 627.—Marsh. i. 327.

Ce. setifer. Müll. Z. D. pr. 92.

2025. 3; hispidus*. (DeJean C. 107.)

Ce. hispidus. Linn. ii. 627.—Don. ii. pl. 64. f. 2, 3.—Mart. C. pl. 24. f. 10.—Stew. ii. 63.—Marsh. i. 326.—Turt. ii. 298.—Wood. i. 46. pl. 16.

La. hispida. Latr. G. iii. 37.—(Sam. I. 24.)

2026. 4; pilosus*. (DeJean C. 107.)

Ce. pilosus. Fabr. E. ii. 278.—Marsh. i. 327.

La. pilosa. Latr. G. iii. 37.—(Sam. I. 24.)

Ce. hispidus. Panz. F. xiv. f. 16.

Ce. dentatus. Fourc. P. i. 76.

Genus 357. LAMIA Auctorum.

A. Thoracis lateribus muticis.

2027. 1; nubila*. (*Schön.* S. iii. 384.)—(*Sam.* I. 24.)—*Curtis.* iv.
pl. 172.

Ce. nubilus. *Oliv.* E. iv. 109. *pl.* 3. *f.* 15.—*Marsh.* i. 332.

La. nebulosa. *Fabr.* E. ii. 293.

Ce. nebulata. *Turt.* ii. 306.

B. Thoracis lateribus spinosis.

2028. 2, textor. *Fabr.* E. ii. 285.—(*Leach* E. E. ix. 112.)—
(*Samou.* 209. *pl.* 2. *f.* 24.)—(*Curtis l. c. supra.*)

Ce. textor. *Linn.* ii. 629.—*Turt.* ii. 302. (*tesstor.*)

Ce. nigro-rugosus. *DeGeer.* v. 64.

Ce. cephalotes. *Voët.* C. (*Panz.*) iii. 28. *pl.* 9. *f.* 36.

Genus 358. SAPERDA, Fabricius, Leach, Samou.

LAMIA p., *Latr.*, *Leach*, *Samou.*—*LEPTURA p.*, *Geoffroy*.

2029 † 1, carcharias. *Fabr.* E. ii. 317.—*Panz.* F. lxix. *f.* 1.—
(*Ing. Inst.* 89.)

Ce. carcharias. *Linn.* ii. 631.

Ce. punctatus. *DeGeer.* v. 73. *pl.* 3. *f.* 19.

Sa. similis. *Laich.* T. ii. 3.

In *Mus. Brit.*, *D. I. H. Griesbach*, *Jenyns et Ingpen*.

2030. 2, Scalaris*. *Fabr.* E. ii. 318.

Ce. Scalaris. *Linn.* ii. 632.—*Marsh.* i. 329.—*Don.* xi. 93.
pl. 393.

La. Scalaris. (*Sam.* I. 24.)

2031. 3, oculata. *Fabr.* E. ii. 319.

Ce. oculatus. *Linn.* ii. 633.—*Don.* v. *pl.* 305.—*Mart.* C.
pl. 26. *f.* 26.—*Marsh.* i. 332.—*Turt.* ii. 315.

La. oculata. (*Leach* E. E. ix. 112.)—(*Sam.* I. 24.)

Ce. melanocephalus. *Voët.* C. (*Panz.*) ii. 49. *pl.* 18. *f.* 81.

2032. 4; cylindrica*. *Fabr.* E. ii. 320.—*Panz.* F. lxix. *f.* 4.

Ce. cylindricus. *Linn.* ii. 633.—*Marsh.* i. 331.—*Turt.* ii. 316.

Ce. cinereus. *DeGeer.* v. 75.

Ce. Silphoides. *Gmel.* iv. 1843.

2033 † 5. linearis*.

2034 † 6, Tremulæ. *Fabr.* E. ii. 327.—*Panz.* F. i. *f.* 7.

Ce. octopunctatus. *Schra.* A. no. 267.

Sa. punctata. *Laich.* T. ii. 32. In *Mus. D. Curtis*.

2035. 7; populnea*. *Fabr.* E. ii. 327.—*Panz.* F. lxix. *f.* 7.

* 2033 † 5. linearis. *Fabr.* E. ii. 320.—*Panz.* F. vi. *f.* 14.

Ce. linearis. *Linn.* ii. 632.—*Turt.* ii. 315. (!)

Ce. fulvipes. *Fourc.* P. ii. 79.

Ce. populneus. *Linn.* ii. 632.—*Mart. C. pl.* 24. *f. 8. 9.*—
Marsh. i. 330.—*Turt. ii.* 318.

Ce. decempunctatus. *DeGeer.* v. 78.

La. populnea. (*Sam. I.* 24.)

2036. 8: Cardui. *Fabr. E.* ii. 325.

Ce. lineatocollis. *Don. vi. pl.* 200.—*Marsh. i.* 331.—*Turt. ii.* 300.

Sa. lineatocollis. (*Leach Z. M.* i. 18.)—(*Leach E. E.* ix. 112.)
(*Sam. I.* 37.)

Ce. villoso-viridescens. *DeGeer.* v. 76.

Lep. virens. *Voët. C. (Panz.)* iii. 58. *pl.* 20. *f.* 98.

Ce. viridescens. *Gmel.* iv. 1864.

Genus 359. TETROPS, Kirby MSS.

SAPERDA p, *Fabricius*.—LEPTURA p, *Linné*.—LAMIA p, *Samou.*

2037. 1; præusta*.

Le. præusta. *Linn.* ii. 641.—*Mart. C. pl.* 28. *f. 12.*

Ce. præustus. *Berk. S.* i. 102.—*Stew.* ii. 65.—*Marsh. i.* 333.
—*Turt. ii.* 320.

La. præusta. (*Sam. I.* 24.)

Le. pilosa. *Fourc. P.* ii. 78.

Genus 360. OBRIUM, (*Megerle,*) *Curtis.*

CALLIDIUM p, *Fabricius*.—SAPERDA p, *Oliv.*—STENOCHORUS p,
Schönher.—LAMIA p, *Samou.*

2038. 1; minutum*.

Sa. minuta. *Fabr. M.* i. 150.

Ce. minutus. *Gmel.* iv. 1842.—*Stew.* ii. 64.—*Turt. ii.* 325.—
Don. xvi. pl. 553. *f. 2.*

La. minuta. (*Sam. I.* 24.)

Ca. Vini. *Panz. F.* lxvi. *f.* 10.

Ca. pygmæum. *Fabr. E.* ii. 339. (!)—(*Kirby & Sp. I. E.* i. 231.)

2039 † 2, cantharinum*. *Curtis.* ii. *pl.* 91. ♂. ♀.

Ca. cantharinus. *Linn.* ii. 637.

Ce. fuscicornis. *Gmel.* iv. 1837.

♂, Sa. brunnea. *Fabr. E.* ii. 331.

♀, Sa. ferruginea. *Fabr. E.* ii. 330.

In Mus. D. *Curtis et Sparshall.*

Genus 361. CALLIDIUM, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)

2040. 1; bajulum*. *Fabr. E.* ii. 333.—(*Sam. I.* 8. *pl.* 12. *f.* 2.)

Ce. bajulus. *Linn.* ii. 636.—*Stew.* ii. 65.—*Mart. C. pl.* 24.
f. 1-5.—*Marsh. i.* 334.—*Turt. ii.* 323.

Ce. caudatus. *DeGeer.* v. 86.

β; Ca. Linneanum. *Laich. T.* ii. 69.

Ce. similis. *Marsh. i.* 335.

2041. 2; sanguineum*. *Fabr. E.* ii. 340.—*Panz. F.* lxx. f. 9.
 Ce. sanguineus. *Linn. ii.* 636.—*Berk. S.* i. 101.—*Stew. ii.* 65.
 —*Marsh. i.* 336.—*Turt. ii.* 327.—*Don. xvi. pl.* 553. f. 1.
2042. 3; violaceum*. *Fabr. E.* ii. 335.—(*Sam. I.* 8.)
 Ce. violaceus. *Linn. ii.* 635.—*Don. ii. pl.* 64. f. 1.—*Stew. ii.* 64.—*Mart. C. pl.* 25. f. 15.—*Linn. Trans. (Kirby.) v.* 257. pl. 12.—*Marsh. i.* 333.—*Turt. ii.* 324.—*Bingley. iii.* 138.
2043. 4; variabile*. (*DeJean C.* 110.)
 Ce. variabilis. *Linn. F. no.* 669.
 Ca. fennicum. *Fabr. E.* ii. 334.—*Panz. F.* lxx. f. 2.—(*Ing. Inst.* 87.)
 Ce. fennicus. *Gmel. iv.* 1851.—*Mart. C. pl.* 25. f. 16.—*Marsh. i.* 336.—*Turt. ii.* 323.
 Le. rubricollis. *Voët. C. (Panz.) iii.* 57. pl. 20. f. 97.
2044. [5; testaceum*.] *Fabr. E.* ii. 341.—(*Ing. Inst.* 88.)
 Ce. testaceus. *Linn. ii.* 635.—*Mart. C. pl.* 26. f. 3.—*Marsh. i.* 334.—*Turt. ii.* 327.
 Ce. variabilis ♂. *Linn. F. no.* 669.
- 2045 † 6. dilatum^a.
- 2046 † 7. rusticum. *Fabr. E.* ii. 338.
 Ce. rusticus. *Linn. ii.* 634.—*Berk. S.* i. 101.—*Panz. F.* lxx. f. 8.—*Stew. ii.* 64.—*Turt. ii.* 325.
- Ca. triste. *Fabr. E.* ii. 342.
- Ce. lugubris. *Gmel. iv.* 1847. In Mus. D. Curtis.
- 2047 † 8. striatum^b.
- 2048 † 9. luridum^c.
- 2049 † 10. undatum^d.
2050. 11, russicum. *Fabr. E.* ii. 336.—*Oliv. E.* iv. 54. pl. 4. f. 49.
2051. 12; Alni*. *Fabr. E.* ii. 338.—*Panz. F.* lxx. f. 10.
 Le. Alni. *Linn. ii.* 639.—*Mart. C. pl.* 28. f. 14.
 Ce. Alni. *Gmel. iv.* 1855.—*Marsh. i.* 338.—*Turt. ii.* 333.

^a 2045 † 6. dilatum. *Payk. F.* iii. 91.
 Ce. variabile. *Fabr. E.* ii. 337.—*Panz. F.* lxx. f. 6.
 Ce. variabilis. *Gmel. iv.* 1850.—*Turt. ii.* 325. (?)
 Ca. æneum. *Herbst A.* 96. pl. 26. f. 12.
 Ce. aurichalceus. *Gmel. iv.* 1857.

^b 2047 † 8. striatum. *Fabr. E.* ii. 343.—*Panz. F.* lxx. f. 13.
 Ce. striatus. *Linn. ii.* 635.—*Turt. ii.* 328. (?)

^c 2048 † 9. luridum. *Fabr. E.* ii. 342.—*Panz. F.* lxx. f. 10.
 Ce. luridus. *Gmel. iv.* 1846.—*Turt. ii.* 327. (?)

^d 2049 † 10. undatum. *Fabr. E.* ii. 344.—*Panz. F.* lxx. f. 15.
 Ce. undatus. *Linn. ii.* 636.—*Turt. ii.* 329. (?)
 Ce. sulphuratus. *Voët. C. (Panz.) iii. pl.* 19. f. 87.

Clytus Alni. (*Sam. I.* 11.)

Ce. globifer. *Voët. C. (Panz.)* iii. *pl. 18. f. 80.*

2052. 13, luteum.

Ce. luteus. *Marsh. MSS.*

Genus 362. CLYTUS, *Fabricius, Leach, Samou., (Kirby,) Curtis.*

LEPTURA p, Linné.—CALLIDIUM p, Latr.

2053. 1; arcuatus*. *Fabr. E. ii. 347.—Samou. 55. pl. 2. f. 25.—(Curtis l. c. infra.)*

Le. arcuata. *Linn. ii. 640.—Barb. G. 57. pl. 5. f. 20.—Berk. S. i. 102.—Mart. C. pl. 27. f. 2, 3.—Don. iii. pl. 84. f. 1.*

Ce. arcuatus. *Stew. ii. 65.—Marsh. i. 338.—Turt. ii. 330.*

Ce. lunatus. *Gmel. iv. 1852.*

Ce. detritus. *Voët. C. (Panz.)* iii. 55. *pl. 19. f. 99.*

2054 ‡ 2. detritus^a.

2055 † 3. plebeius^b.

2056. 4, Upsilon*.

Ce. Upsilon. *Marsh. MSS.*

2057. 5; mysticus*. *Fabr. E. ii. 352.—(Sam. I. 11.)—(Curtis l. c. infra.)*

Le. mystica. *Linn. ii. 639.—Don. iii. 29. pl. 84. f. 2.—Wood. i. 47. pl. 17.*

Ce. mysticus. *Gmel. iv. 1855.—Stew. ii. 65.—Marsh. i. 337.—Turt. ii. 332.*

Ce. albofasciatus var. *DeGeer. v. 82.*

Ce. quadricolor. *Scop. C. 177.*

Ce. litteratus. *Gmel. iv. 1857.*

2058. 6; Arietis*. *Laich. T. ii. 92.—(Leach E. E. ix. 113.)—(Sam. I. 11.)—(Curtis l. c. infra.)*

Le. Arietis. *Linn. ii. 640.—Berk. S. i. 102.—Mart. C. pl. 27. f. 4.—Don. i. pl. 27.—Shaw G. Z. vi. 74. pl. 26?*

Ce. Arietis. *Stew. ii. 65.—Marsh. i. 339.—Turt. ii. 330.*

Ce. quadrifasciatus. *DeGeer. v. 81.*

β? Cl. gazella. *Fabr. E. ii. 348?*

2059 ‡ 7. quadripunctatus. *Fabr. E. ii. 352.—Child. Add. 7. (!)—Curtis. v. pl. 199.*

^a 2054 ‡ 2. detritus. *Fabr. E. ii. 350.*

Le. detrita. *Linn. ii. 640.*

Ce. detritus. *Gmel. iv. 1854.—Turt. ii. 331. (!)*

Ca. detritum. *Panz. F. xciv. f. 5.*

^b 2055 † 3. plebeius. *Fabr. E. ii. 349.*

Ce. plebeius. *Gmel. iv. 1853.—Stew. ii. 65. (!)—Turt. ii. 331. (!)*

Ca. plebeium. *Panz. F. lxxxiii. f. 7.*

Le. rustica. *Müll. Z. D. pr. no. 1041.*

Le. villosa. *Vill. E. i. 272. pl. i. f. 31.*

Le. nævia. *Gmel. iv. 1877.* In Mus. D. Sparshall.

Genus 363. MOLORCHUS, *Fabricius, Leach, Samou., Millard,*
Curtis, (Kirby.)

NECYDALIS *p, Linn.*—GYMNOPTERION, *Schrank.*

2060 † 1. major ^a.

2061. 2; minor*. *Curtis. i. pl. 11.*

Ne. minor. *Linn. ii. 641.—Mart. C. pl. 23. f. 1.—Stew. ii. 67.*

—*Marsh. i. 358.—Turt. ii. 354.—Shaw G. Z. vi. 76.—*

Wood. i. 49. pl. 18.

Ne. ceramboides. *DeGeer. v. 151.*

Mo. dimidiatus. *Fabr. E. ii. 375.—(Sam. I. 27.)*

2062. 3; Umbellatarum*. *Fabr. E. ii. 375.—(Sam. I. 27.)—*
(Curtis l. c. supra.)

Ne. Umbellatarum. *Linn. ii. 641.—Mart. C. pl. 23. f. 2.—*

Marsh. i. 358.—Turt. ii. 354.

Ne. minima. *Scop. C. 180.*

Genus 364. STENOPTERUS^b.

Familia XLVIII. LEPTURIDÆ, *Leach.*

(LEPTURETES, *Latreille.*—CERAMBYCINI *p, Gyllenhal.*)

(CERAMBYX *p, et LEPTURA, Linné, &c.*)

Genus 365. RHAGIUM, *Fabr., Leach, Samou., (Kirby.)*

CERAMBYX *p, Linné.*—LEPTURA *p, Marsh.*—STENOCHORUS *p,*
Olivier.

A. Antennis medio incrassatis. (HARGIUM, *Leach, Samou.*)

2064. 1, Indagator. *Fabr. E. ii. 313.—Panz. F. lxxxii. f. 5.*

Le. inquisitor α . *Linn. ii. 630.*

Ce. nubeculus. *Ecrgs. N. i. 25. pl. 4. f. 4.*

Ha. inquisitor. (Sam. I. 20.)

^a 2060 † 1. major. (Sam. I. 27. (!))

Ne. major. *Linn. ii. 641.—Turt. ii. 354.*

Gy. magus. *Schr. F. B. i. 688.*

Ne. ichneumonea. *DeGeer. v. 148. pl. 5. f. 1.*

Mo. abbreviatus. *Fabr. E. ii. 374.—Panz. F. xli. f. 20.*

^b Genus 364. STENOPTERUS, *Illiger.*

NECYDALIS *p, Linné.*—MOLORCHUS *p, Fabr.*

2063 † 1. rufus. (DeJean C. 111.)

Ne. rufa. *Linn. ii. 642.—Oliv. E. iv. 74. pl. 1. f. 6, a, b.—Turt. ii. 356. (!)*

Le. attenuata. *Fourc. P. i. 84.*

B. Antennis setaceis. (*RHAGIUM*, *Leach, Samou.*)

2065. 2; *inquisitor**. *Fabr. E. ii. 313.—Panz. F. lxxxii. f. 4.—Mart. C. pl. 25. f. 19.*—(*Leach E. E. ix. 113.*)
Le. inquisitor β . *Linn. ii. 630.*
Le. inquisitor. *Marsh. i. 341.—Turt. ii. 321.*
Le. mordax. *DeGeer. v. 124. pl. 4. f. 6.*
Ce. bifasciatus. *Schra. A. 259.*
Rh. vulgare. (*Sam. I. 36.*)

2066. 3; *bifasciatum**. *Fabr. E. ii. 314.—Don. iii. pl. 94. f. 1.*
—Mart. C. pl. 25. f. 18.—(*Sam. I. 36.*)
Le. bifasciata. *Marsh. i. 342.*
Ce. bifasciatus. *Turt. ii. 322.*
Ce. anglicus. *Gmel. iv. 1844.—Stew. ii. 64.*
 β ; *Le. nigrolineata.* *Don. x. pl. 253. f. 1.—Marsh. i. 343.*
 γ ; *Le. bimaculata.* *Marsh. i. 343.*
 δ ; *Le. dorsalis.* *Marsh. i. 343.—Don. xi. 97. pl. 395. f. 1.*
Ce. elegans. *Gmel. iv. 1845.*

Genus 366. *TOXOTUS*, (*Megerle*).

LEPTURA p, *Linné*.—*STENOCHORUS p*, *Olivier*.—*RHAGIUM p*, *Fabricius*.—*CERAMBYX p*, *Gmelin*.

2067 \ddagger 1. *Cursor*^a.

2068. 2; *meridianus**. (*DeJean C. 112.*)
Ce. meridianus. *Linn. ii. 630.—Mart. C. pl. 25. f. 11. 12.—Stew. ii. 65.—Don. xiii. 6. pl. 435. f. 2.*
Le. meridiana. *Panz. F. xlvi. f. 20.—Marsh. i. 340.—Turt. ii. 346.*—(*Sam. I. 24.*)
St. sericeus. *Oliv. E. iv. 20. pl. 1. f. 8. ♀.*
 β ; *Le. humeralis.* *Kirby MSS.*
 γ ; *Le. femoralis.* *Kirby MSS.*
2069. [3; *chrysogaster**.] (*DeJean C. 112.*)
St. chrysogaster. *Oliv. E. iv. 19. pl. 3. f. 23.*
Le. splendens. *Laich. T. ii. 136.*
Le. meridiana, var. δ . (*Schön. S. i. 479.*)
Le. rufiventris. *Marsh. i. 341.—(Sam. I. 24.)*

Genus 367. *LEPTURA Auctorum.* *Wood-Beetles.*

A. *Elytris apice plus minusve excisis.*

2070. 1; *elongata**. *DeGeer. v. 134.—Don. iii. pl. 84. f. 4.—Mart. C. pl. 27. f. 10.—Marsh. i. 355.—(Leach E. E. ix. 113.)—(Sam. I. 24.)*

^a 2067 \ddagger 1. *Cursor.* (*DeJern C. 112.*)

Ce. Cursor. *Linn. ii. 630.—Turt. ii. 322. (!)*

St. Cursor. *Oliv. E. iv. 14. pl. 1. f. 9.*

Ce. vittatus. *Gmel. iv. 1865.*

δ ; *Ce. noctis.* *Linn. ii. 630.—Turt. ii. 322. (!)*

St. noctis. *Oliv. E. iv. 17. pl. 1. f. 10.*

- Ce. elongatus. *Turt.* ii. 330.
 Le. armata. *Gmel.* iv. 1872.
 Le. fasciata. *Hoppe.* E. 59.
 ♂; Le. calcarata. *Fabr. E.* ii. 363.
 ♀; Le. subspinosa. *Fabr. E.* ii. 363.
 Le. quinquemaculata. *Gmel.* iv. 1868.
 ♂; Le. sinuata. *Fabr. E.* ii. 363.
2071. 2, attenuata. *Linn.* ii. 639.—*Stew.* ii. 67.—*Oliv. E.* iv. 17.
pl. 1. f. 8.—*Marsh.* i. 492.—*Turt.* ii. 349.—(*Sam. I.* 24.)
 Ce. fasciatus. *Scop. C.* 172.
2072. 3; revestita*. *Linn.* ii. 638.—*Marsh.* i. 350.—(*Sam. I.* 24.)
 Le. villica. *Fabr. E.* ii. 357.—*Mart. C. pl. 27. f. 1.*—
Panz. F. xxii. f. 13.
 Le. villa. *Turt.* ii. 346.
 ♀, Le. fuscicornis. *Marsh.* i. 357.
- 2073 † 4. rubrotestacea^a.
2074. 5: aurulenta. *Fabr. E.* ii. 364.—*Marsh.* i. 356.—*Panz. F.*
xc. f. 5.—(*Sam. I.* 24.)
 Le. quadrifasciata. *Rossi F.* i. 161.
2075. 6; quadrifasciata*. *Linn.* ii. 639.—*Mart. C. pl. 27. f. 9.*—
Marsh. i. 354.—*Turt.* ii. 349.—*Samou.* 55. *pl. 2. f. 26.*—(*Ing.*
Inst. 89.)
 Le. octomaculata. *DeGeer.* v. 131. *pl. 4. f. 11.*
2076. 7; apicalis*. *Haworth. MSS.*—(*Sam. I.* 24.)
2077. 8, virens. *Linn.* ii. 638.—*Berk. S.* i. 102.—*Panz. F.* lxix.
f. 13.—*Stew.* ii. 66.—*Turt.* ii. 347.
2078. 9: scutellata*. *Fabr. E.* ii. 359.—*Panz. F.* lxix. *f. 15.*—
 (*Ing. Inst.* 89.)
 Ce. niger. *Gmel.* iv. 1845.
 St. funereus. *Fourc. P.* i. 89.
2079. 10: tomentosa. *Fabr. E.* ii. 355.—*Oliv. E.* iv. 12. *pl. 2.*
f. 13. c.
 Le. fulva. *DeGeer.* v. 136.
 Le. lutescens. *Vill.* i. 274.
 Le. affinis. *Marsh.* i. 353.—(*Sam. I.* 24.)
 St. testaceus. *Fourc. P.* i. 87.
2080. 11, sanguinolenta*. *Linn.* ii. 638.—*Panz. F.* lxix. *f. 8.*—
Turt. ii. 346.—*Don. xvi. pl. 557.*—(*Sam. I.* 24.)
 Le. variabilis. *DeGeer.* v. 137.

* 2073 † 4. rubrotestacea. *Illig. M.* iv. 122.

Le. dispar. *Payk. F.* iii. 107.

Le. Umbellatarum. *Laich. T.* ii. 161.

♂. Le. testacea. *Linn.* ii. 638.—*Panz. F.* lxix. *f. 12.*—*Turt.* ii. 347. (!)

♀. Le. rubra. *Linn.* ii. 638.—*Panz. F.* lxix. *f. 11.*—*Turt.* ii. 347. (!)

- St. ignitus. *Fourc. P.* i. 89.
 Le. melanura var. *Linn. ii.* 637.
2081. 12; melanura*. *Linn. ii.* 637.—*Berk. S.* i. 102.—*Mart. C. pl. 27. f. 7.*—*Stew. ii.* 66.—*Panz. F. lxix. f. 19.* ♀.—*Marsh. i. 350.*—*Turt. ii.* 346.—(*Sam. I. 24.*)
 Le. sutura-nigra. *DeGeer. v.* 138.
 Le. similis. *Herbst A.* 101. *pl. 26. f. 22.*
2082. 13; nigra*. *Linn. ii.* 639.—*Mart. C. pl. 27. f. 8.*—*Marsh. i. 351.*—*Turt. ii.* 348.—(*Sam. I. 24.*)
 St. piceus. *Fourc. P.* i. 87.
- B. Elytris apice vix aut non excisis.
2083. 14; sexguttata*. *Fabr. E.* ii. 364.—*Panz. F. lxix. f. 22.*—(*Sam. I. 24.*)
 ♂; Le. punctomaculata. *Marsh. i. 357.*
 β, Le. exclamationis. *Fabr. E.* ii. 359.—*Oliv. E.* iv. 29. *pl. 2. f. 19.*—*Marsh. i. 356.*
2084. 15; abdominalis* *mihi.* (*Ing. Inst. 89.*)
 Le. abdominalis. —? MSS.?
2085. 16, lævis*. *Fabr. E.* ii. 355.—*Panz. F. xxxiv. f. 16.*—*Marsh. i. 351.*—(*Sam. I. 24.*)
 Le. tabacicolor. *DeGeer. v.* 139.
 Le. chrysomeloides. *Schra. A.* 158.
 Le. melanura var. b. *Müll. Z. D. pr.* 94.
 Le. solstitialis. *Gmel. iv.* 1873.
 Le. genii. *Gmel. iv.* 1877.
2086. 17; ruficornis*. *Fabr. E.* ii. 360.—*Sturm V.* 1796. 51. *pl. 2. f. 9.*
 Le. Parisina. *Nov. Act. Ups. (Thunb.)* iv. 16.
 Le. pumila. *Gmel. iv.* 1874.
 Le. lævis. *Gmel. iv.* 1873.
 Le. femorata. *Marsh. i. 352.*—(*Sam. I. 24.*)
2087. 18; pallipes *mihi.*
2088. 19; præusta. *Fabr. E.* ii. 360.—*Panz. F. xxxiv. f. 17.*—*Turt. ii.* 348.—(*Ing. Inst. 89.*)
 Le. ustulata. *Gmel. iv.* 1874.
 Le. adusta. *Gmel. iv.* 1872.
 Le. splendida. *Herbst A.* 103.
- 2089 + 20. atra*.
- Genus 368. PACHYTA, (*Megerle.*)
- LEPTURA *p.*, *Linné.*—CERAMBYX *p.*, *Linné.*—STENOCHORUS *p.*, *Fabr.*
2090. 1; livida*.
-
- 2089 + 20. atra. *Fabr. E.* ii. 359.—*Panz. F. lxix. f. 14.*—*Turt. ii.* 347. (!)
 Le. melanaria. *Herbst A.* 101.

- Le. livida. *Fabr. E. ii. 355.—Mart. C. pl. 28. f. 13.—Marsh. i. 352.*—(Sam. I. 24.)
 Le. nigripes. *DeGeer. v. 136.*
 Le. Pastinacæ. *Panz. E. G. i. 275.*
2091. 2; collaris*. *(DeJean C. 112.)*
 Le. collaris. *Linn. ii. 639.—Mart. C. pl. 27. f. 5.—Marsh. i. 349.—Turt. ii. 350.*—(Sam. I. 24.)
 Le. ruficollis. *DeGeer. v. 143.*
 Le. thalassina. *Schrank. A. 160.*
- 2092 † 3. *virginea*^a.
 2093. 4; octomaculata*. *(DeJean C. 112.)*
 Le. octomaculata. *Fabr. E. ii. 361.—Turt. ii. 348.*
 Le. decempunctata. *Oliv. E. iv. 26. pl. 4. f. 42.*
 Le. sexmaculata. *Don. x. pl. 353. f. 2.—Mart. C. pl. 28. f. 22.—Stew. ii. 67.—Marsh. i. 353.*—(Sam. I. 24.)
 Le. quadrimaculata. *Scop. C. 47.*
 Le. cerambyciformis. *Gmel. iv. 1873.*
- 2094 † 5. *sexmaculata*^b.
- 2095 † 6. Lamed^c.

SECTIO IV.

(TETRAMERA *p*, et TRIMERA, *Latreille*.—ANOPLURIMORPIA?
MacLeay.)

Subsectio 1. EUPODA, *Latreille*.

Familia XLIX. CRIOCERIDÆ, *Leach*.

(CRIOCERIDES, *Latreille*.—LEMOIDEÆ, *Gyllenhal.*)

Genus 369. DONACIA, *Fabricius*, *Leach*, *Samou.*, *Millard*, (*Kirby.*)

LEPTURA *p*, *Linné*.—STENOCHORUS *p*, *Geoffroy*.

A. Femoribus posticis bi- vel tri-dentatis, magnis, clavatis.

2096. 1; cincta*. *—Germar.*—(*Kunzé E. F. 5.*)
 Do. clavipes. *Fabr. E. ii. 128.*

^a 2092 † 3. *virginea*. *(DeJean C. 112.)*

Le. *virginea*. *Linn. ii. 639.—Oliv. E. iv. 28. pl. 2. f. 24. a, b.—Turt. ii. 350. (!)*
 Le. *violacea*. *DeGeer. v. 144.*

^b 2094 † 5. *sexmaculata*. *(DeJean C. 112.)*

Le. *sexmaculata*. *Linn. ii. 638.—Oliv. E. iv. 26. pl. 4. f. 43.—Turt. ii. 348. (!)*
 Le. *testaceo-fasciata*. *DeGeer. v. 133.*

^c 2095 † 6. Lamed. *(DeJean C. 112.)*

Ce. *Lamed*. *Linn. ii. 630.*
 Le. *Lamed*. *Don. xi. 98. pl. 395. f. 2. (!)*
 Le. *pedella*. *DeGeer. v. 129. pl. 4. f. 10.*

- Do. bidens. *Gyll.* iii. 648.
 Le. micans. *Marsh.* i. 344.—*Turt.* ii. 343.
 Do. micans. (*Leach E. E.* ix. 113.)—(*Sam. I.* 15.)
 Le. aquatica. *Mart. C. pl.* 28. *f.* 16. 17.
 Le. versicolorea. *Brahm?*
2097. 2; crassipes*. *Fabr. E.* ii. 126.
 Le. aquatica β. *Linn.* ii. 637.—*Berk. S.* i. 101.—*Don.* iii. 31.
 —*Stew.* ii. 66.—*Turt.* ii. 342?—*Shaw G. Z.* vi. 74. *pl.* 26?
 Do. striata. *Panz. F.* xxix. *f.* 1.
2098. 3; dentata*. *Kunzé E. F.* 7.—*Hoppe.* 40. *f.* 2.—(*Ing. Inst.* 88.)
 Do. Potamogetonis. *Kirby MSS.*—(*Ing. Inst.* 88.)
2099. 4; angustata*. *Kunzé E. F.* 8.
 Do. bidens. *Oliv. E.* iv. 11. *pl.* 2. *f.* 12. *a, b?*
2100. 5; melanocephala*. (*Sam. I.* 15.)
 Le. melanocephala. *Marsh.* i. 348.
 Do. Sparganii. (*Kunzé E. F.* 12?)
- B. Femoribus posticis mediocribus, unidentatis.
 a. *Pedibus corpore concoloribus.*
2101. 6; Lemnæ*. *Fabr. E.* ii. 128.
 Le. vittata. *Marsh.* i. 345.
 Do. vittata. (*Sam. I.* 15.)
 Do. marginata. *Hoppe.* 42. *f.* 4.
2102. 7; dentipes*. *Fabr. E.* ii. 127.
 Do. vittata. *Oliv. E.* iv. 7. *pl.* 1. *f.* 5. *a, b.*
 Do. fasciata. *Hoppe.* 42. *f.* 3.—(*Sam. I.* 15.)
 Le. aquatica fasciata. *DcGeer.* v. 142.
 Le. fasciata. *Marsh.* i. 344.
 Le. aquatica α. *Linn.* ii. 637.
 Do. nitida. *Gmel.* iv. 1066.
2103. 8; Sagittariæ*. *Fabr. E.* ii. 128.—(*Sam. I.* 15.)
 Le. Sagittariæ. *Marsh.* i. 345.
 Do. aurea. *Hoppe.* 43. *f.* 5.
 Do. aquatica. *Act. Ups. (Thunb.)* v. 118.
 Le. bicolor. *Gmel.* iv. 1867.
 β, Do. collaris. *Panz. F.* xxix. *f.* 8.
2104. 9; brevicornis. *Kunzé E. F.* 16.
2105. 10; obscura. *Gyll.* iii. 654.
 Do. impressa. *Nov. Act. Hall. (Ahrens.)* i. 3.
 Do. lacunosa. *Kirby MSS.*
 Le. nigripes. *Marsh. MSS.*
 Do. hybrida. *Schüppel.*
 Do. Scirpiola. *Eschscholtz.*

2106. 11, thalassina. *Germar.*—*Kunzé E. F.* 18.
Do. impressa b. *Gyll.* iii. 656.
2107. 12; impressa*. *Gyll.* iii. 655.
Do. hybrida. *Schüppel.*
β? Do. similis. *Kirby MSS.?*
2108. 13; Proteus*. *Kunzé E. F.* 23.
α; Do. crassipes b. *Oliv. E. iv. 4. pl. 1. f. 1.*
Do. armata. *Payk. F. ii.* 194.
Do. discolor. ♀. *Panz. F. xxix. f. 6.*
Le. Nymphææ. *Marsh. i.* 347.—*Turt. ii.* 343.
Do. Nymphææ. (*Sam. I. 15. pl. 2. f. 27.*)
Do. sericea. *Gyll.* iii. 658.
Le. sericea. *Turt. ii.* 350?
Do. cærulea. *Kirby MSS.*
- β; Do. violacea. *Hoppe. 44. f. 7.*—*Gyll.* iii. 660.
Do. Festucæ. *Panz. F. xxix. f. 2.*
Le. Festucæ. *Marsh. i.* 346.
Do. discolor ♂. *Panz. F. xxix. f. 3.*
- γ; Do. viridis. *Kirby MSS.*
2109. 14; micans*. *Ahrens.*—*Kunzé E. F.* 25.
Do. crassipes a, c. *Oliv. E. iv. 75. f. 1.*
Do. sericea a, d. *Gyll.* iii. 657.
Le. aquatica-aæna. *DeGeer. v.* 143.
Do. aæna. *Hoppe. E. 44. f. 6.*
Le. aæna. *Marsh. i.* 346.
b. *Pedibus pallidis.*
2110. 15; rustica*. *Schüppel.*—*Kunzé E. F.* 31.
Do. discolor. *Hoppe. E. 45. pl. 1. f. 8, 9. ♂. ♀.*
- ♂; Le. fusca. *Marsh. i.* 349.
Do. fusca. (*Sam. I. 15.*)
Do. flavipes. *Kirby MSS.*
- ♀; Le. discolor. *Marsh. i.* 346.
Do. discolor b. *Gyll.* iii. 661.
2111. 16; nigra*. *Fabr. E. ii.* 128.
Do. abdominalis. *Oliv. E. iv. 75. 9.*
Do. palustris. *Herbst C. v. 100.*—*Panz. F. xxix. f. 10.*—
(*Sam. I. 15.*)
Le. palustris. *Marsh. i.* 349.
B. Femoribus posticis simplicibus.
2112. 17; Menyanthedis*. *Fabr. E. ii.* 129.
Do. clavipes. *Oliv. E. iv. 75. 8. pl. 1. f. 6. a, b.*
Le. aquatica mutica. *DeGeer. v.* 142.
Do. simplex. *Payk. F. ii.* 189.
Le. simplex. *Mart. C. pl. 28. f. 25.*—*Marsh. i.* 348.—
Turt. ii. 345.

2113. 18; simplex *. *Fabr. E. ii. 129.—Stew. ii. 66.*—(*Leach E. E. ix. 113.*)—(*Sam. I. 15.*)
 Do. semicuprea. *Panz. F. xxix. f. 14.*—(*Ing. Inst. 88.*)
 Le. vulgaris. *Gmel. iv. 1867.*
2114. 19; linearis *. *Hoppe. 46. f. 10.*—(*Sam. I. 15.*)
 Le. linearis. *Marsh. i. 347.*
 Do. simplex. *Oliv. E. iv. 75. 11.*
 Le. aquatica ænea, var. *DeGeer. v. 143.*
 Le. aquatica. *Don. iii. pl. 84. f. 3.*
2115. 20; Typhæ *. *Brahm.—Kunzé E. F. 47.*
 Do. linearis b. *Gyll. iii. 665.*
2116. 21; Hydrochæridis *. *Fabr. E. ii. 129.—Panz. F. xxix. f. 17.*
 Do. Hydrocharis. *Oliv. E. iv. 75. 12. pl. 2. f. a, b.*—(*Sam. I. 15.*)
 Le. Hydrocharis. *Marsh. i. 347.*
 Do. tersata. *Panz. F. xxix. f. 16.*
 Do. cinerea. *Herbst A. v. 100.*
 β ? Do. tomentosa. *Illiger.—Nov. Act. Hall. (Ahrens.) i. 3?*
- Genus 370. MACROPLEÄ, *Hoffmansegg*, (*Samou.*), (*Kirby.*)
- HÆMONIA, *Megerle.*—RHAGIUM p, *Paykul.*—DONACIA p, *Fabr.*
2117. 1, Zosteræ *? (*Kirby & Sp. I. E. iv. 522.*)
 Do. Zosteræ. *Fabr. E. ii. 127.—Ent. Trans. (Haworth.) i. 85.*
 Rh. muticum. *Payk. F. iii. 69.*
- 2118 + 2, Equiseti *.
 Do. Equiseti. *Fabr. E. ii. 127.*
 Do. mucronata. *Hoppe. E. 47. f. 12.*
 Do. appendiculata. *Panz. F. xxiv. f. 17.*
 In Mus. *Brit. et D. Jenyns?*

Genus 371. ORSODACNA, *Latreille*, *Leach.*

CRIOCERIS p, *Fabricius.*—LEMA p, *Illiger.*—GALERUCA p, *Fabricius.*—CRYPTOCEPHALUS p, *Stew.*

2119. 1; chlorotica *. *Latr. G. iii. 44.*
 Cr. Cerasi. *Fabr. E. i. 456.*
 Cr. fulvicollis. *Payk. F. ii. 77.—Panz. F. lxxxiii. f. 8.*
 β , Cr. glabrata. *Fabr. E. i. 455.—Panz. F. xxxiv. f. 6.*
2120. 2: nigriceps *. *Latr. G. iii. 44.*
 Cr. lineola. *Fabr. E. i. 462.—Panz. F. xxxiv. f. 5.*
2121. 3: humeralis *. *Latr. G. iii. 45.*—(*Ing. Inst. 89.*)
 β ? Or. cœrulea mihi.
- 2122 + 4. cantharoides ^a.

^a 2122 + 4. cantharoides. *Dufts. F. A. iii. 249.*

Cr. cantharoides. *Fabr. S. E. i. 462. (!)—Marsh. i. 229. (!)*
 Cry. cantharoides. *Stew. ii. 51. (!)—Turt. ii. 187. (!)*

Genus 372 CRIOCERIS, *Geoffroy, Leach, Samou., (Kirby.)*

CHRYSONOMELA p., Linné.—LEMA p., Fabricius.—AUCHENIA p., Marsh., Millard.—CRYPTOCEPHALUS p., Gmelin.

A. Corpore brevi, thoracis lateribus utrinque incisis.

2123. 1; merdigera*. *Latr. G. iii. 47.—Panz. F. xlv. f. 2.—(Leach E. E. ix. 113.)—(Samou. 211. pl. 2. f. 14.)*

Ch. merdigera var. capite &c. nigro. *Linn. ii. 599.—Mart. C. pl. 17. f. 47.—Shaw. G. Z. vi. 58. pl. 18.*

Ch. rubra Liliorum. *De Geer. v. 338.*

Att. Lilii. *Scop. C. 112.*

Au. merdigera. *Marsh. i. 213.*

Cry. merdiger. *Turt. ii. 188.*

B. Corpore brevi, thoracis lateribus haud incisis.

2124. 2, duodecimpunctata *. *Panz. F. xlv. f. 3.—(Sam. I. 13.)*

Ch. 12-punctata. *Linn. ii. 601.—Berk. S. i. 96.—Mart. C. pl. 16. f. 36.*

Cry. 12-punctatus. *Stew. ii. 51.—Turt. ii. 188.*

Au. 12-punctata. *Marsh. i. 214.*

2125. 3; puncticollis *. *Spence MSS.—(Sam. I. 13.)*

Le. cyanella ♀. *Gyll. iii. 640.*

2126. 4; cyanella *. *Panz. F. lxxi. f. 1.—(Sam. I. 13.)*

Ch. cyanella. *Linn. ii. 600.—Berk. S. i. 96.—Mart. C. pl. 15. f. 25.*

Cry. cyanellus. *Stew. ii. 51.—Turt. ii. 190.*

Au. cyanella. *Marsh. i. 215.*

2127. 5, obscura mihi.

Le. cyanella b. *Gyll. iii. 639?*

C. Corpore elongato.

2128. 6; melanopa *. *(Sam. I. 13.)*

Ch. melanopa. *Linn. ii. 601.—Mart. C. pl. 17. f. 53.*

Cry. melanopus. *Turt. ii. 190.*

Au. melanopa. *Marsh. i. 215.*

2129. 7; Asparagi *. *(Sam. I. 13.)*

Ch. Asparagi. *Linn. ii. 601.—Berk. S. i. 96.—Don. i.*

pl. 28.—Mart. C. pl. 17. f. 49.—Shaw G. Z. vi. 58.

Cry. Asparagi. *Stew. ii. 51.—Turt. ii. 190.*

Au. Asparagi. *Marsh. i. 214.*

Genus 373. ZEUGOPHORA, Kunzé.

CRIOCERIS p., Fabr.—AUCHENIA p., Marsham.—LEMA p., Gyll.—

CRIPTOCEPHALUS p., Gmel.—CREVIA, —? MSS.

2130. 1; subspinosa*. *Kunzé E. F. 75.*

Le. subspinosa. *Panz. F. lxxxiii. f. 10.*

Cr. subspinosa. *Fabr. E. i. 461.—Oliv. E. vi. 74. pl. 2. f. 5, 6.—(Sam. I. 13.)*

Cry. subspinosa. *Stew.* ii. 51.—*Turt.* ii. 190.
Au. subspinosa. *Marsh.* i. 216.

2131. 2, *flavicollis* *. *Kunzé E. F.* 75.
Au. flavicollis. *Marsh.* i. 217.
Cr. flavicollis. (*Sam. I.* 13.)
Le. subspinosa, ♀. *Gyll.* iii. 640.

Subsectio 2. CYCLICA, Latreille.

Familia L. GALERUCIDÆ.

(GALERUCOIDEÆ, *Gyllenhal*.—GALERUCITES, *Latr.*)

(CHRYSOMELA p, *Linné*, &c.—GALERUCA, *Fabr.*)

Genus 374. AUCHENIA *mihi*.

AUCHENIA p, *Marsh.*—CRIOCERIS p, *Panz.*—LUPERUS p, *Müll.*

2132. 1: *quadrimaculata* *. *Marsh.* i. 218.
Ch. quadrimaculata. *Linn.* ii. 600.
Cr. bimaculata. *Panz. F.* xlvi. f. 16.
Cr. melanogaster. *Gmel.* iv. 1720.

Genus 375. ADIMONIA, *Schrank*, *Leach*, *Samou.*

LUPERUS p, *Müller.*

2133. 1: *Alni* *. (*Leach E. E.* ix. 114.)—(*Sam. I.* 1.)
Ch. Alni. *Linn.* ii. 587.—*DeGeer.* v. 314. *pl.* 9. *f.* 18.—
Berk. S. i. 94.—*Stew.* ii. 46.—*Marsh.* i. 172.—*Turt.* ii. 159.
Ad. violacea. *Laich. T.* i. 193.
2134. 2; *halensis* *. (*Leach E. E.* ix. 114.)—(*Sam. I.* 1.)
Ch. halensis. *Linn.* ii. 589.—*Mart. C.* *pl.* 15. *f.* 20.—
Marsh. i. 177.
Cr. nigricornis. *Fabr. E.* i. 453.—*Panz. F.* xci. *f.* 9.
Ga. viridis. *Fourc. P.* i. 104.

Genus 376. GALERUCA, *Geoffroy*, *Leach*, *Samou.*, *Millard*, (*Kirby*)

CRIOCERIS p, *Marsh.*—AUCHENIA p, *Marsh.*—TENEBRO p,
Scop.—ADIMONIA p, *Laich.*

A. Corpore ovato.

2135. 1; *Tanaceti* *. *Fabr. E.* i. 481.—(*Leach E. E.* ix. 114.)—
(*Samou.* 212. *pl.* 2. *f.* 13.)
Ch. Tanaceti. *Linn.* ii. 587.—*Berk. S.* i. 94.—*Mart. C.* *pl.* 16.
f. 31.—*Stew.* ii. 45.—*Marsh.* i. 177.—*Turt.* ii. 159.—
Samou. 53.
Te. tristis. *Scop. C.* 256.
2136. 2, *rustica*. *Fabr. E.* i. 481.—*Panz. F.* cii. *f.* 1.—(*Ing.*
Inst. 88.)
Ad. Tanaceti γ. *Laich. T.* i. 192.
Silpha ferruginea. *Petagna I. C.* i. 7. *f.* 16.

2137. 3; Capreæ *. *Fabr. E. i. 487.*—(*Sam. I. 17.*)
 Ch. Capreæ. *Linn. ii. 600.*—*Mart. C. pl. 17. f. 45.*—*Turt. ii. 161.*
 Cri. Capreæ. *Fabr. S. E. 118.*—*Marsh. i. 225.*
 Cry. longicornis. *Gmel. iv. 1688.*
 Cry. pallescens. *Gmel. iv. 1724.*
 Ad. polygonata. *Laich. T. i. 193.*
2138. 4; Viburni *. *Payk. F. ii. 89.*—(*Sam. I. 17.*)
 Cr. Viburni. *Marsh. i. 224.*
2139. 5; Cratægi *.
 Ch. Cratægi. *Forst. C. i. 28.*—*Mart. C. pl. 14. f. 4.*
 Cri. Cratægi. *Marsh. i. 228.*
 Cry. Cratægi. *Stew. ii. 52.*—*Turt. ii. 191.*
 Ga. Cratægi. (*Sam. I. 17.*)
 Ga. sanguinea. *Fabr. M. i. 87.*
2140. 6, saturata *miki.*
- B. Corpore elongato-ovato.
2141. 7; Nymphææ *. *Fabr. E. i. 486.*—*Panz. F. cii. f. 6.*
 Ch. Nymphaeæ. *Linn. ii. 600.*—*Mart. C. pl. 17. f. 46.*—
Turt. ii. 161.
 Cri. Nymphaeæ. *Marsh. i. 224.*
2142. 8; Sagittariæ *. *Gyll. iii. 511.*
2143. 9; Calmariensis *.
 Ch. calmariensis. *Linn. ii. 600.*—*Stew. ii. 51.*—*Turt. ii. 162.*
 Cr. calmariensis. *Marsh. i. 227.*
 Ga. Lythri b. *Gyll. iii. 513.*
2144. 10, Lythri *.
 Ga. Lythri a. *Gyll. iii. 513.*—(*Schön. S. ii. 296.*)
 Ch. grisea Alni ♂. *DeGeer. v. 325.*
2145. 11, lineola *. *Fabr. E. i. 486.*—*Panz. F. cii. f. 5.*
 Au. lineola. *Ent. Trans. (Burrell.) i. 162.*
 Ch. grisea Alni ♀. *DeGeer. v. 325. pl. 9. f. 36.*
2146. 12, xanthomelæna.
 Ga. Calmariensis. *Fabr. E. i. 488.*—*Latr. G. iii. 62.*
 Ch. xanthomelæna. *Schrink. E. 78.*
 Ga. Ulmi. *Oliv. E. M. vi. 589?*
2147. 13; tenella *. *Fabr. E. i. 490.*—*Panz. F. cii. f. 9.*
 Ch. tenella. *Linn. ii. 600.*—*Mart. C. pl. 16. f. 34.*—*Turt. ii. 162.*
 Au. tenella. *Marsh. i. 219.*—*Ent. Trans. (Burrell.) i. 162.*
 Cri. parva. *Herbst A. 66.*

Genus 377. —

ALTICA p, Panzer.—LUPERUS p, Schön.

2148. 14; circumfusa *.
 Cr. circumfusa. *Marsh. i. 227.*

- At. Brassicæ. *Panz. F. xxi. f. 18.*
 Ha. Spartii. *Ent. Hefte. ii. 76.*
 Lu. suturella. (*Schön. S. ii. 276.*)

Genus 378. LUPERUS, *Geoffroy, Leach, Samou.*

CRIOCERIS *p., Fabr.*—AUCHENIA *p., Marsh.*

2149. 1; flavipes *. *Leach E. E. ix. 114.*—(*Sam. I. 26.*)

Ch. flavipes. *Linn. ii. 601.*

Cr. flavipes. *Panz. F. xxxii. f. 4.*

Au. flavipes. *Marsh. i. 216.*

Cry. ochropus. *Gmel. iv. 1723.*

Cry. nigricans. *Gmel. iv. 1725.*

♀, Lu. brevicornis. *Kirby MSS.*

2150. 2; rufipes *. *Leach E. E. ix. 114.*—(*Sam. I. 26.*)

Cr. rufipes. *Fabr. E. i. 461.*—*Panz. F. xxxii. f. 5.*

Cr. flavipes, β. *Payk. F. ii. 79.*

Au. rufipes. *Marsh. i. 217.*

Ch. xanthopoda. *Schr. 177.*

Cry. saxonicus. *Gmel. iv. 1723.*

Cry. erythromelas. *Gmel. iv. 1725.*

♂; Pti. longicornis. *Fabr. E. i. 325.*

Genus 379. HALTICA, *Illiger, Leach, Samou., Millard, (Kirby.)*

ALTICA, *Geoffroy.*

A. Tibiis posticis haud dentatis.

a. *Antennis (in masculis) nodosis.*

1. Corpore oblongo: elytris apice obtusis.

2151. 1; antennata *. *Oliv. E. vi. 82. pl. 5. f. 82.*—*Ent. Hefst ii. 67. pl. 3. f. 4.*

Ha. nodicornis. (*Sam. I. 20.*)

Ch. nodicornis. *Marsh. i. 204.*

2. Corpore ovato: elytris apice rotundatis.

2152. 2; Brassicæ *. *Oliv. E. M. iv. 111.*—(*Sam. I. 20.*)

Ha. quadripustulata. *Ent. Hefst. ii. 73. pl. 3. f. 5.*

Ch. exclamationis. *Thunb. Act. Up. iv. 14.*

β; Ha. quadriguttata. *Kirby MSS.*

b. *Antennis simplicibus.*

1. Corpore oblongo, aut ovato.

* *Thorace posticè haud transversè impresso.*

† Elytris punctulatis, non striatis: tarsi postici in apice tibiæ inserti.

← *Tarsi postici breves.*

2153. 3; Nemorum *. Turnip Fly: Black-jack.—*Ent. Hefst. ii. 70.*—*Panz. F. xxi. f. 19.*—(*Sam. I. 20.*)—(*Kirby & Sp. I. E. i. 186.*)

- Ch. Nemorum. *Linn.* ii. 595.—*Berk.* S. i. 96.—*Stew.* ii. 50.
—*Marsh.* i. 197.—*Turt.* ii. 168.—*Don.* xvi. pl. 569. f. 1.
- Ch. fasciata. *De Geer.* v. 347.
2154. 4; flexuosa *. *Ent. Heft.* ii. 71.—(*Sam. I.* 20.)
Ch. flexuosa. *Marsh.* i. 198.
Al. Nasturtii. *Panz. F.* xxi. f. 9.
Ch. Nemorum, β. *Payk. F.* ii. 93.
2155. [5, sinuata *] mihi.
Al. flexuosa. *Panz. F.* xxv. f. 12.
2156. 6, vittata * mihi.
Cr. Brassicæ. *Fabr. E.* i. 468?
Ch. Brassicæ. *Ent. Trans. (Burrell.)* i. 157.
2157. 7; Lepidii *. *Ent. Heft.* ii. 64.
Ch. nigripes. *Fabr. E.* ii. 447. (!)—*Stew.* ii. 49? (!)—*Turt.* ii. 166.? (!)
Al. nigripes. *Panz. F.* xxi. f. 5.
Al. hortensis. *Oliv. E. M.* iv. 108.
2158. [8; lens *.]
Ch. leus. *Thunb. Act. Up.* iv. 13.
Ha. Lepidii β. *Gyll.* iii. 528.
2159. 9; obscurella *. *Illig. M.* vi. 154.
Ha. atra. *Ent. Heft.* ii. 63.
2160. [10; punctulata *.]
Ch. punctulata. *Marsh.* i. 200.
2161. 11; melæna *. *Illig. M.* vi. 154.
Ga. atra. *Payk. F.* ii. 100?
2162. 12, nigroænea. (*Sam. I.* 20.)
Ch. nigroænea. *Marsh.* i. 197.
2163. 13; quadriguttata *.
Ch. quadripustulata. *Stew.* ii. 49.—*Marsh.* i. 193.—*Turt.* ii. 167.
Ha. quadripustulata. (*Sam. I.* 20.)
2164. 14, dorsalis *. *Ent. Heft.* ii. 79. pl. 3. f. 7.
Cr. dorsalis. *Fabr. E.* i. 465.—*Stew.* ii. 49.
Ch. dorsata. *Turt.* ii. 167.
2165. 15, Cyparissiæ. *Ent. Heft.* ii. 80. pl. 3. f. 8.
2166. 16; Euphorbiæ *. *Ent. Heft.* ii. 58.
Cr. Euphorbiæ. *Fabr. E.* i. 467.
Ch. Euphorbiæ. *Marsh.* i. 204.
2167. 17; atrocaerulea * mihi.
2168. 18; cærulea *. *Ent. Heft.* ii. 55.
Ch. flavipes. *Herbst A.* iv. 61.
β; Al. Hyoscyami. *Panz. F.* xxi. f. 4.

2169. 19; *Pseudacori* *. (*Sam. I.* 20.)
 Ch. *Pseudacori*. *Marsh.* i. 196.
 IIa. *violacea*. *Ent. Heft.* ii. 56.
2170. 20; *fuscicornis* *. *Ent. Heft.* ii. 51.
 Ch. *fuscicornis*. *Linn.* ii. 595.
 Cr. *fulvipes*. *Fabr. E.* i. 463.
 Ch. *rufipes*. *DeGeer.* v. 343.—*Marsh.* i. 198.—*Don.* xi.
pl. 365. *f.* 3.
 Al. *rufipes*. *Panz. F.* xxi. *f.* 10.
 IIa. *rufipes*. (*Sam. I.* 20.)
 + + *Tarsi postici elongati*.
2171. 21; *quadripustulata*. *Illig. M.* vi. 168.—*Panz. F.* lxxxviii.
f. 2.
 Al. *quatuorpustulata*. *Oliv. E. M.* iv. 109?
 Ch. *Cynoglossi*. *Marsh.* i. 205.
 Ha. *quadrimaculata*. *Ent. Heft.* ii. 128.
 Ha. *quadrinotata*. *Dufts. F. A.* iii. 259.
2172. 22; *Verbasci*. *Ent. Heft.* ii. 84. *pl.* 3. *f.* 8.—(*Sam. I.* 20.)
 Ch. *Verbasci*. *Marsh.* i. 202.
2173. 23, *Thapsi*.
 Ch. *Thapsi*. *Marsh.* i. 202.
 Cr. *Sisymbrii*. *Fabr. E.* i. 465?
2174. 24; *tabida* *. *Gyll.* iii. 542.—*Panz. F.* xxi. *f.* 15.—
 (*Sam. I.* 20.)
 Cr. *tabida*. *Fabr. E.* i. 467.—*Stew.* ii. 50.
 Ch. *tabida*. *Marsh.* i. 203.—*Turt.* ii. 168.
2175. 25; *flavicornis* *. *Kirby MSS.*
2176. 26; *atricilla* *. *Ent. Heft.* ii. 86?—(*Sam. I.* 20.)
 Ch. *atricilla*. *Linn.* ii. 594.—*Marsh.* i. 200.—*Turt.* ii. 167.
 β? Ha. *atricapilla*. *Dufts. F. A.* iii. 257.
2177. 27; *piciceps* * *mihi*.
 IIa. *oblongiuscula*. *Dufts. F. A.* iii. 261?
2178. 28; *femoralis* *. (*Sam. I.* 20.)—*Gyll.* iv. 657. (!)
 Ch. *femoralis*. *Marsh.* i. 201.
 Ha. *melanocephala*. *Gyll.* iii. 545.
2179. 29; *confinis* *. *Kirby MSS.*
2180. 30; *atriceps* * *mihi*.
 Ch. *exoleta*. *Marsh.* i. 201.
2181. 31, *lutescens*. *Gyll.* iii. 546.
2182. 32; *ochroleuca* *. (*Sam. I.* 20.)
 Ch. *ochroleuca*. *Marsh.* i. 202.
2183. 33; *suturalis* *. (*Sam. I.* 20.)
 Ch. *suturalis*. *Marsh.* i. 201.

2184. 34; *Nasturtii* *.
 Cr. *Nasturtii*. *Fabr. E. i.* 463.
 Ha. *pratensis* b. *Ent. Heft. ii.* 88. *pl. 3. f. 9.*
 Ga. *atricilla* γ. *Payk. F. ii.* 103.
2185. 35; *thoracica* *. *Kirby MSS.*
2186. 36; *fuscicollis* *. *Kirby MSS.*
2187. 37; *Ballotæ* *.
 Ch. *Ballotæ*. *Marsh. i.* 205.
2188. 38; *pratensis* *. *Ent. Heft. ii.* 88.—*Panz. F. xxi. f. 16.*
 Ga. *atricilla* α. *Payk. F. ii.* 102.
2189. 39; *pallens* *. *Kirby MSS.*
2190. 40; *abdominalis* *. *Megerle*.—*Dufts. F. A. iii.* 262.
2191. 41; *pusilla* *. *Gyll. iii.* 549.
 Ha. *Anglica*. *Marsh. MSS.*
2192. 42; *collaris* * *mihi*.
2193. 43; *lurida* *. *Gyll. iii.* 537.
 Ga. *atricilla*, δ. *Payk. F. ii.* 104.
2194. 44; *castanea* *. *Megerle*.—*Dufts. F. A. iii.* 260.
2195. 45; *brunnea* *. *Dufts. F. A. iii.* 260?
2196. 46; *lævis* *. *Dufts. F. A. iii.* 261.
2197. 47; *fuscescens* *. *Kirby MSS.*
 Al. *pratensis*. *Ent. Heft. ii.* 88?
2198. 48; *nigricans* *. *Kirby MSS.*
2199. 49; *læta* *. *Kirby MSS.*
2200. 50, *Anchusæ*. *Ent. Heft. ii.* 62.
 Ga. *Anchusæ*. *Payk. F. ii.* 101.
 Ch. *Anchusæ*. *Ent. Trans. (Burrell.) i.* 157.
2201. 51; *parvula* *. *Ent. Heft. ii.* 59.
 Ha. *pumila*. *Illig. M. vi.* 170.
2202. 52, *pulex*.
 Ch. *Pulex*. *Marsh. i.* 204.
2203. 53; *pilaris* *. *Kirby MSS.*
2204. 54; *Holsatica* *. *Ent. Heft. ii.* 60.—*Oliv. E. vi.* 721. *pl. 5. f. 74.*
 Ch. *Holsatica*. *Linn. ii.* 595.—*Ent. Trans. (Burrell.) i.* 156.
 † *Elytris punctato-striatis*.
 + *Tarsi postici in apice tibiæ inserti*.
2205. 55; *rustica* *. *Illig. M. vi.* 159.
 Ch. *rustica*. *Linn. ii.* 595.
2206. 56; *semiænea* *. *Ent. Heft. ii.* 43.—(*Sam. I. 20.*)
 Ch. *semiænea*. *Fabr. E. i.* 448.—*Marsh. i.* 194.

2207. 57, Chrysanthemi. *Ent. Heft.* ii. 45.
 2208. 58, ænea.
 Ch. ænea. Mus. Marsham.
 2209. 59, obtusata. *Gyll.* iii. 379.
 2210. 60; ærata. (*Sam. I. 20.*)
 Ch. ærata. Marsh. i. 204.
 2211. 61; striatula*.
 Ch. striatula. Marsh. i. 205.
 Ha. striata. (Sam. I. 20?)
 2212. 62; Rubi*. *Ent. Heft.* ii. 43.
 Cr. Rubi. Fabr. E. i. 468.
 2213. 63; brunnicornis* *mihi.*
 2214. 64; fuscipes*. *Ent. Heft.* ii. 10.—*Panz. F. xxi. f. 11.*—
 (*Sam. I. 20.*)
 Ch. fuscipes. Marsh. i. 199.—Turt. ii. 167.
 2215. 65; tripudiens*. *Kirby MSS.*
 ++ *Tarsi postici elongati, ab apice tibiæ remoti.*
 MACRONEMA, (Megerle.)
 2216. 66; chalcomera*. *Illig. M. vi. 75.*
 2217. 67, Hyoscyami. *Ent. Heft.* ii. 27. *pl. 2. f. 6.*—(*Sam. I. 20.*)
 Ch. Hyoscyami. Linn. ii. 594.—Berk. S. i. 95.—Stew. ii. 49.
 —*Mart. C. pl. 14. f. 15.—Marsh. i. 193.—Turt. ii. 166.*
 2218. 68; Napi*. *Gyll.* iii. 567.
 Ch. Hyoscyami, b. Payk. F. ii. 105.
 2219. 69; Rapæ*. *Illig. M. vi. 174.*
 Ha. violacea. Kirby? MSS.
 2220. 70; chrysocephala*. *Ent. Heft.* ii. 31. *pl. 2. f. 8.*
 Ch. chrysocephala. Linn. ii. 594.—Marsh. i. 193.
 Al. Napi. Panz. F. xxi. f. 3.
 2221. 71; rufilabris*. *Ent. Heft.* ii. 33. *pl. 2. f. 9.*
 2222. 72; brunnipes*? *Megerle.—Dufts. F. A. iii. 280.*
 Ha. Sinapis mihi.
 2223. 73; nigricollis*. (*Sam. I. 20.*)
 Ch. nigricollis. Marsh. i. 205.
 Ch. anglicana. Stew. ii. 49?
 Ch. anglica. Gmel. iv. 1693.—Turt. ii. 167.
 2224. [74; sordida*.] *Kirby.*
 2225. 75; picicornis*. *Kirby MSS.*
 2226. 76; exoleta*. *Illig. M. vi. 176.*—(*Sam. I. 20.*)
 Ch. exoleta. Linn. ii. 594?—Berk. S. i. 95?—Stew. ii. 49?
 —*Turt. ii. 167.*
 Ha. nigriceps. Kirby MSS.

*** *Elytris laevigatis.*

2227 † 77, *Kirbii mihi.*

Ha. cyanoptera. *Kirby MSS.*—non Ha. cyanoptera. *Illig. M.*
vi. 174. In Mus. *D. Kirby.*

** *Thorace posticè transversè impresso.*

† *Elytris punctato-striatis.*

2228. 78; *ferruginea* *. *Schr.*—*Illig. M.* vi. 109.

Ch. *transversa*. *Marsh.* i. 203.

Ha. *transversa*. (*Sam. I.* 20.)

2229. 79; *flava* *.

Mordella flava. *Linn. F. ed. i.* no. 535.

Ch. *exoleta*. *Linn. Faun. ed. ii.* 541. *descr.*

Ha. *ferruginea*, var. *minor*. *Illig. M.* vi. 109.

2230. 80; *similis* *. *Kirby MSS.*

2231. 81; *affinis* *. *Ent. Heft.* ii. 35.—(*Sam. I.* 20.)

Al. *atricilla*. *Panz. F.* xxi. f. 8.

Ch. *atricilla*. *Don.* xvi. 69. *pl.* 566.

Ch. *affinis*. *Ent. Trans. (Burrell.)* i. 157.

2232. 82; *Salicariæ* *. (*Schön. S.* ii. 311.)

Ga. *Salicariæ*. *Payk. F.* iii. *App.* 453.

Ga. *affinis capite pallido*. *Payk. F.* ii. 109.

2233. 83; *Modeeri* *. *Ent. Heft.* ii. 47.—*Panz. F.* xxi. f. 7.—(*Sam. I.* 20.)

Ch. *Modeeri*. *Linn.* ii. 594.—*Marsh.* i. 194.—*Don.* xvi.
pl. 569. f. 2.

β; Ha. *immaculata*. *Kirby MSS.*

2234. 84; *rufipes* *. *Ent. Heft.* ii. 11.

Ch. *rufipes*. *Linn.* ii. 595.

Al. *ruficornis*. *Panz. F.* xxi. f. 12.

Ch. *ruficornis*. *Marsh.* i. 199.—*Don.* xi. *pl.* 365. f. 2.

Ha. *ruficornis*. (*Sam. I.* 20.)

Ch. *cæruleo-striata*. *DeGeer.* v. 343.

2235 † 85, *femorata*. *Gyll.* iii. 559 ?

Ha. *rufipes*, b. *Schön.* ii. 307.

Ha. *lineata*. *Kirby?* *MSS.* In Mus. *D. Kirby.*

2236. 86; *Helxines* *. *Ent. Heft.* ii. 15.—*Panz. F.* xxi. f. 6.—(*Sam. I.* 20.)

Ch. *Helxines*. *Linn.* ii. 594.—*Marsh.* i. 194.

Ch. *viridi-aurata*. *DeGeer.* v. 345.

β; Ch. *aurata*. *Marsh.* i. 195.

Ha. *aurata*. (*Sam. I.* 20.)

γ; Ch. *violaceo-punctata*. *DeGeer.* v. 344.

2237. [87; *fulvicornis* *.]

- Ch. fulvicornis. *Fabr. E. i.* 447.
 Ha. Helxines, b. *Ent. Heft. ii.* 15.
2238. 88, nitidula. *Ent. Heft. ii.* 13.—(*Sam. I. 20.*)
 Ch. nitidula. *Linn. ii.* 594.—*Berk. S. i.* 95.—*Mart. C. pl. 14.*
f. 14.—*Stew. ii.* 49.—*Marsh. i.* 195.—*Don. viii. pl. 273.*—
Turt. ii. 166.
2239. 89, cyanea. (*Sam. I. 20.*)
 Ch. cyanea. *Marsh. i.* 196.
- 2240 † 90, gaudens. *Kirby MSS.* In Mus. *D. Kirby.*
2241. 91; apicalis* *mihi.*
 †† *Elytris temerè punctulatis.*
2242. 92; Oleracea*. *Ent. Heft. ii.* 54.—*Panz. F. xxi. f. 1.*—
 (*Leach E. E. ix. 114.*)—(*Sam. I. 2—20.*)
 Ch. Oleracea. *Linn. ii.* 593.—*Berk. S. i.* 95.—*Stew. ii.* 49.—
Marsh. i. 192.—*Turt. ii.* 165.
2243. [93; indigacea*.] *Illig. M. vi.* 114?
2244. 94; Erucæ*. *Panz. F. xxi. f. 2.*—(*Sam. I. 20.*)
 Ga. Erucæ. *Fabr. E. i.* 497.
 Ch. Erucæ. *Marsh. i.* 193.
 Ha. oleracea, c. *Gyll. iii.* 322.
 2. *Corpore hemisphærico.*
 * *Thorace haud transversè impresso.*
- † *Elytris non striatis.*
2245. 95; testacea*. *Ent. Heft. ii.* 50.—*Panz. F. xxi. f. 13.*—
 (*Leach. E. E. ix. 114.*)—(*Sam. I. 2—20.*)
 Ch. testacea. *Fabr. E. i.* 448.—*Marsh. i.* 202.—*Turt. ii.* 167.
2246. 96; Centaureæ*. *Kirby MSS.*—(*Sam. I. 20.*)
2247. 97; Cardui*. *Kirby MSS.*—*Gyll. iv.* 659. (!)
 †† *Elytris striatis.*
2248. 98; orbiculata*. (*Sam. I. 20.*)
 Ch. orbiculata. *Marsh. i.* 200.
 Ha. Graminis. *Ent. Heft. ii.* 47.
 Ha. Hederæ. *Illig. M. vi.* 164.
2249. 99; globosa*.
 Al. globosa. *Panz. F. xxv. f. 13.*
 Ha. conglomerata. *Illig. M. vi.* 164.
 ** *Thorace lineâ transversâ impressâ: elytris striatis.*
2250. 100; Mercurialis*. *Helwig.*—*Illig. M. vi.* 117.—(*Sam. I. 20.*)
 Ch. pernigra. *Marsh. MSS.*

b. Tibiis posticis dentatis.

a. Capite prominulo: elytris punctato-striatis.

2251. 101; aridella*. *Ent. Heft.* ii. 41. *pl. 3. f. 2.*
 2252. 102; æneofusca*. *Kirby MSS.*—(*Sam. I. 20.*)
 2253. 103; picina*. (*Sam. I. 20.*)
 Ch. picina. *Marsh.* i. 206.
 2254. 104; concinna*. (*Sam. I. 20.*)—(*Kirby & Sp. I. E. i. 182.*)
 Ch. concinna. *Marsh.* i. 196.
 Ha. dentipes. *Ent. Heft.* ii. 58. *pl. 3. f. 1.*
 2255. 105; picipes*. *Kirby MSS.*
 2256. 106; Mannerheimii. *Gyll.* iv. 664.(!)
 2257 + 107, saltitans. *Kirby MSS.* In Mus. D. *Kirby.*
- b. Capite infrâ thoracem retracto: elytris obsoletè striatis.
2258. 108; exaltans*. *Kirby MSS.*
 2259. 109, Cynoglossi. *Ent. Heft.* ii. 20. *pl. 1. f. 2.*
 Ch. pallipes. *Marsh.* *MSS.*

Familia LI. CHYSOMELIDÆ, Leach.

(CHYSOMELINI, *Latr.*—CHYSOMELINÆ p. et CRYPTOCEPHALOIDÆ, *Gyllenhal.*)

(CHYSOMELA p. *Linné*, *Fabr.*, &c.—CRYPTOCEPHALUS, *Fabr.*, *Marsh.*, &c.)

Genus 380. CHYSOMELA *Auctorum. Golden-beetles.*

A. Palpi filiformes.

a. Antennæ subclavatae, breves.

2260. 1; Armoraciæ* *Linn.* ii. 583. *Panz. F.* xliv. *f. 14.*—*Marsh.* i. 179.—*Turt.* ii. 152.
 Ch. cœruleo-Salicis. *DeGeer* v. 318. *pl. 9. f. 24.*
 Ga. Salicis. *Panz. E.* i. 172.
 2261. [2; clavicornis*.] *Kirby MSS.*—(*Sam. I. 10.*)

b. Antennæ extrorsum crassiores, elongatae.

1. Elytris striatis.

* Corpore hemisphærico.

2262. 3, Betulæ*. *Linn.* ii. 587.—*Berk. S.* i. 94.—*Stew.* ii. 46.
 —*Marsh.* i. 178.—*Turt.* ii. 159.—(*Sam. I. 10.*)
 Ch. Plantaginis. *DeGeer.* v. 322.
 Ch. Cochleariae, b. *Gyll.* iii. 480.
 Ch. Cochleariae. *Panz. F.* xliv. *f. 15.*
 2263. 4; Cochleariae. *Fabr. E.* i. 445.
 Alt. Erucæ. *Panz. F.* xxi. *f. 2.*

- Ch. atroviolascens. *Marsh.* i. 184.
 β ; Ch. violascens. *Kirby MSS.*
2264. [5, *Gomphoceros* *.] *Leach MSS.*
2265. 6: *concinna mihi*.
2266. 7; *tumidula* *. *Kirby*.—*Germ. I. N.* i. 583.
 β ; Ch. *confinis*. *Kirby MSS.*
- ** *Corpore oblongo.*
2267. 8; *aucta* *. *Fabr. E.* i. 442.—*Mart. C. pl. 15. f. 27.*—
Marsh. i. 181.—*Don. xi. pl. 373. f. 2.*—*Turt. ii. 150.*—(*Sam. I. 10.*)
 Ch. *analisis*. *Schr. A.* 80.
2268. 9; *Vitellinæ* *. *Linn. ii. 589.*—*Mart. C. pl. 14. f. 1.*—
Stew. ii. 47.—*Marsh. i. 180.*—*Turt. ii. 160.*—(*Sam. I. 11.*)
 β ; Ch. *vulgatissima*. *Linn. ii. 589.*—*Mart. C. pl. 14. f. 8.*—
Marsh. i. 179.
 Ch. *cæruleo Betulæ*. *DeGeer. v.* 317.
 Ga. *Betulæ*. *Panz. F. cii. f. 4.*
 γ ; Ch. *nigrina*. *Kirby MSS.*
2269. 10; *unicolor* *. *Marsh. i. 185.*—(*Sam. I. 10.*)
 β ; Ch. *intermedia*. *Kirby MSS.*?
2. *Elytris punctatis.*
- * *Corpore ovato-hemisphærico.*
2270. 11; *Polygoni* *. *Linn. ii. 589.*—*Berk. S. i. 95.*—*Mart. C. pl. 14. f. 2.*—*Don. iii. pl. 96. f. 1.*—*Stew. ii. 47.*—*Marsh. i. 178.*—*Turt. ii. 148.*—(*Sam. I. 10.*)
 Ga. *ruficollis*. *Fabr. E. i. 479. (!)*—*Turt. ii. 158.*
 Bu. *salicina*. *Scop. C.* 199.
2271. 12; *Raphani* *. *Fabr. E. i. 430.*—*Herbst A. 59. pl. 23. f. 42.*
 Ch. *viridula*. *DeGeer. v.* 311.
 Ch. *Polygoni* β . *Linn. F.* 520.
 Ch. *Hypochæridis*. *Marsh. i. 184.*—*Don. xi. pl. 373. f. 3.*—
 (*Sam. I. 10.*)
 Ch. *holosericea*. *Marsh MSS.*
 Bu. *Syngenesiæ*. *Scop. C.* 193.
 Ch. *Rumicum*. *Kirby MSS.*
- ** *Corpore oblongo.*
2272. 13; *fastuosa* *. *Linn. ii. 470.*—*Mart. C. pl. 14. f. 11.*—
Don. vi. pl. 194.—*Stew. ii. 46.*—*Marsh. i. 174.*—*Turt. ii. 149.*—
 (*Sam. I. 10.*)—(*Curtis l. c. infra folio 111.*)
- B. Palpi securiformes.
- a. *Elytris punctato-striatis.*
1. Thoracis margine haud incrassato.

- 2273 † 14, Adonis. *Fabr. E. i. 431.*—*Curtis iii. pl. 111.*
In Mus. Brit.
2274. 15; pallida*. *Linn. ii. 589.*—*Mart. C. pl. 16. f. 35.*—
Marsh. i. 174.—*Turt. ii. 147.*—(*Sam. I. 10.*)—*Wood. i. 34. pl. 11.*
Ch. Padi. *DeGeer. v. 301.*
Ch. dispar α . *Payk. F. ii. 66.*
2275. 16; decempunctata*. *Linn. ii. 590.*—*Marsh. i. 175.*—
Turt. ii. 147.—(*Sam. I. 10.*)
Ch. nigripes. *DeGeer. v. 296.*
Ch. vitinalis. *Panz. F. lxxviii. f. 3.*—(*Curtis l. c. supra.*)
2276. 17; rufipes*. *DeGeer. v. 295. pl. 8. f. 25.*—(*Curtis l. c. supra.*)
Ch. decempunctata β . *Linn. ii. 590.*—*Mart. C. pl. 16. f. 40.*
Ch. decemnotata. *Marsh. i. 175.*—*Don. xi. pl. 373. f. 1.*—
(*Sam. I. 10.*)
2277. 18, sexpunctata*? *Fabr. E. i. 436.*—*Panz. F. xxvi. f. 11.*
2278. 19; Litura*. *Fabr. E. i. 429.*—*Mart. C. pl. 16. f. 37.*—
Stew. ii. 48.—*Marsh. i. 182.*—*Turt. ii. 152.*—(*Leach. E. F. ix. 115.*)—(*Sam. I. 10.*)
Ch. vernalis. *Forst. C. i. 23.*—*Turt. ii. 157.*—*Stew. ii. 48.*
 β ; Ch. olivacea. *Forst. C. i. 22.*—*Marsh. i. 181.*
Ch. flavicans. *Fabr. E. i. 429.*
- γ ; Ch. rufitarsis. *Marsh. i. 182.*
 δ ; Ch. stygia. *Marsh. i. 183.*
- 2279 † 20, festa. *Kirby MSS.* In Mus. D. *Vigors.*
2. Thoracis margine incrassato.
- * *Corpore oblongo.*
2280. 21, marginata*. *Linn. ii. 591.*—*Panz. F. xvi. f. 11.*—
Marsh. i. 190.—(*Sam. I. 10.*)—(*Curtis l. c. supra.*)
- 2281 † 22, lepida. *Leach. MSS.*—(*Curtis l. c. supra.*)
In Mus. Brit.
2282. 23; geminata*. *Payk. F. ii. 65.*—(*Curtis l. c. supra.*)
Ch. quinquejugis. *Marsh. i. 173.*—(*Sam. I. 10.*)
2283. 24; Hyperici*. *Forst. C. i. 20.*—*Marsh. i. 173.*—(*Sam. i. 10.*)
Ch. anglica. *Gmel. ii. 1689.*—*Stew. ii. 48.*—*Turt. ii. 156.*
Ch. gemellata. *Rossi. i. 30.*—*Panz. F. xliv. f. 6.*
Ch. fucata. *Fabr. E. i. 444.*
Ch. bicolor. *Act. Hol. (Zetterstedt.) 1818. 256.*
- ** *Corpore ovato.*
- 2284 † 25, lurida*. *Linn. ii. 590.* *Panz. F. lxxviii. f. 1.*—(*Sam. I. 10.*)—(*Curtis l. c. supra.*) In Mus. Brit.

2285. 26; lamina *. *Fabr. E. i. 430.—Panz. F. xliv. f. 5.*
Ch. olivacea. Act. Hol. (Schaller.) i. 272.
Ch. orichalcea. Müll. Z. D. pr. 82.
Ch. incrassata. Marsh. i. 186.
Ch. bulgarensis. Schra. A. 70.
2286. 27; Banksii *. *Fabr. E. i. 430.—Mart. C. pl. 16. f. 42.—Don.*
iv. pl. 138. f. 4.—Stew. ii. 45.—Marsh. i. 187.—Turt. ii. 142.—
(Leach. E. E. ix. 115.)—(Sam. I. 10.)
b. *Elytris punctatis.*
 1. Thoracis margine incrassato.
** Corpore oblongo.*
 2287. 28; limbata *. *Fabr. E. i. 441.—Panz. F. xvi. f. 8.—*
Marsh. i. 191.—Turt. ii. 150.—(Sam. I. 10.)—Curtis l. c. supra.)
*** Corpore ovato.*
 2288. 29; sanguinolenta *. *Linn. ii. 591.—Berk. S. i. 95.—*
Mart. C. pl. 15. f. 23.—Don. iv. pl. 111. f. 3, 4.—Stew. ii. 48.—
Marsh. i. 190.—Turt. ii. 150.—(Sam. I. 10.)
Ch. rubromarginata. DeGeer. v. 298.
Ch. marginata. Mus. Lond. (sæpè.)
 2289 † 30, Carnifex. *Payk. F. xvi. f. 9.*
Ch. marginata. Ræm. Ins. 7. pl. 3. f. 10.
Ch. sanguinolenta. Rossi F. i. 77.
Ch. Rossia. Illiger. In Mus. D. Curtis.
 2290. 31; Staphylæa *. *Linn. ii. 590.—Mart. C. pl. 14. f. 3.—*
Stew. ii. 47.—Marsh. i. 186.—Turt. ii. 145.—(Sam. I. 10.)
Ch. cuprea. DeGeer. v. 294. pl. 8. f. 24.
 2291. 32; polita *. *Linn. ii. 590.—Mart. C. pl. 14. f. 5.—Berk. S.*
i. 95.—Stew. ii. 47.—Marsh. i. 188.—Turt. ii. 145.—(Sam. I. 10.)
 2. Thoracis margine haud incrassato.
** Corpore oblongo.*
 2292. 33; fulgida *. *Fabr. E. i. 432.—Ent. Trans. (Haworth.) i.*
250.—(Sam. I. 10.)—(Curtis l. c. supra.)
Ch. graminis, c. Gyll. iii. 468.
 2293. 34; graminis. *Linn. ii. 587.—Barb. G. 40. pl. 4. f. 3.—*
Berk. S. i. 94.—Mart. C. pl. 14. f. 10.—Stew. ii. 46.—Marsh. i.
172.—Don. xi. pl. 365. f. 1. (var. viridi.)—Turt. ii. 144.—Shaw.
G. Z. vi. 53. pl. 17.—(Sam. I. 10.)
 2294 † 35, violacea. *Fabr. E. i. 433.—Panz. F. xliv. f. 8.*
Ch. graminis (var. violacea.) Don. xi. pl. 365. f. 2?
In Mus. Brit. et D. I. H. Griesbach.

2295. 36, cerealis ^a *.

** *Corpore ovato.*

2296. 37; varians *. *Fabr. E. i. 433.*—(*Sam. I. 11.*)
Ch. Marshami. *Don. viii. pl. 286. f. 1.*—*Marsh. i. 173.*—*Turt. ii. 149.*

Coccinella Betulæ. *Scop. C. 221.*

β ; Ch. Centaurei. *Fabr. E. i. 428.*—*Panz. F. xliv. f. 10.*

γ ; Ch. Hyperici. *DeGeer. v. 312. pl. 9. f. 13.*

δ ; Ch. æthiops. *Fabr. E. i. 429?*

ε ; Ch. viridiænea. *Marsh. i. 184.*

2297. 38, hæmoptera. *Linn. ii. 587.*—*Berk. S. i. 94.*—*Mart. C. pl. 15. f. 22.*—*Stew. ii. 46.*—*Marsh. i. 171.*—*Turt. ii. 144.*—(*Sam. I. 10.*)—*Kirby & Sp. I. E. iv. 201.*

Ch. Hottentotta. *Fab. E. i. 429.*

β , Ch. picicornis. *Marsh. MSS.*

2298. 39; goettingensis *. *Linn. ii. 586.*—*Mart. C. pl. 16. f. 41.*—*Don. viii. pl. 286. f. 2.*—*Marsh. i. 171.*—*Turt. ii. 142.*—(*Sam. I. 10.*)

Ch. violacea-nigra. *DeGeer. v. 298.*

Ch. hæmoptera. *Payk. F. ii. 52.*

2299 † 40. Sparshalli ^b. *Curtis MSS.*—*Childr. Address. 7. (!)*
In Mus. D. Sparshall.?

Genus 381. TIMARCHA, (*Megerle,*) (*Samou.,*) (*Kirby.*)

TENEBRIO *p.*, *Linn.*, *Wood.*

2300. 1; Tenebricosa *. (*DeJean C. 122.*) Bloody-nose-Beetle.
Ch. tenebricosa. *Fabr. E. i. 423.*—*Mart. C. pl. 16. f. 43.*—*Don. viii. pl. 276.*—*Marsh. i. 169.*—*Turt. 141.*—(*Sam. I. 10.*)—(*Kirby & Sp. I. E. ii. 321. & iii. 99.*)
Ch. tenebrioides. *Gmel. ii. 1667.*
Te. lævigatus. *Linn. ii. 678.*—*Wood. i. 72. pl. 26.*
Te. cæruleus. *Berk. S. i. 109.*
Ch. grossa. *Müll. Z. D. pr. 81.*

2301. 2; coriaria *. (*DeJean C. 122.*)—(*Samou. pl. 2. f. 12.*)
Ch. coriaria. *Fabr. E. i. 424.*—*Panz. F. xliv. f. 2.*—*Marsh. i. 170.*—*Samou. 53.*
Ch. goettingensis. *Payk. F. ii. 51.*
 β ; Ch. violacea-nigra. *DeGeer. v. 298.*
 γ ; Ch. iopa. *Marsh. i. 170.*

^a 2295. 36, cerealis *. *Linn. ii. 558.*—*Berk. S. i. 94. (!)*—*Don. iv. pl. 115. (!)*—*Stew. ii. 46. (!)*—*Marsh. i. 185. (!)*—*Turt. ii. 148. (!)*

^b An hujus divisio?

Genus 382. —

A. Corpore ovato aut subelongato.

a. *Elytris punctatis.*

2302. 1; Populi*.

Ch. Populi. *Linn.* ii. 390.—*Mart. C. pl.* 15. *f.* 18, 19.—*Berk. S.* i. 95.—*Stew.* ii. 47.—*Marsh.* i. 188.—*Turt.* ii. 145.—*Shaw G.Z.* vi. 57. *pl.* 17.—(*Sam. I.* 10.)—(*Kirby & Sp. I. E.* ii. 245.)2303. 2; Tremulæ*. *Fabr. E.* i. 434.—*Marsh.* i. 189.—(*Sam. I.* 10.) Ch. Populi β. *Laich. T.* i. 150.b. *Elytris striatis.*2304. 3, vigintipunctata. *Fabr. E.* i. 442.—*Panz. F.* vi. *f.* 10.—*Stew.* ii. 48.—*Marsh.* i. 191.—*Turt.* ii. 161.Ch. vicies maculata. *Bergs. N.* i. 87. *pl.* 13. *f.* 10.

2305 † 4. Lapponica*.

2306. 5, ænea. *Linn.* ii. 587.—*Panz. F.* xxv. *f.* 9.—*Marsh.* i. 189. *Turt.* ii. 151.Ch. viridis Alni. *DeGeer.* v. 305.

B. Corpore elongato.

2307. 6; marginella*. *Linn.* ii. 591.—*Mart. C. pl.* 15. *f.* 26.—*Stew.* ii. 48.—*Marsh.* i. 181.—*Turt.* ii. 150.—(*Leach. E. E.* ix. 115.)—(*Sam. I.* 10.)Ch. marginella Ranunculi. *DeGeer.* v. 304.Genus 383. HELODES, *Paykul*, Leach, Samou., Millard, (Kirby.)PRASOCURIS, *Latr.*—CRYPTOCEPHALUS p, *Gmel.*—CRIOCERIS p, *Panzer.*2308. 1; Phellandrii*. *Fabr. E.* i. 469.—(*Leach. E. E.* ix. 115.)—(*Sam. I.* 21.)Ch. Phellandrii. *Linn.* ii. 601.—*Berk. S.* i. 96.—*Marsh.* i. 185.Cry. Phellandrii. *Gmel.* iv. 1723.—*Stew.* ii. 51.—*Turt.* ii. 190.Cri. Phellandrii. *Panz. F.* lxxxiii. *f.* 9.Ch. calmariensis. *Don.* vi. 13. *pl.* 185. *f.* 1.2309. 2; Beccabungæ*. *Payk. F.* iii. 451.Ch. Beccabungæ. *Panz. F.* xxv. *f.* 11.—*Marsh.* i. 186.He. violacea. *Fabr. E.* i. 470.—(*Leach. E. E.* ix. 115.)—(*Sam. I.* 21.)Genus 384. CLYTHRA, *Laicharting*, Leach, Samou., Millard.

MELOLONTHA p, Müller.

2310. 1; quadripunctata*. *Fabr. E.* ii. 31.—(*Leach. E. E.* ix. 115.)—(*Sam. I.* 11.)* 2305 † 4. Lapponica. *Linn.* ii. 591.—*Panz. F.* xxiii. *f.* 13.—*Turt.* ii. 148. (!)
Ch. curvilinea. *DeGeer.* v. 302. *pl.* 9. *f.* 3.

- Cr. quadripunctatus. *Payk.* ii. 123.—*Stew.* ii. 50.—*Marsh.* i. 207.—*Turt.* ii. 172.
- Ch. quadripunctata. *Linn.* ii. 596.—*Berk.* S. i. 96.—*Don.* iv. pl. 111. f. 1, 2.—*Mart.* C. pl. 17. f. 50.
2311. 2; tridentata*. *Gyll.* iii. 537.—(Sam. I. 11.)
- Ch. tridentata. *Linn.* S. ii. 596.—*Panz.* F. xlvi. f. 12.—*Marsh.* i. 206.
- Cr. tridentatus. *Panz.* F. xlvi. f. 12.
- ♂; Cl. longimana. *Fabr.* E. ii. 37.—*Panz.* F. xlvi. f. 14.
2312. 3, taxicornis. *Fabr.* E. ii. 34.
- Ch. similis. *Illig.* M. (Schneid.) ii. 191. ♀.
- Cr. tridentatus. *Petag.* I. C. 11. pl. f. 8.
- 2313 † 4, longipes?
- Ch. longipes. *Fabr.* E. ii. 28?—*Ent. Trans.* (Leach.) i. 248. pl. 8. fig. sup. ♂.—fig. media, ♀.—*Don.* xv. pl. 520. In Mus. Brit.
- 2314 † 5, Hordei. *Fabr.* E. ii. 41. In Mus. Brit.
- Genus 385. CRYPTOCEPHALUS, *Geoffroy*, *Marsh.*, *Leach*, *Samou.*, *Millard*, *Curtis*.
- BUPRESTIS p, Scop.
- A. Elytris vagè punctatis.
2315. 1; sexpunctatus*. *Fabr.* E. ii. 46.—*Panz.* F. lxvii. f. 7.—*Marsh.* i. 208.—(Sam. I. 13.)—(*Curtis l. c. infra.*)
- Ch. sexpunctata. *Linn.* ii. 599.
2316. 2; Coryli*. *Fabr.* E. ii. 45.—*Marsh.* i. 208.—(Sam. I. 13.)—(*Curtis l. c. infra.*)
- Ch. Coryli. *Don.* ix. pl. 321. f. 1.
- ♂; Cr. Vitis. *Panz.* F. lxvii. f. 5.
2317. 3, Histrio. *Fabr.* E. ii. 55.—*Oliv.* E. v. 96. pl. 3. f. 31. a, b.
2318. 4; sericeus*. *Fabr.* E. ii. 49.—*Stew.* ii. 50.—*Marsh.* i. 209.—*Turt.* ii. 176.—(*Leach* E. E. ix. 115.)—(Sam. I. 13.)—(*Curtis l. c. infra.*)
- Ch. sericea. *Linn.* ii. 598.—*Berk.* S. i. 96.—*Don.* ix. pl. 321. f. 2.—*Mart.* C. pl. 14. f. 6, 7.
- Bu. Syngenesiæ. *Scop.* C. 63.
2319. 5; similis*. (Sam. I. 13.)—(*Curtis l. c. infra.*)
- Cr. violaceus. *Fabr.* E. ii. 47?
2320. 6, nitens*. *Fabr.* E. ii. 49.—*Panz.* F. lxvii. f. 8.—*Marsh.* i. 209.—(Sam. I. 13.)—(*Curtis l. c. infra.*)
- Ch. nitens. *Linn.* ii. 598.
- † ♂, Cr. flavifrons. *Fabr.* E. ii. 51.

B. Elytris punctato-striatis.

2321. 7; bipustulatus. *Fabr. E.* ii. 54.—*Turt. ii.* 178.—*Curtis. i.*
pl. 35.
Cr. biguttatus. *Herbst A.* vii. 163.
Cr. dispar, e. *Gyll. iii.* 615.
2322. 8; Lineola*. *Fabr. E.* ii. 44.—*Marsh. i.* 207.—*Turt. ii.*
178.—*Samou. 53. pl. 2. f. 15.*—(*Curtis l. c. supra.*)
Cr. dispar, b. *Gyll. iii.* 615.
Ch. biliturata. *Don. iii. pl. 99. f. 1-3.*—*Stew. ii.* 48.
Ch. bipunctata. *Berk. S.* i. 96?
Bu. sanguinolenta. *Scop. C.* 66.
2323. 9, nigripennis *mihi.*
2324. 10; Moræi*. *Fabr. E.* ii. 52.—*Panz. F. lxviii. f. 11.* ♀.—
Marsh. i. 212.—(*Sam. I.* 13.)
Ch. Moræi. *Linn. ii.* 597.
2325. 11, vittatus. *Fabr. E.* ii. 50.—*Herbst A.* 62. *pl. 23. f. 23.*
2326. 12; flavilabris*. *Fabr. E.* ii. 51.—(*Sam. I.* 13.)—(*Curtis*
l. c. supra.)
- 2327 † 13, Barbareæ. *Marsh. i.* 212.—(*Curtis l. c. supra.*)
Ch. Barbareæ. *Linn. ii.* 598.
Cr. flavilabris, b. *Gyll. iii.* 625. In *Mus. Brit. et D. Kirby.*
2328. 14; punctiger*. *Payk. ii.* 146.—(*Curtis l. c. supra.*)
Cr. cyaneus. *Wilk. MSS.*
Ch. chrysocephala. *DeGeer. v.* 337.
- 2329 † 15, frontalis. *Marsh. i.* 211.—(*Curtis l. c. supra.*)
Cr. labiatus β. *Schneid. M.* ii. 204.
In *Mus. Brit. et D. Kirby.*
2330. 16; labiatus*. *Fabr. E.* ii. 51.—*Panz. F. lxviii. f. 9.*—
Marsh. i. 211.—(*Sam. I.* 13.)—(*Curtis l. c. supra.*)
Ch. labiata. *Linn. ii.* 598.
2331. 17; exilis*. *Schüppel.*—(*Curtis l. c. supra.*)
2332. 18, bilineatus. *Payk. F. ii.* 170.—*Turt. ii.* 177.—*Ahr. F.* vii.
f. 8.—(*Curtis l. c. supra.*)
Ch. bilineata. *Linn. ii.* 597.
Cr. bilituratus. (*Sam. I.* 13.)
2333. 19; minutus*. *Fabr. E.* ii. 57.—*Panz. F.* xxxix. *f. 18.*
Ch. exoleta. *DeGeer. v.* 338.
Cr. fulvus. *Gmel. iv.* 1711.
- ♂; Cr. pusillus. *Fabr. E.* ii. 56.—*Marsh. i.* 210.—(*Sam. I.* 13.)
—(*Curtis l. c. supra.*)
Cr. exilis. *Gmel. ii.* 1686.
- ♀; Chry. marginella. *Don. x.* 27. *pl. 335.*
Cr. marginellus. *Marsh. i.* 211.—(*Sam. I.* 13.)—(*Curtis l. c.*
supra.)

2334. [20; ochraceus *.] (*Curtis l. c. supra.*)
 2335. [21; gracilis *.] *Fabr. E. ii. 57.—Panz. F. xcvi. f. 5.*
Cr. sanguinicollis. Naturf. (Frölich.) xxvi. 130.
Cr. rufipes. Gmel. ii. 1711.
Cr. minutus ♂. (Schön. S. ii. 370.)

Genus 386. EUMOLPUS, *Fabr.*, *Leach.*

- 2336 † 1, obscurus. *Fabr. E. i. 423.*
Ch. obscura. Linn. ii. 599.
Cr. obscurus. Panz. F. v. f. 12.
Ch. nigro-quadrata. DeGeer. v. 336. In Mus. Brit.
 2337 † 2. Vitis^a.
 2338. 3, pygmæus. *Oliv. E. vi. 916. pl. 2. f. 32.—(Ing. Inst. 88.)*

Familia LII. CASSIDIADÆ, *Leach.*

(CASSIDARIÆ, *Latreille*.—CHIRYSOMELINÆ p, *Gyllenhal.*)

Genus 387. CASSIDA *Auctorum. Tortoise-beetles.*

A. Apterri.

2339. 1: vittata *. *Fabr. E. i. 391.—(Curtis l. c. infra.)—(Ing. Inst. 88.)*
Ca. ocellata. Herbst C. viii. 244. pl. 131. f. 4. b.

B. Alati.

a. *Thoracis angulis posticis haud rotundatis.*

2340. 2; Murraea *. *Linn. ii. 575.—Herbst A. 50. pl. 22. f. 28.*
—Marsh. i. 147.—Samou. 52. pl. 2. f. 10.
 β; Ca. maculata. *Linn. ii. 575.—Berk. S. i. 92.—Don. viii.*
pl. 285.—Stew. ii. 41.—Linn. Trans. (Kirby.) iii. 10.—
Marsh. i. 147.—Turt. ii. 118.—(Curtis l. c. infra.)
 2341. 3; rubiginosa *. *Illig. K. i. 479.*
Ca. viridis. Latr. G. iii. 52.—Panz. F. xcvi. f. 4.—Wood. i.
28. pl. 9.—(Curtis l. c. infra.)
Ca. prasina. Fabr. E. i. 388.
Ca. similis. Marsh. i. 144.—(Sam. I. 9.)

2342. 4. thoracica? *Fabr. E. i. 388?—Panz. F. xxxviii. f. 24?*
*Ca. viridis var. *Act. Holm. (Paykul.) 1801. 120. b?**

b. *Thoracis angulis posticis rotundatis.*

1. Thorace brevissimo, transverso.

2343. 5; equestris *. *Fabr. E. i. 388.—Panz. F. xcvi. f. 5.*
(Leach E. E. ix. 114.)—(Sam. I. 9.)—(Curtis l. c. infra.)

^a 2337 † 2. Vitis. *Fabr. E. i. 422.—Panz. F. lxxxix. f. 12.*

Cr. Vitis. Turt. ii. 175. (!)

Ch. villosula. Schra. E. 95.

Ca. viridis. *Illig.* K. i. 480.—*Berk.* S. i. 92?—*Stew.* ii. 41?
—*Barb.* G. pl. 34. f. 3.—*Linn. Trans. (Kirby.)* iii. 9.—
Shaw G. Z. vi. 53. pl. 15.—*Marsh.* i. 143.—*Turt.* ii. 117.
Ca. Cardui. *DcGeer.* v. 174.

2. Thorace mediocri, haud transverso.

1. *Corpore ovato.*

2344. 6; Vibex *. *Linn.* ii. 575.—*Panz.* F. xvi. f. 6.
Ca. liriophora. *Marsh.* i. 145.—*Linn. Trans. (Kirby.)* iii. 8.
—*Turt.* ii. 117.—(*Curtis l. c. infra.*)
Ca. viridis β. *Payk.* F. ii. 46.

2345. 7; nebulosa *. *Linn.* ii. 575.—*Berk.* S. i. 92.—*Stew.* ii. 41.
—*Marsh.* i. 145.—*Turt.* ii. 118.—(*Sam. I. 9.*)—(*Curtis l. c. infra.*)
Ca. affinis. *Fabr.* E. i. 388.
β; Ca. tigrina. *DeGeer.* v. 168. pl. 5. f. 15, 16.

2346. 8; ferruginea *. *Fabr.* E. i. 391.—*Herbst C.* viii. 245.
pl. 130. f. 14.—*Marsh.* i. 148.
Ca. fusca. *Laich. T.* i. 2. 112.
Ca. obsoleta. (*Curtis l. c. infra.*)

2347. 9; obsoleta *. *Illig.* K. i. 484.
Ca. pallida. *Payk.* F. ii. 50.
Ca. flaveola. *Thunb. I. G.* viii. 108.
Ca. marcida? *Hoff.?*—(*Sam. I. 9.*)—(*Curtis l. c. infra.*)

2348. 10; sanguinolenta *. *Fabr.* E. i. 389.—(*Curtis l. c. infra.*)
Ca. cruentata. *Don.* ii. pl. 63. f. 2, 3.—*Stew.* ii. 41.—
Marsh. i. 145.—*Turt.* ii. 117.—(*Sam. I. 9.*)

2349. 11, singularis *. *Sturm.*

2. *Corpore elongato.*

2350. 12; viridula *. *Payk.* F. ii. 49.
Ca. margaritacea var. *Herbst C.* viii. 225. pl. 130. f. 16.

2351. [13, Spergulæ *.] *Marsh.* i. 144.—(*Sam. I. 9.*)—*Curtis l. c. infra.*)

2352. 14; Salicorniæ *. *Curtis.* iii. pl. 127.

3. *Corpore suborbiculato.*

2353. 15; nobilis *. *Linn.* ii. 575.—*Berk.* S. i. 92.—*Don.* iv.
pl. 138. f. 1, 2, 3.—*Stew.* ii. 41.—*Marsh.* i. 146.—*Turt.* ii. 120.
—(*Sam. I. 9.*)—(*Curtis l. c. supra.*)

2354. 16; splendidula *. *Marsh.* i. 147.—(*Sam. I. 9.*)
Ca. pulchella. *Panz.* F. xxxix. f. 15.
Ca. lævis. *Herbst C.* viii. 250.
Ca. nobilis β. *Illig.* i. 485.

2355. 17; niargaritacea *. *Fabr.* E. i. 397.—(*Curtis l. c. supru.*)
Ca. mutabilis. *Vill.* E. i. 93. pl. 1. f. 11.

2356. 18, reticulata *. Kirby? MSS.

Ca. reticularis. Wilk. MSS.

Ca. anglica. (*Curtis l. c. supra.*)

2357. 19, hemisphærica *. Herbst C. viii. 220. pl. 129. f. 9. G.

Ca. hæmorrhœa. Leach? MSS.

Subsectio 3. TRIMERI, Dumeril.

(*TRIMERA et TETRAMERA p, Latreille.*)

Familia LIII. COCCINELLIDÆ, Latreille.

(*TRIMERA APHIDIPHAGA, Latreille.*)

(*COCCINELLA, Linné, &c.*) *Lady-birds, Lady-cows.*

Genus 388. CHILOCORUS, Leach, Samou., (Kirby.)

PSILA, Kirby MSS.

2358. 1; bipustulatus *. (Sam. I. 10.)

Co. bipustulata. Linn. ii. 585.—Berk. S. i. 94.—Mart. C. pl. 13. f. 21.—Stew. ii. 44.—Marsh. i. 164.—Turt. ii. 138.—Ent. Trans. (Haworth.) i. 285.

Co. fasciata. Payk. F. ii. 25.

Co. frontalis. Act. Ups. (Thunb.) v. 105.

2359. 2; renipustulatus *.

Co. renipustulata. Illig. K. i. 474.

Co. bipustulata. Payk. F. ii. 24.—Herbst C. v. 383. pl. 59. f. 11.

Co. mediopustulata. Schra. B. i. 465.

Co. similis. Rossi i. 68.

Co. Cacti. Marsh. i. 163.—Ent. Trans. (Haworth.) i. 235.

Co. Cacti. (Leach E. E. ix. 116.)—(Sam. I. 10.)

Co. abdominalis. Thunb. I. S. ix. 111.

Coccinella. (Millard. B. E. 173. pl. 2. f. 7.)

2360. 3, hæmorrhoidalis *.

Co. hæmorrhoidalis. Thunb. I. S. ix. 111.

Co. atra. Gmel. iv. 1664?

2361. 4; quadrierrucatus *. (Sam. I. 10.)

Co. quadrierrucata. Fabr. E. i. 381.—Marsh. i. 163.—Ent. Trans. (Haworth.) i. 286.

Co. quadripustulata. Linn. ii. 585?

Co. sexpustulata ♀. Fuesly. M. (Schr.) ii. 148.

Co. lunulata. Gmel. iv. 1662.

Co. Cassidoides. Don. vii. pl. 243. f. 3.

Genus 389. COCCINELLA Auctorum.

A. Glabré.

2362. 1, lateralis *. Illig. K. i. 472.—Panz. F. xxiv. f. 9.—(Sam. I. 12.)—(*Curtis l. c. infra.*)

Co. campestris. *Herbst C.* v. 386.

Co. frontalis α , β . *Payk. F.* ii. 28.

2363. 2; duodecimpunctata*. *Fabr. E.* i. 367.—*Herbst A.* 45.
pl. 58. f. 16.—*Ent. Trans. (Haworth.)* i. 282.—(*Sam. I.* 12.)—
(*Curtis l. c. infra.*)

Co. undecimpunctata. *Gmel. iv.* 1652.

β ; *Co. duodecimpunctata.* *Linn. ii.* 581.—*Marsh. i.* 155.

γ ; *Co. sedecimpunctata.* *Linn. ii.* 582.—*Berk. S.* i. 93.—*Stew.*
ii. 43.

2364. 3; quatuordecimguttata*. *Linn. ii.* 583.—*Berk. S.* i. 94.
—*Mart. C. pl. 13. f. 28.*—*Don. vii. pl. 243. f. 1.*—*Stew. ii.* 44.—
Marsh. i. 161.—*Turt. ii.* 136.—*Ent. Trans. (Haworth.)* i. 294.—
Samou. 52.—(*Curtis l. c. infra.*)

2365. 4, bis-sexguttata*. *Illig. K.* i. 432.—(*Sam. I.* 11.)—(*urtis*
l. c. infra.)

Co. duodecimguttata. *Herbst A.* 47. *pl. 22. f. 21.*

2366. 5, bis-septemguttata. *Illig. K.* i. 433.—*Herbst C.* v. 381.
pl. 59. f. 9.

† β . *Co. quindecimguttata.* *Fabr. E.* i. 375.

Co. duodecimgeminata. *Herbst C.* v. 376. *pl. 59. f. 2.*

2367. 6; sedecimguttata*. *Linn. ii.* 584.—*Mart. C. pl. 13. f. 27.*
—*Marsh. i.* 161.—*Turt. ii.* 136.—*Shaw G. Z.* vi. 59. *pl. 16.*—
Ent. Trans. (Haworth.) i. 295.—(*Sam. I.* 12.)—(*Curtis l. c. infra.*)
 β , *Co. hyalinata.* *Kirby MSS.*

2368 † 7. decemguttata^a.

2369. 8; oblongo-guttata*. *Linn. ii.* 584.—*Mart. C. pl. 13. f. 25.*
—*Stew. ii.* 44.—*Marsh. i.* 162.—*Turt. ii.* 136.—*Don. xi. pl. 362.*
f. 1.—*Ent. Trans. (Haworth.)* i. 295.—(*Sam. I.* 12.)—(*Curtis*
l. c. infra.)

2370. 9; ocellata*. *Linn. ii.* 582.—*Panz. F.* lxxix. *f. 6.*—
(*Sam. I.* 12.)—*Curtis. v. pl. 208.*

2371 † 10. marginepunctata^b.

2372. 11; septempunctata*. *Linn. ii.* 581.—*Berk. S.* i. 93.—
Don. ii. pl. 39. f. 5. *Id. pl. 40. f. 1. larva.*—*Stew. ii.* 43.—*Marsh. i.*
152.—*Turt. ii.* 128.—*Shaw G. Z.* vi. 58. *pl. 16.*—*Bingley.* iii. 130.

^a 2368 † 7. decemguttata. *Fabr. E.* i. 374.—*Herbst A.* 47. *pl. 22. f. 16. g*
—*Turt. ii.* 136. (!)

^b 2371 † 10. marginepunctata. *Fabr. E.* i. 358.—*Panz. F.* lxxix. *f. 1.*

Co. marginella. *Müll. Z. D. pr.* 66.

Co. notata. *Oliv. E.* vi. 51.

Co. albida. *Gmel. iv.* 1646.

β . *Co. sedecimpunctata.* *Fabr. E.* i. 370.—*Panz. F.* lxxix. *f. 2.*—
Turt. ii. 134. (!)

—Ent. Trans. (Haworth.) i. 270.—(Leach E. E. ix. 116.)—
(Sam. I. 12.)—Wood. i. 31. pl. 10.—(Kirby & Sp. I. E. ii. 9.)—
(Curtis l. c. supra.)

Coccinella. Harr. A. pl. 22. f. n—t.

δ ; Co. septempunctata β . Ent. Trans. (Haworth.) i. 270.

θ , Co. circularis. Marsh. MSS.

$\dagger \iota$, Co. æthiops. Haworth. MSS. in Mus. D. Haworth.

2373. 12; quinquepunctata *. Linn. ii. 580.—Berk. S. i. 93.—
Mart. C. pl. 13. f. 26.—Stew. ii. 42.—Marsh. i. 151.—Turt. ii. 127.
—Ent. Trans. (Haworth.) i. 271.—Don. xvi. pl. 572. f. 1.—
(Sam. I. 12.)—(Curtis l. c. supra.)

β ; Co. tripunctata. Rossi i. 61.

γ ; Co. tripunctata. Linn. ii. 580?

2374 \dagger 13. trifasciata *.

2375. 14; vigintiduopunctata *. Linn. ii. 582.—Mart. C. pl. 13.
f. 14.—Berk. S. i. 93.—Don. ii. pl. 39. f. 1. 4.—Marsh. i. 158.—
Stew. ii. 48.—Ent. Trans. (Haworth.) i. 281.—(Sam. I. 12.)—
(Kirby & Sp. I. E. ii. 230.)—(Curtis l. c. supra.)

Co. vigintiduonotata. Turt. ii. 134.

Co. octodecimpunctata. Shaw G. Z. vi. 56?

β ; Co. vigintipunctata. Fabr. E. i. 371. (!)—Marsh. i. 158.—
Turt. ii. 134.

2376. 15; variabilis *. Illig. K. i. 447.—(Sam. I. 12.)—(Curtis
l. c. supra.)

Co. tredecimmaculata. Ent. Trans. (Haworth.) i. 277.

α ; Co. flava. Marsh. i. 160.

Co. immaculata. Oliv. E. vi. 50.

Co. tredecimmaculata μ : (innotata). Ent. Trans. (Haworth.)
i. 279.

β ; Co. tredecimmaculata γ : (bina). Ent. Trans. (Haworth.) i. 279.

γ ; Co. marginepunctata. Marsh. i. 150.

Co. tredecimmaculata. Ent. Trans. (Haworth.) i. 279.

δ ; Co. subpunctata. Schr. 57.

Co. tredecimmaculata ξ : (terna). Ent. Trans. (Haworth.) i. 279.

ε ; Co. tredecimmaculata σ : (quaterna). Ent. Trans. (Haworth.)
i. 279.

Co. quadripunctata. Linn. ii. 580.—Marsh. i. 151.

ζ ; Co. tredecimmaeulata κ . Ent. Trans. (Haworth.) i. 279.

η ; Co. tredecimmaculata π : (quina). Ent. Trans. (Haworth.)
i. 280.

θ ; Co. tredecimmaculata ρ : (sena). Ent. Trans. (Haworth.) i. 280.

ι ; Co. sexpunctata. Müll. Z. D. pr. 622.—Act. Ups. (Thunb.)
iv. pl. 1. f. 3.

* 2374 \dagger 13. trifasciata. Linn. ii. 580.—Herbst C. v. 330. pl. 57. f. 13.—
Stew. ii. 48. (!)

- Co. obliterata. *De Geer.* v. 382.
 α ; Co. sexpunctata. *Linn.* ii. 580.—*Mart. C. pl.* 13. *f.* 15.—
Marsh. i. 152.—*Turt.* ii. 127.
 Co. sexmaculata. *Thunb. I. S.* ix. 106.
 Co. tredecimmaculata ϑ . *Ent. Trans. (Haworth.)* i. 279.
 λ ; Co. octopunctata. *Fabr. E.* i. 365.—*Mart. C. pl.* 13. *f.* 19.—
Marsh. i. 153.—*Turt.* ii. 128.
 Co. tredecimmaculata ζ , η . *Ent. Trans. (Haworth.)* i. 278.
 μ ; Co. tredecimmaculata σ : (septena). *Ent. Trans. (Haworth.)*
 i. 280.
 ν ; Co. decempunctata. *Linn.* ii. 581.—*Marsh.* i. 154.
 Co. tredecimmaculata δ , ϵ . *Ent. Trans. (Haworth.)* i. 278.
 Co. tredecimmaculata. *Don. xii. 93. pl.* 428. *f.* 1 & 3.
 ξ ; Co. undecimnotata. *Marsh.* i. 155.
 Co. tredecimmaculata γ . *Ent. Trans. (Haworth.)* i. 278.
 \circ ; Co. duodecimpunctata. *Müll. Z. D. pr.* 66.
 π ; Co. tredecimmaculata. *Fabr. E.* i. 369.—*Mart. C. pl.* 13. *f.* 18.
 —*Forst. C.* i. 18.—*Marsh.* i. 157.—*Turt.* ii. 133.—*Don.*
 xii. *pl.* 428. *f.* 4.
 Co. tredecimmaculata α . *Ent. Trans. (Haworth.)* i. 277.
 Co. quatuordecimpunctata. *Müll. Z. D. pr.* 67.
 ρ ; Co. tredecimmaculata τ : (suturalis). *Ent. Trans. (Haworth.)*
 i. 280.
 σ ; Co. conglomerata. *Linn.* ii. 583?
 Co. tredecimmaculata β . *Ent. Trans. (Haworth.)* i. 278.
 $\dagger \tau$; Co. tredecimmaculata. *Don. xii. 93. pl.* 428. *f.* 2.
 2377. [16; instabilis*] *mihi*. (*Sam. I. 12.*)—(*Curtis l. c. supra.*)
 Co. variabilis ρ ad ω . *Illig. K.* i. 447, &c.
 Co. decempustulata. *Ent. Trans. (Haworth.)* i. 292.
 α ; Co. decemguttata minor. *Act. Hal. (Schall.)* i. 263.
 Co. decempustulata α : (rubripustulata). *Ent. Trans. (Ha-*
worth.) i. 292.
 β ; Co. decempustulata β : (flavipustulata). *Ent. Trans. (Ha-*
worth.) i. 292.
 γ ; Co. variabilis σ . *Illig. K.* i. 449.
 Co. decempustulata γ : (albipustulata). *Ent. Trans. (Ha-*
worth.) i. 292.
 δ ; Co. decemmaculata. *Scop. C.* 251.
 Co. decempustulata δ : (parvipustulata). *Ent. Trans. (Ha-*
worth.) i. 292.
 ε ; Co. humeralis. *Gmel. iv.* 1665.
 Co. decempustulata ε : (fulvipustulata). *Ent. Trans. (Ha-*
worth.) i. 292.
 ζ ; Co. decemguttata. *Mart. C. pl.* 13. *f.* 23.—*Don. vii. pl.* 243.
f. 1.—*Marsh.* i. 161.
 η ; Co. decempustulata. *Linn. ii.* 585.—*Marsh.* i. 165.—*Turt.* i.
 139.

- ♀; Co. pantherina. *De Geer.* v. 392.
 Co. similata. *Thunb.* I. S. 112.
 ♂; Co. decempustulata γ: (sinuosa). *Ent. Trans. (Haworth.)* i. 293.
 ✕; Co. decempustulata ♀: (rubripunctata). *Ent. Trans. (Haworth.)* i. 293.
 λ; Co. guttato-punctata. *Linn.* ii. 583.
 Co. punctato-guttata. *Gmel.* iv. 1658.
 μ; Co. decempustulata ♂: (obliterata). *Ent. Trans. (Haworth.)* i. 293.
 ν; Co. decempustulata ✕: (octoguttata). *Ent. Trans. (Haworth.)* i. 293.

2378. [17; humeralis *]. (*Schön.* S. ii. 163.)—(*Sam. I.* 12.)—
(*Curtis l. c. supra.*)

- Co. lunæpustulata. *Ent. Trans. (Haworth.)* i. 288.
 α; Co. variabilis αα. *Illig.* K. i. 449.
 Co. bipustulata. *Herbst A.* 48. *pl. 22. f. 22. w.*
 Co. marginata. *Act. Ups. (Thunb.)* iv. 10.
 Co. marginella. *Thunb.* I. S. 110.
 Co. Thunbergii. *Gmel.* iv. 1666.
 Co. lunæpustulata α: (nigra). *Ent. Trans. (Haworth.)* i. 288.
 β; Co. variabilis. *Fabr. E.* i. 380.
 Co. unifasciata. *Scrib. B.* ii. 107. *pl. 8. f. 14.*
 Co. bipunctata var. 11. *Herbst C.* v. 345. *pl. 58. f. 10.*
 Co. dispar 1. *Payk. F.* ii. 19.
 Co. austriaca. *Schra.* 63.
 Co. lunigera. *Brahm. I. K.* i. 119.
 Co. limbata. *Gmel.* iv. 1662.
 Co. lunularis. *Marsh.* i. 168.
 γ; Co. biguttata. *Fabr. E.* i. 374.
 Co. bimaculosa. *Herbst A.* 160. *pl. 43. f. 13. e. f.*
 Co. lunæpustulata β: (biguttata). *Ent. Trans. (Haworth.)* i. 289.
 δ; Co. lunæpustulata γ: (fulva). *Ent. Trans. (Haworth.)* i. 289.
 ε; Co. lunæpustulata δ: (flava). *Ent. Trans. (Haworth.)* i. 289.

2379. 18; conglomerata *. *Fabr. E.* i. 372.—*Stew.* ii. 44.—
Turt. ii. 135.—(*Sam. I.* 12.)—(*Curtis l. c. supra.*)

- Co. conglobata. *Illig.* K. i. 462.
 Co. tessellata. *Schneid. M.* 158.
 α; Co. quatuordecimmaculata. *Fabr. E.* i. 370.—*Marsh.* i. 157.
 —*Ent. Trans. (Haworth.)* i. 281.
 Co. quatuordecimpunctata. *Herbst A.* 44. *pl. 22. f. 5.*
 Co. tetragona. *Laich. T.* ii. 125.
 β; Co. quatuordecimpunctata. *Linn.* ii. 552.—*Berk. S.* i. 93.—
 Stew. ii. 43.—*Marsh.* i. 157.—*Turt.* ii. 130 & 134.—*Ent. Trans. (Haworth.)* i. 280.
 γ; Co. conglobata. *Linn.* ii. 583.

- Co. conglomerata.* *Fabr. E.* i. 372.—*Herbst A.* 46. *pl. 22. f. 15. o.*
Co. tessulata. *Scop. C.* 78.
 δ ; *Co. bis-sexpustulata.* *Fabr. E.* i. 384.
Co. duodecimpustulata. *Fabr. E.* i. 385.—*Marsh.* i. 168.—
Ent. Trans. (Haworth.) i. 286.
Co. dentata. *Thunb. I. S.* ix. 113.
Co. quatuordecimpunctata var. 3. *Herbst C.* v. 336. *pl. 57. f. 18.*
2380. 19; *quatuordecimpustulata* *. *Linn.* ii. 585.—*Stew.* ii. 45.—
Herbst C. v. 388. *pl. 59. f. 17.*—(*Sam. I.* 12.)—(*Curtis l. c. supra.*)
Co. quatuordecimmaculata. *Laich. T.* ii. 139.
Co. quatuordecimpunctata. *Goeze.* viii. 340.
2381. 20; *dispar* *. *Illig. K.* i. 455.—(*Sam. I.* 12.)—(*Curtis l. c. supra.*)
 α ; *Co. bipunctata.* *Linn.* ii. 580.—*Mart. C. pl. 13. f. 17.*—
Berk. S. i. 93.—*Stew.* ii. 42.—*Marsh.* i. 150.—*Turt.* ii. 127.
—*Bingley.* iii. 131.—*Ent. Trans. (Haworth.)* i. 272.
 β ; *Co. bipunctata* β : (*flava*). *Ent. Trans. (Haworth.)* i. 272.
 γ ; *Co. perforata.* *Marsh.* i. 151.—*Ent. Trans. (Haworth.)* i. 271.
 δ ; *Co. bipunctata* γ : (*sesquipunctata*). *Ent. Trans. (Haworth.)*
i. 272.
 ε ; *Co. bipunctata* δ : (*interpunctata*). *Ent. Trans. (Haworth.)*
i. 272.
Co. quadripunctata. *Don.* xvi. 3. *pl. 542.*
 ζ ; *Co. bipunctata* ε : (*rhombipunctata*). *Ent. Trans. (Haworth.)*
i. 272.
 η ; *Co. unifasciata.* *Fabr. E.* i. 263.—*Mart. C. pl. 13. f. 24.*—
Marsh. i. 149.—*Ent. Trans. (Haworth.)* i. 272.
 ϑ ; *Co. hastata.* *Oliv. E. M.* vi. 77.
 ι ; *Co. annulata.* *Fabr. E.* i. 359.—*Don.* vii. 7. *pl. 243. f. 2.*—
Stew. ii. 42.—*Marsh.* i. 149.—*Turt.* ii. 126.
 κ ; *Co. bipunctata* var. 7. *Herbst C.* v. 342. *pl. 58. f. 6.*
Co. cincta. *Schäff. pl. 30. f. 14.*
Co. quadrimaculata. *Scop. C. no. 250.*
Co. bis-quadrupustulata. *Ent. Trans. (Haworth.)* i. 290.
 λ ; *Co. septempustulata.* *Marsh.* i. 165.—*Ent. Trans. (Haworth.)*
i. 290.
Co. tripustulata. *Gmel. iv.* 1662.
Co. pantherina. *Fabr. E.* i. 385.
 μ ; *Co. sexpustulata.* *Linn.* ii. 585.—*Mart. C. pl. 13. f. 22.*—
Berk. S. i. 94.—*Don.* ii. *pl. 39. f. 3.*—*Stew.* ii. 44.—*Marsh.*
i. 165.—*Turt.* ii. 138.—*Ent. Trans. (Haworth.)* i. 290.
 ν ; *Co. quadripustulata.* *Fabr. E.* i. 381.—*Marsh.* i. 164.—
Turt. ii. 138.—*Ent. Trans. (Haworth.)* i. 289.
Co. cincta. *Müll. Z. D. pr.* 68.
2382. 21; *impustulata* *. *Linn.* ii. 584.—*Ent. Trans. (Haworth.)*
i. 288.—(*Sam. I.* 12.)—(*Curtis l. c. supra?*)

- α ; *Co. conglobata* var. 3. *Herbst C.* v. 356. *pl. 58. f. 15.*
Co. marginata. *Marsh. MSS.?*
- β ; *Co. flavipes.* *Thunb. I. S.* ix. 110.
- γ ; *Co. impustulata* β : (*rufo-cincta*). *Ent. Trans. (Haworth.)* i. 288.
- δ ; *Co. curvipustulata.* *Ent. Trans. (Haworth.)* i. 287.
- ε ; *Co. bis-triverrucata.* *Ent. Trans. (Haworth.)* i. 287.
2383. [22; *conglobata**.] *Fabr. E.* i. 373.—*Berk. S.* i. 93.—*Stew. ii. 44.*—*Turt. ii. 135.*—(*Sam. I. 12.*)—(*Curtis l. c. supra.*)
Co. impustulata α — ε . *Illig. K.* i. 459—460.
- α ; *Co. sedecimmaculata.* *Schneid. M.* 156.
- β ; *Co. gemella.* *Herbst A.* 44. *pl. 22. f. 7. g.*
- γ ; *Co. sedecimmaculata.* *Fabr. E.* i. 370.
Co. sedecimpunctata. *Schra.* 57.
Co. octodecimpunctata. *Scop. C.* 77.
Co. rosea. *DeGeer.* v. 378.
2384. 23; *undecimpunctata**. *Linn. ii. 581.*—*Herbst C.* v. 352.
pl. 58. f. 13.—*Marsh. i. 155.*—*Turt. ii. 129.*—*Ent. Trans. (Haworth.)* i. 274.—*Don. xvi. pl. 572. f. 2.*—(*Sam. I. 12.*)—(*Curtis l. c. supra.*)
 α ; *Co. collaris* γ . *Payk. F.* ii. 38.
Co. undecimmaculata. *Thunb. I. S.* ix. 108.
Co. triangularis. *Thunb. I. S.* ix. 108.
- β ; *Co. nigrofasciata.* *Rossi* i. 62.
Co. undecimpunctata β : (*confluens*). *Ent. Trans. (Haworth.)* i. 274.
- δ ; *Co. novempunctata.* *Linn. ii. 581.*—*Berk. S.* i. 93.—*Stew. ii. 43.*—*Marsh. i. 154.*—*Turt. ii. 123.*—*Ent. Trans. (Haworth.)* i. 274.
- ε ; *Co. decempunctata.* *Fabr. E.* i. 81.
2385. 24; *hieroglyphica**. *Linn. ii. 580.*—(*Sam. I. 12.*)—(*Curtis l. c. supra.*)
Co. lineolata. *Marsh. i. 153.*—*Ent. Trans. (Haworth.)* i. 273.
 β ; *Co. flexuosa.* *Fabr. E.* i. 362.
Co. trilineata. *Herbst. A.* 46. *pl. 22. f. 12.*
Co. quadrilineata. *Gmel. iv.* 1658.
Co. octopustulata. *Thunb. I. S.* 112.
Co. sinuata. *Marsh. i.* 160.
 γ ; *Co. sinuosa.* *Marsh. i.* 160.
2386. 25; *octodecimguttata**. *Linn. ii. 585.*—*Marsh. i. 162.*—*Ent. Trans. (Haworth.)* i. 294.—(*Samou. pl. 2. f. 11.*)—(*Curtis l. c. supra.*)
Co. ornata. *Herbst A.* 47. *pl. 22. f. 19.*
2387. 26; *mutabilis**. *Illig. K.* i. 427.—(*Sam. I. 12.*)—(*Curtis l. c. supra.*)
Co. septemnotata. *Ent. Trans. (Haworth.)* i. 275.

- β ; Co. lata. *Fabr. E.* i. 369.
 Co. similis. *Schra.* 56.
 Co. sexpunctata var. 3. *Herbst C.* vi. 328.
- ϵ ; Co. undecimpunctata. *Schra. E.* 54.
- θ ; Co. novempunctata. *Schra. E.* 54.
 Co. sexpunctata var. 2. *Herbst C.* vi. 328.
- Co. septemnotata β : (9-punctata). *Ent. Trans. (Haworth.)* i. 275.
- ι ; Co. constellata. *Laich. T.* ii. 121.
 Co. septemnotata γ : (9-notata). *Ent. Trans. (Haworth.)* i. 275.
- κ ; Co. septemnotata. *Fabr. E.* i. 365.—*Marsh. i. 153.—Panz. F. lxxix. f. 5.—Don. xi. pl. 362. f. 3.—Ent. Trans. (Haworth.) i. 275. a.*
- Co. fennica. *Thunb. I. S.* ix. 106.
 Co. novempunctata var. *DeGeer. v.* 374.
- μ ; Co. observe-punctata. *Schr. 53.*
- ν ; Co. quinuemaculata. *Fabr. E.* i. 364.
 Co. septemnotata δ : (quinuemaculata). *Ent. Trans. (Haworth.)* i. 276.
- ς ; Co. limbata. *Fabr. E.* i. 356.
- τ ; Co. septemnotata ϵ : (3-punctata). *Ent. Trans. (Haworth.)* i. 278.
2388. 27; tredecimpunctata *. *Linn. ii.* 582.—*Stew. ii.* 43.—*Marsh. i. 156.—Turt. ii. 134.—Don. xi. pl. 362. f. 2.—Ent. Trans. (Haworth.) i. 276.—(Sam. I. 12.)—(Curtis l. c. supra.)*
 Co. quatuordecimpunctata. *Don. ii. 2. pl. 39. f. 2.*
2389. 28; novemdecimpunctata *. *Linn. ii.* 582.—*Marsh. i. 158.—Herbst A. 45. pl. 22. f. 9.—Ent. Trans. (Haworth.) i. 277.—(Sam. I. 12.)—(Curtis l. c. supra.)*
- B. Pubescentes.
2390. 29; globosa *. *Illig. K.* i. 469.—(Sam. I. 12.)—(Curtis l. c. supra.)
- α ; Co. impunctata var. *Marsh. i. 148.—Herbst C. v.* 358. *pl. 58. f. 17.*
- β ; Co. impunctata. *DeGeer. v.* 369.
 Co. livida. *Turt. ii.* 126.—*Herbst A. 42. pl. 22. f. 1. a.*
- δ ; Co. Colon. *Herbst A. 42. pl. 22. f. 2. b.*
- ϵ ; Co. quadrinotata. *Fabr. E.* i. 363.
- ζ ; Co. rufa γ . *Ent. Trans. (Haworth.)* i. 284.
- η ; Co. rufa α . *Ent. Trans. (Haworth.)* i. 284.
- ϑ ; Co. vigintiduopunctata. *Fabr. E.* i. 371.—*Turt. ii.* 130.
 Co. vigintiquatuorpunctata β . *Ent. Trans. (Haworth.)* i. 283.
- ι ; Co. rufa β . *Ent. Trans. (Haworth.)* i. 284.
- κ ; Co. vigintiquatuorpunctata. *Linn. ii.* 583.—*Marsh. i. 159. β .*
 —*Don. xi. pl. 362. f. 4.*
- λ ; Co. vigintiquinquepunctata. *Linn. ii.* 583.—*Turt. ii.* 130.

- μ ; Co. vigintiquatuorpunctata. *Marsh.* i. 159.—*Don.* xi. pl. 362.
f. 5.—*Ent. Trans. (Haworth.)* i. 283.
 Co. vigintitrespunctata. *Linn.* ii. 582.
 ν ; Co. hæmorrhoidalis. *Fabr. E.* i. 379.

- 2391 † 30. aptera. *Payk. F.* ii. 11. . . .
 Co. impunctata. *Linn.* ii. 579.—*Panz. F.* xxxvi. *f.* 4.—
Mart. C. pl. 13. f. 20. (!)—*Marsh. i. 148. (!)*—*Turt. ii. 126. (!)*
 —*Ent. Trans. (Haworth.)* i. 284. (!) In Mus. —?

Genus 390. SPHÆROSOMA, *Leach MSS.*—(*Samou.*)

LEPTIUM, *Kirby MSS.*

2392. 1; Quercus*. *Leach MSS.*—(*Sam. I.* 38.)
 † β ? Le. Boleti. *Kirby MSS.* β In Mus. *D. Kirby.*

Genus 391. SCYMNUS, *Herbst*, (*Samou.*)

- NITIDULA *p*, *Fabricius*.—SPHÆRIDIUM *p*, *Thunberg*.—TRITOMA *p*, *Panzer*.—BYRRHUS *p*, *Marsham*.—CHIRYSOMELA *p*, *Schrank*.

2393. 1; ater*. *Schneid. M. (Kugellan.)* i. 548.
 Co. minima. *Payk. F.* ii. 8.

2394. 2; nigrinus*. *Herbst C.* vii. 344.—*Panz. F.* xxiv. *f.* 12.—
 (*Sam. I.* 37.)

- Sc. ater. *Thunb. I. S.* ix. 105.
 Co. Morio. *Payk. F.* ii. 8.
 Co. minima. *Müll. Z. D. pr.* 65.

2395. 3; fulvifrons*. (*Sam. I.* 37.)

- Co. fulvifrons. *Marsh. i.* 168.
 Co. flavipes. *Fabr. E.* i. 377.
 Co. parvula β . *Payk. F.* ii. 9.
 Co. capitata. *Fabr. Sup.* 79?

2396. [4; parvulus*]. (*Sam. I.* 37.)

- Co. parvula. *Fabr. E.* i. 377.—*Panz. F.* xiii. *f.* 2.—*Marsh. i.* 167.
 Co. pygmæa. *Rossi M.* ii. 88.
 Sc. collaris. *Herbst C.* vii. 345. *pl.* 116. *f.* 9.
 Sc. auritus. *Thunb. I. S.* ix. 105.

2397. 5; quadripustulatus*. *Schneid. M. (Kugellan.)* i. 547.—
 (*Sam. I.* 37.)

- Co. quadrimaculata. *Rossi F.* i. 71.—*Marsh. i.* 167.
 Co. quadriguttata. *Brahm. I. K.* i. 221.
 Co. bis-biverrucata. *Panz. F.* xxiv. *f.* 8. (ed. 2-da.)
 Co. villosa. *Fourc.* i. 149.

- β ; Co. bis-bipustulata γ . *Illig. K.* i. 415.

2398. 6, bis-bipustulatus*. (*Sam. I.* 37.)

- Co. bis-bipustulata. *Fabr. E.* i. 382.—*Panz. F.* xiii. *f.* 5?—
Marsh. i. 167.—*Ent. Trans. (Haworth.)* i. 284.
 Sc. quadripustulatus. *Herbst C.* vii. 344. *pl.* 116. *f.* 7. *G.*

2399. 7; bipustulatus*. *Thunb. I. S. ix. 105.—(Sam. I. 37.)*
 Sc. bipunctatus. *Panz. F. xxiv. f. 11.*
 Co. biverrucata. *Illig. K. i. 415.*
 Co. affinis. *Payk. F. ii. 10.*
 Co. bimaculata. *Marsh. i. 166.*
2400. 8, flavilabris*. (*DeJean C. 132.*)
 Co. flavilabris. *Payk. F. ii. 6.*
 Co. humeralis. *Panz. F. (ed. 2-da). xxiv. f. 10.—Marsh. i. 166.*
 Co. frontalis. *Rossi M. App. 36.*
 Sc. bimaculatus. *Thunb. I. S. ix. 105.*
 Sp. bipunctatum. *Thunb. I. S. viii. 102.*
 Sp. bipustulatum. *Thunb. I. S. viii. 102.*
2401. 9; analis*. (*Sam. I. 37.*)
 Co. analis. *Fabr. E. i. 378.—Panz. F. xiii. f. 3.*
 Co. parvula α . *Illig. K. i. 414.*
 Co. ruficollis. *Oliv. E. M. vi. 81.*
 β ; Co. haemorrhoidalis. *Herbst C. v. 342. pl. 116. f. 4. D.—Marsh. i. 168.*
 γ ; Co. biliturata. *Marsh. i. 166.*
2402. 10; discoideus*. (*Sam. I. 37.*)
 Co. discoidea. *Fabr. E. i. 377.*
 Sc. pilosus. *Herbst C. vii. 343. pl. 116. f. 6. F.*
 Sc. suturalis. *Thunb. I. S. ix. 106.*
 Sc. plagiatum. *Thunb. I. S. viii. 101.*
 By. Pini. *Marsh. i. 102.*
2403. 11, atriceps* *mihi.*
2404. 12; limbatus*. *Kirby MSS.*
- Genus 392. RHYZOBius *mihi.*
- NITIDULA *p*, *Fabricius*.—DERMESTES *p*, *Marsh*.—STRONGYLUS *p*, *Herbst*.—ANTHRIPIUS *p*, *Oliv*.—SCYMNUS *p*, *Samou*.—CACIDULA *p*, *DeJean*.—RYZOBius *p*, *Leach. MSS.*
2405. 1; Litura*.
 Ni. litura. *Fabr. E. i. 353.*
 Co. Aurora. *Panz. F. xxxv. f. 5.*
 De. coadunatus. *Marsh. i. 76.*
 Sc. litura. (*Sam. I. 37.*)
 β ; De. hypomelanus. *Marsh. i. 77.*
 γ ; Ni. fasciata. *Fabr. E. i. 353.*
 St. chrysomeloides. *Herbst C. iv. 180.*
 An. lividus. *Oliv. E. M. iv. 161.*
 Ni. testacea. *Panz. E. i. 130.*
 δ ; De. pallidus. *Marsh. i. 79.*
 ϵ ; De. Absinthii. *Marsh. i. 77.*

Genus 393. CACICULA, (*Megerle.*)

CHRYSONELA *p*, *Fabr.*—**NITIDULA** *p*, *Fabr.*—**DERMESTES** *p*, *Herbst.*—**ANTHRIBUS** *p*, *Oliv.*—**STRONGYLUS** *p*, *Herbst.*—**SILPIA** *p*, *Marsh.*—**LASIUS**, *Kirby MSS.*—**RYZOBius** *p*, *Leach MSS.*—**CACIDULA**, (*DeJean,*) *Curtis.*

2406. 1; *pectoralis* *. (*DeJean C. 132.*)—(*Curtis l. c. infra.*)
Ch. pectoralis. *Fabr. E. i. 443.*—*Panz. F. lxxviii. f. 5.*
De. rufus. *Herbst A. 22. pl. 20. f. 7.*
De. testaceus. *Thunb. I. S. vi. 80.*
Si. rosea. *Marsh. i. 123.*

2407. 2, *scutellata* *. (*DeJean C. 132.*)—*Curtis. iii. pl. 144.*
Ci. scutellata. *Fabr. E. i. 443.*
St. quinquepunctatus. *Herbst C. iv. 181. pl. 43. f. 2. b.*
Ni. bipunctata. *Gmel. iv. 1630.*
Si. melanophthalma. *Gmel. iv. 1627.*
La. bifasciatus. *Kirby MSS.*

Familia LIV. ENDOMYCHIDÆ, *Leach.*(TRIMERA FUNGICOLA, *Latreille.*)Genus 394. ENDOMYCHUS, *Paykul*, *Leach*, *Samou.*, *Millard.*

CHRYSONELA *p*, *Linné.*—**TENEBRIÖ** *p*, *Marsh.*

2408. 1; *coccineus* *. *Payk. F. ii. 112.*—(*Leach E. E. ix. 116.*)
—(*Samou. 215. pl. 4. f. 3.*)
Te. coccineus. *Marsh. i. 477.*
Ch. coccinea. *Linn. ii. 592.*—*Mart. C. pl. 16. f. 38.*—*Don. iv. pl. 111. f. 5, 6.*—*Stew. ii. 48.*—*Turt. ii. 161.*
Ch. quadrimaculata. *DeGeer. v. 301. pl. 9. f. 1.*
Ch. quadripunctata. *Turt. ii. 157.*

Genus 395. LYCOPERDINA, *Latr.*, *Leach*, *Samou.*

ENDOMYCHUS *p*, *Fabr.*—**TENEBRIÖ** *p*, *Marsh.*

2409. 1; *Bovistæ* *. *Payk. F. ii. 115.*—(*Leach E. E. ix. 116.*)—
(*Sam. I. 26.*)
En. Bovistæ. *Panz. F. viii. f. 4.*
Te. Bovistæ. *Marsh. i. 478.*
Ly. immaculata. *Latr. G. iii. 73.*
En. Lycoperdi. *Latr. H. xii. 78.*

Familia LV. HISPIDÆ, Kirby.

(CHRYSOMELINI p, Latreille.—HISPOIDEÆ, Gyllenhal.)

Genus 396. HISPA, Linné, Marsh., Leach.

CRIOCERIS p, Geoffroy.

2410. 1, atra *? *Linn.* ii. 603.—*Barb. G.* 42. *pl. 4. f. 16.*—
Turt. ii. 198.—*Marsh. i. 231.*—*Shaw G. Z.* vi. 59. *pl. 19.*
Hi. spinosa. *Fabr. E.* ii. 58.
Cr. spinosissima. *Fourc. i.* 96.

SECTIO V.

(HETEROMERA p et PENTAMERA p, Latreille.—THYSANURIMORPHA? p, MacLeay.)

Familia LVI. TENEBRIONIDÆ.

(TENEBRIONITES et DIAPERIALES p, Latreille.—TENEBRIONIDÆ et DIAPERIDÆ p, Leach.)

(TENEBRIOS p, Linné, &c.)

Genus 397. SARROTRIUM, Illiger, Leach, Samou., Millard.

HISPA p, Linné, Marsh.—PTILINUS p, Paykul.—DERMESTES p, Linn. F.—ORTHOCECUS, Latreille.

2411. 1; muticum*. *Illig. K.* i. 344.—(Leach E. E. ix. 102.)—
(Samou. 193. pl. 2. f. 16.)—(Kirby & Sp. I. E. iii. 522.)
Hi. mutica. *Linn. ii. 604.*—*Marsh. i. 232.*—*Don. xvi. pl. 575.*
—Millard. B. E. 167. pl. 2. f. 6.—*Wood. i. 36. pl. 12.*
Pt. muticus. *Turt. ii. 200.*
De. clavicornis. *Linn. F. 413.*
Te. hirticornis. *DeGeer. v. 47. pl. 3. f. 1.*

Genus 398. HYPOPHLÆUS, Fabricius, Leach.

IPS p, Olivier.

- 2412 † 1, castaneus. *Fabr. E.* ii. 558.—*Panz. F.* xii. *f. 13.*
Ips taxicornis. *Oliv. E.* ii. 11. *pl. 1. f. 2. a, b.*
In Mus. Brit. D. Kirby et Vigors.

2413. 2; bicolor *. *Fabr. E.* ii. 559.—*Panz. F.* xii. *f. 14.*—
(Leach E. E. ix. 102.)—*(Ing. Inst. 88.)*

2414. 3; depressus *. *Fabr. E.* ii. 559.—*Panz. F.* i. *f. 23.*
Si. depressa. *Turt. ii. 108.*
Ips unicolor. *Oliv. E.* ii. 12. *pl. 2. f. 8. a, b.*
Melinus. *Herbst A.* iv. 37. *pl. 21. f. B. b.*

Genus 399. TENEBRIOS Auctorum. Larvæ: Meal-worms.

2415. 1; Molitor *. *Linn.* ii. 674.—*Mart. C.* *pl. 39. f. 2.*—
R

Berk. S. i. 108.—*Stew.* ii. 83.—*Marsh.* i. 474.—*Turt.* ii. 478.—
Panz. F. xlivi. f. 12.—*Shaw G. Z.* vi. 102. pl. 36.—(*Leach E. E.* ix. 102.)—*Samou.* 59. pl. 4. f. 1.

2416. 2, laticollis * *mihi*.

2417. 3; obscurus*. *Fabr. E.* i. 146.—*Panz. F.* xlivi. f. 13.—
(*Leach E. E.* ix. 102.)—(*Sam. I.* 40.)
Te. Morio. *Herbst C.* vii. 247. pl. 111. f. 7.

Genus 400. STENE.

COLYDIUM *p*, *Herbst*.—**TROGOSITA** *p*, *Fabr.*.—**PHALERIA** *p*,
Gyll.—**ULOMA** *p*, *DeJean?*—**STENE** *p*, *Kirby MSS.*

2418. 1; ferrugineus*. *Kirby MSS.*

Te. ferrugineus. *Oliv. E.* iii. 18. pl. 2. f. 24. a, b.—(*Ing.*
Inst. 89.)

Co. testaceum. *Herbst C.* vii. 282. pl. 112. f. 3. E.

Te. testaceus. (*Schön. S.* i. 153.)

Ly. navalis. *Fabr. E. S.* i. b. 504?

♀, St. culinaris. *Kirby MSS.*

Genus 401. USOMA, (*Megerle.*)

PHALERIA *p*, *Latr.*—**TROGOSITA** *p*, *Fabr.*—**ULOMA**, *DeJean.*

2419. 1; cornuta*.

Ph. cornuta. *Latr. G.* ii. 175. pl. 10. f. 4. ♂. f. 5. ♀. (head).
—*Millard B. E.* 118. (!)—(*Ing. Inst.* 89.)

Tr. cornuta. *Fabr. E.* i. 155.

Genus 402. DIAPERIS, *Geoffroy*, *Leach*, *Samou.*, *Millard*, (*Kirby.*)

CHRYSOMELA *p*, *Linn.*—**TENEBRIÖ** *p*, *DeGeer.*—**SCOLYTUS** *p*,
Panzer.—**COCCINELLA** *p*, *Scop.*—**MYCETOPHAGUS** *p*, *Fabr.*

2420. 1, Boleti*. *Fabr. E.* ii. 585.—(*Leach E. E.* ix. 103.)—
(*Sam. I.* 15.)

Ch. Boleti. *Linn.* ii. 591.—*Mart. C.* pl. 16. f. 30.—*Don.* iii.
pl. 78. f. 1. 2.—*Stew.* ii. 47.—*Marsh.* i. 176.—*Turt.* ii. 146.
—*Shaw G. Z.* vi. 59. pl. 18.

Di. fasciata. *Fourc.* i. 153.

2421. 2: violacea. *Fabr. E.* ii. 586.

Ch. dytiscoides. *Rossi.* i. 86. pl. 2. f. 6.—pl. 4. f. 13.

2422. 3; ænea*. *Payk. F.* iii. 359.—(*Ing. Inst.* 88.)

Di. bicolor. *Panz. F.* xciv. f. 9.

My. metallicus. *Fabr. i.* b. 570.

2423. [4, ahenea.] (*Sam. I.* 15.)

Ch. ahenea. *Marsh.* i. 176.

Genus 403. PHALERIA, *Latr.*, *Leach*, *Samou.*, *Millard*, (*Kirby.*)

2424. 1, cadaverina. (*Leach E. E.* ix. 102.)—(*Sam. I.* 33.)—
(*Kirby & Sp. I. E.* i. 173.)

Te. cadaverina. *Fabr.* E. i. 149.—*Sturm D. F.* ii. 230.
pl. xlviij. f. a. A. B.—*Ent. Trans. (Haworth.)* i. 339.

Genus 404. ALPHITOBIUS *mihi*.

2425. 1; picipes*.

Te. Fagi. *Panz. F.* lxi. *f. 3?*

Genus 405. BOLITOPHAGUS, *Fabr.*, *Samou.*

ELEDONA, *Latr.*, *Leach*, *Millard*.—OPATRUM *p.*, *Oliv.*, *Marsh.*

2426. 1; Agricola*. *Fabr.* E. i. 114.

Op. Agricola. *Oliv.* E. iii. 11. *pl. 1. f. 11. a, b.*—*Marsh.* i. 143.

Op. sulcatum. *Thunb.* I. S. v. 67.

El. Agaricicola. *Latr. G.* ii. 178.—(*Leach E. E.* ix. 103.)

Bo. Agaricola. (*Sam. I.* 6.)

2427. [2, brunneus.] *Wilkin. MSS.*

Genus 406. OPATRUM, *Fabr.*, *Marsh.*, *Leach*, *Samou.*, (*Kirby.*)

SILPHA *p.*, *Linné.*

2428. 1; sabulosum*. *Fabr.* E. i. 116.—*Stew.* ii. 40.—*Marsh.* i.

142.—*Turt.* ii. 113.—(*Leach E. E.* ix. 102.)—*Samou.* 51. *pl. 2. f. 8.*

Si. sabulosa. *Linn.* ii. 572.—*Berk. S.* i. 92.

Te. rugosus. *DeGeer.* v. 43. *pl. 2. f. 21.*

2429. 2, tibiale. *Fabr.* E. i. 119.—*Panz. F.* xlivi. *f. 10.*—*Marsh.* i.

142.—*Ent. Trans. (Burrell.)* i. 312.—(*Sam. I.* 32.)

Genus 407. —

OPATRUM *p.*, *Mus. Marsh.*

2430. 1, Marshami *mihi*.

Genus 408. —

2431. 1, obsoletus.

Te. obsoletus. *Marsh.* i. 475.

Genus 409. PEDINUS, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

BLAPS *p.*, *Fabricius*.—HELOPS *p.*, *Oliv.*—OPATRUM *p.*, *Illiger.*

2432. 1, femoralis. *Latr. G.* ii. 165.

Pe. maritimus. (*Leach E. E.* ix. 102.)—(*Sam. I.* 33. *pl. 4. f. 2.*)

♂, Bl. femoralis. *Fabr.* E. i. 143.—*Panz. F.* xxxix. *f. 5.*

Te. gemellatus. *Marsh.* i. 475.

♀, Bl. laticollis. *Herbst C.* viii. 191. *pl. 129. f. 3.*

Te. arenosus. *Marsh.* i. 475.

Te. femoralis. *Linn.* ii. 679.—*Panz. F.* xxxix. *f. 6.*

Genus 410. CRYPTICUS, *Latreille*.

BLAPS *p.*, *Fabr.*—HELOPS *p.*, *Oliv.*

2433. 1, glaber. *Latr. G.* ii. 164.

Bl. glabra. *Fabr. E. i.* 143.
Te. quisquilius. *Linn. iii.* 676?—*Marsh. i.* 475.

Te. humeralis. *Marsh. i.* 476.

Te. nigrinus. *Marsh. i.* 476.

♂, He. laticollis. *Panz. F. xxxvi.* f. 1.

Bl. pusilla. *Herbst C. viii.* 199. *pl. 129.* f. 4.

Pi. laevis. *Gmel. iv.* 2011.

2434. [2, stygius.]

Te. stygius. *Marsh. i.* 476.

Familia LVII. BLAPSIDÆ, Leach.

(*BLAPSIDES*, Latreille.—*TENEBRIONITES p*, Gyllenhal.)

Genus 411. BLAPS, Fabr., Marsh., Leach, Samou., Millard, (Kirby,) Curtis.

Black-beetle. Slow-legged-beetle.

TENEBRIOP p, Linné.—*PIMELIA p*, Gmel.

2435. 1; mortisaga*. *Fabr. E. i.* 141.—*Panz. F. iii.* f. 3.—*Marsh. i.* 479.—*Leach E. E. ix.* 101.—*Samou. 59. pl. 4.* f. 4.—(*Kirby & Sp. I. E. ii.* 242. et *iii.* 344.)—(*Curtis l. c. infra.*)

Te. mortisagus. *Linn. ii.* 676.—*Berk. S. i.* 108.

Te. acuminatus. *De Geer. v.* 31.

Pi. mortisaga. *Gmel. iv.* 2001.—*Stew. ii.* 83.—*Turt. ii.* 490.

2436. 2; obtusa*. *Fabr. E. i.* 141?—*Curtis. iv. pl. 148.*

Te. lethifer. *Schaeff. Ic. pl. 37.* f. 6.

Bl. lethifera. *Marsh. i.* 479.—(*Sam. I. 6.*)

Bl. similis. *Latr. H. x. pl. 279.*

2437 † 3, Gigas. *Herbst C. viii.* 181. *pl. 128.* f. 1.—(*Curtis l. c. supra.*)

Te. Gigas. *Linn. ii.* 676.

Bl. Gages. *Fabr. E. i.* 141. In Mus. D. I. H. Griesbach.

Familia LVIII. HELOPIDÆ.

(*HELOPII et CISTELINÆ p*, Latreille.—*DIAPERIDÆ p*, Leach.)

Genus 412. HELOPS, Fabricius, Leach, Samou., Millard.

TENEBRIOP p, Linné.—*BLAPS p*, Marsh.—*PIMELIA p*, Gmel.

2438. 1; cæruleus*. *Fabr. E. i.* 156.

He. chalybeus. *Oliv. E. iii.* 14. *pl. 2.* f. 9.

Te. chalybeus. *Linn. ii.* 674?—*Herbst C. vii.* 254. *pl. 112.* f. 1.

Bl. violacea. *Marsh. i.* 480.

He. violacea. (*Sam. I. 21.*)

Pi. cærulea. *Gmel. iv.* 2009.—*Stew. ii.* 83.—*Turt. ii.* 494.

2439. 2, lanipes. *Fabr. E. i.* 157.—*Panz. F. l.* f. 2.—(*Leach E. E. ix.* 103.)—(*Sam. I. 21.*)

Te. lanipes. *Linn. M.* 533.

Te. æneus. *Scop. C.* 255.

Te. arboreus. *Schra. A.* 319.

2440. 3; *caraboides**. *Panz. F.* xxiv. f. 3.

He. dermestoides. *Illig. K.* i. 120.

He. striatus. *Oliv. E.* iii. 6. *pl.* 1. *f.* 4.

*Bl. Spartii**. *Marsh.* i. 481.

β ; *He. ruficollis.* *Fabr. E.* i. 163.

2441 † 4. *quisquilius*^a.

Genus 413. —

HELOPS p, *Fabr.*—**CRIOCERIS p,** *Marsh.*—**BLAPS p,** *Marsh.*—
PYROCHROA p, *DeGeer.*

2442. 1; *ater**.

He. ater. *Fabr. E.* i. 161.—*Panz. F.* l. *f.* 3.

Py. nigra. *DeGeer.* iv. 25. *pl.* 1. *f.* 23, 24.

Cr. nigra. *Marsh.* i. 221.—(*Sam. I.* 11.)

Bl. atrata. *Marsh.* i. 480.

Genus 414. **MYCETOCHARUS,** *Latreille.*

MYCETOPHILA^b, *Gyll.*—**CISTELA p,** *Panzer.*

2443. 1; *scapularis**.

My. scapularis. *Gyll.* ii. 549.

Ci. humeralis. *Panz. F.* xxv. *f.* 14.—(*Sam. I.* 11.)

Cr. bipustulatus. *Marsh.* MSS.

Genus 415. **CISTELA,** *Fabr., Leach, Samou., (Kirby.)*

CHRYSOMELA p, *Linné.*—**PYROCHROA p,** *DeGeer.*—**CRIOCERIS p,** *Marsh., Millard.*

A. *Antennis elongatis.*

a. *Antennis serratis.*

2444. 1; *Ceramboides**. *Fabr. E.* ii. 16.—(*Leach E. E.* ix. 104.)
—(*Sam. I.* 11.)

*Ch. Ceramboides**. *Linn. ii.* 602.

Cr. Ceramboides. *Marsh.* i. 222.

Py. rufa. *DeGeer.* v. 23. *pl.* 1. *f.* 20—22.

b. *Antennis haud serratis.*

2445. 2; *castanea**. (*Schön. S.* ii. 338.)—(*Sam. I.* 11.)

Cr. castanea. *Marsh.* i. 223.

Ci. ferruginea. *Fabr. E.* ii. 22?

^a 2441 † 4. *quisquilius.* *Fabr. E.* i. 163.—*Panz. F.* l. *f.* 5.

Pi. quisquilia. *Gmel.* iv. 2011.—*Stew.* ii. 84. (!)—*Turt.* ii. 496. (!)

^b **MYCETOPHILA:** Genus Dipterorum. Vide *Meig. K.* i. 89.

2446. 3; fulvipes *. *Fabr. E. ii. 19.*—(*Sam. I. 11.*)
 Ci. Luperus. *Herbst A. 65. pl. 23. f. 30.*
 Ci. erythropa. *Marsh. i. 223.*
- B. Antennis brevibus.
2447. 4; murina *. *Fabr. E. ii. 19.*—(*Sam. I. 11.*)
 Ch. murina. *Linn. ii. 602.—Mart. C. pl. 16. f. 32.*
 Cr. murina. *Marsh. i. 222.*
 Cry. murinus. *Turt. ii. 183.*
 Ci. reppensis. *Gmel. iv. 1716.—Herbst A. 65. pl. 23. f. 32.*
2448. [5; fusca *.] *Panz. F. xxv. f. 19?*—(*Sam. I. 11.*)
 Cr. fusca. *Marsh. i. 223.*
 Ci. maura. *Fabr. E. ii. 20.*
 Ci. murina β. *Gyll. ii. 626.*

Genus 416. ALLEGULA?

CHRYSOMELA p, *Linn.*—CISTELA p, *Fabr.*—CRIOCERIS p,
Marsh., Millard.—CRYPTOCEPHALUS p, *Gmel.*

2449. 1; sulphurea.
 Ch. sulphurea. *Linn. ii. 602.—Mart. C. pl. 17. f. 44.*
 Cr. sulphurea. *Marsh. i. 219.*
 Cry. sulphureus. *Turt. ii. 183.*
 Ci. sulphurea. (*Sam. I. 11.*)
 Te. flavus. *Scop. C. 260.*
2450. [2, bicolor.]
 Ci. bicolor. *Fabr. E. ii. 18.—Panz. F. xxxiv. f. 8.*
 Cry. sulphuratus. *Gmel. iv. 1717.*

Familia LIX. MELANDRYIDÆ, Leach.

(HELOPII p, Latreille.)

Genus 417. LAGRIA, Fabricius, Leach, Samou., (Kirby.)

CHRYSOMELA p, *Linné.*—CANTHARIS p, *Geoffroy.*—TENEBRIO p, *De Geer.*—AUCHENIA p, *Marsh., Millard.*

2451. 1; hirta *. *Fabr. E. ii. 70.*—(*Leach E. E. ix. 104.*)—
 (*Sam. I. 24.*)
 Ch. hirta. *Linn. ii. 602.—Mart. C. pl. 17. f. 55.*
 Au. hirta. *Marsh. i. 218.*
 Cry. hirtus. *Turt. ii. 196.*
 Te. villosus. *De Geer. v. 44. pl. 2. f. 23, 24.*
 ♀; Ch. pubescens. *Linn. ii. 600.*
 La. pubescens. *Fabr. E. ii. 70.—Panz. F. cvii. f. 1.*

Genus 418. MELANDRYA, *Fabricius*, *Leach*, *Samou.*, *Curtis*.

CHRYSOMELA *p*, *Linné*.—SERROPALPUS *p*, *Illig*.—HELOPS *p*,
Payk.—CRIOCERIS *p*, *Marsh*.—TENEBRIÖ *p*, *Müll*.

2452. 1; caraboides*. *Latr. G.* 191.—(*Leach E. E.* ix. 104.)—
(*Sam. I.* 26.)—(*Curtis l. c. infra*.)

Ch. caraboides. *Linn. ii.* 602.—*Mart. C. pl. 17. f. 58*.

Cr. caraboides. *Marsh. i.* 221.

Me. serrata. *Fabr. E. i.* 163.

Pi. serrata. *Gmel. iv.* 2009.—*Stew. ii.* 84.—*Turt. ii.* 494.

Te. rufibarbis. *Act. Hall. (Schall.) i.* 324.

2453 † 2, canaliculata. *Fabr. E. i.* 164.—*Curtis. iv. pl. 155*.—
(*Ing. Inst. 89*.)

Te. dubius. *Act. Hall. (Schall.) i.* 326. In Mus. *D. Bentley*.

Genus 419. SCRAPTIA, *Latreille*, *Leach*, *Samou.*

MELANDRYA *p*, *Latr. H.*—DIRCÆA *p*, *Schön*.

2454 † 1, fusca*. *Latr. G. ii.* 200.—(*Leach. E. E.* ix. 104.)—
(*Sam. I.* 37.)

Di. sericea. *Schön. S. iii. App. 19*. In Mus. *Brit. et D. Curtis*.

2455. 2; nigricans* *mihi*.

Genus 420. SERROPALPUS, *Hellenius*, *Samou.* 195, *Millard*.

DIRCÆA *p*, *Gyll.*

2456. 1, rufipes*. *Gyll. ii.* 519.

Xi. rufipes. (*Ing. Inst. 89*.)

Se. Vaudoueri. *Latr. MSS.?*—(*DeJean C. 70*.)

Genus 421. XILITA^a.

Genus 422. DIRCÆA, *Fabricius*.

SERROPALPUS *p*, *Latr.?*

2458 † 1, variegata*. *Fabr. E. ii.* 90.

Se. variegatus. *Act. H. N. Paris. 1. pl. 10. f. 2*. In Mus. *Brit.*

Genus 423. HYPULUS, *Paykul*.

DIRCÆA *p*, *Fabr.*—SERROPALPUS *p*, *Illiger*.—ELATER *p*, *Quen-*
sel.—NOTOXUS *p*, *Panz*.

2459. 1; Quercinus*. *Payk. F. i.* 252.—(*Ing. Inst. 88*.)

Di. dubia. *Fabr. E. ii.* 90.

^a Genus 421. XILITA, *Paykul*.

DIRCÆA *p*, *Fabr.*—SERROPALPUS *p*, *Itlig*.—XYLETA, *Millard*. (!)

2457 † 1. buprestoides. *Payk. F. i.* 249.—*MacLeay H. E. i.* 464. (!)

Di. discolor. *Fabr. E. ii.* 89.

Se. lœvigatus. *Illig. K. i.* 131.

Ly. lœvigatum. *Panz. F. xxiv. f. 16*.

No. dubius. *Panz. F.* xi. f. 13.

El. Blekingensis. *Schneid. M. (Rhèn.)* ii. 141.

Genus 424. —

MORDELLA *p.*, *Marsh.*—ANASPIS *p.*, *Samou.*—HALLOMENUS *p?*
Payk.

2460. 1; bifasciata*.

Mo. bifasciata. *Marsh. i.* 493.

An. bifasciatus. (*Sam. I.* 2.)

Ha. fasciatus. *Payk. F.* ii. 182?

2461 † 2, trifasciata *mihi*. In *Mus. D. Curtis?* *Ingpen, Stone, et Vigors.*

Genus 425. ORCHESIA, *Latreille*, *Samou.*, *Millard*, *Curtis.*

DIRCÆA *p.*, *Fabr.*, *Leach.*—SERROPALPUS *p.*, *Illig.*—HALLOMENUS *p.*, *Paykul.*—MEGATOMA *p.*, *Herbst.*—MORDELLA *p.*, *Marsh.*—ANASPIS *p.*, *Latreille.*

2462. 1, micans*. *Latr. G.* ii. 195.—(*Sam. I.* 32.)—(*Curtis l. c. infra.*)

Me. picea. *Herbst C.* iv. 97. *pl. 39. f. 5. a, b, c.*

Mo. Boleti. *Marsh. i.* 494.

An. clavicornis. *Latr. H.* x. 417.

Di. micans. (*Leach. E. E.* ix. 104.)

2463 † 2, fasciata. (*DeJean C.* 69.)—(*Ing. Inst.* 89.)—*Curtis. v.*
197. In *Mus. D. Dale et Vigors.*

Familia LX. MORDELLIDÆ, *Leach.*

(MORDELLONÆ, *Latreille.*)

(MORDELLA, *Linné, &c.*)

Genus 426. ANASPIS, *Geoffroy*, *Leach*, *Samou.*, *Millard.*

2464. 1; frontalis*. *Latr. G.* ii. 210.—(*Leach E. E.* ix. 105.)—(*Sam. I.* 2.)

Mo. frontalis. *Linn. ii.* 682.—*Panz. F.* xiii. f. 13.—*Marsh. i.* 491.—*Turt. ii.* 506.—*Wood. i.* 75. *pl. 28.*

β; An. similis. *Kirby MSS.*

Mo. atra. *Fabr. E.* ii. 126?

γ; An. affinis. *Kirby MSS.*

δ?; An. rufilabris. *Sturm?*—*Gyll. iv.* 521.

2465. 2; lateralis*. (*Schön. S.* iii. 88.)

Mo. lateralis. *Fabr. E.* ii. 125.—*Gyll. ii.* 616.

2466. 3; ruficollis*. (*Schön. S.* iii. 89.)—(*Sam. I.* 2.)

Mo. ruficollis. *Oliv. E.* iii. 9. *pl. 1. f. 9. a, b.*—*Marsh. i.* 491.

2467. 4; fuscescens* *mihi*.

2468. 5; obscura*. (*Schön. S.* iii. 89.)—(*Sam. I.* 2.)

Mo. obscura. *Marsh. i.* 492.

Mo. melanopa. *Forst. C.* i. 64.—*Stew. ii.* 87.—*Turt. ii.* 507.

An. maculata. (*DeJean C.* 73.)

2469. 6; pallida*.
Mo. pallida. *Marsh.* i. 492.
2470. 7, lurida. *Kirby MSS.*
2471. 8; flava*. (*Schön.* S. iii. 89.)
Mo. flava. *Linn.* ii. 682.—*Panz. F.* xiii. f. 14.—*Marsh.* i. 495.
—*Turt.* ii. 506.
- Mo. thoracica β . *Payk. F.* ii. 185.
2472. 9; fusca*. (*Schön.* S. iii. 90.)
Mo. fusca. *Marsh.* i. 493.
- β ; Mo. testacea. *Marsh.* i. 493.
2473. 10, testacea. (*Schön.* S. iii. 90.)
Mo. testacea. *Forst. C.* i. 63.—*Stew.* ii. 86?
Mo. Oxyacanthæ. *Turt.* ii. 506.
An. melanocephala. *Kirby MSS.*?
2474. 11; subfasciata* *mihi.*
2475. 12; quadripustulata*.
Mo. quadripustulata. *Marsh. MSS.*
2476. 13; nigricollis*.
Mo. nigricollis. *Marsh.* i. 492.
Mo. fasciata. *Forst. C.* i. 65.
Mo. bicolor. *Stew.* ii. 87.—*Turt.* ii. 507.
2477. 14; quadrinotata* *mihi.*
2478. 15; biguttata*. (*Sam. I.* 2.)
Mo. biguttata. *Marsh.* i. 492.
2479. 16, scapularis* *mihi.*
- 2480 † 17. thoracica^a.

Genus 427. MORDELLA, *Linné*, *Marsh.*, *Samou.*, *Millard.*

OXURA, *Kirby MSS.* (*olim.*)

2481. 1; abdominalis*. *Fabr. E.* ii. 125.—*Oliv. E.* iii. 7. *pl.* 1. *f.* 5. *a, b.*—*Marsh.* i. 489.—*Turt.* ii. 506.—(*Sam. I.* 27.)
2482. 2; pumila*. *Gyll.* ii. 605.
2483. 3; aculeata*. *Linn.* ii. 682.—*Berk. S.* i. 109.—*Oliv. E.* iii. 4. *pl.* 1. *f.* 1. *a, b, c.*—*Stew.* ii. 86.—*Marsh.* i. 488.—*Turt.* ii. 505.—*Shaw G. Z.* vi. 107. *pl.* 38.—(*Sam. I.* 27.)
2484. 4; ventralis*. *Fabr. E.* ii. 125.
Mo. abdominalis var. b. *Payk. F.* ii. 187.
Mo. nigra. *Marsh.* i. 490.

^a 2480 † 17. thoracica.

Mo. thoracica. *Linn.* ii. 682.—*Oliv. E.* iii. 9. *pl.* 1. *f.* 10. *a, b.*—*Turt.* ii. 506. (!)

2485. 5; humeralis *. *Linn.* ii. 682.—*Panz. F.* lxii. f. 3.—*Marsh. i.* 489.—*Turt. ii.* 506.
2486. 6; variegata *. *Fabr. E.* ii. 122.
Mo. lateralis. *Oliv. E.* iii. 8. *pl.* 1. *f.* 8. *a, b.*
Mo. dorsalis. *Panz. F.* xiii. *f.* 15.
Mo. bicolor. *Marsh. i.* 490.—(Sam. I. 27.)
Mo. humeralis, c. *Payk. F.* ii. 188.
2487. 7; ferruginea *. *Marsh. i.* 490.—(Sam. I. 27.)
 β ; Mo. flavescens. *Marsh. i.* 490.
2488. 8; fasciata *. *Fabr. E.* ii. 122.—*Oliv. E.* iii. 4. *pl.* 1. *f.* 2.
a, b.—*Marsh. i.* 488.—(Samou. 60. *pl.* 4. *f.* 8.)
Mo. aculeata, var. *Linn. ii.* 684.—*Shaw G. Z.* vi. 107.

Genus 428. RIPIPHORUS, *Fabr.*, *Leach.*

RHIPIPHORUS, *Samou.*, *Curtis*, (Kirby.)

2489. 1; paradoxus *. *Fabr. E.* ii. 119.—*Panz. F.* xxvi. *f.* 14.
—(*Leach E. E.* ix. 105.)
Mo. paradoxa. *Linn. ii.* 682.—*Marsh. i.* 491.
Rh. paradoxus. (Sam. I. 36.)—*Curtis. i. pl.* 19.
♀, Ri. angulatus. *Panz. F.* xc. *f.* 3.

Familia LXI. ŒDEMERIDÆ, *Leach.*

(ŒDEMERITES, MALACODERMI p, CANTHARIDIÆ p, et CISTELINIÆ p, *Latreille.*)

Genus 429. SITARIS, *Latr.*

NECYDALIS p, *Fabr.*, *Forst.*, *Don.*, *Marsh.*—CANTHARIS p,
Geoff.—MENYS, *Kirby MSS.*

2490. 1; humeralis. *Latr. G.* ii. 222.
— Ne. humeralis. *Fabr. E.* ii. 371.—*Mart. C. pl.* 23. *f.* 7.—
Don. x. pl. 358. *f.* 1.—*Marsh. i.* 359.
Ne. muralis. *Forst. C. i.* 48.—*Stew. ii.* 67.

Genus 430. —

NECYDALIS p, *Linné*, *Marsh.*, *Millard.*—ŒDEMERA p, *Oliv.*—
CANTHARIS p, *Geoff.*

2491. 1; cærulea *.
Ne. cærulea. *Linn. ii.* 642.—*Mart. C. pl.* 23. *f.* 6.—*Marsh. i.*
359.—*Turt. ii.* 356.—*Shaw G. Z.* vi. 76. *pl.* 27.—*Don. xvi.*
pl. 558.—*Samou.* 55.
Œd. cærulca. (Samou. 198. *pl.* 2. *f.* 28.)
♀; Ne. ceramboides. *Forst. C. i.* 47.—*Mart. C. pl.* 23. *f.* 5.—
Marsh. i. 360.
2492 † 2, marginata?
Ne. marginata. *Fabr. S.* 155?

♂, Ne. femorata. *Panz. F.* xxxvi. f. 12?

In Mus. D. Haworth. et —?

Genus 431. ONCOMERA *miki*.

NECYDALIS *p*, Linné.—ŒDEMERA *p*, Sam.

2493. 1; Podagrariæ*.

Ne. Podagrariae. *Linn. ii.* 642.—*Oliv. E.* iii. 10. *pl.* 1. *f.* 10.
a, b.—*Marsh. i.* 360.

Œd. Podagrariae. (*Sam. I.* 31.)

♀ : Ne. testacea. *Fabr. E.* ii. 373.

Ne. simplex. *Don. x. pl.* 358. *f.* 2.—*Marsh. i.* 361.

Ne. melanocephala. *Panz. F.* xxxvi. *f.* 9.

Genus 432. ŒDEMERA, Olivier, Leach, Samou.

CANTHARIS *p*, Linné, Marsh.—NECYDALIS *p*, Fabr., Millard.

2494. 1; lurida*. (*Sam. I.* 31.)

Ne. lurida. *Marsh. i.* 360.

2495 [† 2, Leontodontis.] *Leach MSS.*

In Mus. Brit.

2496 † 3. viridissima^a.

2497. 4; cærulescens*. *Oliv. E.* iii. 12. *pl.* 2. *f.* 17. *a—d.*

Ne. cærulescens. *Turt. ii.* 355.

Ca. cærulea. *Linn. ii.* 650.

Ne. cyanea. *Fabr. E.* ii. 369.

Ne. viridissima. *Stew. ii.* 67.

Ca. viridissima. *Marsh. i.* 372.

Œd. viridissima. (*Sam. I.* 36.)

2498. 5, fulvicollis?

Ne. fulvicollis. *Fabr. E.* ii. 372?

Œd. ruficollis. (*Sam. I.* 31.)

2499. 6; melanura*. *Oliv. E.* iii. 9. *pl.* 1. *f.* 8. *a, b.*

Ca. melanura. *Linn. ii.* 651.

♂; Ne. notata. *Payk. F.* iii. 132.

Ca. nigripes. *Fabr. E.* i. 302.

Œd. nigripes. (*Sam. I.* 31.)

Ca. acuta. *Marsh. i.* 372.

♂; Ne. Lepturoides. *Act. Ups. (Thunb.)* iv. 18.

Genus 433. LYMEXYLON^b.

^a 2496 † 3. viridissima. *Oliv. E.* iii. 13. *pl.* 2. *f.* 15. *a—d.*

Ne. viridissima. *Fabr. E.* ii. 369.—*Turt. ii.* 354. (!)

^b Genus 433. LYMEXYLON, Fabr.

CANTHARIS *p*, Linné.—PTEROPHORUS, Herbst.

2500 † 1. navale. *Fabr. E.* ii. 88.—*Panz. F.* xxii. *f.* 5.

Ca. navalis. *Linn. ii.* 650.—*Stew. ii.* 70. (!)—*Turt. ii.* 375. (!)

♂. Ly. flavipes. *Fabr. E.* ii. 88.—*Panz. F.* xxii. *f.* 6.

Ca. saxonica. *Gmel. iv.* 1900.

Pterophorus. *Herbst A.* 105. *pl.* 27. *f.* 1. *a, b.*

Genus 434. HYLECÆTUS^a.

Genus 435. NOTHUS? Ziegler.

2502 † 1, bimaculatus?* Oliv. E. M. — ? In Mus. Brit.

Genus 436. CONOPALPUS, Gyll.

NOTHUS p, Mus. Lond.—MELYRIS p, Olivier.—DASYTES p, Schön.—HELLENIA, MacLeay.—ZONITIS, Curtis.

2503. 1; testaceus*.

Me. testacea. Oliv. E. ii. 21. pl. 3. f. 15. a, b.

Zo. testacea. Curtis. iii. pl. 112.

No. pallida. Mus. Lond.

2504. 2, Vigorsii.

He. Vigorsii. MacLeay MSS.

Co. flavicollis. Gyll. ii. 547?

Co. ruficollis mihi.

Genus 437. CALOPUS^b.

Familia LXII. PYROCHROIDÆ, Leach.

(PYROCHROÏDES, Latreille.)

Genus 438. PYROCHROA, Fabr., Don., Marsh., Leach, Samou., Millard.

CANTHARIS p, Linné.—LAMPYRIS p, Schall.
Cardinal-beetle.

2506. 1; rubens*. Fabr. E. ii. 109.—Marsh. i. 363.—(Leach E. E. ix. 104.)—Samou. 56.

Py. purpurata. Müll. Z. D. pr. 80.

Py. Satrapa. Schran. A. 174.

Py. coccinea. Don. ii. pl. 56. f. 1.

Ca. serraticornis. Scop. C. 42.

^a Genus 434. HYLECÆTUS, Latreille.

CANTHARIS p, Linné.—LYMEXYLON p, Fabr.—LYTTA p, Herbst.—HORIA, Stewart.

2501 † 1. dermestoides. Latr. G. i. 266.—Latr. R. A. iii. 252. (!)
Ca. dermestoides. Linn. ii. 650.

Lym. dermestoides. Fabr. E. ii. 87.—Panz. F. xxii. f. 2.

Lyt. francofurtana. Herbst A. 145. pl. 30. f. 4.

Ho. dermestoides. Stew. ii. 68. (!)

♂. Lym. proboscideum. Fabr. E. ii. 87.—Panz. F. xxii. f. 3.

^b Genus 437. CALOPUS, Paykul, Leach.

CERAMBYX p, Linné.

2505 † 1. serraticornis. Payk. F. iii. 65.—Panz. F. iii. f. 15.—Turt. ii. 342. (!)

Ca. serraticornis. Linn. ii. 634.

2507. 2; coccinea*. *Fabr. E.* ii. 108.—*Marsh. i.* 364.—(*Leach E. E.* ix. 104.)—*Samou.* 56. *pl. 3. f. 3.*
Ca. coccinea. *Linn. F.* 705.
La. coccinea. *Turt. ii.* 361.
Py. rubra. *DeGeer. v.* 20. *pl. 1. f. 14—17.*
Py. rubens. *Don. xi.* 65. *pl. 383.*
Py. purpurata. *Schr. A.* 173.

Familia LXIII. CANTHARIDÆ, *Leach.*

(CANTHARIDIÆ, *Latreille.*—MELOOIDES *p.*, *Gyllenhal.*)

Genus 439. PROSCARABÆUS, *Leach MSS.* Oil-beetle.

2508. 1; violaceus*.
Me. violaceus. *Marsh. i.* 482.—*Linn. Trans. (Leach.)* xi. 45.
pl. vii. f. 3, 4, 5.—*Samou.* 369. *pl. 4. f. 7.* ♀.
Me. similis. *Marsh. i.* 482.
Me. tecta. *Don. vii. pl. 240.*—*Stew. ii.* 86.
2509. 2; vulgaris*.
Me. proscarabæus. *Linn. ii.* 679.—*Berk. S. i.* 109.—*Don. ii.*
pl. 43. fig. inf.—*Mart. C. pl. 39. f. 6.*—*Stew. ii.* 88.—
Marsh. i. 481.—*Turt. ii.* 501.—*Shaw G. Z.* vi. 103. *pl. 37.* ♀.
—Linn. Trans. (Leach.) xi. 46. *pl. vii. f. 6, 7.*—(*Sam. I.* 27.)
—(Kirby & Sp. I. E. ii. 250.)
2510. 3; tectus*.
Me. tectus. *Panz. F.* x. *f. 14.*—*Turt. ii.* 502.—*Linn. Trans. (Leach.)* xi. 47. *pl. vii. f. 8, 9.*—(*Sam. I.* 27.)
2511. 4, rugicollis* *michi.*
2512. 5, autumnalis*.
Me. autumnalis. *Oliv. E.* vi. 45. *pl. 1. f. 2.*
Me. punctatus. *Marsh. i.* 483.
Me. glabratus. *Linn. Trans. (Leach.)* xi. 43. *pl. vii. f. 1, 2.*—
(Sam. I. 27.)
- Genus 440. MELOË, *Leach MSS.*
2513. 1, brevicollis*. *Fabr. E.* ii. 588.—*Linn. Trans. (Leach.)*
xi. 41. pl. vi. f. 9.—(*Sam. I.* 27.)
Me. scabriuscula. *Besser.*
2514. 2, punctatus.
Me. punctata. *Fabr. E.* ii. 588. (!)—*Turt. ii.* 502.
Me. rugosus. *Marsh. i.* 483.
Me. autumnalis. *Linn. Trans. (Leach.)* xi. 40. *pl. vi. f. 7, 8.*
—(Sam. I. 27.)
2515. 3, cicaticosus.
Me. cicaticosus. *Linn. Trans. (Leach.)* xi. 39. *pl. vi. f. 5, 6.*
—(Sam. I. 27.)
Me. punctato-radiatus. *Latr. H.* x. 391.

2516. 4; scabrosus. *Marsh.* i. 483.—*Illig.* M. iv. 168.—*Shaw G. Z.* vi. 105.
 Me. variegatus. *Don.* ii. pl. 67.—*Mart. C. pl.* 39. f. 1.—
Turt. ii. 501.—*Linn. Trans. (Leach.)* xi. 37. pl. vi. f. 1, 2.
 —(*Sam. I.* 27.)
 Me. miaialis. *Schæff. Pl.* 3.

Genus 441. CANTHARIS, *Geoffroy, Leach, Samou., (Kirby.)*
LYTTA p, Marsh., Millard. Blister Fly.

2517. 1, vesicatoria*. *Geoffroy.* i. 341.—(*Leach E. E.* ix. 106.)
 —(*Samou.* 198. pl. 4. f. 5.)—(*Kirby & Sp. I. E.* i. 312.—ii. 227.)
 Me. vesicatoria. *Linn.* ii. 679.—*Mart. C. pl.* 39. f. 2.—
Shaw G. Z. vi. 106.
 Ly. vesicatoria. *Fabr. E.* ii. 76.—*Stew.* ii. 85.—*Marsh.* i. 484.
 —*Bingley.* iii. 148.—*Don.* xv. pl. 534.—*Samou.* 59.

Genus 442. —

- LYTTA p, Fabr.?*—*NECYDALIS p, Marsh. MSS.*
 2518. 1, immunis*?
 Ne. immunis. *Marsh. MSS.*

Familia LXIV. NOTOXIDÆ.

(ANTHICITES, *Latreille.*—PYROCHROIDÆ 2, *Leach.*—MELOOIDES *p, Gyllenhal.*)

- Genus 443. NOTOXUS, *Illiger, Leach, Samou., Millard.*
MELOE p, Linn., Don.—ANTHICUS *p, Fabr.*—*LYTTA p, Marsh.*
 2519. 1; monoceros*. *Illig. K.* i. 287.—*Stew.* ii. 63.—*Turt.* ii. 288.—(*Leach E. E.* ix. 104.)—*Samou.* 54. pl. 2. f. 23.
 Me. monoceros. *Linn.* ii. 651.—*Don.* vi. pl. 182.
 Ly. monoceros. *Marsh.* i. 487.
 β ; No. nigricans. *Kirby MSS.*

2520. 2, Rhinoceros.
 An. Rhinoceros. *Fabr. E.* i. 289.
 No. serricornis. *Panz. F.* xxxi. f. 17.

Genus 444. ANTHICUS, *Fabr., Leach, Samou., Millard.*
MELOE p, Linn.—NOTOXUS *p, Illiger.*—*LYTTA p, Marsh.*—CRYPTOCEPHALUS *p, Gmel.*

2521. 1; Antherinus*. *Fabr. E.* i. 291.—(*Leach E. E.* ix. 105.)
 —(*Sam. I.* 3.)
 Me. Antherinus. *Linn.* ii. 681.—*Mart. C. pl.* 39. f. 3.
 Ly. Antherinus. *Marsh.* i. 486.
 No. Antherinus. *Turt.* ii. 288.—*Panz. F.* xi. f. 14.
 β ? An. confinis mihi (olim.)

2522. 2, quadrinotatus. *Gyll.* ii. 498.
2523. 3, ater. *Act. Holm.* (*Payk.*) 1801. 117.
An. *Antherinus* var. c. *Payk.* F. i. 256.
No. ater. *Illig.* K. i. 290.—*Panz.* F. xxxi. f. 15.
2524. 4; fuscus*. (*Leach E. E.* ix. 105.)—(*Sam. I.* 3.)
Ly. fusca. *Marsh.* i. 486.
No. floralis. *Panz.* F. xxiii. f. 4.
2525. 5; floralis*. *Fabr. E.* i. 291.—(*Sam. I.* 3.)
Me. floralis. *Linn.* ii. 681.—*Mart. C. pl.* 39. f. 4.
Ly. floralis. *Marsh.* i. 485.
No. floralis. *Turt.* ii. 288.
2526. 6; equestris*.
No. equestris. *Panz.* F. lxxiv. f. 6.
No. pedestris β. (*Panz. I.* 88.)
- 2527 † 7, pedestris. *Fabr. E.* i. 291? In Mus. D. Curtis?
2528. 8; gracilis*.
No. gracilis. *Kugellan.*—*Panz.* F. xxxviii. f. 21.
- Genus 445. ADERUS, *Westwood* MSS.
- LYTTA p, *Marsh.*—ANTHICUS p, *Paykul.*—NOTOXUS p, *Panzer.*
2529. 1; Boleti*.
Ly. Boleti. *Marsh.* i. 486.
No. melanocephalus. *Panz.* F. xxxv. f. 5.
An. ferrugineus. *Payk.* F. i. 257.
An. pygmæus. *Gyll.* ii. 502?
♂. Ce. pygmæus. *DeGeer.* v. 80. pl. 4. f. 5?
- 2530 † 2, nigricollis.
Ly. nigricollis. *Marsh.* i. 487.
An. oculatus. *Gyll.* ii. 501? In Mus. D. Kirby.

Familia LXV. SCYDMÆNIDÆ, *Leach.*

(PALPATORES, *Latreille.*)

Genus 446. MASTIGUS^a.

Genus 447. SCYDMÆNUS, *Latreille*, *Leach*, *Samou.*, *Millard*, *Denny*.

ANTHICUS p, *Fabr.*—NOTOXUS p, *Panzer.*—LYTTA p, *Marsh.*—
PSELAPHUS p, *Illiger.*

A. Thorace angusto, sæpiùs hirsuto.

2532. 1; tarsatus*. *Kunzé M.* 11.—*Denny M.* 57. pl. 11. f. 11.

^a Genus 446. MASTIGUS, *Latreille*, *Leach.*

2531 † 1, palpalis. *Latr. G.* i. 281. pl. 8. f. 5.—(*Leach E. E.* ix. 92.)
In Mus. *Brit.*

- No. minutus. *Panz.* F. xxiii. f. 5.
 Ly. picea. *Marsh.* i. 486.
 Sc. Hellwigii. *Latr. H.* ix. 156.—*Samou.* 180.
 Sc. Illigeri. *Schüppel.*
2533. 2, ruficornis*. *Kirby MSS.*—*Denny M.* 59. *pl.* 11. *f.* 2.
 2534. 3; hirticollis*. *Gyll.* i. 286.—*Denny M.* 62. *pl.* 12. *f.* 1.
 Ps. hirticollis. *Ent. Trans. (Haworth.)* i. 250.
 Sc. pilosicollis. *Dahl.*
- 2535 † 4, rutilipennis. *Kunzé M.* 17.—*Denny M.* 63. *pl.* 12. *f.* 2.
 In *Mus. Brit.*
- 2536 † 5, denticornis. *Kunzé M.* 20.—*Denny M.* 64. *pl.* 13. *f.* 1.
 In *Mus. Brit.*
- 2537 † 6, elongatulus. *Kunzé M.* 19.—*Denny M.* 65. *pl.* 13. *f.* 2.
 In *Mus. D. Burrell.*
2538. 7; Sparshallii *. *Denny M.* 66. *pl.* 13. *f.* 3.
 2539. 8; scutellaris*. *Kunzé M.* 23.—*Denny M.* 67. *pl.* 12. *f.* 3.
 Sc. Dahlii. *Hoffmansegg.*
- 2540 † 9, bicolor. *Curtis MSS.*—*Denny M.* 68. *pl.* 13. *f.* 4.
 In *Mus. D. Curtis et Hope.*
2541. 10, collaris. *Kunzé M.* 26.—*Denny M.* 69. *pl.* 14. *f.* 2.
 Sc. minutus. *Gyll.* i. 286.
 Ly. nigripes. *Marsh. MSS.*
2542. 11; pusillus*. *Kunzé M.* 25.—*Denny M.* 70. *pl.* 14. *f.* 1.
 2543 † 12. Wighami. *Denny M.* 71. *pl.* 14. *f.* 3. In *Mus. D. Wigham.*
 2544. 13; Dennii * mihi.
- B. Thorace latissimo.
2545. 14, thoracicus. *Kunzé M.* 12.—*Denny M.* 61. *pl.* 11. *f.* 3.
 Sc. auripes. *Wilk. MSS.*

SECTIO VI. BRACHELYTRA, MacLeay.

(DIMERA et PENTAMERA p., *Latr.*—CHILOPODOMORPHA p.,
MacLeay.)

(STAPHYLINII, *Latreille.*—MICROPTERA, *Gravenhorst.*)
 Rove-beetles, Cock-tails.

Familia LXVI. PSELAPHIDÆ, Leach.

(COLEOPTERA-DIMERA, *Latreille.*)

Genus 448. PSELAPHUS, *Herbst*, *Leach*, *Samou.*, *Denny.*

ANTHICUS p., *Panz.*

2546. 1; Herbstii*. *Reich. Ps.* 25.—*Leach Z. M.* iii. 87.—
 (*Samou.* 179. *pl.* 4. *f.* 15.)—*Denny M.* 43. *pl.* 9. *f.* 1.
 Ps. Heisii ♂. *Herbst C.* iv. 110. *pl.*
 Ps. brevipalpis β. *Schr. B.* i. 438.

2547. 2; Heisii*. *Herbst C.* iv. 109.—*Leach Z.* M. iii. 87.—
(Sam. I. 35.)—*Denny M.* 45. pl. 9. f. 2.

Ps. gracilicollis. *Dahl.*

Ps. eurygaster. *Bech. Beyt.* ii. pl. 2. f. 8.

2548. 3; longicollis*. *Reich. Ps.* 30.—*Leach Z.* M. iii. 87.—
(Sam. I. 35.)—*Denny M.* 46. pl. 10. f. 1.

An. Dresdensis. *Panz. F.* xcvi. f. 1.

2549. 4, Dresdensis. *Herbst C.* iv. 110.—*Leach Z.* M. 87.—
(Sam. I. 35.)—*Denny M.* 47. pl. 10. f. 2.

Ps. Heisii. *Payk. F.* iii. 364.

Genus 449. BRYAXIS, *Knoch.*, *Leach*, *Samou.*, *Denny*, (*Kirby*)

STAPHYLINUS *p.*, *Linné*.—**ANTHICUS** *p.*, *Fabr.*

A. Antennarum articulo ultimo acuto.

2550. 1; longicornis*. *Leach Z.* M. iii. 85.—(Sam. I. 7.)—
Denny M. 32. pl. 7. f. 2.—*Zool. J. (Leach.)* ii. 451.

Ps. foveolatus. *Kirby MSS.*

2551. 2; sanguinea*. *Leach Z.* M. iii. 85.—(Sam. I. 7.)—
Denny M. 34. pl. 7. f. 3.—*Zool. J. (Leach.)* ii. 451.

St. sanguineus. *Linn.* ii. 685.

Ps. mucronatus. *Panz. F.* lxxxix. f. 10.

Ps. Paykullii. *Gyllenhal MSS.*

B. Antennarum articulo ultimo obtuso. (REICHENBACHIA, *Leach.*)

2552. 3; fossulata*. *Leach Z.* M. iii. 86.—(Sam. I. 7.)—
Denny M. 37. pl. 8. f. 1.

Br. tripunctatus. *Knoch.*

Ps. cruentatus. *Knoch.*

Ps. pratensis. *Schüppel.*

Ps. ruficornis. *Kirby MSS.*

2553. 4; impressa*. *Leach Z.* M. iii. 86.—(Sam. I. 7.)—
Denny M. 36. pl. 7. f. 4.

Ps. impressus. *Panz. F.* lxxxix. f. 10.—*Ent. Trans. (Haworth.)* i. 256.—*Leach E. E.* ix. 117.

Ps. tripunctatus. *Kirby MSS.*

2554 † 5, nigriventris*. *Denny M.* 41. pl. 7. f. 1.

Ps. nigriventris. *Kirby MSS.*

In *Mus. D. Curtis*, *Hope et Kirby*.

2555. 6, haematica. *Leach Z.* M. iii. 86.—(Sam. I. 7.)—*Denny M.* 38. pl. 8. f. 2.

Ps. haematica. *Reich. Ps.* 52.

Ps. rubellus. *Schüppel.*

Ps. sanguineus. *Germar.*

2556. 7; Juncorum*. *Leach Z.* M. iii. 86.—(Sam. I. 7.)—
Denny M. 40. pl. 8. f. 3.

Rei. Juncorum. *Zool. J. (Leach.)* ii. 452.

Genus 450. TYCHUS, *Leach, Samou., Denny.*

2557. 1; niger*. *Leach Z. M.* iii. 34.—(*Sam. I. 42.*)—*Denny M.*
30. *pl. 6. f. 1.*—*Zool. J. (Leach.) ii.* 450.
 ♂; Ps. niger. *Payk.* iii. 365.
 Ps. nodicornis. *Bch. Beyt.* 12. *pl. 2. f. 10.*
 ♀; Ps. ruficornis. *Dahl.*
 Ps. detritus. *Essenbeck.*
 Ps. congener. *Essenbeck.*
 β; castaneus* *mihi* (*olim.*)

Genus 451. ARCOPAGUS, *Leach, Samou., Denny.*

BOSTRICHUS *p.*, *Schrank.*

2558. 1, glabricollis*. *Leach Z. M.* iii. 83.—(*Sam. I. 5.*)—*Denny M.* 28. *pl. 5. f. 4.*
 Ps. glabricollis. *Reich. Ps.* 43.
 2559 † 2, clavicornis. *Leach Z. M.* iii. 84.—(*Sam. I. 5.*)—*Denny M.*
25. *pl. 5. f. 2.*
 Ps. clavicornis. *Panz. F.* xcix. 3.
 Ps. antennarius. *Hoffmansegg.* In *Mus. Brit.*
 2560. 3; puncticollis*. *Denny M.* 26. *pl. 5. f. 3.*
 2561. 4; bulbifer*. *Leach Z. M.* iii. 84.—(*Sam. I. 5.*)—*Denny M.*
24. *pl. 5. f. 1.*
 Ps. bulbifer. *Reich. Ps.* 37.
 Ps. Klugii. *Hellwig.*
 Bo. anomalus. *Schrank.*

Genus 452. BYTHINUS, *Leach, Samou., Denny.*

2562. 1; Curtisi*. *Leach Z. M.* iii. 83.—(*Sam. I. 8.*)—*Denny M.* 20. *pl. 3. f. 1.*
 Ps. binodis. *Kirby MSS.*
 By. Curtisianus. *Zool. J. (Leach.) ii.* 446.
 2563. 2, securiger*. *Leach Z. M.* iii. 83.—(*Sam. I. 8.*)—*Denny M.* 21. *pl. 3. f. 2.*
 Ps. securiger. *Reich. Ps.* 45.
 Ps. grandipalpus. *Kirby MSS.*

2564 † 3. Burrellii. *Denny M.* 22. *pl. 4. f. 1.* In *Mus. D. Burrell.*

Genus 453. EUPLECTUS, *Kirby, Leach, Samou., Denny.*

STAPHYLINUS *p.*, *Marsh.*

- 2565 † 1, Kirbii. *Leach MSS.*—*Denny M.* 14. *pl. 2. f. 1.*
 In *Mus. Brit.*
 2566. 2; Karstenii. *Denny M.* 12. *pl. 1. f. 3.*
 Ps. Karstenii. *Reich. Ps.* 71.
 St. sanguineus. *Panz. F.* xi. *f. 9.*
 Eu. castaneus. *Leach MSS.*

2567. 3, minutus.
St. minutus. *Marsh.* i. 511.
2568. [4; sanguineus.] *Denny M.* 10. *pl. 1. f. 2.*
- 2569 † 5, signatus. *Denny M.* 13. *pl. 1. f. 4.*
Ps. signatus. *Reich. Ps.* 73.
Eu. unicolor. *Kirby.* In Mus. *D. Kirby.*
- 2570 † 6, Reichenbachii. *Leach Z. M.* iii. 82.—(*Sam. I.* 17.)—
Denny M. 9. *pl. 1. f. 1.*
Ps. nanus. *Reich. Ps.* 69.
Eu. staphylinoides. *Kirby.* In Mus. *D. Curtis, Kirby et Skrimshire.*
2571. 7, pusillus. *Leach MSS.*—*Denny M.* 15. *pl. 2. f. 2.*
Eu. tenuicornis. *Kirby MSS.*
2572. 8, bicolor. *Kirby.*—*Denny M.* 17. *pl. 2. f. 3.*
- 2573 † 9, brevicornis. *Denny M.* 18. *pl. 2. f. 4.*
Ps. brevicornis. *Reich. Ps.* 47.
Eu. Kunzii. *Leach MSS.* In Mus. *Brit. D. Vigors, &c.*
- 2574 † 10. Easterbrookianus. *Zool. Journ. (Leach.)* ii. 445.
In Mus. *D. Easterbrook.*

Familia LXVII. TACHYPORIDÆ, MacLeay.

(ST.-MICROCEPHALI et -DEPLANATI p, Latreille.)

(STAPHYLINUS p, Linné, &c.)

Genus 454. AUTALIA, Leach MSS.—(*Samou.*)

ALEOCHARA p, Gravenhorst.

2575. 1; impressa *.
St. impressus. *Oliv. E.* iii. p. 23. *pl. 5. f. 41. a, b.*
Al. impressa. *Grav. Mi.* 72.—(*Leach E. E.* ix. 92.)—(*Sam. I.* 2.)
2576. [2, plicata *].
Al. plicata. *Kirby MSS.*
2577. 3; ruficornis * mihi.
2578. 4; aterrima * mihi.
2579. 5; rivularis *.
Al. rivularis. *Grav. Mi.* 73.—(*Sam. I.* 2.)
Al. pselaphoides. *Kirby MSS.*
2580. 6; angusticollis * mihi.

Genus 455. FALAGRIA, Leach MSS.—(*Samou.*)

ALEOCHARA p, Grav.

2581. 1; sulcata *.
St. sulcatus. *Payk. F.* iii. 385.—*Oliv. E.* iii. 23. *pl. 6. f. 52.*
a, b.—*Marsh.* i. 507.
Al. sulcata. (*Sam. I.* 2.)

2582. 2, sulcatula.
Al. sulcatula. *Grav. Mo.* 151.
2583. 3, confinis.
Al. confinis. *Kirby MSS.*
2584. 4; obscura*.
Al. obscura. *Grav. Mi.* 74.—(*Sam. I.* 2.)
Al. immunis. *Kirby MSS.*
2585. 5, nigra.
Al. nigra. *Grav. Mi.* 75.
2586. 6, picea.
Al. picea. *Grav. Mi.* 75.
2587. 7, flavipes.
St. flavipes. *Linn.* ii. 685?
St. crassicornis. *Fabr. E.* ii. 601?
Al. flavipes. *Kirby MSS.*
2588. 8, nitens.
Al. nitens. *Kirby MSS.*
2589. 9, floralis. —? *MSS.*
- 2590 † 10, thoracica.
Al. thoracica. *Kirby MSS.* In Mus. D. *Kirby.*

Genus 456. —

- DRUSILLA**^a, *Leach MSS.*—(*Samou.*)—**ALEOCHIARA** *p*, *Graven.*
2591. 1; canaliculata*.
St. canaliculatus. *Fabr. E.* ii. 599.—*Panz. F.* xxvii. f. 13.—
Marsh. i. 507.
Al. canaliculata. *Leach E.* E. ix. 92.—*Samou.* 176.
Dr. canaliculata. *Leach MSS.*

Genus 457. **DINARDA**, *Leach MSS.*—(*Samou.*)LOMECHUSA *p*, *Grav.*

- 2592 † 1, dentata.
Lo. dentata. *Grav. Mo.* 181.—(*Sam. I.* 25.)
St. strumosus. *Payk. F.* iii. 402. In Mus. *Brit.*

Genus 458. —

GONIODES^b, *Kirby MSS.*—LOMECHUSA *p*, *Graven.*

2593. 1; acuminata*.
Go. acuminata. *Kirby MSS.*
Lo. paradoxa. *Gyll.* ii. 438?—*Ahr. F.* v. f. 12?

^a DRUSILLA: Genus Lepidopterorum. Vide *Swain. Z. Ill.*^b GONIODES: Genus Pedicularorum. Vide *Germ. M.* (*Nitzsch.*) iii. 293.

2594 † 2, strumosa *.

St. strumosus. *Fabr. E.* ii. 597.

Lo. strumosa. *Grav. Mo.* 179.

In Mus. *Brit.*

Genus 459. LOMECHUSA, *Gravenhorst, Leach, Samou., (Kirby.)*

2595 † 1, emarginata. *Grav. Mo.* 179.—*Samou.* 177.

St. emarginatus. *Fabr. E.* ii. 600.—*Oliv. E.* iii. 31. *pl.* 2.
f. 12. *a, b.*

In Mus. *D. Vigors.*

Genus 460. ALEOCHARA, *Knoch, Leach, Samou.*

A. "Thorace latitudine longiore." *Kirby MSS.*

2596. 1; longitarsis *. *Kirby MSS.*

2597. 2; aterrima *. *Grav. Mo.* 83.

Al. longicornis, b. *Gyll. ii.* 405.

2598. [3; leucopus *.]

St. leucopus. *Marsh. i.* 506.

β, Al. euceras. *Kirby MSS.*

2599 † 4. frontalis. *Kirby MSS.* In Mus. *D. Sheppard.*

2600. 5, ruficrus. *Kirby MSS.*

2601. 6; foveata *. *Kirby MSS.*

2602. 7, attenuata.

St. attenuatus. *Mus. Marsham.*

2603 † 8, basella. *Kirby MSS.* In Mus. *Brit. D. Kirby et Spence.*

B. "Thorace longitudine vix latior." *Kirby MSS.*

a. "Antennis articulis intermediis campanulatis."—*Kirby MSS.*

1. "Corpore plerumque nigro." *Kirby MSS.*

* "Sericantes." *Kirby.*

2604. 9, subsericea. *Kirby MSS.*

Al. dubia. *Grav. Mo.* 173.

2605. 10, micans. *Kirby MSS.*

2606. 11; Kirbii * mihi.

2607. 12, crassicornis. *Kirby MSS.*

** *Vix sericantes.* † *Elytris discoloribus.*

2608. 13, xanthopus. *Kirby MSS.*

Al. Boleti, var. 2. 1. a. *Grav. Mi.* 80.

Al. Fungi. *Gyll. ii.* 410?

2609. 14, tricolor. *Kirby MSS.*

2610. 15, longicornis. *Grav. Mi.* 87.

2611. 16, antennata *. *Kirby MSS.*

2612. 17, pusilla. *Grav. Mi.* 78.

- 2613 † 18, angustata. *Kirby* MSS. In Mus. D. *Kirby*.
 2614 † 19, contigua. *Kirby* MSS. In Mus. D. *Kirby*.
 2615. 20, xanthoptera. *Kirby* MSS.
 Al. Boleti var. 1. 1 a. *Grav. Mi.* 80.
 St. sordidus. *Marsh.* i. 514.
 β, St. socialis. *Oliv. E.* iii. 37. *pl. 3. f. 25. a, b?*
 2616. 21, vicina. *Kirby* MSS.
 2617. 22, consimilis*. *Kirby* MSS.
 2618. 23; assimilis*. *Kirby* MSS.
 2619. 24, teres. *Grav. Mi.* 79.
 2620. [25, elongata.] *Kirby* MSS.
 2621 [† 26, nitidula.] *Kirby* MSS. In Mus. D. *Kirby*.
 2622. 27, longiuscula. *Grav. Mi.* 80?
 β, Al. pallipes. *Kirby* MSS.
 2623. 28, sericoptera. *Kirby* MSS.
 2624 † 29, striola.
 Al. linearis. *Grav. Mi.* 69. In Mus. D. *Kirby*.
 2625 † 30, pilosella.
 Al. angustula. *Gyll.* ii. 393? In Mus. D. Spence.
 2626. 31, foveolaris. *Kirby* MSS.
 Al. quisquiliarum. *Gyll.* ii. 398?
 2627. 32; nigricornis*. *Kirby* MSS.
 2628 [† 33, migripalpis.] *Kirby* MSS. In Mus. D. *Kirby*.
 2629 † 34, Brassicæ. *Kirby* MSS. In Mus. D. *Kirby*.
 2630. 35; sulcifrons*. *Kirby* MSS.
 2631 † 36, terminalis. *Grav. Mo.* 160. In Mus. D. *Kirby*.
 2632 † 37, nitidiuscula *mihi*.
 Al. nitidula. *Leach?* MSS. In Mus. *Brit.*
 2633. 38, femorata*.
 St. femoratus. *Mus. Marsh.*
 2634. 39; consobrina* *mihi*.
 2635. 40; ochropa* *mihi*.
 2636. 41; caliginosa* *mihi*.
 2637. 42; confinis* *mihi*.
 †† *Elytris concoloribus*.
 2638 † 43, carbonaria. *Kirby* MSS.
 Al. cursitans. *Kirby?* MSS. In Mus. D. *Kirby et Vigors*.
 2639. 44; subpubescens*. *Kirby* MSS.

2640. 45; rufitarsis*. *Kirby MSS.*
Al. æthiops. *Grav. Mi.* 77?
- 2641 † 46, foveola. *Leach MSS.* In Mus. *Brit. et D. Kirby.*
2. Corpore fusco.
2642. 47; lunulata*. *Gyll. ii.* 386.
St. lunulatus. *Payk. F.* iii. 415.
Al. cincta. *Grav. Mo.* 166.
2643. 48; nigricollis*. *Grav. Mi.* 84.
St. nigricollis. *Payk. F.* iii. 400.
2644. 49; picata*. *Kirby MSS.*
3. Corpore basi rufo. * *Thorace rufo.*
2645. 50, collaris. *Grav. Mi.* 72.
St. collaris. *Payk. F.* iii. 401.—*Oliv. E.* iii. 37. *pl. 11. f. 13. a, b.*
** *Thorace nigro.*
2646. 51, Haworthi. *Kirby MSS.*
b. " *Antennis articulis intermediis transversis.*" *Kirby MSS.*
1. *Antennis rufis.*
- 2647 † 52, cingulata. *Kirby MSS.*
Al. alternans. *Grav. Mi.* 85? In Mus. *D. Kirby.*
2648. 53; corticalis*. *Grav. Mi.* 76.
Al. obtusicornis. *Kirby MSS.*
- 2649 † 54, ochropus. *Kirby MSS.* In Mus. *D. Kirby.*
2650. 55; elongatula*. *Grav. Mi.* 79.
2651. [56, rufescens.] *Kirby MSS.*
β; Al. nigricans. *Kirby MSS.*
2652. 57, brachyptera. *Kirby MSS.*
- 2653 † 58, inquinula. *Grav. Mi.* 78.
In Mus. *Brit. D. Kirby et Spence.*
2654. [59, foveolata.] *Kirby MSS.*
2655. 60, nigrofusca. *Kirby MSS.*
Al. Boleti var.?
2656. 61, Boleti. *Kirby MSS.*—*Gyll. ii.* 416.
St. Boleti. *Linn. ii.* 686.—*DeGeer. iv.* 26. *pl. 1. f. 15—17.*
- 2657 † 62. immunis. *Kirby MSS.* In Mus. *D. G. I. Hooker.*
2658. 63; analis* *mihi.*
2659. 64; contigua* *mihi.*
2. *Antennis nigris.*
2660. 65; atramentaria*. *Gyll. ii.* 403.
- 2661 † 66, admota. *Kirby MSS.* In Mus. *D. Kirby.*

2662. 67; pumila. *Kirby MSS.*
 β ? Al. flavipes. *Kirby?* *MSS.*
2663. 68, livipes*. *Kirby MSS.*
 β , Al. dissimilis. *Kirby MSS.*
2664. 69; erythropus*. *Kirby MSS.*
- 2665 † 70. obscuriuscula. *Kirby MSS.* In Mus. D. Sheppard.
- 2666 † 71, auricula. *Kirby MSS.* In Mus. D. *Kirby*.
- 2667 † 72, picipennis. *Kirby MSS.* In Mus. D. *Kirby et Spence*.
2668. 73; fuscula* *mihi*.
2669. 74; brunnipes* *mihi*.
2670. 75, atricornis* *mihi*.
2671. 76, fimetaria* *mihi*.
- C. "Thorace longitudine latiore." *Kirby MSS.*
- a. "Antennis articulis intermediis campanulatis." *Kirby MSS.*
1. Corpore nigro.
2672. 77; socialis*. *Gyll.* ii. 406.
 St. socialis. *Payk. F.* iii. 407.
 Al. Boleti var. *Grav. Mi.* 80.
 Al. pallipennis. *Kirby MSS.*
- 2673 † 78. foveatocollis. *Kirby MSS.* In Mus. D. *Kirby*?
2674. 79, euryptera.
 Al. Boleti var. 2. 1. b. *Grav. Mi.* 80?
2675. 80; obfuscata*. *Grav. Mi.* 87.
2676. 81, laticollis*. *Kirby MSS.*
2677. 82; infuscata*. *Kirby MSS.*
2678. 83, rufangula. *Kirby MSS.*
- 2679 † 84, luripes. *Kirby MSS.* In Mus. D. *Kirby*.
2680. [85, similis.] *Kirby MSS.*
- 2681 † 86, obscurata. *Kirby MSS.*
 Al. pumilio. *Grav. Mi.* 98?
 In Mus. D. *Haworth, Kirby et Spence*.
2682. 87, fulvipes. *Kirby MSS.*
2683. [88, pyrrhopus.] *Kirby MSS.*
- 2684 [† 89, Agarici] *Kirby MSS.* In Mus. D. *Haworth et Kirby*.
2685. 90; atricollis* *mihi*.
2686. 91; brunniceps* *mihi*.
2687. 92; microcephala* *mihi*.
2688. 93, littoralis —? *St. littoralis. Mus. Marsham.*

2689. 94; angusta *mihi*.
 2. Corpore vario.
2690. 95; cinnamomea*. *Grav. Mi.* 88.—(*Sam. I. 2.*)
 β; Al. dimidiata. *Kirby MSS.*
2691. 96; zonalis*. *Kirby MSS.*
2692. 97; atriceps*. *Kirby MSS.*
 Al. alternans. *Grav. Mi.* 85?
 St. melanocephalus. *Payk. F.* iii. 416?
2693. 98; nigriceps*.
 St. nigriceps. *Marsh. i.* 515.
2694. 99; lucida*. *Grav. Mi.* 70.
 Al. lunulata b. *Gyll. ii.* 386.
2695. 100; thoracica* *mihi*.
2696. 101; concinna*. *Leach?* *MSS.*
 b. " *Antennis articulis intermediis transversis.*" *Kirby MSS.*
 1. Antennæ versus apicem sensim crassiores.
2697. 102, nigritula*. *Grav. Mi.* 85.
 Al. lineato-collis. *Kirby MSS.*
- 2698 [† 103, pyrrhoceras.] *Kirby MSS.*
 Al. ochropus. *Kirby?* *MSS.* In Mus. D. *Kirby.*
- 2699 † 104, liturata. *Kirby MSS.*
 Al. Boleti var. 2, 2, a. *Grav. Mi.* 80? In Mus. D. *Kirby.*
2700. 105, fusca.
 St. fuscus. *Marsh. i.* 514.
- 2701 † 106, tenuior. *Kirby MSS.* In Mus. D. *Kirby.*
2702. 107, castanipes. *Kirby MSS.*
- 2703 † 108, parvula. *Kirby MSS.* In Mus. *Brit. D. Kirby et Spence.*
- 2704 † 109, pilosula. *Kirby MSS.* In Mus. D. *Kirby.*
- 2705 † 110, punctulata. *Kirby MSS.*
 Al. opaca. *Grav. Mi.* 89? In Mus. D. *Kirby.*
2706. 111; lunicollis* *mihi*.
2707. 112; opaca* *mihi*.
2708. 113, fuscicornis* *mihi*.
2709. 114; glauca* *mihi*.
 2. Antennis clavatis.
2710. 115; picipes*. *Kirby MSS.*
2711. 116; Pusio*. *Kirby MSS.*
2712. 117; pumilio. *Grav. Mi.* 96?
 Al. casei. *Kirby MSS.*

2713. 118; fuscipennis*. *Kirby MSS.*
2714. 119, minutissima. *Kirby MSS.*
Al. brevicornis. *Kirby?* *MSS.*
- D. "Thorace postice utrinque angulato." *Kirby MSS.*
2715. 120; sordida*. *Kirby MSS.*
2716. 121, curvipes *. *Kirby MSS.*
- 2717 † 122, livida. *Kirby MSS.* In Mus. *D. Haworth.*
2718. 123; umbrata *. *Grav. Mi.* 90.
2719. [124, emarginata *.] *Kirby MSS.*
- 2720 † 125. Sheppardi. *Kirby MSS.* In Mus. *D. Sheppard.*
2721. 126, erosa *. *Kirby MSS.*
- 2722 † 127, melanocephala. *Kirby MSS.* In Mus. *D. Kirby et Sheppard.*
- 2723 † 128, brevicornis. *Kirby MSS.* In Mus. *D. Kirby.*
- 2724 † 129, nigrofusca. *Kirby MSS.* In Mus. *D. Kirby.*
2725. 130, ruficornis. *Grav. Mi.* 91.
2726. 131; lata * *mihi.*
2727. 132; pallipes * *mihi.*
2728. 133; acuminata * *mihi.*
- E. "Thorace brevi, vix capite longiore: capite rhoineo: elytris transversis." *Kirby MSS.*
2729. 134; fasciata *. St. fasciatus. *Marsh. i.* 514.
2730. 135; nana *. *Grav. Mi.* 98.
St. nanus. *Payk. F.* iii. 408.
2731. [136, angustata.] *Kirby MSS.*
2732. 137; polita *. *Grav. Mi.* 99.
2733. 138; pallicornis * *mihi.*
2734. 139; latissima * *mihi.*
2735. 140; marginata *mihi.*
- F. "Thorace lato: elytris transversis: antennis crassis." *Kirby MSS.*
- a. *Elytris nigris.*
2736. 141; concolor*. *Grav. Mi.* 96?
- 2737 † 142, nigrina. *Kirby MSS.* In Mus. *D. Kirby et Sheppard.*
2738. 143; immaculata *. *Kirby MSS.*
- 2739 [† 144, bilinata.] *Gyll. ii.* 436. In Mus. *D. Kirby.*
2740. 145, sericca *Leach?* *MSS.*

- 2741 † 146, agilis. *Kirby* MSS. In Mus. *D. Kirby*.
 2742 † 147, Cursitor. *Kirby* MSS. In Mus. *Brit.*
 2743. 148; minutula*. *Kirby* MSS.
 Al. Morion. *Grav. Mi.* 97?
 β, Al. pusilla. *Kirby* MSS.
 b. *Elytris piceis*:
 2744 † 149. fumata. *Grav. Mi.* 96. In Mus. *D. Sheppard*.
 2745 † 150, puncticollis. *Kirby* MSS. In Mus. *D. Kirby?*
 2746 † 151, villosula. *Kirby* MSS. In Mus. *D. Kirby*.
 2747 † 152, fulvicornis. *Kirby* MSS. In Mus. *D. Kirby*.
 2748 † 153, erythroceras *mihi*.
 Al. ruficornis. *Kirby* MSS. In Mus. *D. Kirby*.
 2749 † 154, rufipes. *Kirby* MSS. In Mus. *Brit. et D. Kirby*.
 c. *Elytris maculatis*:
 2750. 155; lanuginosa*. *Grav. Mi.* 94.—(*Sam. I. 2.*)
 2751. 156, bimaculata. *Kirby* MSS.
 2752. 157; bipunctata*. *Grav. Mi.* 93.
 St. fuscipes var. minor. *Payk. F.* iii. 397.
 Al. oxura. *Kirby?* MSS.
 2753. 158; terminata*. *Kirby* MSS.
 St. bipunctatus. *Oliv. E.* iii. 31. *pl. 5. f.* 44.
 Al. biguttata *mihi*.
 2754. 159, nitida*. *Grav. Mi.* 97.
 Al. biguttulus. *Kirby?* MSS.
 2755. 160; velox*. *Kirby* MSS.
 2756. 161; Cursor*. *Kirby* MSS.
 2757. 162; dorsalis * *mihi*.
 d. *Elytris rufis*:
 2758. 163; fuscipes *. *Grav. Mi.* 92.—(*Sam. I. 2.*)
 St. fuscipes. *Payk. F.* iii. 397.—*Marsh. i.* 525.—*Turt. ii.* 513.
 Al. recurva. *Kirby* MSS.
 2759 † 164, sanguinea.
 St. sanguineus. *Linn. ii.* 685? In Mus. *D. Kirby*.
 2760 † 165, rufipennis. *Kirby* MSS. In Mus. *D. Kirby*.
 2761 † 166, celer. . *Kirby* MSS. In Mus. *D. Kirby*.
 2762 † 167, cursitans. *Kirby* MSS. In Mus. *D. Kirby*.
 2763. 168, phæopus. *Kirby* MSS.
 St. lugens. *Grav. Mi.* 95?
 St. fuscipes, α, β. *Payk. F.* iii. 397?

- 2764 † 169, Simsii. *Wilkin MSS.* In Mus. D. Vigors.
 G. "Thorace lato, posticè utrinque subangulato : antennis crassis." *Kirby MSS.*
2765. 170; limbata*. *Grav. Mi.* 69.
 St. limbatus. *Payk. F.* iii. 399.—*Marsh. i.* 509.
2766. [171; divisa*].
 St. divisus. *Marsh. i.* 510.
2767. 172; humeralis*. *Grav. Mi.* 90.
 Al. limbata major. *Grav. Mo.* 167.

Genus 461. —

ALEOCHARA H, *Kirby MSS.*

2768. 1, Daltoni*.
 Al. Daltoni. *Kirby MSS.*
 β, Al. castanea. *Kirby MSS.*

Genus 462. ENCEPHALUS, *Kirby MSS.**ALEOCHARA p*, (*Kirby.*)

2769. 1; complicans*. *Kirby MSS.*
 Al. complicans. (*Kirby & Sp. I. E.* ii. 232.)
 β, En. lata. *Kirby MSS.*

Genus 463. CALLICERUS, *Gravenhorst.*

- 2770 † 1. Spencii. *Kirby MSS.* In Mus. D. Spence.

Genus 464. MEGACRONUS *mihi*.*TACHINUS p*, *Gravenhorst.*

2771. 1; analis*.
 St. analis. *Oliv. E.* iii. 28. *pl. 3. f.* 24. *a, b.*—*Fabr. E.* ii. 598.
 —*Marsh. i.* 522.
 Ta. analis. (*Sam. I.* 40.)
2772. 2; rufipennis* *mihi*.
2773. 3; merdarius*.
 St. merdarius. *Oliv. E.* iii. 29. *pl. 5. f.* 45. *a, b.*—*Fabr. E.* ii. 598.
 St. analis, b. *Payk. F.* iii. 394.
2774. 4, cernuus*.
 Ta. cernuus. *Grav. Mo.* 31.
 Ta. piccus. *Kirby MSS.*
2775. 5; castaneus* *mihi*.
2776. 6, nitidus* *mihi*.
2777. 7, atriceps* *mihi*.

Genus 465. ISCHINOSOMA *mihi*.*TACHINUS p*, *Gravenhorst.*—*TACHYPORUS p*, *Gyllenhal.*

2778. 1; splendens*.
 St. splendens. *Marsh. i.* 524.

2779. 2; *tenuis**.
 St. *tenuis*. *Fabr. E.* ii. 599.
 Ta. *tenuis*. *Kirby MSS.*
2780. 3; *lepidus**.
 Ta. *lepidus*. *Grav. Mo.* 26.
 St. *punctato-striatus*, b. *Payk. F.* iii. 417.
2781. [4; *punctato-striatus**.]
 St. *punctato-striatus*, α . *Payk. F.* iii. 417.
 St. *lepidus*, γ . *Gyll. ii.* 248.
2782. 5; *clavicornis**.
 Ta. *clavicornis*. *Kirby MSS.*
2783. 6, *splendidus**.
 Ta. *splendidus*. *Grav. Mo.* 24.
 St. *punctato-striatus*, d. *Payk. F.* iii. 417.
2784. 7; *melanurus**.
 Ta. *melanurus*. *Kirby MSS.*
2785. 8, *brunneus*.
 St. *brunneus*. *Marsh. i.* 524.
2786. 9, *rufescens*.
 Ta. *rufescens*. *Kirby MSS.*
2787. 10; *punctus**.
 Ta. *punctus*. *Grav. Mo.* 27.
- Genus 466. BOLITOBIUS, *Leach MSS.*, (*Samou.*)
 TACHINUS *p*, *Grav.*—OXYPORUS *p*, *Panzer.*
2788. 1; *lunulatus**.
 St. *lunulatus*. *Linn. ii.* 684.—*Mart. C. pl.* 22. *f.* 15.—
Marsh. i. 523.—*Turt. ii.* 520.—*Don. xv. pl.* 532. *f.* 1.
 Ta. *lunulatus*. (*Sam. I.* 40.)
2789. 2; *atricapillus**.
 St. *atricapillus*. *Fabr. E.* ii. 599. (!)—*Stew. ii.* 89.—*Marsh. i.*
 522.—*Turt. ii.* 513.
 Ox. *lunulatus*. *Panz. F.* xxii. *f.* 15.
2790. 3; *trimaculatus**.
 St. *trimaculatus*. *Payk. F.* iii. 422.
 Ta. *trimaculatus*. (*Sam. I.* 40.)
 Ta. *melanocephalus*, var. 2. *Grav. Mi.* 144.
2791. 4; *apicalis** *mihi*.
2792. 5; *melanocephalus*.
 St. *melanocephalus*. *Marsh. i.* 523.
2793. 6; *angularis** *mihi*.
2794. 7; *ochraceus** *mihi*.

2795. 8; bimaculatus * *mihi*.
 2796. 9, pygmæus.
 Ox. pygmæus. *Panz. F.* xxvii. *f.* 19.
 Ta. melanocephalus var. *Grav. Mi.* 144.
 2797. 10; marginalis * *mihi*.
 2798. 11; thoracicus *.
 Ox. thoracicus. *Fabr. E.* ii. 606?
 2799. 12; nitidulus *. *Leach MSS.*
 2800. 13; brunnipennis * *mihi*.
 2801. 14; discoideus * *mihi*.
 2802. 15; biguttatus *.
 Ta. biguttatus. *Kirby MSS.*
 2803. 16; ruficollis * *mihi*.
 2804. 17; piciceps * *mihi*.
 2805 † 18. Simpsoni.
 Ta. Simpsoni. *Spence?* *MSS.* In Mus. D. Simpson.
- Genus 467. TACHYPORUS, *Gravenhorst*, *Leach*, *Samou.*, (*Kirby.*)
- OXYPORUS *p.*, *Fabr.*
- A. Corpore elongato.
2806. 1, diffinis *. *Kirby MSS.*
 2807. 2; testaceus *.
 Ox. testaceus. *Fabr. E.* ii. 607.
 Ta. abdominalis, b. *Gyll.* ii. 239.
 2808. 3, flavigornis. *Kirby MSS.*
 Ta. nitidulus. *Grav. Mi.* 126?
 2809. [4, nitidus.]
 St. nitidulus. *Oliv. E.* iii. 34. *pl.* 3. *f.* 28. *a, b.*
 2810. 5, livens *. *Kirby MSS.*
 2811. 6, flavescens. *Kirby MSS.?*
 2812. 7; angustatus *. *Kirby MSS.*
 2813. 8, minimus. *Leach MSS.*
 2814. 9; basalis * *mihi*.
 2815. 10; angustatus * *mihi*.
 2816. 11; libens *. *Kirby MSS.*
 2817. 12; brunneus * *mihi*.
 2818. 13; thoracicus * *mihi*.
 2819. 14; pyrrhoceras *. *Kirby MSS.*
 2820. 15; ruficollis *.
 St. dispar. ♂. *Payk. F.* iii. 424.
 Ta. flavigornis. *Kirby MSS.*

2821. 16; *nigripennis** *mihi*.
 2822. 17, *pusillus*.
 Ta. pusillus. *Grav. Mo.* 9.
 2823. 18, *atriceps** *mihi*.
 2824. 19; *pyrrhopterus**. *Kirby MSS.*
 B. *Corpore brevi*. a. *Antennis simplicibus*.
 2825. 20; *chrysomelinus**. *Grav. Mi.* 128.—*Leach E. E.* ix. 92.
 —*Samou.* 176.
 St. chrysomelinus. *Linn.* ii. 685.—*Mart. C. pl.* 42. *f.* 37.—
 Berk. S. i. 110.—*Stew. ii.* 88.—*Marsh. i.* 519.—*Turt. ii.* 521.
 Ox. chrysomelinus. *Panz. F.* ix. *f.* 14.
 St. dispar α . *Payk. F.* iii. 423.
 2826. [21; *merdarius**.]
 Ox. merdarius. *Panz. F.* xxvii. *f.* 18.
 St. merdarius. *Marsh. i.* 521.—*Turt. ii.* 521.
 St. chrysomelinus. *Oliv. E.* iii. 33. *pl.* 3. *f.* 22. *a, b*.
 2827. 22, *marginellus**.
 St. marginellus. *Mus. Marsham.*
 Ta. nigricornis. *Gyll. iv.* 469?
 2828. 23; *obtusus**.
 St. obtusus. *Linn.* ii. 684.—*Stew. ii.* 88.—*Marsh. i.* 520.
 St. dispar ϵ . *Payk. F.* iii. 424.
 2829. [24; *analis**.] *Grav. Mi.* 129.—(*Sam. I.* 40.)
 Ox. analis. *Fabr. E.* ii. 606.—*Panz. F.* xxii. *f.* 16.
 2830. [25, *melanurus*.]
 St. melanurus. *Marsh. i.* 525.
 2831. 26, *collaris** *mihi*.
 2832. 27; *testaceus** *mihi*.
 2833. 28, *marginatus*. *Grav. Mi.* 127.—(*Sam. I.* 40.)
 St. dispar β . *Payk. F.* iii. 424.
 2834. [29; *nitidulus**.] (*Sam. I.* 40.)
 St. nitidulus. *Oliv. E.* iii. 34. *pl.* 3. *f.* 28. *a, b*.—*Stew. ii.* 88.
 —*Marsh. i.* 520.
 2835. [30, *hypnorum*.]
 St. hypnorum. *Fabr. E.* ii. 607. (!)—*Stew. ii.* 88.—*Marsh. i.*
 525.—*Turt. ii.* 522.
 2836. 31; *nitidicollis** *mihi*.
 2837. 32, *erythropterus** *mihi*.
 2838. 33, *lateralis*. *Kirby MSS.*
 2839. 34, *putridus** *mihi*.
 2840. 35, *abdominalis*. *Grav. Mi.* 127.
 Ox. abdominalis. *Fabr. E.* ii. 607?

2841. 36, apicalis* *mihi*.
 2842. 37, dimidiatus*. *Kirby MSS.*
 Ox. dimidiatus. *Fabr. E.* ii. 607.
 2843. 38; macropterus* *mihi*.
 b. *Antennis nodosis, verticillato-pilosiss.*

2844. 39, nodicornis. *Kirby MSS.*

Genus 468. CYPHA, *Kirby MSS.*, (*Samou.*)

TACHYPORUS I. *Gravenhorst*.—SCAPHIDIUM *p*, et SILPHIA *p*,
 Marsham.—HYPOCYPTUS *p*, *Schüppel?*

2845. 1, Agaricina.
 Si. Agaricina. *Linn.* ii. 570?—*Marsh.* i. 129.
 2846. 2; rufipes*. *Kirby MSS.*
 Ta. granulum. *Grav. Mo.* 3.
 Ta. granum. (*Sam. I.* 40.)
 Sc. acuminatum. *Marsh.* i. 234.
 2847. 3; nigripes* *mihi*. -
 2848. 4; parvula* *mihi*.
 2849. 5; Anisotomoides* *mihi*.

Genus 469. CONURUS *mihi*.

TACHYPORUS *p*, *Grav.*—OXYPORUS *p*, *Fabr.*

2850. 1; pubescens*.
 Ta. pubescens. *Grav. Mi.* 130.—(*Sam. I.* 40.)
 St. cellaris β. *Payk. F.* iii. 421.
 2851. [2, Marshami] *mihi*.
 St. conicus. *Marsh.* i. 522.
 2852. 3; cellaris*.
 Ox. cellaris. *Fabr. E.* ii. 605.
 St. littoreus. *Linn.* ii. 685?
 2853. 4; bipustulatus*.
 Ox. bipustulatus. *Fabr. E.* ii. 606.—*Panz. F.* xvi. f. 21.
 Ta. bimaculatus. *Grav. Mo.* 5.
 2854. 5; immaculatus*.
 Ta. bipunctatus. *Grav. Mi.* 133.
 Ta. immaculatus. *Kirby MSS.*
 2855. 6; pusillus*.
 Ta. pusillus. *Kirby MSS.*
 2856. 7, obscuratus.
 Ta. obscuratus. *Kirby MSS.*
 2857. 8, obscuripennis.
 Ta. obscuripennis. *Kirby MSS.*

2858. 9; *flavus**.
 Ta. *flavus*. *Kirby MSS.*
 Ta. *truncatellus*. *Grav. Mo.* 5?
2859. 10, *flavipes** *mihi*.
2860. 11, *melanopterus** *mihi*.

Genus 470. TACHINUS, *Grav. Mi.*, *Leach*, (*Kirby.*)

TACHYPORUS *p*, *Grav. Mo.*—OXYPORUS *p*, *Fabr.*
 A. Pubescentes.

2861. 1, *fimetarius*. *Grav. Mi.* 141.
2862. 2, *castaneus**. *Grav. Mi.* 140.
 St. *fuscipes*. *Panz. F.* xxvii. *f.* 12?
 Ta. *fimetarius* b. *Gyll.* ii. 263.
2863. 3, *angularis** *mihi*.
2864. 4; " *Sowerbii**. *Kirby MSS.*

B. Glabri. a. *Corpore lato, vix elongate.*

2865. 5; *collaris**. *Grav. Mi.* 143.
2866. [6; *corticinus**.] *Grav. Mi.* 141.
2867. 7; *Silphoides**.
 Sta. *silphoides*. *Linn.* ii. 684.—*Marsh.* i. 528.
 Sta. *dispar* ε. *Payk. F.* iii. 423.
 β; Ox. *suturalis*. *Panz. F.* xviii. *f.* 20.
2868. 8; *lævigatus**.
 St. *lævigatus*. *Marsh.* i. 519.

2869. [9; *marginellus**.] *Grav. Mi.* 143.—(*Sam. I.* 40.)
 St. *rufipes* ε. *Payk. F.* iii. 419.—*Turt.* ii. 522.
 St. *marginatus*. *Don.* xv. 60. *pl.* 532. *f.* 2.

2870. 10, *laticollis**. *Grav. Mi.* 141.
2871. 11, *brunnipennis** *mihi*.
2872. 12, *nigripes*. *Kirby MSS.*
 St. *rufipes*. *Oliv. E.* iii. 32. *pl.* 4. *f.* 35. *a, b?*
2873. 13, *apicalis** *mihi*.
2874. 14, *fulvipes** *mihi*.
2875. 15; *pullus**. *Grav. Mi.* 140.
 St. *rufipes*. *DeGeer.* iv. 24.—*Oliv. E.* iii. 32. *pl.* 4. *f.* 35. *c, d.*
2876. 16; *rufipes**. *Grav. Mi.* 137.—*Leach E.* E. ix. 92.—*Samou.* 176.
 St. *rufipes*. *Linn.* ii. 685.—*Panz. F.* xxvii. *f.* 20.—*Marsh.* i. 518.—*Turt.* ii. 522.
2877. 17; *limbosus**. *Kirby MSS.*

2878. 18; *intermedius* *. *Kirby MSS.*
St. rufipes var. 4, 5. *Grav. Mi.* 137?
2879. 19; *latus* *.
St. latus. *Marsh.* i. 524.
Ox. marginatus. *Fabr. E.* ii. 605?
2880. 20; *cinctus* *.
St. cinctus. *Marsh.* i. 519.
St. rufipes β. *Payk. F.* iii. 418.
Ta. humeralis var. 2, 3. *Grav. Mi.* 130.
2881. 21, *scapularis* * *mihi.*
2882. 22; *bipustulatus* *. *Grav. Mi.* 135.
St. subterraneus var. *Payk. F.* iii. 420.
St. bipustulatus. *Don.* xv. 61. *pl. 532. f. 3.*
2883. 23; *subterraneus* *. *Grav. Mi.* 135.—(*Sam. I.* 40.)
St. subterraneus. *Linn.* ii. 684.—*Marsh.* i. 518.
2884. 24, *pallens* *. *Gyll.* ii. 259?
St. rufipes var. d. *Payk. F.* iii. 419?
 b. *Corpore valde elongato.*
2885. 25, *aterrimus* *mihi.*
2886. 26, *elongatus* *. *Gyll.* ii. 251.

Familia LXVIII. STAPHYLINIDÆ, Leach.

(ST.-FISSILABRES, Latreille.)

(STAPHYLINUS p, Linné, Marsh., &c.)

Genus 471. VELLEIUS, Leach, (*Samou.*)

2887. 1, *dilatatus* *? *Leach MSS.*—(*Samou.* 172.)
St. dilatatus. *Payk. F.* iii. 389.
St. concolor. *Marsh.* i. 498.—*Sower. B. M.* i. *pl. 54.*

Genus 472. CREOPHIILUS, (*Kirby.*)

2888. 1; *maxillosus* *. *Kirby MSS.*—(*Samou.* 172.)—(*Kirby & Sp. I. E.* iii. 433.)
St. maxillosus. *Linn.* ii. 683.—*Berk. S.* i. 109.—*Don.* iii. *pl. 96. f. 3.*—*Stew.* ii. 88.—*Marsh.* i. 498.—*Turt.* ii. 510.—(*Sam. I.* 39.)
St. balteatus. *De Geer.* iv. 18. *pl. 1. f. 7*—10.

- 2889 † 2, *ciliaris.* *Leach MSS.* In Mus. Brit.

Genus 473. EMUS, Leach, (*Samou.*)

(CREOPHIILUS p, *Kirby.*)

2890. 1, *hirtus* *. (*Samou.* 172.)—(*Ing. Inst.* 33.)
St. hirtus. *Linn.* ii. 683.—*Panz. F.* iv. *f. 19.*—*Marsh.* i. 496.—*Turt.* ii. 509.—*Don.* xvi. *pl. 552.*
St. Bombylius. *De Geer.* iv. 20.

Genus 474. STAPHYLINUS *Auctorum.*

A. Corpore toto lanagine tecto.

2891. 1; nebulosus*.

St. nebulosus. *Fabr. E.* ii. 590.St. murinus. *Mus. Linn.*St. hybridus. *Marsh. i.* 500.—(*Sam. I.* 39.)—*Don. xvi. pl. 563.*St. murinus. *Oliv. iii. 15. pl. 6. f. 51. b.*—*Panz. F. lxvi. f. 16.*2892. 2; murinus*. *Linn. ii.* 683?—*Mart. C. pl. 41. f. 22.*—*Berk. S. i.* 109.—*Stew. ii.* 87.—*Oliv. E. iii. 15. pl. 6. f. 51. a.*—*Marsh. i.* 499.—*Turt. ii.* 510.—(*Sam. I.* 39.)2893. 3; pubescens*. *Fabr. E.* ii. 590.—*Marsh. i.* 500.—(*Sam. I.* 39.)β; St. fulviceps. *Kirby MSS.*B. Corpore glabro. a. *Elytris rufis.*2894. 4; erythropterus*. *Linn. ii.* 683.—*Don. ix. pl. 308.*—*Stew. ii.* 88.—*Marsh. i.* 499.—*Turt. ii.* 510.—*Leach E. E.* ix. 91.—*Samou.* 171. *pl. 4. f. 10.*—*Wood. i.* 78. *pl. 29.*2895. 5, castanopterus. *Grav. Mi.* 10.—(*Sam. I.* 39.)St. erythropterus var. minor. *Oliv. E. iii. 12. pl. 11. f. 14.*2896. 6; stercorarius*. *Oliv. E. iii. 18. pl. 3. f. 23.*—*Marsh. i.* 499.—(*Sam. I.* 39.)St. brunnicornis. *Kirby MSS.*2897. [7; æriceps*.] *Kirby MSS.*2898. [† 8, chalcocephalus.] *Fabr. E.* ii. 593. In *Mus. Brit.*?b. *Elytris concoloribus.*2899. 9; æneocephalus*. *Payk. F.* iii. 374.—(*Sam. I.* 39.)St. cupreus. *Oliv. E.* iii. 16. *pl. 2. f. 16.*St. sericeus. *Marsh. i.* 508.β; St. leucophthalmus. *Marsh. i.* 511.2900. 10; compressus*. *Marsh. i.* 503.

2901. 11; cantianus*.

Oc. cantianus. *Kirby MSS.*Genus 475. GOËRIUS, *Leach.*OCYPUS *p.*, *Kirby.*

2902. 1; olens*. Devil's Coach-horse.

St. olens. *Fabr. E.* ii. 591.—*Mart. C. pl. 41. f. 21.*—*Stew. ii.*87.—*Panz. F. xxvii. f. 1.*—*Marsh. i.* 497.—*Turt. ii.* 510.—(*Sam. I.* 39.)—(*Kirby & Sp. I. E.* ii. 236. & iii. 33.)St. major. *DeGeer. iv. 17.*—*Shaw G. Z.* vi. 108. *pl. 39.*2903 † 2, macrocephalus. *Leach MSS.* In *Mus. Brit.*

2904. 3; cyaneus*.

St. cyaneus. *Fabr. E.* ii. 592.—*Panz. F.* xxvii. f. 3.—
Marsh. i. 501.—(*Kirby & Sp. I. E. i. pl. 1. f. 2.*)

2905. 4; punctulatus*.

St. punctulatus. *Mart. C. pl. 42. f. 27?*—*Marsh. i.* 501.—
(Sam. I. 39.)

St. subpunctatus. *Gyll. iv. 474.*

2906. [5; Morio*.]

St. Morio. *Grav. Mi. 6.*—(*Sam. I. 39.*)

St. politus. *DeGeer. iv. 22.*

In Mus. Brit.

2907 † 6, Kirbii. *Leach MSS.*

2908. 7; fuscatus*.

St. fuscatus. *Grav. Mi. 164?*—*Gyll. iv. 474. (!)*

St. obscurus. *Marsh. i.* 514.

St. similis. *Payk. F. iii. 371?*

Oc. obscuratus. *Kirby MSS.*

2909 † 8; erythropus*.

St. erythropus. *Payk. F. iii. 372.*

St. tricolor. *Grav. Mi. 7?* In Mus. Brit. et D. Ingpen.

Genus 476. OCYPUS, (*Kirby.*)

2910. 1; similis*.

St. similis. *Oliv. iii. 13. pl. 5. f. 42.*—(*Sam. I. 39.*)

2911. 2; confinis*.

St. confinis. *Kirby MSS.*

2912. 3; picipes* *mihi.*2913. 4; angustatus*. *Kirby MSS.*

2914. 5; brunnipes*.

St. brunnipes. *Oliv. E. iii. 13. pl. 1. f. 7. a, b.*—*Mart. C. pl. 41. f. 15.*—*Stew. ii. 88.*—*Marsh. i. 502.*—*Turt. ii. 511.*—*(Sam. I. 39.)*

2915. 6; phæopus* *mihi.*Genus 477. TASGIUS, *Leach.*ASTRAPÆUS *p.*, *Latr.*

2916. 1; rufipes*.

As. rufipes. *Latr. G. i. 285.*

Genus 478. ASTRAPÆUS, *Gravenhorst, Leach.*2917 † 1; rufipennis*. *Leach MSS.*

St. Ulmi. *Oliv. E. iii. 42. pl. 4. f. 37?*

St. Ulmineus. *Fabr. E. ii. 595?*

In Mus. Brit.

Genus 479. QUEDIUS, Leach.

A. Oculis magnis.

2918. 1; tristis *.
 St. tristis. *Grav. Mi.* 34.—(*Sam. I.* 39.)
 St. picipennis, var. *Payk. F.* iii. 373.
 St. dilatatus. *Marsh. i.* 504.
 St. fulvicornis. *Kirby MSS.*
2919. [2; picicornis *]
 St. picicornis. *Kirby MSS.*
2920. 3, gracilis *mihi*.
2921. 4; pyrrhopus.
 St. pyrrhopus. *Kirby MSS.*
2922. 5; picipennis *.
 St. picipennis. *Payk. F.* iii. 373.—(*Sam. I.* 39.)
 St. molochinus. *Grav. Mo.* 46.
 β ; St. ruficornis. *Grav. Mo.* 50.
2923. [6, denudatus *]
 St. denudatus. *Kirby.*
- B. Oculis mediocribus: thoracis lateribus haud sinuatis.
- a. Thorace brevi, tripunctato.
2924. 7; hæmorrhous.
 St. fulgidus. *Marsh. i.* 503.
 St. hæmorrhous. *Kirby MSS.*—(*Sam. I.* 39.)
2925. 8; hæmopterus.
 St. hæmopterus. *Kirby MSS.*
2926. 9; variabilis *.
 St. nitidus. *Grav. Mi.* 31.
 St. mesomelinus. *Marsh. i.* 510.
 St. variabilis. *Gyll. ii.* 303.
- 2927 † 10, atriceps.
 St. atriceps. *Kirby MSS.*
 β ; St. nitidus var. 8. *Grav. Mi.* 32. In Mus. D. *Kirby.*
2928. 11; Lathburii *.
 St. Lathburii. *Kirby MSS.*
 St. flavopterus. *Oliv. iii.* 27. *pl. 4. f. 40. a, b?*
2929. 12; hæmorrhoidalis *. *Leach MSS.*
 St. fulgidus. *Mus. Marsham.*
2930. 13; fulvipes *.
 St. fulvipes. *Fabr. E.* ii. 597.
 St. nitidus β . *Payk. iii.* 390.
 St. laevigatus. *Gyll. ii.* 306.
 St. impressus var. *Grav. Mo.* 40.—*Panz. F.* xxxvii. *f. 9?*

2931. 14; impressus*.
 St. impressus. *Grav. Mi.* 35.—*Panz. F.* xxxvi. f. 21.
 St. cinctus. *Payk. F.* iii. 395.
 St. marginellus. *Stew. ii.* 89.—*Marsh. i.* 505.—(*Sam. I.* 39.)
2932. 15; sericopterus* *mihi*.
2933. 16; rufitarsis.
 St. rufitarsis. *Marsh. i.* 512.
 St. variabilis e. *Gyll. ii.* 304.
- 2934† 17, seminitidus.
 St. seminitidus. *Kirby MSS.* In Mus. D. Kirby.
2935. 18; humeralis*.
 St. humeralis. *Kirby MSS.*
 b. *Thorace seriebus dorsalibus quatuor punctatis.*
2936. 19; picatus*.
 St. picatus. *Kirby MSS.*
 St. bimaculatus. *Grav. Mi.* 38?
2937. 20; picipes*.
 St. picipes. *Kirby MSS.*
2938. 21; unicolor*.
 St. unicolor. *Kirby MSS.*
2939. 22, hirtipennis.
 St. hirtipennis. *Kirby MSS.*
- 2940† 23, sericans.
 St. sericans. *Kirby MSS.* In Mus. D. Kirby.
- 2941† 24, fuscipennis.
 St. fuscipennis. *Kirby MSS.* In Mus. Brit.? D. Kirby et Spence.
2942. 25; fulvipes* *mihi*.
2943. 26; suturalis*.
 St. suturalis. *Marsh. i.* 509.
 St. discoideus. *Grav. Mi.* 38?
 St. flavescens. *Fabr. E. ii.* 597?
2944. 27, nigricornis* *mihi*.
- 2945† 28, nitescens *mihi*. In Mus. Brit.
2946. 29, caliginosus* *mihi*.
2947. 30, pieicornis* *mihi*.
 c. *Thoracis sericibus dorsalibus quinque punctatis.*
2948. 31; lepidulus*.
 St. lepidulus. *Kirby MSS.*
 St. lepidus. *Grav. Mi.* 31?
- 2949† 32, inquinatus.
 St. inquinatus. *Kirby MSS.*
 In Mus. Brit. D. Kirby, T. Skrimshire, et Spence.

2950. 33; picicollis*.

St. picicollis. Kirby MSS.

2951. 34, castanopterus * mihi.

d. Thorace haud punctato.

2952. 35, Skrimshiranus mihi.

C. Oculis mediis: thoracis lateribus sinuatis.

2953. 36; nitidus*.

St. nitidus. Fabr. E. ii. 596.

St. cænosus. Grav. Mo. 51.

St. ferrugineus. Rossi F. i. 248.

2954. 37, erythropterus * mihi.

D. (An. PHILONTHUS?)

2955 + 38, cyanipennis.

St. cyanipennis. Fabr. E. S. i. 597.

St. amœnus. Oliv. E. iii. 42. pl. 4. f. 36? In Mus. Brit.

Genus 480. PHILONTHUS, Leach MSS.

A. Thoracis disco impunctato.

a. Thoracis lateribus rotundatis.

2956. 1; laminatus*.

St. laminatus. Creutz. E. V. i. 128. pl. 3. f. 31. a.—(Sam. I. 39.)

2957. [2; æneus*].

St. æneus. DeGeer. iv. 23.—Marsh. i. 511.

2958. [3; chalceus *] mihi.

b. Thoracis lateribus subsinuatis.

2959. 4; splendens*.

St. splendens. Fabr. E. i. 594.—Ent. Trans. (Burrell.) i. 236.
—(Sam. I. 39.)

2960. 5, æratus*.

St. æratus. Kirby MSS.

B. Thoracis sericibus dorsalibus 4-punctatis.

a. Chalcopteri.

2961. 6; puncticollis*.

St. puncticollis. Kirby MSS.

St. æneus. Grav. Mi. 17.

St. similis. Marsh. i. 497.

St. politus. Mus. Linnæ.

2962. 7; politus*.

St. politus. Linn. ii. 683.—Oliv. E. iii. 25. pl. 2. f. 10. ♂.—
Stew. ii. 88.—Marsh. i. 501.—Turt. ii. 511.—Leach E. E.
ix. 91.—(Sam. I. 39.)

2963. 8; cognatus * *mihi*.
 2964. 9; microcephalus * *mihi*.
 2965. 10; melanopterus*.
 St. melanopterus. *Wilk.*? *MSS.*
 2966. 11; nigripennis*.
 St. nigripennis. *Kirby MSS.*
 2967. [12; maculicornis*.]
 St. maculicornis. *Kirby MSS.*—(*Sam. I.* 39.)
 2968. 13; decorus *.
 St. decorus. *Grav. Mi.* 19.—(*Sam. I.* 39.)
 2969. 14; sericeus * *mihi*.
 2970. 15; pilipes*.
 St. pilipes. *Kirby MSS.*—(*Sam. I.* 39.)
 2971. [16; chalcopterus.]
 St. chalcopterus. *Mus. Marsham.*
 St. varians. *Grav. Mi.* 20?
 St. varius. *Gyll.* ii. 321?
 St. æratus. *Kirby MSS.*
 2972. 17; nigro-æneus *mihi*.
 2973. 18; atratus *.
 St. atratus. *Grav. Mi.* 21.
 2974. 19; fimetarius *.
 St. fimetarius. *Grav. Mi.* 175.—(*Sam. I.* 39.)
 2975. 20; æripennis*.
 St. æripennis. *Kirby MSS.*
 St. lucidus. *Grav. Mi.* 21?
 2976. 21, nigripes * *mihi*.
 2977. 22, fuscipes* *mihi*.
- b. *Melanopteri.*
2978. 23; marginatus*.
 St. marginatus. *Fabr. E.* ii. 597.—*Oliv. E.* iii. 26. *pl. 3. f. 29.*
 a, b.—*Marsh. i.* 512.—*Turt. ii.* 512.—(*Sam. I.* 39.)
 C. *Thoracis seriebus dorsalibus quinque punctatis.*
- a. *Chalcopteri.*
2979. 24; concinnus *.
 St. concinnus. *Grav. Mi.* 21.—(*Sam. I.* 39.)
2980. 25; obscurus *.
 St. obscurus. *Grav. Mi.* 174.
 St. cognatus. *Kirby MSS.*
2981. 26; varians *.
 St. varians. *Oliv. E.* iii. 27. *pl. 5. f. 46.*—*Grav. Mo.* 82.—
 (*Sam. I.* 39.)

2982. 27; simplex*.
St. simplex. *Marsh.* i. 505.
b. *Melanopteri.* 1. *Elytris immaculatis.*
- 2983 † 28, punctiventris.
St. punctiventris. *Kirby MSS.* In Mus. *D. Kirby.*
2984. 29; intaminatus*.
St. intaminatus. *Kirby MSS.*
St. varians a. *Payk.* iii. 393?
2985. 30, aterrimus.
St. aterrimus. *Marsh.* i. 513.
St. opacus. *Grav. Mi.* 26?
2986. [31, opacus.]
St. opacus. *Grav. Mo.* 64.
2987. 32, phæopus.
St. phæopus. *Kirby MSS.*
- 2988 † 33. nitens.
St. nitens. *Grav. Mi.* 26? In Mus. *D. Sheppard.*
2989. 34; obscuripennis*.
St. obscuripennis. *Kirby MSS.*—(*Sam. I.* 39.)
2990. 35; longicornis*.
St. longicornis. *Kirby MSS.*
2991. 36, agilis.
St. agilis. *Grav. Mo.* 77.—*Gyll.* ii. 341?
St. debilis. *Dahl.*—(*DeJean C.* 23.)
2. *Elytris maculatis.*
2992. 37; lituratus*.
St. lituratus. *Kirby MSS.*—(*Sam. I.* 39.)
St. opacus a. *Gyll.* ii. 340?
2993. 38; bipustulatus*.
St. bipustulatus. *Fabr. E.* ii. 598.—*Panz. F.* xxvii. f. 10.—*Marsh.* i. 525.—*Turt.* ii. 512.—(*Sam. I.* 39.)
St. varians b. *Payk.* iii. 393. var.
2994. 39, aciculatus* *mihi.*
2995. 40; sanguinolentus*.
St. sanguinolentus. *Grav. Mi.* 36.—(*Sam. I.* 39.)
St. trilineatus. *Kirby MSS.*
2996. 41; bimaculatus*.
St. bimaculatus. *Grav. Mi.* 38.
c. *Erythropteri.*
2997. 42; rubripennis.
St. rubripennis. *Kirby MSS.*
St. fulvipes. *Grav. Mi.* 24?

2998. 43, corruscus.
 St. corruscus. *Grav. Mi.* 33.
 St. nitidus. *Marsh.* i. 511.
 D. Thoracis seriebus dorsalibus sex-punctatis.
2999. 44; micans*.
 St. micans. *Grav. Mi.* 25.
 St. varians, c. *Payk. F.* iii. 393?
 E. Thoracis seriebus dorsalibus octo-punctatis.
- 3000 † 45, Watsoni.
 St. Watsoni. *Kirby MSS.* In Mus. *D. Kirby et Watson.*
 F. Thoracis seriebus dorsalibus multi-punctatis.
- 3001 † 46, punctus.
 St. punctus. *Grav. Mi.* 20.
 St. politus. *Panz. F.* xxvii. f. 7. In Mus. *Brit.?* et *D. Spence.*
- 3002 [† 47, minax.]
 St. minax. *Kirby MSS.*
 St. punctatus. *Latr. M.* ix. 309? In Mus. *D. Kirby et Spence.*
- Genus 481. RAPHIRUS, *Leach MSS.*
3003. 1; semiobscurus*.
 St. semiobscurus. *Marsh.* i. 512.—(*Sam. I.* 39.)
 St. rufipes. *Grav. Mi.* 171?
 St. mauro-rufus. *Gyll.* ii. 309.
3004. 2; attenuatus*.
 St. attenuatus. *Grav. Mi.* 27.—(*Sam. I.* 39.)
 St. oculatus. *Kirby MSS.*
 St. Boops. *Grav. Mi.* 21?
3005. 3; nitipennis*. *Leach MSS.*
 St. nitipennis. (*Sam. I.* 39.)
3006. 4, rufipennis.
 St. rufipennis. *Kirby MSS.*
3007. 5; fuscipes*.
 St. fuscipes. *Kirby MSS.*—(*Kirby & Sp. I. E.* iv. 141.)
3008. 6, semiæneus.
 St. semiæneus. *Kirby MSS.*
- 3009 † 7, ruficollis.
 St. ruficollis. *Kirby MSS.* In Mus. *Brit. D. Kirby et Spence.*
- 3010 † 8, fumatus.
 St. fumatus. *Kirby MSS.*
 St. nitidus var. 7. *Grav. Mi.* 32? In Mus. *D. Kirby.*
3011. 9; præcox*.
 St. præcox. *Grav. Mi.* 172.

Genus 482. CAFIUS, *Leach MSS.*

3012. 1, fucicola. *Leach MSS.*
St. fucicola. (*Sam. I.* 39.)
3013. 2, xantholoma.
St. xantholoma. *Grav. Mo.* 41.
3014. 3, lateralis.
St. lateralis. *Kirby MSS.*—(*Sam. I.* 39.)
3015. [4, littoralis] *mihi.*
3016. [5, tessellatus] *mihi.*

Genus 483. BISNIUS, *Leach MSS.*

3017. 1, cephalotes.
St. cephalotes. *Grav. Mi.* 22.
3018. 2, rotundiceps.
St. rotundiceps. *Kirby MSS.*
- 3019 † 3, simplex. *Leach?* *MSS.*
3020. 4, fuscicornis.
St. fuscicornis. *Kirby MSS.*
St. debilis. *Grav. Mi.* 35?
3021. 5; fulvipes * *mihi.*

In Mus. Brit.

Genus 484. GABRIUS, *Leach MSS.*

3022. 1; suaveolens *.
St. suaveolens. *Kirby MSS.*—(*Kirby & Sp. I. E.* iv. 141.)
St. varians, γ. *Payk. F.* iii. 394?
3023. 2, pygmæus.
St. pygmæus. *Kirby MSS.*
3024. 3, phæopus * *mihi.*
3025. 4, aterrimus.
St. aterrimus. *Grav. Mi.* 41.
St. diffinis. *Kirby MSS.*
3026. 5, pallipes.
St. pallipes. *Kirby MSS.*
St. nigritulus. *Grav. Mi.* 41?
3027. 6, basalis * *mihi.*
3028. 7, nanus *.
St. nanus. *Grav. Mo.* 96.
3029. 8; attenuatus *. *Leach MSS.*
3030. 9, albipes * *mihi.*
St. splendidulus. *Grav. Mi.* 41?
- 3031 † 10, ventralis.
St. ventralis. *Kirby MSS.*
- In Mus. D. Kirby.

- 3032 † 11, cinerascens.
St. cinerascens. *Grav. Mi.* 49. In Mus. D. Kirby.
- 3033 † 12, semipunctatus.
St. semipunctatus. *Kirby MSS.* In Mus. D. Kirby.
- 3034 † 13, villosulus.
St. villosulus. *Kirby MSS.* In Mus. D. Kirby.

Genus 485. OTHIUS, *Leach* MSS.

GYROHYPNUS p., *Kirby*.—*XANTHOLINUS p.*, *Dahl*.—*PÆDERUS p.*, *Panz.*

A. Capite ovato.

3035. 1; fulgidus*.
St. fulgidus. *Payk. F.* iii. 377.
St. fulminans. *Grav. Mi.* 47.
Pæ. fulvipennis. *Panz. F.* xxvii. f. 23?

3036. 2, alternans.
St. alternans. *Grav. Mi.* 48.
St. pilicornis β , γ . *Payk. F.* iii. 379.

3037. 3, pilicornis.
St. pilicornis α . *Payk. F.* iii. 379.
St. palmula. *Grav. Mi.* 48.
Gy. Lathburii. *Kirby MSS.*

3038. 4, glabrimornis.
St. glabrimornis. *Kirby MSS.*

3039. 5, angustus.
Gy. angustus. *Kirby MSS.*
St. melanocephalus. *Grav. Mo.* 107?

3040. 6; ustulatus*.
St. ustulatus. *Grav. Mi.* 46.

3041. 7, læviusculus*.
Gy. læviusculus. *Kirby MSS.*

- 3042 † 8. obscurus. *Leach* MSS. In Mus. Brit.?

B. Capite orbiculato.

3043. 9, subiliformis*.
St. subiliformis. *Grav. Mi.* 29.
St. picicolor. *Kirby MSS.*

- 3044 † 10. Scoticus.
St. Scoticus. *Kirby MSS.* In Mus. D. MacLeay.

Genus 486. HETEROTIOPSIS, *Kirby* MSS.

3045. 1, binotatus. *Kirby MSS.*
St. binotatus. *Grav. Mi.* 28.
St. subiliformis, β . *Gyll. ii.* 312.

3046. 2, Holmensis. *Kirby MSS.*

3047. 3, Kirbiellus *mihi*.

Genus 487. GYROHYPNUS, (*Kirby.*)

XANTHOLINUS *p.*, *Dahl.*—PÆDERUS *p.*, *Fabr.*

A. Elytris lævioribus.

3048. 1; pyropterus*.

St. pyropterus. *Grav. Mo.* 102.

Gy. puncticeps. *Kirby MSS.*

Pæ. fulgidus. *Fabr. E. S.* 537?

3049. 2, rotundicollis. *Kirby MSS.*

3050 † 3, longicollis. *Kirby MSS.* In Mus. *D. Kirby.*

3051. 4; diaphanus*. *Kirby MSS.*

St. diaphanus. *Marsh. i.* 514.

3052. 5; sulcifrons*. *Kirby MSS.*

3053. 6, apicalis *mihi*.

B. Elytris punctatis.

3054. 7; cruentatus*. *Kirby MSS.*

St. cruentatus. *Marsh. i.* 516.

St. glabratus. *Grav. Mi.* 178.

3055 † 8, quadratus. *Kirby MSS.* In Mus. *D. Kirby.*

3056. 9; tricolor*.

St. tricolor. *Payk. F.* iii. 378.

St. elegans. *Oliv. E.* iii. 19. *pl.* 5. *f.* 50. *a, b.*

3057. [10, affinis.]

St. affinis. *Marsh. i.* 517.

St. tricolor β. *Payk. F.* iii. 378.

St. lensus. *Grav. Mo.* 101.

3058. 11; linearis*.

St. linearis. *Marsh. i.* 516.

St. punctulatus. *Grav. Mi.* 177.

3059. 12; longiceps*.

St. longiceps. *Grav. Mi.* 177.

St. bicolor. *Payk. F.* iii. 381.

St. linearis. *Oliv. E.* iii. 19. *pl.* 4. *f.* 38. *a, b.*

St. varians δ. *Payk. M. S.* 46.

3060. 13; semistriatus*. *Kirby MSS.*

3061. 14; punctulatus*.

St. punctulatus. *Payk. F.* iii. 380.

St. elongatus. *Grav. Mi.* 45.

3062. 15; angustatus*. *Kirby MSS.*

St. elongatus β. *Grav. Mi.* 45.

3063. 16; ochraceus *.

St. ochraceus. *Grav. Mi.* 43.

St. punctulatus β . *Payk. F.* iii. 381.

Xa. Batychrus? *Knoch?*

Gy. proximus. *Kirby MSS.*

3064 † 17, quadrisulcus. *Kirby MSS.*

St. ochraceus var. 1. *Grav. Mi.* 43? In Mus. D. *Kirby.*

3065. 18; pusillus * *mihi.*

Genus 488. ACHENIUM, *Leach MSS.*, (*Samou.*), *Curtis.*

LATHROBIUM *p.*, *Grav.*

3066. 1; depresso *.

La. depresso. *Grav. Mi.* 182.

La. depressior. *Kirby MSS.*

β , Ac. trinotatum *mihi* (*olim.*)

3067. [2, angustatum *] *mihi.*

Ac. depresso. *Curtis.* iii. *pl.* 115.

Genus 489. LATHROBIUM, *Gravenhorst*, *Leach*, *Samou.*

PÆDERUS *p.*, *Fabr.*

3068. 1; quadratum *. *Gyll.* ii. 367.—(*Sam. I.* 24.)

St. quadratus. *Payk. M. S.* 29.—*Marsh.* i. 527.

Pæ. filiformis a. *Payk. F.* iii. 429.

La. pilosum. *Grav. Mi.* 131.

3069. 2; brunnipes *. *Grav. Mi.* 56.

Pæ. brunnipes. *Fabr. E. S.* ii. 537.

Pæ. elongatus c. *Payk. F.* iii. 429.

St. dentatus. *Marsh.* i. 515.

La. dentatum. (*Sam. I.* 24.)

3070. 3; atriceps *. *Kirby MSS.*

3071. 4; elongatum *. *Grav. Mi.* 55.

St. elongatus. *Linn.* ii. 685.—*Murt. C. pl.* 40. *f.* 1.—*Marsh.* i.

515.—*Turt.* ii. 522.—*Don.* xvi. *pl.* 573. *f.* 3.—*Leach E. E.*

ix. 91.—*Samou.* 172.

Pæ. elongatus. *Panz. F.* ix. *f.* 12.

3072. 5; fulvipenne *. *Gyll.* ii. 365.

Pæ. fulvipennis. *Fabr. E.* ii. 609.—*Panz. F.* xvii. *f.* 23.

La. elongatum γ . *Grav. Mo.* 133.

3073. 6; rufipenne *. *Gyll.* iii. 704.

3074. 7, oehraceum.

St. ochraceus. *Mus. Marsham.*

3075. 8, punctato-striatum *. *Kirby MSS.*

La. striatum. *Latr. H.* ix. 341?

Pæ. testaceus var. *Oliv. E.* iii. 5. *pl.* 1. *f.* 6. *a, b.*

3076. 9; multipunctatum. *Grav. Mi.* 52.
 3077. 10; lineare*. *Grav. Mi.* 54.
 3078. 11; longulum*. *Grav. Mi.* 53.
 La. dentipes. Kirby MSS.
 La. minutum. (DeJean C. 24.)
 3079. 12; fovulum* *mihi.*
 3080. 13; nanum* *mihi.*
 3081. 14; erythrocephalum* *mihi.*

Genus 490. OCHTHEPHILUM *mihi.*

- LATHROBIUM** *p.*, *Gravenhorst*.—**PÆDERUS** *p.*, *Fabricius*.
 3082. 1; fracticorne*.
 Pæ. fracticornis. Payk. F. iii. 430.
 Pæ. filiformis. Fabr. E. ii. 609.

Familia LXIX. STENIDÆ, *MacLeay?*

(**ST.-LONGIPALPATI** et -DEPLANATI *p.*, *Latreille*).
 (**PÆDERUS** *p.*, *Fabricius*.)

Genus 491. SUNIUS, *Leach MSS.*

A. Thorace subquadrato.

3083. 1; melanocephalus*.
 Pæ. melanocephalus. Fabr. E. ii. 610.—(*Sam. I.* 32.)
 Pæ. bicolor. Oliv. E. iii. 77. *pl. 1. f. 4. a, b.*

3084. [2; tricolor*].
 St. tricolor. Marsh. i. 516.

3085. 3; ochraceus*.
 Pæ. ochraceus. Grav. Mi. 59?
 Pæ. nigriceps. Kirby MSS.

3086. 4; rubricollis*.
 Pæ. rubricollis. Grav. Mo. 138.—*Gyll.* ii. 376.
 Pæ. obscurus. Kirby MSS.

B. Thorace suborbiculato.

3087. 5; brunneus*.
 Pæ. brunneus. Kirby MSS.

3088. 6; angustatus*.
 Pæ. angustatus. Payk. F. iii. 431.—(*Sam. I.* 32.)
 St. angustatus. Fabr. E. ii. 599.—*Panz. F.* xi. *f.* 18.—
 Marsh. i. 527.—*Don. xvi. pl. 573. f. 1.*
 β; St. gracilis. Fabr. E. ii. 599.

3089. 7; immaculatus.
 Pæ. immaculatus. Kirby MSS.

3090. 8, dimidiatus.
Pæ. dimidiatus. *Kirby MSS.*
- 3091 † 9, sulcicollis.
Pæ. sulcicollis. *Kirby MSS.* In Mus. D. *Kirby*.
- Genus 492. RUGILUS, *Leach*, (*Samou.*), *Curtis*.
3092. 1; orbiculatus*. (*Curtis l. c. infra.*)
Pæ. orbiculatus. *Fabr. E.* ii. 609.—*Panz. F.* xlivi. f. 21.—
(*Sam. I.* 24.)
St. orbiculatus. *Marsh.* i. 528.
3093. 2; immunis*. (*Curtis l. c. infra.*)
Pæ. immunis. *Kirby MSS.*—(*Sam. I.* 32.)
3094. 3, punctipennis. (*Curtis l. c. infra.*)
Pæ. punctipennis. *Kirby MSS.*
- 3095 † 4, fragilis*. *Curtis.* iv. pl. 163.
Pæ. fragilis. *Grav. Mi.* 140. In Mus. D. *Cooper*.
- Genus 493. PÆDERUS *Auctorum*.
3096. 1, littoralis. *Grav. Mi.* 61.—(*Curtis l. c. infra.*)
3097. 2; riparius*. *Fabr. E.* ii. 608.—*Don.* v. pl. 167.—
(*Leach E. E.* ix. 91.—*Samou.* 173. pl. 4. f. 12.—(*Curtis l. c. infra.*)
St. riparius. *Linn.* ii. 684.—*Berk. S.* i. 110.—*Stew.* ii. 89.—
Marsh. i. 503.—*Turt.* ii. 522.
3098. 3; fulvipes*. *Curtis.* iii. pl. 108.
Pæ. thoracicus *mihi*.
3099. 4, ruficollis. *Fabr. E. S.* ii. 537.—*Panz. F.* xxvii. f. 22.—
(*Curtis l. c. supra.*)
- 3100 † 5, sanguinicollis *mihi*. (*Curtis l. c. supra.*)
Pæ. cyanurus. *Kirby?* *MSS.* In Mus. *Brit.*
- Genus 494. STENUS, *Latreille*, *Leach*, *Samou.*, *Curtis*.
- A. Abdomine immarginato.
- a. *Pedibus pallidis*.
3101. 1; oculatus*. *Grav. Mi.* 155.—(*Sam. I.* 39.)
Sta. clavicornis. *Marsh.* i. 527.
Ste. clavicornis. (*Curtis l. c. infra.*)
Sta. similis. *Herbst A.* v. 151.
Pæ. 2-guttatus var. *Oliv.* iii. 44. pl. 1. f. 3. e, d.
3102. 2; scabrior*. *Kirby MSS.*
3103. 3, cicindeloides*. *Grav. Mi.* 155.—(*Sam. I.* 39.)—(*Curtis l. c. infra.*)
Sta. rugosus —?
Stc. similis, b. *Liungh.* i. 65.

3104. 4, cognatus *mihi*.
 3105. 5; similis *. Kirby MSS.
 3106. 6; fulvicornis *. Kirby MSS.
 Ste. flavidicornis. (Sam. I. 39.)
 3107. 7, pallipes. Grav. Mi. 157.—(Curtis l. c. infra.)
 3108. 8, Marshami * *mihi*.
 Sta. immunis. Mus. Marsham.
 3109. 9; brunnipes *. Kirby MSS.—(Sam. I. 39.)
 3110 † 10, curvipes. Kirby MSS. In Mus. D. Kirby et Vigors.
 b. *Pedibus nigris*.
 3111. 11, nigriclavis *. Kirby MSS.
 Ste. clavicornis. Grav. Mi. 156.
 Ste. buphthalmus. Liungh. i. 67.
 Ste. tarsalis c. Gyll. ii. 472.
 3112. 12, tarsalis. Gyll. ii. 472.—(Curtis l. c. infra.)
 Ste. clavicornis. (DeJean C. 25.)
 3113. 13; rufitarsis *. Kirby MSS.—(Sam. I. 39.)
 3114. 14; unicolor *. Kirby MSS.
 3115. 15; assimilis *. Kirby MSS.
 3116. 16, fornicatus. Kirby MSS.
 3117. [17, crassus.] Kirby MSS.
 3118. 18, gracilis * *mihi*.
 B. Abdomine marginato: ano simplici.
 a. *Elytris immaculatis*. 1. *Pedibus pallidis*.
 3119. 19; phæopus *. Kirby MSS.
 3120. 20; picipes *. Kirby MSS.
 3121. 21; argyrostoma * *mihi*.
 3122. 22; fuscipes *. Grav. Mi. 157.—(Curtis l. c. infra.)
 3123. 23; flavipes *. Kirby MSS.
 3124. 24; circularis *. Grav. Mi. 157.—(Curtis l. c. infra.)
 Ste. brevis. Kirby MSS.
 3125. 25, immunis. Kirby MSS.
 Sta. immunis. Marsh. i. 528.
 Ste. circularis b. Gyll. ii. 479.
 3126. 26; subrugosus * *mihi*.
 3127. 27; ossium *. Kirby MSS.
 3128. 28; tenuicornis * *mihi*.
 3129. 29; geniculatus * *mihi*.

3130. 30; gonymelas*. *Kirby MSS.*
3131. 31; Aceris*. *Kirby MSS.*—(*Sam. I.* 39.)
3132. 32; Juncorum. *Leach MSS.*—(*Sam. I.* 39.)
3133. 33; nitidiusculus*. *Kirby MSS.*
3134. 34; punctatissimus *mihi*.
3135. 35; nigricornis*. *Kirby MSS.*—(*Sam. I.* 39.)
Sta. clavicornis. *Fabr. E.* ii. 603?
Ste. speculator. *Dahl?*
3136. 36; boops*. *Grav. Mo.* 226. var.—(*Curtis l. c. infra.*)
Sta. Cicindeloides. *Liungh.* i. 61.
3137. 37, clavicornis.
Sta. clavicornis. *Fabr. E.* S. ii. 527?
3138. 38; atricornis* *mihi*.
3139. 39; canaliculatus*. *Kirby MSS.*
Pæ. proboscideus. *Oliv. E.* iii. 6. pl. 1. f. 5. a, b.
Ste. buphthalmus var.? *Grav. Mo.* 230.
3140. 40; submarginatus*. *Kirby MSS.*
Ste. binotatus. *Web. A.* (*Liungh.*) i. 66?
3141. 41, sulcicollis*. *Kirby MSS.*
3142. 42; longicollis* *mihi*.
2. Pedibus nigris.
3143. 43; lineatulus*. *Kirby MSS.*
3144. 44; buphthalmus*. *Grav. Mi.* 156.
Sta. boops. *Liungh.* ii. 12.
Ste. clavicornis. *Panz. F.* xxvii. f. 11.
3145. 45; pubescens*. *Kirby MSS.*—(*Sam. I.* 39.)
3146. [46; lævior*.] *Latr. H.* ix. 353?
3147. 47, lævis.
Sta. lævis. *Mus. Marsham.*
3148. 48; pallitarsis*. *Kirby MSS.*
3149. 49, pilosulus. *Kirby MSS.*
3150. 50; affinis*. *Kirby MSS.*
3151. 51; angustatus*. *Kirby MSS.*—(*Sam. I.* 39.)
3152. 52; melanopus*. *Kirby MSS.*
Sta. melanopus. *Marsh.* i. 528.
3153. 53, melanarius. *Kirby MSS.*
3154. 54; nitidulus*. *Leach MSS.*
3155. 55; nitidus*. *Kirby MSS.*
3156. 56; nitens*. *Kirby MSS.*

3157. 57; pusillus*. Kirby MSS.—(Sam. I. 39.)
3158. 58, nanus mihi.
b. *Elytris maculatis.*
3159. 59; bimaculatus*. Gyll. ii. 466.
Sta. biguttatus. Marsh. i. 526.
Ste. Juno. Grav. Mi. 154.
3160. 60; biguttatus*. Grav. Mi. 154.—Panz. F. xi. f. 17.—
Don. xvi. pl. 573. f. 2.—Leach E. E. ix. 91.—Samou. 173. pl. 4.
f. 13.—(Curtis l. c. infra.)
Ste. Juno β. Payk. F. iii. 433.
3161. 61; bipunctatus*. Kirby MSS.—(Curtis l. c. infra.)
3162. 62; bipustulatus*. (Curtis l. c. infra.)
Sta. bipustulatus. Linn. ii. 685.—Panz. F. xxvii. f. 10.—
Marsh. i. 527.
Sta. biguttatus, var. Oliv. E. iii. 5. pl. 1. f. 3. a, b.
3163. 63; Kirbii*. Leach MSS.—(DeJean C. 25.)—Curtis. iv.
pl. 164.
Ste. biguttatus b. Gyll. ii. 464.
St. guttula. Germ. Mag. (Müll.) iv. 223.
3164. 64; binotatus*. Kirby? MSS.—(Curtis l. c. supra?)
- C. Abdomine marginato: ano processu utrinque. ZOLMÆNUS,
Leach MSS.
3165. 65, Juno. Gyll. ii. 467.—(Curtis l. c. supra?)
Sta. Juno. Payk. F. iii. 433.
Ste. boops. Grav. Mo. 226.
- Genus 495. DIANOÜS, Leach MSS., (Samou.), Curtis.
STENUS p, Gyll.
3166. 1, rugulosus. Leach MSS.
Ste. rugulosus. Hoffmannsegg MSS.—(Sam. I. 39.)
Ste. cærulescens. Gyll. ii. 463?—(Sam. I. 39.)
Di. cærulescens. Curtis. iii. pl. 107.
Ste. biguttatus. Liungh. i. 62?
- Genus 496. OXYPORUS, Fabricius, Leach, Samou., (Kirby.)
3167. 1; rufus*. Fabr. E. ii. 604.—Leach E. E. ix. 91.—
Samou. 174. pl. 4. f. 11.
St. rufus. Linn. ii. 684.—Berk. S. i. 110.—Stew. ii. 89.—
Mart. C. pl. 41. f. 25.—Marsh. i. 502.—Turt. ii. 520.
- 3168 † 2, maxillosus. Fabr. E. ii. 605.—Panz. F. xvi. f. 20.
In Mus. Brit. et D. Kirby.

Genus 497. SIAGONIUM, Kirby, Westwood.

SIAGONUM, *Curtis*.—PROGNATHUS, *Latr.*.—LEPTOCHEIRUS,
(*Germar.*)?

3169. 1: quadricorne*. (*Kirby & Sp. I. E. i. pl. 1. f. 3. 315.*)—
Curtis. i. pl. 23.—(*Zool. Journ. (Westwood.) iii. 61.*)
Si. corticalis. (*Curtis l. c. supra.*)

Genus 498. BLEDIUS, Leach MSS., (*Samou.*), *Curtis*, Westwood.

OXYTELUS p, *Grav.*

3170. 1, tricornis. (*Curtis l. c. infra.*)

St. tricornis. *Payk. F. iii. 396.*—*Ent. Trans. (Haworth.)*
i. 97. pl.

St. armatus. *Panz. F. lxxvi. f. 17.*—*Ent. Trans. (Burrell.)*
i. 236 & 310.

Ox. armatus. (*Samou. 174.*)

♀, Ox. subcornutus. *Kirby MSS.*

3171. 2, Skrimshirii. *Curtis. iii. pl. 143.*

Bl. Stephensii. *Zool. Journ. (Westwood.) iii. p. 61, 301 & 509.*
pl. 11. f. 4. (caput et thorax.)

Ox. Taurus. (*DeJean C. 25?*)

Genus 499. HESPEROPHILUS mihi.

OXYTELUS p, *Gyll.*

3172. 1, fracticornis*.

St. fracticornis. *Payk. F. iii. 382.*

Ox. pallipes. *Grav. Mo. 197?*

3173. 2, hæmopterus*.

St. fracticornis β. *Payk. F. iii. 382.*

Ox. hæmopterus. *Kirby MSS.*

Ox. castaneipennis. *Ziegler.*

3174. 3, divisus. *Mus. Marsham.*

Ox. pallipes. *Gyll. ii. 447?*

Ox. lævicollis. (*DeJean C. 25.*)

3175 † 4, arenarius.

St. arenarius. *Payk. F. iii. 382.*

In Mus. D. Kirby et Sheppard.

3176 † 5, Talpa.

Ox. Talpa. *Gyll. ii. 448.*

In Mus. Brit.

Genus 500. OXYTELUS, Gravenhorst, Leach, Samou., (Kirby.)

A. Thorace convexo. a. Thorace insculpto.

3177. 1; brachypterus*. *Kirby MSS.*

St. brachypterus. *Marsh. i. 510.*

Ox. cælatus*. *Grav. Mi. 103?*

b. *Thorace canaliculato.*

3178. 2; cornutus*. *Grav. Mi.* 109.
3179. 3; morsitans*. *Grav. Mi.* 108.—(Kirby & Sp. I. E. iv. 141.)
St. morsitans. *Payk. F.* iii. 383.—*Marsh.* i. 508.
Ox. striolatus. *Ziegler.*
3180. [4; trilobus *.]
St. trilobus. *Oliv. E.* iii. 20. *pl. 5. f.* 48. *a, b.*—*Marsh.* i. 508.
Ox. morsitans, var. b. *Gyll.* ii. 451.
3181. 5, sulcatus*.
St. sulcatus. *Mus. Marsham.*
3182. 6, brunnipennis* *mihi.*
3183. 7, immunis. *Kirby MSS.*
3184. 8; foveatus*. *Kirby MSS.*
3185. 9, caliginosus* *mihi.*
3186. 10, pallidipennis. *Kirby MSS.*
St. pallidipennis. *Panz. F.* xxvii. *f.* 16.
- B. *Thorace depresso.*
3187. 11; pulcher*. *Grav. Mi.* 107.
St. laqueatus. *Marsh.* i. 513.
Ox. carinatus var. c. *Gyll.* ii. 453.
3188. 12, carinatus*. *Grav. Mi.* 106.—*Panz. F.* lvii. *f.* 24.—
Leach E. E. ix. 91.—*Samou.* 174.
3189. 13; rugosus*. (Kirby & Sp. I. E. iv. 141.)
St. rugosus. *Fabr. E.* ii. 601.—*Stew.* ii. 89.—*Marsh.* i. 506.
—*Turt.* ii. 514.—(*Sam. I.* 32.)
3190. 14, laqueatus.
St. piceus. *Panz. F.* xxvii. *f.* 14?
3191. 15, nitens.
St. nitens. *Mus. Marsham.*
3192. 16, piceus. *Grav. Mi.* 105.
St. piceus. *Linn.* ii. 686.—*Oliv. E.* iii. 20. *pl. 3. f.* 38. *a, b.*
—*Marsh.* i. 506.—*Turt.* ii. 515.
3193. 17, sculpturatus. *Grav. Mo.* 187.
St. sulculum. *Mus. Marsham.*
3194. 18, antennatus. *Kirby MSS.*
3195. 19, nitidus. *Kirby MSS.*
3196. 20, flavipes* *mihi.*
3197. 21; depressus*. *Grav. Mi.* 103.—*Gyll.* ii. 457.
3198. 22, fuscipennis* *mihi.*
3199. 23, pallipes*. *Kirby MSS.*

3200. 24; nitidulus*. *Grav. Mi.* 107.
St. piceus. *Payk. F.* iii. 384. var. minutula.
3201. [25, ruficrus.] *Kirby MSS.*
3202. 26, consobrinus* *mihi.*
3203. 27, angustatus*. *Kirby MSS.*—(*Sam. I.* 32.)
3204. 28; corticinus*. *Grav. Mo.* 192.
3205. 29; opacus*. *Kirby MSS.*—(*Sam. I.* 32.)
3206. 30; pusillus*. *Leach MSS.*

Genus 501. CARPALIMUS, (*Kirby.*)

CARPELIMUS, (*Samou.*)—OXYTELUS *p*, *Grav.*

A. Tarsi triarticulati.

3207. 1, bilineatus. *Kirby MSS.*
3208. 2, arcuatus. *Kirby MSS.*
- 3209 † 3. bicolor. *Kirby MSS.* In Mus. D. Spence.
3210. 4, fuliginosus.
Ox. fuliginosus. *Grav. Mi.* 102?
Ca. nitidulus. *Kirby MSS.*
 β ; Ca. crassicornis. *Kirby MSS.*
3211. 5, picipennis. *Kirby MSS.*
3212. 6, rufipennis. *Kirby MSS.*
3213. 7, affinis. *Kirby MSS.*
- 3214 † 8, obscurus. *Kirby MSS.* In Mus. D. Sheppard, Spence et Vigors.
3215. 9; atratus* *mihi.*

B. Tarsis quinque articulatis.

- 3216 † 10. brunniceps. *Kirby MSS.* In Mus. D. Spence.

Familia LXX. OMALIDÆ, *MacLeay.*

(ST.-DEPLANATI *p*, *Latreille.*)

(OMALIUM, *Gravenhorst*, &c.)

Genus 502. EVÆSTHETUS, *Gravenhorst*, (*Kirby.*)

ERISTHETUS, (*Samou.*)—STENUS *p*, *Liungh.*—OXYTELUS *p*, *Samou.*

3217. 1, scaber. *Grav. Mo.* 202.—*Ahr. F.* vii. f. 13.
Stc. bipunctatus. *Liungh.* 68.
Ox. scaber. (*Sam. I.* 32.)

Genus 503. —

EVÆSTHETUS, (*Kirby.*)

3218. 2; nigroæneus*. *Kirby MSS.*
Om. æneum. *Gyll.* iv. 466?

Genus 504. MEGARTHRUS, Kirby MSS.

DERMESTES *p*, Panz.—SILPHA *p*, Marsh.

3219. 1; rufescens *. Kirby MSS.
 3220. 2; retusus *. Kirby MSS.
 3221. [3; flavus *.] Kirby MSS.
 3222. 4; depressus *.
 St. depressus: Payk. F. iii. 412.—Oliv. E. iii. 36. pl. 3.
 f. 26. *a, b.*
 Om. depressum. (*Sam. I.* 32.)
 3223. [5; emarginatus *.] Kirby ? MSS.
 3224. 6; macropterus *.
 Om. macropterum. *Grav. Mo.* 215.
 Si. abbreviata. *Marsh.* i. 128.
 3225. 7, pusillus *mihi*.
 3226. 8, marginatus *mihi*.
 3227. 9, affinis *mihi*.

Genus 505. PROTEINUS, Latreille, Leach, Samou.

DERMESTES *p*, Fabr.—CATERETES *p*, Schönher.

3228. 1; brachypterus *. *Latr. G.* i. 298.—*Leach E. E.* ix. 92.
 —*Samou.* 175.
 De. brachypterus. *Payk. F.* i. 288.—*Panz. F.* iv. *f.* 10.
 Om. ovatum. *Grav. Mo.* 215.
 Pr. consimilis. Kirby MSS.
 3229. 2, clavicornis *. Kirby MSS.
 3230. 3; ovalis *. Kirby MSS.

Genus 506. ANTHOBIUM, Leach MSS.

SILPHA *p*, Marsh.

3231. 1; nigricorne * *mihi*.
 3232. 2; subsulcatum * *mihi*.
 3233. 3, sulculum.
 Om. sulculum. Kirby MSS.
 3234. 4; nitidum *mihi*.
 3235. 5, Ranunculi *.
 Om. Ranunculi. *Grav. Mi.* 118.
 Si. minuta. *Fabr. E.* i. 342.—*Stew. ii.* 39.
 3236. [6, picipenne.]
 Om. picipenne. Kirby MSS.
 3237. 7, ruficorne.
 Om. ruficorne. *Mus. Marsham.*

3238. 8; Sorbi*.
 Om. Sorbi. *Gyll.* ii. 206.
 Om. ophthalmicum. *Grav. Mo.* 216.
3239. [9; Ulmariæ*.]
 Om. Ulmariæ. *Kirby MSS.*
 Si. lutea. *Marsh.* i. 128.
3240. 10; ophthalmicum*.
 St. ophthalmicus. *Payk. F.* iii. 409.
 Om. pallidum. *Grav. Mo.* 217.
3241. 11; torquatum*.
 Si. torquata. *Marsh.* i. 127.
 Si. semicoleoptrata. *Panz. F.* xxiv. f. 6.
3242. [12; mucronatum*.]
 Om. mucronatum. *Kirby MSS.*
3243. 13; brunneum* *mihi.*
3244. 14; canaliculatum. *Kirby MSS.*
 Si. ruficollis. *Panz. F.* 25. f. 5.—*Marsh.* i. 127.
3245. 15, tectum.
 St. tectus. *Payk. F.* iii. 411.—*Oliv. E.* iii. 36. *pl.* 3. *f.* 21. *a, b.*
3246. 16; grossum*.
 Om. grossum. *Kirby MSS.*—(*Sam. I.* 32.)
3247. 17; melanocephalum*. (*Samou.* 175.)
 Si. melanocephala. *Marsh.* i. 127.
 St. melanocephalus. *Oliv. E.* iii. 38. *pl.* 4. *f.* 32. *a, b.*
3248. 18; assimile*.
 St. assimilis. *Payk. F.* iii. 409.
3249. 19, atrocephalum.
 Om. atrocephalum. *Gyll.* iv. 463.
3250. 20, longipenne.
 Om. longipenne. *Kirby MSS.*
 Om. cryptura. *Mus. Marsham.*
 β , Om. ventrale. *Kirby MSS.*
3251. 21, unicolor.
 St. unicolor. *Mus. Marsham.*
3252. 22, nigriventre* *mihi.*
- Genus 507. CORYPHIUM, *Kirby MSS.*
- 3253 † 1, angusticolle. *Kirby MSS.*
 β . Co. villosulum. *Kirby MSS.* In *Mus. D. Kirby et Sheppard.*
- Genus 508. ELONIUM, *Leach*, (*Samou.*)
3254. 1; striatulum*.
 Sta. striatulus. *Fabr. E.* ii. 596.

Om. rugosum. *Grav. Mi.* 115.

Om. striatum. (*Sam. I.* 32.)

Genus 509. OMALIUM, *Gravenhorst, Leach, Samou., (Kirby.)*

A. Thorace obcordato.

3255. 1; planum*. *Grav. Mi.* 112.—(*Sam. I.* 32.)

St. planus. *Payk. F.* iii. 405.

3256. 2; deplanatum*. *Grav. Mi.* 113.

3257. 3; concinnum*.

St. concinnus. *Marsh. i.* 510.

3258. 4; brunnipes *mihi*.

3259. 5; monilicorne*. *Gyll. ii.* 219.

Om. monilicorne. *Kirby MSS.*

3260. 6; brunnipenne*.

St. brunnipennis. *Mus. Marsham.*

3261. 7; picinum*. *Kirby MSS.*

B. Thorace subquadrato.

3262. 8; brunneum. *Grav. Mi.* 113.

St. brunneus. *Payk. F.* iii. 404.

3263. 9; iopterum*. *Kirby MSS.*

St. brunneus β . *Payk. F.* iii. 405.

3264. 10, sordidum. *Kirby MSS.*

3265. 11, striatum. *Grav. Mi.* 119.

St. minutus. *Oliv. E.* iii. 38. *pl. 6. f.* 53. *a, b?*

3266. 12; subpubescens*. *Kirby MSS.*

C. Thorace transverso.

a. Thorace obsoletè foveolato.

3267. 13; florale*.

St. floralis. *Payk. F.* iii. 406.

Om. Viburni. *Grav. Mi.* 117.

3268. 14; Salicis*. *Gyll. ii.* 226.

3269. 15, ruficornis*. *Kirby MSS.*

3270. 16, pilosulum. *Kirby MSS.*

3271. 17, læve*. *Grav. Mo.* 211.

Om. læviusculum. *Gyll. iv.* 464.

b. Thorace profundè foveolato.

3272. 18, foveolatum. *Kirby MSS.*

3273. 19; piceum*. *Kirby MSS.*

Om. cæsum, b. *Gyll. ii.* 216?

Om. incisum. *Knöch.*

Om. rivulare var. b. *Grav. Mo.* 209.

3274. 20, cæsum. *Knoch*.—*Grav. Mo.* 209.
3275. 21; rivulare*. *Grav. Mi.* 116.—*Leach E. E.* ix. 92.—*Samou.* 174.
St. rivularis. *Payk. F.* iii. 407.—*Oliv. E.* iii. 35. *pl. 3. f. 27. a, b.*—*Marsh. i.* 513.
3276. 22; Oxyacanthæ*. *Knoch*.—*Gyll.* ii. 217.
Om. rivulare var. c. *Grav. Mo.* 210.
3277. 23, fuscum *mihi*.
3278. 24, excavatum. *Kirby MSS.*
3279. 25; subrugosum* *mihi*.
3280. 26, pygmæum. *Grav. Mo.* 206.
St. pygmæus. *Payk. F.* iii. 410.
Om. brunneum var. 3. *Grav. Mi.* 113.
- 3281 † 27, Primulæ. *Kirby MSS.*—(*Kirby & Sp. I. E.* ii. 242.)
In Mus. *D. Kirby.*
- 3282 [† 28, nigricolle.] *Kirby MSS.* In Mus. *D. Kirby.*
3283. 29, latum* *mihi*.
- Genus 510. ACIDOTA, *Kirby?* MSS.
3284. 1, crenata.
St. crenatus. *Fabr. E.* ii. 596.
- 3285 † 2. rufa.
Om. rufum. *Grav. Mi.* 115. In Mus. *Brit. et D. Kirby.*
- Genus 511. LESTEVA, *Latr.*
- CARABUS *p.*, *Fabr.*, *Marsh.*—ANTHOPIHAGUS, *Gravenhorst*, *Leach.*
(*Kirby.*)—LESTIVA, *Samou.*
- 3286 † 1, Leachii. *Kirby MSS.* In Mus. *Brit.*
3287. 2, Caraboides*. (*Sam. I.* 25.)—(*Kirby & Sp. I. E.* iii. 506.)
St. caraboides. *Linn. ii.* 685.—*Oliv. E.* iii. 22. *pl. 2. f. 17. a, b.*
—*Marsh. i.* 521.—*Turt. ii.* 514.
Ca. abbreviatus. *Fabr. E.* i. 209.
St. fulvus. *DeGeer.* iv. 25.
3288. 3, canaliculata. *Kirby MSS.*
Le. Scotica. *Leach?* MSS.
3289. 4, Hookeri. *Kirby MSS.*
3290. 5, alpina. *Latr. G.* i. 297.
St. alpinus. *Fabr. E.* ii. 598.—*Oliv. E.* iii. 32. *pl. 6. f. 55. a, b.*
3291. 6; testacea*.
An. testacea. *Grav. Mi.* 121?
3292. 7; obscura*. (*Sam. I.* 25.)
St. obscurus. *Payk. F.* iii. 388.

- St. bicolor. *Fabr. E. ii.* 600?
 Car. staphylinoides. *Marsh. i.* 464.
 Le. punctulata. *Latr. H. ix.* 369.—*Samou.* 175.
 An. punctulatus. *Leach E. E. ix.* 92.
 Car. dimidiatus. *Panz. F. xxxvi. f. 3.*

3293. 8, plagiata.
 St. plagiatus. Payk. F. iii. 387.
 3294. 9, rufitarsis*. *Kirby MSS.*
 3295. 10; nigripes* *mihi.*
 3296 † 11, impressa. *Kirby MSS.* In Mus. *D. Kirby.*
 3297. 12, planipennis. *Kirby MSS.*
 3298. 13, Kirbii *mihi.*
-

ORDO II. DERMAPTERA, *DeGeer.*

(COLEOPTERA *p.*, *Linné, &c.*—ULONATA *p.*, *Fabr.*—ORTHOPTERA *p.*, *Latreille.*—DERATOPTERA, *Clairville.*)

Familia I: (71). FORFICULIDÆ.

Genus 1: (512). FORFICULA *Auctorum. Earwig.*

3299. 1; auricularia*. *Linn. ii.* 686.—*Berk. S. i.* 110.—*Panz. F. lxxxvii. f. 8.*—*Marsh. i.* 529.—*Stew. ii.* 89.—*Turt. ii.* 523.—*Shaw G. Z. vi.* 110. *pl. 40.*—*Bingley. iii.* 149.—*Leach E. E. ix.* 118.—*Samou.* 216.—(*Leach Z. M. iii.* 99.)—*Wood. i.* 80. *pl. 30.*
 Fo. major. *Harrer.* 408.
 3300. [2; media*]. *Marsh. i.* 530.
 3301. 3; borealis*. *Leach MSS.*—(*Sam. I.* 17.)
 3302. 4; forcipata* *mihi.*

Genus 2: (513). LABIA, *Leach, Samou., (Kirby.)*

3303. 1; minor*. (*Leach E. E. ix.* 118.)—(*Leach Z. M. iii.* 99.)—*Samou.* 216. *pl. 4. f. 16.*
 Fo. minor. *Linn. ii.* 686.—*Berk. S. i.* 110.—*Marsh. i.* 530.—*Stew. ii.* 89.—*Turt. ii.* 524.—(*Kirby & Sp. I. E. iv.* 514.)

Genus 3: (514). LABIDURA, *Leach, Samou., (Kirby.)*

3304. 1, gigantea. *Leach E. E. ix.* 118.—*Samou.* 217.—*Leach E. B. Sup. i. pl. 24.*—*Leach Z. M. iii.* 99.
 Fo. gigantea. *Fabr. E. S. ii. 1.*—*Ent. Trans. (Haworth.) i.* 255.—*Don. xiv. pl. 500.*—*Linn. Trans. (Bingley.) x.* 404.—(*Kirby & Sp. I. E. ii.* 237. *pl. 1. f. 7.*—*Id. iii.* 34.)
 ♀, Fo. erythrocephala. *Ent. Trans. (Haworth.) i.* 256?

ORDO III. ORTHOPTERA, Olivier.

(HEMIPTERA *p.*, Linné.—ULONATA *p.*, Fabricius.—DERMAPTERA *p.*, DeGecr.—DERATOPTERA *p.*, Clairville.)

Familia I: (72). GRYLLIDÆ, Leach.

(GRYLLUS *p.*, Linné, &c.—LOCUSTARIÆ, Latreille.—CONOCEPHALIDÆ, Kirby & Sp.—ACRIDINA, MacLeay.)

Genus 1: (515). ACRIDA, Kirby, Curtis. Locusts.

CONOCEPHALUS, Thunberg, Samou.—LOCUSTA *p.*, Geoffroy, Leach.

A. Alis incompletis.

a. Elytris (in masculis) haud ocellatis.

3305. 1; aptera*.

Lo. aptera. Fabr. E. S. ii. 45?

Gr. clypeatus. Panz. F. xxxiii. f. 4.

Ac. clypeata. (Curtis l. c. infra.)

b. Elytris ocellatis, longioribus.

3306. 2, brachyptera. (Curtis l. c. infra.)

Gr. brachypterus. Linn. F. 868.—DeGeer. iii. pl. 22. f. 2, 3?
—Turt. ii. 552.

3307. 3; Kirbii*. Dale MSS.—(Curtis l. c. infra.)

Gr. marginatus. Schäff. Ic. pl. 236. f. 4?

3308. 4, fusca. (Curtis l. c. infra.)

Lo. fusca. Fabr. E. S. ii. 43.—Panz. F. xxxiii. f. 2.

c. Elytris subocellatis brevissimis.

3309. 5; virescens* mihi.

Ac. aptera. (Curtis l. c. infra.)

B. Alis perfectis.

a. Elytris (in masculis) ocellatis.

1. Ovipositore incurvo.

3310. 6; grisea. (Curtis l. c. infra.)

Lo. grisea. Fabr. E. S. ii. 41.—Sowcrb. B. M. i. pl. 64.

Co. griseus. (Sam. I. 12.)

2. Ovipositore ferè recto.

3311 + 7, Bingleii. Dale MSS.—Curtis. ii. pl. 82.

In Mus. D. Dale et Haworth.

3312. 8: verrucivora*? (Curtis l. c. supra.)

Gr. verrucivorus. Linn. ii. 698.—Berk. S. i. 112.—Stew. ii. 94.

—Turt. ii. 551.—Panz. F. lxxxix. f. 20. ♂. f. 21. ♀.—

Shaw G. Z. vi. 140.

Lo. verrucævora. *Ent. Trans.* (*Haworth.*) i. 256.

Co. verrucivorus. (*Sam. I.* 12.)

3313. 9; viridissima*. (*Curtis l. c. supra.*)—(*Kirby & Sp. I. E.* ii. 399: iii. 34.)

Gr. viridissimus. *Linn.* ii. 698.—*Don.* iv. *pl.* 130.—*Stew.* ii. 94.—*Turt.* ii. 551.

I.O. viridissima. *Leach E. E.* ix. 120.

Co. viridissimus. *Samou.* 218.

b. *Elytris (in utroque sexū) inocellatis.*

3314. 10; varia*. (*Curtis l. c. supra.*)

Lo. varia. *Fabr. E. S.* ii. 42.

Lo. thalassina. *DeGeer.* iii. 433.

Gr. varius. *Don.* iii. *pl.* 79. *f.* 1.—*Stew.* ii. 94.—*Turt.* ii. 552.

Co. varia. (*Sam. I.* 12.)

Familia II: (73). LOCUSTIDÆ, Leach.

(*GRYLLUS*, *Linné*, &c.—*ACRIDII*, *Latreille*.—*LOCUSTINA*, *MacLeay.*) *Locusts, Grasshoppers.*

Genus 2: (516). LOCUSTA, Leach, *Samou.*, (*Kirby.*)

3315. 1, migratoria*. (*Sam. I.* 25.)

Gr. migratorius. *Linn.* ii. 700.—*Don.* viii. *pl.* 270.—*Stew.* ii. 95.—*Turt.* ii. 560.—*Shaw G. Z.* vi. 129. *pl.* 48.—*Bingley.* iii. 166.—*Leach E. E.* ix. 120.

3316. 2; flavipes*. (*Sam. I.* 25.)

Gr. flavipes. *Gmel.* iv. 2088.—*Don.* xi. *pl.* 391.

3317 † 3. cærulescens^a.

3318 † 4. stridula^b.

3319 † 5. grossa^c.

3320. 6; viridula*.

Gr. viridulus. *Linn.* ii. 702.—*Turt.* ii. 564.—*Sowerb. B. M.* i. *pl.* 63.

3321. 7; aprica* *mihi.*

3322. 8, ochropa* *mihi.*

^a 3317 † 3. cærulescens.

Gr. cærulescens. *Linn.* ii. 700.—*Panz. F.* lxxxvii. *f.* 11.—*Stew.* ii. 95. (!)

^b 3318 † 4. stridula.

Gr. stridulus. *Linn.* ii. 701.—*Panz. F.* lxxxvii. *f.* 12.—*Stew.* ii. 95. (!)—*Turt.* ii. 561. (!)

^c 3319 † 5. grossa.

Gr. grossus. *Linn.* ii. 702.—*Berk. S.* i. 112. (!)—*Panz. F.* xxxiii. *f.* 7.—*Stew.* ii. 95. (!)—*Turt.* ii. 564. (!)

3323. 9; lineata*.
Gr. lineatus. *Panz. F.* xxxiii. f. 9.
3324. 10; rhomboidea*.
Gr. rhomboidea. *Schæff. pl.* 288. f. 6, 7.
3325. 11; rubroviridata*. *Haworth?* MSS.
3326. 12, varipes* *mihi*.
3327. 13; vittata* *mihi*.
3328. 14; rosea* *mihi*.
3329. 15; crucigera* *mihi*.
3330. 16; consobrina* *mihi*.
3331. 17, varipes *mihi*.
3332. 18; rubicunda*.
Gr. rubicundus. *Schæff. pl.* 241. f. 5. 6.
3333. 19; venosa*.
Gr. venosus. *Mus. Lesk.* 49.
3334. 20, obscura *mihi*.
3335. 21, tricarinata* *mihi*.
3336. 22; pedestris*.
Gr. pedestris. *Linn. ii.* 703.—*Panz. F.* xxx. f. 8..
- Genus 3: (517). GOMPHIOCERUS, *Leach* MSS., *Samou.*
GOMPHIOCEROS, *Thunb.*—ACRYDIUM *p*, *Geoff.*
3337. 1; Sowerbii*. *Leach* MSS.
3338. 2; elegans* *mihi*.
3339. 3; biguttulus*. *Leach* MSS.
Gr. biguttulus. *Linn. ii.* 702?—*Panz. F.* xxxiii. f. 6.—*Don.* iii. *pl.* 79. f. 2.—*Stew.* ii. 95.—*Turt.* ii. 564.
3340. 4; rufus*. (*Sam. I.* 19.)—*Leach* MSS.
Gr. rufus. *Linn. ii.* 702.—*DeGecr.* iii. *pl.* 23. f. 13.—*Don.* xiv. *pl.* 482.—(*Sam. I.* 20.)—*Turt.* ii. 564.
3341. 5, calidonieensis. *Leach* MSS.
3342. 6; Ericetarius*. *Leach* MSS.
- 3343 + 7, sibiricus?
Gr. sibiricus. *Linn. ii.* 701?—*Panz. F.* xxiii. f. 20?
Gr. clavimanus. *Pallas. Sp. Zo.* ix. 21. *pl.* 1. f. 11?
In *Mus. D. Hope.*

Genus 4: (518). ACRYDIUM, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)

TETRIX, *Latr.*—ACNETA *p*, *Lamarck.*

3344. 1; subulatum*. *Fabr. E. S.* ii. 26.—*Sower. B. M.* i. *pl.* 74.—*Don. xv.* *pl.* 520.—*Leach E. E.* ix. 120.—*Samou.* 219. *pl.* 4. f. 18.

- Gr. subulatus. *Linn.* ii. 693.—*Berk. S.* i. 111.—*Turt.* ii. 543.
 β ; Ac. undulatum. *Sower. B. M.* i. 74.
 γ ; Ac. nigricans. *Sower. B. M.* i. pl. 74.
3345. 2; bipunctatum*. *Fabr. E. S.* ii. 26.—*Panz. F.* v. f. 18.—
(*Sam. I.* 1.)
- Gr. bipunctatus. *Linn.* ii. 693.—*Berk. S.* i. 111.—*Stew.* ii. 93.
—*Turt.* ii. 543.
3346. 3; brevipenne* *mihi.*

Familia IV: (74). ACHETIDÆ, Leach.

(GRYLLIDES, *Latr.*—GRYLLINA, *MacLeay.*)

- Genus 5: (519). GRYLLOTALPA, Ray, Leach, Samou., (Kirby.)
ACHETA *p.*, *Fabr.* Molecricket.

3347. 1; vulgaris*. *Latr. G.* iii. 95.—(Leach *E. E.* ix. 119.)—
Samou. 217.—(Kirby & Sp. *I. E.* ii. 366—398; iii. 35.)
- Gryllus *Grylotalpa*. *Linn.* ii. 693.—*Berk. S.* i. 111.—*Don. v.*
pl. 147.—*Stew.* ii. 93.—*Turt.* ii. 544.—*Shaw. G. Z.* vi. 140.
pl. 50.—*Bingley.* iii. 159.—*Wood.* i. 91. *pl. 33.*
Ac. *Grylotalpa*. (Kirby & Sp. *I. E.* i. *pl. 2. f. 2.*)

- Genus 6: (520). ACHETA, *Fabr.*, Leach, Samou., (Kirby.) Cricket.

3348. 1, campestris*. *Fabr. E. S.* ii. 31.—Leach *E. E.* ix. 119.—
Samou. 218.—(Kirby & Sp. *I. E.* ii. 366.)
- Gr. campestris. *Linn.* ii. 695.—*Berk. S.* i. 112.—*Stew.* ii. 94.
—*Turt.* ii. 545.—*Sowerb. B. M.* i. *pl. 64.*—*Don. xii. pl. 432.*
—*Bingley.* iii. 164.

3349. 2, sylvestris. *Fabr. E. S.* ii. 33.

3350. 3; domesticus*. *Fabr. E. S.* ii. 29.—*Panz. F.* lxxxviii.
f. 6. ♂. *f. 7.* ♀.—(Sam. *I.* 1.)—(Kirby & Sp. *I. E.* i. 239.)
- Gr. domesticus. *Linn.* ii. 694.—*Berk. S.* i. 111.—*Stew.* i. 93.
—*Turt.* ii. 544.—*Don. xi. pl. 409.*—*Bingley.* iii. 161.

- 3351 † 4, italica. *Fabr. E. S.* ii. 32?

- Gr. pellucens. *Panz. F.* xxii. *f. 18?* In Mus. *D. Haworth.*

Familia V: (75). BLATTIDÆ.

(Ordo DICTYOPTERA, Leach.)

(BLATTARIÆ, *Latr.*—BLATTINA, *MacLeay.*)

- Genus 7: (521). BLATTA, *Auctorum.* Cockroach.

- 3352 † 1, gigantea*^a.

^a 3352 † 1, gigantea*. *Pantologia* ii. (!)—*Shaw G. Z.* vi. *pl. 41.* (!)

3353. 2; *orientalis**^a.
3354. 3, *Maderæ**^b.
3355. 4; *Americana**^c.
3356. 5; *germanica**. *Linn.* ii. 688.—*Don.* x. 39. *pl.* 341.—(*Kirby & Sp. I. E. i.* 239.)
3357. 6, *pallens** *mihi*.
3358. 7; *Lapponica**. *Linn.* ii. 688.—*Panz. F.* xcvi. *f.* 13.
3359. 8, *perspicillaris*. *Turt.* ii. 531.
Bl. *Lapponica*. *Fuesly A. pl.* 49. *f.* 11.
3360. 9, *Panzeri mihi*.
Bl. *germanica*. *Panz. F.* ii. *f.* 16.
3361. 10, *nigripes mihi*.
3362. 11; *livida**. *Fabr. E. S.* ii. 10.—*Ent. Trans. (Haworth.) i.* 255.—(*Sam. I. 7. pl. 4. f. 17.*)
Bl. *livens*. *Turt.* ii. 529.
Bl. *lapponica*. *Don. x. pl.* 332.
3363. 12: *pallida*. *Olivier.*—*Latr. H.* xii. 97.

ORDO IV. NEUROPTERA.

(SYNISTATA p, et ODONATA, *Fabr.*—DICTYOPTERA, *Clairville.*)

Sectio I. PANORPINA.

(PLANIPENNES p, *Latreille.*)

Familia I: (76). BOREIDÆ.

(PANORPATÆ p, *Latr.*—PANORPIDÆ p, *Leach.*—Ordo RAPHIOPTERA, *MacLeay.*)

Genus 1: (522). BOREUS, *Latr.*, *Curtis*, (*Kirby.*)

PANORPA p, *Linn.*—GRYLLUS p, *Panz.*

3364. 1, *hyemalis**. *Curtis.* iii. *pl.* 118.

Pa. *hyemalis*. *Linn.* ii. 914.—*Turt.* iii. 406.—(*Sam. I. 33.*)
Gr. *proboscideus*. *Panz. F.* xxii. *f.* 18.

^a 3353. 2; *orientalis**. *Linn.* ii. 688.—*Berk. S.* i. 110. (!)—*Panz. F.* xvi. *f.* 12.—*Turt.* ii. 529. (!)—*Shaw G. Z.* vi. 116. *pl.* 41. (!)—*Bingley.* iii. 153. (!)—(*Sam. I. 7. (!)*)—*Wood. i.* 85. *pl.* 31.

^b 3354. 3, *Maderæ**. *Fabr. E. S.* ii. 6.—*Don.* xiii. *pl.* 457. (!)

^c 3355. 4; *Americana**. *Linn.* ii. 687.—*Fuesly A. pl.* 49. *f.* 5, 6.—*Turt.* ii. 528. (!)—*Shaw G. Z.* vi. 116. *pl.* 41. (!)—*Bingley.* iii. 153. (!)

Familia II: (77). PANORPIDÆ, Leach.

(PANORPATÆ *p*, Latreille.—PANORPINA, MacLeay.)

Genus 2: (523). PANORPA Auctorum. Scorpion-Fly.

3365. 1; *communis* *. *Linn.* ii. 915.—*Barbut G.* 226. *pl. 12.*—*Berk. S. i.* 152.—*Panz. F. 1. f. 10.*—*Stew. ii.* 218.—*Don. vi. pl. 201.* *fig. inf.*—*Turt. iii.* 406.—*Shaw G. Z. vi.* 264. *pl. 86. fig. med.*—*Leach Z. M. ii.* 98. *pl. 94. f. 1.*—(*Samou.* 260.)—*Wood. ii.* 35. *pl. 51.*
3366. 2; *affinis* *. *Leach Z. M. ii.* 98. *pl. 94. f. 2.*
Pa. communis. *Don. vi. pl. 201. fig. sup.*—(*Shaw l. c. supra.*
fig. sup.)—*Sam. I.* 33. *pl. 7. f. 5.*
3367. 3; *apicalis* * *mihi.*
3368. 4, *germanica* *. *Linn. ii.* 915.—*Turt. iii.* 406.—(*Sam. I.* 33.)

SECTIO II. ANISOPTERA, Leach MSS.

(SUBULICORNES *p*, Latreille.)

Familia III: (78). EPHEMERIDÆ, Leach.

(EPHEMERINÆ, Latreille.—EPHEMERA, Linné, &c.)

Genus 3: (524). EPHEMERA Auctorum. Muy- or Day-Flies.

3369. 1; *vulgata* *. *Linn. ii.* 916.—*Barbut G.* 213. *pl. 11. fig. inf.* *dext.?*—*Berk. S. i.* 150.—*Panz. F. xciv. f. 16.*—*Stew. ii.* 211.—*Shaw G. Z. vi.* 249. *pl. 81. fig. sup.*—*Turt. iii.* 393.—(*Samou.* 260. *pl. 7. f. 2. immatura.*)—*Wood. ii.* 23. *pl. 47. pupa.*
3370. 2; *cognata* * *mihi.*
Ep. vulgata. *Don. iv.* 53. *pl. 128.*
3371. 3; *Stigma mihi.*
3372. 4, *talcosa.* *Mus. Marsham.*
3373. 5; *lutea* *. *Linn. ii.* 609.—*Turt. iii.* 393.
3374. 6; *marginata* *. *Linn. ii.* 906?—*Stew. ii.* 211?—*Shaw G. Z. vi. pl. 81. fig. inf.?*
3375. 7; *subimarginata* * *mihi.*
3376. 8; *dispar* * *mihi.*
3377. 9; *nigricans* * *mihi.*
3378. 10; *diluta* * *mihi.*
3379. 11; *apicalis* * *mihi.*
Ep. halterata. *Fabr. E. S. ii.* 69?—*Shaw G. Z. vi.* 253. *pl. 81. fig. med.?*
3380. 12; *rufescens* * *mihi.*
3381. 13; *dubia* * *mihi.*

3382. 14; helvipes * *mihi*.

3383. 15; rosea * *mihi*.

3384 † 16. vespertina^a.

Genus 4: (525). —

3385. 1; macrura * *mihi*.

3386. 2; brevicauda.

Ep. brevicauda. *Fabr. E. S.* ii. 69.

Ephemeron. *Harris Ex. pl.* vi. *f.* 3.

3387. 3; pennata * *mihi*.

Genus 5: (526). BAËTIS, *Leach, Samou.*

3388. 1, caudata * *mihi*.

3389. 2; venosa *. *Fabr. E. S.* ii. 70.—*De Geer. ii. pl. xviii. f.* 1—4.

3390. 3; subfuscata * *mihi*.

3391. 4; flavescens * *mihi*.

3392. 5; basalis * *mihi*.

3393. 6; striata *.

Eph. striata. *Linn. ii. 907.—Berk. S. i. 150.—Stew. ii. 212.—Turt. iii. 394.*

Eph. ciliaris. *Kirby?* *MSS. (pupa.)*

3394. 7; phœopa * *mihi*.

3395. 8; obscura * *mihi*.

3396. 9; horaria *.

Ep. horaria. *Linn. ii. 907.—Berk. S. i. 150.—Stew. ii. 211.—Turt. iii. 394.*

3397. 10; culiciformis *.

Ep. culiciformis. *Linn. ii. 907.—Berk. S. i. 150.—Stew. ii. 211.—Turt. iii. 394.*

3398. 11; fuscata *. *Linn. ii. 907.—Turt. iii. 394.*

3399. 12; bioculata *. (*Sam. I. 5.*)

Ep. bioculata. *Linn. ii. 906.—Panz. F. xciv. f. 17.—Barbut G. pl. 11. fig. inf. sinist. ?—Stew. ii. 211.—Turt. iii. 393.*

3400 † 13. nigra^b.

3401. 14, cingulata * *mihi*.

Genus 6: (527). CLOËON, *Leach, Samou.*

3402. 1; diptera *.

^a 3384 † 16. vespertina. *Linn. ii. 906.—Berk. S. i. 150. (!)—Stew. ii. 211. (!)*
—*Turt. iii. 393. (!)*

^b 3400 † 13. nigra.

Ep. nigra. *Linn. ii. 907, (pupa.)—Stew. ii. 211.—Turt. iii. 393.*

Ep. diptera. *Linn.* ii. 907.—*Stew.* ii. 212.—*Shaw G. Z.* vi. 253.
Cl. pallida. (*Leach E. E.* ix. 137.)—(*Sam. I.* 11.)

- 3403. 2; ochracea * *mihi.*
- 3404. 3; obscura * *mihi.*
- 3405. 4; hyalinata * *mihi.*
- 3406. 5; dorsalis * *mihi.*
- 3407. 6; cognata * *mihi.*
- 3408. 7; consobrinus * *mihi.*
- 3409. 8. *Virgo* *.

Ep. *Virgo.* *Oliv.*—*Latr. H.* xiii. 98?

SECTIO III. LIBELLULINA, *MacLeay.*

(SUBULICORNES *p.*, *Latreille.*)

Familia IV: (79). AGRIONIDÆ, *Leach.*

(LIBELLULA *p.*, *Linné*, &c.)

Genus 7: (528). AGRION, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)

LIBELLULA Puella. *Stew.* ii. 210.

- 3410. 1; rufipes * *mihi.*
- 3411. 2; zonata *. *Leach MSS.*
Ag. zonatus. (*Sam. I.* 2.)
- 3412. 3; ezopata * *mihi.*
- 3413. 4; Puella *. *Leach MSS.*—(*Sam. I.* 2.)
Li. Puella ♂. *Linn.* ii. 905.
Li. Puella. *Barbut G.* 208. *pl.* 11. *cum fig.*—*Berk. S.* i. 149.
—*Shaw G. Z.* vi. 246.
Li. lucifugus. *Harris Ex. pl.* xxix. *f.* 5, 6.
Li. Puella c. *Turt.* iii. 392.
- 3414. 5; cingulata * *mihi.*
- 3415. 6; annularis *. *Leach MSS.*
Li. æreus. *Harris Ex. pl.* xxix. *f.* 3, 4?
Ag. annulare. (*Sam. I.* 2.)
- 3416. 7, rufescens *. *Leach MSS.*—(*Sam. I.* 2.)
- 3417. 8; sanguinea *. *Leach MSS.*
Li. Puella β. *Linn.* ii. 905.—*Turt.* iii. 192.
Li. nimius. *Harris Ex. pl.* xxix. *f.* 1, 2.
Li. Puella. *Barbut G.* 208. *pl.* 11. *cum fig.*—*Don. i. pl.* 36. *f.* 2.
Ag. sanguincus. (*Sam. I.* 2.)
- 3418. 9, Lincolnensis *. *Dale MSS.*
- 3419. 10; corea *. *Leach MSS.*—(*Sam. I.* 2.)
♂. Ag. albicans. *Leach MSS.*—(*Sam. I.* 2.)

Genus 8: (529). LESTES, Leach, Samou.

AGRION p, Fabr.

3420. 1; Sponsa*. (Sam. I. 25.)

Li. Puella α . Linn. ii. 905.

Ag. Sponsa. Kirby? MSS.

3421. [2; Nympha]*. Leach? MSS.

3422. 3; autumnalis*. Leach MSS.—(Sam. I. 25.)

Li. Puella γ . Linn. ii. 905.

Genus 9: (530). CALEPTERYX, Leach, Samou., (Kirby.)

AGRION p, Fabr.—LIBELLULA Virgo. Stew. ii. 209.

3423. 1; Virgo*. (Sam. I. 8.)

Li. Virgo α , β , γ . Linn. ii. 904, 905.—Anon. Rem. L. G. 24.
pl. 4.

Li. splendeo. Harris Ex. pl. xxx. f. 4, 5.

Li. Virgo a, b, c. Turt. iii. 391.

3424. 2; Ludoviciana*. Leach MSS.

Li. Virgo δ . Linn. ii. 905.—Turt. iii. 391.Li. Virgo. Barbut G. 207. pl. 11. cum fig.—Berk. S. i. 149.—
Don. i. pl. 36. f. 1.—Shaw G. Z. vi. 246. pl. in front.

Li. splendens. Harris Ex. pl. xxx. f. 1, 2, 3.

Ca. Ludovicia. (Sam. I. 8.)

Familia V: (80). LIBELLULIDÆ, Leach.

(LIBELLULA p, Linné, &c.) Dragon-Flies, Adder-bolts, Horse-stingers.

Genus 10: (531). ANAX, Leach, Samou., (Kirby.)

3425. 1; Imperator*. (Leach E. E. ix. 137.)—(Sam. I. 2.)—
(Kirby & Sp. I. E. iii. 35.)

Genus 11: (532). ÆSHNA, Fabr., Leach, Samou., (Kirby.)

ÆSCHNA, (Curtis.)

3426 † 1, Dalii. Leach MSS.—(Ing. Inst. 90.)—(Curtis Cat. No. 45.)
In Mus. Brit. D. Dale et Haworth.

3427. 2; grandis*. Fabr. E. S. ii. 384.—(Sam. I. 1.)

Li. grandis. Linn. ii. 903.—Berk. S. i. 149.—Stew. ii. 209.—
Turt. iii. 391.—Don. x. 30. pl. 337. f. 2.

Libellulæ (Large brown). Harris Ex. pl. xii. f. 1, 2.

3428. 3; varia*. Shaw G. Z. vi. 242. pl. 80.

Li. grandis. Barbut G. 206. pl. 11. fig. sup. dext.—Don. v. 77.
pl. 166.

Li. viatica. Leach MSS.—(Sam. I. 1.)

Libellulæ (Large green). Harris Ex. pl. xvi.

 β , Li. Anguis. Harris Ex. pl. xxiii. f. 4.

3429. 4; juncea *. *Leach MSS.*—(*Sam. I. 1.*)

Li. juncea. *Linn. ii. 903.*—*Turt. iii. 390?*

3430. 5; anglicana *. *Leach MSS.*—(*Sam. I. 1.*)

Li. Coluberculus. *Harris Ex. pl. xxvii. f. 1.*

3431. 6; teretiuscula *. *Leach MSS.*—(*Sam. I. 1.*)

♀; Li. Aspis. *Harris Ex. pl. xxvii. f. 3.*

Genus 12: (533). CORDULEGASTER, *Leach, Samou.*

ÆSHNA p, *Latr.*

3432. 1; annulatus *. *Leach E. E. i. 136.*—(*Samou. 258.*)

Æsh. annulata. *Latr. H. xiii. 6.*

Li. forcipata. *Linn. ii. 903.*—*Harris Ex. pl. xxiii. f. 3.*—
Berk. S. i. 149.—*Stew. ii. 209.*—*Turt. iii. 391.*

Li. Boltoni. *Don. xii. pl. 430.*

Cordulia annulata. (*Sam. I. 12.*)

Genus 13: (534). GOMPHIUS, *Leach, Samou.*

3433. 1; vulgatissimus *. *Leach E. E. ix. 137.*—(*Sam. I. 19.*)

Li. vulgatissimus. *Linn. ii. 902.*—*Berk. S. i. 149.*—*Stew. ii. 208.*

Li. forcipata. *Don. xii. pl. 423.*—*Turt. iii. 388.*

3434. 2; pulchellus mihi.—(*Ing. Inst. 90.*)

Genus 14: (535). CORDULIA, *Leach, Samou., (Kirby.)*

3435. 1; ænea *. (*Sam. I. 12.*)

Li. ænca. *Linn. ii. 902.*—*Harris Ex. pl. 27. f. 2.*—*Berk. S. i. 149.*—*Don. xii. pl. 415.*—*Stew. ii. 209.*—*Turt. iii. 390.*—*Sower. B. M. i. pl. 47.*

3436. 2, compressa mihi.—(*Ing. Inst. 90.*)

Genus 15: (536). LIBELLULA Auctorum.

3437. 1; vulgata *. *Linn. ii. 901.*—*Harris Ex. pl. xlvi. f. 3.*—
Don. x. pl. 337.—*Stew. ii. 208.*—*Turt. iii. 388.*—(*Sam. I. 25.*)

3438. 2; flaveola. *Linn. ii. 901.*—*Harris Ex. pl. xlvi. f. 4.*—
Berk. S. i. 148.—*Stew. ii. 208.*—*Turt. iii. 387.*

3439. 3; basalis * mihi.

3440. 4; Scotica *. (*Leach E. E. ix. 136.*)—*Don. xv. pl. 523.*—
(*Sam. I. 25.*)—(*Millard. pl. 1. f. 4.*)

3441. 5; Donovanii *. (*Leach E. E. ix. 136.*)—(*Sam. I. 25.*)
Li. biguttata. *Don. xiii. pl. 449.*

3442. 6; cancellata *. *Linn. ii. 902.*—*Don. xiv. pl. 472.*—*Stew. ii. 209.*—*Turt. iii. 388.*—(*Sam. I. 25.*)—*Kirby & Sp. I. E. i. pl. iii. f. 5.*

3443. 7; conspurcata *. *Fabr. S. 283.*—*Sower. B. M. i. pl. 46.*—
(*Sam. I. 25.*)

Li. quadrifasciata. *Don. xii. pl. 425.*

Li. rubicunda. *Stew. ii. 208?*—*Turt. iii. 387?*

Li. sugax. *Harris Ex. pl. 46. f. 2.*

3444. 8; quadrimaculata*. *Linn.* ii. 901.—*Barbut G.* 207. *pl. 11.*
cum fig.—*Berk. S. i.* 148.—*Don. xi.* *pl. 407.*—*Stew. ii.* 207.—
Turt. iii. 386.—(*Sam. 65. pl. 7. f. 1.*)—*Wood. ii.* 19. *pl. 46.*
Li. maculata. *Harris Ex. pl. xlvi. f. 1.*
3445. 9; depressa*. *Linn.* ii. 902.—*Harr. A. pl. 26. f. l, m.*—
Berk. S. i. 148.—*Don. i. pl. xxiv.* ♀.—*iii. pl. 81.* ♂.—*ii. pl. 44.*
larva.—*Stew. ii.* 208.—*Shaw G. Z. vi.* 245.—*Turt. iii.* 386.—
Samou. 257.

SECTIO IV. TERMITINA, MacLeay.

(*PLANIPENNES p, Latreille.*)

Familia VI: (81). MYRMELEONIDÆ, Leach.

(*MYRMELEONIDES, Latreille.*)

Genus 16: (537). MYRMELEON^a.

Familia VII: (82). HEMEROBIDÆ, Leach.

(*HEMEROBIUS, Linné, &c.*—*HEMEROBINI, Latreille.*)

Genus 17: (538). OSMYLUS, Latr., Leach, Samou., (Kirby.)

3447. 1; maculatus*. *Leach E. E. ix.* 138.—*Samou.* 260. *pl. 7. f. 4.*
He. maculatus. *Fabr. ii.* 83.—*Turt. iii.* 401.
He. chrysops. *Ræm. G. pl. 25. f. 1.*—*Berk. S. i.* 151?—*Don.*
vi. 21. *pl. 188.*—*Shaw G. Z. vi.* 259. *pl. 83. fig. med.*
He. fulvicephalus. *Vill. iii. pl. 7. f. 7.*

Genus 18: (539). DREPANEPTERYX, (Leach.)

3448 † 1. Phalænoides. (*Leach E. E. ix.* 138.)

He. Phalænoides. *Linn. ii.* 908.—*Panz. F. lxxxvii. f. 15.*—
Stew. ii. 216.—*Turt. iii.* 401.—(*Curtis l. c. folio 202.*)
 In Mus. D. Walker.

Genus 19: (540). CHRYSOPA, Leach, Samou. Golden-eye.

3449. 1; fulviceps mihi.

Ch. fulvocephala. (*Sam. I. 11.*)

3450. 2; capitata*. (*Sam. I. 11.*)

He. capitata. *Fabr. ii.* 82.—*Turt. iii.* 401.

3451. 3; reticulata*. (*Leach E. E. ix.* 138.)—(*Sam. I. 11.*)

^a Genus 16: (537). MYRMELEON *Auctorum.* Lion-Ant.

FORMICALEO, Leach.—HEMEROBIUS *p, Berk.*

3446 † 1. formicarium. *Linn. ii.* 914.—*Barbut G.* 221. *pl. 12. (!)*—*Stew.*
ii. 217. *pl. vii. f. 12—15. (!)*—*Turt. iii.* 404. *(!)*—*Wood. ii.* 32. *pl. 50.*
Fo. formicarius. *Leach E. E. ix.* 138.
He. formicarium. *Berk. S. i.* 152. *(!)*

He. chrysops. *Linn.* ii. 912.—*Stew.* ii. 216.—*Turt.* iii. 401?

—*Wood.* ii. 29. *pl.* 49.

He. perla. *Panz. F.* lxxxvii. *f.* 13?

3452. 4; maculata* *mihi.*

3453. 5; immaculata* *mihi.*

3454. 6; punctifrons* *mihi.*

3455. 7; alba*. (*Sam. I.* 11.)

He. albus. *Linn.* ii. 911.—*Panz. F.* lxxxvii. *f.* 14.—*Turt.* iii. 401.

3456. 8; affinis*. *Leach MSS?*

3457. 9, angusta* *mihi.*

3458. 10; Perla*. (*Leach E. E.* ix. 138.)—(*Sam. I.* 11.)

He. Perla. *Linn.* ii. 911.—*Barbut G.* 220. *pl.* 12.—*Stew.* ii. 216.—*Don.* viii. *pl.* 277. *f.* 2.—*Turt.* iii. 401.—*Shaw G. Z.* vi. 258. *pl.* 83. *fig. sup.*

He. pectinicornis. *Berk.* i. 151.

Albin. *pl.* 64.

Genus 20: (541). HEMEROBIUS Auctorum.

A. Alæ valdè reticulatæ.

3459. 1; hirtus*. *Linn.* ii. 912.—*Stew.* ii. 216.—*Don.* iv. *pl.* 113. *f.* 42.—*Turt.* iii. 401.—(*Curtis l. c. infra.*)

He. decussatus. *Leach MSS.*—(*Sam. I.* 21.)—(*Curtis l. c. infra?*)

3460. 2; concinnus* *mihi.*

3461. 3; fuscus*. *Leach MSS.*

3462. 4; nebulosus* *mihi.*

3463. 5; subnebulosus* *mihi.*

3464. 6; nervosus*. *Fabr.* ii. 85.—*Turt.* iii. 402?—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)

3465. 7; Humuli*. *Linn.* ii. 912.—*Turt.* iii. 402.

3466. 8; lutescens*. *Fabr.* ii. 84?—*DeGecr.* ii. *pl.* 22. *f.* 3?—*Turt.* iii. 402.—(*Sam. I.* 21.)—(*Curtis l. c. infra?*)

3467. 9; affinis*. *Leach MSS.*—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)

3468. 10; nemoralis*. *Leach MSS.*—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)

3469. [11; obsoletus*] *mihi.*

3470. 12; paganus*. *Linn.* ii. 912.—*Turt.* iii. 403.

3471. 13; apicalis* *mihi.*

3472. 14; punctatus*. *Leach MSS.*—(*Sam. I.* 21.)—(*Curtis l. c. infra?*)

3473. 15; obscurus*. *Leach MSS.*—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)

3474. 16; subfasciatus * *mihi*.
 3475. 17; irroratus *. *Leach* MSS.—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)
 3476. 18; Pini *. *Leach* MSS.—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)
 3477. 19; Stigma * *mihi*.
 3478. 20, fasciatus. *Fabr.* ii. 85.—(*Curtis l. c. infra.*)
 3479. 21, angulatus * *mihi*.
 3480. 22, pallidus * *mihi*.
 3481. 23; variegatus *. *Fabr.* ii. 85.—*Turt.* iii. 402.—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)
 3482. 24; crispus *. (*Curtis l. c. infra.*)—*Schæff.* Ic. 122. f. 2, 3?
 3483. 25; elegans * *mihi*.
 3484. 26, Marshami *mihi*.
 3485 † 27, fimbriatus. *Curtis.* v. pl. 202. In *Mus. Brit.* et D. Dale.
 B. Alæ vix reticulatæ.
 3486. 28; fuscatus *. *Fabr.* ii. 84.—*Turt.* iii. 402.
 He. Beckwithii. *Leach* MSS.—(*Sam. I.* 21.)—(*Curtis l. c. supra.*)
 3487. 29, nitidulus *. *Fabr.* ii. 83.—*Turt.* iii. 401.
 3488. [30, confinis *] *mihi*.

Familia VIII: (83). PSOCIDÆ, *Leach*.

(*PSOQUILII*, *Latreille*.—*TERMES p*, *HEMEROBIUS p*, *Linné*.)

Genus 21: (542). PSOCUS, *Latr.*, *Leach*, *Samou.*, (*Kirby*.)

A. Antennis valdè pilosis, aut pectinatis.

3489. 1; pilicornis *. *Kirby?* MSS.
 3490. 2; picicornis *. *Fabr.* S. 204.
 He. picicornis. *Turt.* iii. 402.

B. Antennis vix pilosis.

3491. 3; fasciatus *. *Fabr.* S. 203.—*Panz.* F. xciv. f. 20.
 He. fasciatus. *Turt.* iii. 402.
 3492. 4; variegatus *. *Kirby?* MSS.
 3493. 5; atomarius * *mihi*.
 3494. 6; maculatus * *mihi*.
 3495. [7; obsoletus *] *mihi*. *Leach* MSS. (In *Samou.* 1821.)
 3496. 8; lineatus *. *Kirby* MSS.
 3497. 9; nebulosus *. *Kirby?* MSS.
 3498. 10; similis *. *Kirby?* MSS.

3499. 11; bifasciatus*. *Kirby?* MSS.
 3500. 12; contaminatus*. *Kirby* MSS.
 3501. 13; longicornis*. *Fabr. S.* 203.—*Pauz. F.* xciv. f. 19.
 He. longicornis. *Turt.* iii. 402.
 3502. 14; immunis*. *Kirby* MSS.
 3503. 15; vittatus*. *Kirby* MSS.
 3504. 16; ochropterus*. *Kirby* MSS.
 3505. 17; flavidum*. *Kirby* MSS.
 3506. 18; flavicans*. *Fabr. S.* 203.
 He. flavicans. *Linn.* ii. 913.—*Turt.* iii. 403.
 3507. 19; obsoletus* *mihi*.
 3508. 20; hyalinus* *mihi*.
 3509. 21; bipunctatus*. *Fabr. S.* 204.—*Panz. F.* xciv. f. 21.—
 Leach E. E. ix. 139.—(*Sam. I.* 35.)
 He. bipunctatus. *Linn. F. no.* 1514.—*Turt.* iii. 403.
 3510. 22; sexpunctatus*. *Fabr. S.* 203.
 He. sexpunctatus. *Linn.* ii. 913.—*Berk. S.* i. 151.—*Coqueb. pl.* 2. f. 10.—*Stew.* ii. 216.—*Turt.* iii. 402.
 3511. 23; striatulus*. *Fabr. S.* 203.
 He. striatulus. *Turt.* iii. 402.
 3512. 24; quadrimaculatus*. *Kirby?* MSS.
 3513. 25; flaviceps* *mihi*.
 3514. 26; immaculatus*. *Kirby* MSS.
 3515. 27; rufescens* *mihi*.
 3516. 28; quadripunctatus*. *Fabr. S.* 201.—*Panz. F.* xciv. f. 22.
 He. 4-punctatus. *Turt.* iii. 403.
 3517. [29; subpunctatus*] *mihi*.
 3518. 30; costalis* *mihi*.
 3519. 31; nervosus* *mihi*.
 3520. 32; nigricornis* *mihi*.
 3521. 33; phæopterus*. *Kirby* MSS.
 3522. 31; nigricans*. *Kirby* MSS.
 3523. 35; abdominalis*. *Fabr. S.* 201. (!)—*Stew.* ii. 217.
 He. abdominalis. *Fabr. E. S.* ii. 86. (!)—*Turt.* iii. 403.
 Ps. fuscescens. *Kirby* MSS.
 3524. 36; dubius* *mihi*.
- Genus 22: (543). ATROPOS, *Leach, Samou.* *Death-watch.*
 Psocus p, Fabr.—*PEDICULUS p, Geoff.*
3525. 1; pulsatorius*.

Te. pulsatorium. *Linn.* ii. 1015.—*Wood.* ii. 120. *pl.* 75.

Te. lignarius. *De Geer.* vii. 41. *pl.* 4. *f.* 1.

At. lignarius. (*Leach E. E.* ix. 139.)—(*Sam. I.* 5.)

3526. 2; fatedicus*.

Te. fatedicum. *Linn.* ii. 1016.

Ps. fatedicus. *Fabr. S.* 204.

Familia IX: (84). RAPHIDIIDÆ, Leach.

(RAPHIDINI, Latreille.)

Genus 23: (544). RAPIIDIJA Auctorum. Cranc-Fly.

3527. 1; Ophiopsis*. *Linn.* ii. 916.—*Shaw G. Z.* vi. 265. *pl.* 87.

fig. inf.—(*Samou.* 261. *pl.* 7. *f.* 6.)—*Curtis.* i. *pl.* 37.

Ra. notata. *Fabr. M.* i. 251.—*Stew.* ii. 218.—(*Kirby & Sp. I. E.* i. *pl.* 3. *f.* 6.)

3528. [2; megacephala *.] *Leach MSS.*—(*Sam. I.* 36.)—(*Curtis l. c. supra.*)

3529. 3; Londinensis*. *Leach MSS.*—(*Sam. I.* 36.)—(*Curtis l. c. supra.*)

Ra. Ophiopsis. *Barbut G.* 229. *pl.* 12?—*Stew.* ii. 218?—*Wood.* ii. 37. *pl.* 52?

3530. 4, affinis*. *Leach MSS.*—(*Sam. I.* 36.)—(*Curtis l. c. supra.*)

3531. 5, maculicollis*. *Leach MSS.*—(*Sam. I.* 36.)—(*Curtis l. c. supra.*)

3532. 6. confinis* *mihi.*

SECTIO V. MEGALOPTERA, MacLeay.

(PLANIPENNES p, Latreille.)

Familia X: (85). SIALIDÆ, Leach.

(PERLARIÆ p, Latreille.)

Genus 24: (545). SIALIS, Latr., Leach, Samou., (Kirby.)

HEMEROBIA p, Linné, Geoff.—SEMBLIS p, Fabricius.

3533. 1; lutarius*.

He. lutarius. *Linn.* ii. 913.—*Stew.* ii. 216.—*Turt.* iii. 400.—*Shaw G. Z.* vi. *pl.* 83. *fig. inf.*

Si. niger*. *Latr. H.* xiii. 44.—(*Leach E. E.* ix. 139.)—(*Sam. I.* 38.)

Familia XI: (86). PERLIDÆ, Leach.

(PERLARIÆ p, Latr.—PHRYGANEA p, Linné, &c.)

Genus 25: (546). PERLA, Geoffroy, (Kirby,) Curtis.

SEMBLIS p, Fabr.

A. Abdomen validum.

3534 † 1. grandis*. (*Curtis l. c. infra.*)

In Mus. —?

3535. 2, marginata. *Fabr.* ii. 73.—(*Curtis l. c. infra.*)
 Se. marginata. *Panz. F.* lxxi. f. 3.
 Ph. marginata. *Turt.* iii. 395.
3536. 3, cephalotes. *Curtis.* iv. pl. 190.
3537. 4; bicaudata*. *Latr. H.* xiii. 49.—(*Curtis l. c. supra.*)
 Ph. bicaudata. *Linn.* ii. 980.—*Barbut G.* 216.—*Berk. S.* i. 150.
 —*Stew.* ii. 213.—*Turt.* iii. 395.
 Se. bicaudata. *Panz. F.* lxxi. f. 4.
 Se. fusca. *Geoffroy.* ii. 281. pl. 13. f. 2.
3538. 5, nervosa mihi.
 B. Abdomen subgracile. a. *Nervis alarum distinctis.*
3539. 6; fuscipennis*. *Curtis l. c. supra?*
3540. 7; lutea*. *Latr. H.* xiii. 49.
3541. 8; media*. *Curtis l. c. supra.*
3542. 9; venosa* mihi.
 b. *Nervis alarum vix distinctis, concoloribus.*
3543. 10; viridis*.
 Se. viridis. *Fabr.* ii. 74.—*Curtis l. c. supra?*
 Ph. viridis. *Turt.* iii. 395.
3544. 11; pallida*.
 Se. minor. *Curtis l. c. supra?*

Genus 26: (547). NEMOURA, *Latr.*, *Leach.*

SEMLIS p, *Fabr.*—PERLA p, *Geoffroy.*

A. Oculis prominulis; capite lato.

3545. 1; nebulosa*. *Latr. G.* iii. 210.—*Leach E. E.* ix. 139.
 Ph. nebulosa. *Linn.* ii. 980.—*Berk. S.* i. 150.—*Stew.* ii. 213.
 —*Turt.* iii. 395.
3546. [2; fuliginosa*] mihi.
3547. 3; pallida* mihi.
3548. 4; cruciata* mihi.
3549. [5; affinis*] mihi.
3550. 6; pusilla* mihi.
3551. 7; annulata* mihi.
3552. 8; pallipes* mihi.
3553. 9; luteicornis* mihi.
3554. 10; pallicornis* mihi.
3555. 11, nitidus*? mihi.
3556. 12; sulcicollis* mihi.
3557. 13; fumosus* mihi.

3558. 14, variegatus *mihi*.
 B. Oculis vix prominulis; capite subangusto.
 3559. 15; fusciventris* *mihi*.
 3560. 16; abdominalis* *mihi*.

Genus 27: (548). —

3561. 1; geniculata* *mihi*.

Genus 28: (549). ACENTRIA *mihi*.

PHRYGANEÀ *p*, Olivier?

3562. 1: nivosa*.
 Ph. nivea. Olivier?—Latr. H. xiii. 93?
-

ORDO V. TRICHOPTERA, Kirby.

(NEUROPTERA *p*, Linné.—SYNISTATA *p*, Fabr.—NEU.-PLICIPENNES, Latr.)

(Genus PHRYGANEÀ, Linné, &c.)

Water-moths, Cadew-flies, Spring-flies. Larvæ; Caddis-worms.

Familia I: (87). PHILOPOTAMIDÆ *mihi*.

Genus 1: (550). TINODES, Leach.

A. Nervis alarum distinctis: (in masculis, alis anticus basi membranâ elevatâ.)

3563. 1, fimbriata.
 Ph. fimbriata. Walker's MSS.
 3564. [2, simplex] *mihi*.
 3565. 3, pallescens *mihi*.
 3566. 4; flaviceps* *mihi*.
 3567. 5; xanthocera* *mihi*.
 3568. 6; picicornis* *mihi*.
 3569. 7, annulicornis *mihi*.
 3570. 8, albipunctata* *mihi*.
 3571. 9; unipunctata* *mihi*.
 B. Nervis alarum vix distinctis: (in masculis, alis simplicibus.)
 3572. 10, pallipes *mihi*.
 3573. 11; lutescens* *mihi*.
 3574. 12, obscura *mihi*.
 3575. 13; phæopus* *mihi*.

3576. 14; subochracea* *mihi*.
 3577. 15; ciliaris* *mihi*.
 3578. 16; subaurata* *mihi*.

Genus 2: (551). HYDROPTILA, *Dahlman*.

3579. 1; tineoides*. *Dahlman. A. E. i. p. 47.*
 3580. [2; marginata*] *mihi*.

Genus 3: (552). —

TINODES B, *Leach MSS.*

3581. 1; albipes* *mihi*.
 3582. 2; pusillus*.
 Ph. pusilla. Fabr. E. S. ii. 81?
 3583. 3; funereus*.
 Ph. funereus. Olivier.—Latr. H. xiii. 93.
 3584. 4; opacus* *mihi*.
 3585. 5; pygmæus* *mihi*.
 3586. 6, fuliginosus* *mihi*.
 3587. 7, Marshamellus *mihi*.
 3588. 8, flavipes* *mihi*.

Genus 4: (553). —

TINODES A *p?* *Leach MSS.*

3589. 1, pulchellus.
 Ti. pulchellus. Leach MSS.
 3590. 2, cognatus *mihi*.

Genus 5: (554). —

3591. 1, nigripunctatus *mihi*.

Genus 6: (555). —

TINODES *p?* *Leach MSS.*

3592. 1; subpunctatus* *mihi*.
 3593. 2, picicornis *mihi*.
 3594. 3; fuliginosus* *mihi*.
 3595. [4; concinnus*] *mihi*.
 3596. 5; pyrrhocerus* *mihi*.
 3597. 6; flavo-maculatus* *mihi*.
 3598. 7; subnebulosus* *mihi*.

Genus 7: (556). PHILOPOTAMUS, *Leach MSS.*

A. Margine postico alarum subrotundato.

3599. 1, Scopulorum. *Leach MSS.*

3600. 2, maculatus.
 Phr. maculata. *Olivier*.—*Latr. H.* xiii. 89.—*Don.* xvi. *pl.* 548.
f. 2.
3601. 3; variegatus*.
 Phr. variegata. *Fabr. E. S.* ii. 79.—*Stew.* ii. 214.
- 3602 † 4. reticulatus^a.
 3603. 5, Stigma* *mihi*.
 3604. 6, obsoletus* *mihi*.
 3605. 7, opacus* *mihi*.
 B. Margine postico alarum subtruncato, aut recto.
3606. 8, nebulosus *mihi*.
 3607. 9; obscurus*. *Leach MSS?*
3608. 10; affinis* *mihi*.
3609. 11; montanus.
 Phr. montana. *Don.* xvi. *pl.* 548. *f.* 1.
3610. 12; obliquus* *mihi*.
 3611. 13, bimaculatus *mihi*.
 3612. 14, antennatus* *mihi*.
 3613. 15, ochroleucus *mihi*.
 3614. 16; dorsalis* *mihi*.
 3615. 17; marginepunctatus *mihi*.
- Genus 8: (557). —
3616. 1; nubilus* *mihi*.
 3617. 2; concolor* *mihi*.
 3618. 3, costalis *mihi*.
- Genus 9: (558). AMBLYPTERYX *mihi*.
3619. 1; nigripalpis* *mihi*.
 3620. 2; rufipalpis *mihi*.
- Genus 10: (559). CHIMARRA, *Leach MSS.*
3621. 1; marginata*. *Leach MSS.*
 Ph. marginata. *Linn.* ii. 910.
- Genus 11: (560). POTOMARIA, *Leach MSS.*
3622. 1; analis*.
 Ph. analis. *Fabr. E. S.* ii. 75.

^a 3602 † 4. reticulatus.

Ph. reticulata. *Linn.* ii. 980.—*Panz. F.* lxxi. *f.* 5.—*Turt.* iii. 395. (!)

3623. 2; assimilis * *mihi*.

3624. 3; hyalinus * *mihi*.

Genus 12: (561). NOTIDOBIA *mihi*.

3625. 1, pallipes.

Ph. pallipes. *Fabr. E. S.* ii. 76.

3626. 2; atrata *.

Ph. atratus. *Fabr. E. S.* ii. 78.—*Coqueb. Ic. i. f. A. B?*

Ph. atra. (*Kirby & Sp. I. E.* ii. 220?)

Genus 13: (562). PROSOPONIA, *Leach* MSS.

3627. 1; Leachii * *mihi*.

Ph. personatus. *Spence* MSS.

Genus 14: (563). GOËRA, *Hoffmansegg* MSS., *Leach*.

3628. 1; pilosa *.

Ph. pilosa. *Fabr. E. S.* ii. 76.

3629. 2; vulgata *.

Ph. vulgata. *Olivier*.—*Latr. H.* xiii. 91?

3630. 3; fuscata * *mihi*.

3631. 4; hirta *.

Ph. hirta. *Fabr. E. S.* ii. 80.—*Stew.* ii. 215.

3632. 5; immaculata * *mihi*.

3633. [6, nigromaculata *] *mihi*.

Familia II: (88). LEPTOCERIDÆ, *Leach*.

Genus 15: (564). ODONTOCERUS, *Leach*, *Samou.*

3634. 1; griseus *. *Leach E. E.* ix. 136.—(*Sam. I.* 31.)

Genus 16: (565). CERACLEA, *Leach* MSS.

3635. 1; nervosa *.

Ph. nervosa. *Latr. H.* xiii. 91.

Genus 17: (566). LEPTOCERUS, *Leach* MSS., *Samou.*, *Curtis.*

3636. 1, ochraceus *. *Curtis.* ii. pl. 57.

3637. 2; dissimilis * *mihi*.

3638. 3; assimilis * *mihi*.

3639. 4; annulicornis * *mihi*.

3640. 5; perfuscus * *mihi*.

3641. 6, tarsalis *mihi*.

3642. 7, subannulatus *mihi*.

3643. 8; seminiger * *mihi*.

3644. 9, grossus * *mihi*.
 3645. 10, bimaculatus *.
 Ph. bimaculata. *Linn.* ii. 909.—*De Geer.* ii. 416. *pl.* 15. *f.* 5.
 —*Turt.* iii. 397.
 3646. 11, filosus *.
 Ph. filosa. *Linn.* ii. 910.—*Fabr. E. S.* ii. 20. (!)—*Stew. E.* ii.
 215.—*Turt.* iii. 397.
 3647. 12, ater * *mihi*.
 3648. 13; nigricans *mihi*.
 3649. 14; aterrimus * *mihi*.
 3650. 15; interruptus *. (*Leach E. E.* ix. 136.)—(*Sam. I.* 24.)—
 (*Curtis l. c. supra.*)
 Ph. interrupta. *Fabr. E. S.* ii. 79.—*Stew.* ii. 215.—*Turt.* iii.
 397.—*Don.* xvi. *pl.* 551.
 3651. 16, bilineatus.
 Ph. bilineata. *Linn.* ii. 910?—*Turt.* iii. 397.
 3652. 17; rufogriseus * *mihi*.
 3653. 18; rufus * *mihi*.
 3654. 19; attenuatus * *mihi*.
 3655. 20, longicornis *.
 Ph. longicornis. *Linn.* ii. 910.—*Berk. S.* i. 151.—*Stew.* ii. 214.
 —*Turt.* iii. 397.
 3656. 21; quadrifasciatus *.
 Ph. quadrifasciata. *Fabr. E. S.* ii. 80.—*Turt.* iii. 397.
 3657. 22, affinis. *Leach MSS.*
 3658. 23, elongatus * *mihi*.

Genus 18: (567). MYSTAX? (*Latreille?*)

3659. 1; nigra.
 Ph. nigra. *Linn.* ii. 909.—*De Geer.* ii. 424. *pl.* 15. *f.* 21.—
 Berk. i. 151.—*Stew.* ii. 214.—*Turt.* iii. 397.
 3660. 2; azurea.
 Ph. azurea. *Linn.* ii. 909.—*Turt.* iii. 397.
 3661. 3, phæa * *mihi*.

Familia III: (89). PHRYGANIDÆ.

Genus 19: (568). ANABOLIA *mihi*.

LINNEPHILUS p, *Leach, Samou.*

3662. 1; nervosa *.
 I.i. nervosus. *Leach MSS.*—(*Sam. I.* 25. *pl.* 7. *f.* 3.)
 3663. 2; lurida * *mihi*.

Genus 20: (569). —

LIMNEPHILUS p, Leach.

- 3664. 1; *dubius** *mihi*.
- 3665. 2; *planus** *mihi*.
- 3666. 3, *annulatus* *mihi*.
- 3667. 4, *lutescens* *mihi*.
- 3668. 5, *picicornis* *mihi*.

Genus 21: (570). *CHÆTOPTERYX mihi*.

LIMNEPHILUS p, Leach.

- 3669. 1; *villosa**.
Ph. *villosa*. *Fabr. E. S. Sup.* 200.
Ph. *granularis*. *Kirby MSS.*
Li. *echinatus*. *Leach MSS.*—(*Sam. I.* 25.)

Genus 22: (571). —

LIMNEPHILUS p, Leach *MSS.*

- 3670. 1; *radiatus**. *Leach MSS.*—(*Sam. I.* 25.)
- 3671. 2, *angulatus* *mihi*.
- 3672. 3, *angustatus* *mihi*.
- 3673. 4; *confinis** *mihi*.
- 3674. 5; *flavus** *mihi*.
- 3675. 6; *lateralis** *mihi*.
- 3676. 7; *obscurus** *mihi*.

Genus 23: (572). *PHRYGANEA Auctorum*.

- 3677. 1; *striata**. *Linn. ii.* 908.—*Berk. S. i.* 151.—*Stew. ii.* 213.
—*Turt. iii.* 395.—*Geoff. ii.* 246. *pl. 13. f. 5.*
- 3678. 2; *grandis**. *Linn. ii.* 909.—*DeGeer. ii.* 388. *pl. 13. f. 1.*
—*Stew. ii.* 213.—*Panz. F. xciv. f. 18.*—*Shaw G. Z. vi.* 255. *pl. 82**.
fig. inf.—(*Sam. I.* 33.)—*Wood. ii.* 25. *pl. 48.*—(*Kirby & Sp. I. E.*
iii. 68. *pl. iii. f. 4.*)—*Turt. iii.* 396.—*Leach E. E. ix.* 136.
- 3679. 3, *Beckwithii*. *Leach MSS.*
- 3680. 4, *flexuosa** *mihi*.
- 3681. 5, *atomaria**. *Fabr. E. S. ii.* 78.
- 3682. 6; *varia**. *Fabr. E. S. ii.* 77.—*Don. viii. pl. 277. f. 1.*—
Stew. ii. 214.—*Turt. iii.* 396.
- 3683 † 7. *Phalænoides*^a.
- 3684 † 8. *flavilatera*^b.

^a 3683 † 7. *Phalænoides*. *Linn. ii.* 908.—*Turt. iii.* 396. (!)

^b 3684 † 8. *flavilatera*. *Linn. ii.* 909.—*Berk. S. i.* 151. (!)—*Stew. ii.* 214. (!)
An hujus generis?

Genus 24: (573). LIMNEPHILUS, Leach.

A. Alis integris.

3685. 1; striola*. *Leach MSS.*—(*Sam. I.* 25.)
3686. 2; bimaculatus* *mihi.*
3687. 3; dorsalis* *mihi.*
3688. 4; griseus*. (*Leach MSS.*)—(*Sam. I.* 25.)
Ph. grisea. *Linn.* ii. 909.—*DeGeer.* ii. 399. *pl.* 13. *f.* 21.—
Stew. ii. 213.—*Turt.* iii. 396.
3689. 5; flavicornis*.
Ph. flavicornis. *Fabr. E. S.* ii. 77.—*Stew.* ii. 213.
3690. 6; nebulosus* *mihi.*
3691. 7; glaucopterus* *mihi.* ..
3692. 8; rhombicus*. (*Leach E. E.* ix. 136.)—(*Sam. I.* 25.)
Ph. rhombica. *Linn.* ii. 909.—*Don.* vii. *pl.* 220.—*Stew.* ii.
214.—*Turt.* iii. 396.—*Shaw G. Z.* vi. 255. *pl.* 82*. *fig. med.*
Ph. rhomboidica. *Berk. S.* i. 151.
3693. 9; affinis* *mihi.*
3694. 10; versicolor *mihi.* ..
3695. 11; tessellatus *mihi.*
3696. 12; signatus *mihi.*
3697. 13; obliquus *mihi.*
3698. 14; marginalis* *mihi.*
3699. 15; costalis* *mihi.*
3700. 16; punctulatus* *mihi.*
3701. 17; stigma* *mihi.*
3702. 18; lunatus *mihi.*
3703. 19; fenestralis* *mihi.*
3704. 20; geminus *mihi.*
3705. 21; assimilis* *mihi.*
3706. 22; fuscus* *mihi.*
3707. 23; punctatissimus* *mihi.*
3708. 24; quadrimaculatus* *mihi.*
3709. 25; confluens* *mihi.*
3710. 26; fuscatus* *mihi.*
3711. 27; nubilus* *mihi.*
3712. 28; irroratus *mihi.*
3713. 29; flavescens *mihi.*
3714. 30; testaceus* *mihi.*

3715. 31; subnebulosus * *mihi*.
 3716. 32, notatus *mihi*.
 3717. 33; interruptus * *mihi*.
 3718. 34, vittatus *mihi*.
 3719. 35, lineola *mihi*.
 3720. 36, præustus *mihi*.
 3721. 37, villosus *mihi*.
 3722. 38; variabilis * *mihi*.
 3723. 39, punctatus *mihi*.
 3724. 40, ustulatus *mihi*.
 3725. 41, apicalis *mihi*.
 3726. 42, elongatus *mihi*.
 3727. 43, fuliginosus *mihi*.

B. Alis anticis angulato-dentatis.

3728. 44; angulatus * *mihi*.
 3729. 45; cognatus * *mihi*.
 3730. 46, diaphanus *mihi*.
 3731. 47; ornatus * *mihi*.
 3732. 48; pictus * *mihi*.

Genus 25: (574). NEURONIA, Leach MSS.

3733. 1; fusca *.

Ph. fusca. Linn. ii. 910.—Stew. ii. 215.—Turt. iii. 395.

ORDO VI. HYMENOPTERA.

(PIEZATA, Fabricius.—PHLEBOPTERA, Clairville.)

Familia I: (90). TENTHREDINIDÆ, Leach.

(TENTHREDO, Linné, &c. Ordo TRICHOPTERA p, MacLeay.)
Saw-Flies.

Genus 1: (575). CIMBEX, Olivier, Leach, Samou., (Kirby,) Curtis.

CRABRO, Geoffroy.—CLAVELLARIA p, Lamarck.

3734. 1. femorata *. Fabr. P. 15.—St. Farg. M. 31.
 Ci. Europæa. Leach Z. M. iii. 104.—Samou. 262.
 Ci. variabilis femorata. Klug Ci. p. 7.
 ♂, Te. femorata. Linn. ii. 920.—Berk. S. i. 153.—Panz. F. xxvi.
 f. 20.—Stew. ii. 221.—Turt. iii. 412.
 Cr. innulatus. Fourc. ii. 362.

- Ci. tristis. *Fabr. P.* 17?
- † ♀. Te. lutea. *Linn. ii.* 921. (*teste Klug.*)
- Ci. sylvarum. *Fabr. P.* 16.—*Panz. F.* lxxxviii. f. 4.
3735. 2; varians*. *Leach Z. M.* iii. 105.—(*Sam. I.* 11.)—*St. Farg. M.* 32. (!)
- Ci. variabilis femorata var. *Klug Ci. p.* 9.
- Albin. pl.* lix. f. a—c?
3736. [3, pallidus*] *mihi.*
- 3737 † 4, deceim-maculata. *Leach Z. M.* iii. 106.—(*Sam. I.* 11.)—*Curtis. i. pl.* 41.—*St. Farg. M.* 32. (!)
- Ci. variabilis femorata var. *Klug Ci. p.* 9. In *Mus. Brit.*
3738. 5, Griffinii*. *Leach Z. M.* iii. 107.—(*Sam. I.* 11.)—*St. Farg. M.* 30. (!)
- ♂, Te. lutea. *Don. vi.* 49. *pl.* 234.—*Stew. ii.* 222.
- Ci. variabilis femorata var. *Klug Ci. p.* 10.
3739. 6, annulata. *Leach Z. M.* iii. 107.—(*Sam. I.* 11.)
- Ci. variabilis lutea. *Klug Ci. p.* 11.
- Ci. lutea. *Fabr. P.* 16.—*Berk. S.* i. 153.—*Turt. iii.* 412.
- 3740 † 7, maculata. *Leach Z. M.* iii. 106.—(*Sam. I.* 11.)
- Cr. maculatus. *Fourc. P.* ii. 2.
- Ci. variabilis montana. *Klug Ci. p.* 13.
- Te. montana. *Panz. F.* lxxxiv. f. 12.
- Te. connata. *Schrank B.* ii. 322. In *Mus. Brit.*
- 3741 † 8, humeralis. *Leach Z. M.* iii. 108.—(*Sam. I.* 11.)
- Cr. humeralis. *Fourc. P.* ii. 361.
- Te. axillaris. *Panz. F.* lxxxiv. f. 11.
- Te. connata. *Villars E.* iii. 84. In *Mus. Brit.*
- Genus 2: (576). TRICHIOSOMA, *Leach*, *Samou.*, *Curtis*.
- CIMBEX *p.* Oliv.
3742. 1; sylvaticum*. *Leach Z. M.* iii. 108.—*Samou.* 263.—(*Curtis l. c. infra.*)
3743. 2; laterale*. *Leach Z. M.* iii. 109.—(*Sam. I.* 42.)—*Curtis. i. pl.* 49.
- Te. Vitellinæ. *Stew. ii.* 222.—*Turt. iii.* 412.
3744. 3; Lucorum*. *Leach Z. M.* iii. 109.—(*Curtis l. c. supra.*)
- Te. Lucorum. *Linn. ii.* 921.
- Te. Vitellinæ. *Linn. ii.* 921.—*Don. iii. pl.* 88. f. 3.
- Ci. Amerinæ. *Latreille.*
3745. [4; tibiale*] *mihi.* (*Curtis l. c. supra.*)
3746. 5; Scalesii*. *Leach Z. M.* iii. 111.—(*Sam. I.* 42.)—(*Curtis l. c. supra.*)
3747. 6; unidentatum*. *Leach Z. M.* iii. 111.—(*Sam. I.* 42.)—(*Curtis l. c. supra.*)

3748. 7, *pusillum nahi*.

Genus 3: (577). CLAVELLARIA, *Lam.*, *Leach*, *Samou.*, *Curtis*.
CIMBEX *p*, *Oliv.*

3749. 1, Amerinæ*. *Leach Z. M.* iii. 112.—(*Sam. I.* 11.)—
(*Curtis l. c. infra.*)
Te. Amerinæ. *Linn.* ii. 921.—*Panz. F.* lxv. f. 1.—*Turt.* iii. 412.
3750. [2, marginata*.] *Leach Z. M.* iii. 112.—*Samou.* 263.
Ci. marginata. *Linn.* ii. 920.—*Fabr. E. S.* ii. 106. (!)—*Turt.*
iii. 412.
Ci. quadrifasciata. *Oliv. En.* v. 771.

Genus 4: (578). ZARÆA, *Leach*, *Samou.*, *Curtis*.

CIMBEX *p*, *Oliv.*

3751. 1, fasciata*. *Leach Z. M.* iii. 113.—*Samou.* 263.—*Curtis.*
ii. *pl.* 97.
Te. fasciata. *Linn.* ii. 921.—*Don. xii.* 7. *pl.* 398.—*Turt.* iii. 412.

Genus 5: (579). ABIA, *Leach*, *Samou.*, *Curtis*.

CIMBEX *p*, *Fabr.*

3752. 1; nigricornis*. *Leach Z. M.* iii. 113.—*Samou.* 263.—
Curtis. ii. *pl.* 89.
Te. nitens, ♀. *Linn. F.* 1539.
Ce. sericea var. * *Fabr. P.* 18.
Ci. ænea. *Klug Ci. p.* 21.
Ci. nitens. (*Kirby & Sp. I. E.* iii. 189.)

3753. 2; sericea*. *Leach Z. M.* iii. 113.—(*Sam. I.* 1.)
♀; Te. sericea. *Linn.* ii. 921.—*Don. xii.* 23. *pl.* 402.—*Turt.* iii. 413.
Te. nitens. *Schrink B.* ii. No. 1997.

Genus 6: (580). AMASIS, *Leach*, *Samou.*

CIMBEX *p*, *Fabr.*

- 3754 † 1, obscura. *Leach Z. M.* iii. 114.—*Panz. F.* lxxxiv. f. 13?
Ci. obscura. *Fabr. P.* 18. In Mus. Brit.?
- 3755 † 2, lœta. *Leach Z. M.* iii. 114.—*Samou.* 263.
Te. lœta. *Fabr. P.* 18?—*Panz. F.* lxii. f. 6.
Ci. sylvatica. *Oliv. En.* v. 772.
Te. crassicornis. *Rossi.* ii. 21.
Ci. Jurinæ. *St. Farg. M.* 38. In Mus. Brit.

Genus 7: (581). HYLOTOMA, *Fabr.*, *Leach*, *Samou.*, *Curtis*.

ARGE, *Schrink*.—CRYPTUS *p*, *Panz.*—PTILIA *p*, *St. Farg.*

3756. 1; pilicornis*. *Leach Z. M.* iii. 121.—*Samou.* 264.—
(*Curtis l. c. infra.*)
Pt. pilicornis. *St. Farg. M.* 50. (!)

- 3757 † 2; Berberidis *. *Klug B.* 55.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
 Arge Berberidis. *Schränk B.* ii. 229. In Mus. *Brit.*
3758. 3; Anglicæ *. *Leach Z. M.* iii. 122.—(*Curtis l. c. infra.*)
 Hy. Angelica. *St. Farg. M.* 45?
3759. 4; enodis *. *Klug Bl.* 53.—*Fabr. P.* 23.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
 Te. enodis. *Linn.* ii. 922.—*Panz. F.* xlix. f. 12, 13.—*Turt.* iii. 413.
 Te. cæruleipennis. *Retzius.* 72?
 Te. violacea. *DeGeer.* ii. 282. *pl.* 40. *f.* 6?
 ♂. Arge ciliaris. *Schränk B.* ii. 227.
3760. 5; violacea *. *Klug Bl.* 57.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
3761. 6; cærulea *. *Klug Bl.* 57.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
3762. 7; ustulata *. *Fabr. P.* 23.—*Klug Bl.* 58.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
 ♀; Te. ustulata. *Linn.* ii. 922.—*Panz. F.* lxxxi. f. 10.—*Turt.* iii. 413.
 Te. ochroptera. *Fourc. P.* ii. 365.
 ♂. Te. ciliaris. *Linn.* ii. 922.
3763. 8; Leachii * mihi.
 Te. atrata. *Forst. C.* i. 80?—*Stew.* ii. 222?—*Turt.* iii. 414?
3764. 9; Klugii *. *Leach Z. M.* iii. 122.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
3765. [10; segmentaria *.] *Klug Bl.* 59.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
 Cry. segmentarius. *Panz. F.* lxxxviii. *pl.* 17.
 Arge ustulata. *Schränk B.* ii. 226.
3766. 11; cyaneo-crocea *.
 Te. cyaneo-crocea. *Forst. C.* i. 78.—*Stew.* ii. 222.
 Hy. cærulescens. *Fabr. P.* 24. (!)—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
 Te. cærulescens. *Fabr. ii.* 108.—*Panz. F.* xlix. f. 14.—*Stew.* ii. 223.—*Turt.* iii. 413.
 Arge bicolor. *Schränk. B.* ii. 229.
3767. 12; femoralis *. *Klug Bl.* 63.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)
 Hy. fasciata. *St. Farg. M.* 43.—*Faun. F.* pl. 2. *f.* 1.
 Te. melanochra. *Gmel. v.* 2657?
3768. 13; Rosæ *. *Fabr. P.* 25.—(*Sam. I.* 22.)—(*Curtis l. c. infra.*)—(*Kirby & Sp. I. E.* iv. 85.)
 Hy. Rosarum. *Klug Bl.* 60.

Te. Rosæ. *Panz. F. xlix. f. 15.*—*Don. v. 71. pl. 164.*

Te. ochropus. *Gmel. v. 2657.*

3769. 14; Stephensii*. *Leach Z. M. iii. 123.*—(*Sam. I. 22.*)—*Curt. ii. pl. 65.*—*St. Farg. M. 43. (!)*

3770. 15; pagana*. *Klug Bl. 61.*—(*Sam. I. 22.*)—(*Curtis l. c. supra.*)

Te. pagana. *Panz. F. xlix. pl. 16.*

Te. tricolor. *Gmel. v. 2657.*

Te. flaviventris. *Act. Holm. (Fallen.) 1807. 202.*

Genus 8: (582). SCHIZOCERUS, *Latreille, Curtis.*

CRYPTUS, *Jurine, Leach, Samou., (Curtis, olim.)*—HYLOTOMA p., *Fabr., Samou.*

3771. 1, furcatus. (*Curtis l. c. infra.*)

Te. furcata. *Villars E. iii. 86.*—*Panz. F. xlvi. f. 1.*

Hy. furcata. (*Sam. I. 22.*)

Cr. Villersii. *Leach Z. M. iii. 124.*—*Sam. 264.*

Te. Rubi Idei. *Rossi. ii. 31.*

3772. 2; pallipes*. *Curtis. ii. pl. 58.*

Cr. pallipes. *Leach Z. M. iii. 125.*—(*Sam. I. 14.*)—*St. Farg. M. 53. (!)*

Hy. geminata. *Klug Bl. 73?*

Genus 9: (583). LOPHYRUS, *Latr., Leach, (Samou.,) Curtis.*

PTERONUS, *Jurine.*—HYLOTOMA, *Fabr.*—DIPRION, *Schrank.*

3773. 1, Pini. *Leach Z. M. iii.*—(*Sam. I. 25.*)—*Curtis. ii. pl. 54.*

♂ & ♀.

Ten. pectinata major. *Retzius. No. 317.*—*DeGeer. pl. 36. f. 15–18.*

† ♂, Ten. Pini. *Linn. ii. 922.*—*Stew. ii. 222.*—*Turt. iii. 415.*

♀, Hyl. dorsata. *Fabr. P. 21.*

Ten. dorsata. *Fabr. ii. 111. (!)*—*Stew. ii. 222.*—*Turt. iii. 415.*

3774. 2; rufus*. *Klug Bl. 30.*—(*Sam. I. 25.*)—(*Curtis l. c. supra.*)

Ten. Pini rufa. *Villars. E. iii. 88.*

Ten. Juniperi. *Christius B. p. 432. pl. 49. f. 4, 5.*

Ten. sertifera. *Fourc. P. ii. 378.*

Lo. Piceæ. *St. Farg. M. 56.*

3775 † 3, pallidus*. *Klug Bl. 34.*—(*Curtis l. c. supra.*)

Ten. pectinata minor. *Retzius. No. 317.*—*DeGeer. pl. 35. f. 26.*

Ten. Pini minor. *Villars E. iii. 87.*

Lo. minor. *St. Farg. M. 54.*

♀, Ten. dorsata. *Fallen.—Panz. F. lxii. f. 9.*

In Mus. Brit. et D. Cooper,

3776 † 4. Juniperi^a.

Genus 10: (584). CLADIUS, Leach, Samou.

NEMATUS p, Leach.—HYLOTOMA p, Fabr.—PTERONUS p, Jurine.
—LOPHYRUS p, Latreille.

A. Cladius. Leach Z. M. l. c.

3777. 1; difformis*. (Leach Z. M. iii. 130.)—(Sam. I. 11.)
Ten. difformis. Panz. F. lxii. f. 10. ♂.

B. Nematus**. Leach Z. M. iii. 129.

3778. 2; rufipes*. St. Farg. M. 58.—Faun. F. pl. 12. f. 5.

3779. 3; pallipes*. St. Farg. M. 59.—Faun. F. pl. 12. f. 6.

3780. 4; Morio*. St. Farg. M. 58.

3781. 5, immunis* mihi.

3782. 6; luteicornis* mihi.

Genus 11: (585). PRISTIPHORA, Latreille.

PTERONUS p, Jurine.

A. Vide St. Farg. M. 59.

3783. 1; Myosotidis*. St. Farg. M. 59.

Te. Myosotidis. Fabr. P. 41.—Panz. F. xcvi. f. 13.

3784. 2; testacea*. Latr.—St. Farg. M. 59.

Pt. testaceus. (Jurine. H. 64. pl. 13. fig. inf. med.) .

3785. 3; pallipes*. St. Farg. M. 60.

3786. 4; rufipes*. St. Farg. M. 60.—Faun. F. pl. 12. f. 2.

3787. 5; testaceicornis*. St. Farg. M. 60.—Faun. F. pl. 12. f. 1.

B. Vide St. Farg. M. 60.

3788. 6; duplex*. St. Farg. M. 61.—Faun. F. pl. 12. f. 3.

C. Vide St. Farg. M. 61.

3789. 7; varipes*. St. Farg. M. 61.

Genus 12: (586). NEMATUS, Leach, Samou.

3790. 1; pallipes*. St. Farg. M. 62.

3791. 2; crassicornis* mihi.

3792. 3; grandis*. St. Farg. M. 61.—Faun. F. pl. 10. f. 1.

3793. 4; pectoralis*. St. Farg. M. 62.—Faun. F. pl. 10. f. 2.

3794. 5, clitellatus*. St. Farg. M. 62.—Faun. F. pl. 10. f. 3.

* 3776 † 4. Juniperi. St. Farg. M. 55.

Te. Juniperi. Linn. ii. 923.—Panz. F. 76. f. 11. ♀.—Turt. iii. 415. (!)

Te. pterophorus. Sulz. K. 46. pl. 18. f. 110.

- 3795 † 6. *Salicis*^a.
 3796. 7; *dimidiatus* *. *St. Farg. M.* 68.
 3797. 8, *dorsalis* *. *St. Farg. M.* 70.
 3798. 9; *luteus* *. (*Leach Z. M.* iii. 129.)—(*Sam. I.* 23.)—*St. Farg. M.* 70.—*Faun. F. pl.* 11. *f.* 7.
 Te. *lutea*. *Fabr. P.* 41.
 3799. 10; *flavescens* * *mihi*.
 3800. 11; *miliaris* *. *St. Farg. M.* 70.
 Te. *miliaris*. *Panz. F.* lxxv. *f.* 13.
 3801. 12; *Capreæ* *. *St. Farg. M.* 64.
 Te. *Capreæ*. *Fabr. P.* 35. (*des. larvæ*.)—*Panz. F.* lxxv. *f.* 8?—
 Stew. ii. 224.—*Turt. iii.* 418.—*Wood. ii.* 47. *pl.* 54?—
 Albin. pl. 59. *f. g. h.*—(*Vide Kirby & Sp. I. E. l. c. infra.*)
 3802. 13, *viridis* * *mihi*.
 3803. 14; *vittatus* *. *St. Farg. M.* 64?—*Faun. F. pl.* 10. *f.* 5?
 3804. 15; *fallax* *. *St. Farg. M.* 64?—*Faun. F. pl.* 10. *f.* 4?
 3805. 16; *affinis* *. *St. Farg. M.* 69.
 3806. 17; *oblitus* *. *St. Farg. M.* 69.
 3807. 18; *bicolor* * *mihi*.
 3808. 19; *bipartitus* *. *St. Farg. M.* 69.
 3809. 20; *Ribesii* * *mihi*. (*Vide Kirby & Sp. I. E. i.* 195. *nota*.)
 3810. 21; *interruptus* *. *St. Farg. M.* 65.—*Faun. F. pl.* 11. *f.* 1.
 3811. 22; *melanostigma* * *mihi*.
 3812. 23; *gonymelas* * *mihi*.
 3813. 24; *analis* * *mihi*.
 3814. 25; *ruficornis* *. *St. Farg. M.* 71.
 3815. 26; *proximus* *. *St. Farg. M.* 67.
 3816. 27; *intercus* *. *St. Farg. M.* 67.
 Te. *intercus*. *Panz. F.* xc. *f.* 11?
 Te. *nigra*. *De Geer?* *pl.* 39. *f.* 9. 10.
 Te. *Salicis pentandrae*. *Villars E.* iii. 8.
 3817. 28; *niger* *. (*Leach Z. M.* iii. 129.)—(*Sam. I.* 28.)—*St. Farg. M.* 68.
 Pt. *niger*. (*Jurine Hy.* 60. *pl.* 6. *gen.* 5.)
 3818. 29, *nigricornis*. *St. Farg. M.* 63.
 3819. 30; *lucidus* *. (*Leach Z. M.* iii. 129.)—(*Sam. I.* 28.)—*St. Farg. M.* 66.
 Te. *lucida*. *Panz. F.* lxxxii. *f.* 10.
 3820. 31, *consobrinus* * *mihi*.

^a 3795 † 6. *Salicis*. *St. Farg. M.* 68.—*Faun. F. pl.* 11. *f.* 3.

Te. *Salicis*. *Fabr. P.* 40.—*Stew. ii.* 223. (!)—*Turt. iii.* 416. (!)

Genus 13: (587). CRÆSUS, *Leach, Samou., Curtis.*

NEMATUS *p, Jurine.*

3821. 1; septentrionalis*. (*Leach Z. M. iii. 129.*)—(*Samou. 266.*)
—*Curtis. i. pl. 17.*

Te. septentrionalis. *Linn. ii. 926.—Turt. iii. 418.*

Te. largipes. *DeGeer. ii. 262. pl. 37. f. 26.*

β? Cr. Stephensii. *Heysham. MSS.*

Cr. niger *mihi (olim).*

Genus 14: (588). MESSA, *Leach, Samou.*

TE.-EMPHYTUS *p, Klug.*

3822. 1; hortulana*. (*Leach Z. M. iii. 126.*)—(*Samou. 264.*)
Te. (Em.) hortulana. *Klug Bl. 214.*

Genus 15: (589). FENUSA, *Leach, Samou.*

TE.-ALLANTUS *p, Klug.*

3823. 1; pumila*. (*Leach Z. M. iii. 126.*)—(*Sam. I. 17.*)
Te. (All.) pumila. *Klug Bl. 120.*

3824. 2; pygmaea*.

Te. (All.) pygmaea. *Klug Bl. 121.*

Genus 16: (590). ATHALIA, *Leach, Samou.*

ALLANTUS *p, Jurine.*—TE.-ALLANTUS *p, Klug.*—HYLOTOMA ***
Fabr.—NEMATUS *p, Spinola.*

3825. 1; spinarum*. (*Leach Z. M. iii. 126.*)—(*Sam. I. 5.*)

Te. spinarum. *Fabr. ii. 110.*

Te. centifoliae. *Panz. F. xlix. f. 18.*

At. centifolia. (*Sam. I. 5.*)

Te. Colibri. *Christius. B. 434. pl. 50. f. 1.*

3826. 2; Rosæ*. (*Leach Z. M. iii. 126.*)—(*Sam. I. 5.*)

Te. Rosæ. *Linn. ii. 925.—Berk. S. i. 154.—Stew. ii. 224.—
Turt. iii. 414.—(Kirby & Sp. I. E. i. 192.)*

3827. 3; annulata*. (*Leach Z. M. iii. 126.*)—(*Sam. I. 5.*)

Hy. annulata. *Fabr. P. 26.*

3828. 4; lugens*.

Te. (All.) lugens. *Klug Bl. 88.*

At. abdominalis. *St. Farg. M. 23.—Faun. F. pl. 13. f. 2.*

3829. 5; Richardi*. *St. Farg. M. 23.*

Genus 17: (591). SELANDRIA, *Leach, Samou.*

HYLOTOMA *p, Fabr.*—TE.-ALLANTUS *p, Klug.*—NEMATUS *p,
Spinola.*

3830. 1; serva*. (*Leach Z. M. iii. 126.*)—(*Sam. I. 37.*)

Hy. serva. *Fabr. P. 26.*

3831. [2; dorsalis* *mihi*]

3832. 3; luteiventris *. (*Sam. I.* 37.)
Te. (All.) luteiventris. *Klug Bl.* 104.
3833. 4; Spinolæ *.
Te. (All.) Spinolæ. *Klug Bl.* 105.
Hy. ventralis. *Spinola I. L.* i. 1.
3834. 5; hyalina *.
Te. (All.) hyalina. *Klug Bl.* 106.
3835. 6, scapularis *michi*.
Te. lepida. *St. Farg. M.* 104?
3836. 7, ferruginea *.
Hy. ferruginea. *Fabr. P.* 26.
Al. ferrugineus. *Panz. F.* xc. f. 9.
Te. (All.) brunnea. *Klug Bl.* 101.
3837. 8; testudinea *.
Te. (All.) testudinea. *Klug Bl.* 108.
3838. 9, verna?
Te. (All.) verna. *Klug Bl.* 103?
Te. punctigera. *St. Farg. M.* 110.—*Faun. F. pl. 7. f. 6.*
3839. 10; ephippium *.
Te. ephippium. *Panz. F.* lii. f. 5.
Te. dubia. *Gmel. v.* 2668?
3840. 11, adumbrata.
Te. (All.) adumbrata. *Klug Bl.* 112.
3841. 12; geniculata * *michi*.
3842. 13, tibialis * *michi*.
3843. 14; fuliginosa *. (*Sam. I.* 37.)
Te. fuliginosa. *Schr. A. No.* 334.
Te. trichocera. *St. Farg. M.* 81?
3844. 15; brevicornis *.
Te. (All.) brevicornis. *Klug Bl.* 113.
Te. nigrita. *St. Farg. M.* 81?
Ne. nigrinus. *Spinola I. L.* ii. 155?
3845. 16; albipes *.
Te. albipes. *Gmel. v.* 2667.
Te. Morio. *St. Farg.* 105?
3846. 17; stramineipes.
Te. (All.) stramineipes. *Klug Bl.* 123.
Te. albipes. *St. Farg.* 105?
3847. 18; Betuleti *.
Te. (All.) Betuleti. *Klug Bl.* 121.
3848. 19, Morio *.
Te. Morio. *Fabr. ii.* 119.—*Panz. F.* lxix. f. 17.

3849. 20; fuscula *.
Te. (All.) fuscula. *Klug Bl.* 118.
3850. 21; Æthiops *.
Te. Æthiops. *Fabr.* ii. 121. (!)—*Stew.* ii. 224.—*Turt.* iii. 419.
3851. 22; cinereipes *. (*Leach Z. M.* iii. 126.)—(*Sam. I.* 37.)
Te. (All.) cinereipes. *Klug Bl.* 115.
3852. 23; annulipes *.
Te. (All.) annulipes. *Klug Bl.* 118.
3853. 24; varipes *.
Te. (All.) varipes. *Klug Bl.* 117.
3854. 25; fulvicornis *.
Te. fulvicornis. *Fabr. P.* 58.—*Panz. F.* lxxxii. f. 13.
3855. 26; pusilla *.
Te. (All.) pusilla. *Klug Bl.* 119.
3856. 27; nana *.
Te. (All.) nana. *Klug Bl.* 120.
3857. 28; tenuicornis *.
Te. (All.) tenuicornis. *Klug Bl.* 116.
3858. 29, alternipes *.
Te. (All.) alternipes. *Klug Bl.* 115.
Te. Maura. *Schrank B.* ii. 248.
3859. 30; ovata *. (*Leach Z. M.* iii. 126.)—(*Sam. I.* 37.)
Te. ovata. *Linn.* ii. 924.—*Panz. F.* lii. f. 3.—*Turt.* iii. 416.
Te. leucozona. *Schrank B.* ii. 251.
Te. gossypina. *Retzius.* No. 303.
3860. 31; lineolata *.
Te. (All.) lineolata. *Klug Bl.* 124?
3861. 32; Alni *.
Te. Alni. *Linn.* ii. 925.—*Schæff. Ic.* cx. f. 6. 7.—*Turt.* iii. 417.
Te. australis. *St. Farg. M.* 71.—*Faun. F. pl.* 3. f. 1.
3862. 33, rufa *.
Te. rufa. *Panz. F.* lxxii. f. 2.
3863. 34, uncta *.
Te. (All.) uncta. *Klug Bl.* 125.
3864. 35, pulchella * mihi.
3865. 36; costalis *.
Te. costalis. *Fabr.* ii. 109.—*Faun. F. pl.* 7. f. 5.
Te. fulvivenia. *Schra. A.* 338.

Genus 18: (592). ALLANTUS, *Panzer*, *Leach*, *Samou.*

TENTHREDO (ALLANTUS), *Klug.*

A. Antennæ extrosum crassiores. a. *Antennis flavis.*

3866. 1; Scrophulariæ *.

Te. Scrophulariae. *Linn.* ii. 923.—*Berk.* S. i. 154.—*Panz. F. C.* f. 10.—*Stew.* ii. 223.—*Turt.* iii. 415.—(*Samou.* 67. pl. 8. f. 2.)
Te. Rustica. *Schrink B.* ii. 235.

3867. 2; annulatus*.

Te. (All.) annulata. *Klug Bl.* 155.

Te. meridiana. *St. Farg. M.* 88.—*Faun. F. pl.* 5. f. 1.
b. *Antennarum scapo solè flavo.*

3868. 3; tricinctus*?

Te. tricincta. *Fabr. P.* 30?—*De Geer.* ii. 951. pl. 34. f. 9—19.

Te. vespiformis. *Latr.*—*St. Farg. M.* 89.

Te. rustica. *Fourc. P.* ii. 367?

All. affinis. *Leach MSS.*

3869. 4; Viennensis*.

Te. Viennensis. *Panz. F.* lxv. f. 5.

Te. marginella. *Fabr. P.* 29?—(*Kirby & Sp. I. E.* i. 386.)

Te. sexannulata. *Schrink B.* ii. 236?

3870. 5; Zonula*.

Te. (All.) Zonula. *Klug Bl.* 161.

Te. bicincta. *Schäff. Ic.* vii. f. 8?

Te. luteiventris. *St. Farg. M.* 39.

3871. 6, Zona*.

Te. (All.) Zona. *Klug Bl.* 160.

Te. succineta. *St. Farg. M.* 93.—*Faun. F. pl.* 5. f. 5.

3872. 7; arcuatus*.

Te. arcuata. *Forst. C.* i. 79.—*Stew.* ii. 223.—*Turt.* iii. 415.

Te. (All.) Notha. *Klug Bl.* 164.

♀; Te. marginella. *Panz. F.* lxiv. f. 7.

Al. Notha. (*Leach Z. M.* iii. 128.)—(*Sam. I. 2.*)

c. *Antennis nigris.*

3873. 8, tenulus.

Te. tenula. *Scop. C.* No. 725.

Te. (All.) bifasciata. *Klug Bl.* 165.

All. Rossii. *Panz. F.* xci. f. 15.

3874. 9; rusticus*.

Te. rustica. *Linn.* ii. 923.—*Berk.* S. i. 153.—*Stew.* ii. 223.—*Turt.* iii. 418.—*Faun. F. pl.* 7. f. 2. ♂.

Te. sulphurata. *Gmel. v.* 2665.

♀; Te. notata. *Panz. F.* lxiv. f. 10.

♂. Te. carbonaria. *Fabr. P.* 30.

3875. 10; duodecimpunctatus*. (*Sam. I. 2.*)

Te. 12-punctata. *Linn.* ii. 926.—*Panz. F.* lii. f. 8.

Te. fera. *Fabr. P.* 37?

3876. 11; albicinctus*. (*Sam. I. 2.*)

Te. (All.) albiciucta. *Klug Bl.* 149.

♀; Te. luctuosa. *St. Farg. M.* 103?

3877. 12; Ribis *.
 Te. Ribis. *Schra. A.* 332.—*Panz. F.* lii. f. 12.
 Te. leucopus. *Gmel. v.* 2666.
3878. 13; Punctum *. (*Sam. I.* 2.)
 Te. punctum album. *Linn. ii.* 924.
 Te. erythropus. *Schrantz Beyt.* 86.
 Te. punctum. *Fabr. P.* 36.—*Panz. F.* xxvi. f. 21.
3879. 14; hæmatopus *. (*Sam. I.* 2.)
 Te. hæmatopus. *Panz. F.* lxxxi. f. 11.
 Te. ocreata. *Schæff. Ic.* 232. f. 4, 5.
 ♂. Te. diversipes. *Schrantz B.* ii. 236.
3880. 15; blandus *. (*Sam. I.* 2.)
 ♀, Te. blanda. *Fabr. P.* 36. (!)—*Panz. F.* lii. 9; lxv. 9.—*Stew. ii.* 223.—*Turt. iii.* 419.
 Te. lacrymosa. *St. Farg. M.* 101.—*Faun. F. pl. 6.* f. 7.
 ♂, Te. cylindrica. *Fabr. P.* 32.—*Panz. F.* lxxi. f. 7.
3881. 16; neglectus *. (*Sam. I.* 2.)
 Te. (All.) neglecta. *Klug Bl.* 136.
 Te. blanda. *Schæff. Ic.* vii. f. 5.
 Te. Schæfferi. *St. Farg. M.* 98.—*Faun. F. pl. 6.* f. 4.
3882. 17; cinctus *.
 Te. cincta. *Panz. F.* lxiv. f. 2.
 Te. bicincta. *Linn. ii.* 925?
 Al. bicinctus. (*Sam. I.* 2.)
 Te. vaga. *Fabr. ii.* 120. (!)—*Turt. iii.* 419.
 ♂; Te. semicincta. *Schrantz A.* 665.
 Al. semicincta. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 2.)
 Te. mesomelas. *Gmel. v.* 2660.
3883. 18; zonatus *. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 2.)
 Te. zonata. *Panz. F.* lxiv. f. 9.
 Te. cincta. *Schæff. Ic.* lvi. f. 2.
 Te. succincta. *Don. xiii.* 17. *pl. 441.* f. 2.
 Te. latizona. *St. Farg. M.* 74.—*Faun. F. pl. 3.* f. 4.
 ♂; Te. equestris. *Panz. F.* cvii. f. 6.
- 3884 + 19, flavigornis.
 Te. flavigornis. *Fabr. P.* 31.—*Panz. F.* lii. f. 2.
 Te. flava. *Scop. C.* 731.
 Te. poecilechroa. *Schrantz A.* 324.
 Te. luteicornis. *Fabr. P.* 21.—*Panz. F.* lxiv. f. 1.
 Te. Umbellatarum. *Panz. E. V.* 30. In *Mus. Brit.*
- B. Antennæ haud extrorsum crassiores.
- a. *Antennarum apice albo.*
3885. 20; conspicuus *. (*Sam. I.* 2.)
 Te. (All.) conspicua. *Klug Bl.* 170.
 Te. rufiventris. *Panz. F.* lxv. f. 6.

3886. 21; rufiventris*. (*Sam. I. 2.*)—*Faun. F. pl. 4. f. 3.*

Te. rufiventris. *Fabr. P. 33.*

Te. rufipennis. *Fabr. ii. 116.*

3887. 22; solitaria*.

Te. solitaria. *Scop. C. No. 738.*

Te. Fagi. *Panz. F. lii. f. 14.*

Te. Maura. *Panz. Schæff. 186. f. 2.*

3888. 23, aterrimus* *mihi.*

3889. 24; Colon*.

Te. (All.) Colon. *Klug Bl. 172.*

3890. 25; Coryli*.

Te. Coryli. *Panz. F. lxxi. f. 8.*

3891. 26; bipunctula.

Te. (All.) bipunctula. *Klug Bl. 175.*

3892. 27; lividus*. (*Jurine H. 54.*)—(*Sam. I. 2.*)

Te. livida. *Linn. ii. 925.—Panz. F. lii. f. 6.—Turt. iii. 417.*

♂, Te. Carpini. *Panz. F. lxxi. f. 9.*

Te. albicornis. *Fourc. P. ii. 371.*

Te. Maura. *Fabr. P. 33.*

Te. annularis. *Schrank A. 325.*

b. *Antennis omnino nigris.*

3893. 28; ater*. (*Sam. I. 2.*)

Te. atra. *Linn. ii. 924.—Panz. F. lii. f. 7.*

Te. fuscipes. *Gmel. v. 2667.*

3894. 29; mandibularis*.

Te. mandibularis. *Panz. F. xcvi. f. 9.*

3895. 30; Tiliæ*. *Panz. F. xci. f. 13.*

3896. 31; viridis*. (*Jurine H. 55.*)—(*Sam. I. 2.*)

Te. viridis. *Linn. ii. 925.—Schæff. Ic. clxxxi. f. 5, 6.—Turt. iii. 416.*

Te. hebraica. *Fourc. P. ii. 363.*

Te. Rosæ. *Scop. C. 275.*

Te. annularis. *Villars E. iii. 117.*

♂; Te. mesomela. *Linn. ii. 924.*

Te. marginata. *Christius B. 438. pl. 51. f. 1.*

3897. 32; scalaris*.

Te. (All.) scalaris. *Klug Bl. 184.*

Te. viridis. *Panz. F. lxiv. f. 2.—Don. xiii. 23. pl. 444.*

Te. interruptus. *Fabr. P. 40?*

Te. Pini. *Villars E. iii. 112.*

3898. 33; punctulatus*.

Te. (All.) punctulata. *Klug Bl. 185.*

3899. 34; pictus.
Te. (All.) picta. *Klug Bl.* 185.
3900. 35; agilis *.
Te. (All.) agilis. *Klug Bl.* 198.
3901. 36; nitidus *.
Te. (All.) nitida. *Klug Bl.* 208.
3902. 37; bicolor *.
Te. (All.) bicolor. *Klug Bl.* 208?
3903. 38; Aucupariae *.
Te. (All.) Aucupariae. *Klug Bl.* 202.
- Te. juvenilis. *St. Farg. M.* 99.—*Faun. F. pl. 6. f. 5.*
3904. 39; lateralis *. (*Sam. I. 2.*)
Te. lateralis. *Fabr. ii. 118.—Panz. F. lxxxviii. f. 18.*
3905. 40; melanocephalus *.
Te. melanocephala. *Fabr. S. 216.—Coqueb. Ill. pl. 3. f. 6?*

Genus 19: (593). TENTHREDO, *Leach, Samou.*

A. Antennæ graciles, longiores.

3906. 1; Rapæ *. *Linn. ii. 926.—Schæff. Ic. clxxix. f. 1.—(Leach Z. M. iii. 128.)—(Sam. I. 40.)*
3907. 2; simulans *. *Klug Bl.* 152.
♀; Te. scripta. *Gmel. v. 2667?—St. Farg. M. 86.—Faun. F. pl. 4. f. 6.*
3908. 3; antennata *. *Klug Bl.* 153.
Te. duplex. *St. Farg. M. 87.*
3909. 4; variegata *. *Klug Bl.* 153.

B. Antennæ haud graciles, mediocres.

a. Corpore subdepresso.

3910. 5; nassata *. *Linn. ii. 924.—Panz. F. lxv. f. 2. ♂.—(Leach Z. M. iii. 128.)—(Sam. I. 40.)*
Te. (All.) instabilis a, nassata. *Klug Bl.* 187.
3911. [6; melanorhæa *.] *Gmel. v. 2668.—St. Farg. M. 85.—Faun. F. pl. 4. f. 4.*
3912. 7; ambigua *. *Klug Bl.* 192.
Te. neglecta. *St. Farg. M. 77.*
3913. 8; scutellaris *. *Fabr. P. 39?—Panz. F. xcviij. f. 12?*
Te. (All.) instabilis b, scutellaris. *Klug Bl.* 188?
Te. interrupta. *Mus. Marsham.*
3914. 9; Pavida *. *Fabr. P. 31.*
Te. rufocineta. *Retzius. No. 305.*
3915. 10; ornata *. *St. Farg. M. 77.—Faun. F. pl. 3. f. 5.*

3916. 11; subinterruptus * *mihi*.
Te. *dorsalis*. *Spin. I. L.* ii. 17. *pl. 4. f. 14?*
3917. 12; *tristis* *. *Mus. Marsham*.
Te. *spreta*. *St. Farg. M.* 78?
3918. 13; *caliginosa* * *mihi*.
3919. 14; *Coquebertii* *. *Klug. Bl.* 192.
Te. *Stigma*. *Coqueb. Ill. i.* 15. *pl. 3. f. 5?*
3920. 15; *fulvipes* * *mihi*.
3921. 16; *ignobilis* *. *Klug. Bl.* 195.
Te. *Stigma*. *St. Farg. M.* 76.
3922. 17; *analis* * *mihi*.
3923. 18; *dimidiata* *. *Fabr. P.* 42.—(*Leach Z. M.* iii. 128.)—
(*Sam. I.* 40.)—*Faun. F. pl. 4. f. 2.*
Te. (All.) *instabilis* c, *dimidiata*. *Klug. Bl.* 188?
Te. *cordata*. *Fourc. P.* ii. 368.
Te. *varia*. *Gmel. iv.* 2665.
b. *Corpo subcylindrico*.
3924. 19; *socia* *.
Te. (All.) *socia*. *Klug. Bl.* 97.
3925. 20; *Geeri* *. *Klug. Bl.* 203.
DeGeer. ii. 1002. *pl. 38. f. 8-10.*
3926. 21, *xanthocera* * *mihi*.
3927. 22; *cingulata* *. *Fabr. ii.* 113.
3928. 23; *atricornis* * *mihi*.
- Genus 20: (594). DOSYTHEUS, *Leach, Samou.*
HYLOTOMA p, *Fabr.*—TE.-DOLERUS p, *Klug.*—DOLERUS p,
St. Fargeau.
3929. 1; *lateritius* *.
Te. (Dol.) *lateritia*. *Klug. Bl.* 233.
3930. 2; *Eglanteriae* *. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 15.)
Te. (Dol.) *Eglanteriae*. *Klug. Bl.* 229.
- ♂; Te. *Abietis*. *Linn. ii.* 923?—*Turt. iii.* 417.
- ♀; Te. *Eglanteriae*. *Fabr. ii.* 196.
Te. *pedestris*. *Panz. F.* lxxxii. *f. 11.*
Te. *Germanica*. *Panz. F.* lii. *f. 4?*
3931. 3; *trimaculatus* *.
Dol. *trimaculatus*. *St. Farg. M.* 121.
3932. 4; *fulviventris* *.
Te. *fulviventris*. *Scop. C. No.* 736.
Dol. *germanicus*. *St. Farg. M.* 121.
3933. 5; *xanthopus* * *mihi*.
3934. 6, *Junci* *. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 15.)
Te. (Dol.) *palustris*. *Klug. Bl.* 234?

3935. 7; timidus*.

Te. (Dol.) timidus. *Klug. Bl.* 238?Te. Abietis. *Panz. F.* lxiv. f. 3.

3936. 8; tristis*.

Te. tristis. *Panz. F.* xcvi. f. 11?Genus 21: (595). DOLERUS, *Leach, Samou.*, (*Kirby.*)TE.-DOLERUS *p*, *Klug.*

3937. 1; haematodes*.

Te. haematodes. *Schrank A. No.* 678.Te. opaca. *Panz. F.* lii. f. 10.Do. opacus. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 15.)Te. collaris. *Don. xiii.* 17. *pl.* 441. *f.* 1.

3938. 2, anthracinus*.

Te. (Dol.) anthracinus. *Klug. Bl.* 204.3939. 3; niger*. *St. Farg. M.* 125.Te. nigra. *Linn. ii.* 925.—*Panz. F.* lii. f. 11.3940. 4; fumosus * *mihi*.

3941. 5; coracinus*.

Te. (Dol.) coracinus. *Klug. Bl.* 204.

3942. 6; palmatus*.

Te. (Dol.) palmatus. *Klug. Bl.* 205.

3943. 7; picipes*.

Te. (Dol.) picipes. *Klug. Bl.* 205.3944. 8; gonager*. (*Leach E. E.* ix. 140.)—(*Leach Z. M.* iii. 128.)—(*Sam. I.* 15.)Te. gonagra. *Fabr. ii.* 117.Te. crassa. *Panz. F.* lxv. f. 4.Te. erythrogona. *Schrank A. No.* 681.Te. geniculata. *Foure. P.* ii. 374.

3945. 9; vestigialis*.

Te. (Dol.) vestigialis. *Klug. Bl.* 243.Dol. rufipes. *St. Farg. M.* 124.Genus 22: (596). EMPHYTUS, *Leach, Samou.*TE.-EMPHYTUS, *Klug.*3946. 1; succinctus*. (*Sam. I.* 16.)Te. (Em.) succincta. *Klug. Bl.* 217.Te. togata. *Panz. F.* lxxxii. f. 12.3947. 2; cinctus*. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 16.)Te. cincta. *Linn. ii.* 925.—*Turt. iii.* 418.

3948. 3; togatus*.

Te. togata. *Fabr. P.* 32.

3949. 4; melanarius*.

Te. (Em.) melanaria. *Klug. Bl.* 220.

3950. 5; rufocinctus*.
 Te. (Em.) rufocinctus. *Klug. Bl.* 224.
 Te. cingulum. *Spinola*: teste *Klug.*
3951. 6; calceatus*.
 Te. (Em.) calceata. *Klug. Bl.* 226.
3952. 7; nigricans*.
 Te. (Em.) nigricans. *Klug. Bl.* 214.
 Do. varipes. *St. Farg. M.* 119.—*Faun. F. pl.* 8. f. 4.
3953. 8; coronatus*.
 Te. (Em.) coronatus. *Klug. Bl.* 214.
3954. 9; gilvipes*.
 Te. (Em.) gilvipes. *Klug. Bl.* 244.
3955. 10; serotinus*.
 Te. (Em.) serotina. *Klug. Bl.* 226.
 Do. abdominalis. *St. Farg. M.* 118.—*Faun. F. pl.* 8. f. 3.
- 3956 † 11, cereus. (*Leach Z. M.* iii. 128.)
 Te. (Em.) cerea. *Klug. Bl.* 227.
 Em. ceria. (*Sam. I.* 16.) In Mus. Brit.
3957. 12; filiformis*.
 Te. (Em.) filiformis. *Klug. Bl.* 223.
3958. 13; tibialis*. (*Leach Z. M.* iii. 128.)—(*Sam. I.* 16.)
 Te. tibialis. *Panz. F. Ixii. f.* 1.
3959. 14; patellatus*.
 Te. (Em.) patellata. *Klug. Bl.* 221.
3960. 15; immersus*.
 Te. (Em.) immersa. *Klug. Bl.* 222.
 Do. pallimacula. *St. Farg. M.* 117.—*Faun. F. pl.* 8. f. 2.
3961. 16, impressus.
 Te. (All.) impressa. *Klug. Bl.* 116.
- Genus 23: (597). —
3962. 1, ochroleucus *mihi*.
- Genus 24: (598). TARPA, *Fabr.*, *Leach*, *Samou.*
 MEGALODONTES, *Latr.*—DIPRION, *Schrank.*
- 3963 † 1, cephalotes. *Fabr. P.* 19.
 Ta. plagiocepala. *Klug. Bl.* 7. *pl. vii. f.* 1.
 Ta. Klugii. *Leach Z. M.* iii. 131.—*Samou.* 266.
3964. 2, Panzeri. *Leach Z. M.* iii. 132.—(*Sam. I.* 40.)
 Te. cephalotes. *Panz. F. Ixii. f.* 7. ♂.—*f.* 8. ♀.
 Me. cephalotes. (*Leach E. E.* ix. 141.)
- 3965 † 3. Fabricii^a.

^a 3965 † 3. Fabricii. *Leach Z. M.* iii. 130.—*Samou.* 266. (!)
 Z 2

- Genus 25: (599). LYDA, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)
PAMPHILIUS, *Latr.*, *Leach E. E.*—CEPHALEIA, *Jurine*.—PSEN p,
Schrank.
3966. 1; *Sylvatica**. *Fabr. P. 43.*
 Te. *Sylvatica*. *Linn. ii. 926.—Panz. F. lxxv. f. 10.—Turt. iii.*
 424.
- ♂, Ly. *Nemorum*. *Fabr. P. 45.—(Sam. I. 26.)*
 Te. *Nemorum*. *Panz. F. lxxxvi. f. 8.—Stew. ii. 224.*
 Te. *fulvipes*. *Retzius. No. 323.*
3967. 2; *Stigma** *mihi*.
3968. 3; *aurita**. *Klug. Bl. 15. pl. vii. f. 3.*
3969. 4, *pratensis**. *Fabr. P. 45.—Schäff. Ic. pl. xlvi. f. 8, 9.*
 Te. *vafra*. *Linn. ii. 927?*
 Te. *stellata*. *Christius B. 458. pl. li. f. 4.*
3970. 5, *depressa**. *Klug. Bl. 14.—Panz. F. lxxv. f. 11.*
 Te. *depressa*. *Schrank A. No. 691.*
3971. 6, *Sylvarum*. —? MSS?
- 3972 † 7. *flava*^a.
3973. 8, *hortorum*. *Klug. Bl. 18.*
 Ly. *fallax*. *St. Farg. M. 13?*
3974. 9, *inanita*. *St. Farg. M. 12.—Faun. F. pl. 14. f. 6.*
 Te. *inanita*. *Villers E. iii. 125. pl. 7. f. 21.*
 Ly. *inanis*. *Klug. Bl. 18.*
3975. 10; *Arbustorum**. *Fabr. P. 46. (!)*
 Te. *Arbustorum*. *Fabr. ii. 123. (!)—Turt. iii. 425.*
 Te. *lucorum*. *Fabr. M. i. 256.*
- 3976 † 11. *Populi*^b.
3977. 12; *lutescens**. *St. Farg. M. 8.*
3978. 13. *Cynosbati*^c.
3979. 14; *cingulata**. *Faun. F. pl. 14. f. 3.*
 Pa. *cingulatus*. *Latr. E. No. 15.*
3980. 15; *Betulæ**. *Fabr. P. 44.—(Sam. I. 26.)*
 Te. *Betulæ*. *Panz. F. lxxxvii. f. 18.—Turt. iii. 425.*
 Te. *fulva*. *Retzius. No. 321.—De Geer. pl. 40. f. 21.*
3981. 16, *erythrocephala**. *Fabr. P. 43.—(Sam. I. 26.)*

^a 3972 † 7. *flava*. *Fabr. P. 46.*

Te. *flava*. *Linn. ii. 927.—Turt. iii. 425. (!)*

^b 3976 † 11. *Populi*. *Fabr. P. 44.*

Te. *Populi*. *Linn. ii. 927.—Turt. iii. 424. (!)*

^c 3978. 13. *Cynosbati*. *Fabr. P. 44.*

Te. *Cynosbati*. *Linn. ii. 927.—Berk. S. i. 154. (!)—Stew. ii. 224. (!)*

—*Turt. iii. 424. (!)*

Te. erythrocephala. *Linn.* ii. 926.—*Panz.* F. vii. f. 9.—
Stew. ii. 224.—*Turt.* iii. 424.
 Pa. erythrocephalus. (*Leach E. E.* ix. 141.)

Familia II: (91). XIPHIDRIIDÆ, *Leach.*

Genus 26: (600). CEPHUS, *Latreille, Leach, Samou., (Kirby.)*

ASTATUS, *Klug.*—TRACHELUS, *Jurine.*—SIREX p, *Fabr.*—
 SYREX, *Harr.*

3982. 1; troglodyta*. *Latr. H.* xiii. 143.—(*Leach E. E.* ix. 141.)
 Si. troglodyta. *Fabr. P.* 250.

As. troglodyta. *Klug. Si.* 49. pl. vi. f. 1, 2.
 Sy. niger. *Harr. Ex.* 94. pl. xxviii. fig. 2.

3983. [2, quinquefasciatus*] mihi.

3984. 3; Satyrus*.
 As. Satyrus. *Panz. F.* lxxxv. f. 12.

3985. 4; pygmæus*. *Fabr. P.* 251.—(*Leach E. E.* ix. 141.)—
 (Samou. 267.)

Si. pygmæus. *Linn.* ii. 929.—*Turt.* iii. 429.

As. pygmæus. *Klug. Si.* 50. pl. vi. f. 3.

♀, Ce. spinipes. *Klug. Si.* 51. pl. vi. f. 4. a—b.
 Bauchus spinipes. *Panz. F.* lxxiii. f. 17.

Ba. viridator. *Fabr. P.* 127.

3986. 5; pallipes*. *Klug. Si.* 53. pl. vi. f. 6.

3987. 6; floralis*. *Klug. Si.* 53. pl. vi. f. 5. a—b.

3988. 7, analis*. *Klug. Si.* 54. pl. vii. f. 1.
 Tr. hæmorrhoidalis. *Jur. Hy. pl.* 7. G. 9.

3989. 8, tabidus*. *Fabr. P.* 252. (!)

Si. tabidus. *Fabr. ii.* 131. (!)—*Stew.* ii. 225.—*Turt.* iii. 429.
 As. tabidus. *Klug. Si.* 56. pl. vii. f. 3. a—b. ’

3990. 9, pusillus* mihi.

As. punctatus. *Klug. Si.* 55. pl. vii. f. 2. a—b?

3991. 10; immaculata* mihi.

Ce. phthiscus. *Fabr. P.* 251?

Genus 27: (601). JANUS mihi.

3992. 1; connectens* mihi.

(Vide Kirby & Sp. I. E. iv. 374. nota.)

Genus 28: (602). XYELA, *Dalman, Curtis, (Kirby.)*

PINICOLA, *Latr.*—MASTIGOCERUS, *Klug.*

3993. 1; pusilla*. *Dalman A. E.* 28. pl. iii. f. 1. a. ♂.—f. 2.
 a. ♀.—*Curtis. i.* pl. 30.

Pi. Julii. *Latreille Dict. Hist. Nat.* (teste St. Farg.)

- Genus 29: (603). XIPHYDRIA, Latreille, Leach, Samou., (Kirby.)
 HYBONOTUS, Klug.—UROCERUS *p*, Jurine.—ASTATUS *p*, Panzer.
 3994. 1; camelus*. *Latr. H.* xiii. 145.—(Leach E. E. ix. 141.)
 —(Sam. I. 44.)
 Si. camelus. *Linn. ii.* 929.—*Turt. iii.* 428.
 Hy. camelus. *Klug. Si. 14. pl. 1. f. 4, 5.*
 3995 † 2, dromedarius. *Latr. H.* xiii. 146.—(Leach E. E. ix. 141.)
 —(Sam. I. 44.)
 Si. dromedarius. *Fabr. M. i.* 258.—*Don. xiv.* 43. *pl.* 483.
 Hy. dromedarius. *Klug. Si. 15. pl. 1. f. 6, 7.* In Mus. Brit.

Familia III: (92). UROCERIDÆ, Leach.

- Genus 30: (604). ORYSSUS, Latreille, Leach, Samou.

SPHEX *p*, Scopoli.

- 3996 † 1: coronatus*. *Latr. H.* xiii. 160.—(Leach E. E. ix. 141.)
 —(Sam. I. 32.)
 Or. vespertilio. *Klug. Si. 7. pl. 1. f. 1–3.*—(Sam. I. 32.)
 Sp. abietina. *Scop. C.* 296. In Mus. Brit.

- Genus 31: (605). SIREX, Linn., Kirby, Curtis.

UROCERUS, Geoffroy, Leach, Samou.—ICHNEUMON *p*, De Geer.
 Tailed-Wasp.

3997. 1, gigas*. *Linn. ii.* 928.—*Berk. S. i.* 154.—*Don. vi.* 39.
pl. 197. ♀.—*Stew. ii.* 225. *pl.* vii. *f.* 16–20.—*Turt. iii.* 426.—
 (*Linn. Trans. (Marsham.) x.* 403.)—(Kirby & Sp. I. E. i. 209.
pl. iv. *f.* 1. ♀.)—*Wood. ii.* 50. *pl.* 55.—(*Curtis l. c. infra.*)
 Ur. gigas. (*Fourc. P.* 363.)—(Leach E. E. ix. 141.)—Samou.
pl. 8. *f.* 3.

† ♂, Si. mariscus. *Linn. ii.* 929.

β, Si. hungaricus. *Christi.* 414. *pl.* 47. *f.* 1.

Si. psyllius. *Fabr. E. S. ii.* 104.

Si. gigas var. 1. *Klug. Si. 33. pl. ii. f. 2.*

Ur. psyllius. (Leach E. E. ix. 141.)—(Sam. I. 43.)

3998. 2, bizonatus* *mihi*.

3999 † 3. augur^a.

4000. 4; Juvencus*. *Linn. ii.* 929.—*Turt. iii.* 427.—*Don. xi.* 99.
pl. 396. ♀.—(*Linn. Trans. (Marsham.) x.* 403.)—(Kirby & Sp.
 I. E. i. 209.)—*Curtis. vi. pl.* 253. ♂ & ♀.
 Ur. Juvencus. (*Ing. Inst.* 90.)

Sy. torvus. *Harr. Ex.* 96. *pl.* xxviii. *f.* 1.

♂, Si. Noctilio. *Fabr. E. S. ii.* 130.

β, Si. Juvencus var. 1. *Klug. Si. 33. pl. iv. f. 1, 2.*

^a 3999 † 3. augur. *Klug. Si. 34. pl. iv. f. 4?*

Si. bimaculatus. *Don. xiii. 15. pl. 440. (!)*

4001 † 5. Spectrum ^a.

4002. 6, Magus*. *Fabr.* ii. 125.—*Klug. Si.* 42, *pl. v. f.* 2—4.

Ur. Magus. (*Ing. Inst.* 90.)

† ♂, *Si. nigrita*. *Fubr.* ii. 127.

SECTIO II. PUPOPHAGA, Latreille.

Familia IV: (93). EVANIIDÆ, Leach.

EVANIALES, Latr.

Genus 32: (606). EVANIA, *Fabricius*, *Leach*, *Samou.*, (Kirby.)

SPHEX *p*, *Linné*.—ICHNEUMON *p*, *DeGeer*.

4003. 1, appendigaster*. *Fabr. P.* 178?—(*Sam. I.* 17.)—(Kirby & Sp. I. E. pl. 4. f. 2.)—*Curtis fo.* 257.

Sp. appendigaster. *Linn. ii.* 943.—*Don.* x. 13. *pl.* 329.

Ev. laevigata. *Latr. G.* iii. 252?—(*Leach E. E.* ix. 142?)

Genus 33: (607). BRACHYGASTER, *Leach*.

EVANIA *p*, *Curtis*.

4004. 1, minutus. *Leach E. E.* ix. 142.

Ev. minuta. *Olivier*.—*Fabr. P.* 179.—*Curtis l. c. infra*.

4005 † 2. fulvipes.

Ev. fulvipes. *Curtis. vi. pl.* 257. In Mus. D. Curtis et Dale.

Genus 34: (608). FŒNUS, *Fabricius*, *Leach*, *Samou.*, (Kirby.)

ICHNEUMON *p*, *Linné*.—GASTERUPTION, *Latr.* (olim.)

4006. 1; jaculator*. *Fabr. P.* 141.—*Panz. F.* xcvi. *f.* 16. ♀.—(*Leach E. E.* ix. 142.)—(*Sam. I.* 17.)

Ic. jaculator. *Linn. ii.* 937.—*Berk. S. i.* 156.—*Stew. ii.* 230.—*Turt. iii.* 458.

4007. 2, assectator*. *Fabr. P.* 142.

Ic. assectator. *Linn. ii.* 937.—*Turt. iii.* 458.

Familia V: (94). ICHNEUMONIDÆ^b, *Leach*.

(ICHNEUMON, *Linné*, &c.—ICHNEUMONIDES, *Latr.*)

Genus 35: (609). XORIDES? *Latreille?*

CRYPTUS *p*, *Fabricius*.—ANOMALON *p*, *Jurine*.

4008. 1; rufus* *mihi*.

^a 4001 † 5. Spectrum. *Linn. ii.* 929.—*Stew. ii.* 225. (!)—*Turt. iii.* 427. (!)
—*Klug. Si.* 39, *pl. iv. f.* 5, 6.—*pl. v. f.* 1.

♂. *Si. emarginata*. *Fabr. ii.* 128.

^b Gravenhorst's proposed Monograph upon this and the two following families being about to be speedily published, I shall merely introduce such species as have been noticed by English writers, with the few I have already ascertained to be described, and the indication of some of the more conspicuous genera. I possess above 800 indigenous species, the numbers of which in the respective genera I have endeavoured to show as a guide to the student; but I must observe that time has not yet permitted me to examine their nomenclature satisfactorily throughout: this latter observation is applicable also to the three last families of Hymenoptera, and to the Hemiptera and Homoptera.

Genus 36: (610). —

PIMPLA *p*, Panz.?

4009. 1;
- tarsalis*
- *
- mihi*
- .

Pi. *excitator*. Panz. F. xcii. f. 5?

Genus 37: (611). —

PIMPLA *p*, Fabr.

4010. 1,
- dentator*
- .

Pi. *dentator*. Fabr. P. 114.Ic. *ruspator*. Linn. F. No. 1625?—Berk. S. i. 156?—Stew. ii. 230?—Turt. iii. 458?Genus 38: (612). PIMPLA, Fabricius, Leuch, Samou., Curtis,
(Kirby.)CRYPTUS *p*, Fabr.

4011. 1;
- Cossivora*
- *. (
- Curtis l. c. infra*
- .)

4012. 2,
- persuasoria*
- *? Fabr. P. 112.—(
- Curtis l. c. infra*
-)

Ich. *persuasorius*. Linn. ii. 932.—Berk. S. i. 155.—Stew. ii. 228.—Turt. iii. 439.—Don. xv. pl. 522.—Sowerb. B. M. i. pl. 52.

4013. 3;
- manifestator*
- *. Fabr. P. 113.—(Kirby & Sp. I. E. i. 121.—
- Id.*
- iv. 210 & 211.)

Ich. *manifestator*. Linn. ii. 934.—Berk. S. i. 155.—Linn. Trans. (Marsham.) iii. 23. pl. 4. f. 1—5.—Stew. ii. 228.—Turt. iii. 451.—Bingley. iii. 251.—(Kirby & Sp. I. E. i. 354.)—(Sam. I. 23. pl. 8. f. 4?)—Wood. ii. 54. pl. 56.

4014. 4,
- abbreviator*
- .

Ich. *abbreviator*. Mus. Marsham.

4015. 5;
- enervator*
- *.

Cr. *enervator*. Fabr. P. 85?

4016. 6;
- segmentator*
- *. Fabr. P. 114.

Ic. *speculator*. Mus. Marsham.

4017. 7;
- mediator*
- *. Fabr. P. 117.—(
- Curtis l. c. infra*
-)

Ich. *Scurra*. Panz. F. xcii. f. 6.

4018. 8;
- extensor*
- *. Fabr. P. 115.—(
- Curtis l. c. infra*
-)

Ic. *extensor*. Linn. ii. 935.—Panz. F. cix. f. 11.

4019. 9,
- Histrio*
- *. Panz. K. R. ii. 82.

Ic. *Histrio*. Fabr. P. 85.—Panz. F. xcii. f. 7.

4020. 10,
- varicornis*
- . Fabr. P. 119.—Panz. F. cix. f. 13.

4021. 11;
- Aethiops*
- . Curtis. v. pl. 214.

4022. 12;
- Spectrum*
- *. (
- Curtis l. c. supra*
-)

Si. *Spectrum*. Don. vii. 25. pl. 225.

4023. 13;
- instigator*
- *. (
- Curtis l. c. supra*
-)

Cr. *instigator*. Fabr. P. 85.

4024. 14;
- flavicans*
- *. Fabr. P. 119.—Panz. F. cix. f. 14.

4025. 15;
- pennata*
- *. Fabr. P. 116.—(
- Curtis l. c. supra*
-)

4026. 16; *examinator**. (*Curtis l. c. supra*.)

Cr. *examinator*. *Fabr. P.* 85.

4027. 17; *accusator**. *Fabr. P.* 117.—*Panz. F. cix. f. 12*.—(*Curtis l. c. supra*)

4028. 18, *Turionellæ*.

Ic. *Turionellæ*. *Linn. ii. 938*.—*Turt. iii. 454*.

4029. 19, *Strobilellæ*. *Fabr. P.* 115.

Ic. *Strobilellæ*. *Linn. ii. 935*.—*Turt. iii. 455*.

4030. 20, *arundinator*. *Fabr. P.* 116.

4031 ad 4110—(89 sp. adhuc examinandæ.)—109 species.

Genus 39: (613). CRYPTUS, *Fabricius*, *Leach*, *Samou.*, (*Kirby*.)

4111. 1, *incubitor*. *Fabr. P.* 83.

Ic. *incubitor*. *Linn. ii. 933*.—*Berk. S. i. 155*.—*Stew. ii. 228*.

Ic. *incubator*. *Turt. iii. 446*.

4112. 2, *profligator*. *Fabr. P.* 83.

4113. 3, *festinatorius*. *Mus. Marsham.*

4114. 4, *irrigator*.

Ic. *irrigator*. *Fabr. P.* 97.—*Panz. F. lxxi. f. 16*.

4115. 5, *4-dentatus*. *Mus. Marsham.*

4116. 6, *miniator*. *Mus. Marsham.*

4117. 7; *sponsor*. *Fabr. P.* 83.

4118 ad 4309—(192 sp. adhuc examinandæ.)—199 species.

Ichneumonidæ insertæ sedes: *Crypto affines?*—TRYPHON p., *Fallen?*

4310. 1, *punctarius*. *Fabr. P.* 78.

4311 † 2, *femorata*. *Kirby M. A. ii. 253?* In *Mus. D. Kirby*.

4312. 3, *corruscator*.

Ic. *corruscator*. *Linn. ii. 934*.—*Turt. iii. 451*.

4313. 4; *titillator**. *Fabr. P.* 86.

Ic. *titillator*. *Linn. ii. 934*.—*Turt. iii. 454*.

4314. 5; *atrator**.

Ic. *atrator*. *Forst. C. i. 84*.

Ic. *obscurator*. *Gmel.*—*Stew. ii. 228*.—*Turt. iii. 447*.

4315 † 6, *compuncotor*. *Fabr. P.* 84.—(*Kirby & Sp. I. E. iv. 223*.)

Ic. *conipuncotor*. *Linn. ii. 934*.—*Stew. ii. 229*.—*Turt. iii. 452*.

4316 † 7, *peregrinator*.

Ic. *peregrinator*. *Linn. F. No. 1601*.—*Berk. S. i. 155*.—*Stew. ii. 228*.—*Turt. iii. 446*.

4317. 8, *indigator*. *Mus. Marsham.*

4318. 9, *reluctator*. *Fabr. P.* 79.

Ic. *reluctator*. *Panz. F. lxxi. f. 13*.

4319. 10, *cantellum*. *Mus. Marsham.*

4320. 11; dubitator. *Fabr. P.* 85.

Ich. dubitator. *Panz. F.* lxxviii. f. 14.

4321. 12; minutorius. *Fabr. P.* 72.

Ich. rubricator. *Panz. F.* lxxxiv. f. 14.

Genus 40: (614). ICHNEUMON *Auctorum.*

4322. 1; comitator*. *Linn. ii.* 933.—*Berk. S. i.* 155.—*Stew. ii.* 228.—*Panz. F.* lxxi. f. 14.—*Kirby M. A.* ii. 253.—*Turt. iii.* 444.—(*Curtis l. c. infra.*)

Ich. auspex. *Müll. Pr. No.* 1792.

Ich. molitorius ♂. *Schra. B. No.* 2072?

4323. 2; alboguttatus*. *Act. Taur. (Gravenhorst.)* xxiv. 280.

4324. 3; nigrarius*. *Act. Taur. (Gravenhorst.)* xxiv. 281.

Ich. molitorius δ. *Schran. B. No.* 2072?

4325. 4; lineator*. *Fabr. ii.* 168. (!)—*Stew. ii.* 229.—*Turt. iii.* 454.

4326. 5; migrator*. *Fabr. ii.* 150.—(*Curtis l. c. infra.*)

4327. [6; narrator*.] *Fabr. P.* 67.—(*Curtis l. c. infra.*)

Ich. migrator var.? *Isis (Trentepohl.)* 1826. 69.

4329. 8; bilineatus*. *Gmel.*

Ich. comitator. *Sulzer. Gesch. pl.* 26. f. 14.

4330 † 9. *nigratorius*^a.

4331. 10; fossorius. *Linn. ii.* 933.

Ich. subsericans. *Act. Taur. (Gravenhorst.)* xxiv. 285.

4332. 11; cognatus* *mihi.*

Ich. fossorius. *Fabr. ii.* 149?—*Turt. iii.* 441?

4333. 12; multicolor*. *Act. Taur. (Gravenhorst.)* xxiv. 286.

4334. 13; compuncor. *Mus. Marsham.*

4335. 14; monostagon*. *Act. Taur. (Gravenhorst.)* xxiv. 287.

4336. 15; albicillus*. *Act. Taur. (Gravenhorst.)* xxiv. 287.

4337. 16; annulator*. *Fabr. ii.* 151?—(*Curtis l. c. infra?*)

Ich. pedatorius. *Mus. Marsham.*

4338. 17; semiorbitalis*. *Act. Taur. (Gravenhorst.)* xxiv. 290.

4339. 18; leucocerus*. *Act. Taur. (Gravenhorst.)* xxiv. 289.

4340. 19; deliratorius*. *Linn. ii.* 932.—*Turt. iii.* 441.—(*Curtis l. c. infra.*)

Ich. palmarius. *Fourc. P.* ii. 411.

Ich. molitorius b. *Schra. B. No.* 2072.

4341. [20; molitorius*.] *Linn. ii.* 931.—*Panz. F.* xix. f. 16.—*Turt. iii.* 430.—(*Curtis l. c. infra.*)

4342. 21; edictorius*. *Linn. ii.* 932?—*Turt. iii.* 440.

^a 4330 † 9. *nigratorius.* *Fabr. P.* 55.—(*Curtis l. c. infra.*) (?)

4343. 22; biannulatus*. *Act. Taur. (Gravenhorst.)* xxiv. 293.
 4344. 23, quæsitorius. *Linn. ii.* 930?—*Turt. iii.* 432.
 4345. 24; bimaculatorius*. *Panz. F.* lxxx. f. 8.
 4346. 25; Panzeri* mihi.
 Ich. migratorius. Panzer?
 4347. 26; albilarvatus*. *Act. Taur. (Gruvenhorst.)* xxiv. 352.
 4348. 27; luctuosus*. *Act. Taur. (Gruvenhorst.)* xxiv. 289.
 4349. 28, oratorius*. *Fabr. ii.* 138.—*Panz. F.* lxxx. f. 10.—
 (*Curtis l. c. infra.*)
 4350. 29, pallipes*. *Act. Taur. (Gravenhorst.)* xxiv. 298.
 4351. 30, fabricator*. *Fabr. ii.* 166?
 4352. 31, Proteus*. *Isis. (Nees et Gravenhorst.)*
 4353. 32; saturatorius*. *Act. Taur. (Gravenhorst.)* xxiv. 294.
 4354. 33, calceatorius. *Panz. F.* lxxx. f. 15?
 Ic. fossorius. *Fabr. P.* 65?
 4357. 36, pedestrinus*. *Act. Taur. (Gravenhorst.)* xxiv. 296.
 4358. 37, sepiatorius. *Mus. Marsham.*
 4359. 38, castigator*. *Fabr. P.* 68.—(*Curtis l. c. infra.*)
 4360. [39, custodiator.] *Fabr. P.* 68.
 4366. 45; hæmorrhoidalis*. *Act. Taur. (Gruvenhorst.)* xxiv. 348.
 4368. 47, melanocastanus*. *Act. Taur. (Gravenhorst.)* xxiv. 351.
 4371. 50; sputator*. *Fabr. P.* 66.—*Panz. F.* xix. f. 20.—
 (*Curtis l. c. infra.*)
 Ic. ferruginosus. *Gmel. No.* 254.
 Ic. molitorius, d. *Schrank B. No.* 2072.
 β? Ic. culpatorius: (calpatorius). *Fabr. P.* 55.
 4374. 53; culpator*. *Schrank B. No.* 2077.
 4375. 54, fumigator*. *Act. Taur. (Gravenhorst.)* xxiv. 347.
 4383. 62; equitatorius*. *Gmel. v.* 2679.—*Act. Taur. (Gravenhorst.)* xxiv. 321.
 Ic. subdentatorius. *Mus. Marsham.*
 4385. 64, luctatorius*. *Linn. ii.* 931.—*Schäff. Ic.* 244. f. 6.—
 Berk. S. i. 155.—*Stew. ii.* 227.—*Turt. iii.* 437.—(*Curtis l. c. infra.*)
 Ic. auratus. *Gmel. No.* 238.
 4387. 66; flaviniger*. *Act. Taur. (Gravenhorst.)* xxiv. 320.
 4389. 68, armatorius*. *Forst. C. i.* 82.
 4390. [69, fasciatorius*.] *Fabr. ii.* 143. (!)—*Stew. ii.* 227.—
 Turt. iii. 438.
 Ic. bidentatus. *Oliv.* 172.
 Ic. dimicatorius. *Gmel. v.* 2680.—*Stew. ii.* 227.—*Turt. iii.* 437.
 Ic. armatorius. *Rossi F. No.* 752.
 Ic. fasciatorius: (nugatorius.) *Fabr. P.* 61. (!)

4392. 71, bidentorius*. *Fabr. P. 63.*—(*Curtis l. c. infra.*)
Ic. desertorius. *Panz. F. xlvi. f. 15?*
4393. 72, nugatorius: (fasciatorius). *Fabr. S. 220.*—*Panz. F. lxxx. f. 12.*
Ic. fasciatorius. (*Curtis l. c. infra.*)
4394. 73, vaginatorius. *Linn. ii. 932.*—*Panz. F. lxxix. f. 8.*—
(*Curtis l. c. infra.*)
Ic. flavatus. *Gmel. No. 237.*
Ic. curvatorius. *Müll. Z. D. Pr. No. 1782.*
Ic. mercatorius: (vaginatorius). *Fabr. P. 61.*
4397. 76, designatorius. *Linn. ii. 932?*—*Turt. iii. 440.*
Ic. notatorius. *Panz. F. lxxx. f. 9.*
Ic. punctatorius. *Mus. Marsham.*
4399. 78, natatorius*. *Fabr. S. 219.*
Ic. constellatus. *Fourc. P. ii. 412.*
Ic. bipunctatus. *Schrank B. No. 2080.*
Ic. 4-punctarius. *Müll. Z. D. Pr. No. 1773.*
 β , Ic. sugillatorius. *Fabr. ii. 132.*—*Turt. iii. 430.*
Ic. mediatorius. *Panz. F. lxxx. f. 7.*
4400. 79, sugillatorius*. *Linn. ii. 930.*—*Schäff. Ic. 84. f. 9.*—
(*Curtis l. c. infra.*)
Ic. moratorius. *Fabr. P. 54.*—(*Curtis l. c. infra.*)
4402. 81; quadrimaculatus*. *Schrank B. No. 2090.*
Ic. bidentorius. *Rossi F. No. 751.*
4404. 83, infractorius*. *Linn. ii. 931.*—*Panz. F. lxxviii. f. 9.*—
(*Curtis l. c. infra.*)
 β , Ic. interruptorius. *Mus. Marsham.*
4406. 84, diversorius*. *Mus. Marsham.*
4407. 85; xanthorius*. *Forst. C. i. 83.*—*Stew. ii. 227.*—*Turt. iii. 435.*—*Act. Taur. (Gravenhorst.) xxiv. 314.*
4408. 86; mercatorius*. *Fabr. ii. 143.*—*Panz. F. lxxviii. f. 11.*
Ic. micratorius. *Mus. Marsham.*
Ic. vaginatorius: (mercatorius). *Fabr. P. 61.*
4409. 87; negatorius. *Fabr. ii. 141. (!)*—*Turt. iii. 437.*—
(*Curtis l. c. infra.*)
Ic. ornatorius. *Panz. F. lxxiii. f. 15.*
4410. 88; ambulatorius*. *Fabr. ii. 139. (!)*—*Stew. ii. 227.*—
Turt. iii. 433.—(*Curtis l. c. infra.*)
4411. 89, concinnus* *mihi.*
Ic. ambulatorius. *Panz. F. lxxviii. f. 10.*
4412. 90, occisorius*. *Fabr. P. 61.*—(*Curtis l. c. infra?*)
Ic. marginatorius. *Panz. F. lxxiii. f. 14.*
4413. 91; laminatorius*. *Fabr. S. 220.*—*Isis. (Trentepohl.)*
1826. 62.
Albin. pl. ix. fig. sup. (sinist.)

4414. [92, bilineator*.] *Don.* xiv. 31. *pl.* 478.
 4417. 95, fusorius*: (fuscus). *Linn.* ii. 933.—*Turt.* iii. 440.—
 (*Curtis l. c. infra.*)
 4418. 96, pisorius*. *Linn.* ii. 931.—*Turt.* iii. 434.—(*Curtis l. c.*
 infra.)
 Ic. lentorius. *Panz.* F. lxxi. f. 11.
 4419. 97, flavatorius. *Fabr. P.* 63?—*Panz.* F. lxviii. f. 12?
 Ic. ictericus. *Christ.* 34.
 Var.? Ic. flavatorius. *Panz.* F. c. f. 12.
 4420. 98, falcatorius. *Fabr.* ii. 148?
 4421. 99, nigricaudatus. *Mus. Marsham.*
 4422. 100; Atropos*. *Curtis.* v. *pl.* 234.
 Albin. *pl.* vii. *fig. dext. sup.*
 4423. 101, lutorius. *Fabr.* ii. 147.
 4424 ad 4426. 103 ad 105. (35 nova? species?)

Genus 41: (615). —

CRYPTUS *p.*, et ICHNEUMON *p.*, *Fabr.*

4427. 1, primatorius*.
 Ic. primatorius. *Forst. C.* i. 81.—*Stew.* ii. 227.—*Turt.* iii. 435.
 Ic. grossorius. *Fabr. P.* 57.—*Panz.* F. lxxviii. f. 8.
 Ic. bicinctus. *Christ. pl.* 35. f. 1.
 Ic. extensorius. *Panz.* F. xix. f. 17.
 Ic. gloriatorius. *Mus. Marsham.*
 4429. 3; vadatorius. *Rossi F. (Illig.)* ii. 59.—*Act. Taur.* (*Gravenhorst.*) xxiv. 306.
 Ic. sarcitorius. *Fabr. P.* 56.
 Ic. pictus. *Vill. E.* iii. 141.
 Ic. sanguineus. *Christ. pl.* 35. f. 7.
 4430. 4; sarcitorius*.
 Ic. sarcitorius. *Linn.* ii. 930.—*Stew.* ii. 226.—*Turt.* iii. 431.
 Ic. bipartitus. *Vill. E.* iii. 142.
 4432. 6, atripes*. *Act. Taur.* (*Gravenhorst.*) xxiv. 307.
 Ic. armatorius. *Mus. Marsham.*
 4433. 7; raptorius*. *Linn.* ii. 930.—*Stew.* ii. 226?—*Turt.* iii.
 431?—*Don.* ii. 13. *pl.* xlvi. f. 2. (4)?
 4434. 8; extensorius*. *Linn.* ii. 930.—*Stew.* ii. 226.
 Var. Ich. vexatorius. *Grav. V.* No. 3733.
 Ich. lusorius. *Grav. V.* No. 3734.
 4438. 12; confusor*. *Act. Taur.* (*Gravenhorst.*) xxiv. 300.
 4439. 13, ammonius. *Act. Taur.* (*Gravenhorst.*) xxiv. 301?
 4440. 14; straenctarius*. *Act. Taur.* (*Gravenhorst.*) xxiv. 302.
 4441. 15, terminatorius*. *Act. Taur.* (*Gravenhorst.*) xxiv. 302.
 4442. 16, cerinthium. *Act. Taur.* (*Gravenhorst.*) xxiv. 303.

4443. 17; deceptor*. *Act. Taur.* (*Gravenhorst.*) xxiv. 308.
Ic. deceptorius. *Vill. E.* iii. 142.
4444. 18, crispatorius.
Ic. crispatorius. *Linn.* ii. 931.—*Turt.* iii. 431.
4446. 20; hostilis*. *Act. Taur.* (*Gravenhorst.*) xxiv. 309.
4449. 23, saturatorius. *Linn.* ii. 931?—*Turt.* iii. 431?
4450. 24, anator. *Fabr.* ii. 169.
Ic. biscutatus. *Gmel.* v. No. 233.
4451. 25, annulator. *Fabr. P.* 65?
4453. 27, cinctorius*.
Ic. cinctorius. *Fabr.* ii. 149. (!)?—*Turt.* iii. 442.
Ic. tinctorius. *Stew.* ii. 228?

Genus 42: (616). ALOMYA, *Panzer*, *Leach*, *Samou.*, *Curtis*, (*Kirby.*)
CRYPTUS p, et PIMPLA p, *Fabr.*

4455. 2; debellator*. (*Panz. K. R.* ii. 84.)—(*Curtis l. c. infra.*)
Cr. debellator. *Fabr. P.* 82.—*Panz. F.* lxxviii. f. 13.
♂? Ic. ovator. *Fabr.* ii. 163.
4457. 4; stercorator*.
Ich. stercorator. *Kirby MSS.*—(*Kirby & Sp. I. E.* i. 266.)
4460. 7, Victor. *Curtis.* iii. pl. 120.
4462. 9, mensurator.
Pi. mensurator. *Fabr.* ii. 116.

Genus 43: (617). PELTASTES, *Illiger*, *Curtis*.

METOPIUS, *Panzer*.—PELASTES, *Leach*, *Samou.*.—PIMPLA p, *Fabr.*

4463. 1, polyzonius*.
Ich. polyzonius. *Forst. C.* i. 85.—*Stew.* ii. 230.—*Turt.* iii. 473.
Pe. dentatus. *Curtis 2 edit.* 1. pl. 4.
β, Ich. dentatus. *Fabr.* ii. 180.
Ich. micratorius. *Fabr. P.* 62.
Ich. chrysopus. *Linn. Trans.* (*Lewin.*) iii. p. 4. pl.—*Stew.* ii. 230.—*Turt.* iii. 469.
Pe. Pini. *Curtis.* i. pl. 4.

4464. 2; necatorius*. (*Curtis l. c. supra.*)—*Id. 2 edit. l. c. supra.*
—(*Ing. Inst.* 90.)

Ich. necatorius. *Fabr.* ii. 144.

Ich. Vespoïdes. *Panz. F.* xlvi. f. 19.

4465. 3, dissectorius. (*Curtis l. c. supra.*)—*Id. 2 edit. l. c. supra.*
Ich. dissectorius. *Panz. F.* xcvi. f. 14.

Ichneumonidæ insertæ sedes: Ichneumone affinitates?—TRY-
PHON p, et PORIZON p, *Fallen?*

- 4466 † 1. annulatorius. *Fabr. P.* 62. (!)—*Stew.* ii. 228.—*Turt.* iii.
438. In Mus. Soc. *Linn.*?

4467. 2; simulatorius*. *Fabr. P.* 64.
 4468. 3; elongator*. *Fabr. P.* 67.—*Stew.* ii. 229.—*Turt.* iii. 452.
 4469. 4; rutilator*. *Linn.* ii. 934.—*Turt.* iii. 451.
 4470. 5; sulphurator*. *Mus. Marsham.*
 4471. 6; triumphator*. *Mus. Marsham.*
 4472. 7; prærogator*. *Linn.* ii. 936.—*Turt.* iii. 455.
 4473. 8; amictorius. *Panz. F.* lxxx. f. 14.
 4474. 9; maculatorius*.
 Ba. maculatorius. *Fabr. P.* 96.
 4475. 10; lætatorius*. *Fabr. P.* 68.—*Panz. F.* xix. f. 19. ♂—
 C. f. 14. ♀.
 4476. 11; leucorrhœus. *Don.* xiv. 25. *pl.* 476. *f.* 1.
 4477. 12, costator. *Don.* xiv. 26. *pl.* 476. *f.* 2.
 4478. 13, hospitator. *Mus. Marsham.*
 4479. 14; tarsatorius*. *Panz. F.* cii. f. 19.
 4480. 15, pedatorius*. *Panz. F.* cii. f. 20.
 4481 ad 4629: (148 nova? species, 22? nova genera?)

Genus 65: (639). BANCHUS, *Fabricius*, *Leach, Samou.*

4630. 1; pictus*. *Fabr. P.* 129.—*Don.* xii. 55. *pl.* 413.
 4631. 2; compressus. *Fabr. P.* 129.
 4632. 3, varius. *Fabr. P.* 129.
 4633. 4, falcator. *Fabr. P.* 128.
 4634. 5; venator*. *Fabr. P.* 126.

Genus 66: (640). OPHION, *Fabricius*, *Leach, Samou.*, (*Kirby.*)

4635. 1; luteum*. *Fabr. P.* 130.—*Stew.* ii. 230.—*Turt.* iii. 468.
 —(*Kirby & Sp. I. E.* iv. 213.)
 Ic. luteus. *Linn.* ii. 937.—(*Kirby & Sp. I. E.* i. 266.)
 Ic. Lucas. *Berk. S.* i. 156?

4636. 2; Vinulæ* *mihi.*
 Albin. pl. xi. fig. g-h.
 4637. 3; ramidulum*. *Fabr. P.* 131.
 Ic. ramidulum. *Linn.* ii. 178.—*Berk. S.* i. 156.—*Don.* ii. 13.
 pl. 42. f. 1?—*Stew.* ii. 230.—*Turt.* iii. 468.

4638. 4; delusor*. *Fabr. P.* 67?
 4639. 5; latrator*. *Fabr. P.* 135. (!)
 4640. 6; saltator. *Fabr. P.* 137. (!)
 Ic. saltator. *Stew.* ii. 230.—*Turt.* iii. 457.
 4641. 7; inculcator*. *Fabr. P.* 135.
 Ic. inculcator. *Linn.* ii. 936.—*Berk. S.* i. 155.—*Turt.* iii. 457.
 4642. 8; pugillator*.
 Ic. pugillator. *Linn.* ii. 936.—*Berk. S.* i. 155.—*Turt.* iii. 457.

4643 ad 4659: (17 sp. adhuc examinandæ.) 25 sp.

Genus 67: (641). ANOMALON, Jurine.

4660. 1; amictum*.

Ic. amictus. *Fabr. P.* 133. (!)—*Stew.* ii. 230.—*Turt.* iii. 469.

4662. 2; circumflexum*.

Ic. circumflexus. *Linn.* ii. 181.—*Don.* iii. 56. *pl.* 93. *f.* 2?—*Turt.* iii. 470.

4663. 3; glaucopterum*.

Ic. glaucopterus. *Linn.* ii. 181.—*Turt.* iii. 469.

4664 ad 4679: (17 sp. adhuc examinandæ.) 20 sp.

Genus 68: (642). —

ANOMALON, *Curtis.*

4680. 1, vesparum.

An. vesparum. *Curtis. v. pl.* 198.

Genus 69: (643). ENICOSPILUS *mihi.*

4681. 1; simulator* *mihi.*

Genus 70: (644). ACLENITUS, *Latreille.*

CRYPTUS *p.*, *Fabr.*—ANOMALON *p.*, *Jurine.*

4682. 1; dubitator*. (*Latr. G.* iv. 9.)—(*Leach E. E.* ix. 143.)

Ic. dubitatorius. *Panz. F.* lxxviii. *f.* 14.

4683 ad 4685: (3 sp. adhuc examinandæ.) 4 sp.

Familia VI: (95). BRACONIDÆ.

(ICHNEUMONIDES *p.*, *Latr.*—BRACONES, *Essenbeck.*)

(ICHIENEUMON *p.*, *Linné.*—BRACON, *Fabr.*)

Genus 71: (645.) SPATHIUS, *Essenbeck.*

CRYPTUS *p.*, *Panz.*

4686. 1; clavatus*.

Cr. clavatus. *Panz. F.* cii. *f.* 15. ♂.—*f.* 16. ♀.

4687 & 4691: (5 sp. adhuc examinandæ.) 6 sp.

Genus 72: (646). BRACON, *Jurine*, *Leach*, *Samou.*, (*Kirby.*)

VIPIO, *Latr. olim.*

4692. 1; desertor*. *Fabr. P.* 155.—(*Leach E. E.* ix. 143.)—(*Sam. I. 7.*)

Ic. desertor. *Turt.* iii. 448.

Ic. sextus. *Schäff. Ic.* 20. *f.* 2, 3.

Vi. nominator. *Latr. H.* xiii. 176.

4693. 2, nominator. *Fabr. P.* 104.

Ic. terrefactor. *Vill. E.* iii. 195.

4694. 3, deflagrator. *Spin. I. L.* ii. 101.

Ic. desertor. *Linn. F.* No. 1605?

4695. 4, denigrator*. *Fabr. P.* ii. 109.—*Curtis. ii. pl. 69.*

Ic. denigrator. *Turt. iii. 451.*

Ic. impostor. *Scop. C. No. 287.*

Ic. incertus. *Christ. pl. 39. f. 9.*

4696. 5, flavator. *Fabr. P.* ii. 110.

Ic. denigrator. *Linn. ii. 934?*

4697. 6; minutator. *Fabr. P.* 110.

4698. 7; cinctus.

Ic. cinctus. *Linn. ii. 938.—Turt. iii. 470.*

4699. 8; areator.

Ic. areator. *Mus. Marsham.*

4700 ad 4758: 59 species adhuc examinandæ: 9 genera?

Genus 81: (655). AGATHIS, *Latr.*, *Leach.*

4759. 1; Panzeri*. (*Leach E. E. ix. 143.*)

Ic. Panzeri. *Jurine Hy. pl. 8. g. 1. f. 2. ♀.*

Ag. Malvacearum. *Latr. G. i. pl. 13. f. 175.—Id. iv. 9.*

Genus 82: (656). MICRODUS, *Essenbeck?*

4760. 1, gloriatorius*.

Ic. gloriatorius. *Panz. F. cii. f. 17.*

Genus 83: (657). BASSUS? *Fabricius, Curtis.*

DIPLOZON? *Essenbeck.*

4761. 1, calculator. *Fabr. S. 225.—Curtis. ii. pl. 73. ♂.*

Ic. calculatorius. *Panz. F. lxxxiii. f. 13. ♀.*

4762 ad 4776: 15 sp. adhuc examinandæ. (16 sp.)

Genus 84: (658). MICROGASTER, *Latr.*, *Leach*, (*Kirby.*)

CRYPTUS p, et CEROPALES p, *Fabr.*—BASSUS p, *Panz.*

4777. 1; globatus*. *Spin. I. L. ii. 147.*

Ic. globatus. *Linn. ii. 940.—Berk. S. i. 156.—Stew. ii. 232.—Turt. iii. 475.—(Kirby & Sp. I. E. i. 266.)*

4778. 2, auriculatus*. *Spin. I. L. ii. 147?*

Ic. auriculatus. *Fabr. P. 69.*

4779. 3; deprimator*. *Spin. I. L. ii. 148.—(Leach E. E. ix. 143.)*

Ic. deprimator. *Panz. F. lxxix. f. 11.*

4780. 4, sessilis*. *Spin. I. L. ii. 148.*

Ic. sessilis. *Fabr. P. 187.*

4781. 5, glomeratus*. *Spin. I. L. ii. 149.*

Ic. glomeratus. *Linn. ii. 940.—Berk. S. i. 157.—Stew. ii. 232.—Turt. iii. 475.—(Kirby & Sp. I. E. iii. 269.)*

4782. 6, Aphidum*. *Spin. I. L. ii. 150.*

Ic. Aphidum. *Linn. ii. 940.—Stew. ii. 231.—Turt. iii. 476.*

4783 ad 4786: 4 sp. adhuc examinandæ. (10 sp.)

Genus 85: (659). GELIS, Thunberg.

ICHNEUMONES-PEDESTRES, Grav.—ICHNEUMON aut CRYPTUS p, Fabr.—MUTILLA p, Linné.

4787. 1; hemipterus*.

Ic. hemipterus. Fabr. ii. 190.

4788. 2; micropterus*.

Ic. micropterus. Grav. I. P. 26.

4789. 3; brachypterus*.

Ic. brachypterus. Grav. I. P. 29.

Ic. abbreviator. Panz. F. lxxi. pl. 17.

4790. 4; agilis*.

Ic. agilis. Fabr. ii. 190.

Var. Ic. vagans. Walk. P. ii. 67:

Ic. fuscicornis. Vill. E. iii. 215.

Ic. apterus. Fourc. P. ii. 425.

Ic. Cursor. Schrank B. iii. 2121.

Ic. hortensis. Christ. 375.

Ic. bicolor. Vill. E. iii. 275.

4791. 5; abbreviator.

Ic. abbreviator. Fabr. S. 222.

4792. 6; atricapillus*.

Ic. atricapillus. Grav. I. P. 41.

4793. 7; pedestris*.

Ic. pedestris. Fabr. ii. 192.

4794. 8; cursitans*.

Ic. cursitans. Fabr. ii. 191.

Ic. ruficornis. Vill. E. iii. 215.

4795. 9; pulicarius*.

Ic. pulicarius. Fabr. ii. 191.

4796. 10; festinans*.

Ic. festinans. Fabr. S. 232.

4797. 11; clavipes*. Thunb.?—Bull. S. N. 1829. p. 152.

4798. 12; fasciatus*.

Ic. fasciatus. Fabr. ii. 191.—Panz. F. lxxix. f. 14.

Ic. melanocephalus. Vill. E. iii. 216.

4799. 13, Acarorum*.

Mu. Acarorum. Linn. ii. 968.

Ic. Acarorum. Fabr. ii. 191.—Turt. iii. 482.

4800. 14, rufogaster*. Thunb.?—Bull. S. N. 1829. p. 152.

4801. 15, frontalis*. Thunb.?—Bull. S. N. 1829. p. 152.

4802. 16, ruficornis*. Thunb.?—Bull. S. N. 1829. p. 152.

4803. 17, pedicularius*.

Ic. pedicularius. Fabr. ii. 192.

4804. 18; nigrocinctus*.

Ic. nigrocinctus. *Grav. I. P.* 35.

Ic. pedicularius. *Panz. F.* lxxxii. f. 13.

4805 ad 4811—(7 sp. adhuc examinandæ.)

Familia VII: (96). ALYSIIDÆ.

Genus 86: (660). ALYSIA, *Latreille, Leach, Curtis, (Kirby.)*

BRACON *p*, *Jurine*.—CECHENUS, *Illiger*.—BASSUS *p*, *Panzer*.—CRYPTUS *p*, *Fabr.*

4812. 1; manducator*. (*Leach E. E.* ix. 143.)—(*Kirby & Sp.*

I. E. iv. 215.)—*Curtis l. c. infra*.

Cr. manducator. *Fabr. P.* 87.

Ic. manducator. *Panz. F.* lxxii. f. 4.

4813. 2; apicalis*. *Curtis l. c. infra*.

4814. 3; similis*. *Curtis l. c. infra*.

4815. 4; Pratellæ. *Curtis l. c. infra*.

4816. 5; gracilis*. *Curtis l. c. infra*.

4817. 6; pallida. *Curtis l. c. infra*.

4818. 7; Apii*. *Curtis. iii. pl.* 141.

4819. 8; pubescens*. *Curtis l. c. supra*.

4820. 9; succincta. *Curtis l. c. supra*.

Genus 87: (661). ROGAS, *Nees*.

BASSUS *p*, *Fabr.*

4821. 1; testaceus*.

Ba. testaceus. *Fabr. P.* 101.

Genus 88: (662). SIGALPHUS, *Latreille, Leach, Samou.*

SPHÆROPYX, *Hoffm.*—CRYPTUS *p*, *Fabr.*—BRACON *p*, *Jurine*.

4822. 1; irrorator*. *Latr. H.* xiii. 139.—(*Leach E. E.* ix. 143.)

—(*Sam. I.* 38.)

Cr. irrorator. *Fabr. P.* 88.

Genus 89: (663). CHELONUS, *Jurine, (Kirby.)*

SIGALPHUS *p*, *Latreille*.

4825. 1; oculator*. (*Jurine Hy.* 291.)

Ic. oculator. *Fabr. P.* 68. (!)

♂, Ic. scabrador. *Fabr. ii.* 174.

4826. 2; sulcatus*. *Jurine Hy.* 291. *pl.* 12. g. 41?

4827. 3; dentator*. *Panz. F.* lxxxviii. f. 14.

4828. 4; rufescens*. *Latr. G.* iv. 13.

4829. 5; rufipes*. *Latr. G.* iv. 14.

4830. 6; affinis* *michi*.

SECTIO II. ACULEATA, Latreille.

Subsectio 1. HETEROGYNA, Latreille.

Familia VIII: (97). FORMICIDÆ, Leach.

(FORMICARIÆ, Latreille.)

Genus 90: (664). MYRMICA, Latr., Leach, (Kirby.)

MANICA, Jurine.—MYRMECIA, Fabr.

4831. 1; rubra *. (*Latr. G. iv. 131.*)—(Kirby & Sp. I. E. ii. 48.)
Fo. rubra. *Linn. ii. 963.*—*Berk. S. i. 160.*—*Stew. ii. 246.*—
Turt. iii. 570.—*Don. xiv. 87. pl. 503.*—*Shaw G. Z. vi. pl. 100.*Fo. minima rubra. *Ray Ins. 69.*The red Ant. *Gould Ants. 2, 3.*—*Bingley. iii. 295.*Fo. vagans. *Fabr. P. 407?*

4832. 2; cæspitum *.

Fo. cæspitum. *Scop. C. No. 837.*—*Turt. iii. 572.*—*Latr. F. 251. pl. x. f. 63.*Fo. binodis. *Linn. F. No. 1726?*

4833. 3, graminicola *.

Fo. graminicola. *Latr. F. 255.*Fo. Acervorum. *Fabr. P. 407.*

4834. 4, unifasciata.

Fo. unifasciata. *Latr. F. 257.*

4835. 5, tuberum *.

Fo. tuberum. *Fabr. P. 407.*Fo. tuberosa. *Latr. F. 259.*

4836. 6, Kirbii mihi.

Fo. pallida. *Mus. Marsham.*

Genus 91: (665). —

4837 † 1, brevicoruis * mihi. In Mus. D. Westwood.

Genus 92: (666). —

4838 † 1, Westwoodii mihi. In Mus. D. Westwood.

Genus 93: (667). FORMICA Auctorum. *Ant, Emmet.*

LASIUS p, Fabricius.

4839 † 1. ligniperda ^a.4840. 2; pubescens *. *Latr. F. 96. pl. 1. f. 2?*Fo. vaga. *Scop. C. No. 833?*Fo. atra. *Fabr. ii. 352?*♀; Fo. fuscoptera. *Fourc. ii. 452?*^a 4839 † 1. ligniperda. *Latr. F. 88. pl. 1. f. 1.*Fo. herculanea. *Linn. ii. 962?—Berk. S. i. 159. (!)—Stew. ii. 245. (!)*
—Turt. iii. 569. (!)—(Samou. 273.) (!)

4841. 3; fuliginosa*. *Latr. F.* 140. *pl. 5. f. 27.*—(Kirby & Sp. I. E. ii. 48.)
The Jet Ant. *Gould Ants.* 2, 3.
4842. 4; rufa*: (The Pismire.) *Linn. ii.* 962.—*Berk. S.* i. 159.
—*Stew. ii.* 246.—*Don. xiv.* 75. *pl. 496. ♀.*—*Turt. iii.* 570.—
(Sam. I. 17.)—(Kirby & Sp. I. E. i. 231. ii. 48. 94 nota.)—
Wood. ii. 72. *pl. 61.*
Fo. herculanea. (*Samou.* 69. *pl. 8. f. 10.*)
Fo. maxima. *Ray I.* 69.
The Hill or Horse Ant. *Gould Ants.* 2, 3.—*Bingley.* iii. 293.
♀; Fo. dorsata. *Panz. F.* liv. *f. 1.*
4843. 5; sanguinea*. *Latr. F.* 150. *pl. v. f. 29.*
4844. 6; cunicularia*. *Latr. F.* 151. *pl. v. f. 30.*
Fo. rufibarbis. *Fabr. P.* 402.
Fo. pratensis. *Oliv. E. M.* vi. 504.
Fo. obsoleta. *Latr. Essai.* 38.
Fo. media. *Ray. Ins.* 69?
♂, Fo. microcephala. *Panz. F.* liv. *f. 2?*
4845. 7; nigra*. *Linn. ii.* 963.—*Berk. S.* i. 159.—*Latr. F.* 156.
pl. v. f. 31.—*Turt. iii.* 570.—*Shaw G. Z.* vi. 351.—(Sam. I. 17.)—
Fo. atra. *Linn. ii.* 96.
Fo. minor. *Ray. Ins.* 69.
4846. 8; fusca*. *Linn. ii.* 963.—*Berk. S.* i. 159.—*Latr. F.* 159.
pl. v. f. 32.—*Stew. ii.* 246.—*Turt. iii.* 570.—(Sam. I. 17.)—
(Kirby & Sp. I. E. ii. 48.)
Fo. libera. *Scop. C. No.* 835?
Fo. media. *Ray. Ins.* 69?
The small black Ant. *Gould Ants.* 2, 3.
- ♂, Fo. flavipes. *Fourc. ii.* 52.
4847. 9; emarginata*. *Oliv. E. M.* vi. 494.—*Latr. F.* 163.
pl. vi. f. 33. (!)
Fo. minor rubescens. *Ray. Ins.* 69?
4848. 10; flava*. *Latr. F.* 166. *pl. vi. f. 36. (!)*—(Kirby & Sp. I. E. ii. 48.)
Fo. minor rubescens. *Ray. Ins.* 69?
The common yellow Ant. *Gould Ants.* 2, 3.
4849. 11, brunnea. *Latr. F.* 168. *pl. vi. f. 35.*
α. Fo. pallida. *Latr. Essai.* 41.
4850. 12, cognata mihi.
Fo. lutaria. *Mus. Marsham.*

Familia IX: (98). MUTILLIDÆ, Leach.

(MUTILLARIÆ, *Latr.*—MUTILLA, Linné.)

Genus 94: (668). MUTILLA Auctorum.

SPHEX p, DeGeer.—APIS p, Christius.

4851. 1; Europaea*. *Linn. ii.* 966.—*Don. vi.* 77. *pl. 212.*—

Stew. ii. 246.—*Turt.* iii. 578.—*Shaw G. Z.* vi. 355. *pl.* 101. *fig. sup.*—(*Leach E. E.* ix. 148.)—(*Samou.* 70. *pl.* 8. *f.* 11.)—(*Kirby & Sp. I. E.* ii. 392.)

Ap. *Europa*. *Harr. Ex.* 166. *pl.* 1. *f.* 18.

♀; Ap. *aptera*. *Christius. pl.* 12. *f.* 1, 2.

Ap. *simile*. *Harr. Ex.* 166. *pl.* 1. *f.* 19.

4852. 2; *calva* *. (*Latr. G.* iv. 121.)—*Fabr. P.* 438.—(*Curtis l. c. infra.*)—*Coqueb. Ic.* 16. *f.* 10.

Mu. *cincta*. *Mus. Marsham.*

† ♂? Mu. *bimaculata*. *Jur. Hy. pl.* 12. *f.* 38?

4853. 3; *Ephippium* *. *Fabr. P.* 434.—*Curtis. ii. pl.* 77.

♀, Mu. *rufipes*. *Fabr. P.* 439.

Genus 95: (669). **MYRMOSA**, *Latr.*, *Leach*, *Samou.*

HYLÆUS p, *Fabricius.*

4854. 1; *melanocephala* *. (*Latr. G.* 120. *pl.* xiii. *f.* 6. ♀.)—(*Leach E. E.* ix. 198.)—(*Sam. I.* 28.)

Mu. *melanocephala*. *Fabr. P.* 439.—*Ent. Trans.* i. 254.

My. *nigra*. (*Latr. G.* 120. *pl.* xiii. *f.* 6. ♂.)

My. *atra*. *Panz. F.* lxxxv. *f.* 14.

Subsectio 2. FOSSORES, Latreille.

(**RAPACIA**, *Lamarck*.—**PRÆDONES**, *Latr. G.*)

Familia X: (99). **SCOLIADÆ**, *Leach.*

(*SCOLIETÆ p*, *Latr.*)

Genus 96: (670). **TIPHIA**, *Fabr.*, *Leach*, *Samou.*

SPHEX p, *Scop.*—*BETHYLLUS*, *Panz.*

4855. 1; *femorata* *. *Fabr. ii.* 223. (!)—*Panz. F.* lxxvii. *f.* 14.—*Stew.* ii. 235.—(*Sam. I.* 41.)—*Turt. iii.* 505.

4856. 2, *Morio*. *Fabr. E. S.* ii. 227?—*Panz. F.* lv. *f.* 1?—(*Sam. I.* 41.)

4857. 3; *villosa* *. *Fabr. ii.* 227.

Be. *villosum*. *Panz. F.* xcvi. *f.* 16.

4858 † 4. 5-*cincta* ^a.

Familia XI: (100). **SAPYgidæ**, *Leach.*

(*SCOLIETÆ p*, *Latreille.*)

Genus 97: (671). **SAPYGA**, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

APIS p, *Linné*.—**HELLUS p**, *Fabr.*—**VESPA p**, *Geoff.*—**SPHEX p**, *Villers*.—**MASARIS p**, *Panzer*.—**SIREX et SCOLIA p**, *Fabr. olim.*

4859. 1; *punctata* *. *Klug. M. S.* 61. *pl.* vii. *f.* 4, 5, 6.

^a 4858 † 4. 5-*cincta*. *Fabr. ii.* 233. (!)—*Stew.* ii. 235. (!)—*Turt. iii.* 505. (!)
An hujus generis?

Sa. 5-punctata. *Latr. H.* iii. 346.

Ap. 5-cincta. *Don. xiii. 11. pl.* 438.

Sa. 6-punctata. (*Leach E. E.* ix. 149.)—(*Sam. I.* 37.)

♂; He. 6-guttatus. *Fabr. P.* 247.

Ap. clavicornis. *Linn. ii.* 953?

♀; He. 6-punctatus. *Fabr. P.* 246.

β; He. 4-guttatus. *Fabr. P.* 247.

γ; He. pacca. *Fabr. P.* 247.

4860 † 2. prisma. *Klug. M. S.* 63. *pl. vii. f.* 7, 8.

Sc. prisma. *Fabr. ii.* 236.

Ma. crabroniformis. *Panz. F.* xlvi. *f.* 22. In *Mus. Brit.*?

Familia XII: (101). POMPILIDÆ, Leach.

(SPHEGIMÆ p, Latreille.—SPHEX, Linné.)

Genus 98: (672). APORUS, Spinola, Leach, Samou.

4861. 1, unicolor. *Spinola I. L.* ii. 34.—(*Leach E. E.* ix. 149.)

—(*Sam. I.* 4.) In *Mus. Brit.*

4862. 2, bicolor *. *Spinola I. L.* ii. 35.

Ap. abdominalis. —?

Genus 99: (673). CRYPTOCHEILUS ^a.

Genus 100: (674). POMPILUS, Latr., Leach, Samou., (Kirby.)

ICHNEUMON p, Geoff.—PSAMMOCHARES, Latr.?

4864. 1; viaticus *. *Fabr. S.* 246.—*Panz. F.* lxv. *f.* 16.—*Stew. ii.*

233.—*Turt. iii.* 489.—(*Sam. I.* 34.)—(*Kirby & Sp. I. E.* i. 121.)

—(*Curtis l. c. infra.*)

Sp. viatica. *Linn. ii.* 944?—*Berk. S.* i. 157.

Sp. vagus. *Harr. Ex.* 95. *pl. xxviii. f.* 2?

4865. 2; nervosus * *mihi.*

4866. 3; cognatus * *mihi.*

4867. 4; basalis * *mihi.*

4868. 5; phæopterus * *mihi.*

4869. 6; apicalis *mihi.*

4870. 7; aterrima *mihi.*

4871. 8; bifasciatus *. *Fabr. S.* 248.

Sp. bifasciata. *Panz. F.* lxxxvi. *f.* 11.

4872. 9; hircanus *. *Fabr. S.* 251?—*Panz. F.* lxxxvii. *f.* 21.—

(*Sam. I.* 34.)

^a Genus 99: (673). CRYPTOCHEILUS, Panzer.

POMPILUS p, Fabr., Samou., Curtis.

4863 † 1. annulatus. *Panz. K. R.* ii. 121.

Po. annulatus. *Fabr. P.* 197.—*Panz. F.* lxxvi. *f.* 16.—(*Samou.* 274. (!)—(*Curtis l. c. fo.* 238.)

Familia XIII: (102). SPHECIDÆ, Leach.

(SPHEGIMÆ PROPRIÆ, Latr.—SPHEX p, Linné.) Sand Wasps.

Genus 102: (676). DOLICHURUS, Latr., Leach, Samou.

PISON, Jurine.—POMPILUS p, Spinola.

4894 † 1, ater. Latr. G. iv. 58.—(Leach E. E. ix. 150.)—(Sam. I. 15.)
Po. corniculus. Spin. I. L. ii. 52. In Mus. Brit.Genus 103: (677). PELOPÆUS^a.

Genus 104: (678). SPHEX Auctorum.

PEPSIS p, Fabr.—ICHNEUMON p, Geoff.

4896. 1, flavipennis. Jurine Hy. 129. pl. 8. g. 5. f. 2.—(Leach E. E. ix. 150.)—(Samou. 275.)
Pe. flavipennis. Fabr. P. 210.Genus 105: (679). AMMOPHILA, Kirby, Turt., Sowerb., Leach,
Samou.

PEPSIS p, Fabr.—MISCUS, Jurine.

4897. 1; hirsuta*. Linn. Trans. (Kirby.) iv. p. 206.—Turt. iii. 497.—Sowerb. B. M. i. pl. xxxiii. f. 1.

4898. 2; argentea*. Linn. Trans. (Kirby.) iv. 208.—Turt. iii. 498.

4899. 3, affinis*. Linn. Trans. (Kirby.) iv. 205.—Turt. iii. 497.
Am. arenaria. Don. xiii. 74. pl. 468. f. 2?4900. 4; vulgaris*. Linn. Trans. (Kirby.) iv. 204.—Turt. iii. 497.
Sp. sabulosa. Linn. ii. 941.—Don. iii. 55. pl. 93. f. 1.—
Stew. ii. 232.—Shaw G. Z. vi. 282. pl. 93. fig. inf.
Am. sabulosa. (Sam. I. 2.)

♂; Pe. lutaria. Fabr. P. 228.—Panz. F. lxv. f. 14.

The common Sand Wasp. Bingley. iii. 256.

β; Am. cyanura. Kirby MSS.

4901. [5; pulvillata*.] Sowerb. B. M. i. pl. xxxiii. f. 2.

Familia XIV: (103). LARRIDÆ, Leach.

(CRABRONITES p, Latr.)—(SPHEX p, et VESPA p, Linné.)

Genus 106: (680). PSEN, Latr., Leach, Samou., Curtis.

TRYPOXYLON p, Fabr.—PELOPÆUS p, Fabr.—SPHEX p, Panzer.
—PSENIA, Kirby MSS.

4902. 1, compressicornis*. Latr. H. iii. 338.

Pe. compressicornis. Fabr. P. 204.

^a Genus 103: (677). PELOPÆUS, Latr., Leach, (Kirby.)

PEPSIS p, Illiger.—SCELIPHRONS, Klug.

4895 † 1. spirifex. Latr. G. iv. 60.

Sp. spirifex. Linn. ii. 942?—Barbut G. pl. 30. (!)—Stew. ii. 233. (!)
—Turt. iii. 486. (!)—Don. xv. pl. 531. (!)

The turner savage. Bingley. iii. 255.

- Ps. serraticornis. *Jurine Hy. pl. 8. g. 6.*
 Sp. atra. *Fabr. S. 244.—Panz. F. lxxii. f. 7.*
- † ♀. Pe. unicolor. *Fabr. P. 204.*
4903. 2; ater*. *Latr. H. xiii. 310.—(Leach E. E. ix. 151.)—
 (Sam. I. 35.)—(Curtis l. c. infra.)*
- Tr. atratum. *Fabr. P. 182.—Panz. F. xcvi. f. 15.*
4904. 3; basalis* *mihi.*
 Ps. equestris. *Curtis. i. pl. 25.*
4905. 4; bicolor*. *Jurine Hy. pl. 13. g. 9.*
4906. 5; equestris*. *(Latr. G. iv. 92.)—(Ing. Inst. 90.)*
 Tr. equestris. *Fabr. P. 182.*
- Ps. rufa. *Panz. F. xcvi. f. 17?*
4907. 6; aterrimus* *mihi.*
4908. 7; caliginosus* *mihi.*
4909. 8; assimilis* *mihi.*
4910. 9; phæopterus* *mihi.*
- Genus 107: (681). ALYSON, *Jurine*, Leach.
POMPILUS p, *Fabr.*—*MELLINUS p*, *Latr.*—*ALYSSON*, *Panzer.*
- 4911 † 1; spinosus. *Jurine Hy. 196. pl. 10.*
 ♂. Sp. fuscata. *Fabr. P. 192?—Panz. F. li. f. 3.*
 β? Sp. bimaculata. *Panz. F. li. f. 4.* In Mus. D. *Curtis*, et Kirby?
- Genus 108: (682). NYSSON, *Latr.*, Leach.
SPHEX p, *Schr.*—*MELLINUS p*, *Fabr.*—*CRABRO p*, *Panzer.*—
OXYBELUS p, *Fabr.*—*POMPILUS p*, *Fabr.*
4912. 1; spinosus*.
 Sp. spinosa. *Forst. C. i. 87.—Stew. ii. 234.—Turt. iii. 496.*
4913. 2; interruptus*. *(Panz. K. R. ii. 189.)*
 Me. interruptus. *Panz. F. lxxii. f. 13.*
- Ny. spinosus. *Latr. H. xiii. 305?—(Leach E. E. ix. 151.)*
4914. 3; tricinctus*. *(Latr. G. iv. 91.)*
 Me. tricinctus. *Fabr. P. 299.*
 Cr. spinosus. *Panz. F. lxii. f. 15?*
- Genus 109: (683). —
NYSSON p, *Latr.*—*POMPILUS p*, *Fabr.*—*CRABRO p*, *Panzer.*
4915. 1; maculatus*.
 Po. maculatus. *Fabr. P. 196.*
 Cr. trimaculatus. *Panz. F. lxxviii. f. 17.*
 ♂. Ny. decemmaculatus. *Spin. I. L. ii. 41.*
- Genus 110: (684). ARPACTUS.
ARPACTUS p, *Jurine.*—*POMPILUS p*, *Panz.*—*MELLINUS p*,
Panz. I.
4916. 1; tumidus*.
 Po. tumidus. *Panz. F. lxxxi. f. 15.*

4917. [2; consobrinus *] *mihi*.

Genus 111: (685). *GORYTES*, *Latr.*, *Leach, Samou.*

SPHEX p, *Linné*.—*MELLINUS p*, *et OXYBELUS p*, *Fabr.*.—*SPHEX p*, *Rossi*.—*ARPACTUS p*, *Jurine*.—*EUZONIA*, *Kirby MSS.*

4918. 1; *mystaceus**.

Ve. *mystacea*. *Linn.* ii. 944.—*Panz. F.* liii. f. 11.—*Stew.* ii. 239.—*Turt.* iii. 527.

Ve. *inimicus*. *Harr. Ex.* 128. *pl. xxxvii. § 1. f. 6?*

Me. *mystaceus*. (*Sam. I. 27?*)

Ve. *flavicincta*. *Don.* xiii. 73. *pl. 468. f. 1?*

4919. 2; *arenarius**.

Ve. *campestris*. *Linn.* ii. 950?—*Turt.* iii. 528.—*Panz. F.* xlvi. f. 11, 12.

Me. *arenarius*. *Panz. F.* liii. f. 12. var.

4910*. 3, *quadrifasciatus**.

Me. *quadrifasciatus*. *Fabr. P.* 298.—*Panz. F.* xcvi. f. 17.

4911*. 4, *quinquefasciatus*.

Me. *quinquefasciatus*. *Panz. F.* liii. f. 3.

4912*. 5, *quinquecinctus*.

Me. *quinquecinctus*. *Fabr. P.* 299.—*Panz. F.* lxxii. f. 14.

Genus 112: (686). *ASTATA*, *Latr.*, *Leach, Samou.*, *Curtis*.

SPHEX p, *Schr.*.—*DIMORPHA*, *Jurine*.—*TIPHIA p*, *Panz.*

4913* † 1. *abdominalis*. *Latr. H.* xiii. 297.

Sp. *boops*. *Schr. A.* No. 777.

Di. *oculata*. *Jurine Hy. pl. 9. g. 10.* ♂?

Ti. *abdominalis*. *Panz. F.* liii. f. 5. ♀? In Mus. Brit.?

4914*. 2, *Victor*. *Curtis. vi. pl. 261.*

La. *pompiliformis*. *Don.* xii. 73. *pl. 420.*

Genus 113: (687). *LYROPS*, *Illiger*, *Leach, Samou.*, (*Kirby.*)

TACHYTES p, *Panz.*.—*LARRA p*, *Fabr.*.—*APIS p*, *Rossi?*—*SPHEX p*, *Linné?*

4915*. 1, *pompiliformis*.

La. *pompiliformis*. *Panz. F.* lxxxix. f. 13.

4916*. 2; *tricolor**. (*Leach E. E.* ix. 151.)—(*Sam. I. 26.*)

La. *tricolor*. *Fabr. P.* 221.—*Panz. F.* lxxxiv. f. 19.

4917*. 3, *bicolor mihi*.

Genus 114: (688). *LARRA*, *Fabr.*, *Leach, Samou.*, (*Kirby.*)

SPHEX p, *Villers*.—*LIRIS p*, *Fabr.*

4918*. 1, *ichneumoniformis*. *Fabr. P.* 220.—*Panz. F.* lxxvi. f. 18.

—(*Leach E. E.* ix. 151.)—(*Sam. I. 24.*)

Genus 115: (689). *MISCOPHUS*, *Jurine*.

4919*. 1, *bicolor**. *Jurine Hy. pl. 11. g. 25.*—(*Leach E. E.* ix. 151.)

Genus 116: (690). DINETUS, Jurine, Leach, Samou., (Kirby.)
SPHEX p, Schæff.—*POMPILUS p*, Fabr.—*CRABRO p*, Rossi.
 4920. 1, pictus *. Jurine Hy. pl. 11. f. 26.—(Leach E. E. ix. 151.)
 —(Sam. I. 15.)
 Cr. ceraunius. Rossi: teste Latr.

Genus 117: (691). TRYPOXYLON, Latr., Leach, Samou., (Kirby.)
SPHEX p, Linné.—*APIUS*, Jurine.
 4921. 1; figulus *. Latr. H. xiii. 310.—Panz. F. lxxx. f. 16.—
 —(Sam. I. 42.)
 Sp. figulus. Wood. ii. 58. pl. 57.—(Shaw G. Z. vi. 281.)
 4922. [2; pygmæum * mihi.]

Genus 118: (692). OXYBELUS, Latr., Leach, Samou., (Kirby.)
SPHEX p, Schæff.

4923. 1; uniglumis *. Latr. H. xiii. 307.—(Leach E. E. ix. 152.)
 —(Sam. I. 32.)
 Ve. uniglumis. Linn. ii. 951.—Turt. iii. 532.
 Cr. uniglumis. Panz. F. lxiv. f. 14?
 Ve. decem-maculata. Don. xi. 43. pl. 376. f. 1?
 4924. 2; mucronatus *. Fabr. P. 318.
 4925. 3, concinnus mihi.
 Ox. mucronatus. Panz. F. ci. f. 19?
 4926. 4; tridens *. Fabr. P. 318?
 4927. 5; trispinosus *. Fabr. P. 318.—Latr. G. i. pl. 13. f. 13.

Familia XV: (104). BEMBICIDÆ, Leach.
 (BEMBECIDES, Latrcille.)

Genus 119: (693). BEMBEX^a.

Familia XVI: (105). CRABRONIDÆ, Leach.
 (CRABRONITES p, Latreille.—VESPA, Linné.)

Genus 120: (694). CRABRO, Fabr., Leach, Samou., (Kirby.)
SPHEX p, Linné.—*PEMPHREDON p*, Fabr.
 4929 † 1, clypeatus. Fabr. P. 312.
 Cr. vexillatus. Panz. F. xlvi. f. 5. In Mus. Brit.?
 4930. 2; scutatus *. Fabr. P. 312.—Panz. F. xv. f. 22. ♂.—
 f. 23. ♀.
 Sp. palmaria. Naturf. (Schreber.) xx. 100. pl. 2. f. 9.

^a Genus 119: (693). BEMBEX, Fabr., Don.

APIS p, Linné.—*VESPA p*, Sulz.

4928 † 1. octopunctata. Don. xiv. 21. pt. 474. (!)

- 4931 † 3, pterotus. *Panz. F. lxxxiii. f. 16.* ♂. *f. 17.* ♀.
 Var. Cr. dentipes. *Panz. F. xlvi. f. 9.* ♀. In Mus. Brit.
4932. 4, cibrarius*. *Panz. F. xv. f. 18.* ♂. *f. 19.* ♀.—(Sam. I. 13.)
 Ve. cibraria. *Stew. ii. 239.*—*Don. xii. 63. pl. 416?*—*Turt. iii.*
 531.
 Sp. cibraria. *Linn. ii. 945.*—*Berk. S. i. 157.*
4933. [5. interruptus * mihi.]
 Cr. clypeatus. *Panz. F. xv. f. 20?* ♂.—*f. 21.* ♀.
4934. [6; palmatus*.] *Panz. F. xlvi. f. 3.*
4935. 7; patellatus*. *Panz. F. xlvi. f. 4.*
4936. 8; cephalotes*. *Panz. F. lxii. f. 16.*
4937. 9; subinterruptus* mihi.
 Cr. lituratus. *Panz. F. xc. f. 13?*
4938. 10, quadricinctus. *Fabr. P. 310.*
4939. 11, vagabundus. *Panz. F. liii. f. 16.*
4940. 12, agrestis* mihi.
4941. 13, divisus* mihi.
4942. 14; vespiformis*. *Panz. F. liii. f. 14.*
4943. 15, sexcinctus. *Fabr. P. 309.*—*Panz. F. lxiv. f. 14.*
4944. 16, serripes*. *Panz. F. xlvi. f. 8.*
4945. 17, subterraneus. *Fabr. P. 309.*—*Panz. F. iii. f. 21.*
4946. 18; fossorius*. *Panz. F. lxxii. f. 11.*
 Sp. fossorius. *Linn. ii. 946.*
 Ve. fossaria. *Stew. ii. 238.*
4947. 19; philanthoides*. *Panz. F. lxxxiii. f. 2?*
4948. 20, lapidarius*. *Fabr. P. 309?*—*Panz. F. xc. f. 12.*
4949. 21, duodecimguttatus* mihi.
4950. 22, pictipes* mihi.
4951. 23; tarsalis* mihi.
4952. 24; signatus*. *Panz. F. liii. f. 15.*
4953. 25; analis* mihi.
4954. 26, consobrinus* mihi.
4955. 27, quadrimaculatus*. *Fabr. P. 308.*
4956. 28, vagus*. *Fabr. P. 313.*—*Panz. F. xlvi. f. 10.*
 Sp. vaga. *Linn. ii. 946.*—*Stew. ii. 239.*
4957. 29; aterrimus* mihi.
4958. 30, leucostoma. *Fabr. ii. 301.*—*Panz. F. xv. f. 24?*
4959. 31; spiniceps*. *Kirby MSS.*
4960. 32; geniculatus* mihi.
4961. 33; hyalinus* mihi.
4962. 34; Stigma* mihi.

4963. 35; tibialis * *mihi*.
 4964. 36; scutellatus * *mihi*.
 4965. 37; phæopterus * *mihi*.
 4966. 38; nanus * *mihi*.

Genus 121: (695). —

CRAERO *p*, *Fabr.*?

4967. 1; dimidiatus *.
 Cr. dimidiatus. *Fabr. P.* 313?
 4968. 2, rufifemoratus * *mihi*.

Genus 122: (696). RHOPALUM, (*Kirby.*)

CRAERO *p*, *Latr.*—PEMPHREDON *p*, *Panz.*

4969. 1; tibiale *.
 Cr. tibialis. *Fabr. S.* 271.—*Panz. F.* lxxxiii. f. 24.
 Pe. varicornis. *Fabr. P.* 315.—*Panz. F.*
 4970. 2; zonatum * *mihi*.
 4971. 3; rufiventre *. (*Ing. Inst.* 90.)
 Cr. rufiventris. *Panz. F.* lxxii. f. 12.

Genus 123: (697). STIGMUS, *Jurine*, *Leach*, *Samou.*, (*Kirby.*)

4972. 1; ater *. *Jurine Hy. pl.* 9. g. 7.—(*Leach E. E.* ix. 152.)—
 (*Sam. I.* 39.)
 St. pendulus. *Panz. F.* xiv. f. 7.

Genus 124: (698). CEMONUS, *Leach*.

CEMONUS *p*, *Jurine*.—PEMPHREDON *p*, *Fabr.*—PSEN *p*, *Panzer*.
 —STIGMUS *p*, *Latr.*

4973. 1; minutus *. (*Leach E. E.* ix. 152.)
 Pe. minutus. *Fabr. P.* 316.
 Ps. pallipes. *Panz. F.* lii. f. 22.

Genus 125: (699). PEMPHREDON, *Latr.*, *Leach*, *Samou.*

CEMONUS *p*, *Jurine*.—PELOPÆUS *p*, *Fabr.*

A. Abdomine sessili.

4974. 1; geniculatus * *mihi*.
 4975. 2; albilabris *. *Fabr. P.* 316.
 4976. 3; caliginosa * *mihi*.

B. Abdomine petiolato.

4977. 4, lugubre *. *Fabr. P.* 315?
 4978. 5, nitida * *mihi*.
 4979. 6; Jurinii * *mihi*.
 Ce. unicolor. *Jurine Hy. pl.* 11. g. 28.
 4980. 7; unicolor *. (*Latr. G.* iv. 84.)
 Pel. unicolor. *Fabr. P.* 204?

4981. 8; fuscipennis * *mihi*.

4982. 9, assimilis * *mihi*.

4983. 10, hyalipennis *mihi*.

Genus 126: (700). MELLINUS, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)
SPHEX *p*, *DeGeer*.

4984. 1, ruficornis *. *Fabr.* *P.* 298.—*Panz.* *F.* lxxvii. *f.* 17.—
(*Leach E. E.* ix. 152.)

♂? *Me. sabulosus*. *Fabr.* *P.* 297.

4985. 2; frontalis *.

Cr. frontalis. *Panz.* *F.* xlvi. *f.* 11.

4986. [3; petiolatus *.]

Cr. petiolatus. *Panz.* *F.* xlvi. *f.* 12.

4987. 4; bifasciatus *mihi*.

4988. 5, interruptus *mihi*.

4989. 6; arvensis *. *Fabr.* ii. 287.
Ve. arvensis. *Linn.* ii. 950.—*Stew.* ii. 233.—*Turt.* iii. 528.

Ve. superbus. *Harr. Ex.* 129. *pl.* xxxvii. § 2. *f.* 3.

♂; *Me. bipunctatus*. *Fabr.* *P.* 298.

♀, *Cr. H. flavum*. *Panz.* *F.* xvii. *f.* 20.

4990. 7; pratensis *. (*Jurine Hy.* 191. *pl.* 10. *g.* 9.)

Genus 127: (701). CERCERIS, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

SPHEX *p*, *Schäff.*—PHILANTHUS *p*, *Fabr.*, (*Kirby.*)—CRABRO *p*,
et BEMBEX p, *Rossi*.

4991. 1, aurita. *Latr. H.* xiii. 315.

Ph. aurita. *Fabr. S.* 263.

4992. 2, læta *.

Ph. lætus. *Fabr. P.* 305.—*Panz.* *F.* lxiii. *f.* 11. ♀.

Ve. exultus. *Harr. Ex.* 129. *pl.* xxxvii. § 11. *f.* 1.

4993. [3, assimilis] *mihi*.

4994. 4, quinquecincta *.

Ph. quinquecinctus. *Fabr. P.* 304.—*Panz.* *F.* lxiii. *f.* 12. ♂.

Ph. flavipes. *Don.* xiii. 61. *pl.* 462?

Ve. petulans. *Harr. Ex.* 129. *pl.* xxxvii. § 2. *f.* 2?

♀? *Ph. quadricinctus*. *Panz.* *F.* lxiii. *f.* 15.—(*Samou.* 179?)

4995. 5, arenaria *.

Sp. arenaria. *Linn.* ii. 946?

Ve. arenaria. *Turt.* iii. 529.

Ph. arenarius. *Panz.* *F.* xlvi. *f.* 12.

Ce. Sabulicola. *Kirby MSS.*

4996. [6, Arenicola *.] *Kirby MSS.*

Ph. trifidus. *Fabr. P.* 305?

4997. 7, atra *mihi*.
 Sp. xanthocephala. *Forst. C.* i. 86?—*Stew. ii.* 234?—*Turt. iii.*
 495?
4998. 8, labiata*. (*Latr. G.* iv. 94.)
 Ph. labiata ♀. *Fabr. P.* 303.
 Ph. interruptus. *Panz. F.* lxiii. f. 17.
4999. 9, nasuta*. *Latr. G.* iv. 94.
 Ph. labiatus. *Panz. F.* lxiii. f. 16.
5000. 10, fulvipes *mihi*.
5001. 11; ornata*.
 Ph. ornata. *Fabr. P.* 304.—*Panz. F.* lxv. f. 10.
 Var.? Ph. semicinctus. *Panz. F.* xlvi. f. 24.
5002. 12, Ferox*. *Kirby?* MSS.
 Ph. sabulosus. *Panz. F.* lxiii. f. 13?

Subsectio 3. DIPLOPTERA, Latreille.

Familia XVII: (106). VESPIDÆ, Leach.

(*VESPARIÆ, Latreille.*—*VESPA p, Linné.*)

- Genus 123: (702). EUMENES, *Latr., Leach, Curtis, (Kirby.)*
RYGCHIUM, Spin.?—*PTEROCHEILUS, Klug.?*
5003. 1, atricornis. *Fabr. P.* 289.—*Curtis. i. pl.* 13.
- 5004 † 2. coarctata^a.
- Genus 129: (703). ODYNERUS, *Latr., Leach, Samou., Curtis.*
5005. 1; bidens*. (*Curtis l. c. infra.*)
 Ve. bidens. *Linn. ii.* 951.
5006. 2; connexus*. *Curtis l. c. infra.*
5007. 3; Eumenoides* *mihi*.
5008. 4; quadricinctus*.
 Ve. quadricincta. *Fabr. P.* 262?
5009. 5; einarginatus. (*Curtis l. c. infra.*)
 Ve. emarginata. *Fabr. P.* 263.
5010. 6, simplex.
 Ve. simplex. *Fabr. P.* 263.
- 5011 † 7. bifasciatus^b.
5012. 8; quadrifasciatus*. (*Curtis l. c. infra?*)
 Ve. quadrifasciata. *Fabr. P.* 262?

^a 5004 † 2. coarctata.

Ve. coarctata. *Linn. ii.* 950.—*Stew. ii.* 238. (!)—*Turt. iii.* 522. (!)
 Ve. coronata. *Panz. F.* lxiv. f. 12.

^b 5011 † 7. bifasciatus.

Ve. bifasciata. *Linn. ii.* 950.—*Stew. ii.* 238. (!)

5013. 9, quinquefasciatus*.
 Ve. quinquefasciata. *Fabr. P.* 262?
5014. 10, sexfasciatus*. (*Curtis l. c. infra?*)
 Ve. sexfasciata. *Fabr. P.* 262?
5015. 11, Scoticus. *Curtis l. c. infra.*
5016. 12; murarius. (*Kirby & Sp. I. E. i. 447.*)—(*Curtis l. c. infra.*)
 Ve. muraria. *Linn. ii. 950.—Turt. iii. 518.*
 Ve. parietina. *Panz. F. xlix. f. 24.*
 Ve. coarctata. *Berk. S. i. 158?*
 Ve. insolens. *Harr. Ex. 128. pl. xxxvii. f. 7?*
5017. 13; Antilope. (*Curtis l. c. infra.*)
 Ve. Antilope. *Panz. F. liii. f. 9.*
5018. 14; parietum*. (*Curtis l. c. infra.*)
 Ve. parietum. *Linn. ii. 949.—Stew. ii. 238.—Turt. iii. 517.*
 Ve. quadrata. *Don. xiv. 72. pl. 495. f. 2.*
 Od. similis. (*Curtis l. c. infra.*)
5019. 15; nigricornis*. *Curtis l. c. infra.*
5020. 16; parietinus*. (*Samou. 279.*)—*Curtis. iii. pl. 137.*
 Ve. parietina. *Linn. F. No. 1679.*
5021. 17; quadratus*. (*Curtis l. c. supra.*)
 Ve. quadrata. *Panz. F. lxiii. f. 3.*
 Ve. flavipes. (*Curtis l. c. supra?*)
5022. 18; angulatus*. (*Curtis l. c. supra.*)
 Ve. angulata. *Don. xiv. 71. pl. 495. f. 1.*
5023. 19; rotundatus* *mihi.*
5024. 20; pictus*. (*Curtis l. c. supra.*)
5025. 21; auctus*.
 Ve. aucta. *Fabr. P. 267.—Panz. F. lxxxi. f. 17.*
5026. 22, triangulus* *mihi.*

Genus 130: (704). EPIPONE, (*Kirby.*)ODYNERUS *p.*, *Curtis.*

5027. 1; spinipes*. (*Kirby & Sp. I. E. i. 346.—Id. ii. 319.—Id. iv. 218.*)
 Ve. spinipes. *Linn. ii. 950.—Panz. F. xvii. f. 18.—Ent. Trans. (Haworth.) i. 253.*
 Od. spinipes. (*Curtis fo. 137.*)
 ♀. Ve. Gazella. *Panz. F. liii. f. 10?*

Genus 131: (705). VESPA Auctororum. *Wasp.*

5028. 1; Crabro*: Hornet. *Linn. ii. 948.—Berk. S. i. 157.—Barbut. Gen. pl. 14.—Harr. Ex. 127. pl. xxxvii. f. 1. ♀.—Stew. ii. 237.—Turt. iii. 513.—Don. xiv. 85. pl. 502.—Shaw G. Z. vi. 286.*

- pl. 95. fig. inf. med.*—(Kirby & Sp. I. E. iii. 633 nota.—Bingley. iii. 261.—(Samou. 280. pl. 8. f. 8.)
 ♂. Ve. vexator. Harr. Ex. 127. pl. xxxvii. f. 2, 3.
 5029. 2; vulgaris*: Common Wasp. Linn. ii. 949.—Berk. S. i. 158.—Harr. Ex. 128. pl. xxxvii. f. 5.—Stew. ii. 238.—Don. vii. pl. 226.—Turt. iii. 513.—Bingley. iii. 263.—(Shaw G. Z. vi. 285. pl. 95. fig. inf. dext.)—(Kirby & Sp. I. E. ii. 331.)—(Sam. I. 43.)
 ♂. Ve. parietum. Harr. Ex. 128. pl. xxxvii. f. 4.
 5030. 3; rufa*. Linn. ii. 949.
 5031. 4; saxonica*. Fabr. ii. 256.—Panz. F. xlix. f. 21.
 5032. 5; holsatica*. Fabr. ii. 257.—Shaw G. Z. vi. 287. pl. 97.
 Ve. anglica. Leuch MSS.
 Ve. sexcineta. Don. xiii. 46. pl. 455?
 The campanular Wasp. Bingley. iii. 270.
 5033. 6, Britannica. Leach Z. M. i. 112. pl. 50.—(Sam. I. 43.)

Subsectio 4. MELLIFERA, Latreille.

(ANTHOPHILA, Latreille G.)

Familia XVIII: (107). APIDÆ, Leach.

- (APIARIÆ, Latreille.)—(APIS p, Linné.—APIS, Kirby.)
 Genus 132: (706). SYSTROPHA, Illiger, Leach, (Kirby.)
HYLÆUS p, Fabr.—ANDRENA p, Olivier.—CERATINA p, Jurine.
 —ANTHIDIUM p, Panzer.—EUCERA p, Scopoli.
 5034 † 1, spiralis*. Illiger.—(Leach E. E. ix. 156.)
 Hy. spiralis. Fabr. P. 320.
 An. spirale. Panz. F. xxxv. f. 22. ♂. In Mus. Brit.
 Genus 133: (707). PANURGUS, Panzer, Leach, Samou., Curtis,
 (Kirby.)
 DASYPODA, Illiger.—APIS, (* a.) Kirby.—ERIOPS, Klug.—
 ANDRENA p, Panzer.—TRACHUSA p, Jurine.—PHILANTHUS p, Fabr.
 5035. 1; ursinus*. Curtis. iii. pl. 101.
 Ap. ursina. Gmel. iv. 2790.—Kirby M. A. ii. 178. pl. 16. f. 1.
 Pa. ursina. (Sam. I. 33.)
 ♂; Ap. Banksiana. Kirby M. A. ii. 179.—Don. xii. 26. pl. 403. f. 2.
 Tr. atra. Panz. F. xcvi. f. 19.
 Pa. Banksianus. (Sam. I. 33.)
 5036. 2; calcaratus*.
 Ap. calcarata. Scop. C. 301.
 Ph. ater. Fabr. E. S. ii. 292?
 An. lobata. Panz. F. xcvi. f. 18. ♂.—lxxii. f. 16. ♀.
 Pa. lobata. (Curtis l. c. supra.)
 Ap. Linnæella. Kirby M. A. ii. 179. pl. 16. f. 2.
 Pa. Linneella. (Sam. I. 33.)

Genus 134: (708). CERATINA, *Latr.*, *Leach*, *Samou.*, (*Kirby*.)

MEGILLA *p*, *Fabr.*—PROSOPIS *p*, *Fabr.*—APIS, (** *d. 2. a.*) *Kirby*.
—PITHITIS, *Klug*.—CLAVICERA, *Walck*.

5037. 1; cærulea*. (*Leach E. E.* ix. 156.)—(*Sam. I.* 10.)

Ap. cærulea. *Vill. E.* iii. 319. *pl.* 8. *f.* 25.

Ap. cyanea. *Kirby M. A.* ii. 308. *pl.* 17. *f.* 8. ♂.—*f.* 7. ♀.

Ce. albilabris. (*Latr. G. i.* *pl.* 14. *f.* 11. ♂.)

Ce. callosa. (*Latr. G. iv.* 160.)

Genus 135: (709). CHELOSTOMA, *Latr.*, *Leach*, *Samou.*, (*Kirby*.)

HYLÆUS *p*, *Fabr.*—ANTHOPHORA *p*, *Illiger*.—ANTHIDIUM *p*, *Panzer*.—TRACHUSA *p*, *Jurine*.—APIS, (** *c. 2. γ. p.*) *Kirby*.—MEGACHILE *p*, *Latr. olim*.

5038. 1; florisomne*. (*Leach E. E.* ix. 157.)—(*Sam. I.* 10.)

Ap. florisomnis. *Linn. ii.* 954.—*Turt. iii.* 540.—(*Kirby & Sp. I. E.* iii. 320.)

Hy. florisomnis. *Panz. F.* xlvi. *f.* 13.—(*Sam. I.* 22.)

Ap. tumidus. *Harr. Ex.* 164. *pl.* 50. *f.* 12.

Ch. maxillosa. (*Kirby & Sp. I. E.* iii. 318, 320 & 341.)

♀, Ap. maxillosa. *Linn. ii.* 954.—*Turt. ii.* 540.

Hy. maxillosus. *Panz. F.* liii. *f.* 17.

Genus 136: (710). HERIADES, *Spinola*, *Leach*, *Samou.*, (*Kirby*.)

ANTHOPHORA *p*, *Fabr.*—ANTHIDIUM *p*, *Panzer*.—TRACHUSA *p*, *Jurine*.—APIS (** *c. 2. γ. p.*) *Kirby*.—MEGACHILE *p*, *Latr. olim*.

5039. 1; Campanularum*. (*Sam. I.* 21.)

Ap. Campanularum. *Kirby M. A.* ii. 256. *pl.* 16. *f.* 15. ♂.—*f.* 14. ♀.

Ap. florisomnis minima. *Christi. Hy.* 197. *pl.* 17. *f.* 8.

5040. 2, truncorum*. (*Leach E. E.* ix. 157.)—(*Sam. I.* 21.)

Ap. truncorum. *Linn. ii.* 954.—*Kirby M. A.* ii. 258.

Hy. truncorum. *Panz. F.* lxiv. *f.* 15.

Genus 137: (711). STELIS, *Panzer*, *Leach*, *Samou.*, (*Kirby*.)

ANTHOPHORA *p*, *Illig*.—MEGACHILE *p*, *Latr.*—APIS, (** *c. 1. β.*) *Kirby*.—TRACHUSA *p*, *Jurine*.—GYRODROMA, *Klug*.—MEGILLA *p*, *Fabr*.

5041. 1; aterrima*. *Panz. E. V.* 247.—*Panz. F.* lvi. *f.* 7. ♂.

Ap. punctulatissima. *Kirby M. A.* ii. 231. *pl.* 16. *f.* 9.

St. punctulatissima. (*Sam. I.* 39.)

5042. 2; phæoptera*. (*Latr. G. iv.* 164.)

Ap. phæoptera. *Kirby M. A.* ii. 232.

St. phæoptera. (*Sam. I.* 39.)

Genus 138: (712). ANTHIDIUM, *Fabr.*, *Leach*, *Samou.*, *Curtis*,
(*Kirby*.)

ANTHOPHORA *p*, *Illiger*.—MEGACHILE *p*, *Spinola*.—TRACHUSA *p*,
Jurine.—APIS, (** c. 2. ♂.) *Kirby*.

5043. 1; manicatum *. *Fabr.* *P.* 364.—*Curtis.* ii. *pl.* 61.—
(*Kirby & Sp. I. E.* iii. 316. 332 & 341.)

Ap. manicata. *Linn.* ii. 958.—*Berk. S.* i. 159.—*Kirby M. A.*
ii. 248. *pl.* 16. *f.* 13. ♂.—*f.* 12. ♀.—*Stew.* ii. 242.—*Turt.* iii.
555.—*Don.* xiv. 57. *pl.* 489.

An. manicum. (*Sam. I. 3.*)

The Garden Bee. *Bingley.* iii. 275.

Ap. pervigil. *Harr. Ex.* 162. *pl.* xlix. *f.* 3.

♂; Ap. dentala. *Harr. Ex.* 161. *pl.* xlix. *f.* 1.

Genus 139: (713). OSMIA, *Panzer*, *Leach*, (*Kirby*.)

ANTHOPHORA *p*, *Fabr.*.—MEGACHILE *p*, *Walck*.—TRACHUSA *p*,
Jurine.—HOPLITIS? *Klug*.—AMBLYS, *Klug*.—APIS, (** c. 2. ♂.)
Kirby.

5044. 1, spinulosa *. (*Sam. I. 32.*)—(*Curtis l. c. infra.*)

Ap. spinulosa. *Kirby M. A.* ii. 261. *pl.* 17. *f.* 2. ♂.—*f.* 1. ♀.

5045. 2; leucomelana. (*Sam. I. 32.*)—(*Curtis l. c. infra.*)

Ap. leucomelana. *Kirby M. A.* ii. 260.

5046. 3; hirta *. (*Curtis l. c. infra.*)

Ap. hirta. *Fourc.* ii. 444.

Ap. Leaiana. *Kirby M. A.* ii. 263.

Os. Leaiana. (*Sam. I. 32.*)

5047. 4, parietina. *Curtis.* v. *pl.* 222.

5048. 5; cærulescens *. (*Leuch E. E.* ix. 158.)—(*Sam. I. 32.*)—
(*Curtis l. c. supra.*)

Ap. cærulescens. *Linn.* ii. 955.—*Kirby M. A.* ii. 264.—
Turt. iii. 541.—(*Kirby & Sp. I. E.* i. 442.)

An. cærulescens. *Panz. F.* lxv. *f.* 18.

Ap. superbus. *Harr. Ex.* 164. *pl.* 49. *f.* 10.

♂; Ap. ænea. *Linn.* ii. 955.—*Turt.* ii. 542.

An. ænea. *Panz. F.* lvi. *f.* 3.

5049. 6; Tunensis *. (*Sam. I. 32.*)—(*Curtis l. c. supra.*)

Ap. Tunensis. *Fabr.* ii. 334.—*Kirby M. A.* ii. 269.

Ap. Tunetana. *Gmel.* iv. 2773.

Ap. aurulenta. *Panz. F.* lxiii. *f.* 22?

5050. 7; bicolor *. (*Sam. I. 32.*)—(*Curtis l. c. supra.*)

Ap. bicolor. *Schr. A.*—*Kirby M. A.* ii. 277.

Ap. rufescens. *Gmel.* iv. 2790.

Ap. rustica. *Fourc.* ii. 451.

Ap. fusca. *Panz. F.* lvi. *f.* 11.

5051. 8, atricapilla. *Curtis l. c. supra.*

5052. 9; bicornis *. *Panz. F.* lvi. f. 10.—lv. f. 15.—(*Curtis l. c. supra.*)

Ap. bicornis. *Kirby M. A.* ii. 271.—(*Kirby & Sp. I. E. i.* 442.)

Os. cornuta. (*Sam. I.* 32.)

♀; Ap. bicornis. *Linn. ii.* 954.—*Harr. Ex.* 162. *pl.* 49. *f.* 4.

Ap. fronticornis. *Panz. F.* lxiii. *f.* 20.

♂; Ap. rufa. *Linn. ii.* 954.—*Berk. S. i.* 158.—*Panz. F.* lvi. *f.* 10.—*Stew. ii.* 241.—*Turt. iii.* 557.

Ap. vernalis. (*Forst. Cat.* 720.)

Ap. frontalis. *Vill. E.* iii. 127. *pl.* 8. *f.* 28.

Ap. agino. *Harr. Ex.* 163. *pl.* 49. *f.* 7.

5053. 10, cornuta. *Latr. G.* iv. 164.—(*Leach E. E.* ix. 158.)

Me. cornuta. *Latr. H.* xiv. 59.

♂. Ap. rufa. *Rossi F.* ii. 169.

Ap. bicolor. *Vill. E.* iii. *pl.* 8. *f.* 27.

♀, Ap. bicornis. *Rossi M.* 310.

Genus 140: (714). MEGACHILE, *Latr.*, *Leach*, *Samou.*, *Curtis*, (*Kirby.*)

ANTHOPHORA p., *Fabr.*—TRACHUSA p., *Jurine*.—XYLOCOPA p., *Fabr.*—CENTRIS p., *Fabr.*—APIS, (** c. 2. α.) *Kirby*.—PNYLOTOMA, *Dumeril*.

A. Tarsis anticis maris dilatato-ciliatis.

5054. 1; Willughbiella *. (*Sam. I.* 26.)—*Curtis. v.* *pl.* 218.

Ap. Willughbiella. *Kirby M. A.* ii. 233.—*Schäff. Ic.* *pl.* 20. *f.* 1.

Ap. lagopoda var. *Don. xiii.* 19. *pl.* 442.

B. Tarsis anticis maris haud dilatatis.

5055. 2; ligniseca *: Carpenter Bee.—*Shaw l. c.* (*Sam. I.* 26.)—(*Kirby & Sp. I. E.* iii. 341.)—(*Curtis l. c. supra.*)

Ap. ligniseca. *Kirby M. A.* ii. 243. *pl.* 16. *f.* 11.

Ap. centuncularis. *Panz. F.* lv. *f.* 12.—*Don. iv.* 31. *pl.* 120.

—*Harr. Ex.* 162. *pl.* 49. *f.* 2.—*Shaw G. Z.* vi. 344.

An. rufiventris. *Fabr. P.* 378.

5056. 3, circumcineta *. (*Sam. I.* 26.)—(*Curtis l. c. supra.*)

Ap. circumcineta. *Kirby M. A.* ii. 246. *pl.* 16. *f.* 10.

5057 † 4. disjuncta ^a.

5058. 5; xanthomelana *. (*Curtis l. c. supra.*)

Ap. xanthomelana. *Kirby M. A.* ii. 246.

Ap. parietina. *Fourc. ii.* 443?

5059. 6; maritima. (*Sam. I.* 26.)—(*Curtis l. c. supra.*)

Ap. maritima. *Kirby M. A.* ii. 242.

5060. 7; centuncularis *. (*Leach E. E.* ix. 159.)—(*Sam. I.* 26.)

—(*Kirby & Sp. I. E.* iv. 553.)—(*Curtis l. c. supra.*)

^a 5057 † 4, disjuncta.

Ap. disjuncta. *Don. xii.* 46. *pl.* 410. *f.* 2. In Mus. D. Donovan,

Ap. centuncularis. *Linn.* ii. 953.—*Berk. S.* i. 158.—*Barb. G. pl.* 15. *f.* 9.—*Kirby M. A.* ii. 237.—*Stew.* ii. 240.—*Turt.* iii. 558.—(*Kirby & Sp. I. E.* i. 192 & 444.)

The leaf-cutting Bee. *Bingley.* iii. 272.

5061 † 8, Leachella. (*Curtis l. c. supra.*)

Ap. Leachella. *Kirby MSS.* In *Mus. Brit. D. Kirby? et Vigors.*

Genus 141: (715). COELIOXYS, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

ANTHOPHORA *p.*, *Fabr.*—MEGACHILE *p.*, *Walck.*—TRACHUSA *p.*, *Jurine.*—ANTHIDIUM *p.*, *Panzer.*—HERIADES *p.*, *Spinola.*—APIS, (** *c. 1. a.*) *Kirby.*

5062. 1; conica *. *Latr.*—(*Leach E. E.* ix. 159.)—(*Sam. I.* 8.)—(*Kirby & Sp. I. E.* iii. 341.)

Ap. conica. *Kirby M. A.* ii. 224.

♂; Ap. quadridentata. *Linn.* ii. 958.—*Panz. F.* lv. *f.* 13.

♀; Ap. conica. *Linn.* ii. 958.—*Berk. S.* i. 159.—*Stew.* ii. 243.—*Turt.* iii. 560.

Ap. bidentata. *Panz. F.* lvi. *f.* 7.

Ap. agilis. *Harr. Ex.* 163. *pl.* 49. *f.* 8.

5063 [† 2, inermis *.]

Ap. inermis. *Kirby M. A.* ii. 229. *pl.* 16. *f.* 8.

♂, Ap. quadridentata. *Miller MSS.*

♀, Ap. conica. *Fabr. E. S.* ii. 341. In *Mus. D. Kirby.*

Genus 142: (716). NOMADA, *Scopoli*, *Leach*, *Samou.*, (*Kirby.*)

APIS, (* *b.*) *Kirby.*

5064. 1; Goodeniana *. (*Sam. I.* 30.)

Ap. Goodeniana. *Kirby M. A.* ii. 180.—(*Kirby & Sp. I. E.* ii. 262.)

5065. 2; alternata *. (*Sam. I.* 30.)

Ap. alternata. *Kirby M. A.* ii. 182.

5066. 3, Lathburiana *. (*Sam. I.* 30.)

Ap. Lathburiana. *Kirby M. A.* ii. 184.

5067 † 4, varia. *Panz. F.* lv. *f.* 20.—(*Sam. I.* 30.)

Ap. varia. *Kirby M. A.* ii. 185. In *Mus. D. Kirby.*

5068. 5; flava *. *Panz. F.* liii. *f.* 21.—(*Sam. I.* 30.)

Ap. flava. *Kirby M. A.* ii. 186.

5069. 6, rufiventris *. (*Sam. I.* 30.)

Ap. rufiventris. *Kirby M. A.* ii. 187.

5070. 7; Kirbiella * mihi.

5071. 8; Marshamella *. (*Sam. I.* 30.)

Ap. Marshamella. *Kirby M. A.* ii. 188.

5072. 9; cornigera *. (*Sam. I.* 30.)

Ap. cornigera. *Kirby M. A.* ii. 190.—*Don.* xii. 41. *pl.* 408. *f.* 1?

5073. 10, subcornuta.
Ap. subcornuta. *Kirby M. A.* ii. 192.
- 5074 † 11, Capreæ. (*Sam. I.* 30.)
Ap. Capreæ. *Kirby M. A.* ii. 193. In Mus. D. *Kirby*.
5075. 12, lineola*. *Panz. F.* liii. f. 23.—(*Sam. I.* 30.)
Ap. lineola. *Kirby M. A.* ii. 194.
5076. 13, fucata*. *Panz. F.* liii. f. 19.
Ap. fucata. *Kirby M. A.* ii. 195.
- 5077 † 14, leucophthalma. (*Sam. I.* 30.)
Ap. leucophthalma. *Kirby M. A.* ii. 197. In Mus. D. *Kirby*.
- 5078 † 15, sexcincta. (*Sam. I.* 30.)
Ap. sexcincta. *Kirby M. A.* ii. 198. In Mus. D. *Kirby*.
5079. 16, Schæfferella. (*Sam. I.* 30.)
Ap. Schæfferella. *Kirby M. A.* ii. 199.
Schæff. Ic. pl. 81. f. 7.
5080. 17; connexa*. (*Sam. I.* 30.)
Ap. connexa. *Kirby M. A.* ii. 199.
No. sexfasciata. *Panz. F.* lxii. f. 18.
5081. 18; Jacobææ*. *Panz. F.* lxxii. f. 20.—(*Sam. I.* 30.)
Ap. Jacobææ. *Kirby M. A.* ii. 201.—*Don.* xii. 42. *pl.* 408. f. 2?
- 5082 † 19, flavopicta. (*Sam. I.* 30.)
Ap. flavopicta. *Kirby M. A.* ii. 202. In Mus. D. *Kirby*.
5083. 20; Solidaginis*. *Panz. F.* lxxii. f. 21.—(*Sam. I.* 30.)
Ap. Solidaginis. *Kirby M. A.* ii. 204.
5084. 21; picta*. (*Sam. I.* 30.)
Ap. picta. *Kirby M. A.* ii. 206.
5085. 22; rufopicta*. (*Sam. I.* 30.)
Ap. rufopicta. *Kirby M. A.* ii. 207.
- 5086 † 23. Hillana. (*Sam. I.* 30.)
Ap. Hillana. *Kirby M. A.* ii. 208. In Mus. D. *Hill*.
- 5087 † 24, ochrostoma.
Ap. ochrostoma. *Kirby M. A.* ii. 209.—*Don.* xii. 77. *pl.* 421. f. 3.
No. ochrostoma. (*Sam. I.* 30.) In Mus. D. *Donovan?* et *Kirby*.
5088. 25; ruficornis*. *Fabr. P.* 390.—*Panz. F.* lv. f. 18.—(*Sam. I.* 30.)—(*Kirby & Sp. I. E.* iv. 553.)
Ap. ruficornis. *Linn. ii.* 958.—*Kirby M. A.* ii. 210.
Ve. rubra. *Fourc. P.* ii. 438.
Ap. infractus. *Harr. Ex.* 134. *pl.* xxxix. f. 13.
5089. 26; apicalis* *mihi*.
5090. 27; xanthosticta*. (*Sam. I.* 30.)
Ap. xanthosticta. *Kirby M. A.* ii. 212.
5091. 28; Fabriciella*. (*Sam. I.* 30.)
Ap. Fabriciana. *Linn. ii.* 955.—*Kirby M. A.* ii. 213. *pl.* 16. f. 3.

5092. 29; quadrinotata *. (*Sam. I.* 30.)
Ap. quadrinotata. *Kirby M. A.* ii. 214.
5093. 30; flavoguttata *. (*Sam. I.* 30.)
Ap. flavoguttata. *Kirby M. A.* ii. 215.
5094. 31; rufocincta *. (*Sam. I.* 30.)
Ap. rufocincta. *Kirby M. A.* ii. 216.
5095. 32; Sheppardana *. (*Sam. I.* 30.)
Ap. Sheppardana. *Kirby M. A.* ii. 217.
5096. 33; ferruginata *. (*Sam. I.* 30.)
Ap. ferruginata. *Linn.* ii. 958.—*Kirby M. A.* ii. 218.
No. germanica. *Panz. F.* lxxii. f. 17.
5097. 34; nana * *mihī.*

Genus 143: (717). EPEOLUS, *Latreille*, *Leach*, *Samou.*, (*Kirby.*)
APIS, (** b.) *Kirby*.—NOMADA *p*, *Fabr.*

5098. 1; variegatus *. (*Leach E. E.* ix. 159.)—(*Sam. I.* 16.)
Ap. variegata. *Linn.* ii. 957.—*Kirby M. A.* ii. 222. *pl.* 16. *f.* 6.
—*Don.* xii. 10. *pl.* 399. *f.* 2.—(*Kirby & Sp. I. E.* ii. 262.)
No. crucifera. *Panz. F.* lxi. *f.* 20.
Ap. muscaria. *Christi. Hy.* 195. *pl.* 17. *f.* 5.
Ap. agitabilis. *Harr. Ex.* 163. *pl.* xl ix. *f.* 6?

Genus 144: (718). MELECTA, *Latr.*, *Leach*, *Samou.*, *Curtis.*, (*Kirby.*)

- APIS, (** a.) *Kirby*.—SYMMORPHA, *Klug*.—CROCISA *p*, *Jurine.*
5099. 1; punctata *. *Fabr. P.* 387. (!)—(*Leach E. E.* ix. 160.)—
(*Sam. I.* 27.)—*Curtis. iii. pl.* 125.

- Ap. punctata. *Vill. E.* iii. 312. (!)—*Kirby M. A.* ii. 219. *pl.* 16.
f. 5. ♂.—*Stew. ii.* 240.—*Turt. iii.* 558.—*Don. xi.* 47. *pl.* 376.
f. 4.
Ap. albifrons. *Forst. C. i.* 94.—*Stew. ii.* 244.—*Turt. iii.* 564.
Cr. atra. *Jurine Hy. pl.* 12. *g.* 34?
Ap. dubito. *Harr. Ex.* 137. *pl.* xl. *f.* 11.

Genus 145: (719). EUCERA, *Scopoli*, *Leach*, *Samou.*, (*Kirby.*)
APIS, (** d. 1.) *Kirby*.—ANDRENA *p*, *Panzer.*

5100. 1; longicornis *. *Scop. An.* iv. 8.—(*Sam. I.* 17.)—(*Kirby & Sp. I. E.* iv. 553.)
Ap. longicornis. *Kirby M. A.* ii. 278.
♂. Ap. longicornis. *Linn. ii.* 953.—*Harr. Ex.* 163. *pl.* xl ix. *f.* 5.
—*Barb. G. pl.* xv. *f.* 7.—*Stew. ii.* 240.—*Turt. iii.* 567.
Eu. longicornis. *Panz. F.* lxiv. *f.* 21.
♀, Ap. Bryorum. *Schra. C.* No. 812.
An. strigosa. *Panz. F.* lxiv. *f.* 16.

5101 † 2, linguaria *. *Fabr. ii.* 344.—*Panz. F.* liv. *f.* 22.
Ap. linguaria. *Kirby M. A.* ii. 282.

Ap. tumulorum. *Roem. G.* 61. *pl. 27. f. 14.*—*Don. v.* 19.
pl. 151. f. 2.—*Stew. ii.* 240.—*Turt. iii.* 566.
 In Mus. D. Donovan, et Kirby.

5102 † 3. pollinaris.

Ap. pollinaris. *Kirby M. A.* ii. 284. *pl. 17. f. 3.*
 In Mus. Soc. Linn.

5103 † 4, Druriella.

Ap. Druriella. *Kirby M. A.* ii. 285. *pl. 17. f. 4.*—*Don. xii.* 9.
pl. 399. f. 1. In Mus. Brit. D. Donovan? et Kirby.

Genus 146: (720). MELITTURGA, *Latreille, Leach.*

5104 † 1, clavicornis. *Latr. G.* iv. 177. *pl. 14. f. 14?* In Mus. Brit.

Genus 147: (721). SAROPODA, *Latreille, Leach, Samou., (Kirby.)*

MEGILLA p, *Illiger.*—HELIOPHILA, *Klug.*—APIS (** d. 2. a, p.)
 Kirby.

5105. 1, bimaculata*.

Ap. bimaculata. *Panz. F.* lv. *f. 17.*—*Kirby M. A.* ii. 286.

5106. 2, furcata*.

Ap. furcata. *Panz. F.* lvi. *f. 8.* ♂.—*Kirby M. A.* ii. 288. *pl. 17.*
f. 6. ♂.—*f. 5.* ♀.

5107. 3, vulpina*.

Ap. vulpina. *Panz. F.* lvi. *f. 6.*—*Kirby M. A.* ii. 290.

5108. 4, rotundata*. (*Sam. I.* 37.)

Ap. rotundata. *Panz. F.* lvi. *f. 9.*—*Kirby M. A.* ii. 291.

Me. rotundata. (*Sam. I.* 26.)

Ap. terrestris. *Fourc.* ii. 445.

5109. 5, subglobosa*.

Ap. subglobosa. *Kirby M. A.* ii. 295.

Genus 148: (722). ANTHOPHORA, *Latr., Leach, Samou., (Kirby.)*

LASIUS, *Jurine.*—PODALIRIUS, *Walck.*—CENTRIS p, *Fabr.*—

MEGILLA p, *Illiger.*—APIS, (** d. 2. a. p.) Kirby.

5110. 1; retusa*. (*Leach E. E.* ix. 160.)—(*Sam. I.* 3. *pl. 8. f. 9.*)

—(*Kirby & Sp. I. E.* iii. 302. 306. & 332.)

Ap. retusa. *Kirby M. A.* ii. 296.

♂; Ap. pennipes. *Linn. MSS.*—*Don. xiii.* 3. *pl. 434.*

Ap. pilipes. *Fabr. P.* 329. (!)—*Panz. F.* lv. *f. 8.*—*Stew. ii.*
242.—*Turt. iii.* 552.

Ap. plumipes. *Schra. A.* 804.

Me. pilipes. (*Sam. I.* 26.)

Me. Hispanica. *Fabr. P.* 328.—*Panz. F.* lv. *f. 6.*

Ap. audax. *Harr. Ex.* 137. *pl. xl.* *f. 14.*

♀; Ap. retusa. *Linn. ii.* 954.

Me. Acervorum. *Fabr. P.* 328.—*Panz. F.* lxxviii. *f. 18.*—

Don. iii. 98. *pl. 108. f. 2.*—*Stew. ii.* 244.—*Turt. iii.* 550.

Lasis pilipes. (*Sam. I. 24.*)

Ap. rufipes. *Miller MSS.*—*Christi. Hy. 132. pl. 9. f. 1.*

Ap. intrepidus. *Harr. Ex. 131. pl. xxxviii. f. 7.*

5111 † 2. Haworthana.

Ap. Haworthana. *Kirby M. A. ii. 307.*

In *Mus. Brit., et D. Haworth.*

Genus 149: (723). XYLOCOPA^a.

Genus 150: (724). BOMBUS, *Latreille, Leach, Samou.*, (*Kirby.*)

BREMUS, *Jurine*.—APIS, (** e. 2.) *Kirby.*

Humble-bee., *Bumble-bee.*, *Bumble-dore.*

5113. 1; rupestris*. *Fabr. P. 348.*—(*Sam. I. 6.*)

Ap. rupestris. *Fabr. ii. 320.*—*Kirby M. A. ii. 369.*

Ap. lapidaria var. *Brun. Prod. 19. nota a. a.*

Ap. subterranea. *Christi. Hy. 125. pl. 6. f. 5?*

5114. 2; campestris*. *Fabr. P. 344.*—(*Sam. I. 6.*)

Ap. campestris. *Panz. F. lxxiv. f. 11.*—*Kirby M. A. ii. 335.*
pl. 18. f. 2.

5115. 3; Barbutellus*. (*Sam. I. 6.*)

Ap. Barbutella. *Kirby M. A. ii. 343.*—*Don. xi. 71. pl. 385. f. 3.*

β, Ap. saltuum. *Panz. F. lxxv. f. 21.*

Ap. monacha. *Christi. Hy. 131. pl. 8. f. 7.*

Ap. autumnalis. *Fabr. ii. 324.*

5116. 4; vestalis*. (*Sam. I. 6.*)

Ap. vestalis. *Fourc. ii. 450.*—*Kirby M. A. ii. 347. pl. 18.*
f. 4. ♂.—f. 3. ♀.—Don. xiii. 65. pl. 464.

5117. 5; Muscorum*. *Fabr. P. 349.*—(*Sam. I. 6.*)

Ap. Muscorum. *Linn. ii. 960.*—*Christi. Hy. 130. pl. 8. f. 3. ♀.*

—142. *pl. 11. f. 8. ♀.*—*Kirby M. A. ii. 317.*—*Stew. ii. 243.*

—*Don. xi. 70. pl. 382. f. 2.*—*Turt. iii. 550.*—(*Kirby & Sp. I. E. ii. 476.*)

Ap. senilis. *Fabr. ii. 324.*

Ap. impavidus. *Harr. Ex. 131. pl. xxxviii. f. 6.*

Ap. melleus. *Harr. Ex. 138. pl. xl. f. 17.*

Ap. melinus. *Harr. Ex. 138. pl. xl. f. 18.*

The Cording Bee. *Bingley. iii. 283.*

5118 † 6. Hypnorum^b.

^a Genus 149: (723). XYLOCOPA? *Latreille, (Kirby.)*

CENTRIS p, *Fabr.*—BOMBUS p, *Fabr.*—APIS, (** d. 2. β.) *Kirby.*

5112 † 1, iricolor. *Illiiger.*

Ap. iricolor. *Kirby M. A. ii. 310. pl. 17. f. 9. (!)—Don. xii. 25.*
pl. 403. f. 1. (!)

Ap. virens. *Christi. Hy. 123. pl. 6. f. 2?*

^b 5118 † 6. Hypnorum. *Fabr. P. 349.*

Ap. Hypnorum. *Linn. ii. 960.*—*Christi. Hy. pl. 9. f. 7.*—*Stew. ii.*
243. (!)—Turt. iii. 550. (!)

5119. 7; *floralis**. (*Sam. I. 6.*)
 Ap. *floralis*. *Gmel.* iv. 2785.—*Kirby M. A.* ii. 321. *pl. 17.*
f. 14. ♂.—*Don.* xi. 47. *pl. 376.* *f. 5.*
 Ap. *fasciata*. *Scop. A.* iv. *p. 12.*
 Ap. *vulgo*. *Harr. Ex.* 137. *pl. xl.* *f. 13.* ♀.
5120. 8; *Francillonellus**.
 Ap. *Francillonella*. *Kirby M. A.* ii. 319. *pl. 17.* *f. 13.*
 Po. *Francillonana*. (*Sam. I. 6.*)
5121. 9; *Beckwithellus**. (*Sam. I. 6.*)
 Ap. *Beckwithella*. *Kirby M. A.* ii. 323.
5122. 10; *Sowerbianus**.
 Ap. *Sowerbiana*. *Kirby M. A.* ii. 322.
- 5123 † 11, *Lapponicus*. *Fabr. P.* 345.
 Ap. *Lapponica*. *Fabr. E. S.* ii. 318. In Mus. D. Kirby?
5124. 12; *Forsterellus**. (*Sam. I. 6.*)
 Ap. *Forsterella*. *Kirby M. A.* ii. 325.
5125. 13; *Curtisellus**. (*Sam. I. 6.*)
 Ap. *Curtisella*. *Kirby M. A.* ii. 324.
- 5126 † 14. *Agrorum*^a.
 5127. 15; *Sylvarum**. *Fabr. P.* 348.—(*Sam. I. 6.*)
 Ap. *Sylvarum*. *Linn.* ii. 960.—*Barb. G.* *pl. 15.* *f. 4, 5?*—
Kirby M. A. ii. 326. *pl. 17.* *f. 16.* ♂.—*f. 15.* ♀.—*Turt.* iii.
 550.
 Ap. *scylla*. *Christi. Hy.* *p. 129.* *pl. 8.* *f. 1?*
5128. 16; *fragrans**. (*Sam. I. 6.*)
 Ap. *fragrans*. *Pallas. Sp.* i. 474.—*Kirby M. A.* ii. 329.
 Ap. *pratorum*. *Fabr.* ii. 222.
5129. 17; *Latreillellus**. (*Sam. I. 6.*)
 Ap. *Latreillella*. *Kirby M. A.* ii. 330.
 Ap. *Maura*. *Christi. Hy.* 131. *pl. 8.* *f. 8?*
5130. 18; *Rossiellus**. (*Sam. I. 6.*)
 Ap. *Rossiella*. *Kirby M. A.* ii. 331. *pl. 18.* *f. 1.*
 Ap. *sylvarum*. *Schra. A.* 817.
5131. 19; *Leeanus**. (*Sam. I. 6.*)
 Ap. *Leeana*. *Kirby M. A.* ii. 333.
5132. 20, *Leachiellus mihi*.
5133. 21; *Tunstallanus**. (*Sam. I. 6.*)
 Ap. *Tunstallana*. *Kirby M. A.* ii. 346.
 Ap. *veterana*. *Fabr.* ii. 324?

^a 5126 † 14. *Agrorum*. (*Sam. I. 6.*)

Ap. *Agrorum*. *Fabr.* ii. 321. (!)—*Kirby M. A.* ii. 326.—*Turt.* iii.
 549. (!)—*Panz. F.* lxxxv. *f. 20?* In Mus. Soc. Linn.

5134. 22; Soroensis*. *Fabr. P.* 345.
 Ap. Soroensis. *Fabr.* ii. 318.—*Kirby M. A.* ii. 354.—*Panz. F.*
 vii. f. 11.
 Ap. Cardui. *Müll. Z. D. Pr.* 1929.
 Bo. sorensis. (*Sam. I.* 6.)
5135. 23; Scrinshiranus*.
 Ap. Scrimphirana. *Kirby M. A.* ii. 342.
 Bo. Scrimshirana. (*Sam. I.* 6.)
5136. 24; cognata* *mihi.*
5137. 25, Francisanus*. (*Sam. I.* 6.)
 Ap. Francisana. *Kirby M. A.* ii. 334.
5138. 26; Hortorum*. *Fabr. P.* 347.—(*Sam. I.* 6.)
 Ap. Hortorum. *Linn.* ii. 960.—*Kirby M. A.* ii. 339.—*Shaw G. Z.* vi. 348. *fig. inf. med.*
 Ap. ruderata. *Fabr.* ii. 317.—*Christi. Hy.* 128. *pl. 7. f. 4.*
 Ap. paludosa. *Müll. Z. D. Pr.* 1919.
 Ap. Hypnorum. *Fourc.* ii. 450.
 Ap. fidens. *Harr. Ex.* 130. *pl. xxxviii. f. 3.*
5139. 27; lucorum*. *Fabr. P.* 350.—(*Sam. I.* 6.)
 Ap. lucorum. *Linn.* ii. 961.—*Kirby M. A.* ii. 336.—*Turt.* iii. 550.
 Ap. Hypnorum. *Rossi F.* ii. 905.
 Ap. cæspitum. *Panz. F.* lxxxi. f. 19.
5140. 28, Joneillus*. (*Sam. I.* 6.)
 Ap. Jonella. *Kirby M. A.* ii. 338.
5141. 29, virginalis*. (*Sam. I.* 6.)
 Ap. virginalis. *Fourc.* ii. 450.—*Kirby M. A.* ii. 349.
 Ap. Hortorum. *Fabr.* ii. 320.—*Turt.* iii. 549.
5142. 30; terrestris*. *Fabr. P.* 343.—(*Sam. I.* 6.)
 Ap. terrestris. *Linn.* ii. 960.—*Berk. S.* i. 159.—*Barb. G.*
pl. 15. f. 2.—*Panz. F.* i. f. 16.—*Kirby M. A.* ii. 350.—*Stew.* ii. 243.—*Turt.* iii. 548.—*Shaw G. Z.* vi. 348. *pl. 98. fig. inf. siuist.*—*pl. 99. fig. inf. nidus.*—*Wood.* ii. 68. *pl. 60.*
 Ap. hortorum. *Scop. C.* 817.
 Ap. audax. *Harr. Ex.* 130. *pl. xxxviii. f. 1.*
- ♀, Ap. Graminum. *Marsh. MSS.*
 Ap. terrestris. *Barb. G.* *pl. 15. f. 1.*—*Don.* iii. 41. *pl. 38. f. 1.*
5143. 31; subinterruptus*. (*Sam. I.* 6.)
 Ap. subinterrupta. *Marsh. MSS.*—*Kirby M. A.* ii. 356. *pl. 13. f. 5.* ♀.
 Ap. regalis. *Fourc.* ii. 449.
 Ap. bistriata. *Christi. Hy.* 128. *pl. 7. f. 3.*
- 5144 † 32, Nemorum^a.

^a 5144 † 32, Nemorum. *Fabr. P.* 345.

Ap. Nemorum. *Fabr.* ii. 317.—*Stew.* ii. 243. (!)

5145. 33; Burrellanus*. (*Sam. I. 6.*)
 Ap. Burrellana. *Kirby M. A.* ii. 358.
 Ap. regalis β . *Fourc.* ii. 449.
Schæff. Ic. pl. 261. f. 5, 6.
5146. 34; Donovanellus*. (*Sam. I. 6.*)
 Ap. Donovanella. *Kirby M. A.* ii. 357. *pl. 18. f. 6.* ♂.
5147. 35; Cullumanus*. (*Sam. I. 6.*)
 Ap. Cullumana. *Kirby M. A.* ii. 359.
5148. 36, pratorum*. (*Sam. I. 6.*)
 Ap. pratorum. *Linn.* ii. 960.—*Kirby M. A.* ii. 360.
 Ap. vereor. *Harr. Ex.* 136. *pl. xl. f. 9.*
5149. 37, Albinellus*. (*Sam. I. 6.*)
 Ap. Albinella. *Kirby M. A.* ii. 361.
 Ap. frutetorum. *Panz. F.* lxxv. *f. 20.*
5150. 38; Derhamellus*. (*Sam. I. 6.*)
 Ap. Derhamella. *Kirby M. A.* ii. 363.
 Ap. fidus. *Harr. Ex.* 131. *pl. xxxviii. f. 4?*
5151. 39; subterraneus*. *Fabr. P.* 350.—(*Sam. I. 6.*)
 Ap. subterranea. *Linn.* ii. 961.—*Berk. S. i.* 159.—*Kirby M. A.*
 ii. 371.—*Stew.* ii. 244.—*Turt.* iii. 550.
 Ap. perniger. *Harr. Ex.* 131. *pl. xxxviii. f. 8.* ♂.
5152. 40; Harrisellus*. (*Sam. I. 6.*)
 Ap. Harrisella. *Kirby M. A.* ii. 373. *pl. 18. f. 8.* ♂.—*f. 7. ♀.*
 Ap. retusa. *Christi. Hy.* 133. *pl. 9. f. 4.* ♂.
5153. 41; Raiellus*. (*Sam. I. 6.*)
 Ap. Raiella. *Kirby M. A.* ii. 367.
5154. 42; lapidarius*. *Fabr. P.* 347.—(*Sam. I. 6.*)
 Ap. lapidaria. *Linn.* ii. 960.—*Barb. G.* *pl. 15. f. 3.*—*Don.* iii.
 97. *pl. 108. f. 1.*—*Id. pl. 88. f. 2.* β .—*Shaw N. M.* *pl. 454.*
 —*Kirby M. A.* ii. 364.—*Stew.* ii. 243.—*Turt.* iii. 549.—*Shaw G. Z.* vi. 347. *pl. 98. fig. inf. dext.*—*Don.* xi. 69. *pl. 385.*
f. 1. ♂.
 The orange-tailed Bee. *Bingley.* iii. 290.
 Ap. pratorum. *Christi. Hy.* 141. *pl. 11. f. 5.* β .
 Ap. audens. *Harr. Ex.* 130. *pl. xxxviii. f. 2.*
 Ap. opis. *Harr. Ex.* 137. *pl. xl. f. 12.*
 Ap. pertristis. *Harr. Ex.* 137. *pl. xl. f. 15.*
- ♂; Ap. arbustorum. *Fabr. E. S.* ii. 347.
 Ap. coronata. *Fourc.* ii. 449.
 Ap. strenuus. *Harr. Ex.* 131. *pl. xxxviii. f. 5?*
 Ap. haemorrhoidalis. *Christi. Hy.* 132. *pl. 9. f. 2.*
- β ? Ap. flavicollis. *Sowerb. B. M.* i. *pl. 19.*
 Bo. flavicollis. (*Sam. I. 6.*)

Genus 151: (725). APIS *Auctorum.* Honey-Bee.

5155. 1; mellifica*. *Linn.* ii. 955.—*Harr. Ex.* 132. *pl. xxxix.*

f. 9. ♂.—*f.* 10. ♀.—(*Berk.* S. i. 158.)—*Kirby M. A.* ii. 312.
pl. 17. *f.* 11. ♂.—*f.* 10. ♀.—*f.* 12. ♀.—*Stew.* ii. 241.—*Turt.* iii.
552.—(*Sam. I.* 4.)—*Shaw G. Z.* vi. 289. *pl.* 98. *fig. sup.*—*Don.*
xiv. 63. *pl.* 492.—*Bingley.* iii. 282.

Ap. cerifera. *Scop. A.* iv. 16.

Ap. gregaria. *Geoff. H.* ii. 407.

Ap. mellifera. *Fourc.* ii. 442.

Ap. domestica. *Latr. H.* iii. 386.

Familia XIX: (108). ANDRENIDÆ, Leach.

(ANDRENETÆ, *Latr.*)—(APIS *p.*, Linné.—MELITTA, Kirby.)

Genus 152: (726). ANDRENA, Fabricius, Leach, Samou., Curtis,
(Kirby.)

MELITTA (** c.), Kirby.—NOMADA *p.*, Fabr.

5156 † 1, Lathamana*?

Me. Lathamana. *Kirby M. A.* ii. 83. In Mus. Brit.

5157. 2; Rosæ*. *Panz. F.* lxxiv. *f.* 10.—(*Sam. I.* 2.)

Me. Rosæ. *Kirby M. A.* ii. 83.

Me. zonalis. *Kirby M. A.* ii. 87?

5158. 3; cingulata*. (*Sam. I.* 2.)

♀, No. cingulata. *Fabr. P.* 394.

Ap. Suecica. *Gmel.* ii. 2794.

Ap. Sphegooides. *Panz. F.* lvi. *f.* 24.

♂. An. labiata. *Fabr. P.* 324.

Ap. albilabris. *Panz. F.* lvi. *f.* 23.

Me. cingulata. *Kirby M. A.* ii. 88.

5159. 4; Schrankella*. (*Sam. I.* 2.)

Me. Schrankella. *Kirby M. A.* ii. 90.

Ap. Cetii. *Schr. A.* No. 818.

An. marginata. *Fabr. P.* 326.—*Panz. F.* lxxii. *f.* 15.

Ap. marginella. *Gmel.* ii. 2793.

5160. [5, affinis.] (*Sam. I.* 2.)

Me. affinis. *Kirby M. A.* ii. 92.

5161. 6, Hallana. (*Curtis l. c. infra.*)

Me. Hallana. *Kirby MSS.*

5162. 7; fulvago*. (*Sam. I.* 2.)

Ap. fulvago. *Christi. Hy.* 189. *pl.* 16. *f.* 7.

Me. fulvago. *Kirby M. A.* ii. 93.

5163. 8; albicans*. (*Sam. I.* 2.)

Ap. albicans. *Müll. Z. D. Pr.* 1930.

Me. albicans. *Kirby M. A.* ii. 94.

Ap. hæmorrhoidalis. *Christi. Hy.* 189. *pl.* 16. *f.* 8.

Ap. hiberus. *Harr. Ex.* 135. *pl.* xxxix. *f.* 18?

5164. 9; pilipes *. *Fabr. P.* 322. (!)—(*Sam. I.* 2.)

Ap. pilipes. *Kirby M. A.* ii. 96.

- An. ciliata. *Fabr. S. I. i.* 474.
 An. atra. *Schra. A. No.* 814.
 An. aterrima. *Panz. F. lxiv. f.* 19.
5165. 10; hirtipes * *mihi*.
 An. Yeatella. *Kirby MSS?*—(*Curtis l. c. infra?*)
5166. 11; cineraria*. *Fabr. P.* 323.
 Ap. cineraria. *Linn. ii.* 953.—*Turt. iii.* 554.
 Me. cineraria. *Kirby M. A. ii.* 98.
 Ap. atra. *Scop. C.* 797.—*Panz. F. lvi. f.* 14.
- ♂, Ap. cinerea. *Fourc. P. ii.* 444.
5167. 12, aprica* *mihi*.
 Ap. albescens. *Kirby MSS?*—(*Curtis l. c. infra?*)
5168. 13; pratensis*. (*Sam. I. 2.*)
 Ap. pratensis. *Müll. Z. D. Pr. No.* 1912.
 Me. pratensis. *Kirby M. A. ii.* 100.
 Ap. carbonaria. *Fabr. ii.* 312.
 Ap. cineraria. *Christi. Hy.* 201. *pl. 17. f.* 14.
5169. 14; thoracica*. *Fabr. P.* 322.—(*Sam. I. 2.*)
 Ap. thoracica. *Fabr. ii.* 328.
 An. bicolor. *Christi. Hy.* 177. *pl. 14. f.* 5.
 Ap. assiduus. *Harr. Ex.* 138. *pl. xl. f.* 19.
 Me. thoracica. *Kirby M. A. ii.* 101.
- ♂; An. bicolor. *Fabr. ii.* 310.—*Panz. F. lxv. f.* 19.
5170. 15; melanocephala*.
 Me. melanocephala. *Kirby M. A. ii.* 103.
- 5171 † 16. cunicularia*.
 5172. 17; nitida*. (*Sam. I. 2.*)
 Ap. nitida. *Fourc. ii.* 443.
 Me. nitida. *Kirby M. A. ii.* 104.
 Ap. cunicularia. *Miller MSS.*
 Ap. fortis. *Harr. Ex.* 134. *pl. xxxix. f.* 11. ♂?
5173. 18; tibialis*. (*Sam. I. 2.*)
 Me. tibialis. *Kirby M. A. ii.* 107.
5174. 19; Moufetella*. (*Sam. I. 2.*)
 Me. Moufetella. *Kirby M. A. ii.* 108.
5175. 20; nigroænea*. (*Sam. I. 2.*)
 Me. nigroænea. *Kirby M. A. ii.* 109.—*Sowerb. B. M. i. pl.* 38.
5176. 21; atriceps*. (*Sam. I. 2.*)
 Me. atriceps. *Kirby M. A. ii.* 114.
- 5177 † 22, bimaculata*.
 Me. bimaculata. *Kirby M. A. ii.* 115.

^a 5171 † 16. cunicularia. *Fabr. P.* 323.
 Ap. cunicularia. *Linn. ii.* 327.—*Turt. iii.* 552. (!)

5178. 23; Trimmerana*. (*Sam. I. 2.*)
Me. Trimmerana. *Kirby M. A.* ii. 116.
5179. 24; varians*. (*Sam. I. 2.*)
Ap. varians. *Rossi M.* 317.
An. varians. *Panz. F.* lvi. f. 12.
Me. varians. *Kirby M. A.* ii. 117.
5180. 25; helvola*. *Fabr. P.* 326.—(*Sam. I. 2.*)
Ap. helvola. *Linn.* ii. 955.—*Turt.* ii. 542.
Me. helvola. *Kirby M. A.* ii. 119. *pl. 15. f. 9.*
5181. 26; Gwynana*. (*Sam. I. 2.*)
Ap. helvola. *Rossi F.* No. 895.
Me. Gwynana. *Kirby M. A.* ii. 120.
- 5182 † 27, angustior.
Me. angustior. *Kirby M. A.* ii. 124.
In Mus. Soc. Linn. et D. Kirby.
5183. 28, picicornis.
Me. picicornis. *Kirby M. A.* ii. 123.
5184. 29; fulva*. (*Sam. I. 2.*)
Ap. fulva. *Schr. A.* No. 805.
Me. fulva. *Kirby M. A.* ii. 128.
Ap. vestita. *Fabr. P.* 323.—*Panz. F.* lv. f. 9.
Ap. vulpina. *Christi. Hy.* 161. *pl. 12. f. 18.*
Ap. aurea. *Marsham. MSS.*
5185. 30. Clarkella. (*Sam. I. 2.*)
Me. Clarkella. *Kirby M. A.* ii. 130.
Ap. icterica. *Christi. Hy.* 190. *pl. 16. f. 9?*
5186. 31, Smithella*. (*Sam. I. 2.*)
Me. Smithella. *Kirby M. A.* ii. 131.
Ap. pilipes. *Panz. F.* vii. f. 13.
- 5187 † 32, nigriceps. (*Sam. I. 2.*)
Me. nigriceps. *Kirby M. A.* ii. 134. In Mus. D. Kirby.
5188. 33, Spencella*. *Kirby MSS.*
- 5189 † 34, rufitarsis.
Me. rufitarsis. *Kirby M. A.* ii. 135. In Mus. D. Kirby.
5190. 35, fuscipes.
Me. fuscipes. *Kirby M. A.* ii. 136.
- 5191 † 36, lanifrons *?
Me. lanifrons. *Kirby M. A.* ii. 139. In Mus. D. Haworth.
5192. 37; Listerella. (*Sam. I. 2.*)
Me. Listerella. *Kirby M. A.* ii. 137.
5193. 38; fulvicrus*. (*Sam. I. 2.*)
Me. fulvicrus. *Kirby M. A.* ii. 138.
Ap. invictus. *Harr. Ex.* 134. *pl. xxxix. f. 12?*
- 5194 † 39. pubescens.

- Ap. pubescens. *Fabr.* ii. 336.
 Me. pubescens. *Kirby M. A.* ii. 141. In Mus. D. Kirby.
5195. 40; contigua*.
 Me. contigua. *Kirby M. A.* ii. 140.
- 5196 † 41, dorsata.
 Me. dorsata. *Kirby M. A.* ii. 144. In Mus. D. Kirby.
5197. 42; hæmorrhoidalis*. *Fabr. P.* 327.—*Panz. F.* lxv. f. 20.
 —(*Sam. I.* 2.)
 Ap. dichroa. *Gmel.* vi. 2792.
 Me. hæmorrhoidalis. *Kirby M. A.* ii. 141.
5198. 43; chrysosceles*. (*Sam. I.* 2.)
 Me. chrysosceles. *Kirby M. A.* ii. 143.
5199. 44; proxima*.
 Me. proxima. *Kirby M. A.* ii. 146.
5200. 45; Wilkella*.
 Me. Wilkella. *Kirby M. A.* ii. 145.
5201. 46; Coitana*.
 Me. Coitana. *Kirby M. A.* ii. 147.
- 5202 † 47, barbata.
 Me. barbata. *Kirby M. A.* ii. 150. In Mus. Soc. Linn.
5203. 48, labialis*.
 Me. labialis. *Kirby M. A.* ii. 148.
5204. 49; Lewinella*. (*Sam. I.* 2.)
 Me. Lewinella. *Kirby M. A.* ii. 149.
5205. 50, ovatula*. (*Sam. I.* 2.)
 Me. ovatula. *Kirby M. A.* ii. 149.
- 5206 † 51, Collinsoniana. (*Sam. I.* 2.)
 Me. Collinsoniana. *Kirby M. A.* ii. 153. In Mus. D. Kirby.
5207. 52; barbilabris*. (*Sam. I.* 2.)
 Me. barbilabris. *Kirby M. A.* ii. 151.
5208. 53; barbatula*.
 Me. barbatula. *Kirby M. A.* ii. 152.
5209. 54; nitidiuscula*.
 Me. nitidiuscula. *Kirby M. A.* ii. 155.
5210. 55; nitidula* *mihi.*
5211. 56; combinata*.
 Ap. combinata. *Christi. Hy.* 187. *pl.* 15. *f.* 9.
 Me. combinata. *Kirby M. A.* ii. 153.
5212. 57. connectens*.
 Me. connectens. *Kirby M. A.* ii. 157.
5213. 58; albicrus*. (*Sam. I.* 2.)
 Me. albicrus. *Kirby M. A.* ii. 156.
5214. 59, subincana.
 Me. subincana. *Kirby M. A.* ii. 158.

5215. 60, digitalis.
Me. digitalis. *Kirby M. A.* ii. 159.
5216. 61; Shawella*. (*Sam. I. 2.*)
Me. Shawella. *Kirby M. A.* ii. 160.
- 5217 † 62, pilosula.
Me. pilosula. *Kirby M. A.* ii. 164. In Mus. D. *Kirby*.
5218. 63; minutula*. (*Sam. I. 2.*)
Me. minutula. *Kirby M. A.* ii. 161.
5219. 64; nana*.
Me. nana. *Kirby M. A.* ii. 161.
5220. 65; parvula*. (*Sam. I. 2.*)
Me. parvula. *Kirby M. A.* ii. 162.
5221. 66, convexiuscula.
Me. convexiuscula. *Kirby M. A.* ii. 166.
5222. 67; xanthura*.
Me. xanthura. *Kirby M. A.* ii. 164.
5223. 68; fuscata. (*Sam. I. 2.*)
Me. fuscata. *Kirby M. A.* ii. 167.
5224. 69; Afzeliella*. (*Sam. I. 2.*)
Me. Afzeliella. *Kirby M. A.* ii. 169.
5225. 70, fulvescens. *Kirby MSS.*—(*Curtis l. c. infra.*)
5226. 71, Kirbiella mihi.—*Curtis.* iii. pl. 129.
5227. 72, denticulata.
Me. denticulata. *Kirby M. A.* ii. 133.
5228. 73; spinigera*. (*Sam. I. 2.*)
Me. spinigera. *Kirby M. A.* ii. 123.—(*Kirby & Sp. I. E.* ii. 262.)
5229. 74, armata*. (*Sam. I. 2.*)
Ap. armata. *Lin. Mus. Lesk.* 80.
Me. armata. *Kirby M. A.* ii. 124.
5230. 75, subdentata.
Me. subdentata. *Kirby M. A.* ii. 126.
5231. 76, angulosa*.
Me. angulosa. *Kirby M. A.* ii. 127.
5232. 77, tridentata. (*Sam. I. 2.*)
Me. tridentata. *Kirby M. A.* ii. 132.
- 5233 † 78. picipes.
Me. picipes. *Kirby M. A.* ii. 127. In Mus. D. *Donovan?*
Ap. picipes. *Don. xi. 45. pl. 410. f. 1?*
- Genus 153: (727). CILISSA, *Leach, Samou.*
MELITTA, (** c. p.) *Kirby*.—ANDRENA p., *Latr.*
5234. 1, tricincta*. (*Leach E. E.* ix. 155.)—(*Sam. I. 11.*)
Me. tricincta. *Kirby M. A.* ii. 171.—(*Sam. I. 27.*)
5235. 2, hæmorrhoidalis. (*Leach E. E.* ix. 155.)

An. hæmorrhoidalis. *Panz. F. lxv. f. 20.*

Me. chryṣura. *Kirby M. A. ii. 172.*

An. chrysura. (*Sam. I. 2.*)

5236. 3; affinis * *miki.*

Genus 154: (728). DASYPODA, *Latreille, Leach, Samou., (Kirby.)*

TRACHUSA p, *Jurine.*—ANDRENA p, *Rossi.*—MELITTA (** c. p,) *Kirby.*

5237. 1; Swammerdamella*.

Me. Swammerdamella. *Kirby M. A. ii. 174.—(Sam. I. 27.)*

Da. plumipes. (*Leach E. E. ix. 155.*)—(*Sam. I. 14.*)

Ap. altercator. *Harr. Ex. 164. pl. xlvi. f. 9?*

♂; Ap. farfarisequa. *Panz. F. lv. f. 14.*

♀; Ap. plumipes. *Panz. F. xlvi. f. 16.*

Genus 155: (729). COLLETES, *Latreille, Leach, Samou., Curtis,* (*Kirby.*)

ANDRENA p, *Fabr.*—HYLÆUS p, *Cuvier.*—EVODIA, *Panzer.*—
MELITTA, (* a.) *Kirby.*

5238. 1; succincta*. (*Latr. G. iv. 149.*)—(*Sam. I. 12.*)—(*Curtis l. c. infra.*)

Ap. succincta. *Linn. ii. 955.—Christi. Hy. 185. pl. 15. f. 7.*
—*Turt. ii. 544.*

Me. succincta. *Kirby M. A. ii. 32.—(Sam. I. 27.)*

Ev. calendarum. *Panz. F. lxxxiii. f. 19.*

5239. 2; fodiens *. (*Latr. G. iv. 149.*)—(*Sam. I. 12.*)—*Curtis. ii.*
pl. 85.

Ap. fodiens. *Fourc. P. ii. 444.*

Me. fodiens. *Kirby M. A. ii. 34. (26.) pl. 1. f. 2. ♂. f. 1. ♀.*

5240. 3, Daviesana*. (*Curtis l. c. supra.*)

Me. Daviesana. *Kirby MSS.*

Genus 156: (730). SPHECODES, *Latreille, Leach, Samou., (Kirby.)*

SPHEX p, *Linné.*—PROAPIS p, *DeGeer.*—NOMADA p, *Fabr.*—
ANDRENA p, *Oliv.*—MELITTA, (* a.) *Kirby.*—DICHROA, *Illig.*

—TIPHIA p, *Panzer.*

5241. 1; Geoffroyellus*.

Sp. gibbus. (*Latr. G. iv. 153.*)—(*Leach E. E. ix. 155.*)—
(*Sam. I. 38.*)

No. gibba. *Fabr. P. 393. (!)*

Ap. rufescens. *Fourc. ii. 447.*

No. succincta? *Scop. A. iv. 45.*

Ap. gibba. *Christi. Hy. 183. pl. 15. f. 3.*

Me. gibba. *Kirby M. A. ii. 42.*

Di. analis. (*Illiger M. v. 48.*)

♀; Me. Geoffroyella. *Kirby M. A. ii. 45. pl. 1. f. 5.*

Ap. Geoffroyella. *Don.* xi. 45. *pl.* 376. *f.* 3.
Ti. rufiventris. *Panz.* *F.* liv. *f.* 4.

5242. 2; gibbus*. Sp. gibba. *Linn.* ii. 946.—*Stew.* ii. 244.—*Turt.* iii. 546.

Sp. gibbus. (*Sam. I.* 38.)

Ap. rufa. *Christ. Hy.* 201. *pl.* 17. *f.* 12.

Me. Sphecooides. *Kirby M. A.* ii. 46.

Ap. Sphecooides. *Don.* xi. 44. *pl.* 376. *f.* 2.

♂. Me. monilicornis. *Kirby M. A.* ii. 47. *pl.* 1. *f.* 6. β.
Sp. monilicornis. (*Sam. I.* 38.)

5243. 3; piceus*.

Me. picea. *Kirby M. A.* ii. 48.

Sp. picea. (*Sam. I.* 38.)

5244. 4; divisus*.

Me. divisa. *Kirby M. A.* ii. 49.

Sp. divisa. (*Sam. I.* 38.)

Ap. minimus. *Harr. Ex.* 136. *pl.* xxxix. *f.* 21?

Genus 157: (731). HALICTUS, *Latreille*, (*Kirby.*)

ANDRENA *p*, *Oliv.*—HYLÆUS *p*, *Fabr.*—MELITTA, (** b.) *Kirby.*
—MEGILLA *p*, *Fabr.*—PROSOPIS *p*, *Fabr.*—HYLÆUS, *Leach*,
Samou.

5245 + 1, sexcinctus. *Latr.* *H.* xiii. 366.

♂, Hy. sexcinctus. *Fabr.* *P.* 320.

Hy. sexcinctus. (*Leach E. E.* ix. 155.)

Hy. arbustorum. *Panz.* *F.* xlvi. *f.* 14.

An. quadricincta. *Oliv.* *E. M.* iv. 138.

Hy. cinctus. *Spin. I. L.* i. 123.

♀, An. rufipes. *Spin. I. L.* i. 123.

Hy. xanthodon. *Illiger:* teste *Latr.*

In Mus. *Brit.*

5246. 2, nidulans*. *Walck.* *M.* 69.

Hy. quadricinctus. *Fabr.* *P.* 319?—(*Sam. I.* 22.)

Me. quadricincta. *Kirby M. A.* ii. 51.

Ap. flavipes. *Panz.* *F.* lvi. *f.* 17.

5247. 3; xanthopus*.

Me. xanthopus. *Kirby M. A.* ii. 78.

Ap. maxillosa. *Christ. Hy.* 179. *pl.* 14. *f.* 7?

Ha. fodiens. *Walck.* *M.* 71.

5248. 4; sexnotatus*. *Walck.* *M.* 72.

Me. sexnotata. *Kirby M. A.* ii. 82. *pl.* 15. *f.* 8. ♂.—*f.* 7. ♀.

5249. 5; rubicundus*.

Ap. rubicunda. *Christ. Hy.* 190. *pl.* 16. *f.* 10.

Me. rubicunda. *Kirby M. A.* ii. 53.

5250. 6; flavipes*.

Hy. flavipes. *Fabr.* *P.* 321.

- Me. flavipes. *Kirby M. A.* ii. 55.
 Ap. crocipes. *Fourc.* ii. 446?
5251. 7; seladonius*.
 Meg. seladonia. *Fabr. P.* 334.
 Ap. subaurata. *Rossi F.* ii. 144.—*Panz. F.* lvi. f. 4.
 Me. seladonia. *Kirby M. A.* ii. 57.
5252. 8; æratus*.
 Me. ærata. *Kirby M. A.* ii. 58.
5253. 9; Smeathmanellus*.
 Me. Smeathmanella. *Kirby M. A.* ii. 375.
5254. 10, leucopus.
 Me. leucopus. *Kirby M. A.* ii. 59.
5255. 11; Morio*.
 Hy. Morio. *Fabr. P.* 321.
 Me. Morio. *Kirby M. A.* ii. 60.
Coqueb. Ill. i. 25. pl. 6. f. 5. A. E.
5256. 12; minutus*.
 Ap. minuta. *Schr. A. No.* 829.
 Me. minuta. *Kirby M. A.* ii. 61.
Reaum. vi. 95. pl. 9. f. 1?
5257. 13; villosulus*.
 Me. villosula. *Kirby M. A.* ii. 64.
5258. 14; minutissimus*.
 Me. minutissima. *Kirby M. A.* ii. 63.
5259. 15; nitidiusculus*.
 Me. nitidiuscula. *Kirby M. A.* ii. 64.
5260. 16, Milneanus. *Leach MSS.*
5261. 17, lævis.
 Me. lævis. *Kirby M. A.* ii. 65.
- 5262 † 18, punctulatus.
 Me. punctulata. *Kirby M. A.* ii. 66. In Mus. D. *Kirby.*
5263. 19, malachurus*.
 Me. melachura. *Kirby M. A.* ii. 67.
- 5264 † 20, fulvicornis.
 Me. fulvicornis. *Kirby M. A.* ii. 67. In Mus. D. *Kirby.*
5265. 21; fulvocinctus*.
 Me. fulvocincta. *Kirby M. A.* ii. 68.
 Ap. generosus. *Harr. Ex.* 134. *pl. xxxix. f. 14?*
- ♂; Ap. bicincta. *Schra. A. No.* 826.
 Hy. annulatus. *Panz. F.* xv. f. 3.
- ♀; Ap. nitida. *Müll. Z. D. Pr.* No. 1619.
 Ap. fodiens. *Fourc. P.* ii. 444.
 Hy. terebrator. *Walck. M.* 73.
5266. 22; albipes*.

- Hy. albipes. *Fabr. P.* 294?
 Ap. albipes. *Panz. F.* vii. f. 5.
 Mc. albipes. *Kirby M. A.* ii. 71.
 Ap. desertus. *Harr. Ex.* 135. *pl.* 59. f. 19.

5267. 23; abdominalis*.
 Hy. abdominalis. *Panz. F.* liii. f. 18.
 Me. abdominalis. *Kirby M. A.* ii. 73.

- 5268 † 24, obovatus.
 Me. obovata. *Kirby M. A.* ii. 75. In Mus. D. *Kirby.*

5269. 25, lævigatus*.
 Me. lævigata. *Kirby M. A.* ii. 75.
 Ap. lævigata. *Don. xii.* 76. *pl.* 421. f. 2?

5270. 26; leucozonius*.
 Ap. leucozonia. *Schr. A.* No. 819.
 Me. leucozonia. *Kirby M. A.* ii. 76.

5271. 27; quadrinotatus*.
 Me. quadrinotata. *Kirby M. A.* ii. 79.

5272. 28; lugubris.
 Me. lugubris. *Kirby M. A.* ii. 81.

Genus 158: (732). HYLÆUS, *Latreille.*

ANDRENA p, Oliv.—VESPA p, Rossi.—PROSOPIS p, Jurinc, (*Kirby.*)
 —SPHEX p, Panz.—MELITTA, (* b.) *Kirby.*

5273. 1; annulatus*. (*Sam. I.* 22.)
 Ap. annulata. *Linn.* ii. 958.—*Stew.* ii. 243.—*Turt.* iii. 540.
 Mc. annulata. *Kirby M. A.* ii. 36. *pl.* 15. f. 3.

5274. 2; annularis*.
 Me. annularis. *Kirby M. A.* ii. 38.
 Sp. annulata. *Panz. F.* liii. f. 1.
 Pr. labiata. *Fabr. P.* 295.

5275. 3; signatus*. (*Sam. I.* 22.)
 Sp. signata. *Panz. F.* liii. f. 2.
 Ap. signata. *Don. xii.* 75. *pl.* 421. f. 1.
 Ve. pratensis. *Fourc.* ii. 437.
 Me. signata. *Kirby M. A.* ii. 41.
 Pr. nigrita. *Fabr. P.* 296.

5276. 4; dilatatus*. (*Sam. I.* 22.)
 Me. dilatata. *Kirby M. A.* ii. 39. *pl.* 15. f. 4.

- 5277 † 5, geniculatus. *Leach?* MSS.
 Pr. bifasciatus. *Jurine Hy.* *pl.* 11. g. 30? In Mus. Brit.

SECTIO III. TUBULIFERA.

(TEREBRANTIA-PUPIVORA p, et TUBULIFERA, *Latr. G.*)Familia XX: (109). CHYSIDIDÆ, *Leach.*(CHYSIDIDES, *Latreille*.—CHYSIS, *Linné*, &c.) Ruby-tails.Genus 159: (733). HEDYCHRUM, *Latr.*, *Leach*, *Samou.*, *Curtis.**VESPA p*, *Geoffroy*.—*SPHEX p*, *Scop.*.—*OMALUS p*, *Panz.*A. "Segmento ultimo abdominis integro." *Panzer.*5278. 1; regium*. (*Sam. I. 21.*)—(*Curtis l. c. infra?*)
Ch. regia. *Fabr. ii. 243.*—*Panz. F. li. f. 9?*—*Ent. Trans. i. 254.*He. punctatum. *Leach MSS.*—(*Curtis l. c. infra.*)5279. 2; lucidulum*. *Latr. H. xiv. 239.*—(*Curtis l. c. infra.*)
Ch. lucidula. *Fabr. ii. 242.*—*Panz. F. li. f. 5.*
Sp. nobilis. *Scop. C. No. 792.*5280. 3, ardens. *Latr.?*—*Curtis. i. pl. 38.*
Ch. ænea. *Fabr. ii. 242?*B. "Segmento ultimo abdominis emarginato." *Panzer.*5281. 4; auratum*. *Latr. H. xiii. 239.*—(*Sam. I. 21.*)
Ch. aurata. *Linn. ii. 948?*—*Stew. ii. 237.*—*Panz. F. li. f. 8.*
—*Turt. iii. 510.*
Ch. lucidula var. *Hellwig.*5282. 5; eximum* *mihi.*5283. 6; imperiale*. *Leach MSS.*He. violaceum. (*Curtis l. c. supra.*)—nec *C. violacea Rossii.*
Ch. politus. *Harr. Ex. 70. pl. xix. Ord. III.*
Ch. atrocaerulea. *Kirby MSS.*
Om. nitidum. *Panz. F. xvii. f. 17?*5284. [7, cæruleum*]. *Leach MSS.*—(*Curtis l. c. supra.*)
Ch. nitidus. *Mus. Marsham.*5285. 8, politum*. *Leach MSS.*5286. 9, pusillum*.
Ch. pusilla. *Fabr. P. 176?*Genus 160: (734). ELAMPUS, *Spinola*, *Leach*, *Samou.*HEDYCHRUM *p*, *Panzer.*5287. 1; Panzeri*. *Spin. I. L. i. 10.*—(*Leach E. E. ix. 146.*)—
(*Sam. I. 16.*)Ch. Panzeri. *Fabr. P. 172.*Ch. scutellaris. *Panz. F. li. f. 11.*He. spina. *Ann. Mus. (Lepeltier.) xxxviii. 121. f. 2, 3.*

Genus 161: (735). CHRYYSIS Auctorum.

SPHEX *p.* Scop.

A. Ano quadridentato.

5288. 1; fulgida*. *Linn.* ii. 948.—*Turt.* ii. 509.—*Shaw G. Z.* vi. 283.—*Curtis.* i. pl. 8.—(*Ing. Inst.* 90.)
Ch. ignita. *Samou.* 448. pl. 8. f. 7.
5289. 2; ignita*. *Linn.* ii. 947.—*Harr. Ex.* 68. pl. xix. Ord. I. f. 1?—*Berk. S.* i. 157?—*Don.* i. 19. pl. 7.—*Stew.* ii. 236.—*Turt.* iii. 510.—*Shaw G. Z.* vi. 283. pl. 94. fig. sup.—(*Leach E. E.* ix. 146.)—(*Sam. I.* 10.)
5290. 3; affinis*. *Leach MSS.*—(*Sam. I.* 10.)
5291. 4; nitens* *mihi.*
5292. 5; nucans* *mihi.*
5293. 6; fulminans* *mihi.*
5294. 7; confinis* *mihi.*
5295. 8; effulgens*. *Leach MSS.*—(*Sam. I.* 10.)
Ch. fulgida. *Harr. Ex.* 69. pl. xix. Ord. I. f. 2.
5296. 9; pulchra* *mihi.*
5297. 10; ephippium* *mihi.*
5298. [11, obscura*] *mihi.*
5299. 12; Stroudera*. *Jurine H.* pl. 12. f. 42.—(*Sam. I.* 10.)
5300. 13; aurulenta* *mihi.*
5301. 14; dimidiata*. *Fabr. S.* 258?
5302. 15; bidentata*. *Linn.* ii. 947.—*Don.* i. 43. pl. 19.—*Stew.* ii. 236.—*Turt.* iii. 510.—(*Sam. I.* 12.)
Ch. hephæstites. *Harr. Ex.* 69. pl. xix. Ord. I. f. 5.
5303. 16; inermis* *mihi.*

B. Ano tridentato.

5304. 17, succincta. *Linn.* ii. 947.—*Panz. F.* lxxvii. f. 16.—*Turt.* ii. 510.
5305. 18; cyanea*. *Linn.* ii. 948.—*Don.* vii. 51. pl. 235.—*Stew.* ii. 237.—*Turt.* iii. 510.—(*Sam. I.* 10.)
Ch. veridans. *Harr. Ex.* 69. pl. xix. Ord. I. f. 4.
Var.? *Harr. Ex.* 69. pl. xix. Ord. II.?

C. Ano integro.

5306. 19; rufa*. *Panz. F.* lxxxix. f. 16.
5307. 20; austriaca*. *Fabr. P.* 173?
Ch. radians. *Harr. Ex.* 69. pl. xix. Ord. I. f. 3?
- 5308 † 21, Leachii *mihi.* In Mus. Brit.

Genus 162: (736). EUCHREUS, Latreille, Leach.

- 5309 † 1, quadratus. *Leach MSS?*

Ch. sexdentata. *Panz. F.* li. f. 12?

Ch. violacea. *Panz. K. R.* ii. 103? In Mus. Brit.

Genus 163: (737). CLEPTES, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

SPHEX *p*, *Linné*.—VESPA *p*, *Geoff.*.—ICHNEUMON *p*, *Rossi*.

5310. 1; semiaurata*. *Latr. H.* xiii. 206.—(*Leach E. E.* ix. 146.)—(*Sam. I.* 11.)

Sp. semiaurata. *Linn. ii.* 946.

Ic. semiauratus. *Panz. F.* li. f. 2.

♀. Ic. auratus. *Panz. F.* lii. f. 1.

Cl. aurata. (*Sam. I.* 11.)

Ch. aurata. *Wood. ii.* 61. *pl.* 58.

5311. [2; fervida*]. *Mus. Marsham.*

5312. 3, nitidula*. *Fabr. ii.* 184.—*Coqueb. Ic. i. pl. 4. f. 5.*

Cl. zonata. *Leach?* MSS?

Familia XXI: (110). CHALCIDIDÆ, *Westwood*.

(CYNIPSERA, *Latr.*—CYNIPSIDÆ, *Leach.*)

(DIPLOLEPIS & CHALCIS, *Fabricius*.—CLEPTES *p*, *Fabr.*)

Genus 164: (738). CHALCIS *Auctorum*.

SMIERA, *Spinola Ann.*—SPHEX *p*, et VESPA *p*, *Linné*.

5313. 1; clavipes*. *Fabr. P.* 159.—*Panz. F.* lxxviii. f. 15.—*Don. xi.* 57. *pl.* 379.—(*Leach E. E.* ix. 144.)—(*Samou.* 271. *pl.* 8. f. 6.)

5314. 2; sisipes*. *Fabr. P.* 159.—*Panz. F.* lxxvii. f. 11.—*Stew. ii.* 236.

Genus 165: (739). BRACHYMERIA, *Westwood* MSS.

CHALCIS, *Spinola Ann.*

5315. 1; flavipes*.

Ch. flavipes. *Panz. F.* lxxviii. f. 16?

5316. 2; minuta*.

Ch. minuta. *Fabr. P.* 165.—*Panz. F.* xxxii. f. 6.—(*Leach E. E.* ix. 144.)

Genus 166: (740). HALTICELLA, *Spinola Ann.*

5317. 1; pusilla*.

Ch. pusilla. *Fabr. P.* 167.

5318. 2; armata*.

Ch. armata. *Panz. F.* lxxiv. f. 9.

5319. 3; bispinosa*.

Ch. bispinosa. *Fabr. P.* 168.

Genus 167: (741). PERILAMPUS, *Latrcille*, *Leach*, *Curtis*.

5320. 1; pallipes*. *Curtis. iv. pl.* 158.

5321. 2; auriceps* *mihi*.

5322. 3; aureo-viridis* *michi*.

Genus 168: (742). CRATOMUS, *Dalman*.

5323. 1; megacephalus*.

Di. megacephalus. *Fabr. P. 149.—Ent. Trans. (Haworth.) i.*
252.

Genus 169: (743). EUCHARIS, *Latreille, Leach*.

ICHNEUMON *p*, *Rossi*.—CHALCIS *p*, *Jurine*.—CYNIPS *p*, *Olivier*.

5324. 1, ascendens. *Latr. II. xiii. 210.—Panz. F. lxxxviii. f. 18.*
—(*Leach E. E. ix. 144.*)

Genus 170: (744). EURYTOMA, *Illiger, Leach*.

ICHNEUMON *p*, *DeGeer*.—EUCHARIS *p*, *Fabr*.—FIGITES *p*,
Spinola.

5325. 1; appendigaster. *Swederus*.

5326. 2, Abrotani*.

Euc. Abrotani. *Panz. I. 97.*

Ch. Abrotani. *Panz. F. lxxvi. f. 14.*

5327. 3, Stigma.

Di. Stigma. *Fabr. P. 152.*

Eur. biguttata. *Swederus*.

5328. 4; Serratulæ*. (*Leach E. E. ix. 144.*)

Cy. Serratulæ. *Fabr. P. 147.*

Op. abbreviator. *Panz. F. lxxxi. f. 16. ♀.*

Euc. compressa. *Fabr. P. 157. ♀?*

5329. 5; longula. *Dalm.*

5330. 6; aterrima*.

Cy. aterrimus. *Schrink A. 320.*

5331. 7; verticillata*.

Ich. verticillata. *Fabr. P. 153?*

5332 † 8. penetrans.

Ich. penetrans. *Linn. Trans. (Kirby.) v. pl. 4. f. 10.—Stew. ii.*
231. *In Mus. D. Kirby?*

5333 ad 5349: 17 sp. adhuc examinandæ. (25 sp.)

Genus 171: (745). SPALANGIA, *Latreille, Leach*.

5350. 1; nigra*. *Latr. II. xiii. 228.—Id. Gen. iv. 29. pl. xiii.*
f. 7, 8. ♂.—(*Leach E. E. ix. 144.*)

Genus 172: (746). —

5351. 1; cornigera* *michi*.

Genus 173: (747). CALLIMONE, *Spinola?*

TORYMUS *p*, *Dalman*.—CYNIPS, *Geoff*, *Latr.*, *Leach*, *Samou*.—
ICHNEUMON *p*, *Linné*.—CLEPTES *p*, *Fabr*.—CHALCIS *p*, *Cuvier*.

A. MEGASTIGMUS, *Dalman*.

5352. 1, bipunctatus. *Swederus*.

B. TORYMUS, *Dalman.*

5353. 2; Cynipidis*.
Ic. Cynipidis. *Linn.* ii. 939.
5354. 3; Bedeguaris*.
Ic. Bedeguaris. *Linn.* ii. 939.—*Berk. S.* i. 156.—*Stew.* ii. 231.
—*Turt.* iii. 474.
5355. 4; Caprææ*.
Cy. Caprææ. *Fabr. P.* 146.—*Turt.* iii. 409.—(Leach E. E.
ix. 144.)
5356. 5, purpurascens.
Ic. purpurascens. *Fabr. P.* 151.
5357. 6, nigricornis*.
Ic. nigricornis. *Fabr. P.* 150.
5358. 7, cyaneus*.
Ic. cyaneus. *Fabr. P.* 151.—*Coqueb. Ic. i. pl. 5. f. 4?*
5359. 8, Juniperi.
Ic. Juniperi. *Linn.* ii. 939?
- 5360 ad 5387: 28 sp. adhuc examinandæ. (36 sp.)

Genus 174: (748). EUPELMUS, *Dalman.*

5388. 1; apicalis* *mihi.*

Genus 175: (749). COLAX^a, (COLAS) *Curtis, Westwood.*

PTEROMALUS *p*, *Dalman?*—MISOCAMPUS, *Latreille*, (Kirby.)

5389. 1, dispar. *Curtis.* iv. *pl.* 166.—(Zool. Journ. (Westwood.)
iv. *pl.* 2. *f.* 3. *p.* 9.)

5390. 2; Puparum*.
Ic. Puparum. *Linn.* ii. 939?—*Berk. S.* i. 156.—*Stew.* ii. 231.
—*Turt.* iii. 475?—(Kirby & Sp. I. E. i. 264?)

5391. 3, Muscarum.
Ic. Muscarum. *Linn.* ii. 938.—*Turt.* iii. 474.

5392. 4; fuscicornis* *mihi.*

5393. 5; nigricornis* *mihi.*

- 5394 ad 5400: 7 sp. adhuc examinandæ. (12 sp.)

Genus 176: (750). CHEIROPACHUS, *Westwood.*

DIPLOLEPIS *p*, *Fabr.*—CLEONYMUS, *Curtis.*—PTEROMALUS *p*,
Dalm.

5401. 1; quadrum*. *Zool. Journ. (Westwood.)* iv. *pl.* ii. *f.* 2. ♀.
Di. quadrum. *Fabr. P.* 152.
Cl. maculipennis. *Curtis.* iv. *pl.* 194. ♂.

^a COLAX: Genus Dipterorum. Vide Meig. Zw. iv. 165.

Genus 177: (751). —

PTEROMALUS *p*, Dalm.?—CLEONYMUS *p*, Curtis?

- 5402. 1; cyaneus* *mihi*.
- 5403. 2; aureus* *mihi*.
- 5404. 3, pulcherrimus* *mihi*.
- 5405. 4; basalis* *mihi*.
- 5406. 5; apicalis* *mihi*.
- 5407. 6; obscurus* *mihi*.
- 5408. 7, splendidus* *mihi*.
- 5409. 8; pallipes* *mihi*.
- 5410. 9. contiguus *mihi*.

Genus 178: (752). CLEONYMUS, Latreille, Leach, Westwood.

DIPLOLEPIS *p*, Fabr.—PTEROMALUS *p*, Dalm.?

- 5411. 1; depressus*. (*Leach E. E.* ix. 144.)—(*Curtis fo.* 194.)—
Zool. Journ. (Westwood.) iv. p. 16. *pl. ii. f. 1.* ♀.
Di. depressus. *Fabr. P.* 151.

Genus 179: (753). TRIGONODERUS, Westwood MSS.

- 5412. 1, obscurus. *West. MSS.*

5413 ad 5424: 13 sp. adhuc examinandæ. (14 sp.)

Genus 180: (754). —

- 5425. 1; bifasciatus* *mihi*.

Genus 181: (755). PTEROMALUS, Dalman, Leach.

- 5426. 1, Tortricis. (*Latr. G.* iv. 31.)—(*Leach E. E.* ix. 145.)
Ich. Tortricis. *Schrink A.* 376.

- 5427. 2, intercus. (*Latr. G.* iv. 31.)
Ich. intercus. *Schrink A.* 377.

- 5428. 3, Gallarum*. (*Latr. G.* iv. 31.)
Ich. Gallarum. *Linn. ii.* 939.—*Turt. iii.* 474.

- 5429 ad 5481: 53 sp. adhuc examinandæ. (56 sp.)

Genus 182: (756). HALTICOPTERA, Spinola.

- 5432. 1; aterrima* *mihi*.

- 5433 ad 5489: 7 sp. adhuc examinandæ. (8 sp.)

Genus 183: (757). EULOPHUS, Geoffroy, Leach, (Kirby,) Curtis.
ICHNEUMON *p*, Linné.—ENTEDON, Dalm.

- 5490 † 1, ramicornis*. (*Latr. G.* iv. 28.)—(*Leach E. E.* ix. 144.)
—*Curtis l. c. infra.*

- Di. ramicornis. *Fabr. P.* 153.—*DeGeer. ii.* 313. *pl. 15. f. 3.*
In *Mus. D. Haworth, Kirby et Westwood.*

- 5491. 2; Apatela* *mihi*.

5492. 3; damicornis *. *Linn. Trans. (Kirby.)* xiv. 112.—*Curtis.*
iii. pl. 133.
5493. 4; assimilis *. *Westwood MSS.*
5494. 5; Stephensii *. *Westwood MSS.*
- 5495 † 6, Kirby *. *Westwood MSS.*—*Curtis l. c. supra.*
In Mus. D. *Curtis et Westwood.*
- 5496 † 7, minutissimus *. *Westwood MSS.* In Mus. D. *Westwood.*
- 5497 † 8, pectinicornis *. *Curtis l. c. supra.*
Ic. *pectinicornis.* *Linn. ii. 941.*—*De Geer. i. 589. pl. 35. f. 1-7.*
—*Berk. S. i. 157.*—*Stew. ii. 232.*—*Turt. iii. 476.*
In Mus. D. *Kirby et Westwood.*
5498. 9, Nemati *. *Westwood MSS.*
- 5499 † 10. Latreillii. *Curtis l. c. supra.* In Mus. D. *Curtis.*
- 5500 † 11. Larvarum ^a.

Genus 184: (758). —

EULOPHUS p? (olim.)

- 5501 † 1, Westwoodii * *mihi.* In Mus. D. *Westwood.*
5502 † 2, . In Mus. D. *Westwood.*

Genus 185: (759). —

EULOPHUS p? olim.

5503. 1; fasciatus * *mihi.*
5504. 2; semitestaceus * *mihi.*
- 5505 ad 5516: 12 sp. adhuc examinandæ. (14 sp.)
- Genus 186: (760). *ENCYRTUS, Latreille, Leach.*
ICHNEUMON p, Rossi.—*MIRA, Schellenberg.*
5517. 1; scutellaris *. *Dalman?*
- 5518 † 2. inserens.
Ic. *inserens.* *Linn. Trans. (Kirby.)* v. pl. 4.—*Stew. ii. 231.*
In Mus. D. *Kirby?*
- 5519 ad 5536: 18 sp. adhuc examinandæ. (20 sp.)

Familia XXII: (111). PROCTOTRUPIDÆ.

(*PROCTOTRUPII et OXYURI, Latreille.*—*PROCTOTRUPIDES,*
Leach.)

Genus 187: (761). *PLATYGASTER, Latreille, Leach.*

SCELIO p, Latreille olim.

5537. 1, ruficornis. (*Latr. G. iv. 32.*)—(*Leach E. E. ix. 146.*)
Sc. ruficornis. *Latr. H. xiii. 227?*

^a 5500 † 11. Larvarum. (*Latr. G. iv. 28.*)

Ic. Larvarum. *Linn. ii. 187.*—*Turt. iii. 475. (!)*

5538. 2, Tipulæ.

Ich. Tipulæ. *Linn. Trans. (Kirby.)* iv. 230.—*Stew. ii. 231.*—
Turt. iii. 476.

5539. 3, ovulorum*.

Ic. ovulorum. *Linn. ii. 940?*—*Turt. iii. 476?*—(*Kirby & Sp. I. E. i. 264?*)

5540 † 4, secalis^a.

5541 ad 5586: 46 sp. adhuc examinandæ. (50 sp.)

Genus 188: (762). —

PLATYGASTER *p?* *Latreille.*—PSILUS *p,* *Jurine.*

5587. 1; Boscii*.

Ps. Boscii. *Jurine Hy.* 518.

Genus 189: (763). —

ICHNEUMON *p,* *Shaw.*

5588. 1; Punctuni*.

Ic. Punctum. *Linn. Trans. (Shaw.)* iv. 189. *pl. 18. f. 1.*—
Stew. ii. 232.—*Turt. iii. 476.*

5589. 2; Atomos* *mihi.*

5590. 3, Monas* *mihi.*

5591. 4, Termo* *mihi.*

5592 ad 5599: 8 sp. adhuc examinandæ. (12 sp.)

Genus 190: (764). DIAPRIA, *Latreille*, (*Kirby.*)

PSILUS, *Jurine*, *Leach*, (*Kirby?*)—ICHNEUMON *p,* *Villers.*—
CHRYSIS *p?* *Rossi.*

5600. 1; elegans*.

Ps. elegans. *Jurine Hy. pl. 13. g. 48.* ♂.

Di. verticillata. *Latr. H. xiii. 231.*

5601. 2, conica. *Latr. H. xiii. 231.*

Ch. conica. *Fabr. P.* 167.

5602 ad 5621: 20 sp. adhuc examinandæ. (22 sp.)

Genus 191: (765). CINETUS, *Jurine.*

5622. 1; bicornis* *mihi.*

5623 ad 5631: 9 sp. adhuc examinandæ. (10 sp.)

Genus 192: (766). —

5632 † 1. cornutus.

Psilus cornutus. *Panz. F. lxxxiii. f. 11.*—(*Leach E. E. ix.*
145.) In Mus. D. Haworth? et Kirby.

^a 5540 † 4. secalis.

Ic. secalis. *Linn. ii. 939.*—*Stew. ii. 231.* (?)

Genus 193: (767). *BELYTA*, *Latreille*, *Leach*.
CINETUS p, *Jurine*.

5633. 1; bicolor*. *Jurine Hy. pl.* 14. g. 8.
 5634. 2; basalis* *mihi*.
 5635. 3, ater* *mihi*.
 5636. 4; pusilla* *mihi*.

Genus 194: (768). —

5637. 1, dilatatus *mihi*.

Genus 195: (769). *PROCTOTRUPES*, *Latreille*, *Leach*.

CODRUS, *Jurine*.—*BANCHUS p?* et *BASSUS p?* *Fabricius*.—
ERODORUS, *Walckenaer*, (*Kirby*).—

5638. 1; brevipennis*. (*Latr. G. i. pl.* xiii. f. 1.—iv. 38.)—
 (*Leach E. E.* ix. 145.)
Ero. bimaculatus. *Walck. F.* ii. 47.
 5639. 2, niger*. (*Latr. G. iv.* 38.)
Co. niger. *Panz. F.* lxxxv. f. 9.
 5640. 3, pallipes*.
Co. pallipes. *Jurine Hy. pl.* 10. g. 46.

- 5641 † 4. *gravidator**.

- 5642 ad 5663: 22 sp. adhuc examinandæ. (26 sp.)

Genus 196: (770). *HELORUS*, *Latreille*, *Leach*.

- SPHEX p*, et *PSEN p*, *Panzer*.—*PACHYPODIUM*, *Kirby MSS.*
 5664. 1; anomalipes*. *Latr. H.* xiii. 230.—(*Leach E. E.* ix. 146.)
Sp. anomalipes. *Panz. F.* lii. f. 23.—*Id. c. f.* 18.
Pa. nigripes. *Kirby MSS.*

Genus 197: (771). *BETHYLUS*, *Latreille*, *Leach*.

- OMALUS*, *Jurine*, (*Kirby*).—*CERAPHRON*, *Panzer*.
 5665. 1, cenopterus*. *Latr. H.* xiii. 229.—(*Leach E. E.* ix. 146.)
Ti. cenoptera. *Panz. F.* lxxxi. f. 14.
 5666. 2, fuscicornis*.
Om. fuscicornis. *Jurine Hy. pl.* 13. g. 43.
 5667. 3, formicarius.
Ce. formicarius. *Panz. F.* xcvi. f. 16.
 5668 ad 5670: 3 sp. adhuc examinandæ. (6 sp.)

Genus 198: (772). —

DRYINUS^b p, *Latreille?* *Leach?* *Curtis*.

- 5671 † 1: *formicarius?**

^a 5641 † 4. *gravidator*.

Ic. *gravidator*. *Linnaeus*. ii. 936.—*Turtur*. iii. 457. (!)

^b *DRYINUS*: Genus Hymenopterorum. Vide *Fabre*. P. 200.

Dr. formicarius. *Latr. H.* xiii. 228?—*Latr. G.* iv. 40. pl. 13.
f. 6?—(*Leach E. E.* ix. 146?)—*Curtis l. c. infra. fo.* 206.
In Mus. *D. Westwood.*

5672 † 2. bicolor.

Dr. bicolor. *Haliday MSS.*—*Curtis l. c. infra fo.* 206.
In Mus. *D. Haliday.*

Genus 199: (773). GONATOPUS, *Klug.*

DRYINUS, *Curtis.*

5673. 1; *flavicornis* *. *Dalman A. E.*

5674. 2; *basalis* *. *Dalman A. E.*

5675. 3; *gracilis* *. *Westwood MSS.*

5676. 4; *fuscicornis* *. *Dalman A. E.*

5677. 5; *tenuicornis* *. *Dalman A. E.*

5678. 6; *similis* *. *Westwood MSS.*

5679 † 7. Cursor.

Dr. Cursor. *Haliday MSS.*—*Curtis. v. pl.* 206.
In Mus. *D. Curtis et Haliday.*

5680 † 8. rapax.

Dr. rapax. *Haliday MSS.*—*Curtis l. c. supra.*
In Mus. *D. Haliday?*

5681 † 9. lucidus.

Dr. lucidus. *Haliday MSS.*—*Curtis l. c. supra.*
In Mus. *D. Haliday?*

5682 † 10. crassimanus.

Dr. crassimanus. *Haliday MSS.*—*Curtis l. c. supra.*
In Mus. *D. Haliday?*

5683 † 11. fulviventris.

Dr. fulviventris. *Haliday MSS.*—*Curtis l. c. supra.*
In Mus. *D. Haliday?*

Genus 200: (774). NOMIOPUS, *Westwood MSS.*

5684. 1; *apicalis* *. *Westwood MSS.*

Genus 201: (775). APIELOPUS, *Dalman.*

5685. 1; *atratus* *. *Dalman A. E.*

5686 et 5687: 2 sp. *adhuc examinandæ.* (3 sp.)

Genus 202: (776). MEGASPILUS, *Westwood MSS.*

CERAPIRON, *Curtis.*

5688 † 1. Dux.

Ce. Dux. *Curtis l. c. infra.* In Mus. *D. Curtis et Haliday?*

5689 † 2. opacus.

Ce. opacus. *Hal. MSS.*—(*Curtis l. c. infra.*)
In Mus. *D. Haliday?*

5690 † 3. cimicoides. *Hal. MSS.*

Ce. cimicoides. (*Curtis l. c. infra.*) In Mus. *D. Haliday?*

5691. 4; rufiscapus*.
Ce. rufiscapus. (*Curtis l. c. infra?*)
5692. 5; rufipes*.
Ce. rufipes. (*Curtis l. c. infra?*)
5693. 6; nitidus*.
Ce. nitidus. (*Curtis l. c. infra?*)
- 5694 † 7. puliciformis.
Ce. puliciformis. (*Curtis l. c. infra.*) In Mus. D. Curtis?
- 5695 † 8. crispus.
Ce. crispus. *Hal. MSS.*—(*Curtis l. c. infra.*)
In Mus. D. Haliday?
5696. 9, Carpenteri*.
Ce. Carpenteri. *Curtis l. c. infra.*
- 5697 † 10. elegans.
Ce. elegans. (*Curtis l. c. infra.*) In Mus. D. Walker?
- 5698 † 11. gracilis.
Ce. gracilis. (*Curtis l. c. infra.*) In Mus. D. Haliday?
- 5699 ad 5712: 14 sp. adhuc examinandæ.
5713. 26, brachypterus* *mihi.*
5714. 27, ruficollis*.
Ce. ruficollis. *Hal. MSS.*—(*Curtis l. c. infra?*)
- 5715 † 28. Rubi.
Ce. Rubi. (*Curtis l. c. infra.*) In Mus. D. Curtis?
5716. 29, melanocephalus.
Ce. melanocephalus. *Hal. MSS.*—(*Curtis l. c. infra.*)
- 5717 † 30. Halidayi. *Curtis. vi. pl. 249.* In Mus. D. Haliday.

Genus 203: (777). —

CERAPHRON p, *Curtis fo. 249.*

- 5718 † 1. ferrugineus.
Ce. ferrugineus. *Hal. MSS.*—(*Curtis l. c. supra.*)
In Mus. D. Haliday?
- 5719 † 2. discolor.
Ce. discolor. *Hal. MSS.*—(*Curtis l. c. supra.*)
In Mus. D. Haliday?
5720. 3, nubilipennis*. (*Curtis l. c. supra.*)

Genus 204: (778). CERAPHRON, Jurine, Leach.

- 5721 † 1, sulcatus*. *Jurine Hy. pl. 14. g. 9.—Leach E. E. ix. 145.*
(*Curtis fo. 249?*) In Mus. D. Curtis?
- 5722 † 2. longipennis. (*Curtis l. c. supra.*)
In Mus. D. Haliday? et Walker?
5723. 3, nigripes* *mihi.*
5724. 4, varipes* *mihi.*

Genus 205: (779). SPARASIÓN, *Latreille, Leach.*
CERAPHRON p, Jurine.

5725 + 1. frontale. *Latr. H. xiii. 230.*—(*Leach E. E. ix. 145.*)
Ce. cornutus. Jurine H. pl. 13. g. 44. ♀. In Mus. D. Curtis?

Familia XXIII: (112). CYNIPIDÆ, *Westwood.*
(DIPLOLEPARIÆ, Latr.—DIPLOLEPIDÆ, Leach.)
(CYNIPS, Linné.) Gall-flies.

Genus 206: (780). FIGITES, *Latreille, Leach, Samou.*
EUCHARIS p? Panzer.

5726. 1; scutellaris*. *Latr. H. xiii. 210.*—(*Leach E. E. ix. 144.*)
 —(*Sam. I. 17.*)
Cy. scutellaris. Rossi M. ii. App. 106.

5727 ad 5735: 9 sp. adhuc examinandæ. (10 sp.)

Genus 207: (781). CYNIPS, *Linné, Westwood, (Kirby.)*
DIPLOLEPIS, Geoff., Latr., Leach, Samou.

5736. 1; Fagi. *Linn. ii. 919.*—*Stew. ii. 221.*—*Turt. iii. 409.*

5737. 2, pilicornis. *Kirby MSS.*

5738. 3; Quercus gemmæ. *Linn. ii. 919.*—*Berk. S. i. 153.*—
Stew. ii. 220.—*Turt. iii. 409.*—*Bingley. iii. 247.*

5739. 4; Quercus-petiolii. *Linn. ii. 918.*—*Berk. S. i. 153.*—
Stew. ii. 220.—*Turt. iii. 409.*—*Shaw G. Z. vi. 269.*

5740. 5, Rubi. *Kirby? MSS?*

5741. 6, Amerinæ. *Linn. ii. 919?*

5742. 7, Quercus-ramuli. *Linn. ii. 918.*—*Turt. iii. 409.*

5743. 8; Glechomæ*. *Linn. ii. 917.*—*Berk. S. i. 152.*—*Turt. iii. 408.*
Cy. Glechomatis. Stew. ii. 220.—*Bingley. iii. 247.*

5744. 9, Quercus-inferus. *Linn. ii. 918.*—*Turt. iii. 409.*

5745. 10, Urticæ. *Kirby MSS.*

5746. 11; Rosæ*. *Linn. ii. 917.*—*Stew. ii. 220.*—*Shaw G. Z. vi. 269.* *pl. 89.*

5747. 12, Quercus-radius. *Kirby? MSS.*

5748. 13, Quercus-pedunculi. *Linn. ii. 918.*—*Turt. iii. 409.*

5749. 14, Quercus baccarum. *Linn. ii. 917.*—*Berk. S. i. 152.*—
Stew. ii. 220.—*Turt. iii. 408.*

5750. 15, Quercus folii. *Linn. ii. 918.*—*Berk. S. i. 153.*—*Stew. ii. 220.*—*Turt. iii. 408.*—*Bingley. iii. 247.*—*Shaw G. Z. vi. 268.* *pl. 88.*—(*Leach E. E. ix. 144.*)—(*Sam. I. 14.*)—*Wood. ii. 42. pl. 53.*

5751. 16, viminalis. *Linn. ii. 919.*—*Stew. ii. 221.*—*Turt. iii. 409.*—*Shaw G. Z. vi. 270.*

5752 ad 5786: 35 sp. adhuc examinandæ. (51 sp.)

Genus 208: (782). —

5787. 1; aptera*. Kirby? MSS.

Genus 209: (783). IBALIA, Latreille, Leach, Curtis.

BANCHUS *p*, Fabricius.—SAGARIS, Panzer.—ICHNEUMON *p*, Illiger.

5788 † 1, cultellator. Latr. H. xiii. 205. pl. 100. f. 5.—Curtis. i. pl. 22.

Ba. cultellator. Fabr. P. 127.

Ich. leucospoides. Berl. Mag. (Illiger.)? vi. 345. pl. 8. f. 5, 6.
In Mus. D. Curtis.

ORDO VII. STREPSIPTERA, Kirby.

(RHIPIDPTERA, Latr.—HYMENOPTERA *p*, Rossi.)

Familia I: (113). STYLOPIDÆ.

Genus 1: (783). STYLOPS Auctorum.

5789 † 1, Melittæ. Kirby M. A. ii. 113. pl. 14. No. 11. f. 1-9.—
Sowerb. B. M. i. pl. 45.—(Sam. I. 39.) In Mus. D. Kirby.

5790 † 2, Kirbii*. Leach Z. M. iii. 135. pl. 149. In Mus. Brit.

5791 † 3, tenuicornis*? Linn. Trans. (Kirby.) xi. 233.—(Sam. I. 39.)
In Mus. D. Kirby?

5792 † 4, Haworthi* mihi. In Mus. D. Haworth.

5793. 5, Dalii*. Curtis. v. pl. 226.

END OF PART I.

APPENDIX

AD PARTEM PRIMAM^a.

COLEOPTERA.

Page. No.

1. 1; Cicindela sylvatica *. (*Kirby & Sp. I. E.* ii. 378: iv. 502.)—*Curtis l. c. infra.*
- 2: Ci. — hybrida. (*Kirby & Sp. I. E.* iv. 506.)—Ci. maritima. *Curtis l. c. infra.*
2. 3, Ci. — riparia: Ci. hybrida, var. *Curtis l. c. infra.*
- 3*, Ci. — aprica: Ci. hybrida, var. *Curtis l. c. infra.*
- 4, Ci. — Sylvicola *. *Curtis 2 edit. pl. I.*
- 5; Ci. — campestris *. (*Kirby & Sp. I. E.* iv. 503.)—*Curtis l. c. supra.*
- 6; Ci. — Germanica *. *Curtis l. c. supra.*
- 8: Polistichus fasciolatus. *Curtis. v. pl. 223.*
- 9: Odacantha melanura. *Curtis. v. pl. 227.*
3. † 11*, Demetrias imperialis. *Mcgerle.*—*Sturm D. F.* vii. 63.
pl. clxxiii. f. b, B.—*Steph. Ill. (M.) i. 176.*
In Mus. *D. Hope.*
- † 14*, Dromius Sigma *. *DeJean Col. i. pl. 14. f. 7.*—*Steph. Ill. (M.) i. 176.*
4. 16*, Dr. — bifasciatus. *DeJean Sp. i. 237.*—De Sigma.
—(*Curtis l. c. infra?*)
- 17; Dr. — spilotus *. *DeJean Sp. i. 246.*—*Curtis. v. pl. 231.*—Dr. humeralis. *Curtis MSS.*
- 18: Dr. — quadrillum. *DeJean Sp. i. 249.*—*Sturm D. F.*
45. *pl. clxx. f. a. A.*—*b. B. var.*—Dr. humeralis. *Steph. Ill. (M.) i. 23.*
- 19; Dr. — fasciatus. *Sturm D. F.* vii. 43. *pl. clxix. f. C. c.*
23*; Dr. — maurus *. *Ziegler.*—*Sturm D. F.* vii. 55.
pl. clxxi. f. d. D.—*Steph. Ill. (M.) i. 176.*—(*Curtis l. c. supra.*)
6. † 34*. Tarus homagricus. (*Curtis l. c. infra.*)—Le. homagrica.

^a Containing the names of such species only as have been described, figured or discovered during the printing of the foregoing pages, or of such as were accidentally omitted in their proper places; those which have been introduced in mere catalogues (unless for the first time) being purposely omitted.

Page. No.

- Duft. F. ii. 240.—Cy. homagrica. Sturm D. F. vii. 10.
pl. clxv. f. b. B.* In Mus. D. Curtis.
6. 36*, *Tarus basalis. Gyll. ii. 174.—Sturm D. F. vii. 15.
pl. clxvi. f. b. B.—Steph. Ill. (M.) i. 177.—Curtis. v.
pl. 235.—Cy. punctata. Bonelli.—Cy. scapularis. And.*
7. +48*. *Dyschirius pusillus. DeJean.—(Curtis G. 3.)*
8. — *Genus 14, b. ONCODERUS mihi.—SPHÆRODERUS
mihi (olim.)*
- 55, b, *On. — chalconotus. (Steph. Nom. 1.)—Vide Steph.
Ill. (M.) ii. 137 nota.*
- — *DISTOMUS: Genus Vermium. Vide Lamarck.*
10. 68; *Carabus arvensis *. (Kirby & Sp. I. E. iv. 554.)*
11. 77: *Ca. — nitens *. (Kirby & Sp. I. E. iv. 502.)*
12. 85*, *Helobia Æthiops mihi. Steph. Ill. (M.) i. 179.
87, He. — arctica. DeJean Sp. ii. 235.—(Steph. Nom. 2.)*
14. — *Genus 26, b. TRIMORPHUS mihi.—BADISTER p,
Sturm?*
- 99. b; *Tri. — scapularis *. Steph. Ill. (M.) i. 180.—Ca. dor-
siger. Dufts F. A. ii. 151?—Ba. humeralis. Bonelli?
—DeJean Sp. ii. 408?—Ca. sodalis. Dufts F. A. ii. 152?*
- 99. c; *Tri. — confinis *. Steph. Ill. (M.) i. 181. pl. ix.
f. 5.—Treichus humeralis. Leach MSS.—(Sam. I. 42.)
—Blemus humeralis. Supra No. 336.*
17. — *SPHODRUS. § B.—PRISTONYCHUS, DeJean.*
19. — *ODONTONYX mihi.—OLISTOPHUS, DeJean.—
(Loudon M. i. 55. fig. 23.)*
20. 154; *Calathus piceus *. Cal. rotundicollis. DeJean Sp. iii. 75.*
- †157, *Cal. — punctipennis. Germ. I. N. i. 13.—Cal. latus.
DeJean, &c.—Ca. angusticollis. Sturm Catal.*
21. — *PLATYDERUS nec PLATYDERES.—FERONIA p,
DeJean.*
23. 181; *Pœcilius cupreus *. (Kirby & Sp. I. E. iv. 554.)*
- 182, *Dele †.*
24. 192, *Dele †.*
25. — *PTEROSTICHUS, Bon., &c.—COPHOSIS p, DeJean.*
- †204, Pt. — *elongatus.—Co. filiformis. DeJean Sp. iii. 337?*
- 207, Pt. — *8-punctatus. (Loudon M. i. 161. fig. 61. b.)*
- 208; Pt. — *macer *. (Loudon M. i. 161. fig. 61. a.)*
26. 213; *Dele Am. lata. Sturm F.—Adde Am. acuminata *.
Sturm &c., cum synonymis ut supra.*
- 214; *Am. eurynota *. Panz. &c.—Steph. Ill. (M.) i. 126.*
- 215; *Am. lata *. Sturm D. F. vi. 23. pl. cxl.f. B. b?—Steph.
Ill. (M.) i. 127.*
27. 232. *Dele †, et Am. erratica. Sturm?*
32. †296*. *Harpalus calceatus. Creutzer?—(Curtis G. 5.)*
34. 316; *Stenolophus lateralis *. Steph. Ill. (M.) ii. 71 nota.—
St. vespertinus. Supra cum synonymis.—(Steph. Nom.*

Page. No.

- 3.)—Ha. placidus. *Gyll.* iv. 453.—St. placidus. (*Steph. Ill. (M.)* i. 183.)—Var. β . *Steph. Ill. (M.)* i. 166.—St. Ziegleri. *Supra. No. 317.*
34. — Genus 59 b, MASOREUS, (*Ziegler*), *DeJean*.—BANDISTER *p*, *Creutzer*.—TRECHUS *p*, *Sturm*.
- 1, luxatus. (*DeJ. C. 15.*)—*DeJean Sp.* iii. 537.—(*Steph. Ill. (M.)* ii. 137 *nota*).—(*Steph. Nom. 3.*)—Ba. luxatus. *Creutzer*: teste *DeJean l. c.*—Tr. laticollis. *Sturm D. F. vi. 103. pl. 150. f. d.* *D*:—haud Ha. Orfordensis. *Sp. MSS.*
- 318; Trechus dorsalis*: *nec Stenolophus dorsalis.*
- 319; Tr. — parvulus*: *nec Stenolophus parvulus.*
- 320; Tr. — cognatus*: *nec Stenolophus cognatus.*
- 321; Ophonus? pubescens*: *nec Trechus pubescens.*
- 35.†331*, Blemus pallidus. *Sturm?*—(*Curtis G. 8.*)—Bl. paludosus β . *Steph. Ill. (M.)* ii. 171?
36. 339, Aëpus fulvescens. *Curtis.* v. *pl. 203.*
- — BEMBIDIIDÆ:—(*TACHYS, Knoch.*)
- 340, Lymnæum nigropiceum. *Steph. Ill. (M.)* ii. 3. *pl. x. f. 1.*
- — PHILOCHTHUS *nec PHILOCHTHES.*
- 351; Ph. — æneus* *nec ænea.*
37. 353; Ph. — subfenestratus* *nec subfenestrata.*
- 359; Ocys melanocephalus*. *Steph. Ill. (M.)* ii. 10. *pl. x. f. 2.*
- 362; Peryphus saxatilis* *nec saxatile.*
- 362*, Pe. — albipes. *Steph. Ill. (M.)* ii. 189.—Pe. — assimilis. *Heysham MSS.*—(*Steph. Nom. 4.*)
38. 364, Pe. — lunatus. *Steph. Ill. (M.)* ii. 13. *pl. x. f. 3.*
- 374; Notaphus undulatus*. *Steph. Ill. (M.)* ii. 17. *pl. x. f. 4.*
40. 389; Lopha assimilis. *Steph. Ill. (M.)* ii. 23. *pl. x. f. 5.*
- 389*, Lo. — viridis. *Heysham MSS.*—(*Steph. Nom. 4.*)—*Steph. Ill. (M.)* ii. 189.
- 392; Lo. — pulicaria* *nec pulicarius.*
- 394; Tachypus Andreæ. *Steph. Ill. (M.)* ii. 29. *pl. x. f. 6.*
41. 403. Dele †.
- 407; Notiophilus aquaticus*. *Curtis l. c. infra.*
- †407*, No. — rufipes. *Heysham MSS.*—*Curtis. vi. pl. 190.*
— No. fulvipes. (*Steph. Ill. (M.)* ii. 137 *nota*.)
In Mus. *D. Heysham.*
- 408; No. — biguttatus*. *Curtis l. c. supra.*
- †408*, No. — 4-punctatus. *DeJean Sp.* ii. 190.—(*Steph. Ill. (M.)* ii. 137 *nota*.)—*Curtis l. c. supra.*
In Mus. *D. Heysham.*
42. 412; Blethisa multipunctata*. (*Kirby & Sp. I. E.* iv. 502.)
- 414; Adde Dy. cæsus. *Dufits F. i.* 284.
43. 415; Haliphus mucronatus*. *Steph. Ill. (M.)* ii. 40. *pl. xi. f. 1.*
- 421; Dele Dy. cæsus. *Dufits F. i.* 284.
44. 429, Hygrotus fluviatilis. *Steph. Ill. (M.)* ii. 46. *pl. xi. f. 2.*

Page. No.
 44. 437; Hy. — scitulus*. *Steph. Ill. (M.)* ii. 49. *pl. xi. f. 3.*
 45. 439; *Hydroporus frater**. *Steph. Ill. (M.)* ii. 50. *pl. xi. f. 4.*
 —†—, Hyd. — 9-lineatus. *Rudd MSS.* —*Steph. Ill. (M.)* ii.
 192. In Mus. D. *Rudd.*
 46. †448*, Hyd. — opatrinus. (*DeJean C. 19?*) —*(Steph. Nom.*
 4.) —*Steph. Ill. (M.)* ii. 192. In Mus. D. *Hope.*
 —†448**, Hyd. — latus. *Rudd?* *MSS.* —*Steph. Ill. (M.)* ii.
 192. —*(Curtis G. 11?)* In Mus. D. *Rudd.*
 — 449, Hyd. — alpinus. *Steph. Ill. (M.)* ii. 54. *pl. xi. f. 5.*
 — 450*; Hyd. — ferrugineus*. *Rudd MSS.* —*(Steph. Nom.*
 4.) —*Steph. Ill. M.* ii. 193.
 48. 475; *Noterus crassicornis**. *Curtis l. c. infra.*
 — 476; No. — sparsus*. *Steph. Ill. (M.)* ii. 63. *pl. xi. f. 6.*
 —*Curtis. v. pl. 236.*
 — 479; *Colymbetes oblongus**. *Steph. Ill. (M.)* ii. 65. *pl. xii. f. 1.*
 —†— Co. *arcticus*. (*Steph. Nom. 5.*) —*Steph. Ill. (M.)* ii. 194.
 Dy. *arcticus*. *Panz. F. i.* 201? In Mus. D. *Hope.*
 49. 483, Dele †.
 —†486, Co. — *cicur**.
 — 489; Co. — *pulverosus**. *Steph. Ill. (M.)* ii. 69. *pl. xii. f. 2.*
 — 491; Co. — *exoletus** nec *Co. collaris*.
 — 493; Co. — *adspersus*. *Steph. Ill. (M.)* ii. 71. *pl. xii. f. 3.*
 — 494; Co. — *nebulosus** nec *Co. bipunctatus*.
 50. 496; Co. — *conspersus**. *Steph. Ill. (M.)* ii. 72. *pl. xii. f. 4.*
 51. †507*, Co. — *ferrugineus*. *Steph. Ill. (M.)* ii. 79. —Dy.
castaneus. *Schön. S. ii. 21?*
 — 508, Co. — *uliginosus* var. β . *Steph. Ill. (M.)* ii. 79.
 — 509; Co. — *aterrimus**. *Steph. Ill. (M.)* ii. 79.
 — 511; Co. — *confinis**. *Gyll. i.* 511.
 —†517*, Co. — 4-notatus. *Steph. Ill. (M.)* ii. 83.
 — — Genus 84 b. *AGABUS*, *Leach*, *Steph.*
 —†518*, *serricornis*. *Ahr. F. v. f. 3.* —*Steph. Ill. (M.)* ii. 84. —
 Dy. *serricornis*. *Payk. F. iii. App. 443.* —Co. *serri-*
cornis. (*Kirby & Sp. I. E. iii. 324.*) —*Agabus Paykullii*.
 (*Leach Z. M. iii. 72.*) In Mus. D. *Hope.*
 — 521, *Hydaticus stagnalis*. *Steph. Ill. (M.)* ii. 85. *pl. xii. f. 5.*
 52. 523. Genus *LEIONOTUS*, *Kirby*. —*Steph. Ill. (M.)* ii. 87. *pl. xii.*
 — 524. Do. Do. f. 6.
 — 527; *Dyticus marginalis**. (*Kirby & Sp. I. E. ii. 348.* —iii.
 305 *nota*, 344, 560, 588, 635. —iv. 24, 38, 40.)
 53. 533; *Acilius sulcatus**. (*Kirby & Sp. I. E. iii. 305.*) —Dy.
cinereus. *Wood. i.* 67. *pl. 24.*

^a 49. †486, Colymbetes cicur. Steph. Ill. (M.) ii. 67. nota.

Dy. cicur. Fabr. E. i. 262.—Co. laevigatus, supra, No. 486,
cum synonymis.—Co. consobrinus. Curtis. v. pl. 207. (!)

Page. No.

53. 534. Var. δ prioris. *Vide Steph. Ill. (M.)* ii. 93.
 — 535. Var. ϵ prioris. *Vide Steph. Ill. (M.)* ii. 93.
 54. 539; *Gyrinus minutus* *. *Steph. Ill. (M.)* ii. 96. *pl. xiii. f. 2.*
 — 540; *Gy. — natator* *. (*Kirby & Sp. I. E.* iii. 80.)—
 Wood. i. 19. *pl. 6.*
 — 540*, *Gy. — lineatus.* *Hoffm.—Steph. Ill. (M.)* ii. 97.
 pl. xiii. f. 1.

— DIVISIO 2. RYPOPHAGA.

55. 549; *Heterocerus marginatus* *: dele *Marsh.* i. 400.
 — 550, He. — *Marshami mihi* *. *Steph. Ill. (M.)* ii. 101.
 — 552; He. — *obsoletus* *. *Curtis.* v. *pl. 224.*
 — 554, He. — *lævigatus* β . *Steph. Ill. (M.)* ii. 102.
 — 555; *Georyssus pygmæus* *. *Steph. Ill. (M.)* ii. 105. *pl. xiii. f. 3.*
 56. 558; *Elmis variabilis* *. *Steph. Ill. (M.)* ii. 107. *pl. xiii. f. 4.*
 — 561, El. — *parallelogrammus*. *Steph. Ill. (M.)* ii. 108. *pl. xiii.*
 f. 5.
 — 564, El. — *cupreus* *. *Steph. Ill. (M.)* ii. 109. *pl. xiii. f. 6.*
 — — Genus 93 b. ENICOCERUS *mihi*.
 — 564*, En. — *viridi-aeneus* *mihi.* *Steph. Ill. (M.)* ii. 196.
 pl. xv. f. 6.—(*Steph. Nom. 5.*)
 57. 571; *Helophorus dorsalis* *. *Steph. Ill. (M.)* ii. 112. *pl. xiv. f. 1.*
 — 576. Dele *Hy. marginipennis.* *Marsh.* i. 408.
 58. 584, *Ochthebius punctatus.* *Steph. Ill. (M.)* ii. 117. *pl. xiv. f. 2.*
 — †584*. Oc. — *hibernicus* *. *Curtis.* vi. *pl. 250.*—*Steph. Ill.*
 (M.) ii. 196.

In Mus. D. *Curtis, Haliday, et Waterhouse.*

- 586; *Hydræna pusilla* *. *Steph. Ill. (M.)* ii. 118. *pl. xiv. f. 3.*
 — 588; *Liinnebius ater* *. *Steph. Ill. (M.)* ii. 119. *pl. xiv. f. 4.*
 59. 597; *Hydroüs piceus* *. *Curtis.* v. *pl. 239.*—*Hydroph. pi-*
 ceus. (*Kirby & Sp. I. E.* iii. 72, 336.—iv. 10, 24, 123.)
 — 598; *Hydrophilus caraboides* *. (*Kirby & Sp. I. E.* iv. 39.)—
 Black oval Water-Beetle. *Harr. A.* *pl. 26. f. e-i.*
 — 600; *Berosus luridus* *. *Curtis l. c. infra.*
 — 601; Be. — *aericeps* *. *Curtis.* v. *pl. 240.*
 — 602; Be. — *obsoletus* *. *Curtis l. c. supra.*—*Steph. Ill. (M.)*
 ii. 126. *pl. xiv. f. 5.*
 60. 603, *Hydrobius picipes* *.— β . *Hydrobius chalconotus.* *Curtis.* vi. *pl. 243.*
 — 607*; Hyd. — *torquatus* *. *Steph. Ill. (M.)* ii. 129.—*Hyd.*
 melanocephalus β .
 — 610; Hyd. — *fulvus* *. *Steph. Ill. (M.)* ii. 130.—Dele bi-
 color *et Hy. bicolor.* *Payk. F.* i. 184.
 — 611; Hyd. — *lividus* * *nec griseus.*—*Hy. lividus.* (*Kirby*
 & Sp. I. E. iii. 72.)
 61. 613; Hyd. — *affinis* *.—*Hyd. marginipennis.* *Marsh.* i. 408.

Page. No.

61. 614; *Hydrobius atricapillus**. *Steph. Ill. (M.)* ii. 131.—
Hy. bicolor. *Payk. F. i.* 184.
— 620; Hyd. —— *minutus**. *Dele Fabr. E. i.* 254.
— 624; Hyd. —— *aeneus**. *Steven.*—*Germ. I. N. i.* 96.—(*Curtis l. c. supra.*)—*Steph. Ill. (M.)* ii. 135.
63. 643; *Lege. De. picinus.* *Mus. Marsh. nec Marsh.* i. 60.
66. 695; *Phalacrus? maritimus.* *Steph. Ill. (M.)* ii. 159. *pl. xv. f. 1.*
67. 704; *Dele Marsh.* i. 77.—*Adde Mus. Marsh.*
68. 725, *Dele* †: *adde Steph. Ill. (M.)* ii. 169. *pl. xv. f. 2.*
— —— *LEIODES. § A. Corpore subovato, haud hemisphærico.*
— 729; *Le.* —— *Gyllenhalii**. (*Steph. Nom. 6.*)—*Steph. Ill. (M.)* ii. 197.
— 732*, *Le.* —— *punctatissima.* *Steph. Ill. (M.)* ii. 172. *pl. xv. f. 3.*
69. 742*; *Le.* —— *brunnea**. (*Steph. Nom. 6.*)—*Steph. Ill. (M.)* ii. 197.—*Anisotoma brunnea.* *Sturm D. F.* ii. 40. *pl. xxiv. f. d. D.?*
— 744; *Le.* —— *cinnamomea.* *Steph. Ill. (M.)* ii. 176.—
Curtis. vi. pl. 251.— β ? *Le. Tuberis. Supra. No. 745.*
— (*Steph. Nom. 6.*)
— 747*; *Le.* —— *rugosa**. *Steph. Ill. (M.)* ii. 178.
— 748*; *Le.* —— *abdominalis.* *Steph. Ill. (M.)* ii. 179.—*Sphæridium abdominalis.* *Payk. F. i.* 71.—*Anisotoma glabra.* *Illig. K. i.* 76.—*Panz. F. xxxvii. f. 9.*
— 749; *Agathidium globus**. *Steph. Ill. (M.)* ii. 180. *pl. xv. f. 4.*
70. 762; *Clambus Armadillus**. *Steph. Ill. (M.)* ii. 184. *pl. xv. f. 5.*
71. —— Genus 113. *ORTHOPERUS*, *Steph.*
— —— Genus 114. *SERICODERUS*, *Steph.*
72. †776. *Dele* in *Mus. D. Jenyns?*
74. 798; *Choleva gausapata** *nec gomphosata.*
— —— Genus *NECROPHORUS.* *Burying Beetle.*
— 800; *Ne.* —— *anglicus**. *Steph. Ill. (M.)* iii. *pl. xvi. f. 1.*
75. 803; *Ne.* —— *Sepultor**. *Steph. Ill. (M.)* iii. *pl. xvi. f. 2.*
— 804; *Ne.* —— *Mortuorum**. (*Kirby & Sp. I. E. i.* 387.)
— 805; *Ne.* —— *Vespillo**. (*Kirby & Sp. I. E. i.* 255.—ii. 377.
— iii. 89.—iv. 178.)
76. 809; *Oiceoptoma rugosa**. (*Kirby & Sp. I. E. iii.* 120 note.)
77. 821, *Phosphuga subrotundata.* *Steph. Ill. (M.)* ii. *pl. xvi. f. 3.*
79. 833; *Nitidula 4-pustulata**. *Steph. Ill. (M.)* iii. *pl. xvi. f. 4.*
80. 851; *Strongylus imperialis**. *Steph. Ill. (M.)* ii. *pl. xvi. f. 5.*
83. †882*. *Micropeplus tesserula.* *Curtis. v. pl. 204.*
— In *Mus. D. Haliday.*
— 882; *Mi.* —— *Staphylinoides**. *Steph. Ill. (M.)* iii. *pl. xvi. f. 6.*
90. 963, *Ips 4-pustulata**.—*Si. 4-pustulata.* *Linn. ii.* 570.
— —— Genus 153 a. *TRIBOLIUM*^a.

^a 90. —— Genus 153 a. *TRIBOLIUM*, *MacLeay.*— 1. *Tr.* —— *castaneum.* *MacLeay A. J. 47.* (!)

Page. No.

93. 998; *Latridius quadratus**.—*Tenebrio lardarius*. (*Kirby & Sp. I. E. i.* 225.)
95. 1011; *Megatoma Serra**. *Curtis. vi. pl. 244.*
- 1012; *Attagenus undatus**. *Meg. undatus. Curtis folio 244.*
- †1013, Att. — *trifasciatus**. *Curtis. vi. pl. 247.*
- 1014; Att. — *pellio**. (*Kirby & Sp. I. E. iii.* 325.)—*Curtis l. c. supra.*
- 1015; *Dermestes lardarius**. (*Kirby & Sp. I. E. i.* 225.)
97. 1027; *Nosodendron fasciculare*. *Curtis. vi. pl. 246.*
99. 1041; (*Chætophora*) *cretifera*. (*Kirby & Sp. I. E. iv.* 503?)
100. 1045; *Onthophilus sulcatus**. *Curtis. v. pl. 220.*
- 1049; *Hister cadaverinus**. (*Kirby & Sp. I. E. iii.* 154.)
104. 1087; *Lucanus Cervus**. (*Kirby & Sp. I. E. ii.* 224; *iii.* 103; *298 nota*, *400 et 426.*)
- 1089; *Copris lunaris**. (*Kirby & Sp. I. E. ii.* 257; *iii.* 313.)
105. 1097; *Onthophagus nuchicornis**. (*Kirby & Sp. I. E. iii.* 312.)
106. — **BOLBOCERUS**, *Kirby*.—**BOLBOCERAS**, *Curtis*.
- 1102; Bo. — *testaceus*.—Bo. *mobilicornis*. *Curtis. vi. pl. 259.*
- †1103; Bo. — *quadridens*. *Curtis l. c. supra.*
107. 1109; *Geotrupes foveatus**. (*Kirby & Sp. I. E. iv.* 199.)
- 1114; Geo. — *stercorarius**. (*Kirby & Sp. I. E. i.* 349; *ii.* 349; *iii.* 442, 545; *iv.* 149, 176.)—*Scarabæus ster- corarius*. (*Kirby & Sp. I. E. i.* 392 *nota*.)—(*Loudon M. i.* 423. *fig. 180.*)
108. 1118; *Aphodius erraticus**. (*Kirby & Sp. I. E. iv.* 554.)
111. 1152; Ap. — *nigripes**. (*Kirby & Sp. I. E. iv.* 397.)
- 1153; Ap. — *luridus**. (*Kirby & Sp. I. E. iv.* 397.)
112. 1166; Ap. — *plagiatus**. (*Kirby & Sp. I. E. iv.* 503.)
113. 1171; Ap. — *testudinarius**. (*Kirby & Sp. I. E. iv.* 509.)
- 1177; *Psammodius sulcicollis*. *Curtis. vi. pl. 258.*
114. 1178; *Ægialia globosa*. (*Kirby & Sp. I. E. iv.* 506.)
- †1184, *Oryctes nasicornis**. (*Kirby & Sp. I. E. iii.* 90, 203, 312; *iv.* 8, 10, 23, 39 & 62.)
116. 1189; *Melolontha vulgaris**. (*Kirby & Sp. I. E. i.* 392 *nota*; *ii.* 5, 349; *iii.* 203, 345, 398, 591; *iv.* 179, 513.)—*Cockchafer*. *Albin. pl. li.*
- 1190; Me. — *Fullo*. (*Kirby & Sp. I. E. iii.* 423.)—*An. Sc. Fullo*. *Linn. ii. 553?*
- — **ANOMALA** § A.—**PHYLLOPERTHA**, *Kirby*.
- 1191; An. — *Horticola**. Me. *Horticola*. (*Kirby & Sp. I. E. i.* 194; *iii.* 691; *iv.* 40.)
- 1192; An. — *Frischii**. (*Kirby & Sp. I. E. iv.* 506.)
117. 1197; *Hoplia argentea**. (*Kirby & Sp. I. E. ii.* 5.)
118. †1202. *Trichius hemipterus*: Genus **ACANTHURUS**, *Kirby*.
— *Acanthurus hemipterus*. (*Steph. Nom. 10.*)

Page. No.

118. 1203; *Cetonia aurata**. (*Kirby & Sp. I. E.* iii. 298 *nota*; iv. 507.)—Rose May Beetle. *Harr. A. pl. 17. f. m-q.*
120. 1216; *Agrilus biguttatus** *nec* *biguttata*.
— 1220: Ag. — 9-maculatus *nec* 9-maculata.
— 1221: *Aphanisticus emarginatus**.—*Aph. pusillus*. *Curtis.* vi. *pl. 262.*
122. 1233; *Elater lineatus**.—*El. segetum*. (*Kirby & Sp. I. E.* iii. 203.)
128. 1295; *Atopa cervina**.—*Dascillus cervinus*. *Curtis. v. pl. 216.*
— (*Loudon M. i.* 272. *fig. 135.*)
- 1296; *Scirtes hemisphaericus**. (*Kirby & Sp. I. E. i.* 87.)
130. 1317; *Lycus minutus**. *Curtis. vi. pl. 263.*
— 1318. *Ly. festivus*^a.
— 1324. *Telephorus Æthiops*. *Curtis folio 215.*
131. 1326; *Telephorus marginatus** *mihi*. (*Curtis fo. 215*, *excluso* *synonymo*. *Fabr.?*)
132. 1327; Te. — *discoideus** *mihi*. (*Curtis fo. 215*, *excl. syn.* *Kirby's MSS.*
— †1337*. Te. — *longicornis*^b.
— 1338, Te. — *tricolor*.—*Te. cyaneus*. *Curtis. vi. pl. 215.*
— 1341; Te. — *cantianus** *mihi*. (*Curtis fo. 215*. *excl. syn.* *Leach?*)
135. 1375, Dele †.
137. 1396, Dele †.
138. 1403; *Thanasimus formicarius**. (*Kirby & Sp. I. E. i.* 271.)
— 1404; *Clerus Apiarius*. (*Kirby & Sp. I. E. i.* 402.)
— †1405, Adde in *Mus. D. Chant*, *Curtis et Sparshall*.
— 1409; *Corynetes violaceus**.—*Co. cæruleus*. (*Kirby & Sp. I. E. i.* 255.)
139. 1413; *Ptinus imperialis**. (*Kirby & Sp. I. E. iv.* 513.)
140. 1414; Pt. — *Germanus**. (*Kirby & Sp. I. E. iv.* 513.)
— 1417; Pt. — *Fur**. (*Kirby & Sp. I. E. i.* 231, 387.)
— 1422; *Mezium sulcatum**. *Curtis. v. pl. 232.*
141. 1428; *Anobium pertinax**. (*Kirby & Sp. I. E. i.* 237; ii. 235.)
— 1431; An. — *paniceum**. (*Kirby & Sp. I. E. i.* 229.)
142. — CIS nec CISS.
144. — APATE § A. SINOXYLON, *Dufts*.—(*Steph. Nom. 12.*)
— 1453*. N. G.^c.

^a 130 † 1318. *Lycus festivus*. *Curtis l. c. folio 263*. (!)^b 132 † 1337. *Telephorus longicornis*. *Curtis l. c. fol. 215*. (!)—Ca. *longicornis*. *Fab.*—*Curtis l. c.*^c 144. 1453*; N.G.—*pusilla**.
Sinodendron pusillum. *Fabr. E. ii.* 378.—(*Kirby & Sp. I. E. i.* 229. 231.)—*Ptinus piceus*. *Marsh. i.* 88. (!)—*Ptinus fissicornis*. *Marsh. i.* 82. (!)

- Page. No.
150. 1517; *Cionus Scrophulariæ**. Rh. *Scrophulariæ*.—(*Kirby & Sp. I. E. iv. 552.*)
153. 1542; *Ceutorhynchus sulcicollis**: (*Kirby & Sp. I. E. i. 187 nota.*)
156. 1579; *Nedyus horridus**.—Rh. *horridus*. (*Kirby & Sp. I. E. iv. 506.*)
158. 1601; *Cryptorhynchus Lapathi**. (*Kirby & Sp. I. E. iv. 107.*)—Cu. *Lapathi*. (*Kirby & Sp. I. E. i. 194 nota.*)
- 1603; *Bagoüs binodus**. Ba. *atritostris*.—(*Kirby & Sp. I. E. iv. 500.*)
161. 1644; *Orcheses Fragariæ**.—Cu. *Fragariæ*. (*Kirby & Sp. I. E. i. 193.*)
165. 1687; *Dorytomus Vorax**.—Cu. *longimanus*. (*Kirby & Sp. I. E. iii. 330.*)—Cu. *Forsteri*. *Turt. ii. 239.*
167. 1705; Adde (*Kirby & Sp. I. E. i. 198.*)
168. 1715; *Hypera Ruminis**.—*Curculio bitæniatus*. *Don. xv. pl. 524?*
171. 1743; *Tanysphyrus Lemnæ**. (*Kirby & Sp. I. E. iv. 500.*)
172. 1754; *Otiorhynchus notatus**. (*Kirby & Sp. I. E. i. 198.*)
175. 1783; *Strophosomus Coryli**: Nut beetle. *Harr. A. pl. 14. f. p.-m.*—Cu. *melanogrammus*. *Forst. C. i. 36.*—*Stew. ii. 61.* *Turt. ii. 264.*
177. 1809; *Sitona lineata**.—Cu. *lineatus*. (*Kirby & Sp. I. E. i. 189 nota.*)
179. 1836*, *Polydrusus speciosus*. (*Steph. Nom. 15.*)
- 1839. Adde Cu. *oblongus*. (*Kirby & Sp. I. E. i. 197 nota.*)
182. 1861; *Lixus paraplecticus*. (*Kirby & Sp. I. E. iii. 123, 500.*)
- 1862*, Li. — *lateralis*. (*Steph. Nom. 15.*)
183. 1868; *Magdalais carbonarius**. *Curtis. vi. pl. 212.*
- 184.†1881*. *Apion Platalea*. *Germ. M. iii. 143. pl. 3. f. 23.*—*Curtis fo. 211.*
- 188.†1949, Ap. — *diforme**. *Curtis. v. pl. 211.*—(*Loudon M. i. 160. fig. 59.*)—Adde in *Mus. D. Curtis, et Haliday.*
- 1952; Ap. — *ebeninum**. (*Kirby & Sp. I. E. iv. 503.*)
190. 1967; *Deporaüs Betulæ**. Ah. *Betulæ*. (*Kirby & Sp. I. E. iv. 107.*)
- 1972; *Rhynchites Alliariæ**. (*Kirby & Sp. I. E. iii. 76.*)—Cu. *Alliariæ*. (*Kirby & Sp. I. E. i. 194 nota.*)
191. 1981; Rh. — *Populi**. (*Kirby & Sp. I. E. i. 209.*)
196. — Genus 351 b. **ACROCINUS**^a.
- 2019; *Cerambyx Moschatus**. *Callichroma Moschatum.* (*Kirby & Sp. I. E. iii. 573, 576; iv. 141.*)

^a 196. — Genus 351 b. **ACROCINUS**, *Illiger*. (*Kirby.*)

† 1. *Ac. Accentifer**. *Schön. S. iii. 348.*—*Prionus Accentifer. Oliv. E. iv. 66. 8. pl. 4. f. 16.*

Page. No.

197. 2020: *Monochamus Sutor* *. La. *Sutor*. (*Kirby & Sp. I. E.* iii. 319.)
—†2021: Mo. — *Sartor* *. *Curtis. v. pl.* 219.
— 2021*: Mo. — *dentator* ^a.
—†2021**. Mo. —? *literatus* ^b.
— — Genus 354 b. *STENOCORUS* ^c.
198. 2029. *Dele* †.
199. — Genus 358 b. *TETRAOPES* ^d.
— 2040; *Callidium bajulum* *. (*Kirby & Sp. I. E. i.* 232 *nota*.)
200. 2042; Ca. — *violaceum* *. (*Kirby & Sp. I. E. iii.* 120 *nota*;
iv. 151.)
201. 2055*, *Clytus fulminans* ^e.
—†2059*. Cl. *erythrocephalus* ^f.
210. 2129; *Crioceris Asparagi* *. Le. *Asparagi*.—(*Kirby & Sp. I.*
E. i. 31; *iv.* 104.)
213. 2151; *Haltica antennata* *. Ch. *nodicornis*.—(*Kirby & Sp.*
I. E. iii. 324.)
218. — Pro *** *Elytris lavigatis lege* ††† *Elytris lavigatis*.
221. 2263; *Chrysomela Vitellinæ* *. Gal. *Vitellinæ*.—(*Kirby &*
Sp. I. E. iv. 105.)
— 2270; Ch. — *Polygoni* *. (*Kirby & Sp. I. E. iv.* 163.)
222.†2279*. Ch. — *festiva* ^g.
223. 2285*, Ch. — *Hobsoni*. *Hope MSS.*

^a 197. 2021 * : Mo. *dentator* *. (*DeJean C. 106.*)—*Curtis l. c. infra.* (!)
—La. *dentator*. *Fabr. E. ii.* 294.—*Ent. Trans. (Haworth.)*
i. 84. *pl. 1. fig. sup.* (!)—Cer. *Carolinensis*. *Oliv. E. iv.*
67. 85. pl. 12. f. 88.

^b —† 2021 **. Mo.? *literatus*.—Cer. *litteratus*. *Don. xvi. pl.* 546. (!)
^c — — Genus 354 b. *STENOCORUS*, *Fabr. (Kirby.)*

† 1: *spinicornis* *. *Fabr. E. ii.* 306.—Cer. *spinicornis*. *Oliv.*
E. iv. 67. 41. pl. 17. f. 130.—Cer. *insularis*. *Gmel. iv.*
1859.

2: *quadrimeaculatus* *. *Fabr. E. ii.* 308.—*Ent. Trans. (Ha-*
worth.) i. 83. (!)—Cer. *4-maculatus*. *Linn. ii.* 627.—*Oliv.*
E. iv. 67. pl. 21. f. 164.—Cer. *ramphygeus*. *Linn. ii.* 633.
—Cer. *bimaculatus*. *Panz. (Voet.) iii. 41. pl. 15. f. 65.*

^d 199. — Genus 358 b. *TETRAOPES*, *Dalman*.

— 2036*. 1: *Tornator* *.—*Lamia Tornator*. *Fabr. E. ii.* 301. (*Wilk.*
Catal. (!))—Cer. *Tornator*. *Oliv. E. iv. 67. 103. pl. 8. f. 52.*
—Cer. *tetraphthalmus*. *Forst. C. i.* 41.

^e 201. 2055 *, *Clytus fulminans* *. *Fabr. E. ii.* 346.—(*Curtis folio 199.* (!))
—Cer. *fulminans*. *Oliv. E. iv. 32. pl. 5. f. 63.*—*Sowerb.*
B. M. i. pl. 58. (!)

^f —† 2059 *. *Clytus erythrocephalus* *. *Fabr. E. ii.* 350.—*Curtis*
fol. 199. (!)—Cer. *erythrocephalus*. *Oliv. iv. 47. pl. 5. f. 60.*
—*Call. acuminatum*. *Fabr. Sp. 1. 243.*—Cer. *americanus*.
Gmel. iv. 1854.

^g 222 † 2279. *Ch. festiva*. *Fabr. E. i.* 440.—(*Wilk. Catal.* (!))

Page. No.

223. †2294, Chrysomela violacea. (*Kirby & Sp. I. E.* iv. 108.)
 224. 2300; Timarcha tenebricosa*. (*Kirby & Sp. I. E.* iv. 215.)
 —Ch. Tenebricosa. (*Id. ii.* 247, 309.)
 225. 2302; Ch. Populi*. (*Kirby & Sp. I. E.* iii. 141; iv. 134.)
 Albin. pl. lxiii. f. 6.
 — 2306*, Ch. cuprea. *Fabr. E. i.* 432?—*Panz. F. xxv. f. 8?*—
 (*Steph. Nom. 18.*)—Chr. ruficaudis. *DeGeer. v.* 305?
 —Coccinella Vitellinæ. *Scop. C. No. 224?*
 226. 2311; Clythra tridentata*. ♂. Cly. longimana. (*Kirby & Sp. I. E.* iii. 330.)
 228. — Genus 386 b. COLASPIS^a.
 230. 2361*. Chilocorus *Cacti*^b.
 231. 2372; Coccinella 7-punctata*: The common Lady-bird.
 Harr. A. pl. 22. f. n-t.
 235. 2381; Coccinella dispar*.—α. Co. bipunctata. (*Kirby & Sp. I. E.* iii. 102; iv. 133.)
 240. 2406: Cacicula pectoralis*.—Silpha rosea. (*Kirby & Sp. I. E.* i. 225.)
 242. 2415; Tenebrio Molitor*. (*Kirby & Sp. I. E.* iii. 330, 635.)
 — 2419; Uloma cornuta*. (*Kirby & Sp. I. E.* i. 173.)
 —†2420*. Diaperis *Hydni*^c.
 243. — MISOLAMPUS^d.
 244. 2435; Blaps mortisaga*. (*Kirby & Sp. I. E.* i. 34 & 399;
 iv. 200.)
 247. — Genus 423. HYPULUS, *Payk.*—ULODES, *Millard.*
 2459; Quercinus*. *Curtis folio* 255.—Ul. pilosulus. *Mill. B. E.* 113.
 248. — Genus 424. HYPULUS *p!* *Curtis.*
 — 2460; bifasciata*. Hy. biflexuosus. *Curtis. vi. pl. 255.*
 —†2461, trifasciata.—Hy. 4-fasciatus. *Curtis folio* 255.
 250. 2490, Sitaris humeralis adde*.
 251. 2499; Oedemera melanura*.—OEd. notata. (*Kirby & Sp. I. E.* iii. 320.)
 252. 2502, Dele †.

^a 228. — Genus 386 b. COLASPIS, *Fabr.*—EROTYLUS, *Fabr.*, *Gmel.*
 —† 1. *flavicornis*. *Fabr. E. i.* 412.—(*Wilk. Catal. (!)*)—Er. flavipes.
 Fabr. M. i. 92.—Chr. occidentalis. *Linn. ii.* 388? *De-*
 Geer. v. 353. *pl. 16. f. 14.*—Erot. jamaicensis. *Gmel. iv.*
 1729.

^b 230 † 2361 *. Ch. *Cacti*.—Co. *Cacti*. *Linn. ii.* 584.

^c 242 † 2420 *. Diaperis *Hydni*. *Fabr. E. ii.* 585.—(*Wilk. Catal. (!)*)

^d 243. — Genus 410 b. MISOLAMPUS, *Latr.*

244 † 2434 *. Mi. Pimelia. *Regne Anim. (Latr.) iii.* 297.—He. Pi-
 milia. *Fabr. E. i.* 162. (!)—Pimelia Morio. *Fabr. Sp.*
 i. 318.—Helops anglica. *Gmel. iv.* 2011. (!)—Pi. anglica.
 Stew. ii. 84. (!)—Turt. *ii.* 496. (!)—Scaurus Vienensis.
 Sturm. D. F. ii. 180. *pl. xli.*?

Page. No.

253. 2509; Proscarabæus vulgaris*. Meloë proscarabæus. (*Kirby & Sp. I. E.* ii. 309; iv. 133, 225.)
254. 2517: Cantharis vesicatoria*. (*Kirby & Sp. I. E.* iii. 395; iv. 77.)
274. 2888; Creophilus maxillosus*. (*Kirby & Sp. I. E.* i. 226.)
275. 2902; Goërius olens*. (*Kirby & Sp. I. E.* ii. 255, 434; iv. 41.)
279. 2959; Philonthus splendens*.—St. splendens. (*Kirby & Sp. I. E.* iii. 340.)
- 2962; Ph. — politus*.—St. politus. (*Kirby & Sp. I. E.* iv. 105.)
291. 3166, Dianoüs rugulosus adde*.
292. 3169; Siagonium quadricorne*. *Stark E.* ii. 260. (!)
- 3170, Bledius tricornis. Oxytelus tricornis. (*Kirby & Sp. I. E.* iv. 506.)
294. — Genus 503. SYNTOMIUM, *Curtis*.
- 3218; Sy. — nigroæneum*. *Curtis. v. pl.* 228.

DERMAPTERA.

299. 3299; Forficula auricularia*. (*Kirby & Sp. I. E.* iii. 341.)
- 3304, Labidura gigantea. Fo. gigantea. (*Kirby & Sp. I. E.* iii. 374; iv. 493 *nota*.)

ORTHOPTERA.

300. 3312; Acrida verrucivora. (*Ing. Inst.* 39.)
301. 3313; Ac. — viridissima*. (*Kirby & Sp. I. E.* iii. 424, 545, 569, 579, 587; iv. 8, 35, 40, 73, 150, 152, 236.)
— Gryllus viridissimus. (*Kirby & Sp. I. E.* i. 386, 302 *nota*.)
- 3315, Locusta migratoria*.—Gryllus migratorius. (*Kirby & Sp. I. E.* ii. 327.)
302. 3326; Lo. — variegata* *nec* varipes*.
303. 3347; Gryllotalpa vulgaris*. (*Kirby & Sp. I. E.* i. 191; ii. 422; iii. 411.)
- 3348; Acheta campestris*. (*Kirby & Sp. I. E.* i. 276; ii. 309, 351, 397.)
- 3349: Ac. — sylvestris. (*Ing. Inst.* 89.)
- 3350; Ac. — domestica*. (*Kirby & Sp. I. E.* ii. 351, 396.)
- †3351, Ac. — italicica? (*Ing. Inst.* 89.)
- †3352, Blatta gigantea*. *Linn.* ii. 687.
304. 3356; Bl. — germanica*. (*Kirby & Sp. I. E.* i. 230. *pl.* ii. f. 3.)
- 3353; Bl. — Lapponica*. (*Kirby & Sp. I. E.* i. 226.)— (*Ing. Inst.* 89.)
- 3359; Bl. — perspicillaris*. (*Ing. Inst.* 90.)
- 3360, Bl. — Panzeri. (*Ing. Inst.* 90.)
- 3363; Bl. — pallida. (*Ing. Inst.* 89.)

Page. No.

NEUROPTERA.

305. 3369; *Ephemera vulgata* *. (*Kirby & Sp. I. E.* iii. 342; iv. 57.)
 308. — Genus ANAX. LINDENIA?
 — 3425; *Anax imperator* *. (*Kirby & Sp. I. E.* i. 273; ii. 355.)
 — 3427; *Æshna grandis* *. (*Kirby & Sp. I. E.* iv. 179.)
 — 3428; *Æs.* — *varia* *. *Æshna viatica*. (*Kirby & Sp. I. E.* iii. 455; iv. 254.) — *Æshna maculatissima*. *Latr. H.* xiii. 7. (!)
 309. 3430; *Æshna mixta* *. *Latr. H.* xiii. 8. (!)
 310. 3445; *Libellula depressa* *. (*Kirby & Sp. I. E.* iii. 303; iv. 39.)
 312. 3489; *Psocus pilicornis* *. *Latr. H.* xiii. 73.—*Coqueb. Ic.* 2. f. 12.
 — 3492; Ps. — *variegatus* *. *Latr. H.* xiii. 73.—*Coqueb. Ic.* 2. f. 13.
 — 3496; Ps. — *lineatus* *. *Latr. H.* xiii. 72.—*Coqueb. Ic.* 2. f. 8. *Chermes Buxi*. *Roem. G.* ii. pl. 11. f. 7.
 313. 3499; Ps. — *bifasciatus* *. *Latr. H.* xiii. 72.—*Coqueb. Ic.* 2. f. 4.
 — 3512; Ps. — *4-maculatus* *. *Latr. H.* xiii. 72.—*Coqueb. Ic.* 2. f. 6.
 — 3521; Ps. — *phæopterus* *. *Psocus fuscopterus*. *Latr. H.* xiii. 71? *Coqueb. Ic.* 2. f. 2?
 — 3523; Ps. — *abdominalis* *. *Psocus pedicularius*.—*Latr. H.* xiii. 71. *Coqueb. Ic.* 2. f. 1.
 — 3525; *Atropos pulsatorius* *. *Psocus pulsatorius*.—(*Kirby & Sp. I. E.* ii. 383; iv. 546.) — *Termes pulsatorium*. *Berk. S. i.* 169.—*Barb. G. pl.* 18. gen. 3.—*Stew. ii.* 278.—*Turt. iii.* 694.
 314. 3526, At. — *fatedicus* *. *Termes fatedicum*. *Stew. ii.* 278.
 — 3527; *Raphidia Ophiopsis* *. *Don. ix.* 57. pl. 315?
 — 3533; *Sialus lutarius* *. *Semblis lutaria*. (*Kirby & Sp. I. E.* iv. 58.)

HYMENOPTERA.

325. 3750: *Clavellaria marginata* *. *Curtis.* ii. pl. 93.
 — †3754, *Amasis obscura*. (*Ing. Inst.* 90.)
 344. 4021, *Pimpla Æthiops*. (*Loudon M. i.* 161. fig. 60.)
 356. — Genus 666. MYRMECINA, *Curtis*.
 — †4837, *Myr.* — *Latreillii*. *Curtis.* vi. pl. 265. Dele *.
 — †4838: N. G. — *Westwoodii adde* *.
 359. 4870; *Pompilus aterrimus* * *nec* *aterrima*.
 366. 4974; *Pemphredon geniculatum* * *nec* *geniculatus*.
 — 4976; Pe. — *caliginosum* * *nec* *caliginosus*.
 — 4978; Pe. — *nitidum* * *nec* *nitida*.
 373. 5054; *Megachile Willughbiella* *. (*Loudon M. i.* 273. fig. 137.)

INSECTA HAUSTELLATA.

ORDO I: (8). LEPIDOPTERA.

(GLOSSATA, *Fabricius*.—LEPIDOPTERA, *Clairville*.)

SECTIO I. LEPIDOPTERA-DIURNA, *Latreille*.

(PAPILIO, *Linné*, &c.) Butterflies.

Familia I: (114). PAPILIONIDÆ, *Leach*.

(EQUITES, HELICONII et DANAI CANDIDI, *Linné*.—DANAI FLAVI, *Wien V*.—PARNASSII, *Fabr.*)

(CHILOGNATHIFORM, or JULIFORM Stirps. *Horsfield*.)

Genus 1: (784). PAPILIO *Auctorum*. Swallow-tailed B.

PTEROURUS *p*, *Scopoli*.—PIERIS *p*, *Schrank*.—PRINCIPES, *Hübner*.

5794. 1: Machaon*. *Linn.* ii. 750.—*Berk.* S. i. 123.—*Barbut G.* 169. *pl.* 10. *f.* 33.—*Don.* vi. 75. *pl.* 211.—*Lew.* *pl.* 34.—(*Haw. Pr.* 1.)—*Shaw N. M.* xii. *pl.* 398.—*Haw.* 5.—*Turt.* iii. 19.—*Stew.* ii. 119.—*Shaw G. Z.* vi. 209. *pl.* 64.—*Leach E. E.* ix. 127.—(*Kirby & Sp. I. E.* ii. 224; iii. 35, 148, 186, 213 & 263.)—*Samou.* 235. *pl.* 5. *f.* 1.—*Jerm.* (24), 41. *pl.* 1.—*Steph. Ill. (H.)* i. 16.—*Id.* i. *App.* 145.—*Jerm.* 2 *edit.* (62), 84. *pl.* 1: *pl.* 3. *f.* 1. neuræ. *Brit. B.* i. *pl.* 1.

Pa. diurnus maximus, maximam partem flavescentes, &c. *Merr. P.* 198.

Pa. diurnæ, &c. *Mouff.* 99. 2. *cum fig.* larva et imago.—*Raii I.* 110. 1—111. larva.

Pa. major caudata, &c. Royal William B. *Pet. Pap.* *pl.* 2. *f.* 5. Swallow-tail B: Pa. Machaon. (*Wilkes.* 47. *pl.* 93.)—*Harr. A.* *pl.* 36.—*Harr. V. M.* 7.

Pa. Reginæ. *DeGeer. G.* 30. 5.

5795 ‡ 2. Podalirius*.

* 5795 ‡ 2. Podalirius: Scarce Swallow-tail B.—*Don. l. c.* *Linn.* ii. 751.—*Berk.* S. i. 123. (!)—(*Forst. Cat.* 404.) (!)—(*Martyn V. M.* 36.) (!)—*Don.* iv. 1. *pl.* 109. (!)—*Lew.* *pl.* 35. (!)—(*Haw. Pr.* 1. (!)—*Haw.* 5. (!)—*Id.* 588. (!)—*Turt.* iii. 16. (!)—*Stew.* ii. 119. (!)—*Rees' Cyclop. (Donovan.) Article PAPILIO.* (!)—(*Leach E. E.* ix. 127.)—(*Samou.* 35.)—*Jerm.* (24), 42. (!)—*Ing. Inst.* 91. (!)—*Steph. Ill. (H.)* i. 6. nota.—*Id. i. App.* 145.—*Jerm.* 2 *edit.* (62), 86. (!)

Pa. diurnæ, &c. *Mouff.* 99. 3. *cum fig.* imago.—*Raii Ins.* 111. 3. (!)

Genus 2: (785). GONEPTERYX, Leach, Samou., Jermyn, Steph., Curtis, Children.

COLIAS *p*, Fabr.—PIERIS *p*, Schrank.

5796. 1; Rhamni*. Leach E. E. ix. 128.—Samou. 236.—(Kirby & Sp. I. E. iii. 252.)—Steph. Ill. (H.) i. 8.—Jerm. 2 edit. (62), 87. pl. 3. f. 2. neuræ.—Brit. B. 2. pl. 2.—Phil. M. & A. (Children.) iv. 351.

Pa. Rhamni. Linn. ii. 765.—Berk. S. i. 125.—Barbut G. 170. pl. 10. f. 106.—Don. v. 1. pl. 145.—Lew. pl. 31.—(Haw. Pr. 2.)—Haw. 14.—Turt. iii. 76.—Stew. ii. 122.—Jerm. (26), 46.

Pa. corpore et antennis livescentibus, &c. Merr. P. 198. 5.

Pa. diurnæ med. &c. Mouff. 103. 1. cum fig.

Pa. sulphureus. Pet. Mus. Cent. I. No. 1.

Pa. præcox sulphurea, &c. Raii I. 112. 4.

The Brimstone Butterfly. Albin. pl. 3. f. 3. e-h.—(Wilkes. 48. pl. 94.)—Harr. V. M. 1.

Pa. canicularis. DeGeer. G. 30. 1.

♂; Pa. sulphurea: the Brimstone B. Pet. Pap. pl. 2. f. 1.

♀; Pa. sulphureus pallidus: the male Straw B. Pet. Pap. pl. 2. f. 2.

† β, Steph. Ill. (H.) i. 9.—Curtis. iv. pl. 173.

β in Mus. D. Haworth.

Genus 3: (786). COLIAS, Fabricius, Leach, Samou., (Kirby,) Jerm., Steph.

ARGYREUS *p*, Scopoli.—PIERIS *p*, Schrank.

5797. 1, Europome: Clouded Sulphur B.—Haw. l. c. Steph. Ill. (H.) i. 10. pl. I*. f. 1. ♂. f. 2. 3. ♀.—(Ing. Inst. 90.)—Jerm. 2 edit. (78), 156.—Brit. B. 2.

Pa. Europome. Vill. iv. 408?—Esper. i. pl. 42. f. 2?—Haw. 13.—Jerm. (26), 45.

5798 † 2. Palæno^a.

5799. 3, Chrysotheme. (Oeh. iv. 32.)—Steph. Ill. (H.) i. 11. pl. II*. f. 1. ♂. f. 2. ♀.—(Ing. Inst. 90.)—Brit. B. 3.

Pa. Chrysotheme. Esper. i. pl. 65. f. 3. 4.

Pa. Chrysotome. (Jerm. 40.)

Co. Chrysotome. Jerm. 2 edit. (62), (78), 91.

5800. 4; Edusa*. (Sam. I. 12.)—Steph. Ill. (H.) i. 12. & 145.—Jerm. 2 edit. (62), 89. pl. 3. f. 3. neuræ.—Brit. B. 3. pl. 3.

Pa. Edusa. Fabr. iii. a. 206.—(Haw. Pr. 2.)—Haw. 11.—Turt. iii. 73.—Stew. ii. 121.—Jerm. (24), 45.—Don. vii. 60. pl. 238. f. 2. ♀.

^a 5798 † 2. Palæno. Steph. Ill. (M.) i. 11. nota.—Jerm. 2 edit. (80), 161.

Pa. Palæno. Linn. ii. 764.—(Martyn. V. M. 35.) (!)—Hüb. Pa. pi. 86. f. 434, 435.—(Haw. p. xxix. (!)

Pa. Europome var. Bork. E. S. ii. 214.

- Pa. Hyale. (*Wien. V.* 165.)—*Esper.* i. *pl. 4. f. 3.*—*Don.* ii. 17.
pl. 43. fig. sup. ♂.
- Pa. Electra. *Lewin. pl. 32.*
- Pa. croceus ♂. *Fourc. P.* ii. 250.
- Pa. diurnæ, &c. *Mouff.* 100. 5. *cum fig. imago* ♂.
- Pa. med. mag., alis exterioribus summa parte flavis, &c. *Raii I.* 112. 6.
- Clouded yellow, or Saffron B. *Harris A.* *pl. 29. f. n.* ♂, *f. m.* ♀.—*Harr. V. M.* 7.
- ♂; Pa. crocea, &c.: the Saffron B. *Pet. Pap. pl. 2. f. 3.*
- ♀; Pa. crocea, &c.: the Spotted Saffron B. *Pet. Pap. pl. 2. f. 4.*
- β,* White clouded Yellow B.—*Haw. l. c.* *Steph. Ill. l. c. i.* 13.
pl. II. f. 3. ♀.*
- Pa. Helice. *Hüb. Pa. pl. 87. f. 440. 441.*—*Haw. 12.*—*Jerm. (24), 45.*
- Co. Helice. *Jerm. 2 edit. (62), 90.*
- Pa. Edusa-alba. (*Haw. Pr. 2.*)
- Pa. alis exterioribus, &c. foemina. *Raii I.* 112. 6. ♀'.
5801. 5, Hyale*. (*Och. iv. 32.*)—(*Leach E. E. ix. 127.*)—(*Sam. I. 12.*)—*Steph. Ill. (H.) i. 13.*—*Jerm. 2 edit. (62), 91.*—*Brit. B. 4.*
 Pa. Hyale. *Linn. ii. 764.*—*Berk. S. i. 124.*—*Lewin. pl. 33.*—
 (*Haw. Pr. 2.*)—*Haw. 12.*—*Don. vii. 57. pl. 238. f. 1.*—
Turt. iii. 74.—*Stcw. ii. 121.*—*Jerm. (26), 45.*
- Pa. Palæno. *Esper. i. pl. 4. f. 2.*
- Pa. croceus C. *Fourc. P.* ii. 250.
- Pale clouded Yellow B. *Harr. V. M.* 7.

Genus 4: (787). PONTIA, *Fabricius*, *Leach*, *Samou.*, (*Kirby,*)
Jerm., *Curtis*, *Steph.*

PIERIS *p*, *Latr.*—BATTUS *p*, *Scop.*—ASCIA *p*, *Scop.*

A. Pontiæ veræ. *Steph. Ill. (H.) i. 15.*

5802. 1; Brassicæ*: Large White B.—*Haw. l. c.* *Och. iv. 30.*—
 (*Leach E. E. ix. 127.*)—(*Sam. I. 34.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.) i. 15.*—*Jerm. 2 edit. (62), 94.* *pl. 3. f. 5.* neuræ.—*Brit. B. 4. pl. 4. fig. sup.*
- Pa. Brassicæ. *Linn. ii. 759.*—*Berk. S. i. 124.*—*Don. xiii. 29.*
pl. 446.—*Lew. pl. 25.*—(*Haw. Pr. 1.*)—*Haw. 7.*—*Turt. iii. 64.*—*Stcw. ii. 120.*—*Shaw G. Z. vi. 211. pl. 69. fig. inf. dext.*—
 (*Kirby & Sp. I. E. ii. 11; iii. 98, 212, 214, 345, 352, 557 & 571; iv. 8, 10 & 221.*)—*Jerm. (24), 43.*

Pa. diurnus maximus cum antennis porrect. &c. *Merret. P.* 198. 2?

Pa. No. 7. *List. Goed. (Angl.)* 16. *f. 7.*—*Id. (Lat.)* 9. *f. 7.*
 Pa. Brassicaria alba major, &c. *Raii I.* 113. 1.

Large White garden B: Pa. Brassicæ. (*Wilks. 49. pl. 96.*)

Large garden White B. *Harr. V. M.* 7.—*Bing. iii. 206.*

♂; Pa. alba major, &c. Great White Cabbage B. *Pet. Pap. pl. 1.*
f. 3. 4.

♀; Pa. alba major, bimaculata. *Pet. Pap. pl. 1. f. 5. 6.*

5803. 2; Chariclea*. *Steph. Ill. (H.) i. 17. pl. III*. f. 1. ♂.*
f. 2. ♀.—Id. i. App. 146.—Brit. B. 5.

The Great White Butterfly. *Albin. pl. 1.*

β, *Steph. Ill. (H.) l. c.—Po. Brassicæ præcox. Haworth MSS.*

5804. 3; Rapæ*: Small White B.—*Haw. l. c. (Och. iv. 30.)—(Leach E. E. ix. 127.)—(Kirby & Sp. I. E. i. 188; ii. 11; iv. 24. 281.)—(Sam. I. 34.)—(Curtis l. c. infra.)—Steph. Ill. (H.) i. 18.—Jerm. 2 edit. (62), 96.—Brit. B. 5.*

Pa. Rapæ. *Linn. ii. 759.—Berk. S. i. 124.—Lew. pl. 26.—(Haw. Pr. 1.)—Haw. 8.—Turt. iii. 64.—Stew. ii. 120.—Jerm. (24), 44.*

Pa. diurnus medius, &c. *Merrct. P. 198. 1.*

Pa. No. 8. *List. Goed. (Angl.) 12. f. 8.—Id. (Lat.) 22. f. 8.*

Pa. alba media, &c. *Raii I. 114. 2. ♀.—3. ♂—Albin. pl. 51.*

Small White garden B: Pa. Rapæ. (*Wilkes. 50. pl. 97.*)

Small garden White B. *Harr. V. M. 7.*

♂; Pa. alba media, maculata: Lesser White Cabbage B. *Pet. Pap. pl. 1. f. 7. 8.*

♀; Pa. alba media, bimaculata: Lesser White double-spotted B. *Pet. Pap. pl. 1. f. 9. 10.*

Var. Pa. Nelo. *Bork. E. S. i. 127?*

5805. 4; Metra*: Mr. Howard's white B. *Steph. Ill. (H.) i. 19.—Id. i. App. 146.—Brit. B. 6.*

♂; Pa. alba, media, immaculata: Lesser White unspotted B. *Pet. Pap. pl. 1. f. 13. 14.*

♀; Pa. alba media, trimaculata: Lesser White treble-spotted B. *Pet. Pap. pl. 1. f. 11. 12.*

5806. 5; Napi*. (*Och. iv. 31.*)—(*Leach E. E. ix. 127.*)—(*Sam. I. 34.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.) i. 20.—Jerm. 2 edit. (78), 96.—Brit. B. 6. pl. 4. fig. med.*

Pa. Napi. *Linn. ii. 760.—Berk. S. i. 124.—Lew. pl. 27.—Don. viii. 23. pl. 280. f. 1.—(Haw. Pr. 1.)—Haw. 9.—Turt. iii. 6.—Stew. ii. 121.—Jerm. (24), 44.*

Pa. alis æreis, &c. *Merr. P. 198. 7.*

Pa. Brassicaria media, &c. *Raii I. 114. 4.—Albin. pl. 52. f. d-g.*

Pa. alba, media, maculata, &c.: Lesser spotted, White, veined B. *Pet. Pap. pl. 1. f. 19. 20.*

White B. with green veins: Pa. Napi. (*Wilkes. 50. pl. 98.*)

Green-veined White B. *Harr. V. M. 7.*

5807. [6; Napæ*.] *Steph. Ill. (H.) i. 21.—Jerm. 2 edit. (78), 157.—Brit. B. 7.*

Pa. Napæ. *Esper. Pa. i. pl. 116. f. 5.*

Pa. Napi var. *Hüb. Pu. pl. 81. f. 407*.*

5803. 7; Sabellicæ*. *Steph. Ill. (H.)* i. 22. *pl. III**. *f. 3.* ♂; *f. 4.* ♀.
 Pa. Sabellicæ, &c. *Pet. Pap. pl. 1.* *f. 17.* 18. ♂; *f. 15.* 16. ♀.
 Pa. Bryoniæ. *Godart. E. M.* ix. 162.
 Pa. Napi β. *Haw.* 9.

B. Vide *Steph. Ill. (H.)* i. 22.—**MANCIPIUM**, *Hübner*.

5809. 8; Daplidice*?: Bath White B.—*Lew. l. c.* Green-chequered white B.—*Haw. l. c.* (*Och. iv. 31.*)—(*Leach E. E.* ix. 127.)—(*Sam. I.* 34.)—*Curtis. i. pl. 48.*—*Steph. Ill. (H.)* i. 22.—*Jerm. 2 edit.* (64), 97.—*Brit. B.* 7.

Pa. Daplidice. *Linn. ii. 760.*—*Lew. pl. 28.*—*Don. vi. 47.*
pl. 200.—(*Haw. Pr. 1.*)—*Haw. 10.*—*Turt. iii. 67.*—*Stew. ii. 121.*—*Jerm. (24), 44.*

Pa. Cardamines var. *Scop. C. No. 454.* 2, 3 ♂, 4. ♀.

Pa. Edusa. *Fabr. Gen. I. Mant.* 255.

Pa. leucomelanos Cantabrigiensis: the greenish-marbled Half-mourner. *Pet. Gaz. pl. 1.* *f. 7.*

Pa. med. mag. alis supina parte albis, &c. *Raii I.* 116. 10.

♂; Pa. alba minor, subtus viridescens, &c.: the Slight greenish Half-mourner, &c. *Pet. Pap. pl. 2.* *f. 8.*

♀; Pa. leucomelanos, &c.: Vernoun's greenish Half-mourner. *Pet. Pap. pl. 2.* *f. 9.*

5810. 9; Cardamines*. (*Och. iv. 31.*)—(*Leach E. E.* ix. 127.)—(*Kirby & Sp. I. E.* iii. 254; iv. 510.)—(*Sam. I.* 34.)—(*Curtis l. c. supra.*)—*Steph. Ill. (H.)* i. 23.—*Id. i. App. 147.*—*Jerm. 2 edit.* (64), 98.—*Brit. B.* 8. *pl. 4.* *fig. inf.*

Pa. Cardamines. *Linn. ii. 760.*—*Berk. S. i. 124.*—*Lew. pl. 30.*
 —*Don. v. 83. pl. 169.*—(*Haw. Pr. 1.*)—*Haw. 11.*—*Turt. iii. 67.*—*Stew. ii. 121.*—*Jerm. (24), 45.*

Pa. minor, &c.: The White-marbled B. *Raii I.* 115. 6. ♂. 7. ♀.
 Orange tip, or Lady of the Woods: Pa. Cardamines. (*Wilkes. 51. pl. 99.*)—*Harr. A. pl. 32. f. f. i.*—*Harr. V. M. 5.*

♂; Pa. albus, subtus viridi, &c.: White-marbled male B. *Pet. Pap. pl. 2.* *f. 6.*

♀; Pa. alba, subtus viridi, &c.: White-marbled female B. *Pet. Pap. pl. 2.* *f. 7.*

Genus 5: (788). **LEUCOPHASIA mihi**, (*Horsfield*,) *Children*.

PIERIS p, *Latr.*—**PONTIA p**, *Leach, Samou.*—**BATTUS p?** *Scop.*

5811. 1; Sinapis*. *Steph. Ill. (H.)* i. 24.—*Id. i. App. 147.*—*Brit. B.* 8. *pl. 5.*—*Phil. M. & A. (Children.)* iv. 350.

Pa. Sinapis. *Linn. ii. 760.*—*Lew. pl. 29.*—*Don. viii. 74. pl. 280.*
f. 2.—(*Haw. Pr. 1.*)—*Haw. 9.*—*Turt. iii. 65.*—*Stew. ii. 121.*
 —*Jerm. (24), 44.*

Po. Sinapis. (*Leach E. E.* ix. 127.)—(*Sam. I.* 34.)—*Jerm. 2 edit.* (64), 99.

Pa. corpore cinereo, &c. *Merr. P.* 199. 12.

Pa. alba minor, &c.: Small White B. *Raii I.* 116. 3.
Wood White. *Harr. A. pl. 29. f. t.-u.*—*Harr. V. M.* 7.
Pa. candidus. *DeGeer. G.* 30. 6.

♂; *Pa. alba minor apice nigricante*: White small tipt B. *Pet. Pap. pl. 1. f. 21.* 22.
♀; *Pa. alba minor*, mas.: Small White Wood B. *Pet. Pap. pl. 1. f. 23.* 24.
β; *Steph. Ill. (H.) l. c. supra*.—*Pap. d'Eur.* i. 215. *pl. 1. f. 105. a.*
γ; *Steph. Ill. (H.) l. c. supra*.
Pa. Erysimi *Bork. E. S.* i. 132.

Genus 6: (789). *PIERIS mihi*, (Kirby,) Jermyn.

PIERIS p, Schrank.—*PONTIA p*, Och., Leach, Samou.

5812. 1; *Crataegi**: Hawthorn B.—*Kirby l. c. Godart. E. M.* ix. 154.—(Kirby & Sp. I. E. iii. 98; iv. 200.)—*Steph. Ill. (H.)* i. 27.—*Jerm. 2 edit.* (62), 93. *pl. 4. f. 4.* neuræ.—*Brit. B.* 9. *pl. 6.*
Pa. Crataegi. *Linn. ii. 758.*—*Berk. S.* i. 124.—*Barbut G.* 169. *pl. 10. f. 72.*—*Lew. pl. 24.*—(*Haw. Pr. 1.*)—*Haw.* 6.—*Turt. iii. 53.*—*Stew. ii. 120.*—*Shaw G. Z.* vi. 211. *pl. 69. fig. inf. sin.*—*Don. xiii. 45. pl. 454.*—*Jerm. (24)*, 43.
Po. Crataegi. *Leach E. E.* ix. 127.—*Samou.* 236.
Pa. alba, nervis alarum nigris, &c. *Raii I.* 115. 5.
Pa. alba venis nigris. *Pet. Pap. pl. 1. f. 1. 2.*
White Butterfly with black veins. *Albin. pl. 2. f. 2. a-d.*—
Pa. Crataegi. (*Wilkes. 49. pl. 95.*)
Black-veined White B. *Harr. A. pl. 9. f. g-k.*—*Harr. V. M.* 7.
Pa. nigro venosus. *DeGeer G.* 30.

Genus 7: (790). DORITIS^a.

Familia II: (115). NYMPHALIDÆ, Swainson.

(DANAI FESTIVI, NYMPHALES PHALERATI et GEMMATICI,
Linné.—HELICONII, Fabr.)

(NYMPHALIS, Latreille.)

(CHILOPODIFORM or SCOLOPENDRIFORM, and THYSANURI-
FORM Stirpes, Horsfield.)

^a Genus 7. DORITIS, Fabricius, Leach, Steph., Jermyn.

PARNASSIUS, Latreille, (Kirby.)—*PIERIS p*, Schrank.

5813 1. Apollo: Crimson-ringed B.—*Haw. E. T. l. c. Leach E. E.* ix. 127.—*Steph. Ill. (H.)* i. 25. nota.—*Jerm. 2 edit.* (80), 163.

Pap. Apollo. *Linn. ii. 754.*—*Haw. p. xxix. (!)*—*Ent. Trans. (Haworth.)* i. p. 332. (!)—*Don. xiii. 1. pl. 433. (!)*

5814 2. Mnemosyne. *Steph. Ill. (H.)* i. 26. nota.—*Jerm. 2 edit.* (80), 163.
Pap. Mnemosyne. *Linn. ii. 754.*—*Turt. iii. 53. (!)*

Genus 8: (791). *NEMEOBIUS miki*, Horsfield.

MELITÆA p, Fabr., Leach, Samou., Jerm.—*GRAPHIUM p*, Scopoli.—*LEMONIADES p*, Hübner.

5815. 1; *Lucina**. Steph. Ill. (H.) i. 29.—Id. i. App. 147.—*Brit. B.* 9. *pl. 7.*

Pa. *Lucina*. *Linn.* ii. 784.—*Berk. S.* i. 127.—*Lew. pl. 15.*—*Don.* vii. 70. *pl. 242. f. 2.*—(*Haw. Pr. 3.*)—*Haw. 37.*—*Turt.* iii. 40.—*Stew. ii. 128.*—*Jerm. (32), 56.*

Me. *Lucina*. (*Och. iv. 14.*)—*Leach E. E.* ix. 128.—(*Sam. I. 27.*)—*Jerm. 2 edit. (64), 104.*

Pap. *Fritillarius minor*: Mr. Vernon's small Fritillary. *Pet. Gaz. pl. 16. f. 10.*—*Raii I. 122. 12.*—*Pet. Pap. pl. III. f. 15. 16.*

The Duke of Burgundy F. *Harr. A. pl. 27. f. n, o.*—*Harr. A. 3.*

Genus 9: (792). *MELITÆA*, Fabr., Leach, Samou., (*Kirby,*) *Jermyn*, Steph.

GRAPHIUM p, Scopoli.—*LEMONIADES p*, Hübner.—*ARGYNNIS p*, Ochs.

A. Vide *Steph. Ill. (H.) i. 30.*

5816. 1; *Athalia**. (*Och. iv. 14.*)—*Steph. Ill. (H.) i. 30.*—*Brit. B. 10.* Pa. *Athalia*. *Esper. Pa. i. pl. 47. f. 1.*

Pa. *Dictynna*. *Lewin. pl. 14. f. 5. 6.*—(*Haw. Pr. 3.*)—*Haw. 34.*—*Stew. ii. 128.*—*Turt. iii. 41.*—*Jerm. (32), 55.*

Pa. *Matura*. *Fabr. iii. a. 154.*

Me. *Dictynna*. (*Leach E. E.* ix. 128.)—(*Sam. I. 27.*)—*Jerm. 2 edit. (64), 102.*

Pa. *media*, alis supinis rufis, &c: the May Fritillary. *Raii I. 120. 8.*

Pa. *Fritillaria tessellata serotina*, subtus albida, &c.: White May F. *Pet. Pap. pl. III. f. 9. 10.*

The Heath Fritillary B: Pa. *Matura*. (*Wilkes. 58. pl. 112.*)

The Pearl-bordered Likeness. *Harr. A. pl. 38. f. f-g.*—*Harr. V. M. 3.*

5817. [[†]2, *Pyronia**.] Steph. Ill. (H.) i. 31. *pl. IV**. *f. 1. 2.*—*Jerm. 2 edit. (78), 157.*—*Brit. B. 10.*

Pa. *Pyronia*. *Hüb. Pa. pl. 114. f. 585-588.*

Pa. *Eos*: Dark underwing F. *Haw. 35.*—(*Ent. Trans. (Haworth.) i. 333.*)—*Jerm. (32), 55.*

Me. *Eos*. *Jerm. 2 edit. (64), 102.*

Me. *Dictynna* var. (*Och. iv. 14.*) In Mus. D. *Haworth.*

5818. [[†]3, *tessellata**.] Steph. Ill. (H.) i. 31. *pl. 5. f. 1. 2.*—*Jerm. 2 edit. (64), 101.*—*Brit. B. 11.*

Pa. *tessellata serotina*, subtus straminea: Straw May F. *Pet. Pap. pl. III. f. 11. 12.*—*Haw. 53.*

Pa. *tessellata*. *Jerm. (32), 54.*

B. α . Vide *Steph. Ill. (H.)* i. 32.

5819. 4; Artemis*. (*Och.* iv. 13.)—(*Leach E. E.* ix. 128.)—
(*Sam. I.* 27.)—*Steph. Ill. (H.)* i. 32.—*Jerm. 2 edit.* (64), 103. *pl.* 3.
f. 6. neuræ.—*Brit. B.* 11. *pl.* 3. *fig. sup.*

Pa. Artemis. *Fabr. E. S.* iii. a. 255.—*Lew. pl.* 15.—(*Haw. Pr.*
3.)—*Haw.* 36.—*Turt. iii.* 42.—*Jerm. (32)*, 56.

Pa. Matura. *Esper. Pap.* 1. *pl.* 16. *f.* 2. *pl.* 61. *f.* 3. *pl.* 97. *f.* 4.

Pa. Lye. *Bork. E. S.* i. 225.; ii. 198.

Pa. Matutina. *Thunb. D.* iii. 45.

Pa. Fritillaria, &c. *Raii I.* 121. 11. ♂.—12. ♀.

Pa. Fritillaria minor meandris nigris: Small black F. *Pet.*
Pap. pl. III. *f.* 21. 22. ♂.

Pa. Fritillaria media meandris nigris: Dandridge's Middling
black F. *Pet. Pap. pl.* III. *f.* 19. 20. ♀.

The Small Fritillary B: Pa. Lucina. (*Wilkes.* 59. *pl.* 114.)

The Greasy F. *Harr. A. pl.* 28. *f.* e—i.—*Harr. V. M.* 3.

The Marsh F. *Bing.* iii. 210.

5820. 5; Cinxia*. (*Och.* iv. 13.)—(*Leach E. E.* ix. 128.)—
(*Sam. I.* 27.)—(*Kirby & Sp. I. E.* iii. 114.)—*Jerm. 2 edit.* (64),
103.—*Steph. Ill. (H.)* i. 33.—*Brit. B.* 12.

Pa. Cinxia. *Linn. ii.* 784.—*Berk. S.* i. 128.—*Lew. pl.* 14.—
Don. vii. 69. *pl.* 242. *f.* 1.—(*Haw. Pr.* 3.)—*Haw.* 36.—
Stew. ii. 128.—*Turt. iii.* 40.—*Jerm. (32)*, 56.

Pa. Delia. *Hüb. Pa. pl.* 2. *f.* 7. 8.

Pa. Pilosellæ. *Esper. 1. pl.* 47. *f.* 3. *pl.* c. *f.* 4.

Pa. Trivia. *Schra. B.* ii. 203.

Pa. Fritillarius Lincolniensis, &c. *Pet. Gaz. pl.* 18. *f.* 10.—
Raii I. 121. 9.

Pa. Fritillaria minor, undulata, &c.: White Dullidge F. *Pet.*
Pap. pl. III. *f.* 25. 26.

The Plantain Fritillary B.: Pa. Cinxia. *Wilkes.* 58. *pl.* 111.

The Glanville F. *Harr. A. pl.* 16. *f.* a—f.—*Harr. V. M.* 3.

Pa. abbacus. *DeGeer. G.* 32.

5821 † 6. Matura^a.

b. *Alis posticis subtus argenteo maculatis.* (ARGYNNIS p, *Och.*)

5822 † 7, Dia^b.

5823. 8; Selene*. *Steph. Ill. (H.)* i. 34.—*Brit. B.* 12. *pl.* 3. *fig. inf.*

^a 5821 † 6. Matura. *Jerm. 2 edit.* (80), 164.—*Steph. Ill. (H.)* i. 33. nota.
Pa. Matura. *Linn. ii.* 784.—*Stew. ii.* 128. (!)—*Turt. iii.* 41. (!)—
Rees' Cycl. (Donovan.) Art. PAPILIO. (!)—*Jerm. 62.* (!)

Pa. Cynthia. *Esper. Pa. i. pl.* 37. *f.* 2.

Pa. Agrotera. *Bork. E. S.* i. 226.

^b 5822 † 7, Dia. *Jerm. 2 edit.* (80), 163.—*Steph. Ill. (H.)* i. 34. nota.

Pa. Dia. *Linn. ii.* 785.—*Hüb. Pa. pl.* 6. *f.* 31.—*Stew. ii.* 129. (!)—
Turt. iii. 42. (!)—*Rees' Cycl. (Donovan.) Art. PAPILIO.*—*Jerm. 62.* (!)

- Pa. Selene. *Fabr. E. S.* iii. a. 147.—(*Haw. Pr. 3.*)
 Pa. Silene. *Haw. 34.*—*Jerm. (32), 51.*
 Me. Silene. (*Leach E. E.* ix. 128.)—(*Sam. I. 27.*)—*Jerm. 2 edit. (64), 100.*
 Pa. Euphrasia. *Lew. pl. 13.*
 Pa. Matura. *Berk. S. i. 128?*
 Pa. Euphrosyne var. *Esper. Pap. pl. 30. f. 1.*
 Pa. Sumine nigra, &c. *Merr. P. 199. 7?*
 Pa. Fritillarius major, &c.: The April Fritillary. *Raii I. 120. 7.*
 Pa. Fritillaria, maculata, præcox: April F. *Pet. Pap. pl. III. f. 13. 14.*
 The Small Pearl Border F. *Harr. A. pl. 31. f. i, k.*—*Harr. V. M. 3.*
 β; Steph. Ill. (H.) l. c.—*Pap. d'Eur. i. pl. III. iii^e Sup. f. 23. f.*
 † γ, Steph. Ill. (H.) i. *App. 147. pl. iv**, f. 3.
 Me. Euphrosyne ε. *Steph. Ill. (H.) i. 35.*
 Pa. Thalia: Wedge Pearl Border.—*Haw. l. c. Hüb. Pa. pl. 11. f. 57. 58.*—*Ent. Trans. (Haworth.) i. 333.* .
 γ in Mus. D. *Haworth.*
 5824. 9; Euphrosyne*. (*Leach E. E.* ix. 128.)—*Samou. 237.*—*Jerm. 2 edit. (64), 100.*—*Steph. Ill. (H.) i. 35.*—*Id. i. App. 147.*—*Brit. B. 13.*
 Pa. Euphrosyne. *Linn. ii. 786.*—*Berk. S. i. 128.*—*Lew. pl. 13.*—(*Haw. Pr. 3.*)—*Haw. 33.*—*Stew. ii. 130.*—*Turt. iii. 116.*—*Don. xi. 51. pl. 312.*—*Jerm. (32), 54.*
 Pa. Fritillaria maculata, &c.: April F. with few spots. *Pet. Pap. pl. III. f. 17. 18.*
 Pa. princeps. *Linn. F. 1 edit. 327.*
 The Pearl-bordered F. *Harr. A. pl. 40. f. e, f.*—*Harr. V. M. 3.*
 Pa. argenticollis. *DeGeer. G. 31. 13.*
 β; Steph. Ill. (H.) l. c. var. γ.—*Pap. d'Eur. i. 249. pl. lxi. Sup. vii. f. 22. c. d.*
 Genus 10: (793). ARGYNNIS, *Fabr.*, *Leach*, *Samou.*, (*Kirby*), *Jermyn*, *Steph.*
 ARGYREUS p, *Scopoli*.—DRYADES, *Hübner*.
 5825. 1; Lathonia*. (*Leach E. E.* ix. 128.)—(*Sam. I. 5.*)—*Jerm. 2 edit. (66), 108.*—*Steph. Ill. (H.) i. 36.*—*Brit. B. 13.*
 Pa. Lathonia. *Linn. ii. 786.*—*Berk. S. i. 128.*—*Lew. pl. 12.*—*Don. iii. pl. 73.*—(*Haw. Pr. 3.*)—*Haw. 33.*—*Stew. ii. 130.*—*Turt. iii. 116.*—*Jerm. (32), 54.*
 Pa. Principissa. *Linn. F. 1 edit. No. 781.*
 Pa. Latonia. (*Wien. V. 177.*)
 Pa. Lathona. *Hüb. Pa. pl. 11. f. 59. 60.*
 Pa. Rigensis aureus, &c.: the lesser silver-spotted Fritillary. *Raii I. 120. 6.*

Pa. Fritillaria minor, &c.: Lesser silver-spotted, or Riga F.
Pet. Pap. pl. III. f. 23. 24.

The Queen of Spain F. *Harr. V. M. 3.*

5826 ‡ 2. Niobe ^a.

5827. 3; Adippe*. (*Och. iv. 15.*)—(*Leach E. E. ix. 128.*)—(*Sam. I. 5.*)—*Jerm. 2 edit. (66)*, 108.—*Steph. Ill. (H.) i. 38.*—*Brit. B. 14.*
Pa. Adippe. *Linn. ii. 786.*—*Lew. pl. 10.*—(*Haw. Pr. 2.*)—*Haw. 32.*—*Turt. iii. 115.*—*Stew. ii. 129.*—*Dou. xiii. 32.*
pl. 448.—*Jerm. (30), 54.*

Pa. diurnæ, &c. *Mouff. 101. 11. cum fig.*

Pa. major, alis fulvis, &c.: the greater silver-spotted F. *Raii I. 119. 5.*

Pa. major, maculis subtus argenteis, &c. *Pet. Mus. 320.*—*Pet. Pap. pl. III. f. 5. 6.*

The High Brown F. *Harr. A. pl. 28. f. a, d.*—*Harr. V. M. 3.*

Pa. margaritaceus medius. *DeGeer. G. 31. 12.*

β, *Steph. Ill. (H.) l. c.*—*Pap. d'Eur. i. 52. pl. xiii. f. 16. i.*

† γ, *Steph. Ill. (H.) l. c.*—*Pap. d'Eur. i. 238. pl. lviii. Sup. iv. f. 16. l.*
† δ, *Steph. Ill. (H.) i. App. 147.*—*Pap. d'Eur. i. 238. pl. lviii. Sup. iv. f. 16. k.*

γ in *Mus. D. MacLean et Stone*: δ in *Mus. D. Seaman et Weaver.*

5828. 4; Aglaia*. (*Och. iv. 15.*)—(*Leach E. E. ix. 128.*)—(*Sam. I. 5.*)—*Jerm. 2 edit. (66)*, 106. *pl. 4. f. 7. neuræ.*—*Steph. Ill. (H.) i. 39.*—*Brit. B. 15. pl. 9. fig. sup.*

Pa. Aglaia. *Linn. ii. 785.*—*Berk. S. i. 128.*—*Lew. pl. 11.*—*Don. ix. 31. pl. 302. ♂.*—(*Haw. Pr. 2.*)—*Haw. 31.*—*Stew. ii. 129.*—*Turt. iii. 114.*—*Jerm. (30), 53.*

Pa. Fritillaria major, subtus viridior, &c. *Pet. Pap. pl. III. f. 7. 8.*

The great Fritillary B. with silver spots: Pa. Aglaja. (*Wilkes. 59. pl. 115.*)

The dark-green F. *Harr. A. pl. 26. f. o-p.*—*Harr. V. M. 3.*

† β, *Steph. Ill. (H.) l. c.*

Pa. Charlotta: The Queen of England F. (*Haw. Pr. 3.*)—*Haw. 32.*—*Sowerb. B. M. i. pl. 11.*—*Jerm. (30), 53.*

Ar. Caroletta. *Jerm. 2 edit. (66), 107.*

† γ, *Steph. Ill. (H.) l. c.*—*Id. i. App. 143.*

β in *Mus. D. Dale, Haworth et Sowerby*: γ in *Mus. D. Weaver.*

5829. 5; Paphia*. (*Och. iv. 15.*)—(*Leach E. E. ix. 128.*)—(*Sam. I. 5.*)—(*Kirby & Sp. I. E. iii. 203 & 253.*)—*Jerm. 2 edit. (66), 105.*—*Steph. Ill. (H.) i. 40.*—*Brit. B. 15.*

Pa. Paphia. *Linn. ii. 785.*—*Berk. S. i. 128.*—*Lew. pl. 9.*—

^a 5826. 2. Niobe. (*Och. iv. 15.*)—*Jerm. 2 edit. (80), 164.*—*Steph. Ill. (H.) i. 37. nota.*

Pa. Niobe. *Linn. ii. 786.*—*Hüb. Pa. pl. 12. f. 61. 62.*—*Stew. ii. 130. (!)*

Don. vii. 83. *pl.* 247. ♂.—(*Haw. Pr.* 2.)—*Haw.* 30.—
Stew. ii. 129.—*Turt.* iii. 114.—*Jerm.* (30), 53.

Pa. major, alis fulvis, &c.: the greater silver-stroaked F.
Raii I. 119. 4.

Pa. *Fritillaria major crocea*, &c.: Great silver-streakt Orange
F. *Pet. Pap.* *pl.* III. *f.* 1 & 2. ♂.

Pa. eadem aurea: Great silver-streakt Golden F. *Pet. Pap.*
pl. III. *f.* 2. 3. ♀.

Pa. Imperator. *Linn. F.* 1 *edit.* No. 779.

The great Fritillary B: Pa. *Paphia*. (*Wilkes.* 57. *pl.* 110.)

The Silver-washed F. *Harr. A.* *pl.* 34. *f.* k-u.—*Harr. V. M.* 3.

† β, *Steph. Ill. (H.) l. c.*—*Pap. d'Eur.* i. 316. *pl.* II. *Sup.* 111. *f.* 15.
a. b. tert. β in *Mus. Brit.*

Genus 11: (794). VANESSA, *Fabr.*, *Leach*, *Samou.*, (*Kirby,*)
Jermyn, *Curtis*, *Steph.*

HAMADRYADES, Hübner.

A. Vide *Steph. Ill. (H.)* i. 41.

5830. 1; C. album*. (*Och.* iv. 17.)—(*Leach E. E.* ix. 128.)—
—(*Sam. I.* 43.)—(*Curtis l. c. infra.*)—*Jerm.* 2 *edit.* (68), 116.—
Steph. Ill. (H.) i. 42.—*Brit. B.* 16. *pl.* 10. *fig. sup.* mala.

Pa. C. album. *Linn.* ii. 778.—*Berk. S.* i. 127.—*Lew. pl.* 5.—
Don. vi. 45. *pl.* 199.—(*Haw. Pr.* 2.)—*Haw.* 25.—*Stew.* ii.
126.—*Turt.* iii. 105.—*Jerm.* (30), 51.

Pa. Comma-alba. (*Millard. pl.* i. *f.* 3.)

Pa. G. album. *Fourc. P.* ii. 235.

Pa. cum spinosis crenis fuscis. *Merr. P.* 198. 3.

Pa. *Ulmariæ similis*, &c. *Raii* I. 115. 3.—119. larva.—*Albin.*
pl. 54.

Pa. *Testudinaria Comma dicta*: the silver Comma. *Pet.*
Pap. pl. IV. *f.* 5. 6. ♀.

Pa. eadem, alis magis laceratis: jagged winged Comma. *Pet.*
Pap. pl. IV. *f.* 9. 10. ♂.

The Comma B: Pa. C. album. (*Wilkes.* 57. *pl.* 109.)—*Harr.*
A. pl. 1. *f. a-d.*—*Harr. V. M.* 1.

β; *Steph. Ill. (H.) l. c.*

Pa. *Testudinarius Comma minor*: Small Comma. *Pet. Pap.*
pl. IV. *f.* 11. 12.

γ; *Steph. Ill. (H.) l. c.*

Pa. *Testudinarius Comma pallidior*: the pale Comma. *Pet.*
Pap. pl. IV. *f.* 7. 8.

B. Vide *Steph. Ill. (H.)* i. 42.

5831. 2; Polychloros*. (*Och.* iv. 17.)—(*Leach E. E.* ix. 128.)—
—(*Sam. I.* 43.)—(*Curtis l. c. infra.*)—(*Kirby & Sp. I. E.* iii. 110.)—
—*Jerm.* 2 *edit.* (68), 114.—*Steph. Ill. (H.)* i. 42.—*Brit. B.* 16.

Pa. Polychloros. *Linn.* ii. 777.—*Berk. S.* i. 127.—*Lew. pl.* 2.

- Don.* viii. 69. *pl.* 278.—(*Haw. Pr.* 2.)—*Haw.* 26.—*Stew.* ii. 126.—*Turt.* iii. 104.—*Jerm.* (30), 51.
- Pa.* No. 3. *List. Goëd.* (*Angl.*) 3. *pl.* 3.—*Id. (Lat.)* 5. *f.* 3.
- Pa.* Urticarium referens major, &c.: the greater Tortoise-shell B.* *Raii I.* 118. 2.—*Albin.* *pl.* 55.
- Pa.* testudinarius major: Great Tortoise-shell B. *Pet. Pap.* *pl.* IV. *f.* 1. 2.
- The great Tortoise-shell B: *Pa. Polychloros.* (*Wilkes.* 56. *pl.* 108.)
- The large Tortoise-shell B. *Harr. V. M.* 5.
- γ; *Steph. Ill. (H.)* *l. c.*—*Jerm.* 2 *edit.* *l. c.* 114.
- δ; *Steph. Ill. (H.)* *l. c.*—*Pap. d' Eur.* i. 8. *pl.* 111. *f.* 3. *d.*
5832. 3; Urticæ*. (*Och.* iv. 17.)—(*Leach E. E.* ix. 128.)—(*Sam. I.* 43.)—(*Curtis l. c. infra.*)—(*Kirby & Sp. I. E.* iii. 101, 110; iv. 223.)—*Jerm.* 2 *edit.* (68), 114.—*Steph. Ill. (H.)* i. 43.—*Id. i. App.* 148.—*Brit. B.* 17. *pl.* 10. *fig. med.* mala.
- Pa.* Urticæ. *Linn.* ii. 777.—*Berk. S.* i. 127.—*Barbut G.* 173. *pl.* 10. *f.* 167.—*Don.* ii. 49. *pl.* 55.—*Lew. pl.* 3.—(*Haw. Pr.* 2.)—*Haw.* 26.—*Stew.* ii. 126.—*Wood.* ii. 6. *pl.* 43.—*Jerm.* (30), 51.
- Pa.* Antennis ex luteo, &c. *Merr. P.* 198. 8.
- Pa.* diurnus major 11. *Mouff.* 101. *fig. inf.*
- Pa.* No. 2. *List. Goëd.* (*Angl.*) 2. *f.* 2.—*Id. (Lat.)* 3. *f.* 2.
- Pa.* Urticaria vulgatissima, &c.: the lesser Tortoise-shell B. *Raii I.* 117. 1.
- Pa.* Testudinarius minor: lesser or common Tortoise-shell B. *Pet. Pap.* *pl.* IV. *f.* 3. 4.
- The lesser Tortoise-shell B. *Albin.* *pl.* iv. *f.* 6.
- The small Tortoise-shell B: *Pa. Urticæ.* (*Wilkes.* 56. *pl.* 107. *f.* 4.)—*Harr. A. pl.* 2. *f.* i-n.—*Harr. V. M.* 5.
- The Nettle Tortoise-shell B. *Bing.* iii. 211.
5833. 4; Io*. (*Och.* iv. 17.)—(*Leach E. E.* ix. 128.)—(*Kirby & Sp. I. E.* i. 9.)—(*Sam. I.* 43.)—(*Curtis l. c. infra.*)—*Jerm.* 2 *edit.* (66), 112. *pl.* 4. *f.* 8. neuræ.—*Steph. Ill. (H.)* i. 44.—*Id. i. App.* 148.—*Brit. B.* 17.
- Pa. Io.* *Linn.* ii. 769.—*Berk. S.* i. 125.—*Barbut G.* 172. *pl.* 10. *f.* 131.—*Lew. pl.* 4.—*Don.* vi. 67. *pl.* 206.—(*Haw. Pr.* 3.)—*Haw.* 17.—*Stew.* ii. 123.—*Turt.* iii. 90.—*Jerm.* (26), 47.
- Pa.* diurnæ omnium Regina, &c. *Mouff.* 99. 4. *cum fig. imago.*
- Pa.* No. 1. *List. Goëd.* (*Angl.*) 1. *f.* 1.—*Id. (Lat.)* 1. *f.* 1.
- Pa.* oculus Pavonis dictus. *Pet. Cent.* i. 1.—*Pet. Mus.* 314.
- Pa.* elegantissima, &c.: the Peacock's Eye. *Raii I.* 122. 14—123. larva.
- Pa.* oculus Pavonus dictus: the Peacock's Eye. *Pet. Pap.* *pl.* v. *f.* 1.
- The Peacock's Eye. *Albin.* *pl.* iv. *f.* 5.
- The Peacock B: *Pa. Io.* (*Wilkes.* 55. *pl.* 106.)—*Harr. A. pl.* 8. *f.* f-k.—*Harr. V. M.* 5.—*Bing.* iii. 209.

5834. 5: *Antiopa**: the White-bordered B. *Haw. l. c.*—(*Och. iv. 17.*)—(*Leach E. E. ix. 128.*)—*Samou. 238.*—*Jerm. 2 edit. (68), 113.*—*Steph. Ill. (H.) i. 45.*—*Brit. B. 18.*

Pa. *Antiopa*. *Linn. ii. 776.*—(*Nat. Comp. (Lettson.) pl. in front.*)—*Berk. S. i. 126.*—*Don. iii. 45. pl. 89.*—*Lew. pl. 1.*—(*Haw. Pr. 2.*)—*Haw. 27.*—*Stew. ii. 126.*—*Turt. iii. 102.*—*Jerm. (30), 52.*

Pa. *Morio*. *Linn. F. edit. 1. No. 232.*

Va. *Antiope*. *Curtis. ii. pl. 96.*

The Willow B: Pa. *Antiopa*. (*Wilkes. 58. pl. 113.*)

Pa. *maxime nigra*, &c. *Raii I. 135.*

The grand Surprise, or Camberwell Beauty. *Harr. A. pl. 12. f. a-e.*—*Harr. V. M. 5.*

β , *Steph. Ill. (H.) l. c.*—*Pap. d'Eur. i. 1. pl. 1. f. 1. d.*

C. Vide *Steph. Ill. (H.) i. 45.*

5835. 6; *Atalanta**. (*Och. iv. 16.*)—(*Leach E. E. ix. 128.*)—*Samou. 238.*—(*Curtis l. c. supra.*)—(*Kirby & Sp. I. E. iii. 84, 114.*)—*Jerm. 2 edit. (66), 111.*—*Steph. Ill. (H.) i. 46.*—*Brit. B. 18. pl. 10. fig. inf.*

Pa. *Atalanta*. *Linn. ii. 779.*—*Berk. S. i. 127.*—*Lew. pl. 7.*—*Don. viii. 19. pl. 260.*—(*Haw. Pr. 2.*)—*Haw. 28.*—*Stew. ii. 127.*—*Turt. iii. 103.*—*Jerm. (30), 52.*

Pa. *diurnæ major*, &c. *Mouff. 100. 6. cum fig. imago.*

Pa. No. 4, 5. *List. Göed. (Angl.) 6. f. 4-7. f. 5.*—*Id. (Lat.) 10. f. 4-11. f. 5.*

Pa. *major nigrescens*, &c.: the Admiral. *Pet. Mus. 327.*—*Pet. Pap. pl. II. f. 11.*

Pa. *major nigricans*, &c.: the Admiral. *Raii I. 126. 1.*

Pa. *Ammiralis*. *Linn. F. 1 edit. No. 777.*

The Admirable. *Albin. pl. 3.* Pa. *Atalanta*. (*Wilkes. 55. pl. 105.*)—*Harr. A. pl. 6. f. a-h.*—*Harr. V. M. 1.*

Genus 12: (795.) CYNTHIA, *Fabricius, Jermyn, Steph.*

VANESSA *p*, *Och.*, *Leach*, *Samou.*, *Curtis.*—HIPPARCHIA *p*, *Jerm.*

5836. 1; *Cardui**. *Jerm. 2 edit. (66), 109.*—*Steph. Ill. (H.) i. 47.*—*Id. i. App. 148.*—*Brit. B. 19. pl. 11.*

Pa. *Cardui*. *Linn. ii. 774.*—*Berk. S. i. 126.*—*Lew. pl. 6.*—*Don. ix. 9. pl. 292.*—(*Haw. Pr. 3.*)—*Shaw N. M. xi. pl. 430.*—*Haw. 20.*—*Stew. ii. 125.*—*Turt. iii. 96.*

Va. *Cardui*. (*Leach E. E. ix. 128.*)—*Samou. 238.*—(*Kirby & Sp. I. E. iii. 261.*)—*Jerm. (28), 48.*—(*Curtis l. c. fo. 96.*)

Pa. *diurnæ*, &c. *Mouff. 101. cum fig. imago.*

Pa. No. 6. *List. Göed. (Angl.) 8. f. 6.*—*Id. (Lat.) 14. f. 6.*

Pa. *eleganter*, &c. *Bella donna dicta*: Painted Lady. *Pet. Mus. 326.*—*Pet. Pap. pl. IV. f. 21. 22.*—*Albin. pl. 56.*

Pa. *major pulchra*, &c.: the Painted Lady. *Raii I. 122. 13.*

The Painted Lady B: Pa. Cardui. (*Wilkes.* 56. *pl.* 107. *f.* 1.)
Harr. A. pl. 11. *f. a-f.*—*Harr. V. M.* 5.

5837 † 2. Hampstediensis*. *Steph. Ill. (H.)* i. 48. *pl.* 5. *f.* 3. 4.—
Brit. B. 20.

Pa. oculatus Hampstediensis ex aureo fuscus: Albins' Hamp-
 stead Eye. *Pet. Pap. pl. v. f.* 2.—*Haw.* 54.

Hi. Hampstediensis. *Jerm.* (28), 50.—*Jerm. 2 edit.* (70), 129.

5838 † 3. Levana^a.

Genus 13: (796). APATURA, *Fabricius, Leach, Samou., (Kirby,)*
Jerm., Steph.

ARGUS *p.* Scop.—MANIOLA *p.* Schra.—POTAMIDES, *Hüb.*

5839. 1; Iris*. (*Och. iv. 19.*)—(*Leach E. E. ix. 129.*)—*Samou.* 239.
 —(*Kirby & Sp. I. E. iii. 114;* *iv. 500 & 517.*)—*Jerm. 2 edit.* (68),
 117. *pl.* 4. *f.* 9. neuræ.—*Steph. Ill. (H.)* i. 50.—*Brit. B. 20. pl.* 12.

Pa. Iris. *Linn. ii. 775.*—*Berk. S. i. 126.*—*Don. ii. 1. pl.* 37. ♂.
 —*Lew. pl. 16.*—(*Haw. Pr. 3.*)—*Haw. 18.*—*Stew. ii. 125.*—
Turt. iii. 99.—*Jerm. (28), 48.*

Pa. major nigra, &c. *Raii I. 126. 2.*

The Purple Highflyer, or Emperor of the Woods: Pa. Iris.
 (*Wilkes. 63. pl. 120.*)

The Purple Emperor B. *Harr. A. pl. 3. fig. sup.*—*Harr. V. M. 1.*
 —*Bing. iii. 207.*

Genus 14: (797). LIMENITIS, *Fabricius, Leach, Samou., (Kirby,*
Jermyn, Curtis, Steph.

NAJADES, *Hübner.*

5840 † 1. Populi^b.

5841. 2; Camilla*. (*Leach E. E. ix. 129.*)—(*Sam. I. 25.*)—
Curtis. iii. pl. 124.—*Jerm. 2 edit.* (68), 120. *pl.* 5. *f.* 10. neuræ.—
Steph. Ill. (H.) i. 52.—*Id. i. App. 148.*—*Brit. B. 21. pl.* 13.

Pa. Camilla. *Linn. ii. 781.*—*Lew. pl. 8.*—*Don. viii. 75. pl.* 244.
 —(*Haw. Pr. 2.*)—*Haw. 29.*—*Turt. iii. 38.*—*Jerm. (30, 52.)*

Pa. Sibilla. *Fabr. iii. a. 246.*—*Stew. ii. 127.*

Pa. mediæ mag. elegantissima, &c. *Raii I. 127. 3.*

Pa. fusca: White Admiral. *Pet. Pap. pl. II. f.* 12.

The White Admirable. *Harr. A. pl. 30. f. m, n.*—*Harr. V. M. 1.*

† β. *Steph. Ill. (H.) i. App. l. c.*—*Pap. d'Eur. i. 30. pl. xi. f. 13. e, f. (!)*

^a 5838 † 3. Levana. *Steph. Ill. (H.)* i. 49. nota.

Pa. Levana. *Linn. ii. 783.*—*Hüb. Pa. pl. 20. f. 97, 98.*—*Turt. iii.*
 42. (!)—*Rees' Cycl. (Donovan.) articule PAPILIO.* (!)—*Jerm. 62. (!)*
 Va. Levana. (*Och. iv. 17.*)—*Jerm. 2 edit.* (80), 165.

^b 5840 † 1. Populi. (*Och. iv. 17.*)—*Jerm. 2 edit.* (80), 165.—*Steph. Ill. (H.)* i. 51. nota.

Pa. Populi. *Linn. ii. 776.*—*Hüb. Pa. pl. 103. f. 108-10.*—*Stew. ii.*
 125. (!)—(*Haw. p. xxix.*) (!)

Pa. Tremulæ. *Esper. Pap. pl. 114. f. 4.*

5842 ‡ 3. Sibilla^a.

Genus 15: (798). HIPPARCHIA, *Fabr.*, *Leach, Samou.*, (*Kirby,*) *Jermyn, Steph., Curtis.*

ARGUS *p.*, *Scop.*—MANIOLA *p.*, *Schrank.*—OREADES, *Hübner.*—SATYRUS et NYMPHALIS *p.*, *Latreille.*

A. Oculi pubescentes.

5843. 1; Ægeria*. (*Leach E. E.* ix. 129.)—(*Sam. I.* 21.)—(*Kirby & Sp. I. E.* iii. 97.)—*Jerm. 2 edit.* (70), 123.—*Steph. Ill. (H.)* i. 54.—(*Curtis l. c. infra.*)—*Brit. B.* 22.

Pa. Ægeria. *Linn.* ii. 771.—*Berk. S.* i. 125.—*Lew. pl.* 19.—*Don.* xiv. 77. *pl.* 498.—(*Haw. Pr. 3.*)—*Haw.* 23.—*Turt.* iii. 92.—*Stew.* ii. 123.—*Jerm. (28)*, 49.

Hi. Ægeria. (*Och. iv.* 21.)

Pa. cum corpore, &c. *Merr. P.* 198. 2.

Pa. media pulla, &c. *Raii I.* 128. 5.

Pa. oculatus ex fusco, &c.: the Enfield Eye. *Pet. Gaz. pl.* 24. f. 3.—*Pet. Pap. pl.* v. f. 5. ♀.

Pa. oculatus, obscurior, &c.: Brown Enfield Eye. *Pet. Pap. pl.* v. f. 6. ♂.

Wood Argus: Pa. Ægeria. (*Wilkes.* 53. *pl.* 103.)

The Speckled Wood B. *Harr. A. pl.* 41. f. f, K.—*Harr. V. M.* 7.

5844 ‡ 2. Mæra^b.

5845. 3; Megæra*. (*Och. iv.* 21.)—(*Leach E. E.* ix. 129.)—(*Sam. I.* 21.)—*Jerm. 2 edit.* (70), 127.—*Steph. Ill. (H.)* i. 55.—(*Curtis l. c. infra.*)—*Brit. B.* 22. f. 14. fig. 2.

Pa. Megæra. *Linn.* ii. 771.—*Lew. pl.* 21.—*Don.* viii. 71. *pl.* 279. ♂.—(*Haw. Pr. 3.*)—*Haw.* 22.—*Turt.* iii. 92.—*Stew.* ii. 123.—*Jerm. (28)*, 49.

Pa. Mæra. *Berk. S.* i. 125.

Pa. oculo nigro, &c. *Merr. P.* 198. 6.

Pa. oculatus ex aureo et fusco marmoreatus: the London Eye. *Pet. Mus.* 312.—*Pet. Pap. pl.* v. f. 7. ♀.

Pa. idem area fusca: London Eye with a brown List. *Pet. Pap. pl.* v. f. 8. ♂.

Pa. media, &c.: the golden marbled B. with black eyes. *Raii I.* 123. 15.

^a 5842 ‡ 3. Sibilla. *Jerm. 2 edit.* (80), 165.—*Steph. Ill. (H.)* i. 52. nota.
Pa. Sibilla. *Linn.* ii. 781.

Pa. Camilla. *Fabr.* iii. a. 246.—*Hüb. Pa. pl.* 22. f. 106, 107.—*Stew.* ii. 127. (!)

^b 5844 ‡ 2. Mæra. (*Och. iv.* 21.)—*Jerm. 2 edit.* (80), 166.—*Steph. Ill. (H.)* i. 51. nota.
Pa. Mæra. *Linn.* ii. 771.—*Hüb. Pa. pl.* 39. f. 174, 175.—*Stew.* ii. 123.

—*Turt.* iii. 30.—*Rees' Cycl. (Donovan.) Art. PAPILIO.*—*Jerm. (63.)*

- The Great Argus: Pa. Mara. (*Wilkes.* 53. *pl.* 102.)
 The Wall B. *Harr. A.* *pl.* 27. *f. a-g.*—*Harr. V. M.* 7.
 β , *Steph. Ill. (H.) l. c.*—*Pap. d'Eur.* i. 261. *pl.* LXV. *Sup.* xi.
f. 50. g, h.
 B—E. Oculi nudi, &c. *Vide Steph. Ill. (H.)* i. 56. 57. 58. 60. 61. 63. 64.
 5846 † 4. Phædra ^a.
 5847 † 5. Alcyone ^b.
 5848. 6; Semele *. (*Och.* iv. 20.)—(*Leach E. E.* ix. 129.)—
 (*Sam. I.* 21.)—*Jerm. 2 edit.* (70), 126.—*Steph. Ill. (H.)* i. 56.—
 (*Curtis l. c. infra.*)—*Brit. B.* 3.
 Pa. Semélé. *Linn.* ii. 777.—*Berk. S.* i. 126.—*Lew. pl.* 17.—
Don. viii. 17. *pl.* 259. ♀.—(*Haw. Pr.* 3.)—*Haw.* 21.—
Turt. iii. 32.—*Stew.* ii. 124.—*Jerm.* (28), 49.
 Pa. oculis nigris, subtus marmoreus: the Tunbridge Grayling.
Pet. Mus. 307.—*Pet. Pap. pl.* v. *f.* 3. ♀.
 Pa. idem obscurior: Brown Tunbridge Grayling. *Pet. Pap.*
pl. v. *f.* 4. ♂.
 Pa. majuscula, alis pullis, &c. *Raii I.* 128. 6.
 The Grayling B. *Harr. A.* *pl.* 44. *f. d, e.*—*Harr. V. M.* 3.
 5849. 7; Galathea *. (*Leach E. E.* ix. 128.)—(*Sam. I.* 21.)—
Jerm. 2 edit. (70), 127. *pl.* 4. *f. 11.* neuræ.—*Steph. Ill. (H.)* i. 57.—
 (*Anon. Rem. L. G.* 21. *pl.* 3.)—(*Curtis l. c. infra.*)—*Brit. B.*
 23. *pl.* 14. *fig. sup.*
 Pa. Galathea (Galatea). *Linn.* ii. 772.—*Berk. S.* i. 125.—
Lew. pl. 28.—*Don.* viii. 15. *pl.* 258. ♂.—(*Haw. Pr.* 3.)—
Haw. 22.—*Turt.* iii. 35.—*Stew.* ii. 124.—*Jerm.* (28), 49.
 Pa. capite aliquo lacteis, &c. *Merr. P.* 198. 9.
 Pa. leucomelanos, &c.: our Half-mourner. *Pet. Mus. C.* 1. 3.
 —*Pet. Pap. pl.* 2. *f.* 10.
 Pa. med. mag. alis albo et nigro, &c.: the Half-mourner.
Raii I. 116. 9.
 The Marmoris, or Marbled B: Pa. Galathæa. (*Wilkes.* 52.
pl. 100.)
 The Marbled White or Marmoress. *Harr. A.* *pl.* 11. *f. g-k.*
 —*Harr. V. M.* 7.
 Var. Le demi-deuil. *Pap. d'Eur.* i. 135. *pl.* XXX. *f.* 60. (!)
 5850. 8; Tithonus *: large Heath.—*Haw. l. c.* (*Och.* iv. 21.)—
Jerm. 2 edit. (70), 131.—*Steph. Ill. (H.)* i. 58.—(*Curtis l. c. infra.*)—
Brit. B. 24.

^a 5846 † 4. Phædra. *Jerm. 2 edit.* (80), 165.—*Steph. Ill. (H.)* i. 56. nota.
 Pa. Phædra. *Linn.* ii. 773.—*Hüb. Pa. pl.* 28. *f. 127-9.*—*Turt.* iii.
 33. (!)—*Rees' Cycl. (Donovan.) Art. PAPILIO.* (!)—*Jerm.* 62.

^b 5847 † 5. Alcyone. *Jerm. 2 edit.* (70), 132.—*Steph. Ill. (H.)* i. 56. nota.
 Pa. Alcyone. *Esper. pl.* 84. *f. 4.*—*Stew. 2 edit.* ii. (!)—*Jerm.* (40), 61.

- Pa. Tithonus. *Linn. Mant.* i. 537.—*Fabr. Sp.* 80.—*Lew. pl.* 22.
 Pa. Tithonius. *Vill. E.* ii. 26.
 Pa. Herse. *Hüb. Pa. pl.* 35. *f.* 156, 157.—*pl.* 119. *f.* 612.
 Pa. Phædra. *Esper. Pa.* i. *pl.* 9. *f.* 1.—*pl.* 28. *f.* 3.
 Pa. Pilosellæ. *Fabr. iii. a.* 240.—(*Haw. Pr. 3.*)—*Haw. 24.*—
 Don. xii. 33. pl. 405.—*Jerm. (28)*, 51.
 Hi. Pilosellæ. (*Leach E. E.* ix. 129.)—(*Sam. I. 21.*)
 Pa. Amaryllis. *Bork. E. S.* i. 238.
 Pa. corpore gruino, &c. *Merr. P.* 199. 5.
 Pa. aureo-fuscus minor oculatus &c.: Hedge Eye with double
 specks. *Pet. Mus.* 310.—*Pet. Pap. pl. v. f.* 12. ♀.—*f.* 11. ♂
 Pa. media ex fulvo seu rufo &c. *Raii I.* 124. 18.
 The Gate Keeper. *Harr. A. pl.* 44. *f. f, g.*—*Harr. V. M.* 3.
 5851. 9; Janira*. (*Och. iv. 21.*)—*Jerm. 2 edit.* (70), 129.—
 Steph. *Ill. (H.)* i. 59.—(*Curtis l. c. infra.*)—*Brit. B.* 24.
 Pa. Jurtina. *Lew. pl.* 18.—*Don. ix. 69. pl.* 320.—(*Haw. Pr. 3.*)
 —*Haw. 24.*—*Jerm. (28)*, 50.—(*Kirby & Sp. I. E.* iii. 98.)
 Hi. Janira. (*Leach E. E.* ix. 129.)—(*Sam. I. 21.*)
 The Meadow Brown B.: Pa. Hyperanthus. (*Wilkes. 53. pl.* 101.)
Albin. pl. 53. *f. a-e.*
 The Meadow Brown. *Harr. A. pl.* 32. *f. a-e.*—*Harr. V. M.* 1.
 ♂; Pa. Janira. *Linn. ii.* 1053.—*Turt. iii.* 36.—*Stew. ii.* 124.
 Pa. ultima parte alæ &c. *Merr. P.* 198. 10.
 Pa. pratensis oculatus fuscus: Brown Meadow Eye. *Pet.*
 Mus. 309.—*Pet. Pap. pl. v. f.* 10.
 Pa. media alis supina facie pullis &c. *Raii I.* 124. 16.
 ♀; Pa. Jurtina. *Linn. ii.* 1052.—*Berk. S. i.* 126.—*Stew. ii.* 124.
 Pa. pratensis oculatus aureus: Golden Meadow Eye. *Pet.*
 Mus. 308.—*Pet. Pap. pl. v. f.* 9.
 Pa. media alis superioribus supernè media parte rufis &c.
 Raii I. 124. 17.
 β; Steph. *Ill. (H.) l.c.*—*Pap. d' Eur. i.* 263. *pl. lxvi. Sup. xii. f.* 54. *l, m.*
 5852. 10, Ligea. (*Och. iv. 23.*)—(*Ing. Inst.* 91.)—*Jerm. 2 edit.*
 (70), 132.—Steph. *Ill. (H.)* i. 61. *pl. 6. f.* 1. ♂. 2. 3. ♀.—(*Curtis l. c. infra.*)—*Brit. B.* 25.
 Pa. Ligea. *Linn. ii.* 772.—(*Haw. p. xxix.*)—*Sower. B. M.* i.
 pl. 2.—*Jerm. (40)*, 61.
 Pa. Alexis. *Esper. Pa. pl.* 44. *f.* 1.
 Pa. Philomela. *Hüb. Pa. pl.* 47. *f.* 218, 219.
 5853. 11, Blandina: Scotch Argus B.—(*Leach E. E.* ix. 129.)—
 (*Sam. I. 21.*)—*Jerm. 2 edit.* (70), 133.—Steph. *Ill. (H.)* i. 62.—
 (*Curtis l. c. infra.*)—*Brit. B.* 25.
 Pa. Blandina. *Fabr. iii. a.* 236.—*Sower. B. M. i. pl. 7?*—
 Don. xii. 87. pl. 426.—*Jerm. (40)*, 61.
 Pa. Æthiops. *Esper. Pa. 1. pl.* 25. *f.* 3.
 Pa. Medusa. *Bork. E. S.* i. 235.

- Pa. Medea. *Hüb. Pa. pl.* 48. *f.* 220-222.
 ♀, Pa. Alcyone (non descriptio). *Stew. 2 edit.* ii.
 Pa. Amaranthus. *Walker's MSS.*
5854. 12, Cassiope. (*Och. iv. 22.*)—*Steph. Ill. (H.) i. 63. pl. 8.*
f. 1. 3. ♂. 2. ♀.—(*Curtis l. e. infra.*)—*Brit. B. 26. pl. 14. f. 3.*
 Pa. Cassiope. *Fabr. iii. a.* 238.
 Pa. Mnemon: Small Ringlet. *Ent. Trans. (Howorth.) i. 332.*
 —*Jerm. (40), 61.*
 Hi. Mnemon. *Jerm. 2 edit. (70), (132).*—(*Ing. Inst. 91.*)
 Pa. Æthiops minor. *Vill. E. ii.* 37.
 Pa. Melampus var. *Esper. Pa. pl. 78. f. 2.*
- 5855 † 13, Mnestra^a.
 5856. 14; Hyperanthus*. (*Och. iv. 21.*)—(*Leach E. E. ix. 128.*)
 —(*Sam. I. 21.*)—(*Kirby & Sp. I. E. iii. 98.*)—*Jerm. 2 edit. (68),*
122.—Steph. Ill. (H.) i. 60.—(Curtis l. c. infra.)—Brit. B. 24.
 Pa. Hyperanthus. *Linn. ii. 768.—Barbut G. 171. pl. 10. f. 127.*
 —*Berk. S. i. 125.—Lew. pl. 20.—Don. viii. 53. pl. 271.—*
 (*Haw. Pr. 2.*)—*Haw. 14.—Stew. ii. 122.—Turt. iii. 25.—*
Jerm. (26), 46.
 Pa. Polymeda. *Scop. C. No. 434.—Hüb. Pa. pl. 38. f. 172, 173.*
 Pa. Arete. *Rhein. M. (Bork.) i. 145.*
 Pa. dorso nigro &c. *Merr. P. 198. 4.*
 Pa. medius omnino fuscus &c. *Pet. Mus. 313.—Pet. Pap.*
pl. v. f. 13, 14.
 Pa. media tota pulla &c. *Raii I. 129. 7.*
 Pa. Tristan. *DeGeer. G. 33. 21.*
 The Ringlet. *Harr. A. pl. 35. f. f, h.—Harr. V. M. 5.*
 Var. Pa. Polymeda. *Hüb. Pa. l. c. f. 173*.*
5857. 15, Polydama. *Steph. Ill. (H.) i. App. 149.*
 Pa. Iphis. (*Wien. V. 321?*)—*Rhein. Mag. (Borkhausen.) i. 241.*
 Hi. Iphis. *Jerm. 2 edit. (78), 158.—Steph. Ill. (H.) i. 64. pl. vii.*
f. 1. 2.—Brit. B. 26.
 Pa. Tiphon. *Esper. Pa. i. pl. 35. f. 4.*
 Pa. Typhon: Scarce Heath. (*Haw. Pr. 2.*)—*Haw. 16.—*
Jerm. (26), 47.
 Hi. Typhon. (*Sam. I. 22.*)—*Jerm. 2 edit. (68), 124.—(Curtis*
l. c. infra.)
 Pa. Hero. *Fabr. iii. a. 222?—Turt. iii. 27.—Stew. ii. 122.*
 Var. Pa. Laidion. *Bork. E. S. i. 91.*
 Var. Pa. Polydama: Marsh Ringlet. *Haw. 16.—Jerm. (26).—*
Brit. B. 27.
 Pa. Polymeda. *Jerm. 47.*
 Hi. Polymeda. *Jerm. 2 edit. (68), 124.*

^a 5855 † 13. Mnestra. (*Och. iv. 22.*)—*Jerm. 2 edit. (78), 158.—Steph. Ill. (H.) i. 63. nota.*

Pa. Mnestra. *Hüb. Pa. pl. 106. f. 540-543.*

5858. 16, Davus: Small Ringlet.—*Haw. l. c.* (*Och. iv. 23.*)—(*Sam. I. 21.*)—*Jerm. 2 edit.* (68), 123.—*Steph. Ill. (H.) i. 67.*—*Id. i. App. 149.*—(*Curtis l. c. infra.*)—*Brit. B. 27.*
 Pa. Davus. *Fabr. iii. a. 221.*—*Haw. 15.*—*Jerm. (26), 47.*
 Pa. Tullia. *Hüb. Pa. pl. 52. f. 243, 244.*
 Pa. Philoxenus. *Esper. Pa. i. pl. 54. f. 3.*
 Pa. Musarion. *Bork. E. S. i. 244.*
 Ma. Tiphon. *Schra. B. ii. 179.*
 Pa. Hero. *Don. vi. 17. pl. 186.*—*Lew. pl. 23. f. 5.6.*—(*Haw. Pr. 2.*)
5859. 17, Hero*? Silver-bordered Ringlet.—*Haw. l. c.* Scarce Meadow brown B.—*Jerm. l. c.* (*Och. iv. 23.*)—*Jerm. 2 edit.* (70), 131.—(*Ing. Inst. 91.*)—*Steph. Ill. (H.) i. 68.*—*Id. i. App. 149.*—*Curtis. v. pl. 205.*—*Brit. B. 28.*
 Pa. Hero. *Linn. ii. 793.*—(*Ent. Trans. (Haworth.) i. 332.*)—*Rees' Cycl. (Donovan.) Art. PAPILIO.*—*Jerm. 61.*
 Pa. Sabæus. *Fabr. iii. a. 222.*
 Le. Mœlibee. *Pap. d'Eur. i. 132. pl. xxix. f. 59. a. b. (!)*
- 5860 † 18, Arcanius. *Curtis. pl. 205*.*—*Brit. B. 28.*
 Pa. Arcanius. *Linn. ii. 791.*—*Turt. iii. 27.*—*Rees' Cycl. (Donovan.) Art. PAPILIO.*—*Jerm. 61.*
 Hi. Arcanius. *Jerm. 2 edit. (78), 158.*—*Steph. Ill. (H.) i. 69.*
 Pa. Arcania. *Hüb. Pa. pl. 51. f. 240–242.* In Mus. *D. Curtis.*
5861. 19; Pamphilus*. (*Och. iv. 23.*)—(*Leach E. E. ix. 128.*)—(*Sam. I. 21.*)—*Jerm. (68), 124.*—*Steph. Ill. (H.) i. 69.*—(*Curtis l. c. supra.*)—*Brit. B. 28. pl. 14. fig. inf.*
 Pa. Pamphilus. *Linn. ii. 791.*—*Berk. S. i. 129.*—*Lew. pl. 23. f. 3, 4.*—(*Haw. Pr. 2.*)—*Haw. 17.*—*Turt. iii. 27.*—*Stew. ii. 622.*—*Jerm. (26), 47.*
 Pa. Nephele. *Hüb. Pa. pl. 51. f. 237–239.*
 Pa. alis omnibus pallescente flavo &c. *Merr. P. 199. 8.*
 Pa. parva &c.: the small heath B. *Raii I. 125. 19.*
 Papiliunculus aureus oculatus: Golden heath Eye. *Pet. Pap. pl. v. f. 15. ♀.*
 Pa. idem margine fusco: Selvedged heath Eye. *Pet. Pap. pl. v. f. 16. ♂.*
 The small Heath, or Gate Keeper. *Harr. A. pl. 21. f. e–h.*—*Harr. V. M. 3.*

Familia III: (116). LYCÆNIDÆ, *Leach.*

(PLEBEII RURALES, *Linné.*—POLYOMMATIDÆ, *Swainson.*)
 (VERMIFORM Stirps, *Horsfield.*)

Genus 16: (799). THECLA, *Fabr.*, *Leach*, *Samou.*, *Jermyn*, *Steph.*
POLYOMMATUS p., *Latr.*—LYCÆNA *p.*, *Och.*—HESPERIA *p.*, *Fabr.*
 —RUSTICI *p.*, *Hüb.*—CUPIDO *p.*, *Schrink.*

5862. 1; Betulæ*. (*Leach E. E. ix. 129.*)—(*Sam. I. 40.*)—
 C 2

- Jerm. 2 edit.* (72), 133.—*Steph. Ill. (H.)* i. 75.—*Id. i. App.* 149.
Brit. B. 29. *pl. 15. fig. sup.*
- Pa. *Betulæ.* *Linn.* ii. 787.—*Barbut G.* 173. *pl. 10. f. 220.*—
Berk. S. i. 129.—*Lew. pl. 42.*—*Don. viii.* 89. *pl. 250.* ♂.—
(Haw. Pr. 4.)—*Haw. 37.*—*Turt. iii.* 131.—*Stew. ii.* 130.—
Jerm. (34), 56.
- Pa. *minor fuscus campo aureo &c.* *Pet. Gaz. pl. 11. f. 11.* ♀.
 Pa. *minor alis exterioribus nigricantibus &c.* *Raii I.* 130. 10.
 Pa. *minor fuscus &c:* the Brown Hair Streak. *Pet. Pap. pl. III.* f. 23. 25. ♂.
- Pa. *minor fuscus agro aureo:* Golden Hair Streak. *Pet. Pap. pl. III.* f. 24. ♀.
- The Hair Streak B. *Albin. pl. 5. f. 7.*
- The Brown Hair Streak B: Pa. *Betulæ.* (*Wilkes. 61. pl. 117.*)—*Harr. A. pl. 42. f. b, c, f, g.*—*Harr. V. M. 5.*
- 5862*. 2, *Pruni.* (*Steph. Ill. (H.)* ii. 69. *nota.*) Vide Appendix.
 Pa. *Pruni.* *Linn. ii.* 788.—*Hüb. Pa. pl. 76. f. 386,* 387.
- Pa. *Prorsas.* *Berl. Mag. (Hufnagle.)* ii. 68.
- Th. *Spini.* *Brit. B.* 30.
5863. 3; W. *album**. (*Steph. Ill. (H.)* ii. 69. *nota.*)
- Pa. *W. album.* *Villers E. ii.* 83. *pl. iv. f. 12.*
- Pa. *Pruni.* *Bergstræsser Nom. pl. 75. f. 1. 2.*—*Lewin. pl. 44.*—*(Haw. Pr. 41.)*—*Haw. 38.*—*Turt. iii.* 131.—*Don. xiii.* 9. *pl. 437.*—*Jerm. (34),* 56.
- Th. *Pruni.* (*Leach E. E. ix.* 129.)—(*Sam. I.* 40.)—*Jerm. 2 edit.* (72), 134.—*Steph. Ill. (H.)* i. 77.—*Brit. B.* 30.
- The Dark or Black Hair Streak B. *Harr. V. M. 5.*
- 5864† 4, *Spini.* *Jerm. 2 edit.* (78), 159.—*Steph. Ill. (H.)* i. 78.—*Brit. B.* 30.
- He. *Spini.* *Fabr. iii. a.* 278.—*Hüb. Pa. pl. 75. f. 376–377.*
- Pa. *Spini:* Pale Brown Hair-Streak. *Ent. Trans. (Haworth.) i.* 334.
- Pa. *Lynceus.* *Esper. Pa. i. pl. xxxix. f. 3.*
 In Mus. D. *Haworth et Sparshall.*
5865. 5; *Quercus**. (*Leach E. E. ix.* 129.)—(*Sam. I.* 41.)—*Jerm. 2 edit.* (72), 135. *pl. 5. f. 12.* neuræ.—*Steph. Ill. (H.)* i. 76.—*Id. i. App.* 149.—*Brit. B.* 29. *pl. 15. fig. inf.*
- Pa. *Quercus.* *Linn. ii.* 788.—*Berk. S. i.* 129.—*Lew. pl. 43.*—*(Haw. Pr. 4.)*—*Haw. 38.*—*Turt. iii.* 131.—*Stew. ii.* 130.—*Don. xiii.* 57. *pl. 460.*—*Jerm. (34),* 57.
- The Purple Hair Streak B: Pa. *Quercus.* (*Wilkes. 61. pl. 116.*)—*Harr. A. pl. 10. f. a–g.*—*Harr. V. M. 5.*
Albin. pl. 52. f. a–c.
- ♂; Pa. *minor fuscus agro cæruleo:* our Blew Hair Streak. *Pet. Gaz. pl. 11. f. 9.*—*Pet. Pap. pl. III.* f. 27.
- Pa. *minor, supina facie nigricante &c.* *Raii I.* 129. 7.

♀; Pa. minor cærulescens &c.: Ray's Blew Hair Streak. *Pet. Mus.* 319.—*Pet. Pap. pl. IIII. f. 26, 28.* ♀.
Pa. è mediis miniuscula &c. *Raii I.* 130. 8.

5866. 6; Rubi*: Green Hair Streak.—*Haw. l. c.* (*Leach E. E. ix. 129.*)—*Steph. Ill. (H.) i. 78.*—*Id. i. App. 149.*—*Brit. B. 30.*
Pa. Rubi. *Linn. ii. 791.*—*Berk. S. i. 129.*—*Lew. pl. 44.*—
(*Haw. Pr. 4.*)—*Haw. 39.*—*Turt. iii. 135.*—*Stew. ii. 132.*—
Don. xiii. 21. pl. 443.—*Jerm. (34), 57.*
Th. Rubi. (*Sam. I. 41.*)—*Jerm. 2 edit. (72), 135.*
Pa. alis cæsiis, &c. *Merr. P. 199. 2.*
Pa. parva alis supinis pullis &c. *Raii I.* 133. 22.
Pa. minor supernè fuscus &c: Holly B. *Pet. Pap. pl. vi. f. 13.*
The green B: Pa. Rubi. (*Wilkes. 62. pl. 112.*)
The green Fly, or Bramble F. *Harr. A. pl. 26. f. a, b, d, g.*—
Harr. V. M. 1.
Albin. pl. 5. f. 8.

Genus 17: (800). LYCÆNA, *Fabr., Leach, Samou., (Kirby,) Jermyn, Curtis, Steph.*

POLYOMMATUS *p.*, *Latr.*—HESPERIA *p.*, *Fabr.*—ARGUS *p.*, *Scop.*
—CUPIDO *p.*, *Schrink.*

5867. 1; Phlæas*. (*Leach E. E. ix. 129.*)—(*Sam. I. 26.*)—
Jerm. 2 edit. (72), 140.—*Steph. Ill. (H.) i. 79.*—*Brit. B. 31.*
pl. 16. fig. sup.

Pa. Phlæas. *Linn. ii. 793.*—*Berk. S. i. 130.*—*Lew. pl. 41.*—
(*Haw. Pr. 4.*)—*Haw. 42.*—*Turt. iii. 146.*—*Stew. ii. 132.*—
Don. xiii. 69. pl. 466.—*Jerm. (34), 57.*

Pa. minor aureus, ex nigro permaculatus: Small Tortoise Shell B. *Pet. Mus. 317.*—*Pet. Pap. pl. IIII. f. 13. 14.*

Pa. parva alis exterioribus circa margines nigricantibus.
Raii I. 125. 10.

The Copper B. *Harr. A. pl. 34. f. p.*—*Harr. V. M. 1.*

β, *Steph. Ill. (H.) l. c.*—*Pap. d'Eur. i. 277. pl. lxxii. Sup. xviii. f. 91. e.*

γ, *Steph. Ill. (H.) l. c.*—*Pap. d'Eur. i. 186. pl. xlili. f. 91. a.*

† η, *Steph. Ill. (H.) l. c.*—*Pap. d'Eur. i. 278. pl. lxxii. Sup. xviii. f. 91. g. h.* η in *Mus. D. Hatchett? et Kirby.*

5868. 2, Chryseis*. (*Leach E. E. ix. 129.*)—(*Sam. I. 26.*)—
Jerm. 2 edit. (72), 139.—*Steph. Ill. (H.) i. 80.*—*Brit. B. 31.*

He. Chryseis. *Fabr. iii. a. 309.*

Pa. Chryseis: Purple-edged Copper. *Haw. 41.*—*Sowerb. B. M. i. pl. 13.*—*Jerm. (34), 57.*

Pa. Hippothoë var. *Esper. pl. 62. f. 1.*

Pa. Eurydice. *Bork. E. S. i. 143.*

Pa. cum alis externis coccineis &c. *Merr. P. 199. 1.*

5869. 3: *dispar*: Large Copper.—*Haw. l. c.* (*Leach E. E.* ix. 129.)—(*Sam. I.* 26.)—*Curtis. i. pl. 12.*—*Jerm. 2 edit.* (78).—*Steph. Ill. (H.) i. 81.*—*Brit. B. 32. pl. 16. fig. inf.*
 Pa. *dispar*. (*Haw. Pr. 3.*)—*Haw. 40.*—(*Kirby & Sp. I. E. i. pl. 3. f. 1. ♂.*)—*Jerm. (34), 57.*
 Pa. Hippothoë var. *Esper. Pa. pl. xiv. f. 1, 2.*
 Pa. Hippothoë. *Lewin. pl. 40.*—*Don. vii. 1. pl. 217.*—*Turt. iii. 145.*—*Stew. ii. 133.*
 Ly. Hippothoë. *Jerm. 2 edit.* (72), 136. *pl. 5. f. 13.* neuræ.
 5870. 4, Hippothoë: Dark underwinged Copper.—*Haw. l. c.* *Steph. Ill. (H.) i. 82.*—*Brit. B. 32.*
 Pa. Hippothoë. *Linn. ii. 793.*—(*Ent. Trans. (Haworth.) i. 333.*)—*Rees' Cycl. (Donovan.) Art. PAPILIO.*—*Jerm. 62.*
Roës. I. B. ii. pl. 37. f. 6, 7. ♂.
 5871. 5, Virgaureæ: Scarce Copper.—*Haw. l. c.*—(*Leach E. E. ix. 129.*)—(*Sam. I. 26.*)—(*Kirby & Sp. I. E. iv. 503.*)—*Jerm. 2 edit.* (72), 138.—*Steph. Ill. (H.) i. 83. pl. ix. f. 1, 2. ♂. f. 3. ♀.*—*Brit. B. 32.*
 Pa. Virgaureæ. *Linn. ii. 793.*—*Don. v. 93. pl. 173. ♂.*—*Lew. pl. 41. f. 1, 2.*—(*Haw. Pr. 4.*)—*Haw. 41.*—*Turt. iii. 145.*—*Stew. ii. 132.*—*Jerm. (34), 57.*

Genus 18: (801). POLYOMMATUS, *Latr.*, *Jermyn*, *Steph.*, *Horsfield*.

- ARGUS p*, *Scopoli*.—*HESPERIA p*, *Fabr.*—*CUPIDO p*, *Schrank*.
 A. Vide *Steph. Ill. (H.) i. 84.* *PITHECOPS*, *Horsfield*.
 5872. 1; *Argiolus**. *Jerm. 2 edit.* (74), 147.—*Steph. Ill. (H.) i. 85.*—*Id. i. App. 149.*—*Brit. B. 33.*
 Pa. *Argiolus*. *Linn. ii. 790.*—*Berk. S. i. 129.*—*Lew. pl. 36. f. 4, 5, 6.*—(*Haw. Pr. 4.*)—*Haw. 47.*—*Turt. iii. 138.*—*Stew. ii. 132.*—*Don. xiv. 39. pl. 481.*—*Jerm. (36), 59.*
 Ly. *Argiolus*. (*Leach E. E. ix. 130.*)—(*Sam. I. 26.*)
 Pa. *Acis*. *Hüb. Pa. pl. 57. f. 272–4.*
 Pa. *Cleobis*. *Esper. Pa. i. pl. xl. Supp. xvi. f. 3.*
 Pa. *minor*, alis cæruleis &c. *Raii I. 132. 16.*
 Papiliu. cærulescens subtus punctatus: Blue speckt B. *Pet. Pap. pl. vi. f. 11. ♂.*
 Papiliu. cæruleus, apicibus nigris &c.: Blue speckt B. with black tipps. *Pet. Pap. pl. vi. f. 12. ♀.*
 The Azure blue B. *Harr. V. M. 1.*
 5873. 2; *Alsus**: Small blue B.—*Haw. l. c.* *Jerm. 2 edit.* (74), 149.—*Steph. Ill. (H.) i. 86.*—*Id. i. App. 149.*—*Brit. B. 33.*
 He. *Alsus*. *Fabr. iii. a. 295.*
 Pa. *Alsus*. *Lewin. pl. 39. f. 3, 4.*—*Don. ix. 73. pl. 322. f. 1.*—(*Haw. Pr. 4.*)—*Haw. 48.*—*Turt. iii. 139.*—*Stew. ii. 132.*—*Jerm. (36), 59.*

Ly. Alsus : Bedford Blue. (*Leach E. E.* ix. 130.)—(*Sam. I.* 26.)

Pa. minimus. *Esper. Pa. pl.* 34. *f.* 3.

Pa. Pseudolus. *Bork. E. S.* i. 177.

5874. 3, Acis : Mazarine Blue.—*Haw. l. c. Jerm. 2 edit.* (78), 159.

—*Steph. Ill. (H.)* i. 86.—*Id. i. App.* 149.—*Brit. B.* 32. *pl.* 17. *f.* 2.

Pa. Acis. (*Wien. V.* 182.)

Pa. Argiolus. *Hüb. Pa. pl.* 56. *f.* 267–9.

Pa. semiargus. *Bork. E. S.* i. 172.

Pa. Cymon. *Lew. pl.* 38. *f.* 6. 7.—(*Haw. Pr. 4.*)—*Haw.* 48.—*Jerm. (36)*, 59.

Ly. Cymon. (*Leach E. E.* ix. 130.)—(*Sam. I.* 26.)

Po. Cymon. *Jerm. 2 edit.* (74), 148.

Pa. minor, alis supinis purpuro-cæruleis &c. *Raii I.* 132. 17.

B. Vide *Steph. Ill. (H.)* i. 84.—POLYOMMATTI veri, *Horsfield.*

5875. 4: Arion : Large Blue.—*Lewin. l.c. Jerm. 2 edit.* (74), 141.

—*Steph. Ill. (H.)* i. 87.—*Brit. B.* 34. *pl.* 17. *fig. sup.*

Pa. Arion. *Linn. ii.* 789.—*Lew. pl.* 37.—*Don. vi.* 11. *pl.* 184. ♀.

—(*Haw. Pr. 4.*)—*Haw.* 43.—*Turt. iii.* 138.—*Stew. ii.* 181.

—*Jerm. (34)*, 57.

Ly. Arion. (*Sam. I.* 26.)

The Argus blue B. *Harr. V. M.* 1?

5876. [† 5, Alcon?] *Jerm. 2 edit.* (78), 160.—*Steph. Ill. (H.)* i. 88.

—*Brit. B.* 35.

Pa. Alcon. *Hüb. Pa. pl.* 55. *f.* 263, 264. ♂. *f.* 265. ♀?

Pa. Arcas. *Esper. Pa. pl.* 1. *f.* xxxiv. *Sup. x. f.* 4?

Pa. Diomedes. *Bork. E. S.* i. 169?

He. Argiades. *Fabr. iii. a.* 300? In Mus. D. Haworth.

5877. 6; Corydon*. *Jerm. 2 edit.* (74), 142. *pl.* 5. *f.* 14. neuræ.

—*Steph. Ill. (H.)* i. 88.—*Brit. B.* 35.

He. Corydon. *Fabr. iii. a.* 298.

Pa. Corydon. *Lew. pl.* 36.—*Don. vii. pl.* 231. *f.* 1. ♂.—

(*Haw. Pr. 4.*)—*Haw.* 43.—*Turt. iii.* 140.—*Stew. ii.* 181.—*Jerm. (34)*, 58.

Ly. Corydon. (*Leach E. E.* ix. 129.)—(*Sam. I.* 26.)

Pa. minor cærulescens, limbis nigris: Pale blue Argus. *Pet. Gaz. pl.* 35. *f.* 2.—*Raii I.* 131. 14. ♂.—15. ♀.—*Pet. Pap. pl.* vi. *f.* 1. 2.

The Chalk hill Blue B. *Harr. V. M.* 1.

♀, Pa. Tiphys. *Esper. Pa. pl.* 21. *cont. 1. f.* 4.

β; *Steph. Ill. (H.)* i. 89.

Po. Calæthis. *Jerm. 2 edit.* 169.

5878. 7; Adonis*. *Jerm. 2 edit.* (74), 143.—*Steph. Ill. (H.)* i.

89.—*Brit. B.* 36.

He. Adonis. *Fabr. iii. a.* 299.

Pa. Adonis. *Lew. pl. 38. f. 1-3.*—(*Haw. Pr. 4.*)—*Haw. 44.*
—*Turt. iii. 140.*—*Stew. ii. 132.*—*Jerm. (36), 58.*

Ly. Adonis. (*Leach E. E. ix. 129.*)—(*Sam. I. 26.*)—(*Kirby & Sp. I. E. i. 41;* *iii. 361.*)

Pa. Bellargus. *Esper. Pa. pl. 32. f. 3.*

Pa. Ceronus. *Hüb. Pa. pl. 61. f. 295-297.*

Pa. Argus ♀. *Don. iv. 93. pl. 143. f. 1.*

The Clifden blue B. *Harr. V. M. 1.*

5879. 8; Dorylas?* *Jerm. 2 edit. (74), 144.*—*Steph. Ill. (H.) i. 90.*—*Brit. B. 36.*

Pa. Dorylas. (*Wien. V. 322.*)

Pa. Dorylas. *Hüb. Pa. pl. 60. f. 289.* ♂.—*f. 290, 291.* ♀?

Pa. Hylas. *Esper. Pa. pl. xlvi. Supp. xxi. f. 3.* ♂?

Pa. Thetis. *Esper. Pa. pl. xxxiiii. Supp. ix. f. 3.* ♀?

5880 † 9, Icarius? Black-bordered Blue.—*Haw. l. c.* *Jerm. 2 edit. (78), 161.*—*Steph. Ill. (H.) i. 91.*—*Brit. B. 16.*

Pa. Icarius. *Esper. Pa. i. pl. xcix. cont. liv. f. 4?*

Pa. Amandus. *Hüb. Pa. pl. 59. f. 283-4?*—*Eut. Trans. (Haworth.) i. 334.* In Mus. D. Haworth.

5881. 10, Alexis: Common Blue.—*Haw. l. c.* *Jerm. 2 edit. (78), 160.*—*Steph. Ill. (H.) i. 91.*—*Brit. B. 37.*

Pa. Alexis. (*Wien. V. 184.*)—*Hüb. Pa. pl. 60. f. 292.*

Pa. Icarus. *Vill. ii. 74.*—*Lew. pl. 38.*—(*Haw. Pr. 4.*)—*Haw. 45.*—*Jerm. (36), 58.*

Pa. Argus. *Berk. S. i. 129.*—*Don. iv. 93. pl. 143.* ♂.

Ly. Dorylas. (*Leach E. E. ix. 129.*)—(*Sam. I. 26.*)

Pa. alis oculatus cyanum &c. *Merr. P. 199.* 4.

Pa. diurnæ minimarum. *Mouff. 105.* 4.

Papiliunculus cæruleus &c.: the little blue Argus. *Pet. Mus. 318.*—*Pet. Pap. pl. vi. f. 3.* ♂.

Pa. parva, alis supernè purpureo-cæruleis &c.: the most common small blue B. *Raii I. 131.* 11 & 13. ♂.—12. ♀.

Papiliu. è cæruleo-fuscus: Mixt Argus. *Pet. Pap. pl. vi. f. 5.* ♀.

Papiliu. cæruleus limbis nigris: Selvedged blew Argus. *Pet. Pap. pl. vi. f. 4.* ♀ var.

The blue Argus B: Pa. Argus. (*Wilkes. 63. pl. 119.*)

The blue B. *Harr. A. pl. 39. f. g. i.*—*Harr. V. M. 1.*

β; Steph. Ill. (H.) i. 92. Light blue.—*Haw. l. c. infra.*

Pa. Hyacinthus. *Lew. pl. 37. f. 4-6.*—*Turt. iii. 139.*—(*Haw. Pr. 4.*)—*Haw. 45.*—*Jerm. (36), 59.*

γ; Steph. Ill. (H.) l. c.

Pa. Labienus. *Jerm. (36), 58.*

δ; Steph. Ill. (H.) l. c.

Po. Thestylis. *Jerm. 2 edit. 167.*

ε; Steph. Ill. (H.) l. c.

Po. Lacon. *Jerm. 2 edit.* 163.

Var. Po. dubius. *Kirby MSS.*

5882. 11; Eros *: the pale Blue.—*Haw. l. c. Jerm. 2 edit.* (78), 160.—*Steph. Ill. (H.) i.* 93.—*Brit. B.* 37.

Ly. Eros. (*Och. iv.* 26.)

Pa. Tithonus. *Hüb. Pa. pl.* 108. *f.* 555–6?—*Ent. Trans. (Haworth.) i.* 334.

5883. 12; Argus *. *Jerm. 2 edit.* (74), 145.—*Steph. Ill. (H.) i.* 93.—*Brit. B.* 37. *pl.* 17.

Pa. Argus. *Linn. ii.* 789.—*Lew. pl.* 39. *f.* 5–7.—*Berk. S.* i. 129.—(*Haw. Pr. 4.*)—*Haw.* 46.—*Turt. iii.* 139.—*Stew. ii.* 131.—*Jerm. (36)*, 59.

Ly. Argus. (*Leach E. E.* ix. 129.)—(*Sam. I.* 26.)

Pap. cærulescens minor. *Pet. Pap. pl.* vi. *f.* 6. ♂.

Pap. è fusco cæruleus. *Pet. Pap. pl.* vi. *f.* 7. ♀.

Pap. plumbeus: Lead Argus. *Pet. Pap. pl.* vi. *f.* 8. ♀. var.

Pap. plumbeus parvus: Small Lead Argus. *Pet. Pap. pl.* vi. *f.* 9. ♀ var.?

Silver-studded Blue. *Harr. V. M.* 1.

♀; Pa. Idas. *Linn. F. No.* 1075.

β; *Steph. Ill. (H.) i.* 94.

He. Acreon. *Fabr. iii. a.* 301?

Pa. Argyrognomon. *Bork. E. S.* i. 152?

Pa. Argiades. *Esper. Pa. i. pl. ci. cont.* lvi. *f.* 6?

Po. Alcippe. *Kirby MSS.*

† γ, *Steph. Ill. (H.) l. c.*

Po. maritimus. *Haworth MSS.*

† δ, *Steph. Ill. (H.) l. c.*

Var. Po. Leodorus. *Esper. Pa. i. pl.* lxxx. *cont.* xxx. *f.* 1. 2.

γ in *Mus. D. Haworth*: δ in *Mus. D. Hatchett.*

5884. 13; Agestis *: Brown Argus.—*Haw. l. c. Jerm. 2 edit.* 159.

—*Steph. Ill. (H.) i.* 94.—*Brit. B.* 38. *pl.* 17. *fig.* 3.

Pa. Agestis. (*Wien. V.* 184)—*Hüb. Pa. pl.* 62. *f.* 303–4.

Pa. Medon. *Esper. Pa. i. pl.* xxxii. *Supp.* viii. *f.* 1.

Pa. Idas. *Lew. pl.* 39. *f.* 1, 2.—*Don. x.* 74. *pl.* 322. *f.* 2.—(*Haw. Pr. 4.*)—*Haw.* 46.—*Jerm. (36)*, 59.

Ly. Idas: Black spot brown. (*Leach E. E.* ix. 130.)—(*Sam. I.* 26.)

Po. Idas. *Jerm. 2 edit.* (74), 146.

Papiliunculus fuscus, marginibus aureis: Edged brown Argus. *Pet. Gaz. pl.* 35. *f.* 4.—*Pet. Pap. pl.* vi. *f.* 10.

5885. 14, Artaxerxes: Scotch Argus.—*Lewin. l. c. Jerm. 2 edit.* (74), 147.—*Steph. Ill. (H.) i.* 95.—*Brit. B.* 38.

He. Artaxerxes. *Fabr. iii. a.* 297. (!)

Pa. Artaxerxes. *Lew. pl.* 39. *f.* 8, 9.—*Turt. iii.* 139.—

(*Haw. Pr.* 4.)—*Haw.* 47.—*Stew.* ii. 131.—*Don.* xvi. 1.
pl. 541.—*Jerm.* (36), 59.

Ly. Artaxerxes: White spot brown. (*Leach E. E.* ix. 130.)
 —. (*Sam. I.* 26.)

5886 † 15. Titus^a.

Familia IV: (117). HESPERIIDÆ.

(PLEBEII URBICOLI, *Linné*.—HESPERIDES, *Latr.*.—HESPERIDÆ, *Leach*, *Swainson*.—HESPERIA *p*, *Fabricius*.)

(ANOPLURIFORM Stirps, *Horsfield*.)

Genus 19: (802). THYMELE, *Fabricius*, *Steph.*

ERINNYS *p*, *Schra*.—BATTUS *p*, *Scop.*.—URBANI, *Hübn.*.—HESPERIA *p*, *Latr.*, *Leach*, *Samou.*, *Jermyn*, (*Kirby*.)

5887. 1; Alveolus*. *Steph. Ill. (H.)* i. 97.—*Brit. B.* 39. *pl.* 18.
fig. sup.

Pa. Alveolus. *Hüb. Pa. pl.* 92. *f.* 466–7.

Pa. Malvæ minor. *Esper. Pa. pl.* xxxvi. *f.* 5?

Pa. Malvæ. *Lew. pl.* 46. *f.* 8. 9.—*Berk. S. i.* 130.—(*Haw. Pr.*
 5.)—*Haw.* 52.—*Turt. iii.* 165.—*Jerm.* (38), 60.

He. Malvæ. (*Leach E. E.* ix. 130.)—(*Sam. I.* 21.)—(*Kirby*
 & *Sp. I. E.* iii. 115.)—*Jerm. 2 edit.* (76), 154.

He. Sao. *Faun. F. pl.* 26. *f.* 7. 8.

Papiliunculus fuscus &c.: Small spotted brown Marsh Fri-
 tillary. *Pet. Gaz. pl.* 36. *f.* 6.—*Pet. Pap. pl.* III. *f.* 17. 18.

Pa. minima pulla &c. *Raii I.* 133. 21.

The grizzled B: Pa. Malvæ. (*Wilkes.* 54. *pl.* 104?)

The Grizzle, or Gristle B. *Harr. A. pl.* 32. *f.* k–n.—*Harr.*
V. M. 3.

β; *Steph. Ill. (H.) l. c.* Pa. Fritillum. *Lew. pl.* 46. *f.* 4, 5.—
Turt. iii. 166.—*Stew. ii.* 134.—*Rees' Cycl.* (*Donovan.*) *Art.*
PAPILIO.—*Jerm.* 63.

Pa. Lavateræ. (*Haw. Pr.* 5.)—*Haw.* 52.—*Jerm.* (38), 60.

He. Lavateræ. *Jerm. 2 edit.* (76), 155.

Pa. fuscus &c.: Brown Marsh Fritillary. *Pet. Gaz. pl.* 36.
f. 9.—*Raii I.* 132. 20.—*Pet. Pap. pl.* III. *f.* 15, 16.

5888 † 2. Malvæ^b.

5889. 3; Tages*. *Steph. Ill. (H.)* i. 98.—*Brit. B.* 39.

* 5886 † 15. Titus. *Jerm. 2 edit.* (80), 166. (!)—*Steph. Ill. (H.)* i. 95. nota.
 He. Titus. *Fabr. iii. a.* 297. (!)
 Pa. Titus. *Turt. iii.* 140. (!)—*Rees' Cycl.* (*Donovan.*) *Art. PAPILIO.* (!)—*Jerm.* 62. (!)

† 5888 † 2, Malvæ. *Steph. Ill. (H.)* i. 98. nota.

Pa. Malvæ. *Linn. ii.* 795.—*Stew. ii.* 133. (!)—*Don.* xvi. *pl.* 567. (!)
 Pa. Malvarunn. *Och. i. b.* 195.

Pa. Tages. *Linn.* ii. 795.—*Lew. pl. 45. f. 3, 4.*—(*Haw. Pr. 5.*)—*Haw. 51.*—*Turt. iii. 167.*—*Stew. ii. 134.*—*Jerm. (38), 60.*
He. Tages. (*Leach E. E. ix. 130.*)—(*Sam. I. 21.*)—*Jerm. 2 edit. (76), 154.*

Pa. corpore pedibus &c. *Merr. P. 199. 6.*

Pa. minor fuscus Hampstediensis, &c. *Pet. Gaz. pl. 36. f. 3. ♀.*—*Raii I. 132. 18.*

Pa. minor tota pulla &c. *Raii I. 132. 19. ♂.*

Pa. niger fuscus &c.: Handley's Small brown Fritillary. *Pet. Pap. pl. IIII. f. 19. 20.*

The dingy Skipper. *Harr. A. pl. 34. f. o.*—*Harr. V. M. 5.*

5890 † 4. *Oileus*^a.

Genus 20: (803). PAMPHILA, *Fabricius, Steph.*

ERINNYS p, *Schrank.*—BATTUS p, *Scop.*—URBANI p, *Hübn.*—HESPERIA p, *Latr., Leach, Samou., Jerm.*

A. a. Vide *Steph. Ill. (H.) i. 160.*

5891. 1, Paniscus. *Steph. Ill. (H.) i. 160.*—*Brit. B. 40.*

He. Paniscus. *Fabr. iii. a. 328.*—(*Leach E. E. ix. 130.*)—(*Sam. I. 21.*)—*Jerm. 2 edit. (76), 152.*

Pa. Paniscus: Chequer Skipper. *Don. viii. 7. pl. 254. f. 1.*—(*Haw. Pr. 5.*)—*Haw. 49.*—*Turt. iii. 154.*—*Jerm. (38), 60.*

Pa. Brontes. *Hüb. Pa. pl. 94. f. 475, 476.*

5892 † 2. Sylvius^b.

5893. 3; Linea*. *Steph. Ill. (H.) i. 101.*

He. Linea. *Fabr. iii. a. 326.*—(*Leach E. E. ix. 130.*)—(*Sam. I. 21.*)—*Jerm. 2 edit. (76), 153.*—*Brit. B. 40.*

Pa. Linea. *Don. vii. pl. 236. f. 2. ♂.*—(*Haw. Pr. 5.*)—*Haw. 50.*—*Stew. ii. 133.*—*Jerm. (38), 60.*

Pa. Thaumas. *Esper. Pa. pl. 36. f. 2, 3.*—*Lew. pl. 45. f. 5-7.*—*Turt. iii. 153.*—*Stew. ii. 133.*—*Rees' Cycl. (Donovan.) Art. PAPILIO.*—*Jerm. 63.*

Pa. flavus. *Müll. Z. D. pr. 1333.*

Pa. Comma. *Barbut G. 173. pl. 10. f. 256.*

Pa. minima, &c. *Raii I. 125. 21. ♂.*—*22. ♀.*

Pa. minor aureus &c.: Streakt Golden Hog. *Pet. Gaz. pl. 34. f. 9.*—*Pet. Pap. pl. vi. f. 15. ♂.*

Pa. minor aureus immaculatus: Spotless Hog. *Pet. Gaz. pl. 34. f. 9. desc.*—*Pet. Pap. pl. vi. f. 14. ♀.*

The Small Skipper. *Harr. A. pl. 42. f. i.*—*Harr. V. M. 5.*

^a 5890 † 4. *Oileus*. *Steph. Ill. (H.) i. 99. nota.*

Pa. *Oileus*. *Gmel. iv. 2370?*—Georgian Grizzle. *Ent. Trans. (Haworth.) i. 334. (!)*

^b 5892 † 2. *Sylvius*. *Steph. Ill. (H.) i. 100. nota.*

Pa. *Sylvius*. *Knoch.*—*Hüb. Pa. pl. 94. f. 477, 478.*

B. Vide *Steph. Ill. (H.)* i. 101.

5894. 4; *Sylvanus**. *Steph. Ill. (H.)* i. 101.—*Brit. B. 41. pl. 18. fig. inf.*

He. *Sylvanus*. *Fabr. iii. a. 326.*—(*Leach E. E. ix. 130.*)—(*Kirby & Sp. I. E. ii. 305.*)—(*Sam. I. 21.*)—*Jerm. 2 edit. (76). pl. 5. f. 15.* neuræ.

Pa. *Sylvanus*. *Lew. pl. 46. f. 1–3.*—*Don. viii. 8. pl. 254. f. 2. ♂.*—(*Haw. Pr. 4.*)—*Haw. 50.*—*Stew. ii. 133.*—*Turt. iii. 153.*—*Jerm. (38), 60.*

Pa. *Comma*. *Scop. C. No. 463?*

Pa. *minor ex aureo*, &c.: *Streakt Cloudy Hog*. *Pet. Gaz. pl. 34. f. 8.*—*Pet. Pap. pl. VI. f. 16. ♂.*

Pa. *minor* &c.: *Cloudy Hog*. *Pet. Gaz. pl. 34. f. 7.*—*Pet. Pap. pl. VI. f. 17. ♀.*

The large Skipper. *Harr. A. pl. 42. f. h.*—*Harr. V. M. 5.*

5895. 5; *Comma**. *Steph. Ill. (H.)* i. 102.—*Brit. B. 41.*

Pa. *Comma*. *Linn. ii. 793.*—*Berk. S. i. 130.*—*Lew. pl. 45. f. 1, 2.*—*Don. ix. 17. pl. 295.*—(*Haw. Pr. 4.*)—*Haw. 50.*—*Stew. ii. 133.*—*Jerm. (38), 60.*—*Id. 2 edit. 151. ♂.*

Hi. *Comma*. *Fabr. iii. a. 325.*—(*Leach E. E. ix. 130.*)—(*Sam. I. 21.*)—*Jerm. 2 edit. (76).*

Pa. *alis conchatis*, &c. *Merr. P. 199. 9.*

The Pearl Skipper. *Harr. V. M. 5.*

Pa. *Virgula*. *DeGeer. G. 31. 7.*

♀; He. *Sylvanus*. *Jerm. 2 edit. 151.*

B. Vide *Steph. Ill. (H.)* i. 102.

5896 † 6, *Bucephalus*^a.

5897 † 7, *Vitellius*^b.

SECTIO II. LEP.-CREPUSCULARIA, Latreille.

(*SPHINX*, Linné, &c.)

Familia V: (118). ZYGÆNIDÆ, Leach.

(ZYGÆNIDES p, Latreille.)

Genus 21: (804). INO, Leach, Samou., Steph. Forester M.

PROCRIS, *Fabr.*—*ZYGÆNA p*, Panzer, Haw.—*ADSCITA p*, DeGeer.—*ATYCHIA*, Och.—*CHRYSAÖRES*, Hübn.

5898. 1; *Statics**. (*Leach E. E. ix. 131.*)—(*Sam. I. 23.*)—*Steph. Ill. (H.)* i. 105.

^a 5896 † 6, *Bucephalus*. *Steph. Ill. (H.)* i. 102. pt. 10. f. 2. ♂. nota.
In Mus. D. Raddon.

^b 5897 † 7, *Vitellius*. *Steph. Ill. (H.)* i. 103. nota.

He. *Vitellius*. *Fabr. iii. a. 327.*

Pap. *Vitellius*: the bordered Skipper. *Ent. Trans. (Haworth.)* i. 334. (!)
In Mus. D. Haworth.

Sp. Statices. *Linn.* ii. 808.—*Don.* vi. 60. *pl.* 204. *f.* 2.—
—*Stew.* ii. 140.—(*Haw. Pr.* 6.)—*Turt.* iii. 191.

Zy. Statices. *Haw.* 73.

Pap. parva alis pendulis &c. *Raii I.* 134. 3.

Ad. Turcosa. *DeGeer. G.* 35.

Green Forester. *Harr. A. pl.* 34. *f.* a-f.—*Harr. V. M.* 27.

— 5899 † 2. Globulariæ ^a.

Genus 22: (805). ANTHROCERA, *Scopoli*, *Steph.* *Burnet-Moth.*

ZYGÆNA ^b, *Fabricius*, *Haw.*, *Sam.*—ADSCITA *p*, *DeGeer.*

5900. 1; Meliloti *. *Steph. Ill. (H.)* i. 107.

Sp. Meliloti. *Esper. Sp.* ii. *pl.* xxxix. *cont.* xiv. *f.* 1-8.

Sp. Lonicerae var. *Esper. Sp.* ii. *pl.* xxv. *Sup.* vii. *f.* 3.

Sp. Loti. *Hüb. Sp. pl.* 17. *f.* 82. ♂.

Sp. Viciae. *Rhein. Magaz. (Borkhausen.)* i. 638.

5901 † 2. Scabiosæ ^c.

5902. 3; Trifolii *. *Steph. Ill. (H.)* i. 108.

Sp. Trifolii. *Esper. Sp.* ii. *pl.* xxxiv. *cont.* ix. *f.* 4. 5.

Ph. 4 minor gracilis cum quatuor &c. *Merr. P.* 198?

Pap. pratensis alis pendulis &c. *Raii I.* 134. 2.

5903. 4; Loti *: 5-spot B.—*Haw. l. c.* *Steph. Ill. (H.)* i. 109.

Zy. Loti. *Fabr. iii. a.* 387.—*Don. ix.* 67. *pl.* 319?—*Haw.* 74.

Zy. fulvia. *Fabr. M. ii.* 101.

Sp. Lonicerae. *Esper. Sp.* ii. *pl.* xxiv. *Supp.* vi. *f.* 1. *a, b.*—
(*Haw. Pr.* 6.)

Sp. Graminis. *Villers E. ii.* 115.

5904. 5; Hippocrepidis *. *Steph. Ill. (H.)* i. 110.

Sph. Hippocrepidis. *Hüb. Sp. pl.* 17. *f.* 83. ♂.

Sph. Loti. *Hüb. Sp. pl.* 5. *f.* 32. ♀.

β; *Steph. Ill. (H.) l. c.*

Sph. Loti. *Esper. Sp.* ii. *pl.* xxxv. *cont.* x. *f.* 1?

5905. 6; Filipendulæ *: 6-spotted B.—*Berk. l. c.* *Steph. Ill. (H.)* i. 111.

^a 5899 † 2. Globulariæ. *Steph. Ill. (H.)* i. 106. nota.

Sp. Globulariæ. *Hüb. Sp. pl.* 1. *f.* 2. ♂. *f.* 3. ♀.

Sp. Statices minor. *Naturf. (—)* xxviii. 83.

^b ZYGÆNA: Genus Piscium antiquorum.

^c 5901 † 2. Scabiosæ. *Steph. Ill. (H.)* i. 108. nota.

Zy. Scabiosæ: Triple-spotted B.—*Haw. l. c.* *Fabr. iii. a.* 386.—
Haw. 74. (!)

Sph. Scabiosæ. *Hüb. Sp. pl.* 18. *f.* 86. ♂.

Zy. minor. *Schrank B. ii.* 240.

Zy. Pythia. *Rossi. F. ii.* 166.

Sp. Filipendulæ. *Linn.* ii. 805.—*Barbut G.* 181. *pl.* 10. *f.* 34.—*Berk. S. i.* 132.—*Don. i.* 17. *pl.* 6.—(*Haw. Pr. 6.*)—*Stew. ii.* 140.—*Turt. iii.* 182.

Zy. Filipendulæ. *Fabr. iii. a.* 386.—*Haw. 73.*—(*Sam. I. 44.*)
Burnet M.: Sp. Filipendulæ. (*Wilkes. 45. pl. 91. fig. sup.*)—
Harr. A. pl. 1. f. e-h.—*Harr. V. M. 15.*

Ph. minor cum alis externis nigris &c. *Merr. P.* 198.

Ph. tertius &c. *Mouff. 97. fig. ult.*

Ph. No. 37. *List. Goëd. (Angl.) 47. f. 37.*—*Id. (Lat.) 100. f. 37.*

Ad. Aries. *DeGeer. G. 35.*

5906 † 7. Peucedani^a.

Familia VI: (119). SPHINGIDÆ, Leach.

(SPHINGIDES p, Latreille.)

Hawk Moths.

Genus 23: (806). SMERINTHUS, Latreille, Samou., Steph.

LAÖTHOE, Fabr., Leach.—SPECTRUM p, Scop.—AMORPHÆ, Hüb.

5907. 1; ocellatus*. (*Latr. G. iv. 210.*)—(*Sam. I. 38.*)—
Steph. Ill. (H.) i. 112.

Sph. ocellata. *Linn. ii. 796.*—*Berk. S. i. 130.*—*Shaw N. M. i. pl. 18.*—*Don. viii. 47. pl. 269.*—(*Haw. Pr. 5.*)—*Haw. 63.*—*Stew. ii. 135.*—*Turt. iii. 168.*

Sph. Salicis. *Hüb. Sp. pl. 15. f. 73.*

Sph. Semipavo. *DeGeer. G. 34. 33.*

La. ocellata. (*Leach E. E. ix. 130.*)

Pap. sextæ &c. *Mouff. 91. 6. cum fig.*

Ph. No. 24. *List. Goëd. (Angl.) 33. f. 24.*—*Id. (Lat.) 68. f. 24.*

Ph. magna, cinereo, &c. *Raii I. 149. 3.*

Eyed Hawk M. *Albin. pl. viii.*—*Harr. A. pl. 5. f. a-c.*—
Harr. V. M. 29.

Eyed Willow Hawk M.: Sp. ocellata. (*Wilkes. pl. 24.*)

5908. 2; Populi*. (*Latr. G. iv. 210.*)—(*Sam. I. 38.*)—(*Kirby & Sp. I. E. iv. 39.*)—*Steph. Ill. (H.) i. 112.*

Sph. Populi. *Linn. ii. 797.*—*Berk. S. i. 130.*—*Don. vii. pl. 241.*—(*Haw. Pr. 5.*)—*Haw. 64.*—*Stew. ii. 135.*—*Turt. iii. 169.*

La. Populi. (*Leach E. E. ix. 130.*)

Ph. No. 25. *List. Goëd. (Angl.) 34. f. 25.*—*Id. (Lat.) 71. f. 25.*

Poplar Hawk M. *Albin. pl. 57.* Sp. Populi. (*Wilkes. pl. 25.*)—
Harr. A. pl. 33. f. a-g.—*Harr. V. M. 29.*

^a 5906 † 7. Peucedani. Vide Appendix.

Sp. Peucedani. *Esper. Sp. ii. pl. xxv. Supp. vii. f. 2.*

Sp. Æacus. *Hüb. Sp. pl. 4. f. 22. ♀.*

Zyg. Filipendulæ var. *Fabr. iii. a. 286.*

Burnet M.: Sp. Filipendulæ. (*Wilkes. 45. pl. 91. fig. inf. (!)*

5909. 3; Tiliæ*. (*Latr. G.* iv. 210.)—(*Sam. I.* 38.)—(*Kirby & Sp. I. E.* iii. 188. & 269.)—*Steph. Ill. (H.)* i. 113.
 Sph. Tiliæ. *Linn. ii.* 797.—*Berk. S. i.* 131.—*Barb. G. pl. 10.*
f. 3.—*Don. x. 3. pl. 325.*—(*Haw. Pr. 5.*)—*Haw. 64.*—
Stew. ii. 135.—*Turt. iii.* 169.
 La. Tiliæ. (*Leach E. E.* ix. 130.)
Albin. pl. 10.
 Olive Shades, or Lime Hawk M.: Sp. Tiliæ. (*Wilkes. pl. 23.*)
 Lime Hawk. *Harr. A. pl. 20. f. a-g.*—*Harr. V. M. 9.*

Genus 24: (807). ACHERONTIA, Ochsen., (*Samou.*,) *Curtis, Steph.*
 SPECTRUM p, *Scopoli.*—MANDUCÆ, *Hübner.*

5910. 1: Atropos*. (*Och. iv.* 44.)—*Curtis. iv. pl. 147.*—*Steph. Ill. (H.)* i. 114.
 Sph. Atropos. *Linn. ii.* 799.—*Berk. S. i.* 131.—*Don. ix. pl. 289.*
pl. 290. l & p.—*Haw. Pr. 5.*—*Haw. 56.*—*Stew. ii.* 136.—
Turt. iii. 172.—(*Leach E. E.* ix. 131.)—(*Sam. I.* 30.)—
 (*Kirby & Sp. I. E.* i. 34; ii. 240 & 390; iii. 269.)—*Wood. ii.* 8. *pl. 44.*
 Ph. maxima, &c. *Mouff. 89. cum fig.*—*Albin. pl. 6.*
 The Jasmine Hawk M: Sp. Atropos. (*Wilkes. pl. 19.*)
 Death's head. *Harr. A. pl. 37.*—*Bingley. iii.* 215.
 Bee tyger Hawk M. *Harr. V. M. 29.*

Genus 25: (808). SPHINX *Auctorum.*

SPECTRUM p, *Scopoli.*—EUMORPHÆ p, *Hübner.*

5911. 1, *Carolina*^a: Tobacco Hawk M.—*Curtis l. c.*
 5912. 2, *quinquemaculatus*^b: Yellow-spotted Unicorn H.M.—*Haw. l. c.*
 5913. 3; Convolvuli*. *Linn. ii.* 798.—*Berk. S. i.* 131.—*Don. vii. pl. 228,* imago. 229, larva et pupa.—(*Haw. Pr. 5.*)—*Haw. 58.*—*Stew. ii.* 136.—*Turt. iii.* 176.—(*Leach E. E.* ix. 131.)—(*Sam. I.* 30.)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* i. 119.
 Ph. quarta &c. *Mouff. 91. 4. cum fig.*
 Unicorn or Bind-weed Hawk M.: Sp. Convolvuli. (*Wilkes. pl. 20,* larva. *pl. 21,* imago.)
 Unicorn or Convolvulus Hawk M. *Harr. A. pl. 21. f. a-d.*—
Harr. V. M. 29.
 Ph. No. 27. *List. Goëd. (Angl.)* 36. *f. 27.*—*Id. (Lat.)* 76. *f. 27.*

^a 5911. 1, *Carolina**. *Linn. ii.* 798.—*Ent. Trans. (Haworth.)* i. 241.—*Curtis. v. pl. 195. (!)*—*Steph. Ill. (H.)* i. 118. nota.

^b 5912. 2, *quinquemaculatus**. *Haw. 59. (!)*—*Ent. Trans. (Haworth.) i. 241.*—(*Curtis l. c. supra.*) (!)—*Steph. Ill. (H.)* i. 119. nota.
 Sph. *Carolina.* *Don. xi. 1. pl. 361. (!)*

5914. 4, *Druræi*^a.

5915. 5; *Ligustri**. *Linn.* ii. 799.—*Berk.* S. i. 131.—*Don.* viii. 79. *pl.* 248.—(*Haw. Pr.* 5.)—*Haw.* 59.—*Stew.* ii. 136.—*Turt.* iii. 176.—(*Leach E. E.* ix. 131.)—(*Sam. I.* 30.)—(*Kirby & Sp. I. E.* iii. 188. & 266.)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* i. 121.

Ph. maxima caudacuta, &c. *Raii I.* 144.—*Id.* 146. larva.

Privet Hawk M. *Albin. pl.* vii.

Privet Hawk M.: Sp. *Ligustri*. (*Wilkes. pl.* 22.)—*Harr. A. pl.* 2. f. a-h.—*Harr. V. M.* 29.

Ph. quinta &c. *Mouff.* 91. 5. *cum fig.*—*Id.* 181. larva.

5916. 6, *Pinastri**: Pine Hawk M.—*Don. l. c.* *Linn.* ii. 802.—*Don.* ix. 19. *pl.* 296.—(*Haw. Pr.* 5.)—*Haw.* 59.—*Stew.* ii. 138.—*Turt.* iii. 173.—(*Leach E. E.* ix. 131.)—(*Sam. I.* 30.)—(*Curtis l. c. supra.*)—*Steph. Ill. (H.)* i. 121.

5917. 7, *plebeia*^b.

5918. 8, *pœcila*^c.

Genus 26: (809). DEILEPHILA, *Och.*, *Curtis*, *Steph.*

SPECTRUM *p.*, *Scopoli*.—EUMORPHÆ *p.*, *Hüb.*—DEILOPHILA, *Samou.*

A. Vide *Steph. Ill. (H.)* i. 124.

5919. 1: *Euphorbiæ*. (*Och.* iv. 43.)—*Curtis.* i. *pl.* 3.—*Id.* 2 *edit.* i. *pl.* 3.—*Steph. Ill. (H.)* i. 124.

Sph. *Euphorbiæ*. *Linn.* ii. 802.—*Don.* iii. *pl.* 91, 92.—(*Haw. Pr.* 5.)—*Haw.* 61.—*Stew.* ii. 137.—*Turt.* iii. 173.—(*Leach E. E.* ix. 131.)—(*Sam. I.* 30.)

Spotted Elephant Hawk M. *Harr. A. pl.* 44. f. a, c.—*Harr. V. M.* 28.

5920. 2: *Galii**: *Galium H. M.*—*Leach l. c.* (*Och.* iv. 43.)—(*Curtis l. c. supra.*)—*Steph. Ill. (H.)* i. 125. *pl.* 12. f. 2.—*Id.* i. *App.* 149.—*Curtis.* 2 *edit.* l. c. *supra.*

Sph. *Galii*. *Hüb. Sp. pl.* 12. f. 64.—*Ent. Trans. (Haworth.)* i. 99. *pl.* 4.—(*Leach E. E.* ix. 131.)—(*Sam. I.* 30.)

Spotted Elephant Caterpillar. *Harr. A. pl.* 44. f. b. (larva.)

5921. 3. *Livornica**: Striped Hawk M. *Curtis.* 2 *edit.* l. c. *supra.* Accipitrina *Livornica perbelle striata*. *Pet. Gaz. pl.* 12. f. 9. Sph. *Livornica*. *Hiib. Sp. pl.* 12. f. 65.

Sph. *Kochlini*. *Fuesly A.* 10. *pl.* 4.

^a 5914. 4, *Druræi**. *Don.* xiv. 1. *pl.* 469. (!)—(*Curtis l. c. supra.*) (!)—*Steph. Ill. (H.)* i. 120. nota.

Sph. *Convolvuli var.* *Smith & Abb.* i. *pl.* 32.

^b 5917. 7, *plebeia*. *Fabr.* iii. a. 367.—*Steph. Ill. (H.)* i. 122. nota.

^c 5918 † 8, *pœcila*. *Steph. Ill. (H.)* i. 122. nota.

- Sph. lineata. *Fabr. M.* ii. 96.—(*Haw. Pr. 5.*)—*Och.* ii. 214.
Leach E. E. ix. 130.—(*Samou.* 243.)
 Dei. lineata. (*Och.* iv. 43.)—(*Curtis l. c. supra.*)—*Steph. Ill.*
 (*H.*) i. 126. *pl.* 12. *f.* 1.

5922. 4, *lineata*^a.

B. Vide *Steph. Ill.* (*H.*) i. 128.

5923. 5, Celerio*: Sharp winged or Silver striped H. (*Och.* iv. 43.)—(*Curtis l. c. supra.*)—*Steph. Ill.* (*H.*) i. 128.—*Curtis.* 2 edit. *l. c. supra.*
 Sph. Celerio. *Linn.* ii. 800.—*Don.* vi. *pl.* 190.—*pl.* 191. *l & p.*
 —(*Haw. Pr. 5.*)—*Haw.* 61.—*Stew.* ii. 137.—*Turt.* iii. 174.
 —(*Sam. I.* 30.)
 Ph. inquinatus. *Harr. Ex.* 93. *pl.* 28. *f.* 1.

5924. 6, *argentata*^b.

5925. 7; Elpenor*. (*Och.* iv. 43.)—(*Curtis l. c. supra.*)—*Steph. Ill.* (*H.*) i. 131.—*Curtis.* 2 edit. *l. c. supra.*
 Sph. Elpenor. *Linn.* ii. 801.—*Berk. S.* i. 132.—(*Haw. Pr. 6.*)
 —*Haw.* 62.—*Don.* iv. *pl.* 122.—*Stew.* ii. 137.—*Turt.* iii. 175.—(*Leach E. E.* ix. 130.)—(*Sam. I.* 30.)
 Ph. No. 26. *List. Goëd.* (*Angl.*) 35. *f.* 26. larva.—*Id. (Lat.)*
 73. *f.* 26. larva.

Ph. major cauda aucta, &c. *Raii I.* 145. 2.

Elephant. *Albin.* *pl.* ix.—*Harr. A.* *pl.* 7. *f.* a-h.—*Harr. V. M.* 23.

The Ladies Bed Straw or Elephant M.: Sp. Elpenor. (*Wilkes. pl.* 26.)

5926. 8; Porcellus*. (*Och.* iv. 43.)—(*Curtis l. c. supra.*)—*Steph. Ill.* (*H.*) i. 131.—*Curtis.* 2 edit. *l. c. supra.*
 Sph. Porcellus. *Linn.* ii. 801.—*Don.* ix. 55. *pl.* 314.—(*Haw. Pr. 6.*)—*Haw.* 63.—*Stew.* ii. 137.—*Turt.* iii. 175.—(*Leach E. E.* ix. 130.)—(*Sam. I.* 30.)
 The small Elephant H. M.: Sp. porcellus. (*Wilkes. pl.* 16.)—*Harr. V. M.* 24.

^a 5922. 4, lineata. *Curtis.* 2 edit. *l. c. supra.*

Sph. lineata. *Fabr. S. E.* 541.—*Don.* vi. *pl.* 204. *f.* 1. (!)—*Haw.* 60. (!)—*Stew.* ii. 138. (!)—*Turt.* iii. 174. (!)

Sph. Daucus. *Cramer. pt.* cxxv. *f.* D.

Dei. Daucus. *Steph. Ill.* (*H.*) i. 126. nota.

^b 5924. 6, argentata. *Steph. Ill.* (*H.*) i. 130. nota.

Sph. argentata. *Ent. Trans. (Haworth.)* i. *p.* 334. (!)

Familia VII: (120). SESIIDÆ mihi.

(SPHINGIDES, Latreille.—SPHINGIDÆ B, Leach.)
Humming Bird Hawk Moth.

Genus 27: (810). MACROGLOSSA, Och., Steph.

MACROGLOSSUM, Scop., Samou.—SESIA p, Fabr., Leach.

5927. 1; Stellatarum*. (Och. iv. 42.)—Steph. Ill. (H.) i. 133.
 Sp. Stellatarum. Linn. ii. 803.—Barb. G. pl. 10. f. 27.—
 Berk. S. i. 132.—Don. vii. pl. 155.—(Haw. Pr. 6.)—Haw. 65.
 —Stew. ii. 138.—Turt. iii. 179.—(Kirby & Sp. I. E. ii. 229.)
 Se. Stellatarum. (Leach E. E. ix. 131.)
 Ma. Stellatarum. (Sam. I. 26.)—(Kirby & Sp. I. E. iii. 557
 & 571.)
 Pap. med. diurnæ, &c. Mouff. 105. 12.
 Humming-bird Sphinx. Harr. A. pl. 24. f. b.—Harr. V. M. 13.

Genus 28: (811). SESIA, Fabricius, Leach, Samou., Curtis, Steph.

MACROGLOSSA p, Ochsenheimer.—MACROGLOSSUM p, Scopoli.—
BOMBYCIÆ, Hübner.

5928. 1, Fuciformis*. Steph. Ill. (H.) i. 134.
 Sp. Fuciformis. Linn. ii. 803.
 Se. Bombyliformis. Fabr. iii. a. 382.
 Sp. Bombyliformis: Narrow-bordered Bee Hawk M. (Haw.
 Pr. 6?)—Haw. 68.—Curtis i. pl. 40.—Turt. iii. 180.
 Se. Bombyciformis. (Leach E. E. ix. 131.)—(Sam. I. 37.)
 5929. 2; Bombyliformis*: Broad-bordered Bee Hawk M. Steph.
 Ill. (H.) i. 135.
 Sp. Bombyliformis. Och. ii. 189.
 Sp. Fuciformis. Fabr. iii. a. 381.—Hüb. Sp. pl. 9. f. 55.—
 Don. iii. pl. 87.—(Haw. Pr. 6?)—Haw. 67.—Stew. ii. 138.
 —Turt. iii. 180.—(Curtis l. c. supra.)
 Se. fusiformis. (Leach E. E. ix. 131.)—(Sam. I. 37.)
 Pap. diurnæ minimæ primæ, &c. Mouff. 105. 5. cum fig.
 Clear-winged humming bird Sp. Harr. V. M. 13.—Harr.
 Ex. 52. pl. xiii. f. 2.
 5930. 3, Cimbiciformis^a.

Familia VIII: (121). ÆGERIIDÆ mihi.

(ZYGÆNIDES p, Latr.—ZYGÆNIDÆ p, Leach.)
Clear-winged Hawk Moths.

Genus 29: (812). TROCHILIUM, Scopoli, Steph.

ÆGERIA p, Fabr., Leach, Samou.—SESIA p, Fabr.

5931. 1; Apiformis*. Steph. Ill. (H.) i. 137.

^a 5930. 3, Cimbiciformis. Steph. Ill. (H.) i. 135. nota.

- Sp. Apiformis. *Linn.* ii. 804.—*Don.* i. 55. *pl.* 25.—*Linn. Trans. (Lewin.)* iii. *pl.* 3. *f.* 1—5.—(*Haw. Pr. 6.*)—*Haw.* 68.—*Stew.* ii. 139.—*Turt.* iii. 180.—(*Kirby & Sp. I. E.* i. 209.)
- Sp. Crabroniformis. *Hüb. Sp. pl.* 8. *f.* 51.
- Æg. Apiformis. (*Leach E. E.* ix. 131.)—(*Sam. I. 1.*)
- Hornet M. *Harris Ex.* 15. *pl.* iii. *f.* 7.—*Harr. V. M.* 31.

5932. 2; Crabroniformis*: The lunar Hornet M. *Steph. Ill. (H.)* i. 138.

- Sp. Crabroniformis. *Linn. Trans. (Lewin.)* iii. *pl.* 3. *f.* 6—10.—(*Haw. Pr. 6.*)—*Haw.* 69.—*Turt.* iii. 180.—*Don.* xiii. 7. *pl.* 436.

Se. Bembiciformis. *Hüb. Sp. pl.* 20. *f.* 98. ♀.

Æg. Crabroniformis. (*Leach E. E.* ix. 131.)—(*Sam. I. 1.*)

Genus 30: (313). *ÆGERIA*, *Fabricius*, *Leach*, *Samou.*, *Curtis*.

TROCHILIUM p. *Scopoli.*—*SESIA p.*, *Latr.*

5933. 1: Asiliformis*. (*Sam. I. 1.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* i. 139.

Le. Asiliformis. *Fabr.* iii. *a.* 383.

Sp. Asiliformis: Clear underwing. (*Haw. Pr. 6.*)—*Haw.* 69.—*Don.* xi. 67. *pl.* 384.

Sp. Tabaniformis. *Bork. E. S.* ii. 45.

Se. Æstriformis. *Kirby & Sp. I. E.* i. *pl.* 3. *f.* 2.

5934 † 2, Spheciformis*. (*Sam. I. 1.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* i. 140. *pl.* 11. *f.* 1.

Sp. Spheciformis: Black and white horned Clear-wing.—*Haw. l. c. Vill.* ii. 203.—*Hüb. Sp. pl.* 16. *f.* 77. ♂. *f.* 78. ♀.—*Haw.* 71.

Se. Sphegiformis. *Fabr.* iii. *a.* 383.

Sp. semizonatus. (*Haw. Pr. 6.*)

Sp. Ichneumoniformis. *Bork. E. S.* ii. 43.

In Mus. *Brit.*, *D. Ingpen*, *Latham*, *Stone et Vigors.*

5935. 3, Ichneumoniformis. *Curtis.* ii. *pl.* 53.—*Steph. Ill. (H.)* i. 140.

Se. Ichneumoniformis. *Fabr.* iii. *a.* 385.

Sp. Vespidiformis: 6-belted Clear-wing.—*Haw. l. c. Hüb. Sp. pl.* vi. *f.* 39.—(*Haw. Pr. 6.*)—*Haw.* 70.—(*Sam. I. 1.*)

5936 † 4, Chrysidiformis. (*Curtis l. c. supra.*)—*Steph. Ill. (H.)* i. 141.

Sp. Chrysidiformis: Fiery Clear-wing.—*Haw. l. c. Hüb. Sp. pl.* 8. *f.* 53.—*Haw.* 71.

Sp. bicinctus. (*Haw. Pr. 6.*) In Mus. *D. Haworth.*

5937. 5; Cynipiformis*. (*Sam. I. 1.*)—*Steph. Ill. (H.)* i. 141. *pl.* 11. *f.* 2. ♂.

Se. Cynipiformis. *Och.* ii. 151.

Sp. Asiliformis. *Bork. E. S.* ii. 41.

- Se. Vespiformis. *Fabr.* iii. a. 385.
 Sp. Vespiformis. *Turt.* iii. 182.
 Sp. chrysorrhœa: Golden-tail Hawk M. *Don.* iv. pl. 116.—
Stew. ii. 139.—*Turt.* iii. 182.
 Æg. Vespiformis. (*Leach E. E.* ix. 131.)—(*Curtis l. c. supra.*)
 ♂; Sp. Cynipiformis: Yellow-legged Clear-wing. *Haw.* 69.
 Sp. Tenthrediniformis. (*Haw. Pr.* 6.)
 ♀; Sp. Æstriformis: Yellow-tailed Clear-wing. (*Haw. Pr.* 6.)—
Haw. 70.
 Æg. Æstriformis. (*Sam. I.* 1.)
 Sp. Tipuliformis: Small Bee Moth. *Berk. S.* i. 132.
 5938. 6; Tipuliformis*: Current Hawk M. (*Leach E. E.* ix. 131.)
 (*Sam. I.* 1.)—(*Curtis l. c. supra.*)—*Steph. Ill. (H.)* i. 142.
 Sp. Tipuliformis. *Linn.* ii. 804.—*Don.* ii. pl. 52, 53.—(*Haw. Pr.* 6.)—*Haw.* 70.—*Stew.* ii. 139.—*Turt.* iii. 181.
 Clear-winged or lesser humming bird Sp. *Harris Ex.* 14.
 pl. 111. f. 8.—(*Harr. V. M.* 14.)
 5939. 7; Mutillæformis*. (*Curtis l. c. supra.*)—*Steph. Ill. (H.)*
 i. 142.
 Sp. Mutillæformis. *Lasp.* 26. f. 15–17.
 Sp. Culiciformis. *Hüb. Sp. pl.* 7. f. 45. pl. 19. f. 91.—*Haw.* 71.
 Sp. Myopæformis. *Bork. E. S.* ii. 169.
 Sp. zonatus: red belted Sp. *Don.* vi. 35. pl. 195.
 Sp. zonata: red bellied Hawk M. *Stew.* ii. 139.—*Turt.* iii. 181.
 Æg. Culiciformis. (*Sam. I.* 1.)
 5940. 8, Culiciformis*. *Steph. Ill. (H.)* i. 143. pl. 10. f. 3.
 Sp. Culiciformis. *Linn.* ii. 804.—(*Haw. Pr.* 6?)—*Turt.* iii.
 181. (!)
 5941. 9; Stomoxysformis*. *Steph. Ill. (H.)* i. 144. pl. 11. f. 4.
 Sp. Stomoxysformis. *Hüb. Sp. pl.* 2. f. 47. ♀.
 Sp. Stomoxysformis. *Ent. Trans. (Haworth.)* i. 334.
 Sp. Culiciformis. *Scop. C.* 188.
 Æg. Culiciformis. (*Curtis l. c. supra.*)
 5942. 10; Formiciformis*. (*Sam. I.* 1.)—(*Curtis l. c. supra.*)—
Steph. Ill. (H.) i. 144. pl. 11. f. 3.
 Sp. Formiciformis: Flame tipped red-belt.—*Haw. l. c. Vill.* ii.
 104.—*Lasp. S.* 24. pl. f. 11. ♂. f. 12. ♀.—*Haw.* 72.
 Sp. Tenthrediniformis. *Bork. E. S.* ii. 39.
 Sp. flammeus. (*Haw. Pr.* 6.)
 5943 + 11. Ephemeræformis. *Steph. Ill. (H.)* i. 145.
 Sp. Ephemeræformis: Beltless Clear-wing. *Haw.* 72.
Tinea fenestrella. (*Haw. Pr.* 35.) In Mus. D. Donovan.

SECTIO III. LEP.-NOCTURNA, *Latreille.*(PHALÆNA, *Linné.*)*Moths, Bustards, Millers, Soles, Owls.*Subsectio 1. LEP.-POMERIDIANA *mihi.*(PII.-ATTACUS et BOMBYX, et NOCTUA et TINEA p, *Linné.*)*Feathered Full-bodied Moths.*Familia IX: (122). HEPIALIDÆ *mihi.*(PIHALÆNA-NOCTUA p, *Linné*, &c.—BOMBYCITES p, *Latr.*—
BOMBYCIDÆ p, *Leach.*)Genus 31: (814). HEPIALUS, *Fabr.*, *Haw.*, *Leach*, *Samou.*, (*Kirby.*)
Curtis, *Steph.* *Swifts.*HEPIOLUS, *Illiger.*—BOMBYX p, *Hüb.*—NOCTUA p, *Esper.*

A. Antennis in utroque sexū simplicibus.

5944. 1; Hectus *: Gold Sw.—*Haw.* l. c. *Fabr.* iii. b. 6.—*Haw.*144.—(*Leach E. E.* ix. 132.)—(*Sam. I.* 21.)—(*Curtis l. c. infra.*)
—*Steph. Ill. (H.) ii.* 4.Ph. No. Hectus. *Linn.* ii. 833.—*Stew.* ii. 206.—*Don.* viii. 60.
pl. 274. f. 3. ♂.—*Turt.* iii. 340.Bo. Hectus. *Hüb.* Bo. *pl.* 49. f. 208. ♂. f. 209. ♀.He. Hectator. (*Haw. Pr.* 19.)♀. He. Jodutta: dingy Sw.—*Haw.* l. c. *Schr. B.* ii. 303.He. Joduttator. (*Haw. Pr. App.* 4.)Bo. lupulina. *Hüb.* B. i. *pl.* iv. f. *T. S.*♂. No. Nemorosa. *Esper.* No. *pl.* LXXXI. f. 5.5945. 2; lupulinus *. *Fabr.* iii. b. 6.—(*Curtis l. c. infra.*)—
Steph. Ill. (H.) ii. 5.♀, He. fuscus: brown Sw. *Haw.* 141.—(*Sam. I.* 21.)Ph. No. lupulina. *Linn.* ii. 833.He. lupulator. (*Haw. Pr.* 19.)He. carnator. (*Haw. Pr. App.* 4.)Common Small Sw. *Harr. V. M.* 47.Bo. Flina. (*Wien. V. 61.*)—*Hüb.* Bo. *pl.* 49. f. 210. ♂. f. 211. ♀.He. Cora. *Schra. B.* ii. 304.β; *Steph. Ill. (H.) l. c.*He. angulum: tawny Sw. *Haw.* 142.—(*Sam. I.* 21.)He. angulator. (*Haw. Pr.* 19.)γ; *Steph. Ill. (H.) l. c.*He. obliquus: silver Sw.—*Haw.* l. c. *Fabr.* iii. b. 6.—*Haw.*
142.—(*Sam. I.* 21.)He. obliquator. (*Haw. Pr. App.* 4.)δ; *Steph. Ill. (H.) l. c.*He. nebulosus: spotted silver Sw. *Haw.* 143.—(*Sam. I.* 21.)

- He. nebulosator. (*Haw. Pr. App.* 4)
 ε ; *Steph. Ill.* (*H.*) *l. c.*
 He. nebulosus β . *Haw.* 143.
 ζ ; *Steph. Ill.* (*H.*) *l. c.*
 He. nebulosus γ . *Haw.* 143.
5946. 3; *Humuli**: Otter M.—*Berk.* *l. c.* *Fabr.* iii. *b.* 5.—*Haw.* 138.—(*Sam. I.* 21.)—(*Kirby & Sp. I. E.* iii. 90, 271, 306, 335.)—(*Curtis l. c. infra.*)—*Steph. Ill.* (*H.*) ii. 6.
 Ph. No. *Humuli*. *Linn.* ii. 833.—*Berk. S.* i. 139.—*Don.* viii. 59. *pl.* 274. *f.* 1. ♂.—*f.* 2. ♀.—*Stew.* ii. 206.
 He. *Humulator*. (*Haw. Pr.* 19.)
 Ph. He. *Humuli*. *Turt.* iii. 340.
 Ghost M. *Harr. Ex.* 17. *pl.* iv. *f.* a-d.—*Harr. V. M.* 27.
5947. 4; *Velleda**: Beautiful Sw. *Haw.* 141.—(*Curtis l. c. infra.*)—*Steph. Ill.* (*H.*) ii. 6.
 Bo. *Velleda*. *Hüb. Bo. pl.* 50. *f.* 212.
 Ph. *Mappa*: Map-winged Sw. *Don.* x. 95. *pl.* 36. *f.* 3.
 He. *Mappa*. (*Sam. I.* 21.)
5948. 5, *carnus*. *Fabr.* iii. *b.* 6.—(*Ing. Inst.* 91.)—(*Curtis l. c. infra.*)—*Steph. Ill.* (*H.*) ii. 7. *pl.* 13. *f.* 1. ♂.
 ♀, He. *Jodutta*. *Fabr.* iii. *b.* 6?—*Hüb. Bo. pl.* 50. *f.* 213.
 B. Antennis pectinatis, aut serratis.
5949. 6; *sylvinus**: Tawny and brown Sw.—*Curtis l. c.* *Och.* iii. 109.—*Curtis. v. pl.* 185. ♂ & ♀.—*Steph. Ill.* (*H.*) ii. 7.
 Ph. No. *sylvina*. *Linn.* ii. 834.
 He. *sylvinator*. (*Haw. Pr. App.* 4.)
 He. *cruxator*. (*Haw. Pr.* 19.)
 He. *angulatus*. *Fabr. Sp.* ii. 506.
 He. *Crux*. *Fabr.* iii. *b.* 7.
 Bo. *lupulinus*. *Hüb. Bo. pl.* 48. *f.* 205. ♂. *f.* 206. ♀.
 He. *lupulinus*: orange Sw. *Haw.* 140.—(*Sam. I.* 21.)
 No. *flina*. *Esper. iv. pl.* lxxxii. *f.* 5-7.
 He. *Hamma*. *Schra. B.* ii. 302.
 He. *Fauna*. *Schra. B.* ii. 305.
 Golden Swift. *Harris Ex.* 19. *pl.* iv. *f. f.*—*Harr. V. M.* 47.
 Large evening Swift. *Harris Ex.* *pl.* xiii. *f.* 6.
 Orange or Evening Sw. *Harr. A. pl.* 22. *f. h-m.*—*Harr. V. M.* 47.
- Genus 32: (815). ZEUZERA, *Latr.*, *Leach*, *Samou.*, *Steph.*
Cossus p, *Fabr.*—HEPIALUS *p*, *Schra.*—BOMBYX *p*, *Haw.*—
 PHALENA-NOCTUA *p*, *Linn.*
5950. 1: *Æsculi**. *Latr. G.* iv. 217.—(*Leach E. E.* ix. 132.)—
 (*Samou.* 246.)—*Steph. Ill.* (*H.*) ii. 8.
 Ph. No. *Æsculi*. *Linn.* ii. 833.—*Don.* v. 27. *pl.* 152.

Ph. No. Pyrina. *Linn. F. No. 1150.*

Bo. Æsculus. (*Haw. Pr. 7.*)

Bo. Pyrinus. *Haw. 89.*

Ph. Cossus Æsculi. *Turt. iii. 342.*

Ph. Bo. Æsculi. *Stew. ii. 157.*

Phal. 14 &c. *Mouff. 92. fig. infra.*

Wood Leopard M. *Harris Ex. 11. pl. II. f. 3. 4.—Harr. V. M. 34.*

Genus 33: (816). COSSUS, *Fabr., Leach, Samou., (Kirby,) Curtis, Steph.*

HEPIALUS *p., Schr.—TEREDINES, Hüb.—BOMBYX p., Haw.—PHALÆNA-BOMBYX p., Linn.*

5951. 1; ligniperda*. *Fabr. S. E. ii. 569.—(Leach E. E. ix. 132.)*
—(*Samou. 246.*)—(*Kirby & Sp. I. E. iii. 89, 124, 174, 201, 203,*
269 & 352.—Id. iv. 14.)—*Curtis. ii. pl. 60.—Steph. Ill. (H.) ii. 9.*
—*Starke E. ii. 365.*

Ph. Bo. Cossus. *Linn. ii. 827.—Berk. S. i. 138.—Don. iv.*
pl. 114.—Stew. ii. 153.

Bo. Cossus. (*Haw. Pr. 7.*)—*Haw. 89.*

Ph. Cossus Cossus. *Turt. iii. 341.*

Pa. No. 39. *List. Goëd. (Angl.) 49. f. 39.—Id. (Latr.) 105.*
f. 39.—Albin. pl. xxxv.

Goat M.: Ph. Cossus. *Wilkes. 15. pl. 31.—Harr. A. pl. 23.*
—*Harr. V. M. 27.—Bingley. iii. 221.*

Familia X : (123). NOTODONTIDÆ mihi.

(PHALÆNA BOMBYX *p., et Ph.-NOCTUA p., Linné.*)

(BOMBYCITES *p., et NOCTUELITÆ p., Latr.—BOMBYCIDÆ p.,*
Leach.)

Genus 34: (817). PYGÆRA, *Och., Samou., Steph.*

LARIA *p., Schra.—MELALOPHÆ p., Hüb.*

5952. 1; bucephala*. *Och. iii. 235.—(Sam. I. 35.)—Steph. Ill.*
(H.) ii. 12.

Ph. Bo. bucephala. *Linn. ii. 816.—Berk. S. i. 134.—Don. i.*
pl. 3. ♂.—Stew. 149.—Turt. iii. 208.

Bo. bucephalus. (*Haw. Pr. 7.*)—*Haw. 92.*

Ph. lunula. *DeGeer. G. 38. 55.*

Phal. majores 11 &c. *Mouff. 92. f. 11.*

Pa. No. 95. *List. Goëd. (Angl.) 38. f. 95.—Id. (Latr.) 213.*
f. 95.—Albin. pl. xxiii. f. 33. a-d.

Buff-tip M.: Ph. bucephala. (*Wilkes. 21. pl. 43.*)—*Harr. A.*
pl. 39. f. a-c.—Harr. V. M. 48.

Genus 35: (818). CLOSTERA, Hoffmannsegg, (*Samou.*,) (Kirby,) Steph.

PYGÆRA A., Och.—MELALOPHIA p, Hüb.—LARIA p, Schra.

5953 † 1. Anastomosis^a.

5954. 2; reclusa*: Small Chocolate-tip.—Haw. l. c. (*Sam. I.* 11.)—Steph. Ill. (*H.*) ii. 13.

Bo. reclusa. *Fabr.* iii. a. 447.—*Esper.* iii. pl. 51. f. 6. 7.—*Haw.* 131.

Ph. anastomosis: Scarce Ch.-tip.—*Don. l. c.* *Scop. C. No.* 502?—*Don. iv. pl. 124.*—*Id. iv. pl. 129. f. 4.*

La. reclusa. (*Leach E. E.* ix. 132.)

† β, Steph. Ill. (*H.*) l. c. pl. 16. f. 1. β in Mus. D. *Vigors.*

5955 † 3, anachoreta: Scarce Chocolate-tip.—*Haw. l. c.* Steph. Ill. (*H.*) ii. 13.

Bo. anachoreta. *Fabr.* iii. a. 447.

Bo. anachoretus. (*Haw. Pr. 10.*)—*Haw.* 131.

Bo. curtula. *Esper.* iii. pl. 51. f. 1-4. In Mus. *Brit.*

5956. 4; curtula*. (*Sam. I.* 11.)—Steph. Ill. (*H.*) ii. 14.

Ph. Bo. curtula. *Linn.* ii. 823.—*Stew.* ii. 152.—*Turt.* iii. 212.

Bo. curtulus. (*Haw. Pr. 10.*)—*Haw.* 130.

La. curtula? (*Leach E. E.* ix. 132.)

Bo. anachoreta. *Esper.* iii. pl. 51. f. 5.

Ph. alticaudata furcata. *DeGeer. G.* 39. 61.

Albin. pl. lxxxviii. f. a?—e.

Chocolate tip M. *Harr. V. M.* 49.

Genus 36: (819). EPISEMA, (*Och.*,) Treitschke, Steph.

GRAPHIPHORA p, Hübner.

5957. 1; cæruleocephala*. (*Och. iv. 65.*)—Och. Tr. v. a. 112.—Steph. Ill. (*H.*) ii. 15.

Ph. Bo. cæruleocephala. *Linn.* ii. 826.—*Berk. S. i.* 132.—*Don. iii. 75. pl. 100.*—*Stew.* ii. 153.—*Turt.* iii. 208.

Bo. cæruleocephalus. (*Haw. Pr. 10.*)—*Haw.* 105.

Bo. cæruleocephala. (*Kirby & Sp. I. E. i.* 197.)—(*Sam. I.* 6.)

La. cæruleocephala. (*Leach E. E.* ix. 132.)

Pa. No. 47. *List. Goëd. (Angl.)* 55. f. 47.—*Id. (Latr.)* 121. f. 47.

Albin. pl. xiii. f. 17. a—e.

Black thorn M.: Ph. cæruleocephala. (*Wilkes. 6. pl. 12.*)

Figure-of-8 M. *Harr. A. pl. 30. f. a*—d.—*Harr. V. M.* 23.

^a 5953 † 1. Anastomosis. (*Kirby & Sp. I. E.* iii. 261.)—Steph. Ill. (*H.*) ii. 13. nota.

Ph. Bo. Anastomosis. *Linn.* ii. 824.—*Esper.* iii. pl. 52. f. 1-4.—*Stew.* ii. 152. (!)—*Turt.* iii. 212. (!)

Genus 37: (820). CERURA, Schra., Leach, Samou., (*Ingpn.*)
(Kirby,) Curtis, Steph.

ANDRIÆ, Hübn.—HARPYIA A., Och.

5958. 1, bicuspis*. (*Ing. Inst.* 90.)—Curtis l. c. *supra*.—Steph.
Ill. (H.) ii. 16. *pl.* 13. *f.* 3.
Bo. bicuspid. *Bork. E. S.* iii. 380.—Hüb. *Bo. pl.* 10. *f.* 36?
Ha. bicuspid. *Och.* iii. 26?
5959. 2, integra* *mihi*. Steph. *Ill.* (H.) ii. 16. *pl.* 15. *f.* 3.
Ce. bicuspid. Fischer *E. R.* i. 63. *pl.* III. *f.* 2?
5960. 3; furcula*. Schra. B. ii. 292?—(*Leach E. E.* ix. 132.)—
(Sam. I. 10.)—(Curtis l. c. *infra*).—Steph. *Ill.* (H.) ii. 17.
Ph. Bo. furcula. *Linn.* ii. 823.—Don. viii. 55. *pl.* 272.—
Stew. ii. 151.—*Turt.* iii. 226.
Bo. furculus. (*Haw. Pr.* 10.)—*Haw.* 103.
Ph. diurna-minor. *DeGeer. G.* 38. 54.
Kitten M.: Ph. furcula. (*Wilkes.* 13. *pl.* 29. *f.* 2.)
Small Puss or Kitten M. *Harr. V. M.* 41.
5961. 4, arcuata* *mihi*. Steph. *Ill.* (H.) ii. 17.
Ce. forficula. Zetter.—Fischer *E. R.* i. 62. *pl.* III. *f.* 1?
5962. 5, latifascia*? broad-barred Kitten M. Curtis. iv. *pl.* 193.
—Steph. *Ill.* (H.) i. 18.
Ce. bidens *mihi* olim.
5963. 6; fuscinula*. (*Curtis l. c. infra*).—Steph. *Ill.* (H.) ii. 18.
pl. 15. *f.* 1.
Bo. fuscinula. Hüb. *Bo. pl.* 10. *f.* 37.
Ha. bifida var. *Och.* iii. 31.
5964. [7; bifida*.] (Sam. I. 10.)—(*Curtis l. c. infra*).—Steph. *Ill.*
(H.) ii. 19. *pl.* 15. *f.* 2.
Bo. bifida. Hüb. *Bo. pl.* 10. *f.* 38.
Bo. furcula. Esper. iii. *pl.* 19. *f.* 6.
5965. 8; Vinula*. Schra. B. ii. 291.—(*Leach E. E.* ix. 132.)—
(Sam. I. 10.)—(Kirby & Sp. I. E. iii. 150 & 283.—*Id.* iv. 38 &
213.)—(*Curtis l. c. infra*).—Steph. *Ill.* (H.) ii. 19.
Ph. Bo. Vinula. *Linn.* ii. 815.—Berk. S. i. 134.—Don. iii.
pl. 85.—*Turt.* iii. 203.—*Stew.* ii. 146.
Bo. Vinulus. (*Haw. Pr.* 7.)—*Haw.* 86.
Ph. diurna major. *DeGeer. G.* 36. 53.
Pa. No. 20. *List. Goëd. (Angl.)* 27. *f.* 20. *a-c.*—*Id. (Latr.)*
5. *f.* 20. *a-c.*—*Albin. pl.* XI.
Puss M.: Ph. vinula. (*Wilkes.* 13. *pl.* 29. *f.* 1.)—*Harr. A.*
pl. 38. *f.* *a-e.*—*Harr. V. M.* 41.
β; Bo. minax. Hüb. *Bo. pl.* 56. *f.* 243. ♂?
Ce. minax. (Sam. I. 10.)
5966. 9; Erminea*. (*Curtis l. c. infra*).—Steph. *Ill.* (H.) ii. 20.

Bo. Erminea. *Hüb. Bo. pl. 9. f. 55.* ♀.
Ha. Erminea. *Och. iii. 24.*

Genus 33: (821). STAUROPUS, *Germar, Samou., (Kirby,) Steph.*
HARPYIA B. p, Och.

5967. 1: Fagi*. (*Sam. I. 39.*)—(*Kirby & Sp. I. E. iii. 193.*)—
Steph. Ill. (H.) ii. 21.

Ph. Bo. Fagi. *Linn. ii. 816.—Don. xii. pl. 323. mala.—*
Stew. ii. 147.—Turt. iii. 200.

Bo. Fagus. (*Haw. Pr. 7.*)—*Haw. 85.*

Staphylinus 2. *Mouff. 197, 198. cum figuris.* (larvæ.)

Lobster Caterpillar. *Albin. pl. LVIII.*

Genus 39: (822). NOTODONTA *mihi.*

NOTODONTA A., *Och., Samou.*—PTILODONTES *p, Hüb.*

5968. 1; dromedarius*. *Och. iii. 53.—(Sam. I. 31.)—Steph. Ill.*
(H.) ii. 22.

Ph. Bo. dromedarius. *Linn. ii. 827.—Don. x. 67. pl. 350. f. 1.*

Bo. dromedarius: Iron Prominent. (*Haw. Pr. 8.*)—*Haw. 100.*

La. dromedarius. (*Leach E. E. ix. 132.*)

Rusty Prominent M. *Harr. V. M. 41.*

β; Bo. dromedarulus: Small Iron Prominent. (*Haw. Pr. 8.*)—
Haw. 101.—Ent. Trans. (Haworth.) i. 335.

No. dromedarulus. (*Sam. I. 31.*)

Ph. Zebu. *Don. xii. 1. pl. 397. f. 1.*

5969. 2, perfusca. *Steph. Ill. (H.) ii. 23. pl. 14. f. 2.*

Bo. perfuscus. (*Haw. Pr. 8?*)—*Haw. 100?*

No. perfuscus. (*Sam. I. 31.*)

Dark Prominent. *Harris Ex. 54. pl. xiii. f. 5? var?*—*Harr. V. M. 41?*

No. torva. (*Ing. Inst. 91.*)

5970. 3; ziczac*. *Och. iii. 48.—(Sam. I. 31.)—Steph. Ill. (H.)*
ii. 23.

Ph. Bo. ziczac. *Linn. ii. 827.—Berk. S. i. 138.—Don. iv. 29.*
pl. 119.—Stew. ii. 153.—Turt. iii. 209.

Bo. ziczacus: Pebble prominent. (*Haw. Pr. 8.*)—*Haw. 99.*

Ph. ziczac trituberculata. *DeGeer. G. 87.*

La. ziczac. (*Leach E. E. ix. 132.*)

Ph. No. 21. *List. Goëd. (Angl.) 30. f. 21.—Id. (Latr.) 63.*
f. 21.—Albin. pl. xiv. f. 20. e-h.

Ozier or Pebble M.: Ph. ziczac. (*Wilkes. 12. pl. 28.*)

Pebble M. *Harr. V. M. 39.*

Genus 40: (823). LEIOCAMPNA *mihi.*

NOTODONTA C., *Och.*—PTILODONTES *p, Hüb.*

5971. 1; dictæa*. *Steph. Ill. (H.) ii. 25.*

- Ph. Bo. dictæa. *Linn.* ii. 826.
 Ph. Bo. Tremula. *Linn.* ii. 826.
 Bo. Tremulus. (*Haw. Pr. 8.*)—*Haw.* 99.
 Ph. trepida. *Don.* vii. pl. 239. f. 1.—*Stew.* ii. 154.
 La. trepida. *Leach E.* E. ix. 132.
 No. trepida. (*Sam. I.* 31.)
 Swallow M. *Harr. V. M.* 47.

5972. 2; dictæoides*: Lesser Swallow Prominent.—*Haw. l. c.*
 (*Ing. Inst. 91.*)—*Steph. Ill. (H.)* ii. 25.
 Bo. dictæoides. *Esper.* iii. pl. 84.—*Hüb. Bo. pl. 6.* f. 24, 25.
 —*Ent. Trans. (Haworth.)* i. 335.
 Bo. gnoma. *Fabr.* iii. a. 443.

Genus 41: (824). LOPHOPTERYX *mihi.*

NOTODONTA B., *Och.*—PTILODONTES *p.*, *Hüb.*—NOCTUA *p.*,
Samou.—NOTODONTA *p.*, *Samou.*

5973. 1; camelina*: Coxcomb Prominent. *Steph. Ill. (H.)* ii. 26.
 Ph. Bo. camelina. *Linn.* ii. 832.—*Don.* vi. 7. pl. 183.—
Stew. ii. 156.—*Turt.* iii. 213.—(*Kirby & Sp. I. E.* iii. 205.)
 Bo. camelinus. (*Haw. Pr. 8.*)—*Haw.* 96.
 Bo. capuzina. *Esper.* iii. pl. 70. f. 1—5.
 Not. camelina. (*Leach E.* E. ix. 134.)—(*Sam. I.* 31.)
 Noc. camelina. (*Sam. I.* 29.)
Albin. pl. lxix. f. a, c, d, e.

5974. 2; cuculla*. *Steph. Ill. (H.)* ii. 27.
 Bo. cucullina. (*Wien. V.* 311.)—*Hüb. Bo. pl. 5.* f. 20. ♀.
 Bo. cucullus. *Haw.* 97.
 Ph. cuculla: Maple Prominent. *Don.* x. 31. pl. 338. f. 1.
 Not. cuculla. (*Sam. I.* 31.)
Albin. pl. lxix. f. b? larva.

- 5975 † 3: carmelita*. *Steph. Ill. (H.)* ii. 27. pl. 14. f. 3.
 Bo. carmelita. *Esper. Bo.* iii. pl. LXXXI. f. 1. ♂.
 Bo. capuzina. *Hüb. Bo. pl. 5.* f. 21. ♂.
 Bo. capuzinus. (*Haw. Pr. 8.*)
 Ph. capuzina. *Turt.* iii. 213.
 Lo. cucullina. (*Ing. Inst. 91.*) In *Mus. Brit. et D. Vigors.*

Genus 42: (825). PTILODONTIS *mihi.*

NOTODONTA D. *p.*, *Och.*, *Samou.*—PTILODONTES *p.*, *Hüb.*—
 NOCTUA *p.*, *Leach, Samou.*

5976. 1; palpina*. *Steph. Ill. (H.)* ii. 28.
 Ph. Bo. palpina. *Linn.* ii. 828.—*Turt.* iii. 213.
 Bo. palpina. *Hüb. Bo. pl. 1.* f. 16. ♂.
 Bo. palpinus. (*Haw. Pr. 8.*)—*Haw.* 96.
 Noc. palpina. (*Leach E.* E. ix. 134.)—(*Sam. I.* 30.)

Not. palpina. (*Sam. I.* 31.)

Pale prominent M. *Harr. V. M.* 41.

Genus 43: (826). PTILOPHORA *mihi*.

NOTODONTA D. *p*, *Och.*—PTILODONTES *p*, *Hübn.*

5977. 1: variegata*. (*Ing. Inst.* 91.)—*Steph. Ill. (H.)* ii. 29.
pl. 14. f. 1. ♂.

Ph. Bo. variegata. *Villers Ent.* ii. 160.

Bo. plumigera. (*Wien. V.* 61?)—*Fabr. iii. a.* 462.—*Hüb. Bo. pl. 4. f. 13.* ♂. *pl. 58. f. 150.* ♀.

Pt. Aceris *mihi* olim.

Genus 44: (827). CHAONIA *mihi*.

NOTODONTA D. *p*, *Och.*—NOCTUA *p*, *Fabr.*

5978. 1: Roboris*. *Steph. Ill. (H.)* ii. 30.

No. Roboris. *Fabr. iii. b.* 35.

Ph. No. Roboris. *Stew. ii.* 185.—*Turt. iii.* 307.

Bo. Roboreus: Lunar Marbled brown. (*Haw. Pr.* 10.)—
Haw. 104.—(*Sam. I.* 7.)

Ph. Roboris. *Don. ix.* 25. *pl. 299.*

Bo. chaonia. *Hüb. Bo. pl. 3. f.* 10, 11.

La. Roboris. (*Leach E. E.* ix. 132.)

5979. 2; dodonea*. *Steph. Ill. (H.)* ii. 30.

Bo. dodonea. *Hüb. Bo. pl. 3. f.* 8.—(*Sam. I.* 7.)

Bo. dodoneus: Marbled brown. *Haw. Pr.* 104.

Bo. trimacula. *Esper. iii. pl. 46. f.* 1–3.

Ph. trimacula. *Don. x.* 71. *pl. 352. f.* 2.

La. trimacula. (*Leach E. E.* ix. 132.)

Bo. tripartita. *Bork. E. S.* iii. 424.

Bo. Ilicis. *Fabr. iii. a.* 434.

♂, *Steph. Ill. (H.) l. c.*

Bo. Querneus: Dark marbled brown. *Haw. 104.*

Bo. Quercea. (*Sam. I.* 7.)

5980 † 3. Querna^a.

Genus 45: (828). PETASIA *mihi*.

BOMBYX *p*, *Haworth.*—XYLENA *p*, *Ochsen.*

5981. 1; Cassinea*. *Steph. Ill. (H.)* ii. 32.

Bo. Cassinea. (*Wien. V.* 61.)—*Fabr. iii. a.* 460.—(*Sam. I.* 6.)

Bo. cassineus: Sprawler. (*Haw. Pr.* 9.)—*Haw. 106.*

Ph. Bo. cassinea. *Don. xii. 4. pl. 397. f.* 2.

Bo. Sphinx. *Esper. Bo. iii. pl. xlix. f.* 1–3.

^a 5980 † 3. Querna. *Steph. Ill. (H.)* ii. 31. nota.

Bo. Querna. *Fabr. iii. a.* 449.—*Hüb. Bo. pl. 3. f.* 9.

Genus 46: (829). PERIDEA mihi.

NOTODONTA D. p, Och.

5932. 1; serrata*. *Steph. Ill. (H.)* ii. 33.
 Bo. trepida. *Fabr. iii. a.* 449.—*Turt. iii.* 213?
 Bo. tremula. *Hüb. Bo. pl. 70. f.* 30.
 Ph. tritopha. *Don. x.* 91. *pl.* 359.
 Bo. tritophus: Great Prominent. (*Haw. Pr. 8.*)—*Haw. 98.*
 Bo. serrata. *Thunb. I. S. (Akermann.)* p. 47.
 La. tritopha. (*Leach E. E.* ix. 132.)
 Not. tritopus. (*Sam. I.* 31.)

Genus 47: (830). ENDROMIS, Och., Samou., (Kirby,) Steph.

DIMORPHIÆ, Hüb.—BOMBYX p, Schra., Haw.—DORVILLIA,
Leach.

5983. 1; versicolora*. *Och. iii. 16.*—(*Sam. I. 16.*)—*Steph. Ill. (H.)* ii. 34.
 Ph. Bo. versicolor. *Linn. ii.* 817.—*Berk. S. i.* 134.—*Don. v.* 63. *pl.* 158.—*Stew. ii.* 147.—*Turt. iii.* 203.—*Ent. Trans. (Neale.)* i. 323. *pl.* 9. ♂. ♀. and larvæ.
 Bo. versicolorus. (*Haw. Pr. 7.*)—*Haw. 80.*
 Do. versicolor. (*Leach E. E.* ix. 132.)
 Glory of Kent, A Moth: Ph. versicolora. (*Wilkes. 44. pl.* 89.)
 Kentish Glory. *Harr. V. M.* 27.

Familia XI: (124). BOMBYCIDÆ mihi.

(PHALENA-ATTACUS et BOMBYX, Linné.—BOMBYCITES LEGITIME, Latr.—BOMBYCIDÆ p, Leach.)

Genus 48: (831). AGLIA ^a.

Genus 49: (832). SATURNIA, Schrank, Leach, Samou., (Kirby,) Steph.

- BOMBYX p, Fabr., Haw.—HERAEÆ, Hüb.—ATTACUS, Germar.
 5985. 1; Pavonia-minor*. (*Leach E. E.* ix. 132.)—(*Sam. I.* 37.)—(*Kirby & Sp. I. E.* iii. 150, 176, 186, 221, 266, 279 & 322.—*Id. iv.* 212.)—*Steph. Ill. (H.)* ii. 37.

^a Genus 48: (831). AGLIA, Ochsenheimer, Steph.

ECHIDNÆ, Hüb.—Ph. ATTACUS p, Linn.—SATURNIA p, Schrank.—BOMBYX p, Haworth.

5984 † 1. Tau. *Och. iii. 12.*—*Steph. Ill. (H.)* ii. 37. nota.
 Ph. At. Tau. *Linn. ii. 811.*—*Martyn. Art. Birch. (!)*—*Turt. iii. 198. (!)*
 Bo. Tau. *Hüb. Bo. pl. 13. f. 51.* ♂. *f. 52.* ♀.
 Bo. Tanus: Tau Emperor. (*Haw. Pr. 8.*)—*Haw. 79.*

- Ph. At. Pavonia-minor. *Linn.* ii. 810.—*Berk. S. pl.* 10.
f. 7. ♂.—*Stew.* ii. 144.
 Bo. Pavonia minor. *Stark. E.* ii. 366.
 Ph. Bo. Pavonia. *Linn. F.* 1099.—*Don. i. 1. pl. 1. ♂.* viii.
pl. 254. ♀.—*Turt. iii.* 198.
 Ph. Pavonia. *Berk. S. i.* 132.
 Ph. Pavionella. *Scop. C.* 192.
 Bo. Pavonus. (*Haw. Pr. 8.*)—*Haw.* 78.
 Ph. Pavunculus. *DeGeer. G.* 35. 39.
 Bo. Carpini. *Hüb. Bo. pl. 14. f. 53. ♂. f. 54. ♀.*
Albin. pl. xxv. f. 37. a-h.
 Emperor M.: Ph. Pavonia. (*Wilkes. 16. pl. 32*, larva; *pl. 33*,
 imago.)—*Harr. A. pl. 25. a-i, t.*—*Harr. V. M.* 23.

Genus 50: (833). LASIOCAMPA, Schrank., Leach, Samou., (Kirby,) Curtis, Steph.

GASTROPACHA C. D., Ochsenheimer.

5986. 1; Rubi*. *Schrank B.* ii. 153.—(*Leach E. E.* ix. 132.)—
 (*Sam. I. 24.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* ii. 39.
 Ph. Bo. Rubi. *Linn.* ii. 813.—*Don. ii. 87. pl. 69. ♂.*—
Stew. ii. 145. Turt. iii. 203.
 Bo. Rubus. (*Haw. Pr. 7.*)—*Haw.* 83.
 Ph. Rubi. *Berk. S. i.* 133.
 Bo. Trifolii. *Schaeffer Icon.* 157. *pl. clxxviii. f. 3.*
 Fox: (Devil's Gold ring.) *Albin. pl. lxxxii. a-d.*—*Harr. V. M.* 25.
 Fox coloured M.: Ph. Rubi. (*Wilkes. 25. pl. 54.*)
5987. 2; Trifolii*. *Schrank B.* ii. 154.—(*Leach E. E.* ix. 132.)—
 (*Sam. I. 24.*)—(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* ii. 40.
 Ph. Bo. Trifolii. *Vill.* ii. 136.—*Linn. Trans. (Lewin.)* iii.
pl. 4. f. 1-4.—*Turt. iii. 200.*
 Bo. Trifolius. (*Haw. Pr. 7.*)—*Haw.* 83.
 Ph. Dumeti. *Rhen. Mag. (Fuesly.)* iii. 151.
 Grass Egger: Ph. Trifolii. (*Wilkes. 23. pl. 47. fig. sup. ♀.*)—
Harr. V. M. 23.
5988. [3: Medicaginis:] Medicick Eggar.—*Curtis l. c. (Biche. Add.*
13.)—(*Ing. Inst. 91.*)—*Curtis. iv. pl. 181.*—*Steph. Ill. (H.)* ii. 41.
 Bo. Medicaginis. *Rhein. M. (Bork.)* i. 363.
 Bo. Trifolii. *Panz. F.* xix. *f. 23.*
 Bo. Quercus. *Wilkes. pl. xlvi.*
 Grass Egger. (*Wilkes. 23. pl. 47. fig. inf. ♂.*)
5989. 4; Quercus*. *Schrank B.* ii. 154.—*Steph. Ill. (H.)* ii. 40.
 Ph. Bo. Quercus. *Linn.* ii. 814.
5990. [5; Roboris*.] *Schrank B.* ii. 154?—*Steph. Ill. (H.)* ii. 41.

Ph. Quercus. *Barbut G.* pl. 10. f. 25. ♂.—*Berk. S.* i. 133.
—*Don.* iii. 83. pl. 104. f. 1. ♂. f. 2. ♀.—*Stew.* ii. 146.—
Turt. iii. 201.

Bo. Quercus. *Fabr.* iii. a. 423.—(*Haw. Pr. 7.*)—*Haw.* 81.
La. Quercus. (*Leach E. E.* ix. 132.)—(*Sam. I.* 24.)—(*Kirby & Sp. I. E.* iii. 557 & 571.)—(*Curtis l. c. supra.*)
Pa. nona et decima. *Mouff.* 92. *fig. superiores.*
Pa. No. 88. *List. Goëd. (Angl.)* 85. f. 88.—*Id. (Lat.)* 203. f. 88.

Great Egger. *Albin.* pl. xviii.—(*Wilkes.* 22. pl. 46.)—*Harr. A.* pl. 29. f. a-f.—*Harr. V. M.* 21.

Var. Bo. Spartii. *Hüb. Bo.* pl. 39. f. 173. ♂. pl. 52. f. 224. ♀.
La. Spartii. (*Ing. Inst.* 91.)

5991 † 6. Dumeti^a.

Genus 51: (834). TRICHIURA *mihi.*

LASIOCAMPA *p.*, Schrank, Leach, Samou.—GASTROPACHIA E *a*, Och.—CLISIOCAMPA *p.*, Curtis.

5992. 1; Crataegi*. *Steph. Ill. (H.)* ii. 43.

Ph. Bo. Crataegi. *Linn.* ii. 823.—*Don.* iv. 23. pl. 117.—*Stew.* ii. 151.—*Turt.* iii. 218.

La. Crataegi. (*Leach E. E.* ix. 132.)—(*Sam. I.* 24.)

Bo. Crataegus. (*Haw. Pr. 10.*)—*Haw.* 105.

Cl. Crataegi. (*Curtis. fo.* 229.)

Ph. albicaudata. *DeGeer. G.* 36. 44.

Var. Bo. Mali. *Fabr.* iii. a. 434.

Bo. Avellanæ. *Fabr. M.* ii. 116.

Bo. pallidus: pale Oak Egger. *Haw.* 105.

Albin. pl. xxxiv. f. 54. a-d.—*Id. lxxxviii. f. i.*

Oak Egger. *Harr. V. M.* 23.

Genus 52: (835). PECILOCAMPA *mihi.*

ERIOGASTER *p.*, Samou.

5993. 1; Populi*. *Steph. Ill. (H.)* ii. 44.

Ph. Bo. Populi. *Linn.* ii. 818.—*Berk. S.* i. 134.—*Don. ix.* 41. pl. 307. ♀.—*Stew.* ii. 148.—*Turt.* iii. 203.

Bo. Populeus. (*Haw. Pr. 10.*)—*Haw.* 127.

La. Populi. (*Leach E. E.* ix. 132.)

Er. Populi. (*Sam. I.* 16.)

December M.: Ph. Populi. (*Wilkes.* 23. pl. 48.)—*Harr. V. M.* 21.

Albin. pl. lxxxv.

^a 5991 † 1. Dumeti. *Schrank B.* ii. 154.—*Steph. Ill. (H.)* ii. 41. nota.

Ph. Bo. Dumeti. *Linn.* ii. 815.—*Turt.* iii. 202. (!)—*Stew.* ii. 146. (!)

Bo. Dumeti. *Hüb. Bo.* pl. 37. f. 164. ♂.

Genus 53: (836). ERIOGASTER, *Germar*, *Samou.*, *Steph.*

LACHNEIDES, *Hübn.*—LASIOCampa *p*, *Schr.*, *Leach*.—GASTROPACHA *E.*, *Och.*

5994. 1; lanestris*. (*Sum. I.* 16.)—(*Kirby & Sp. I. E.* iii. 223, 265 & 266.)—*Steph. Ill. (H.)* ii. 45.

Ph. Bo. Lanestrис. *Linn.* ii. 815.—*Don.* vi. 73. *pl. 310.* ♀.—*Stew.* ii. 146.—*Turt.* iii. 203.

Bo. Lanestrosus. (*Haw. Pr.* 10.)

Bo. Lanestrus. *Haw.* 124.

Ph. Lanestrис. *Berk. S.* i. 134.

La. Lanestrис. (*Leach E. E.* ix. 132.)

Small Egger. (*Albin. pl. xix. f. 26. a-d.*)—(*Wilkes. 25. pl. 53.*)—*Harr. A. pl. 25. f. k-o.*—*Harr. V. M.* 21.

Genus 54: (837). CNETHOCAMPА *mihі*.

GASTROPACHA *p*, *Och.*—CLISIOCAMPА *p*, *Curtis*.—LASIOCAMPА *p*, (*Kirby.*)

5995 † 1. processionea^a.

5996 † 2, Pityocampa. *Steph. Ill. (H.)* ii. 48.

Bo. Pityocampa. *Fabr.* iii. a. 431.—*Hüb. Bo. pl. 36. f. 161.* ♀.—(*Kirby & Sp. I. E.* i. 131.)

La. Pityocampa. (*Kirby & Sp. I. E.* iii. 254.) In *Mus. Brit.*

Genus 55: (838). CLISIOCAMPА, *Curtis*, *Steph.*

LASIOCAMPА *p*, *Schr.*, *Leach*, *Samou.*—GASTROPACHA *E.* γ., *Och.*—TRICHODA^b, *Hübn.*—TRICHODIA *mihі olim.*

5997. 1, castrensis. *Steph. Ill. (H.)* ii. 48. *pl. 13. f. 2.* ♂.—*Curtis. v. pl. 229.*

Ph. Bo. Castrensis. *Linn.* ii. 818.—*Stew.* ii. 148.—*Turt.* iii. 205.

Bo. castrensis. *Hüb. Bo. pl. 40. f. 177.* ♂. 178. ♀.

Bo. Castrensus: Ground Lackey. *Haw.* 128.

Bo. Castrosus. (*Haw. Pr.* 10.)

La. Castrensa. (*Sam. I.* 24.)

Ph. tesseraria pratensis. *DeGeer. G.* 36. 43.

Ph. Neustria β. *Linn. F. No.* 1102.

5998. 2; Neustria*. *Curtis l. c. supra.*—*Steph. Ill. (H.)* ii. 49.

Ph. Bo. Neustria. *Linn.* ii. 818.—*Berk. S.* i. 135.—*Stew.* ii. 148.—*Don.* iii. 61. *pl. 95.*—*Turt.* iii. 205.

^a 5995 † 1. processionea. *Steph. Ill. (H.)* ii. 47. nota.

Ph. Bo. processionea. *Linn.* ii. 819.—*Martyn.* (!)—*Stew.* ii. 148. (!)—*Turt.* iii. 204. (!)

Bo. processionea: processionary M.—*K. & Sp. l. c.* *Hüb. Bo. pl. 36. f. 159.* ♂. *f. 160.* ♀.—(*Kirby & Sp. I. E.* i. 130 & 478.—*Id. ii. 23.*)

Cl. processionea. (*Curtis. folio 229.* (!))

^b TRICHODA: Genus Infusoriam. Vide *Don.* i. p. 21. &c.

Bo. Neustrius: barred Tree Lackey. (*Haw. Pr.* 10.)—*Haw.* 129.

La. Neustria. (*Leach E. E.* ix. 132.)—(*Sam. I.* 24.)—(*Kirby & Sp. I. E.* iii. 80.)

Ph. No. 89. *List. Goëd. (Angl.)* 85. *f.* 89.—*Id. (Lat.)* 204. *f.* 89. Lacquey. *Albin. pl. xix.* *f.* 27. *e-l.*—(*Wilkes D. pl. 10.* *f.* 8.)—(*Wilkes. 21. pl. 45.*)—*Harr. A. pl. 17. a-f.*—*Harr. V. M.* 33.

β ; Steph. *Ill. l. c.* Bo. bilineatus: striped Tree Lackey. *Haw.* 130. Lackey likeness. *Harr. V. M.* 33?

Genus 56: (839). **EUTRICHA** *mihi*.

EUTRICHÆ, *Hübn.*—**GASTROPACHA** *A. p.*, *Och.*—**LASIOCAMPAP, *Schra.*—**ODONESTIS** *p.*, *Curtis.***

5999 † 1, Pini *? Steph. *Ill. (H.)* ii. 50.

Ph. Bo. Pini. *Linn.* ii. 814.—*Don. v.* 103. *pl.* 177. *pl.* 178. larva.—*Stew. ii.* 145.—*Turt. iii.* 102.—(*Leach E. E.* ix. 132.)

Bo. Pinus. (*Haw. Pr. 7.*)—*Haw.* 80.

Od. Pini. *Curtis. i. pl. 7.*

Ph. Pini. *Berk. S. i.* 133.

Ga. Pinus. (*Sam. I.* 68.)

Wild Pine tree Lappit M.: Ph. Pini. (*Wilkes. 29. pl. 61.*)

Pine tree Lappet. *Harr. V. M.* 33. In Mus. *Brit. et D. Vigors.*

Genus 57: (840). **ODONESTIS**, *Germar*, *Steph.*

LASIOCAMPAP, *Schra.*—**BOMBYX**, *Leach.*—**GASTROPACHA** *B.*, *Och.*—**ODENESSIS**, *Samou.*, (*Kirby.*)—**ODONESTIS** *p.*, *Curtis.*

6000. 1; Potatoria *. *Germar.*—(*Curtis. vide i. folio 7.*)—*Steph. Ill. (H.)* ii. 51.

Ph. Bo. potatoria. *Linn. ii.* 813.—*Don. v. pl. 148.*—*Stew. ii. 145.*—*Turt. iii. 201.*

Bo. potatorius. (*Haw. Pr. 7.*)—*Haw.* 84.

Ph. potatoria. *Berk. S. i.* 133.

Bo. potatoria. (*Leach E. E.* ix. 132.)—(*Kirby & Sp. I. E.* i. 390.)

Ode. potatoria. (*Samou. 247. pl. 12. f. 3.*)—(*Kirby & Sp. I. E. iii. 99. 221.*)

The Drinker Caterpillar: Ph. No. 82. *List. Goëd. (Angl.)* 82. *f.* 82.—*Id. (Lat.)* 195. *f.* 82.—*Albin. pl. xvii.*

Drinker M.: Ph. potatoria. (*Wilkes D. pl. 8. f. 2.*)—(*Wilkes. 27. pl. 58.*)—*Harr. A. pl. 42. f. a, m, n, p, & t.*—*Harr. V. M.* 21.

Genus 58: (841). **GASTROPACHA**, *Och.*, *Samou.*, *Curtis*, *Steph.*
LASIOCAMPAP, *Schra.*

6001. 1; Quercifolia *. *Och.* iii. 247.—(*Sam. I.* 18.)—(*Kirby & Sp. I. E.* iii. 36 & 99.)—*Curtis. i. pl. 24.*—*Steph. Ill. (H.)* ii. 52.

Ph. Bo. Quercifolia. *Linn. ii.* 812.—*Don. vii. pl. 332.*—*Stew. ii. 144.*—*Turt. iii. 199.*

Ph. Quercifolia. *Berk. S. i.* 133.

Bo. Quercifolius. (*Haw. Pr. 7.*)—*Haw. 95.*

Bo. Quercifolia. (*Leach E. E. ix. 132.*)—(*Kirby & Sp. I. E. ii. 222.*)

Caterpillar with Lappets. *Albin. pl. xvi.*

Lappit M.: Ph. Quercifolia. (*Wilkes D. pl. 9. f. 1.*)—(*Wilkes. 27. pl. 57.*)—*Harr. A. pl. 43. f. a-c.*—*Harr. V. M. 33.*

6002 † 2. Ilicifolia ^a.

6003 † 3. Populifolia ^b.

Familia XII: (125). ARCTIIDÆ *mihi.*

(*PHALENA BOMBYX p, et PH.-NOCTUA p, Linné.*—*NOCTUO-BOMBYCITES, Latr.*—*ARCTIIDÆ p, Leach.*)

Genus 59: (842). HYPOGYMNA, *Hübner, Steph., (Kirby.)*

LARIA ^c *p, Schra.*—*HYPOGYMNAE p, Hüb.*—*LIPARIS p, Och., Samou.*

6004. 1: *dispar* *. (*Kirby & Sp. I. E. iii. 102 & 223.*)—*Steph. Ill. (H.) ii. 55.*

Ph. Bo. *dispar*. *Linn. ii. 821.*—*Berk. S. i. 136.*—*Don. v. 67.*
pl. 163.—*Stew. ii. 150.*—*Turt. iii. 207.*

Bo. *disparus*. (*Haw. Pr. 3.*)—*Haw. 88.*

Bo. *dispar*. (*Kirby & Sp. I. E. i. 206.*)

La. *dispar*. (*Leach E. E. ix. 132.*)

Li. *dispar*. (*Sam. I. 25.*)

Gypsey M.: Ph. *dispar*. (*Wilkes D. pl. 10. f. 2.*)—(*Wilkes. 22. pl. 42.*)—*Harr. V. M. 29.*

Genus 60: (843). PSILURA *mihi.*

LARIA p, Schra., Leach.—*LIPARIS p, Och., Samou.*—*HYPOGYMNAE p, Hüb.*

6005. 1; *Monacha* *. *Steph. Ill. (H.) ii. 57.*

Ph. Bo. *Monacha*. *Linn. ii. 821.*—*Berk. S. i. 136.*—*Don. vii.*
pl. 227.—*Stew. ii. 150.*—*Turt. iii. 211.*

Bo. *Monachus*. (*Haw. Pr. 7.*)—*Haw. 87.*

Bo. *Monacha*. (*Kirby & Sp. I. E. i. 206.*)

La. *Monacha*. (*Leach E. E. ix. 132.*)

Li. *Monacha*. (*Sam. I. 25.*)

Black Arches, a Moth: Ph. *Monacha*. (*Wilkes D. pl. 4. f. 7.*
♂. ♀.)—(*Wilkes. 19. pl. 39.*)—*Harr. V. M. 9.*

^a 6002 † 2. Ilicifolia. *Och. iii. 240.*—*Steph. Ill. (H.) ii. 53.* nota.

Ph. Bo. *Ilicifolia*. *Linn. ii. 813.*—*Turt. iii. 199.* (!)

Bo. *Betutifolia*. *Esper. iii. pl. 7. f. 2.*

^b 6003 † 3. Populifolia. *Och. iii. 245.*—*Steph. Ill. (H.) ii. 53.* nota.

Bo. *Populifolia*. *Fabr. iii. a. 420.*—*Hüb. Bo. pl. 43. f. 189.* ♂.—*Martyn V. M.* (!)

^c *LARIA*. Vide pars i. p. 80.—*LIPARIS*: Genus *Piscium*. Vide *Will. Ich. App. 17.*

Genus 61: (844). *DASYCHIRÀ mihi*.

ORGYIA p, *Och*.—*DASYCHIRÆ p*, *Hübn*.—*LARIA p*, *Schra.*,
Leach, *Samou*.

6006. 1; *fascelina**. *Steph. Ill. (H.) ii. 58.*

Ph. Bo. fascelina. *Linn. ii. 825.—Berk. S. i. 137.—Don. xvi.*
pl. 576.—Stew. ii. 152.—Turt. iii. 208.

Bo. fascelinus. (*Haw. Pr. 8.*)—*Haw. 102.*

Bo. Medicaginis. *Hüb. Bo. pl. 21. f. 81.*

Ph. porrecta cana. *DeGeer. G. 38. 57.*

La. fascelina. (*Leach E. E. ix. 132.*)—(*Sam. I. 24.*)—(*Kirby & Sp. I. E. iii. 223.*)

Pa. No. 80. *List. Goëd. (Angl.) 81. f. 80.—Id. (Lat.) 192.*
f. 80.

Albin. pl. xxvi. f. 39. e—h.

Black Tussock M.: *Ph. fascelina*. (*Wilkes. 30. pl. 62.*)

Dark Tussock M. (*Wilkes D. pl. 9. f. 5.*)—*Harr. V. M. 51.*

6007. 2; *pudibunda**. *Steph. Ill. (H.) ii. 59.*

Ph. Bo. pudibunda. *Linn. ii. 824.—Berk. S. i. 137.—Don. v.*
59. pl. 160.—Stew. ii. 152.—Turt. iii. 207.

Bo. pudibundus. (*Haw. Pr. 8.*)—*Haw. 101.*

La. pudibunda. (*Leach E. E. ix. 132.*)—(*Sam. I. 24.*)—
(*Kirby & Sp. I. E. iii. 223.*)

Bo. Juglandis. *Hüb. Bo. pl. 21. f. 84, 85.*

Ph. porrecta alba. *DeGeer. G. 38. 56.*

Pa. No. 81. *List. Goëd. (Angl.) 82. f. 81.—Id. (Lat.) 193. f. 81.*

Albin. pl. xxvi. f. 38. a—d.

Yellow Tussock M.: *Ph. pudibunda*. (*Wilkes. 30. pl. 63.*)—
Harr. A. pl. 15.

Light Tussock M. *Wilkes D. pl. 10. f. 4.*

Pale Tussock M. *Harr. V. M. 51.*

Genus 62: (845). *DEMAS mihi*.

COLOCASIA, *Och.*, (*Samou*)—*BOMBYX p*, *Haworth*.

6008. 1; *Coryli**. *Steph. Ill. (H.) ii. 60.*

Ph. Bo. Coryli. *Linn. ii. 823.—Berk. S. i. 136.—Don. ix. 45.*
pl. 309.—Stew. ii. 151.—Turt. iii. 211.

Bo. Corylus. (*Haw. Pr. 9.*)—*Haw. 102.*

La. Coryli. (*Leach E. E. ix. 132.*)

Bo. Coryli. (*Sam. I. 6.*)

Co. Coryli. (*Och. iv. 63.*)

Albin. pl. xc. f. e—h.

Nut-tree Tussock M.: *Ph. Coryli*. (*Wilkes. 31. pl. 66.*)—
Harr. V. M. 49.

Genus 63: (846). *ORGYIA*.

LARIA p, *Schra*.—*DASYCHIRÆ p*, *Hübn*.—*ORGYIA p*, *Och*.

6009. 1; *antiqua**. *Och. iii. 221.—Steph. Ill. (H.) ii. 61.*

- Ph. Bo. antiqua. *Linn.* ii. 825.—*Berk.* S. i. 137.—*Don.* i.
pl. 16.—*Stew.* ii. 157.—*Turt.* iii. 226.
 Bo. antiquus. (*Haw.* Pr. 10.)—*Haw.* 132.
 Bo. antiqua. (*Sam.* I. 6.)
 Ph. gonostigma. *Scop.* C. 199.
 Ph. paradoxa. *De Geer.* G. 36.
 Ph. No. 79. *List. Goëd.* (Angl.) 80. f. 79. ♀.—*Id. (Lat.)* 191.
f. 79. ♀.—*Albin.* *pl.* lxxxix. a—e.
 Red-spot Tussock M.: Ph. antiqua. (*Wilkes.* 30. *pl.* 64.)
 Common Vapourer. *Harr. A.* *pl.* 20. *f.* h—p.—*Harr. V. M.* 52.
 6010. 2; gonostigma*. *Och.* iii. 218.—*Steph. Ill. (H.)* ii. 61.
 Ph. Bo. gonostigma. *Linn.* ii. 826.—*Berk.* S. i. 137.—*Don.* ix.
61. pl. 316.—*Stew.* ii. 157.—*Turt.* ii. 226.
 Bo. gonostigmatus. (*Haw.* Pr. 10.)—*Haw.* 132.
 Bo. gonostigmata. (*Sam.* I. 7.)
 Ph. antiqua. *Scop.* C. 198.
 Pa. No. 78. *List. Goëd.* (Angl.) 78. *f.* 78 a. ♂. 79. *f.* 78 b. ♀.
 —*Id. (Lat.)* 185. *f.* 78 a. ♂. 187. *f.* 78 b. ♀.
Albin. *pl.* xc. *f.* a—d.
 Orange Tussock M.: Ph. gonostigma. (*Wilkes.* 31. *pl.* 65.)
 Scarce Vapourer. *Harr. A.* *pl.* 14. *f.* a—g.—*Harr. V. M.* 51.

Genus 64: (847). LÆLIA *mihi*.

LEUCOMÆ p? *Hüb.*—**ARCTIA p**, *Curtis.*

6011. 1: cænosa. *Steph. Ill. (H.)* ii. 63.
 Bo. cænosa. *Hüb.* *Bo. pl.* 51. *f.* 218. ♂.
 Ar. cænosa: Whittlesea Arctia. *Curtis.* ii. *pl.* 68. ♂. ♀.
 Læ. pyrrhopus *mihi olim*.

Genus 65: (848). LEUCOMA *mihi*.

LEUCOMÆ p, *Hüb.*—**LIPARIS p**, *Och.*—**LARIA p**, *Schrink.*—
ARCTIA p**, *Leach*, *Samou.*—**ARCTIA p**, *Curtis.*

- 6012 † 1, Vau-nigra*. *Steph. Ill. (H.)* ii. 64. *pl.* 16. *f.* 2. ♀.
 Bo. Vau-nigrum. *Fabr.* iii. a. 458.
 Bo. nivosa. *Hüb.* *No. pl.* 18. *f.* 71.
 Bo. V. nigrosus. (*Haw.* Pr. 8.)
 Bo. V. nigrus: the black V. *Haw.* 107.
 Ar. V. nigra. (*Sam.* I. 5.)—(*Curtis l. c. fo.* 68.)
 In *Mus. Brit.* D. *Haworth*, *Swainson*, et *Vigors.*

6013. 2; Salicis*. *Steph. Ill. (H.)* ii. 64.
 Ph. Bo. Salicis. *Linn.* ii. 282.—*Berk.* S. i. 136.—*Don.* i. 65.
pl. 30.—*Stew.* ii. 151.—*Turt.* iii. 215.
 Bo. Salicinus. (*Haw.* Pr. 8.)—*Haw.* 107.
 Ar. Salicis. (*Leach E. E.* ix. 133.)—(*Sam.* I. 5.)—(*Curtis l. c. supra.*)—(*Kirby & Sp. I. E.* iii. 176 & 222.)

Ph. apparens. *De Geer. G.* 37. 46.

Pa. No. 87. *List. Goëd. (Angl.)* 84. f. 87.—*Id. (Lat.)* 202. f. 87.—*Albin. pl. lxxxiv. f. a-d.*

White Sattin M.: Ph. Salicis. (*Wilkes. 21. pl. 41.*)—*Harr. A. pl. 5.*—*Harr. V. M. 43.*

Genus 66: (849). PORTHESIA *mihi*.

LARIA *p*, Schrank.—LIPARIS *p*, Och.—LEUCOMÆ *p*, Hübner.—ARCTIA** *p*, Leach, Samou.—ARCTIA *p*, Curtis.

6014. 1; chrysorrhœa*. *Steph. Ill. (H.)* ii. 65.

Ph. Bo. chrysorrhœa. *Linn. ii. 822.*—*Berk. S. i. 136.*—*Don. i. pl. 10.*—*Stew. ii. 150.*—*Turt. iii. 217.*

Bo. chrysorrhœus. (*Haw. 108.*)

Bo. chrysorrhœa. (*Kirby & Sp. I. E. i. 30.*)

Ar. chrysorrhœa. (*Leach E. E. ix. 133.*)—(*Sam. I. 5.*)—(*Kirby & Sp. I. E. iii. 173 & 219.*)—(*Curtis l. c. fo. 68.*)

Pa. No. 90? *List. Goëd. (Angl.)* 86. f. 90?—*Id. (Lat.)* 206. f. 90?

Albin. pl. lxxxvii. f. e-i.

Yellow-tail M.: Ph. chrysorrhœa. (*Wilkes. 28. pl. 59.*)—*Harr. A. pl. 25. f. p-s.*—*Harr. V. M. 47.*

♂; Bo. aurifluus: spotted yellow-tail.—*Haw. l. c.* *Esper. Bo. pl. xxxix. f. 6.*—(*Haw. Pr. 8.*)—*Haw. 108.*

6015. 2; auriflua*. *Steph. Ill. (H.)* ii. 66.

Ph. Bo. phæorrhœa. *Curtis on Brown-tail Moth, cum figura.*—*Don. x. 4. pl. 555.*

Bo. phæorrhœus. (*Haw. Pr. 8.*)—*Haw. 109.*

Bo. phæorrhœa. (*Kirby & Sp. I. E. i. 204.*)

Ar. phæorrhœa. (*Leach E. E. ix. 133.*)—(*Sam. I. 5.*)—(*Curtis l. c. supra.*)

♂; Bo. auriflua. *Fabr. iii. u. 458.*—*Hüb. Bo. pl. 18. f. 68.* ♂. f. 69. ♀.

Brown-tail M. *Albin. pl. lxxxvii. f. u-d.*—*Harr. V. M. 47.*

Genus 67: (850). HYPERCOMPA, Hübner? Steph.

HYPERCOMPA *p*, Hübner.—EYPREPPIA B. *p*, Och.—ARCTIA *p*, Schra.—NOCTUA *p*, Esper.—CALLIMORPHIA *p*, Latr., Leach, Samou.

6016. 1; Dominula*. *Steph. Ill. (H.)* ii. 67.

Ph. No. Dominula. *Linn. ii. 834.*—*Berk. S. i. 139.*—*Don. iv. pl. 141.*—*Stew. ii. 158.*—*Turt. iii. 225.*

No. Dominulina. (*Haw. Pr. 16.*)

Bo. Domina. *Hüb. Bo. pl. 27. f. 117.* ♂. f. 118. ♀.

Cal. Dominula. (*Latr. G. iv. 221.*)—(*Leach E. E. ix. 133.*)—(*Sam. I. 8.*)

Albin. pl. xxii. f. 31. a-d.

Scarlet Tyger M.: Ph. Dominula. (*Wilkes D. pl. 12. f. 3.*)
—(*Wilkes. 19. pl. 38.*)—*Harr. A. pl. 40. f. a-d.*—*Harr. V. M. 51.*

Genus 68: (851). EUTHEMONIA *mihi*.

EYPREPPIA *p*, *Och.*, *Curtis*.—HYPERCOMPÆ *p*, *Hüb.*—ARCTIA *p*, *Schrank*.

6017. 1; *Russula**. *Steph. Ill. (H.) ii. 68.*

Ph. Bo. Russula. *Linn. ii. 830.*—*Berk. S. i. 138.*—*Don. vi. 81. pl. 214.*—*Stew. ii. 156.*—*Turt. iii. 220.*

Bo. Sannius. (*Haw. Pr. 10.*)—*Haw. 133.*

Ar. Russula. (*Leach E. E. ix. 133.*)—(*Sam. I. 5.*)

Ey. Russula. *Och. iii. 309.*—*Curtis. i. pl. 21.*

Clouded Buff: *Ph. quadra.* *Harr. V. M. 15.*

♂, *Ph. Bo. Sannio.* *Linn. F. 1135.*

Genus 69: (852). ARCTIA *mihi*.

ARCTIA *p*, *Schra.*, *Latr.*, *Leach*.—EYPREPPIA *p*, *Och.*, *Curtis*.—HYPERCOMPÆ *p*, *Hüb.*—CALLIMORPHA *p*, (*Kirby*.)

6018. 1; *Caja**. *Schra. B. ii. 152.*—(*Leach E. E. ix. 133.*)—(*Sam. I. 5.*)—*Steph. Ill. (H.) ii. 69.*

Ph. Bo. Caja. *Linn. ii. 819.*—*Berk. S. i. 135.*—*Barb. G. pl. 10. f. 38.*—*Don. i. pl. 15.*—*Stew. ii. 149.*—*Turt. iii. 223.*

Bo. Caju. (*Haw. Pr. 7.*)—*Haw. 93.*

Cal. Caja. (*Kirby & Sp. I. E. ii. 252;* *iii. 89, 176 & 223.*)

Ey. Caja. *Och. iii. 335.*—(*Curtis l. c. fo. 21.*)

Ph. erinacea. *DeGeer. G. 36. 45.*

Pa. No. 99. *List. Goëd. (Angl.) 89. f. 99.*—*Id. (Lat.) 217. f. 99.*—*Albin. pl. xx.*

Great Tyger M.: *Ph. Caja.* (*Wilkes D. pl. 3. f. 4.*)—(*Wilkes. 18. pl. 36.*)

Large Tyger M. *Harr. A. pl. 12. f. g-m.*—*Harr. V. M. 51.*

β; *Steph. l. c. supra.*—*Ernst. Pap. iv. pl. cxxxix. f. 187 g, fem.*

γ; *Steph. l. c. supra.*—*Ernst. Pap. iv. pl. cxl. f. 187, o.*

ε; *Steph. l. c. supra.*—*Ernst. Pap. iv. pl. cxl. f. 187, n.*

†η; *Steph. l. c. supra.*—*Ernst. Pap. iv. pl. cxxxix. f. 187, d.*

θ; *Steph. l. c. supra.*—*Ernst. Pap. iv. pl. cxl. f. 187, k.*

ι, *Stcph. l. c. supra.*—*Ernst. Pap. iv. pl. cxli. f. 187, i.*

†κ, *Steph. l. c. supra.*—*Ernst. Pap. iv. pl. cxl. f. 187, l.*
γ in *Mus. Brit.* κ in *Mus. D. Stone.*

6019 † 2. matronula^a.

6020. 3; *Villica**. *Schr. B. ii. 152.*—(*Leach E. E. ix. 133.*)—(*Sam. I. 5.*)—(*Kirby & Sp. I. E. iii. 176.*)—*Steph. Ill. (H.) ii. 71.*

^a 6019 † 2. matronula. *Schra. B. ii. 152.*—*Steph. Ill. (H.) ii. 70. nota.*

Ph. Bo. matronula. *Linn. ii. 835.*—*Turt. iii. 222.* (!)

Bo. Matrona. *Hüb. Bo. pl. 55. f. 259.* ♂ pl. 32. f. 188. ♀.

Ph. Bo. Villica. *Linn.* ii. 820.—*Berk.* S. i. 135.—*Don.* ii.
pl. 71.—*Stew.* ii. 149.—*Turt.* iii. 222.

Bo. Villicus. (*Haw. Pr.* 7.)—*Haw.* 94.

Ey. Villica. *Och.* iii. 330.—(*Curtis l. c. supra.*)
Albin. pl. xxi. f. 29. a—d.

Cream-spot Tyger M.: Ph. Villica. (*Wilkes D.* pl. 11. f. 7.)—
(*Wilkes.* 18. pl. 37.)—*Harr. A.* pl. 4.—*Harr. V. M.* 51.

β ; *Steph. l. c. supra.*—*Ernst. Pap.* iv. pl. cli. f. 196, o.

6021 \ddagger 4. Hebe^a.

6022 \ddagger 5. purpurea^b.

6023 \ddagger 6. aulica^c.

Genus 70: (853). NEMEOPHILA mihi.

EYPREPPIA B. *p*, *Och.*—HYPERCOMPÆ *p*, *Hübn.*—CALLIMORPHÆ *p*, *Latr.*?—ARCTIA *p*, *Schr.*

6024. 1; Plantaginis*. *Steph. Ill. (H.)* ii. 73.

Ph. Bo. Plantaginis. *Linn.* ii. 820.—*Berk.* S. i. 135.—*Don.* iv.
69. pl. 134.—*Stew.* ii. 150.—*Turt.* iii. 221.

Bo. Plantaginis. (*Haw. Pr.* 10.)—*Haw.* 94.

Ar. Plantaginis. (*Leach E. E.* ix. 133.)—(*Sam. I.* 5.)

Wood Tyger M.: Ph. Plantaginis. (*Wilkes.* 24. pl. 50.)

Small Tyger M. (*Wilkes D.* pl. 1. f. 6.)—*Harr. A.* pl. 16.
f. g—m.—*Harr. V. M.* 51.

Var. β ; *Steph. Ill. (H.) l. c.*—*Ernst. Pap.* iv. pl. cxlvii. f. 192, b.

Bo. hospita. (*Wien. V.* 310.)—*Bork. E. S.* iii. 470.

Var. γ ; *Steph. l. c. supra.*—*Ernst. Pap.* iv. pl. cxlvii. f. 192, a.

Ph. Alpicola. *Scop. C. No.* 507?

Var. δ , *Steph. l. c. supra.*—*Ernst. Pap.* iv. pl. cxlv. f. 191, f.

Var. ε . *Steph. l. c. supra.*—*Ernst. Pap.* iv. pl. cxlvi. f. 191, p.

Genus 71: (854). PHRAGMATOBIA mihi.

EYPREPPIA D., *Och.*—ARCTIA *p*, *Schra.*—CALLIMORPHÆ *p*,
Samou.

6025. 1; fuliginosa*. *Steph. Ill. (H.)* ii. 74.

Ph. No. fuliginosa. *Linn.* ii. 836.—*Berk.* S. i. 139.—*Don.* iii.
21. pl. 80.—*Stew.* ii. 159.—*Turt.* iii. 236.

^a 6021 \ddagger 4. Hebe. *Schra. B.* ii. 152.—*Steph. Ill. (H.)* ii. 71. nota.

Ph. Bo. Hebe. *Linn.* ii. 820.

Bo. Hebe. *Hüb. Bo. pl.* 30. f. 129. ♂.

^b 6022 \ddagger 5. purpurea. *Schra. B.* ii. 153.—*Steph. Ill. (H.)* ii. 71. nota.

Ph. Bo. purpurea. *Linn.* ii. 828.—*Stew.* ii. 154. (!)—*Turt.* iii. 221. (!)

Bo. purpurea. *Hüb. Bo. pl.* 33. f. 142. ♀. pl. 53. f. 229. ♂. var.

^c 6023 \ddagger 6. aulica. *Schra. B.* ii. 152.—*Steph. Ill. (H.)* ii. 71. nota.

Ph. Bo. aulica. *Linn.* ii. 829.—*Martyn V. M.* (!)—*Stew.* ii. 154. (!)
Turt. iii. 213. (!)

Bo. aulica. *Hüb. Bo. pl.* 32. f. 139. ♂.

No. fuliginosina. (*Haw. Pr.* 16.)

Ca. fuliginosa. (*Sam. I.* 8.)

Spotted red & white underwing M.: Ph. fuliginosa. (*Wilkes.* 23. *pl.* 49.)

Ruby Tyger. *Harr. A. pl.* 27. *f. l-n.*—*Harr. Ex.* 32. *pl.* viii. *f. 7. ♂.*—*Harr. V. M.* 51.

Genus 72: (855.) *SPILOSOMA mihi*, *Curtis.*

ARCTIA p, *Schra.*—*EYPREPPIA p*, *Och.*

6026. 1; *Menthastri**. (*Curtis l. c. infra.*)—*Steph. Ill. (H.) ii.* 75.
 Bo. *Menthastri*. *Fabr.* iii. *a.* 452.
 Ph. *Menthastri*. *Don. vi.* 23. *pl.* 189.
 Bo. *Menthrastrus*. (*Haw. Pr.* 9.)
 Ph. Bo. *lubricepeda* α . *Gmel.* iv. 2434.
 Ph. *Erminea*. *Linn. Trans. (Marsham.) i.* 70. *pl.* 1. *f. 1.*—
 Stew. ii. 154.—*Turt. iii.* 214.
 Bo. *Ermineus*: Large Ermine. *Haw.* 111.
 - Ar. *Erminea*. (*Kirby & Sp. I. E.* iii. 173.)
 Ar. *Menthastri*. (*Leach E. E.* ix. 133.)—(*Sam. I.* 5.)
 Ph. Bo. *lubricepeda*, \varnothing . *Linn. ii.* 829.
 Ph. No. 96. *List. Goëd. (Angl.)* 38. *f. 96.*—*Id. (Lat.)* 213.
 f. 96.—*Albin. pl.* xxiv. *f. g-k*; (the dissembler.)
 Great Ermine M.: Ph. *lubricepeda*. (*Wilkes.* 20. *pl.* 40.)—
 Harr. A. pl. 38. *f. k, l.*—*Harr. V. M.* 23.
 β ; *Steph. Ill. l. c. supra.*—*Ernst. Pap.* iv. *pl.* clviii. *f. 204, d.*
 γ ; *Steph. l. c. supra.*—*Ernst. Pap.* iv. *pl.* clviii. *f. 204, h.*
 δ ; *Steph. l. c. supra.*—*Albin. l. c. fig.*
 ε ; *Steph. Ill. (H.) l. c. pl.* 16. *f. 3.*
 $\ddagger \zeta$, *Steph. Ill. l. c. supra.*—*Sp. Walkerii.* *Curtis. ii. pl.* 92.
 ξ in *Mus. D. Walker.*
 6027. [2, *Urticæ**.] (*Curtis l. c. supra.*)—*Steph. Ill. (H.) ii.* 76.
 Bo. *Urticæ*: Dingy White.—*Haw. l. c.* *Hüb. Bo. pl.* 35.
 f. 134?—*Ent. Trans. (Haworth.) i.* 336.—(*Haw.* 144.)
 6028. 3; *papyratia**. *Steph. Ill. (H.) ii.* 76.
 Ph. *papyratia*. *Linn. Trans. (Marsham.) i.* 72. *pl.* 1. *f. 4.*—
 Stew. ii. 155.—*Turt. iii.* 214.—*Don. xvi. pl.* 571.
 Bo. *papyratius*. (*Haw. Pr.* 9.)—*Haw.* 112.
 Ar. *papyritia*. (*Leach E. E.* ix. 133.)—(*Sam. I.* 5.)
 Sp. *papyritia*. (*Curtis l. c. supra.*)
 Albin. pl. xxi. *f. 30. e-h.*
 Water Ermine. *Harr. V. M.* 25.
 6029. 4; *lubricepeda**. (*Curtis l. c. supra.*)—*Steph. Ill. (H.) ii.* 77.
 Ph. Bo. *lubricepeda*. *Linn. ii.* 829.—*Barb. G. pl.* 10. *f. 69.*—
 Berk. S. i. 138.—*Linn. Trans. (Marsham.) i.* 71. *pl.* 1. *f. 2.*
 Stew. ii. 155.—*Turt. iii.* 214.—*Don. xvi. pl.* 568.

Bo. lubricapedatus. (*Haw. Pr.* 8.)—*Haw.* 110.
 Ar. lubricepeda. (*Leach E. E.* ix. 133.)—(*Sam. I.* 5.)
 Ph. Lepus. *De Geer. G.* 37. 47.
 Pa. No. 93. *List. Goëd. (Angl.)* 87. f. 93.—*Id. (Lat.)* 210.
 f. 93.—*Albin. pl. xxiv. f. 35. a-e.*

Spotted buff M.: Ph. lubricepeda. (*Wilkes. 21. pl. 43.*)
 Cream dot stripe. *Harr. A. pl. 17. f. g-i.*—*Harr. V. M.* 45.

6030 † 5, radiata. (*Curtis l. c. supra.*)—*Steph. Ill. (H.)* ii. 77.
 Bo. radiatus: Radiated Buff. *Ent. Trans. (Haworth.)* i. 336.
 In Mus. D. *Haworth.*

Genus 73: (856). DIAPHORA *michi.*

ARCTIA p, Schra., Leach, Samou.—*EYPREPPIA E., Och.*

6031. 1; mendica *. *Steph. Ill. (H.)* ii. 78.
 Ph. Bo. mendica. *Linn. ii. 822.*—*Linn. Trans. (Marsham.)*
 i. 72. pl. 1. f. 3.—*Stew. ii. 153.*—*Turt. iii. 214.*—*Don. xi. 77.*
pl. 388.
 Bo. mendicus. (*Haw. Pr. 9.*)—*Haw.* 112.
 Ar. mendica. (*Leach E. E.* ix. 133.)—(*Sam. I.* 5.)
 Spotted Muslin, or seven spot Ermine. *Harr. A. pl. 35. f. m.*
 —*Harr. V. M.* 25.

Genus 74: (857). PENTHOPHERA, *Germar, Curtis, Steph.*

LIPARIS p, Och.—*PENTHOPHERA, (Samou.)*

6032 † 1. Rubea ^a.
 6033 † 2. nigricans. *Curtis. v. pl. 213.*—*Steph. Ill. (H.)* ii. 79.
 Ph. Bo. Morio. *Linn. ii. 828?* In Mus. D. Dale.

Genus 75: (858). PSYCHE, *Schrank, (Kirby,) Steph.*

NUDARIA p, Haw.—*TINEA p, Hüb.*

6034. 1, fusca *. (*Ing. Inst. 91.*)—*Steph. Ill. (H.)* ii. 80. *pl. 18.*
f. 3. ♂. f. 4. ♀.
 Nu. fusca: the brown Muslin. *Haw.* 157.—(*Sam. I.* 31.)
 Ps. calvella. *Och.* iii. 172?
 Ti. hirsutella. *Hüb.* *Ti. pl. 1. f. 3?*
 Ti. fenestrella. (*Haw. Pr. 35.*)

Genus 76: (859). FUMEA, *Haw. Ent. Trans., Steph.*

PSYCHE p, Schra., (Kirby.)—*CANEPHORÆ, Hüb.*—*BOMBYX p,*
Fabr.—*TINEA p, Hüb.*—*FUMARIA, Haw. olim., (Samou.)*

6035. 1; nitidella *. *Steph. Ill. (H.)* ii. 82.

* 6032 † 1. Rubea. *Germar.*—(*Samou. 247.*) (!)—*Steph. Ill. (H.)* ii. 79.
 nota.

Bo. Rubea. *Fabr. iii. a. 445.*—*Hüb. Bo. pl. 56. f. 240. ♂. pl. 16.*
f. 60, 61. ♀.

- Ti. nitidella. *Hüb. Ti. pl. 1. f. 6.*—(*Haw. Pr. 35.*)
 Ps. Carpini. *Schrank B. ii. B. 2. 90.*
 Bo. nana. *Bork. E. S. iii. 283.*
 Fu. nitida: Shining Chimney Sweep. *Haw. 374.*
6036. 2; pulla*. *Steph. Ill. (H.) ii. 82.*
 Bo. pulla. *Esper. iii. pl. 44. f. 8.*
 Ti. plumella. (*Wien. V. 133?*)—*Hüb. Ti. pl. 1. f. 7.*—(*Haw. Pr. 31.*)
 Fu. plumea: lesser Chimney Sweep. *Haw. 374.*
 Small Chimney Sweep. *Harr. V. M. 47?*
6037. 3; muscella*. *Steph. Ill. (H.) ii. 82.*
 Bo. muscella. *Fabr. iii. a. 482.*
 Bo. atra. *Esper. iii. pl. xliv. f. 7.*
 Bo. graminella. *Vieweg. T. V. i. 68?*
 Bo. pulla. *Brahm. I. K. 501.*
 Ti. muscella. *Hüb. Ti. pl. 2. f. 8.*
 Ti. plumistrella. *Hüb. Ti. pl. 31. f. 213.*—(*Haw. Pr. 34.*)
 Fu. plumistrea: Chimney Sweeper's Boy. *Haw. 374.*—(*Sam. I. 17.*)
6038. 4, Bombycella. *Steph. Ill. (H.) ii. 83.*
 Ti. Bombycella. *Hüb. Ti. pl. 1. f. 4?*
 Ti. lucidella. (*Haw. Pr. 34.*)
 Fu. muscea: transparent Chimney-Sweeper. *Haw. 373.*
6039. 5, pectinea. *Steph. Ill. (H.) ii. 83.*
 Bo. pectinella. *Fabr. iii. a. 482.*
 Ti. pectinella. *Hüb. Ti. pl. 1. f. 5.*—(*Haw. Pr. 35.*)
 Fu. pectinea: the light Chimney Sweeper. *Haw. 373.*
- Genus 77: (860). NUDARIA, *Haworth*, (*Sam. I.*) *Steph.*
PHALENA-ATTACUS *p.*, *Linné*.—**BOMBYX** *p.*, *Fabr.*.—**LITNO-**
SIA *D.*, *Och.*
- A. Alæ elongato-ellipticæ.
6040. 1; munda*: the Muslin. *Haw. 156.*—(*Sam. I. 31.*)—
Steph. Ill. (H.) ii. 84.
 Ph. At. mundana. *Linn. ii. 812.*
 Bo. munda. *Fabr. iii. a. 482.*
 Bo. nuda. *Hüb. Bo. pl. 17. f. 63, 64.*
 Ph. mundanata. (*Haw. Pr. 27.*)
6041. [2; Hemerobia*]. *Steph. Ill. (H.) ii. 84.*
 Bo. Hemerobia. *Hüb. Bo. pl. 17. f. 65.*
- B. Alæ breviores, rotundatæ.
6042. 3: senex*. *Steph. Ill. (H.) ii. 84. pl. 18. f. 2.*
 Bo. senex. *Hüb. Bo. pl. 55. f. 236. ♂. f. 237. ♀.*
 Nu. rotunda: round-winged Muslin. *Haw. 156.*—(*Sam. I. 31.*)

Genus 78: (861). HETEROGENEA, Knoch, Steph.

HEPIALUS p, Fabr.

6043. 1, Asellus. Steph. Ill. (H.) ii. 85. pl. 17. f. 2.
 Hep. Asellus. (Wien. V. 65.)—Fabr. iii. b. 7.
 Het. cruciata. Knoch. Beitr. iii. 63. pl. 3.

Genus 79: (862). LIMACODES, (Latr.,) Steph.

BOMBYX p, Fabr.—HEPIALUS p, Fabr.—TORTRIX p, Hüb.—
 PHALÆNA p, Don.—APODA, Haworth, Samou.—HETERO-
 GENEÀ p, Knoch.

6044. 1; Testudo*. Steph. Ill. (H.) ii. 86.
 Hep. Testudo. (Wien. V. 65.)—Fabr. iii. b. 7.—(Kirby & Sp.
 I. E. iii. 135, nota.)
 Ap. Testudo. Haw. 137.—(Sam. I. 4.)
 To. Testudinana. Hüb. To. pl. 26. f. 164. ♂. f. 165. ♀.
 Ph. funalis: Festoon M. Don. iii. pl. 76.—Stew. ii. 195.
 No. funeralina. (Haw. Pr. 19.)
Albin. pl. lxviii. f. e—g.
 Small Oak Egger M. (Wilkes. 43. pl. 33.)

Subsectio 2. LE.-NOCTURNA mihi.

(PH.-NOCTUA, et PIU.-TINEA p, Linné.)
Full-bodied Moths.

Familia XIII: (126). LITHOSIIDÆ mihi.

Genus 80: (863). CALLIMORPHA, Latreille, Steph.

PHALÆNA-NOCTUA p, Linné.—BOMBYX p, Fabr.—SETINA p,
 Schra.—LITHOSIA p, Haw.

6045. 1; Jacobææ*. (Leach E. E. ix. 132.)—(Sam. I. 8.)—
 Steph. Ill. (H.) ii. 90.
 Ph. No. Jacobææ. Linn. ii. 839.—Berk. S. i. 139.—Don. ii.
 pl. 45.
 No. Jacobeina. (Haw. Pr. 16.)
 Li. Jacobææ. Haw. 150.
 Ph. Bo. Jacobææ. Stew. ii. 159.—Turt. iii. 220.
 Pa. No. 54. List. Goëd. (Angl.) 61. f. 54.—Id. (Lat.) 135.
 f. 54.—*Albin.* pl. xxxiv. f. 55. e—i.
 Pink underwing. Harr. A. pl. 4. fig. sup.—Harr. V. M. 55.
 Cinnabar M.: Ph. Jacobææ. (Wilkes. 26. pl. 55.)

6046. 2; miniata*. Steph. Ill. (H.) ii. 90.

- Ph. Ge. miniata. Forst. C. i. 75.
 Li. miniata. Haw. 149.
 Bo. rosea. Fabr. iii. a. 485.—Stew. ii. 158.—Turt. iii. 229.
 Ph. rosea. Don. ii. 9. pl. 40. fig. inf.
 No. rosina. (Haw. Pr. 13.)

Ca. rosea. (*Leach E. E.* ix. 132.)—(*Sam. I.* 8.)
Bo. rubicunda. (*Wien. V.* 68.)—*Hüb. Bo. pl.* 26.*f.* 111.
Red arches. *Harr. A.* 30.*f. p.*—*Harr. V. M.* 9.

Genus 81: (864). EULEPIA, *Curtis, Steph.*

ARCTIA *p.*, *Schra.*—LITHOSIA *p.*, *Latr.*, *Samou.*—EYPREPPIA A. *p.*, *Och.*

6047. 1, grammica*. (*Curtis l. c. infra.*)—*Steph. Ill. (H.)* ii. 91.
pl. 17. f. 3.

Ph. Bo. grammica. *Linn. ii.* 831.—*Stew. ii.* 156.—*Turt. iii.* 220.—*Don. xiii.* 37.*pl.* 450.

Bo. grammica. *Hüb. Bo. pl.* 28.*f.* 122. ♂.*f.* 123. ♀.*pl.* 56.
f. 241. ♂.*f.* 242. ♀.

Bo. grammicus: Feathered Footman. (*Haw. Pr.* 10.)—
Haw. 134.

Bo. striata. *Bork. E. S.* iii. 471.

Li. grammica. (*Sam. I.* 25.)

6048. 2: Cibrum. *Curtis. ii. pl.* 56.—*Steph. Ill. (H.)* ii. 92.

Ph. Bo. cibrum. *Linn. ii.* 831.

Genus 82: (865). DEIOPEIA *mihi*, *Curtis.*

PHALENA-TINEA *p.*, *Linné.*—BOMBYX *p.*, *Fabr.*—NOCTUA *p.*, *Esper.*—LITHOSIA *p.*, *Haw.*—EYPREPPIA A. *p.*, *Och.*

6049. 1, pulchella. *Steph. Ill. (H.)* ii. 93.

Ph. Ti. pulchella. *Linn. ii.* 884.

Li. pulchella: crimson speckled. *Haw.* 150.—(*Sam. I.* 25.)

Bo. pulchra. *Hüb. Bo. pl.* 26.*f.* 113.

Eu. pulchra. *Curtis. iv. pl.* 169.

Pet. Gaz. pl. 3.*f.* 3.

Genus 83: (866). LITHOSIA, *Fabr.*, *Haw.*, *Leach*, *Samou.*, *Curtis*, *Steph.*

SETINA *p.*, *Schra.*—HIPPOCRITÆ, *Hüb.*—CALLIMORPHA *p.*, *Latr.*—BOMBYX *p.*, *Hüb.*—NOCTUA *p.*, *Esper.*

6050. 1; aureola*. *Och. iii.* 140.—*Steph. Ill. (H.)* ii. 94.*pl.* 18.
f. 1.

Bo. aureola. *Hüb. Bo. pl.* 24.*f.* 98. ♂.

No. aurantina. (*Haw. Pr.* 13.)

Li. aurantia: orange Footman. *Haw.* 147.—(*Sam. I.* 25.)—
(Curtis l. c. infra.)

No. cincta. *Esper. iv. pl.* 93.*f.* 6, 7.

6051. 2, helvola*. *Och. iii.* 133.—*Steph. Ill. (H.)* ii. 94.

Bo. helvola. *Hüb. Bo. pl.* 23.*f.* 95. ♀.

No. deplana. *Esper. iv. pl.* 93.*f.* 1, 2.

No. coniplana ♀. *Esper. iv. pl.* 92.*f.* 3.

6052. 3; flava*. *Fabr. S. 461.—Haw. 147.—(Sam. I. 25.)—(Curtis l. c. infra.)—Steph. Ill. (H.) ii. 95.*
 No. flavina: straw-coloured Footman. (*Haw. Pr. 13.*)
6053. 4; gilveola*. *Och. iii. 137?—Steph. Ill. (H.) ii. 95.*
 Bo. cinereola. *Hüb. Bo. pl. 23. f. 91?*
6054. 5; complana*. *Haw. 147.—(Leach E. E. ix. 133.)—Leach Z. M. i. pl. 49. fig. 3.—(Sam. I. 25.)—(Curtis l. c. infra.)—Steph. Ill. (H.) ii. 95.*
 Ph. No. complana. *Linn. ii. 840.—Stew. ii. 186.—Turt. iii. 292.*
 No. Complanina: common Footman. (*Haw. Pr. 13.*)
Albin. pl. lxx. f. c-h.
 Footman M. *Harr. V. M. 27.* Inlaid. *Harr. V. M. 33?*
- ♂; Bo. plumbeola. *Hüb. Bo. pl. 24. f. 100.*
 Bo. caniola. *Hüb. Bo. pl. 81. f. 220.*
6055. 6; depressa*. *Och. iii. 132.—Steph. Ill. (H.) ii. 96.*
 No. depressa. *Esper. No. pl. 93. f. 3.*
 Bo. ochreola. *Hüb. Bo. pl. 23. f. 96.* ♂.
 Li. ochreola. (*Curtis l. c. infra.*)
6056. 7; griseola*. *Haw. 147.—(Sam. I. 25.)—(Curtis l. c. infra.)—Steph. Ill. (H.) ii. 96.*
 Bo. griseola. *Hüb. Bo. pl. 23. f. 97.*
 No. luteolina: dun Footman. (*Haw. Pr. App. 3.*)
6057. 8; plumbeolata* mihi. *Steph. Ill. (H.) ii. 96.*
- 6058 † 9, muscerda. *Och. iii. 143.—Curtis. i. pl. 36.—Steph. Ill. (H.) ii. 97.*
 Li. perla. *Fabr. Supp. 462.*
 Ti. perlella. *Fabr. iii. b. 292.*
 Ne. einerina. *Esper. ii. 67.*
 No. Pudorina. *Esper. iv. pl. cxvii. f. 4, 5.*
 In Mus. D. Haworth et Sparshall.
6059. 10; quadra*. *Fabr. Sup. 459.—Haw. 146.—(Leach E. E. ix. 133.)—(Sam. I. 25.)—(Curtis l. c. supra.)—Steph. Ill. (H.) ii. 97.*
 Ph. No. Quadra. *Linn. ii. 840.—Don. ix. 39. pl. 306.—Berk. S. i. 139.—Stew. ii. 185.—Turt. iii. 292.*
 No. Quadrina: Large Footman. (*Haw. Pr. 13.*)
 Bo. Quadra. *Hüb. Bo. pl. 24. f. 101.* ♂. f. 102. ♀.
 Yellow July M.: Ph. quadra. (*Wilkes. 24. pl. 52.*)
 ♂, Li. deplana. *Fabr. Sup. 459.*
- Genus 84: (867). GNOPIHRIA mihi.
- LITHOSIA p, *Fabr., Haw., Samou.*—BOMBYX p, *Hüb.*—PHALÆNA-NOCTUA p, *Linné.*
6060. 1; rubricollis*. *Steph. Ill. (H.) ii. 98.*
 Ph. No. rubricollis. *Linn. ii. 840.—Don. x. 68. pl. 350. f. 3.*
 —*Turt. iii. 230.*

- No. rubricollina. (*Haw. Pr.* 13.)
 Li. rubricollis: the Black Footman. *Haw.* 149.—(*Leach E. E.* ix. 133.)—(*Sam. I.* 25.)
 Ph. Bo. rubricollis. *Stew.* ii. 159.
 Red neck M. *Harr. A. pl.* 43. *f. p.*—*Harr. V. M.* 41.

Genus 85: (368). SETINA *mihi*.

PHALÆNA-TINEA *p*, *Linné*.—TINEA *p*, *Fabr.*.—BOMBYX *p*, *Hüb.*
 NOCTUA *p*, *Esp.*.—LITHOSIA *p*, *Fabr.*, *Haw.*, *Leach*, *Samou*.—
 SETINA *p*, *Schra.*

6061. 1: irrorea*. *Schra.* B. ii. 166.—*Steph. Ill. (H.)* ii. 98.
 Ph. Ti. iriorella. *Linn.* ii. 885.—*Turt. iii.* 363.
 No. irrorina: Dew M. (*Haw. Pr.* 13.)
 Bo. irrorea. *Hüb. Bo. pl.* 25. *f.* 105.
 Li. irrorata. *Fabr. Sup.* 461.—*Haw.* 148.—(*Leach E. E.* ix. 133.)
 Li. irrorea. (*Sam. I.* 25.)
6062. [2: roscida*.] *Schra.* B. ii. 166?—*Steph. Ill. (H.)* ii. 99.
 Li. roscida. *Fabr. Sup.* 462.
 Bo. roscida. *Hüb. Bo. pl.* 25. *f.* 106. ♂. *f.* 107. ♀?
6063. 3; eborina*: Four-spot, small Footman.—*Haw. l. c.*
Schra. B. ii. B. 2. 166.—*Steph. Ill. (H.)* ii. 99.
 Li. eborina. *Fabr. Sup.* 462.—*Hüb. Bo. pl.* 24. *f.* 104.—
 (*Haw. Pr.* 13.)—*Haw.* 147.—(*Sam. I.* 25.)
 Ph. Ti. mesomella. *Linn.* ii. 886?—*Turt. iii.* 364.
 β; No. lutarina. (*Haw. Pr.* 13.)
 Li. lutarella: Four-spot, yellow Footman. *Haw.* 148.
 Li. luterella. (*Sam. I.* 25.)

Familia XIV: (127). NOCTUIDÆ *mihi*.

(PH.-NOCTUA, et BOMBYX *p*, *Linné*.—NOCTUA, *Fabr.*, *Haw.*, &c.)

Genus 86: (369). TRIPHIENA, (*Och.*,) *Treit.*

6064. 1; orbona*: Lesser Yellow underwing.—*Haw. l. c.*
 No. orbona. *Fabr.* iii. b. 57.—*Haw.* 161.—*Don.* x. 36. *pl.* 343.
f. 2.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 29.)
 No. orbonina. (*Haw. Pr.* 11.)
 No. Comes. *Hüb. No. pl.* 111. *f.* 521.
 No. subsequa. *Esper. iv. pl.* civ. *f.* 1–3.
 No. Pronuba minor. *Villars E.* ii. 279.
 August Yellow underwing. *Harr. V. M.* 55.
 β; No. subsequa: Lunar Yellow underwing. *Haw.* 161.—
 (*Sam. I.* 30.)
- 6065 † 2. subsequa. *Och. Tr. v. a.* 258.
 No. subsequa. (*Wien. V.* 79.)—*Hüb. No. pl.* 23. *f.* 106.
 No. consequa. *Hüb. No. pl.* 23. *f.* 105? In *Mus. D. Curtis?*

6066. 3; Pronuba*. (*Och.* iv. 69.)—*Och. Tr.* v. a. 260.
 Ph. No. Pronuba. *Linn.* ii. 842.—*Berk. S.* i. 141.—*Don.* ix. 49. *pl.* 311.—*Stew.* ii. 183.—*Turt.* iii. 295.
 No. Pronubina. (*Haw. Pr.* 11.)
 No. Pronuba. *Fabr.* iii. b. 56.—*Hüb. No. pl.* 22. *f.* 103.—
 Haw. 160.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 30.)—(*Kirby & Sp. I. E.* iii. 189.)
 Pa. No. 41. *List. Goëd. (Angl.)* 52. *f.* 41.—*Id. (Lat.)* 114. *f.* 41.
Albin. pl. lxxii. *f. a-d.*
 Great Yellow underwing M.: Ph. pronuba. (*Wilkes D. pl.* 9. *f.* 7.)—(*Wilkes. 2. pl.* 1.)—*Harr. A. pl.* 39. *f. d-f.*—*Harr. V. M.* 53.
6067. [4; innuba*.] *Och. Tr.* v. a. 265.
 No. Pronuba. *Esper. iv. pl.* cii. *f.* 2-5.
6068. 5: fimbria*. (*Och. iv.* 69.)—*Och. Tr.* v. a. 266.
 Ph. No. fimbria. *Linn.* ii. 842.—*Don.* vi. 69. *pl.* 203.—
 Stew. ii. 183.—*Turt.* iii. 296.
 No. fimbriina. (*Haw. Pr.* 11.)
 No. fimbria. *Hüb. No. pl.* 22. *f.* 102.—*Haw.* 161.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 29.)
 No. Solani. *Fabr.* iii. b. 57.
 Ph. Domiduca. *Berl. M. (Hufnagle.)* iii. 404.
 Broad-bordered Yellow underwing. *Harr.* 21. *pl.* v. *f.* 2.—
 Harr. V. M. 55.
6069. 6; interjecta*. (*Och. iv.* 69.)—*Och. Tr.* v. a. 253.
 No. interjecta: least broad-border.—*Haw. l. c.* *Hüb. No. pl.* 23. *f.* 107.—*Haw.* 162.—(*Sam. I.* 29.)
 No. fimbriina minor. (*Haw. Pr.* 12.)
 Third Yellow underwing. *Harr. V. M.* 55.
6070. 7; Janthina*. (*Och. iv.* 69.)—*Och. Tr.* v. a. 269.
 No. Janthina: lesser broad-border.—*Haw. l. c. (Wien. V.* 78.)—
 Fabr. iii. b. 59.—*Hüb. No. pl.* 21. *f.* 100.—(*Haw. Pr.* 12.)—
 Haw. 162.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 29.)
 No. Janthe. *Bork. E. S.* iv. 109.
 No. Fimbria minor. *Villers E.* ii. 278. *pl.* 5. *f.* 24.
 Ph. Domiduca. *Fuesl. A.* iii. *pl.* 16.
 No. Janthia. (*Sam. I.* 29.)
 The Yellow underwing. (*Wilkes D. pl.* 11. *f.* 5.)
- Genus 87: (870). CERIGO mihi.
 POLIA D., *Och.*—POLIA C., *Treit.*
6071. 1: texta*.
 No. texta. *Esper. iv. pl.* cviii. *f.* 6.
 No. connexa. *Hüb. No. pl.* 23. *f.* 109. *pl.* 118. *f.* 548.
 No. Cytherea. *Fabr.* iii. b. 57.—*Haw.* 161.—(*Sam. I.* 29.)
 No. Cytherina. (*Haw. Pr.* 12.)

Ph. Matura. *Berl. M. (Hufnagle.)* iii. 414.

Straw-coloured underwing. *Harr. V. M.* 59.

♀, No. prospicua: brown-bordered Yellow underwing. *Haw.* 161:
nec Hubneri.

Genus 88: (871). LYTÆA *mihi*.

APAMEA *p*, *Och.*

6072. 1: umbrosa*.

No. umbrosa. *Hüb. No. pl. 97.* f. 456, 457.—(Sam. I. 30.)

No. radicea var. *Esper. iv. pl. cxliii.* f. 3.

No. sextrigata: six-striped Rustic. *Haw.* 228.

Genus 89: (872). CHARÆAS *mihi*.

APAMEA et AGROTIS *p*, *Och.*—EPISEMA *p*, *Treit.*—AGROTIS *p*,
Curtis.

6073. 1: cespitis*.

No. cespitis. (*Wien. V.* 82.)—*Fabr.* iii. b. 68.—*Hüb. No. pl. 91.* f. 428.

No. Hordei. *Schrantz B.* ii. 351.

Ag. cespitis. (*Curtis l. c. fo.* 165.)

6074. [2, confinis] *mihi*.

Ag. autumnalis. (*Curtis l. c. supra?*)

6075. 3: fusca*.

Bo. fuscus: barred feathered Rustic. (*Haw. Pr.* 9.)

No. fusca. *Haw.* 119 & 204.—(Sam. I. 29.)

Ag. fusca. (*Curtis l. c. supra.*)

No. lutulenta. (*Wien. V.* 81?)—*Hüb. No. pl. 33.* f. 159?

6076. 4, consimilis* *mihi*.

6077 † 5, orthostigma* *mihi*. In Mus. D. Stone.

6078. 6: Æthiops*. *Steph. Ill. (H.)* ii. *pl. 20.* f. 1.

No. Æthiops. *Hüb. No. pl. 116.* f. 538.

No. nigra: black Rustic. *Haw.* 192.—(Sam. I. 29.)

Ag. nigra: (albicolon Fab.?) *Curtis l. c. supra.*

6079. 7: Graminis*.

Ph. Bo. Graminis. *Linn. ii.* 830.—*Stew.* ii. 158.—*Turt.* iii.
229.—*Don. xiii.* 53. *pl. 458.*—(*Kirby & Sp. I. E. i.* 178.)

Bo. Graminis. (*Haw. Pr.* 10.)

No. Graminis. *Hüb. No. pl. 102.* f. 480, 481.—*Haw.* 117 &
222.—(Sam. I. 29.)

No. tricuspis. *Hüb. No. pl. 30.* f. 143.

Antler M. *Harr. Ex.* 23. *pl. v.* f. 7.—(*Harr. V. M.* 9.)

Genus 90: (873). RUSINA *mihi*.

AGROTIS *p*, *Och.*—BOMBYX *p*, *Esper.*

6080. 1; ferruginea*.

- Bo. ferruginea. *Esper.* iii. *pl.* xlviij. *f.* 5, 6.
 No. tenebrosa. *Hüb.* No. *pl.* 33. *f.* 158.—*Id. pl.* 107. *f.* 503.
 No. nigricans. *Hüb.* No. *pl.* 116. *f.* 538.
 Bo. phœus. *Marsh.* MSS.—(*Haw. Pr.* 11.)
 No. phœa: feathered Rustic. *Haw.* 133 & 205.—(*Sam. I.* 30.)
 ♀; No. obsoletissima: brown Rustic. *Haw.* 207.—(*Sam. I.* 29.)

Genus 91: (874). AGROTIS, (*Hübner*) (*Samou.*) *Treit.*, *Curtis*.—
BOMBYX p., *Esper.*, *Haworth*.

6081. 1, lunigera *mihi*. *Steph. Ill. (H.)* ii. *pl.* 20. *f.* 2.
 6082. 2; Corticea*. (*Och. iv.* 66.)—*Och. Tr. v. a.* 158.
 Ag. clavigera. (*Curtis l. c. infra.*)
 ♂; No. Corticea. *Hüb.* No. *pl.* 80. *f.* 145.
 Bo. exclamationis. *Esper.* *Bo.* iii. *pl.* lxiv. *f.* 1, 2.
 Bo. clavigerus. (*Haw. Pr.* 9.)
 No. clavigera: Heart and Club. *Haw.* 114 & 219.—(*Sam. I.* 29.)
 ♀; No. sordida. *Hüb.* No. *pl.* 32. *f.* 154.
 No. subfuscata: brown Heart and Club. *Haw.* 114 & 219.—
 (*Sam. I.* 30.)
6083. 3, æqua*. *Och. Tr. v. a.* 150.—(*Curtis l. c. infra.*)
 No. æqua. *Hüb.* No. *pl.* 122. *f.* 564.
 No. margaritosa: the pearly Underwing. *Haw.* 218.—
 (*Sam. I.* 29.)
 Ag. margaritosa. (*Ing. Inst.* 90.)
 + β, No. majuscula: dark Pearl Underwing. *Haw.* 218.—(*Sam. I.*
 29.) β in *Mus. D. Hatchett*, *Haworth et Stonc.*
6084. 4; Segetum*. (*Och. iv.* 66.)—(*Curtis l. c. infra.*)
 No. Segetum. (*Wien. V.* 252. *pl.* 1. *a*, *b*, *f.* 3.)—(*Sam. I.* 30.)
 No. Segetis. *Fabr.* iii. *b.* 61.—*Hüb.* No. *pl.* 31. *f.* 146.
 Ph. No. Segetis. *Stew.* ii. 183.
 Bo. caliginosa. *Esper.* *Bo.* iii. *pl.* lxiv. *f.* 3.
 Var. Bo. fuscata. *Esper.* *Bo.* iii. *pl.* lxiv. *f.* 4.
 No. corticca: pointed Dart. *Haw.* 116 & 218.
 No. connexa: Chain-shot Dart. *Haw.* 116 & 218.—(*Sam. I.*
 29.)
 No. venosa: broad-veined Dart. *Haw.* 116 & 218.—(*Samou.*
 402.)
 No. spinula: brindled Dart. *Haw.* 115 & 218.—(*Sam. I.* 30.)
 No. nigricornutus: black Dart. (*Haw. Pr.* 9.)—*Haw.* 117 &
 219.—(*Sam. I.* 29.)
 No. monilea: Necklace Dart. *Haw.* 115 & 219.—(*Sam. I.* 29.)
 No. subatrata: dark Dart. (*Haw. Pr.* 9.)—*Haw.* 116 & 219.
 —(*Sam. I.* 30.)
 No. pectinata: pectinated Dart. *Haw.* 115 & 219.—(*Sam. I.*
 30.)

- No. catænata: brindled Heart and Club. *Haw.* 114 & 219.—
 (*Sam. I.* 29.)
- Ag. affinis mihi.—(*Curtis l. c. infra.*)
- Ag. monostigma. (*Curtis l. c. infra?*)
- Heart and Dart M. *Harr. V. M.* 31.
6085. 5; suffusa*. (*Och. iv. 66.*)—(*Curtis l. c. infra.*)
- No. suffusa. (*Wien. V. 80.*)—*Fabr. iii. b. 71.*—*Haw. 217.*—
 (*Sam. I.* 30.)
- Bo. spinula. *Esper. iii. pl. lxiii. f. 6, 7.*—*Don. x. 52. pl. 345.*
 f. 2, 3.
- No. Upsilon. *Berl. M. (Hufnagle.)* iii. 416.
- No. Stigmaticus: dark Sword-grass. (*Haw. Pr. 9.*)
- β; Ph. Bo. spinifera. *Villers E. ii. 74.*
- Bo. spinifera: small Sword-grass. (*Haw. Pr. 9.*)
- No. spinifera. *Haw. 114 & 217.*—(*Sam. I.* 30.)
- 6086 † 6, annexa*. *Och. Tr. v. a. 154.*—*Steph. Ill. (H.) ii. pl. 22.*
 f. 2.
- No. subterranea: tawny Shoulder. *Haw. 171*, non Fabricii.
- Ag. subterranea. (*Ing. Inst. 90.*)—(*Curtis l. c. infra.*)
 In Mus. D. *Curtis et Stone.*
6087. 7; valligera. (*Och. iv. 67.*)—*Och. Tr. v. a. 163.*
- No. valligera. (*Wien. V. 80.*)—*Fabr. iii. b. 72.*
- Bo. clavis. *Esper. iii. pl. lxiii. f. 5.*—*Don. x. 36. pl. 340.* f. 2.
- Ph. No. clavifera. *Villers E. ii. 174.*
- No. sagittifera: Archer's Dart. (*Haw. Pr. 9.*)—*Haw. 118 &*
224.—(*Sam. I.* 30.)
- Ag. sagittifera. (*Curtis l. c. infra.*)
- ♀. Bo. trigonalis. *Esper. iii. pl. lxxxv. f. 6.*
- Var. Ag. hibernica. *Haworth MSS.*—(*Curtis l. c. infra.*)
6088. 8: radia*. (*Curtis l. c. infra.*)
- Bo. radius. (*Haw. Pr. 10.*)
- No. radia: Shuttle-shaped Dart. *Haw. 119 & 223.*—(*Sam. I.* 30.)
6089. 9: radiola*. (*Curtis l. c. infra.*)—*Steph. Ill. (H.) ii.*
pl. 20. f. 3.
- No. radiola. *Haw. MSS.*
- Ag. radiatus. (*Ing. Inst. 90.*)
6090. 10, sagittifera*. (*Och. iv. 67.*)—*Och. Tr. v. a. 172.*
- No. sagittifera. *Hüb. No. pl. 114. f. 532.* ♀.
6091. 11; lineolata*. (*Curtis l. c. infra.*)
- No. lineolata: lineolated Dart. *Haw. 223.*—(*Sam. I.* 29.)
- No. vitta. *Hüb. No. pl. 115. f. 533.* ♂; f. 534. ♀?
6092. 12, pupillata*. (*Curtis l. c. infra.*)
- No. pupillata: pupilled Dart. *Haw. 118 & 223.*—(*Sam. I.* 30.)
6093. 13, Aquilina*. (*Och. iv. 66.*)—*Och. Tr. v. a. 134.*

- No. Aquilina. (*Wien. V.* 80.)—*Hüb.* No. *pl.* 29. *f.* 135. ♂;
pl. 115. *f.* 535. ♀.
- No. nigrofusca. *Esper.* iv. *pl.* cxxvii. *f.* 6.
- No. domestica. *Fabr.* iii. *b.* 23.
6094. 14, Tritici*. (*Och.* iv. 66?)—*Och. Tr.* v. *a.* 137?
 Ph. No. Tritici. *Linn.* ii. 855?
- No. fictilis. *Hüb.* No. *pl.* 101. *f.* 479. ♂?
- No. eruta. *Hüb.* No. *pl.* 136. *f.* 623. ♀?
- No. pratincola. *Hüb.* No. *pl.* 123. *f.* 567. ♂. var.
- No. recussa. *Hüb.* No. *pl.* 138. *f.* 630. ♂. var.
- No. albilinea: White-line Dart. *Haw.* 223.—(*Sam. I.* 28.)
- Ag. albilinea. (*Curtis l. c. infra.*)
6095. 15; ocellina*. (*Och.* iv. 66)—*Och. Tr.* v. *a.* 129.
 No. ocellina. (*Wien. V.* 313.)—*Hüb.* No. *pl.* 27. *f.* 129. ♀;
pl. 131. *f.* 599. ♂.
- Bo. Phytheuma. *Esper.* iv. *pl.* cxcii. *f.* 3, 4.
6096. 16. valligera*. (*Curtis l. c. infra?*)
 No. valligera: Wedge-barred Dart. *Haw.* 222.—(*Sam. I.* 30.)
6097. 17, venosa *mih.*
6098. 18, Hortorum* *mih.*
6099. 19; nigricans*. (*Curtis l. c. infra.*)
 Ph. No. nigricans. *Linn.* ii. 855.
- No. nigricans: Garden Dart. *Haw.* 221.—(*Sam. I.* 29.)
- No. fuliginea. *Hüb.* No. *pl.* 131. *f.* 602.
- β; No. concolorina. (*Haw. Pr.* 19.)
- No. concolor: plain Quaker. *Haw.* 243.
- Orthosia! concolor. (*Curtis l. c. fo.* 237!)
- γ, No. chrysostigmatus. (*Haw. Pr.* 9.)
- No. carbonea. *Hüb.* No. *pl.* 143. *f.* 700, 701.
6100. [20; fumosa*]: dark Rustic.—*Haw. l. c.* (*Och.* iv. 66.)—
Och. Tr. v. *a.* 140.
- No. fumosa. (*Wien. V.* 81.)—*Fabr.* iii. *b.* 115.—*Hüb.* No.
pl. 32. *f.* 153.—*Haw.* 221.—(*Sam. I.* 29.)
- No. rubricans. *Esper.* iv. *pl.* cxxx. *f.* 23.
6101. 21; obeliscata*. (*Curtis l. c. infra?*)
 No. obeliscata: Square-spot Dart. *Haw.* 222.—(*Sam. I.* 29.)
- No. obelisca. *Hüb.* No. *pl.* 26. *f.* 123?
6102. 22; ruris*: rufous Dart. (*Och.* iv. 66.)—*Och. Tr.* v.
a. 246.—(*Curtis l. c. infra.*)
- No. ruris. *Hüb.* No. *pl.* 89. *f.* 416.—*Haw.* 222.—(*Sam. I.* 30.)
- ♂; No. sordida: striped Square Spot. *Haw.* 222.—(*Sam. I.* 30.)
6103. [23, dubia.]
 No. dubia: White line. *Haw.* 222.

6104. 24, subgothica*. (*Ing. Inst.* 90.)—(*Curtis l. c. infra.*)—
Steph. Ill. (H.) ii. pl. 22. f. 3.
 No. subgothica: Gothic Dart. *Haw.* 224.
6105. 25; exclamatioñis*. (*Och. iv. 67.*)—*Och. Tr. v. a. 160.*—
 (*Curtis l. c. infra.*)
 Ph. No. exclamatioñis. *Linn. ii. 850.*—*Stew. ii. 184.*
 No. exclamatioñis: Heart and Dart. (*Haw. Pr. 17.*)
 No. exclamatioñis. *Hüb. No. pl. 51. f. 149.*—*Haw. 219.*—
 (*Sam. I. 29.*)
 Ph. Clavus. *Berl. M. (Hufnagle.) iii. 298.*
 ♀. Var. No. picea: pitchy Dart. *Haw. 220.*—(*Sam. I. 30.*)
 Ag. picea. (*Curtis l. c. infra.*)
- 6106 † 26, nebulosa mihi. *Steph. Ill. (H.) ii. pl. 22. f. 1.*
 In Mus. D. Raddon.
6107. 27: cinerea*. (*Och. iv. 67.*)—(*Och. Tr. v. a. 178.*)—
 (*Curtis. iv. pl. 165.*)
 No. cinerea. *Hüb. No. pl. 33. f. 155, 156.*
 Bo. denticulatus. (*Haw. Pr. 11.*)
 No. denticulata: light feathered Rustic. *Haw. 133 & 205.*—
 (*Sam. I. 29.*)
 † ♀, No. obscura. *Hüb. No. pl. 33. f. 157; pl. 104. f. 490.*
- Genus 92: (875). GRAPHIOPHORA, (*Hüb.*,) (*Och.*,) (*Samou.*)
 NOCTUA, *Treitschke.*—AGROTIS *p.*, *Och.*
6108. 1, rhomboidea. *Och. Tr. v. a. 231.*—*Steph. Ill. (H.) ii.*
pl. 19. f. 1. ♂.
 No. rhomboidea. *Esper. No. iv. pl. civ. f. 3.*
 No. stigmatica. *Hüb. No. pl. 100. f. 470.*
6109. 2, renigera.
 No. renigera. *Hüb. No. pl. 82. f. 384. ♂.*
 Ag. renigera. *Och. Tr. v. a. 197.*—(*Ing. Inst. 90.*)
6110. 3, latens.
 No. latens. *Hüb. No. pl. 89. f. 419?*
 Ag. latens. *Och. Tr. v. a. 204?*
6111. 4, pyrophila.
 No. pyrophila. (*Wien. V. 71.*)—*Fabr. iii. b. 98.*
 Ag. pyrophila. *Och. Tr. v. a. 204.*—(*Ing. Inst. 90.*)
 Bo. radicea. *Esper. iv. pl. cxliii. f. 1, 2.*
 No. tristis. *Fabr. iii. b. 118.*
 No. simulans. *Fabr. iii. b. 177.*
- 6112 † 5, lunulina.
 No. lunulina: Crescent Striped. (*Haw. Pr. 19.*)—*Haw. 192.*
 In Mus. D. Haworth.
6113. 6, crassa*: stout Dart.—*Haw. l. c.*

- No. crassa. *Hüb. No. pl. 32. f. 152?*—*Haw. 220.*—(*Sam. I.*
30.)
- Bo. segetum. *Esper. iii. pl. lx. f. 5?*
- Ag. crassa. *Och. Tr. v. a. 166?*
6114. 7; augur*. (*Och. iv. 68.*)—*Och. Tr. v. a. 210.*
No. augur. *Fabr. iii. b. 61.*—*Hüb. No. pl. 31. f. 145.*—
Haw. 220.—(*Sam. I. 28.*)
- No. cincta. *Marsham MSS.*
- No. cinctina: double Dart. (*Haw. Pr. 17.*)
- No. Omega. *Esper. iv. pl. cxxxii. f. 2.*
- No. assimulans. *Bork. E. S. iv. 209.*
6115. 8; brunnea*: purple Clay.—*Haw. l. c. Och. Tr. v. a. 219.*
No. brunnea. (*Wien. V. 83.*)—*Hüb. No. pl. 26. f. 121.*—
Haw. 223.—(*Sam. I. 29.*)
- No. lucifera. *Esper. iv. pl. cxlii. f. 6.*
- No. Fragrariæ. *Bork. E. S. iv. 497.*
6116. 9; candilesequa*. (*Och. iv. 68.*)—*Och. Tr. v. a. 217.*
No. candilesequa. (*Wien. V. 72.*)—*Hüb. No. pl. 85. f. 397.*
6117. 10; tristigma*. (*Och. iv. 68.*)—*Och. Tr. v. a. 243.*
No. ditrapezium. *Bork. E. S. iv. 515.*—*Hüb. No. pl. 24. f. 115.*
6118. 11; triangulum*. (*Och. iv. 68.*)—*Och. Tr. v. a. 240.*
Ph. triangulum. *Berl. M. (Hufnagle.) iii. 306.*
Ph. ditrapezium. (*Wien. V. 312.*)
No. sigma. *Hüb. No. pl. 106. f. 497.*—*Haw. 225.*—(*Sam. I.*
30.)
- No. sigmina: double Square-spot. (*Haw. Pr. 18.*)
- Ph. No. sigma. *Don. xvi. pl. 562.*
- 6119 † 12. depuncta^a.
6120. 13; baja*: dotted Clay.—*Haw. l. c. Och. Tr. v. a. 215.*
No. baja. (*Wien. V. 77.*)—*Hüb. No. pl. 25. f. 119.*—
Haw. 224.—(*Sam. I. 28.*)
- No. tricomma. *Esper. iv. pl. clxvii. f. 6.*
6121. 14; erythrocephala*: barred Chesnut.—*Haw. l. c.*
No. erythrocephala. (*Wien. V. 77?*)—*Hüb. No. pl. 37. f. 176?*
—*Haw. 227.*—(*Sam. I. 29.*)
- No. silene. *Bork. E. S. iv. 741.*
- No. Vaccinii var. *Esper. iv. pl. clxii. f. 1, 2.*
- Cr. erythrocephala. *Och. Tr. v. b. 405.*

^a 6119 † 12. depuncta. (*Och. iv. 68.*)—*Och. Tr. v. a. 229.*

Ph. No. depuncta. *Linn. ii. 858.*

No. mendosa. *Hüb. No. pl. 26. f. 120. ♂. pl. 107. 502. ♀.*

No. depunctina. (*Haw. Pr. App. 5.*) (!)

6122. 15; festiva*: ingrailed Clay.—*Haw. l. c.* (*Och. iv. 68.*)—*Och. Tr. v. a.* 224.
 No. festiva. (*Wien. V. 77.*)—*Hüb. No. pl. 99. f. 467, 468,*
 469.—*Haw. 226.*—(*Sam. I. 29.*)
 No. Primulæ. *Esper. iv. pl. cxxxvi. f. 5.*
 No. mendica. *Fabr. iii. b. 93.*
 β; No. subrufa: rufous Clay. *Haw. 227.*—(*Sam. I. 30.*)
6123. 16; C. nigrum*. (*Och. iv. 68.*)—*Och. Tr. v. a.* 237.
 Ph. No. C. nigrum. *Linn. ii. 852.*
 No. C. nigrina: setaceous Hebrew Character. (*Haw. Pr. 18.*)
 No. C. nigrum. *Hüb. No. pl. 24. f. 111.*—*Haw. 226.*—
 (*Sam. I. 29.*)
 Bo. Gothica var. *Esper. iii. pl. lxxvi. f. 3.*
 No. Nun-atrum. *Bork. E. S. iv. 495.*
 No. Triangulum. *Naturf. ix. 126.*
- 6124 † 17, musiva. (*Och. iv. 69.*)—*Och. Tr. v. a.* 247.
 No. musiva. *Hüb. No. pl. 25. f. 118.* In Mus. Brit.
6125. 18, albimacula. *Steph. Ill. (H.) ii. pl. 19. f. 3.*
 Gr. ravida. (*Ing. Inst. 91.*)
6126. 19; plecta*. (*Och. iv. 69.*)—*Och. Tr. v. a.* 248.
 Ph. No. plecta. *Linn. ii. 851.*—*Turt. iii. 299.*
 No. plectina: Flame Shoulder. (*Haw. Pr. 19.*)
 No. plecta. *Hüb. No. pl. 25. f. 117.*—*Haw. 226.*—(*Sam. I. 30.*)
6127. 20; punicea*: small Square-spot.—*Haw. l. c.*
 No. punicea. *Hüb. No. pl. 25. f. 115.*—*Haw. 228.*—(*Sam. I.*
30.)
 No. Dahlii. *Och. Tr. v. a.* 222?
 No. radica. *Esper.?*
- Genus 93: (876). SEMIOPHORA *miki*.
 EPISEMA *p*, *Och.*—HETEROMORPHÆ *p*, *Hüb.*—NOCTUA *p*, *Treit.*
 —BOMBYX *p*, *Villers.*
6128. 1; gothica*.
 Ph. No. gothica. *Linn. ii. 851.*—*Stew. ii. 190.*—*Turt. iii. 320.*
 Bo. gothicus. (*Haw. Pr. 11.*)
 No. gothica. *Haw. 119 & 226.*—(*Sam. I. 29.*)
 No. Nun-atrum. (*Wicn. V. 78.*)—*Hüb. No. pl. 24. f. 112.* ♀.
 Bo. C. nigrum. *Villers E. ii. 183.*
 Hebrew Character. *Harr. V. M. 19.*
- Genus 94: (877). ORTHOSIA, (*Och.,*) *Treit.*, *Curtis.*
 A. Alis anticis apicibus subrotundatis. (Antennis in masculis
 plus minusve pectinatis.)
6129. 1; instabilis*. (*Och. iv. 79.*)—*Och. Tr. v. b.* 204.—
 (*Curtis l. c. infra.*)

- No. instabilis. (*Wien. V. 76.*)—*Fabr.* iii. b. 44.—*Hüb.* No. pl. 35. f. 165.
 No. contracta. *Esper.* iv. pl. cxlvii. f. 4.
 No. trigutta. *Esper.* iv. pl. cli. f. 2.
 Bo. subsetaceus. (*Haw. Pr.* 9.)
 No. subsetacea: clouded Drab-M. *Haw.* 120 & 241.—
 (*Sam. I.* 30.)
 No. nebulosa: scarce Clouded Drab-M. *Haw.* 120 & 241.—
 (*Sam. I.* 29.)
 No. fuscata: dark Drab-M. *Haw.* 122 & 241.—(*Sam. I.* 29.)
 No. angusta: narrow-winged Drab-M. *Haw.* 122 & 241.—
 (*Sam. I.* 28.)
Albin. pl. lxxvi. f. a-d.
 6130. 2; intermedia* *mihi.*
 6131. 3; gracilis*. (*Och. iv. 79.*)—*Och. Tr.* v. b. 217.
 No. gracilis. (*Wien. V. 76.*)—*Fabr.* iii. b. 48.—*Hüb.* No. pl. 35. f. 168.
 No. gracillina. (*Haw. Pr. App.* 3?)
 No. lepida. *Bork. E. S.* iv. 600.
 No. collinita. *Esper.* iv. pl. clii. f. 6.
 No. subplumbea: Lead-coloured Drab-M. *Haw.* 121 & 242.—
 (*Sam. I.* 30.)
 Or. subplumbea. (*Curtis l. c. infra.*)
 6132. 4; munda*. (*Och. iv. 79.*)—*Och. Tr.* v. b. 208.—(*Curtis l. c. infra.*)
 No. munda. (*Wien. V. 16.*)—*Fabr.* iii. b. 48.
 No. gemina. *Esper.* iii. pl. lii. f. 5, 6.—(*Haw. Pr.* 19.)
 No. geminoidina. (*Haw. Pr.* 19.)
 No. geminata: Twin-spotted Drab-M. *Haw.* 121 & 242.—
 (*Sam. I.* 29.)
 β, No. bimaculata: ferruginous Drab-M. *Haw.* 121 & 242.—
 (*Sam. I.* 28.)
 No. Lota: (mundata.) *Hüb.* No. pl. 35. f. 166.
 Or. bimaculata. (*Curtis l. c. infra.*)
 6133. 5; sparsa*. (*Curtis l. c. infra.*)
 Bo. sparsus. (*Haw. Pr.* 9.)
 No. sparsa: powdered Quaker-M. *Haw.* 122 & 242.—
 (*Sam. I.* 30.)
 6134. 6; pallida*. (*Curtis l. c. infra.*)
 No. pallida: pale Quaker-M. *Haw.* 242.—(*Sam. I.* 30.)
 6135. 7; stabilis*. (*Och. iv. 79.*)—*Och. Tr.* v. b. 223.—(*Curtis l. c. infra.*)
 No. stabilis. (*Wien. V. 76.*)—*Hüb.* No. pl. 36. f. 171.
 No. Cerasi. *Fabr.* iii. b. 44.—*Haw.* 123 & 243.—(*Sam. I.* 29.)
 Bo. Cerasus: common Quaker-M. (*Haw. Pr.* 9.)

Ph. No. Cerasi. *Stew.* ii. 185.—*Turt.* iii. 311.

Albin. pl. lxxv. f. a—e.

Quaker M. *Harr. V. M.* 41.

β; Bo. junctus. (*Haw. Pr.* 9.)

No. juncta: conjoined Quaker-M. *Haw.* 123 & 243.—
(*Sam. I.* 29.)

Or. juncta. (*Curtis l. c. infra.*)

Albin. pl. lxxvi. f. e—h.

γ; No. rufannulata: red-ringed Quaker-M. *Haw.* 243.

Or. rufannulata. (*Curtis l. c. infra.*)

6136. 8; miniosa*. (*Och.* iv. 79.)—*Och. Tr. v. b.* 228.—(*Curtis l. c. infra.*)

No. miniosa. (*Wien. V.* 88.)—*Fabr.* iii. b. 43.—*Hüb.* No. pl. 36. f. 174.—*Haw.* 241.—(*Sam. I.* 29.)

Bo. rubricosa. *Esper.* iv. pl. lxxv. f. 3, 4.

Ph. No. serrata. *Marsh. MSS.*

No. serratina. (*Haw. Pr.* 15.)

Blossom underwing. *Harr. V. M.* 55.

6137. 9; cruda*. *Och. Tr. v. b.* 230.—(*Curtis l. c. infra.*)

No. cruda. (*Wien. V.* 77.)

No. ambigua. *Hüb.* No. pl. 36. f. 173.

No. pulverulenta. *Esper.* iv. pl. lxxvi. f. 5, 6.

Bo. nanus. (*Haw. Pr.* 9.)

Bo. nana: small Quaker-M. *Haw.* 123 & 244.—(*Sam. I.* 29.)

Albin. pl. lxxiv. f. a—e.

6138. [10; pusilla*.] (*Curtis l. c. infra.*)

No. pusilla: dwarf Quaker-M. *Haw.* 124 & 244.—(*Sam. I.* 30.)

B. Alis anticis apicibus acutis; margine postico subrepando. (Antennis in masculis s̄epissimè ciliatis.)

6139. 11; litura*. (*Och.* iv. 80.)—*Och. Tr. v. b.* 242.—(*Curtis l. c. infra.*)

Ph. No. litura. *Linn.* ii. 858.—*Stew.* ii. 194.—*Turt.* iii. 331.

No. litura. *Hüb.* No. pl. 27. f. 127.—*Haw.* 232.—(*Sam. I.* 29.)

No. liturina: brown-spot Pinion. (*Haw. Pr. App.* 3.)

No. Polluta. *Esper.* iv. pl. cxvii. f. 5.

No. costina. (*Haw. Pr.* 15.)

6140. 12; Pistacina*. (*Och.* iv. 80.)—*Och. Tr. v. b.* 239.—(*Curtis l. c. infra.*)

No. Pistacina. *Fabr.* ii. 109.—*Hüb.* No. pl. 28. f. 121.—
Haw. 231.—(*Sam. I.* 30.)

No. sexpunctata. *Marsham MSS.*

No. sexpunctina: the pale beaded Chesnut. (*Haw. Pr.* 15.)

No. serina. *Esper.* iv. pl. clvi. f. 1, 2.

β; No. Lychnidis. *Fabr.* ii. 106.

- No. canaria. *Esper. pl. clvi. f. 5, 6.*
 No. lineola: dark-beaded Chesnut. *Haw. 231.—(Sam. I. 29.)*
 Ph. No. lineola. *Don. x. 94. pl. 360. f. 2.*
 Or. lineola. (*Curtis l. c. infra.*)
 γ ; No. Schænobæna. *Esper. iv. pl. clvii. f. 2, 3.*
 No. sphærulatina: beaded Chesnut. (*Haw. Pr. 13.*)—
Haw. 230.—(Sam. I. 30.)
 Ph. No. sphærulatoria. *Marsham MSS.*
 Or. sphærulatina. (*Curtis l. c. infra.*)
 δ ; No. Rubetra. *Esper. iv. pl. clvi. f. 5, 6.*
 No. ferrea: Iron Chesnut. *Haw. 231.—(Sam. I. 29.)*
 Or. ferrea. (*Curtis l. c. infra.*)
 ε ; No. venosa: veiny Chesnut. *Haw. 232.—(Samou. 440.)*
 Or. venosa. (*Curtis l. c. infra.*)
 6141. 13; lunosa*. (*Curtis. v. pl. 237.*)
 No. lunosa: Lunar Underwing M. *Haw. 230.—(Sam. I. 29.)*
 6142. 14; Lota*. (*Och. iv. 79.*)—*Och. Tr. v. b. 212.—(Curtis l. c. infra.)*
 Ph. Bo. Lota. *Linn. ii. 830.*
 Bo. Lotus. (*Haw. Pr. 9.*)
 No. Lota: red-line Quaker-M. *Haw. 122 & 242.—(Sam. I. 29.)*
 No. munda: (Lota.) *Hüb. No. pl. 35. f. 167.*
 6143. 15; flavilinea*. (*Curtis l. c. infra.*)—*Steph. Ill. (H.) ii. pl. 19. f. 2.*
 No. flavilinea: yellow-line Quaker-M. *Haw. 243.—(Sam. I. 29.)*
 Ph. Bo. Hippophaës. *Vill. E. ii. 178?*
 6144. 16; macilenta*. (*Och. iv. 79?*)—*Och. Tr. v. b. 215?—(Curtis l. c. infra.)*
 No. macilenta. *Hüb. No. pl. 89. f. 418?—Haw. 239.—(Sam. I. 29.)*
 No. unimaculina: Brick M. (*Haw. Pr. 15.*)
 6145. 17; Upsilon*. (*Och. iv. 79.*)—*Och. Tr. v. b. 210.—(Curtis l. c. supra.)*
 No. Ypsilon. (*Wien. V. 78.*)—*Hüb. No. pl. 29. f. 136.—(Sam. I. 30.)*
 No. corticea. *Esper. iv. pl. cxlv. f. 2, 3.*
 No. fissipuncta: dingy Shears M. *Haw. 197.*
 Dismal. *Harr. V. M. 21.*

Genus 95: (878). MYTHIMNNA.

MYTHIMNNA B., (*Och.*,) (*Samou.*)

6146. 1; turca*. (*Och. iv. 78.*)—*Och. Tr. v. b. 181.*
 Ph. No. turca. *Linn. ii. 847.*
 No. turcina: double line. (*Haw. Pr. 15.*)

- No. turca. *Hüb. No. pl. 45. f. 218.*—*Haw. 250.*—(Sam. I. 30.)
 Ph. volupia. *Naturf. (—) ix. 123.*
6147. 2; grisea*: bright-eyed Clay.—*Haw. l. c.*
 No. grisea. *Fabr. iii. b. 69.*—*Haw. 229.*—(Sam. I. 29.)
 No. unipunctina. *Marsh. MSS.*—(*Haw. Pr. 15.*)
6148. 3, Lithargyria. (*Och. iv. 78.*)—*Och. Tr. v. b. 183.*
 No. Lithargyria. *Bork. E. S. iv. 696.*—*Hüb. No. pl. 46. f. 225.*
 No. Ferrago. *Fabr. iii. b. 76.*
 No. Punctum-album. *Villers E. ii. 282.*
 No. ferruginea. *Scriba. B. ii. 149. pl. x. f. 5.*
6149. 4; conigera*. (*Och. iv. 78.*)—*Och. Tr. v. b. 190.*
 No. conigera. (*Wien. V. 84.*)—*Fabr. iii. b. 113.*—*Hüb. No. pl. 46. f. 222.*—*Haw. 239.*—(Sam. I. 29.)
 No. conigerina. (*Haw. Pr. 14.*)
 No. floccida. *Esper. iv. pl. cxxiii. f. 5.*
 Brown-line bright-eye. *Harr. V. M. 35.*

Genus 96: (879). SEGETIA *miki*.

MYTHIMNA C., *Och.*, *Treit.*

6150. 1; xanthographa*.
 No. xanthographa. (*Wien. V. 83.*)—*Fabr. M. ii. 171.*—
Hüb. No. pl. 29. f. 138.—*Turt. iii. 328.*
 No. tetragona. *Marsh. MSS.*—*Haw. 205.*—(Sam. I. 30.)
 No. tetragonina: the square spot Rustic. (*Haw. Pr. 18.*)
6151. 2: neglecta*: neglected Rustic.—*Haw. l. c.*—*Steph. Ill. (H.) ii. pl. 21. f. 1.*
 No. neglecta. *Hüb. No. pl. 34. f. 160.* ♀.—*Haw. 205.*
 My. neglecta. *Och. Tr. v. b. 199.*

Genus 97: (880). CARADRINA, (*Och.*,) (*Samou.*,) *Treit.*

A. Alis ferè absque stigmatibus: abdomine crasso.

6152. 1; trilinea*. (*Och. iv. 80.*)—*Och. Tr. v. b. 272.*
 No. trilinea. (*Wien. V. 84.*)—*Hüb. No. pl. 45. f. 216.*—
Haw. 249.—(Sam. I. 30.)
 No. trilinearina: equal Treble-lines. (*Haw. Pr. 19.*)
 No. trigrammica. *Esper. vi. pl. cxxiii. f. 6.*
 No. Quercus. *Fabr. iii. b. 22.*
 No. evidens. *Thunb. I. S. 2. pl. ct fig. adj.*
 Triple-lines. *Harr. V. M. 55.*
- β; No. approximans: unequal Treble-lines. *Haw. 249.*—
 (Sam. I. 28.)
- γ; No. semifuscans: clouded Treble-lines. *Haw. 249.*—(Sam. I. 30.)
6153. 2; bilinea*: dark Treble-lines.—*Haw. l. c.* (*Och. iv. 80.*)
Och. Tr. v. b. 275.
 No. bilinea. *Hüb. No. pl. 45. f. 217.*—*Haw. 249.*—(Sam. I. 28.)

- B. Alis stigmatibus ordinariis distinctis. a. *Abdomine crasso.*
6154. 3; ambigua*. (*Och. iv. 30?*)—*Och. Tr. v. b. 262?*
 No. ambigua. *Fabr. iii. b. 48?*
 No. ambiguina. (*Haw. Pr. App. 3.*)
 No. Plantaginis. *Hüb. No. pl. 125. f. 576.*
 No. xanthographa: dotted Rustic. *Haw. 206.—(Sam. I. 30.)*
6155. [4; redacta*.]
 No. redacta: lesser dotted Rustic. *Haw. 206.—(Sam. I. 30.)*
 No. depunctina. (*Haw. Pr. App. 3.*)
6156. 5; Alsines*. (*Och. iv. 80.*)—*Och. Tr. v. b. 266.*
 No. Alsines. *Bork. E. S. iv. 608.—Hüb. No. pl. 125. f. 577.*
 No. egens: garden Rustic. *Haw. 206.—(Sam. I. 29.)*
6157. [6; implexa*.]
 No. implexa. *Hüb. No. pl. 88. f. 414.*
6158. [7; lævis*.]
 No. lævis: grey Rustic. *Haw. 207.—(Sam. I. 29.)*
- 6159 † [8. sordida*.]
 Ph. No. sordida. *Marsh. MSS.*
 No. sordida: sordid Rustic. *Haw. 207.* In Mus. — ?
 b. *Abdomine graciliore; alis posticis albidis.*
6160. 9; Morpheus*. (*Och. iv. 80.*)—*(Sam. I. 29.)—Och. Tr. v. b. 249.*
6161. [10; Sepii*]: mottled Rustic.—*Haw. l. c.*
 No. Sepii. *Hüb. No. pl. 34. f. 161.—Haw. 206.—(Sam. I. 30.)*
 No. radica. *Esper. iv. pl. cli. f. 4?*
 Ph. No. pulla. *Linn. Trans. (Beckwith.) ii. 5. pl. 1. f. 7-9.—Stew. ii. 196.—Turt. iii. 324.*
 No. pullina. (*Haw. Pr. 19.*)
6162. 11; cubicularis*: pale mottled Willow.—*Haw. l. c.*
 (*Och. iv. 80.*)—*Och. Tr. v. b. 251.*
 No. cubicularis. (*Wien. V. 72?*)—*Hüb. No. pl. 89. f. 417.—Haw. 208.—(Sam. I. 29.)*
 Ph. clavipalpis. *Scop. C. 213.*
 No. segetum. *Esper. iv. pl. cl. f. 4, 5.*
 No. 4-punctata. *Fabr. iii. b. 22.—Stew. ii. 182.*
6163. 12; superstes: powdered Rustic.—*Haw. l. c. (Och. iv. 80.)*
 —*Och. Tr. v. b. 260.*
 No. blanda. *Hüb. No. pl. 34. f. 162.—Haw. 208.—(Sam. I. 29.)*
6164. 13: glareosa*. (*Och. iv. 80.*)—*Och. Tr. v. b. 247.—(Ing. Inst. 90.)—Steph. Ill. (H) ii. pl. 21. f. 2.*
 No. glareosa. *Esper. iv. pl. cxxviii. f. 3.*
 No. margaritacea. *Bork. E. S. iv. 215.*

No. I-intactum. *Hüb.* No. pl. 28. f. 130.

No. I-geminum. *Godart.* Dup. vi. 75. pl. 77. f. 6.

Orthosia Hebræica. (*Curtis.* folio 237.)

Genus 98: (881). GLÆA, *Hübner.*

CERASTIS^a, *Och.*

A. Corpore haud depresso.

6165. 1: rubricosa*.

No. rubricosa. (*Wien. V.* 77.)—*Fabr.* iii. b. 110.—*Hüb.* No. pl. 91. f. 430.

No. mucida. *Esper.* iv. pl. cxlviii. f. 4.

No. pilicornis. *Bork.* E. S. iv. 536.

No. rufa: red Chesnut. *Ent. Trans. (Hatchett.)* i. 244. pl. 5. fig. sup.—*Haw.* 232.—(*Sam. I.* 30.)

Var. No. mista. *Hüb.* No. pl. 109. f. 509.

6166 † 2, rubiginea*? dotted Chesnut.—*Haw. l. c.*

No. rubiginea. (*Wien. V.* 86.)—*Fabr.* iii. b. 31.—*Hüb.* No. pl. 38. f. 183.—*Haw.* 230.

No. tigrina. *Esper.* iv. pl. cxxiii. f. 3, 4.

No. sulphurago. *Bork.* E. S. iv. 679. In Mus. Brit.

B. Corpore depresso.

6167. 3; Satellitia*.

Ph. No. Satellitia. *Linn.* ii. 855.—*Don.* v. 81. pl. 168.—*Stew.* ii. 193.—*Turt.* iii. 321.

No. Satellitina: Satellites. (*Haw. Pr.* 15.)

No. Satellitia. *Hüb.* No. pl. 38. f. 182.—*Haw.* 229.—(*Sam. I.* 30.)

No. transversa. *Berl. M. (Hufn.)* iv. 418.

6168. 4; Vaccinii*.

Ph. No. Vaccinii. *Linn.* ii. 852.

No. Vaccina: the Chesnut. (*Haw. Pr.* 15.)

No. Vaccinii. *Hüb.* No. pl. 37. f. 177.—*Haw.* 233.—(*Sam. I.* 30.)

Albin. pl. xxiii. f. 34. e-h.

6169. [5; spadicea*]: dark Chesnut.—*Haw. l. c.*

No. spadicea. *Hüb.* No. pl. 37. f. 179.—*Haw.* 233.—(*Sam. I.* 30.)

No. castanea. *Marsh. MSS.*

No. castanina. (*Haw. Pr.* 15.)

6170. [6; subnigra*].

No. subnigrina. (*Haw. Pr.* 15.)

No. subnigra: black Chesnut M. *Haw.* 234.—(*Sam. I.* 30.)

^a CERASTIS: Genus Serpentorum. Vide Gen. Zool.

6171. 7; polita*: netted Chesnut.—*Haw. l. c.*

No. polita. (*Wien. V. 85.*)—*Hüb. No. pl. 37. f. 178.*—*Haw. 233.*—(*Sam. I. 30.*)

No. Ligula. *Esper. iv. pl. clxvi. f. 3.*

Genus 99: (882). AMPHIPYRA, (*Och.,*) (*Samou.,*) *Treit.*

PYROPHILÆ p, Hüb.

6172. 1; Pyramidea*. (*Och. iv. 70.*)—*Och. Tr. v. a. 285.*

Ph. No. Pyramidea. *Linn. ii. 856.*—*Don. vi. 31. pl. 193.*—*Stew. ii. 193.*—*Turt. iii. 327.*

No. Pyramidina. (*Haw. Pr. 12.*)

No. Pyramidea. *Hüb. No. pl. 8. f. 36.*—*Haw. 163.*—(*Sam. I. 30.*)

Copper underwing. *Harr. V. M. 55.*

Genus 100: (883). PYROPHILA mihi.

PYROPHILÆ p, Hüb.—AMPHIPYRA p, Treit.

6173. 1; Tragopogonis*: Mouse.—*Haw. l. c.*

Ph. No. Tragopogonis. *Linn. ii. 855.*—*Stew. ii. 193.*—*Turt. iii. 333.*

No. Tragopogina. (*Haw. Pr. 18.*)

No. Tragopoginis. *Hüb. No. pl. 8. f. 40.*—*Haw. 164.*

No. Tragopoginus. (*Sam. I. 30.*)

6174. 2; tetra*: Mahogany.—*Haw. l. c.*

No. tetra. *Fabr. iii. b. 21.*—*Hüb. No. pl. 8. f. 39.*—*Haw. 164.*—(*Sam. I. 30.*)

Ph. tragopoginis. *Don. vii. pl. 223. f. 2?*

Albin. pl. xxvii. f. 41. h-k.

Genus 101: (884). DYPTERYGIA mihi.

XYLENA D., Och.

6175. 1; Pinastri*: O, G. Moth.

Ph. No. Pinastri. *Linn. ii. 851.*—*Don. x. 58. pl. 347. f. 2.*—*Stew. ii. 190.*—*Turt. iii. 328.*

No. Pinastrina: Bird's wing. (*Haw. Pr. 18.*)

No. Pinastri. *Hüb. No. pl. 51. f. 246.*—*Haw. 172.*—(*Sam. I. 30.*)

No. Dypterygia. *Berl. M. (Hufnagle.) iii. 300.*

Genus 102: (885). NÆNIA mihi.

LEMURES p, Hüb.—MORMO p, Och.—MANIA p, Treit.

6176. 1; typica*.

Ph. No. typica. *Linn. ii. 857.*

No. typicina. (*Haw. Pr. 17.*)

No. typica. *Haw. 195.*—(*Sam. I. 30.*)

No. venosa. *Hüb.* No. pl. 13. f. 61.
No. excusa. *Esper.* iv. pl. cxcvii. f. 1-3.

Albin. pl. xv. f. 21. a-d.

Dark or common Gothic M. *Harr. A.* pl. 22. f. d-g.—
Harr. V. M. 25.

Genus 103: (886). XYLINA, Treitschke.

XYLENÆ p, *Hüb.*—XYLENA p, *Och.*, (*Samou.*)

6177. 1; Lambda*.

No. Lambda. *Fabr.* iii. b. 106?—*Haw.* 131.—(*Sam. I.* 29.)
No. Lambdina: grey Shoulder Knot. (*Haw. Pr.* 17.)
No. rhizobitha. *Hüb.* No. pl. 50. f. 242.

6178 † 2, pulla*. (*Och. iv.* 86.)—(*Ing. Inst.* 91.)

No. pulla. (*Wien. V.* 76.)—*Hüb.* No. pl. 49. f. 238.

In *Mus. Brit.*

6179. 3, semibrunnea*: tawny Pinion.—*Haw. l. c.* *Steph. Ill.*
(*H.*) ii. pl. 21. f. 3.

No. semibrunnea. *Haw.* 171.—(*Sam. I.* 30.)

No. brunnina. (*Haw. Pr.* 12.)

6180. 4, petrificata*. (*Och. iv.* 86.)—*Och. Tr. v. c.* 23.—*Steph. Ill.*
(*H.*) ii. pl. 23. f. 1.

No. petrificata. (*Wien. V.* 75.)—*Fabr.* iii. b. 123.

No. petrifica. *Hüb.* No. pl. 49. f. 239.

No. umbrosa. *Esper.* iv. pl. cxxxiii. f. 5, 6.

Ph. socia. *Berl. M.* (*Hufn.*) iii. 418.

6181. 5, conspicillaris*. (*Och. iv.* 86.)—(*Ing. Inst.* 91.)—*Och.*
Tr. v. c. 26.

Ph. No. conspicillaris. *Linn.* ii. 849.

No. conspicillina: Silver Cloud. (*Haw. Pr.* 19.)

No. conspicillaris. *Hüb.* No. pl. 49. f. 236, 237.—*Haw.* 171.
—(*Sam. I.* 29.)

Ph. No. leuconota. *Don.* xiii. 44. pl. 453. f. 3.

6182. [6; perspicillaris*]. (*Och. iv.* 87?)—(*Ing. Inst.* 91.)

Ph. No. perspicillaris. *Linn.* ii. 849?—*Turt.* iii. 323?

No. perspicillina. (*Haw. Pr.* 12?)

La. perspicillaire. *Pap. d'Eur.* vi. 161. pl. ccliii. f. 383.

6183. 7; putris*. (*Och. iv.* 86.)—*Och. Tr. v. c.* 29.

Ph. No. putris. *Linn.* ii. 850.—*Turt.* iii. 337.

No. putrina. (*Haw. Pr.* 19.)

No. putris: the Flame M. *Haw.* 172.—(*Sam. I.* 30.)

No. lignosa. *Hüb.* No. pl. 50. f. 245.

Ph. subcorticalis. *Berl. M.* (*Hufn.*) iii. 308.

Albin. pl. lxxix. f. a-d.

Small Sword-grass likeness. *Harr. V. M.* 35.

Genus 104: (887). CALOCAMPA *mihî*.XYLENA *p*, Och.—XYLINA *p*, Treit.

6184. 1; exoleta*.

Ph. No. exoleta. *Linn.* ii. 849.—*Berk. S.* i. 141.—*Don. vi.*
19. *pl.* 187.—*Stew. ii.* 189.—*Turt. iii.* 336.

No. exoletina. (*Haw. Pr. 12.*)

No. exoleta. *Hüb. No. pl.* 50. *f.* 244.—*Haw. 168.*—(*Sam. I.*
29.)

Sword-grass M.: Ph. exoleta. (*Wilkes. 8. pl. 18.*)—*Harr. V. M.* 29.

6185. 2: vetusta*.

Steph. Ill. (H.) pl. 23. f. 1.

No. vetusta. *Hüb. No. pl.* 97. *f.* 459.

Genus 105: (888). XYLOPHASIA *mihî*.

XYLENA B., Och.

6186. 1; lithoxylea*: light Arches.—*Haw. l. c.*

No. lithoxylea. *Fabr. iii. b.* 123.—*Haw. 169.*—(*Sam. I.* 29.)

No. sublustris var. *Esper. iv. pl. cxxxiii. f.* 2.

No. musicalis. *Esper. iv. pl. cxxxxvii. f.* 5.

6187. 2, sublustris.

No. sublustris. *Esper. iv. pl. cxxxiii. f.* 1.

No. lithoxylea. *Hüb. No. pl.* 49. *f.* 240.

6188. 3; polyodon*.

Ph. No. polyodon. *Linn. ii.* 853.—*Stew. ii.* 191.

No. polyodina. (*Haw. Pr. 18.*)

No. polyodon. *Haw. 186.*—(*Sam. I.* 30.)

No. radicea. (*Wien. V. 81.*)—*Fabr. iii. b.* 125.—*Hüb. No. pl.* 17. *f.* 82.

No. occulta. *Esper. iv. pl. cxxxii. f.* 3, 4.

No. monoglypha. *Berl. M. (Hufn.) iii.* 308.

Dark Arches. *Harr. V. M.* 9.

6189. 4; hepatica*: clouded-bordered Brindle.—*Haw. l. c.*

Ph. No. hepatica. *Linn. ii.* 853.

No. hepaticina. (*Haw. Pr. 18.*)

No. hepatica. *Haw. 169.*—(*Sam. I.* 29.)

No. putris. *Hüb. No. pl.* 50. *f.* 241.

Ph. No. epomis. *Marsh. MSS.*

No. epomina. (*Haw. Pr. 18.*)

6190 † 5, hirticornis*: the hairy-horned Brindle.—*Haw. l. c.*

No. hirticornis. *Ent. Trans. (Haw.) i.* 336.

Olim in Mus. D. Hatchett.

6191. 6; epomidion*: clouded Brindle.—*Haw. l. c.*

No. epomidion. *Haw. 170.*—(*Sam. I.* 29.)

No. epomidina. (*Haw. Pr. 18.*)

No. characterea. *Hüb. No. pl.* 18. *f.* 133?

6192. 7; rurea*: dark tawny.—*Haw.* l. c.
 No. rurea. *Fabr.* iii. b. 125. (!)
 Ph. No. rurea. *Stew.* ii. 189.—*Turt.* iii. 338.
 No. combusta. *Hüb.* No. pl. 79. f. 366. ♂.—*Haw.* 170.—
 (*Sam. I.* 29.)
 No. Alopecurus. *Esper.* iv. pl. cxlvii. f. 3.
 No. luculenta. *Esper.* iv. pl. cxxxiii. f. 3, 4.
6193. 8, scolopacina*: slender clouded Brindle.—*Haw.* l. c.
 No. scolopacina. *Esper.* iv. pl. cxx. f. 1.—(*Sam. I.* 30.)
 No. abbrevina. (*Haw. Pr.* 18.)
 No. abbreviata. *Haw.* 170.
- 6194† 9, rectilinea.
 No. rectilinea. *Hüb.* No. pl. 51. f. 248.
 La Saxone. *Pap. d'Eur.* vi. 163. pl. cciv. f. 385.
 In Mus. D. Marshall.
- Genus 106: (889). IIADENA, Schrank, (*Samou.*,) Treit.
 A. Alis anticis margine postico subangulato.
6195. 1, amica. *Och. Tr.* v. a. 332?—*Steph. Ill. (H.)* ii. pl. 23. f. 2.
 No. satura: barred Arches. *Haw.* 187.—(*Sam. I.* 30.)
6196. 2; adusta*. (*Och. Tr.* v. a. 339.)
 No. adusta. *Esper.* No. pl. cxlix. f. 1–2.
 No. aquilina. *Bork. E. S.* iv. 381.
 No. valida. *Hüb.* No. pl. 133. f. 606. ♂. f. 607, 608. ♀.
 No. porphyrea. *Scriba B.* ii. pl. 10. f. 4.
 Ph. No. duplex. *Marsh. MSS.*
 No. duplexina. (*Haw. Pr.* 18.)
 No. duplex: dark Brocade. *Haw.* 190.—(*Sam. I.* 29.)
6197. 3: satura. *Och. Tr.* v. a. 333.
 No. satura. (*Wien. V.* 83.)—*Hüb.* No. pl. 16. f. 75.
 No. porphyrea. *Esper.* No. iv. pl. cxlv. f. 5.
6198. 4; remissa*: gothic Brocade.—*Haw.* l. c. (*Och. Tr.* v. a. 342.)
 No. remissa. *Hüb.* No. pl. 90. f. 423.—*Haw.* 189.
 No. gemina. *Hüb.* No. pl. 102. f. 482.
 No. satura. *Bork. E. S.* iv. 377.
 Ha. gemina. *Och. Tr.* v. a. 345.
6199. 5, oblonga.
 No. oblonga: brown-pinioned Brocade. *Haw.* 183.
6200. 6; Thalassina*. *Och. Tr.* v. a. 342.
 No. Thalassina. *Bork. E. S.* iv. 383.
 No. Achates. *Hüb.* No. pl. 106. f. 498. ♂. pl. 133. f. 610.—
 (*Sam. I.* 28.)
 No. gemina. *Hüb.* No. pl. 102. f. 483. ♀.
 No. humeralis: pale shouldered Brocade. *Haw.* 190.

6201. 7; Genistæ*. (*Och. iv. 72.*)—*Och. Tr. v. a. 349.*
 No. Genistæ. *Bork. E. S. iv. 355.*—*Hüb. No. pl. 134. f. 611. ♂.*
f. 612. ♀.
 No. W. Latinum. *Bork. E. S. iv. 378.*—*Esper. iv. pl. cxxxvi.*
f. 1, 2.
 No. rectilinea: light Brocade. *Haw. 189.*—(*Sam. I. 30.*)
 No. leucoples. *Marsham MSS.*
 No. leucoplina. (*Haw. Pr. 18.*)
 Ph. No. dives. *Don. x. 71. pl. 352. f. 1.*
 Gothic M. (*Wilkes D. pl. 6. f. 2.*)—*Harr. V. M. 29.*
6202. 8; contigua*. (*Och. iv. 72.*)—*Och. Tr. v. a. 352.*
 No. contigua. (*Wien. V. 82.*)—*Hüb. No. pl. 18. f. 85. ♀.*
pl. 133. f. 609. ♂.
 No. Spartii. *Bork. E. S. iv. 352.*
 No. Ariæ. *Esper. iv. pl. clx. f. 8.*
 No. dives. *Marsham MSS.*—*Haw. 189.*—(*Sam. I. 29.*)
 No. divesina: the beautiful Brocade. (*Haw. Pr. 18.*)
 Var. No. pulchellina. (*Haw. Pr. 18.*)
- 6203 † 9, obscura.
 No. obscura: the dingy Brocade. *Haw. 189.*
 In Mus. *D. Haworth.*
- B. Alæ anticæ margine postico subrotundato.
 a. Vide *Haw. 196.*—(Noct.-fissonotatae.)
6204. 10, glauca*: glaucous Sheers.—*Haw. l. c.* (*Och. iv. 71.*)
 —*Och. Tr. v. a. 322.*
 No. glauca. *Hüb. No. pl. 87. f. 410.*—*Haw. 197.*—(*Sam. I. 29.*)
6205. 11; plebeia*: the Sheers.—*Haw. l. c.*
 Ph. No. plebeia. *Linn. ii. 853?*—*Mus. Linn. teste Haworthi.*
 —*Haw. 198.*—(*Sam. I. 29.*)
 No. plebeina. (*Haw. Pr. 18.*)
 Var. No. dentina: yellow-striped Sheers.—*Haw. l. c.* (*Wien. V. 82.*)
 —*Fabr. iii. b. 69.*—*Hüb. No. 87. f. 408.*—*Haw. 198.*—
 (*Sam. I. 29.*)
 No. nana. *Esper. iv. pl. cxxvii. f. 2, 3.*
6206. [12; leucostigma*.]
 No. leucostigma: the pale Sheers. *Haw. 198.*—(*Sam. I. 29.*)
6207. 13, ochracea*. *Steph. Ill. (H.) ii. pl. 23. f. 3.*
 No. ochracea: the tawny Sheers. *Haw. 199.*—(*Sam. I. 29.*)
 Ha. peregrina. *Och. Tr. v. a. 330?*
 Polia ochracea. (*Curtis. vi. folio 248.*)
6208. 14; Lithorhiza*: the early Grey.—*Haw. l. c.*
 No. Lithorhiza. *Bork. E. S. iv. 339.*
 No. areola. *Esper. iv. pl. cxli. f. 4.*

- No. operosa. *Hüb.* No. pl. 88. f. 398.—*Haw.* 185.—(*Sam. I.* 29.)
- b. Vide *Haw.* 195.—(Noct.-clathratae.)—**HELIOPHOBUS p.**, *Boisd.*
6209. 15; Cucubali*: the Campion.—*Haw. l. c.* (*Och. iv.* 71.)—*Och. Tr. v. a.* 311.
- No. Cucubali. (*Wien. V.* 84.)—*Hüb.* No. pl. 12. f. 56.—*Haw.* 196.—(*Sam. I.* 29.)
- No. rivularis. *Fabr.* iii. b. 101.
- No. triangularis. *Thunb. J. S.* 3. fig. sup. dext.
6210. 16; Capsincola*: the Lychnis.—*Haw. l. c.* (*Och. iv.* 72.)—*Och. Tr. v. a.* 308.
- No. Capsincola. (*Wien. V.* 84.)—*Hüb.* No. pl. 12. f. 57.—*Haw.* 196.—(*Sam. I.* 29.)
- No. Capsinolina. (*Haw. Pr. App.* 3.)
- No. bicruris. *Berl. M.* (*Hufnagle.*) iii. 302.
6211. 17; Saponariæ*. *Och. Tr. v. a.* 303.
- No. Saponariæ. *Bork. E. S.* iv. 370.
- No. typica: (Saponariæ.) *Hüb.* No. pl. 12. f. 58.
- No. calcatrippe. *Vieweg. T. V.* ii. 71.
- Ph. No. reticulata. *Villers E.* ii. 254.
- No. marginosa: the bordered Gothic. *Haw.* 195.—(*Sam. I.* 29.)
- No. typicoidina. (*Haw. Pr.* 17.)
- Genus 107:** (890). **HELIOPHOBUS**, *Boisduval*.
- HADENA p.**, *Schrunk*.—**BOMBYX p.**, *Fabr.*.—**DAINEA mihi** (*olim.*)
6212. 1; Popularis*.
- Bo. Popularis. *Fabr.* iii. a. 484.
- Bo. Popularius. (*Haw. Pr.* 9.)
- No. Popularis: feathered Gothic M. *Haw.* 117 & 226.—(*Sam. I.* 30.)
- No. Graminis. (*Wien. V.* 82.)—*Hüb.* No. pl. 12. f. 59.
- No. Lolii. *Esper.* iii. pl. xlvi. f. 1–5.
- Ph. typicoides. *Don. xv. i. pl.* 505.
6213. 2, leucophæus. *Steph. Ill. (H.)* ii. pl. 24. f. 1.
- No. leucophæa. (*Wien. V.* 82.)—*Hüb.* No. pl. 17. f. 80.
- Bo. fulminea. *Fabr.* iii. a. 484.
- † ♂ Bo. vestigialis. *Esper.* iii. pl. liii. f. 4, 5.
- ♀, Bo. raviga. *Esper.* iv. pl. cxlv. f. 1.
- Genus 108:** (891). **MAMESTRA**, (*Och.*,) *Treit.*
- MAMESTRIA**, (*Samou.*)
6214. 1; furva*. (*Och. iv.* 77.)—*Och. Tr. v. b.* 154.
- No. furvina. (*Haw. Pr.* 19.)
- No. furva. (*Wien. V.* 81.)—*Hüb.* No. pl. 87. f. 407.

6215. 2; Pisi*. (*Och.* iv. 76.)—*Och. Tr.* v. b. 128.
 Ph. No. Pisi. *Linn.* ii. 854.—*Berk. S.* i. 143.—*Don.* ii. *pl.* 52.
 —*Stew.* ii. 192.—*Turt.* iii. 323.
 No. Pisina. (*Haw. Pr.* 15.)
 No. Pisi. *Hüb. No. pl.* 91. *f.* 429.—*Haw.* 193.—(*Leach E. E.*
 ix. 134.)—(*Sam. I.* 30.)
 The Broom M.: Ph. Pisi. (*Wilkes.* 4. *pl.* vii.)
Albin. pl. xxxii. *f.* 51. *c-f.*
 Favourite or Broom M. *Harr. V. M.* 25.
6216. 3, splendens. (*Och.* iv. 76?)—*Och. Tr.* v. b. 131?
 No. splendens. *Hüb. No. pl.* 85. *f.* 400. ♀?
6217. 4; oleracea*. (*Och.* iv. 77.)—*Och. Tr.* v. b. 132.
 Ph. No. oleracea. *Linn.* ii. 853.—*Berk. S.* i. 142.—*Stew.* ii.
 191.—*Turt.* iii. 328.
 No. oleracina: Bright-line Brown-eye. (*Haw. Pr.* 15.)
 No. oleracea. *Hüb. No. pl.* 18. *f.* 87.—*Haw.* 193.—(*Sam. I.*
 29.)
 Ph. No. monstrosa. *Villers E.* ii. 248.
Albin. pl. xxvii. *f.* 40. *a-d.*
 White-line brown Eye. *Harr. V. M.* 21.
6218. 5: Suasa*. (*Och.* iv. 77.)
 No. Suasa. (*Wien. V.* 83.)—*Hüb. No. pl.* 91. *f.* 426. ♀.
 No. dissimilis. *Vieweg. T. V.* ii. 65.
 No. W. Latinum var. *Esper.* iv. *pl.* cxxxvi. *f.* 3.
 No. Leucographa. *Esper.* iv. *pl.* cl. *f.* 3.
 No. dens-canis: the Dog's tooth. *Haw.* 190.—(*Sam. I.* 29.)
6219. 6: nigricans*. *Steph. Ill. (H.)* ii. *pl.* 24. *f.* 2.
 No. nigricans. *Vieweg. T. V.* ii. 66?
 No. abjecta. *Hüb. No. pl.* 116. *f.* 539?
6220. 7; Brassicæ*. (*Och.* iv. 77.)—*Och. Tr.* v. b. 150.
 Ph. No. Brassicæ. *Linn.* ii. 852.—*Stew.* ii. 184.—*Turt.* iii. 300.
 No. Brassicina: Cabbage M. (*Haw. Pr.* 18.)
 No. Brassicæ. *Hüb. No. pl.* 18. *f.* 88.—*Haw.* 191.—(*Sam. I.*
 29.)—(*Kirby & Sp. I. E.* i. 29.)
Albin. pl. xxviii. *f.* 42, 43. *a-e.*—*Id. pl.* xxix. *f.* 45. *c-h.*—*Id.*
pl. lxxvii. *f.* *a-d.*—*Id. lxxviii. f.* *a-d.*
 Old Gentlewoman. *Harr. V. M.* 27.
- 6221 † [8, albidilinea*.]
 No. albidilinea: White-line Black. *Haw.* 191.
 In Mus. *D. Hatchett.*
6222. 9, albicolon. *Och. Tr.* v. b. 147.—*Steph. Ill. (H.)* ii.
pl. 24. *f.* 3.
 No. albicolon. *Hüb. No. pl.* 117. *f.* 542, 543.
6223. 10; Aliena*. (*Och.* iv. 77.)—*Och. Tr.* v. b. 139.

- No. Alienæ. *Hüb.* No. pl. 94. f. 441.
 No. contigua: large Nutmeg. *Haw.* 192.—(Sam. I. 29.)
 6224. 11; Chenopodii*. (*Och.* iv. 77.)—*Och.* Tr. v. b. 144.
 No. Chenopodii. (*Wien.* V. 82.)—*Fabr.* iii. b. 68.—*Hüb.* No. pl. 18. f. 86.—*Haw.* 192.—(Sam. I. 29.)
 No. Chenopodina: Nutmeg. (*Haw.* Pr. App. 3.)
 No. infraina. (*Haw.* Pr. 18.)
 Ph. No. Chenopodii. *Stew.* ii. 184.
Albin. pl. xxix. f. 44. e-d.
 Small old Gentlewoman. *Harr.* V. M. 27.
 6225. 12; Persicariæ*. (*Och.* iv. 77.)—*Och.* Tr. v. b. 156.
 Ph. No. Persicariæ. *Linn.* ii. 847.—*Don.* ix. 63. pl. 317.—*Turt.* iii. 333.
 No. Persicarina. (*Haw.* Pr. 17.)
 No. Persicariæ. *Hüb.* No. pl. 13. f. 64.—*Haw.* 191.—(Sam. I. 30.)
 Ph. Sambuci. *Berl. M.* (*Hufn.*) iii. 308.
Albin. pl. lxxvii. f. a-d.
 Dot M. *Harr. A.* pl. 24. f. a-e.—*Harr. V. M.* 21.

Genus 109: (892). EUPLEXIA *mihi*.

HADENA D., *Och.*—PHILOGOPHORA B., *Treit.*

6226. 1; lucipara*.
 Ph. No. lucipara. *Linn.* ii. 857.—*Don.* vii. pl. 230. f. 2.—*Stew.* ii. 193.—*Turt.* iii. 328.
 No. luciparina. (*Haw.* Pr. 19.)
 No. lucipara. *Hüb.* No. pl. ii. f. 55.—*Haw.* 210.—(Sam. I. 29.)
 Bo. flavomacula. *Fabr.* M. ii. 117.
 Ph. dubia. *Berl. M.* (*Hufnagle.*) iii. 404.
 Small angleshades or Chevalier. *Harr.* V. M. 43.

Genus 110: (893). HAMA *mihi*.

APAMEA C. p, (*Och.*)—APAMEA p, (*Samou.*)—LUPERNIA, *Boisd.*
 6227. 1; basilinea*.

- No. basilinea. (*Wien.* V. 78.)—*Fabr.* iii. b. 125.—*Hüb.* No. pl. 91. f. 427.—*Haw.* 194.—(Sam. I. 28.)
 No. basilineina: rustic Shoulder Knot. (*Haw.* Pr. 18.)
 No. nebulosa. *Vieweg.* T. V. pl. 1. f. 6.

6228. 2; testacea*.
 No. testacea. *Hüb.* No. pl. 29. f. 139. ♂.
 No. lunatostrigata: lesser flounced Rustic. *Haw.* 194.—(Sam. I. 29.)
 Var. No. unca: flounced Rustic. *Haw.* 194.—(Sam. I. 30.)
 Var. No. X. notata: tawny X. *Haw.* 194.—(Sam. I. 30.)
 6229 † 3, connexa.

Ap. connexa. (*Och.* iv. 76?)

No. connexa. *Bork. E. S.* iv. 360.

No. Elota. *Hüb. No. pl.* 98. *f.* 462.

No. pabuliticola. *Scriba. B.* iii. 259. *pl.* xviii. *f.* 3.

In Mus. D. Haworth?

Genus 111: (894). APAMEA, (*Och.,*) Treit.

GORTYNA *p.*, Treit.

6230. 1; fibrosa*. (*Och.* iv. 75.)

No. fibrosa. *Hüb. No. pl.* 82. *f.* 385.

No. lunina: the Crescent. (*Haw. Pr.* 19.)—*Haw.* 209.—(*Sam. I.* 19.)

Go. leucostigma. *Och. Tr.* v. b. 331.

β , No. leucostigma. *Hüb. No. pl.* 80. *f.* 375.

6231. 2; nictitans*. (*Och.* iv. 75.)—*Och. Tr.* v. b. 82.

Ph. No. nictitans. *Linn.* ii. 847.

No. nictitina: Golden ear. (*Haw. Pr.* 18.)

No. chrysographa. (*Wien. V.* 313.)—*Hüb. No. pl.* 46. *f.* 221.

No. auricula. *Haw.* 240.—(*Sam. I.* 28.)

Ph. auricula. *Don.* xii. 5. *pl.* 397. *f.* 3.

No. cinerago. *Fabr. Sup.* 445.

Ear M. *Harr. V. M.* 21.

β ; No. erythrostigma: red Dot. *Haw.* 240.—(*Sam. I.* 29.)

6232. 3; didyma*. (*Och.* iv. 75.)—*Och. Tr.* v. b. 86.

No. nictitans. *Esper. iv. pl.* cxxvi. *f.* 6.

No. lugensina. (*Haw. Pr.* 18.)

No. lugens: rustic Mourner. *Marsh. MSS.*—*Haw.* 212.—(*Sam. I.* 29.)

6233. 4; secalina*: Small clouded Brindle.—*Haw. l. c.*

No. secalina. *Hüb. No. pl.* 89. *f.* 420.—*Haw.* 210.—(*Sam. I.* 30.)

No. leucostigma. *Esper. iv. pl.* clix. *f.* 7.

No. Lambda. *Vieweg. T. V.* ii. 82.

6234 † 5. unanimis. (*Och.* iv. 75.)

No. unanimis. *Hüb. No. pl.* 120. *f.* 556? In Mus. D. Dale.

6235. 6; oculæa*.

Ph. No. oculæa. *Linn. F.* No. 1215.

Ph. No. nictitans. *Villers E.* ii. 220.

No. Phœbe. *Marsh. MSS.*

No. Phœbina. (*Haw. Pr.* 18.)

No. oculæa: common Rustic. *Haw.* 211.—(*Sam. I.* 29.)

Ap. didyma var. *Och. Tr.* v. b. 86.

6236. 7; I-niger*.

No. I-niger: Letter I. *Haw.* 211.—(*Sam. I.* 29.)

Ap. didyma var. *Och. Tr.* v. b. 86.

6237. 8; rava*.

No. rava: the Russet. *Haw.* 209.—(*Sam.* I. 30.)

No. didyma. *Esper.* iv. *pl.* cxxvi. *f.* 7.

Ap. didyma var. *Och. Tr.* v. *b.* 86.

β; No. furcina: the Flame Furbelow. (*Haw. Pr.* 19.)

No. furca. *Marsh. MSS.*—*Haw.* 209.—(*Sam.* I. 29.)

6238. 9; ophiogramma*. (*Och. iv.* 75.)—*Och. Tr.* v. *b.* 91.

No. ophiogramma. *Esper.* iv. *pl.* clxxxii. *f.* 2.—*Hüb.* No. *pl.* 76. *f.* 355.

No. bilobina: double lobed. (*Haw. Pr.* 18.)

No. biloba. *Marsh. MSS.*—*Haw.* 209.—(*Sam.* I. 28.)

Genus 112: (895). MIANA *mihi*.

APAMEA B., (*Och.*)

6239. 1; literosa*. *Steph. Ill. (H.)* iii. *pl.* 25. *f.* 1.

No. literosa: rosy Minor. *Haw.* 213.—(*Sam.* I. 29.)

6240. 2; strigilis*: Marbled Minor.—*Haw. l. c.*

Ph. No. strigilis. *Linn.* ii. 851.

No. strigalina. (*Haw. Pr.* 19.)

No. præduncula. (*Wien. V.* 89.)—*Hüb.* No. *pl.* 20. *f.* 95.—*Haw.* 213.—(*Sam.* I. 30.)

Minor beauty. *Harr. V. M.* 9.

β; No. strigilis. *Haw.* 214.—(*Sam.* I. 30.)

6241. 3; latruncula*: tawny Marbled Minor.—*Haw. l. c.*

No. latruncula. *Hüb. pl.* 20. *f.* 94.—*Haw.* 214.—(*Sam.* I. 29.)

No. ærata. *Esper.* iv. *pl.* cxlvii. *f.* 4.

6242. [4; Æthiops*.]

No. Æthiops: the Blackamoor. *Haw.* 215.—(*Sam.* I. 28.)

No. ærata var. *Esper.* iv. *pl.* cxlvii. *f.* 6.

6243. 5; humeralis*.

No. humeralis: the cloaked Minor. *Haw.* 215.—(*Sam.* I. 29.)

No. furuncula. *Hüb. No. pl.* 117. *f.* 545?

No. bicoloria. *Bork. E. S.* iv. 190?

6244. [6; terminalis*.]

No. terminalis: the flounced Minor. *Haw.* 215.—(*Sam.* I. 30.)

No. ærata var. *Esper.* iv. *pl.* cxlvii. *f.* 5.

Ap. suffuruncula. (*Och. iv.* 76?)

6245. 7, rufuncula.

No. rufuncula: plain red Minor. *Haw.* 216.—(*Sam.* I. 30.)

6246. 8; fasciuncula*.

No. fasciuncula: middle-barred Minor. *Haw.* 215.—(*Sam.* I. 29.)

6247 † 9, minima*.

No. minima: least Minor. (*Haw. Pr.* 19.)—*Haw.* 216.—(*Sam.* I. 29.) In Mus. D. Bentley, Chant et Haicorth.

Genus 113: (896). CELÆNA mihi.

APAMEA p, Och.?

6248. 1; renigera mihi. Steph. Ill. (H.) iii. pl. 25. f. 2.
 6249. 2; leucographa. Steph. Ill. (H.) iii. pl. 25. f. 3.
 No. leueographa. (Wien. V. 83?)—Hüb. No. pl. 88. f. 411?
 pl. 124. f. 572?
 6250. 3; Lancea?
 No. Lancea. Esper. iv. pl. clxvi. f. 7?
 6251. [4, hibernica.] Haworth MSS.

Genus 114: (897). SCOTOPHILA mihi.

TRACHEA C. p, (Och.,) Treit.—ACHATIÆ p, (Hübn.)—ILARUS p,
 Boisd.

6252. 1; porphyrea*.
 No. porphyrea. (Wien. V. 83.)—Hüb. No. pl. 19. f. 93. ♀.
 pl. 100. f. 473. ♂.
 No. picta. Fabr. iii. b. 91.
 No. concinna. Esper. iv. pl. clii. f. 1.
 No. lepida. Esper. iv. pl. clii. f. 2.
 No. birivia. Bork. E. S. iv. 206.
 Ph. No. varia. Villers E. ii. 276.
 No. Ericæ. Marsh. MSS.—Don. x. 93. pl. 360. f. 1.—Haw.
 224.—(Sam. I. 29.)
 No. Ericina. (Haw. Pr. 18.)
 True lover's knot. Harr. Ex. 22. pl. v. f. 5.—Harr. V. M. 33.

Genus 115: (898). ACHATIA.

TRACHEA C. p, Treit.—ACHATIÆ p, Hübn.—ACIATEA, Curtis.
 —ILARUS p, Boisd.

6253. 1; piniperda*.
 No. piniperda. Naturf. (Kob.) xxi. 27. pl. 2.—Esper. iv.
 pl. cxxv. f. 1–6.
 Bo. spreta. Fabr. iii. a. 455.
 Ac. spreta. Curtis. iii. pl. 117.
 Ph. No. Pini. Villers E. ii. 278.
 No. flammea. Fabr. iii. b. 248.—Hüb. No. pl. 101. f. 476.
 β, No. ochroleuca. Hüb. No. pl. 39. f. 91.

Genus 116: (899). ACTEBIA mihi.

TRACHEA B., (Och.,) (Samou.,) Treit.

6254. 1, præcox *?
 Ph. No. præcox. Linn. ii. 854.—Don. vi. 79. pl. 213.—
 Stew. ii. 192.—Turt. iii. 327.
 No. præcocina. (Haw. Pr. 15.)
 No. præcox: Portland M. Haw. 201.—(Sam. I. 30.)
 No. præcps. Hüb. No. pl. 15. f. 70.

Genus 117: (900). TRACIEA, (*Och.,*) (*Samou.,*) *Treit.*

6255. 1, Atriplicis. *Och. Tr. v. b.* 66.

Ph. No. Atriplicis. *Linn. ii.* 854.—*Berk. S. i.* 143.—*Don. viii.*

25. pl. 262. f. 1.—*Stew. ii.* 192.—*Turt. iii.* 325.

No. Atriplicina. (*Haw. Pr. 14.*)

No. Atriplicis. *Hüb. No. pl. 17. f. 63.*—*Haw. 196.*—(*Sam. I.* 28.)

Wild Arrach M.: Ph. Atriplicis. (*Wilkes. 3. pl. 2.*)—*Harr. V. M.* 9.

Genus 118: (901). VALERIA, (*Germar.*)

MISELIA p, *Hübner.*—BOMBYX p, *Fabr.*—POLIA p, *Boisd.*

6256. 1, oleagina *. (*Ing. Inst. 91.*)

Bo. oleagina. (*Wien. V. 59.*)—*Fabr. iii. a.* 440.

Bo. oleaginus: the Green-brindled Dot. (*Haw. Pr. 9.*)

No. oleagina. *Hüb. No. pl. 7. f. 33.*—*Haw. 120 & 202.*

Ph. oleagina. *Sowerb. B. M. i. pl. 37.*—*Don. xiii. 13. pl. 439.*

Genus 119: (902). MISELIA, (*Och.,*) *Treit.*, *Curtis.*

MISELIA p, *Hüb.*—POLIA p, *Boisd.*

6257 † 1, bimaculosa. (*Och. iv. 73.*)—*Och. Tr. v. a.* 408.—(*Ing. Inst. 91.*)—*Curtis. iv. pl. 177.*

Ph. No. bimaculosa. *Linn. ii.* 856.

No. bimaculosa. *Hüb. No. pl. 7. f. 32.* ♂.

No. bimaculosa Italica. *Esper. iv. pl. clvii. f. 5.* In *Mus. Brit.*

6258. 2; Oxyacanthæ *. (*Och. iv. 73.*)—*Och. Tr. v. a.* 405.—(*Curtis l. c. supra.*)

Ph. No. Oxyacanthæ. *Linn. ii.* 852.—*Berk. S. i.* 142.—*Don. v. 75. pl. 165.*—*Stew. ii.* 191.—*Turt. iii.* 324.

No. Oxyacanthina: Green-brindled Crescent. (*Haw. Pr. 16.*)

No. Oxyacanthæ. *Hüb. No. pl. 7. f. 31.*—*Haw. 201.*—(*Sam. I.* 29.)

Ealing's Glory: Ph. Oxyacanthæ. (*Wilkes. 12. pl. 27.*)—*Harr. A. pl. 43. f. d-f.*—*Harr. V. M. 27.*

Pa. No. 23. *List. Göed. (Augl.) 32. f. 23.*—*Id. (Lat.) 67. f. 23.* *Albin. pl. xiv. f. 19. a-d.*

6259. 3; Aprilina *. (*Och. iv. 73.*)—*Och. Tr. v. a.* 411.—(*Curtis l. c. supra.*)

Ph. No. Aprilina. *Linn. ii.* 347.—*Stew. ii.* 188.—*Turt. iii.* 329.

No. Aprilina major. *Berl. M. (Hufnagle.) iii.* 422.

No. Aprilina. (*Haw. Pr. 15.*)—*Haw. 200.*—(*Sam. I.* 28.)

No. runica. (*Wien. V. 70.*)—*Fabr. iii. b.* 102.—*Hüb. No. pl. 15. f. 71.*

Ph. runica. *Don. x. 75. pl. 354. f. 1.*

Marvel du Jour. *Harr. V. M.* 19.

6260. 4; *compta**. (*Och.* iv. 72.)—(*Curtis l. c. supra.*)
 No. *compta*. (*Wien. V.* 70.)—*Fabr.* iii. b. 95.—*Hüb.* No.
pl. 11. *f.* 53.—*Haw.* 179.—(*Sam. I.* 29.)
 No. *variegatina*: the Marbled Coronet. (*Haw. Pr.* 17.)
 Ph. No. *transversalis*. *Villers E.* ii. 281.
 Mi. *comta*. *Och. Tr. v. a.* 389.
 β; Ph. No. X-scriptum. *Sowerb. B. M. i. pl.* 55.
- 6261 † 5, *albimacula**. *Och. Tr. v. a.* 391.
 No. *albimacula*. *Bork. E. S.* iv. 149.
 No. *concinna*: (*conserta*). *Hüb. No. pl.* 11. *f.* 51.
 No. *compta*. *Esper. No. iv. pl.* cxvii. *A. f.*
 Mi. *concinna*. (*Och. iv. 72.*)—(*Curtis l. c. supra.*)
 In *Mus. Brit.*
- Genus 120: (903). POLIA, (*Hübn.*,) (*Samou.*,) *Treit.*, *Curtis.*
 AGROTIS *p.*, *Och.*
6262. 1; *advena**. (*Och. iv. 74.*)—*Och. Tr. v. b.* 39.—(*Curtis l. c. infra.*)
 No. *advena*. (*Wien. V.* 77.)—*Hüb. No. pl.* 17. *f.* 81.—
Haw. 187.—(*Sam. I.* 28.)
 No. *celata*. *Marsh. MSS.*
 No. *celatina*: pale-shining brown. (*Haw. Pr.* 17.)
6263. [2, *nitens**.] (*Curtis l. c. infra.*)
 No. *nitensina*. (*Haw. Pr.* 17.)
 No. *nitensina*: tawny and silver M. *Haw.* 188.
6264. 3; *bimaculosa**.
 No. *bimaculosa*. *Esper. iv. pl.* cxxxii. *f.* 1, 2.
 No. *Thapsi*. *Bork. E. S.* iv. 567.
 No. *plebeia*: (*nebulosa*). *Hüb. No. pl.* 16. *f.* 78.
 Ph. No. *grandis*: grey Arches. *Don. x.* 52. *pl.* 341. *f.* 1.
 No. *grandina*. (*Haw. Pr.* 17.)
 No. *grandis*. *Haw.* 185.—(*Sam. I.* 29.)
 Po. *nebulosa*. (*Och. iv. 74.*)—*Och. Tr. v. b.* 48.—(*Curtis l. c. infra.*)
 No. *polyodon*. *Fabr.* iii. b. 114?
 Grey Arches. (*Harr. V. M.* 9.)
6265. 4, *occulta**. (*Och. iv. 74.*)—*Och. Tr. v. b.* 52.—*Curtis.* vi.
pl. 248.
 Ph. No. *occulta*. *Linn. ii.* 849.
 No. *occultina*: great Brocade. (*Haw. Pr. App.* 3.)
 No. *occulta*. *Hüb. No. pl.* 17. *f.* 79.—*Haw.* 186.
 No. *occulata*. (*Sam. I.* 29.)
6266. 5; *tincta**. (*Och. iv. 74.*)—*Och. Tr. v. b.* 43.—(*Curtis l. c. supra.*)
 No. *tincta*. *Brahm. I. K.* ii. 395.
 No. *trimaculosa*. *Esper. iv. pl.* cxxxii. *f.* 5.

No. advena. *Vieweg. T. V.* ii. 55.

No. hepatica: (tincta). *Hüb. No. pl. 16.* f. 77.

No. argentina: silvery Arches M. *Haw. 186.*—(Sam. I. 28.)

No. occulta. *Fabr. iii. b.* 88?

6267. 6; Herbida*. (*Och. iv. 74.*)—*Och. Tr. v. b. 56.*—(*Curtis l. c. supra.*)

No. Herbida. (*Wien. V. 313.*)—*Hüb. No. pl. 16.* f. 76.

No. mixtina. (*Haw. Pr. 17.*)

No. mixta: green Arches M. *Haw. 187.*

No. Ligustrina. (*Haw. Pr. 15.*)

No. Prasina. (*Wien. V. 82.*)—*Fabr. iii. b. 95.*

No. Egregia. *Esper. iv. pl. cxix.* f. 7.

No. Jaspidea. *Bork. E. S. iv.* 438.

6268 † 7, Templi. *Och. Tr. v. b. 23.*—*Steph. Ill. (H.)* iii. pl. 26. f. 1.

No. Templi. *Thunb. I. S. iv.* 56. pl. 4. fig. sup. dext.

Ag. Templi. (*Och. iv. 67.*)—(*Ing. Inst. 90.*)

In Mus. *D. Curtis, Stone et Wilmor.*

6269 † 8, Polymita. (*Och. iv. 73.*)—*Och. Tr. v. b. 24.*—*Steph. Ill.*

(*H.*) iii. pl. 26. f. 2.

Ph. No. Polymita. *Linn. ii.* 855.—*Stcw. ii.* 184.

No. ridens: (Polymita). *Hüb. No. pl. 4.* f. 20.

No. seladonia. *Fabr. iii. b. 103?* In Mus. *D. Vigors.*

6270. 9; flavocincta*. (*Och. iv. 74.*)—*Och. Tr. v. b. 27.*—

(*Curtis l. c. supra.*)

No. flavocincta. (*Wien. V. 72.*)—*Fabr. iii. b. 114.*—*Don. x.*
23. pl. 334.—*Haw. 182.*—(*Sam. I. 29.*)

No. flavocinctina: large Ranunculus M. (*Haw. Pr. 17.*)

Ph. No. tricolor. *Villers E. ii.* 282.

No. flavigincta major. *Esper. iv. pl. cliii.* f. 1–3.

No. dysodea. *Bork. E. S. iv.* 262.

Ranunculus M. (*Wilkes. 7. pl. 14.* fig. sup.)—*Harr. V. M. 41.*

6271. 10; dysodea*. (*Och. iv. 73.*)—*Och. Tr. v. b. 16.*—(*Curtis l. c. supra.*)

No. dysodea. (*Wien. V. 72.*)—*Hüb. No. pl. 10.* f. 47. mala.

No. ranunculina. (*Haw. Pr. 17.*)—*Haw. 183.*—(*Sam. I. 30.*)

No. chrysozona. *Bork. E. S. iv.* 264.

No. flavigincta minor. *Esper. iv. pl. cliii.* f. 6, 7.

No. Spinaciæ. *Vieweg. T. V.* ii. 70.

Ph. No. ornata. *Villers E. ii.* 280.

Ranunculus M. (*Wilkes. 7. pl. 14.* fig. inf.)

6272. 11; serena*. (*Och. iv. 73.*)—*Och. Tr. v. b. 12.*—(*Curtis l. c. supra.*)

No. serena. (*Wien. V. 84.*)—*Fabr. iii. b. 101.*—*Hüb. No. pl. 11.* f. 54.—*Haw. 184.*—(*Sam. I. 30.*)

No. bicolor. *Naturforscher. ix.* 137.

No. bicolorata. *Berl. M. (Hufn.)* iii. 410.

Ph. No. Par. *Don. x. 32. pl. 338. f. 3.*

No. parina: broad-barred White. (*Haw. Pr. 18.*)
Harris Ex. 19. pl. iv. f. 8.

6273. 12; seladonia*.

No. seladonia: brindled Green. *Haw. 199.—(Sam. I. 30.)*

No. virensina. (*Haw. Pr. 15.*)

Ph. virescens. *DeGeer. ii. pl. 16. f. 24?*

6274. 13, Chi. (*Och. iv. 74.*)—*Och. Tr. v. b. 9.*

Ph. No. Chi. *Linn. ii. 846.—Stew. ii. 188.—Turt. iii. 331.*

No. Chiina: the July Chi. (*Haw. Pr. 17.*)

No. Chi. *Hüb. No. pl. 10. f. 49.—Don. xii. 35. pl. 406.—Haw. 183.—Ent. Trans. (Haworth.) i. 242.—(Sam. I. 29.)*
Albin. pl. lxxxiii. f. C, D.

Genus 121: (904.) APATELA.

APATELÆ p, Hübner.—ACRONICTA p, Och.—ACRONYCTA p, Curtis, fo. 136.—BOMBYX p, Fuesly.

6275. 1; Leporina*: the Miller.—*Haw. l. c.*

Ph. No. Leporina. *Linn. ii. 838.—Don. x. 7. pl. 327. f. 1.*

No. Leporina. *Hüb. No. pl. 3. f. 15.—(Haw. Pr. 17.)—Haw. 182.—(Sam. I. 29.)*

No. Bradyporina. *Hüb. No. pl. 124. f. 570. ♂.; f. 571. ♀.*
Ac. Leporina. (*Curtis l. c. supra.*)

6276. 2; Bradyporina*. *Steph. Ill. (H.)* iii. pl. 26. f. 3.

Ac. Bradyporina. *Och. Tr. v. a. 9.—(Curtis l. c. supra.)*

Bo. Leporina. *Fuesly. M. ii. 16. pl. 1.—Turt. iii. 215.*

No. Leporina. *Hüb. No. pl. 4. f. 16.*

6277. 3; Aceris*.

Ph. No. Aceris. *Linn. ii. 846.—Berk. S. i. 141.—Don. x. 15. pl. 330.—Stew. ii. 188.—Turt. iii. 331.*

No. Acerina. (*Haw. Pr. 17.*)

No. Aceris. *Hüb. No. pl. 3. f. 13.—Haw. 176.—(Sam. I. 23.)*
—(*Kirby & Sp. I. E. iii. 173.*)

Ac. Aceris. (*Och. iv. 62.*)—*Id. v. a. 11.—(Curtis l. c. supra.)*
Albin. pl. lxxxiii. f. a-d.

Sycamore Tussock M.: Ph. Aceris. (*Wilkes. 32. pl. 67.*)

Sycamore M. *Harr. V. M. 47.*

β; No. infuscata: dark Sycamore. *Haw. 177.—(Sam. I. 29.)*

No. Aceris. *Hüb. No. pl. 3. f. 14.*

Genus 122: (905). ACRONYCTA, Och., Tr., Curtis.

APATELA p, Hübner.—ACRONICTA, (Och.)

6278. 1; megacephala*: Poplar Grey.—*Haw. l. c. (Och. iv. 62.)—Och. Tr. v. a. 11.—(Curtis l. c. infra.)*

No. megacephala. (*Wien. V. 67.*)—*Hüb. No. pl. 2. f. 10. pl. 3. f. 11.—Haw. 177.—(Sam. I. 29.)*

No. macrocephala. *Villers E.* ii. 175.

No. areaina. (*Haw. Pr.* 17?)

Sycamore Likeness. *Harr. V. M.* 47.

6279. 2: Ligustri*. *Och. Tr.* v. a. 20.—(*Curtis l. c. infra.*)
 No. Ligustri. (*Wien. V.* 70.)—*Fabr.* iii. b. 102.—*Hüb. No. pl. 5.f.* 21.—*Haw.* 178.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 29.)
 No. Coronina: the Coronet. (*Haw. Pr.* 17.)
 The Crown M. (*Harr. V. M.* 19?)
 β , No. Coronula: the dark Coronet. *Haw.* 179.—(*Sam. I.* 29.)
 No. Coronulina. (*Haw. Pr.* 17.)
6280. 3, Alni. (*Och. iv.* 62.)—*Och. Tr.* v. a. 16.—(*Curtis l. c. infra.*)
 Ph. No. Alni. *Linn.* ii. 845.—*Turt.* iii. 322.—*Don.* x. 8.
pl. 327.f. 2.
 No. Alnina: the Alder. (*Haw. Pr.* 17.)
 No. Alni. *Hüb. No. pl. 1.f.* 3.—*Haw.* 180.—(*Sam. I.* 28.)
 No. degener. (*Wien. V.* 70.)
- 6281 † 4, strigosa. *Och. Tr.* v. a. 23.
 No. strigosa. (*Wien. V.* 88.)—*Fabr.* iii. b. 32.
 No. favillacea: (strigosa.) *Hüb. No. pl. 1.f.* 2.
 In Mus. D. Haworth.
6282. 5; Psi*. (*Och. iv.* 62.)—*Och. Tr.* v. a. 30.—(*Curtis l. c. infra.*)
 Pl. No. Psi. *Linn.* ii. 846.—*Berk. S.* i. 141.—*Don.* iv.
pl. 133.—*Stew.* ii. 187.—*Turt.* iii. 330.
 No. Psiina. (*Haw. Pr.* 17.)
 No. Psi. *Haw.* 181.—(*Sam. I.* 30.)—(*Kirby & Sp. I. E.* iii.
 263.)
 No. tridens. *Hüb. No. pl. 1.f.* 4.
Albin. pl. lxxxvi.f.
 Dagger M.: Ph. Psi. (*Wilkes.* 28. *pl. 60.*)
 Grey Dagger. *Harr. A. pl. 15.*—*Harr. V. M.* 19.
6283. 6; tridens*. (*Och. iv.* 62.)—*Id.* v. a. 26.—(*Curtis l. c. infra.*)
 No. tridens. (*Wien. V.* 67.)—*Fabr.* iii. b. 105.—*Haw.* 181.—
 (*Sam. I.* 30.)
 No. Psi. *Hüb. No. pl. 1.f.* 5.
Albin. pl. lxxxvi.f.
 Dark Dagger. *Harr. V. M.* 19.
- 6284 † 7, cuspis?* *Och. Tr.* v. a. 32?
 No. cuspis. *Hüb. No. pl. 108.f.* 504? In Mus. D. Hatchett.
6285. 8; auricoma*: the Scarce Dagger.—*Haw. l. c.* (*Och. iv.* 62.)—*Och. Tr.* v. a. 35.—(*Curtis l. c. infra.*)

- No. auricoma. (*Wien. V. 67.*)—*Fabr.* iii. b. 106.—*Hüb.* No. pl. 2. f. 8.—*Haw.* 180.—(*Sam. I. 28.*)
No. Pepli. *Hüb.* No. pl. 134. f. 614. ♂. teste Och.
6286. [9, similis*] (*Curtis l. c. infra.*)
No. similis: the scarce Knot-grass. *Haw.* 180.—(*Sam. I. 30.*)
β, No. Menyanthesdis: the light Knot-grass. *Haw.* 180.—(*Sam. I. 29.*)
6287. 10, Menyanthesdis. (*Och. iv. 62.*)—*Och. Tr. v. a. 34.*—
(*Curtis l. c. infra.*)—*Steph. Ill. (H.)* iii. pl. 27. f. 1.
No. Menyanthesdis. *Hüb.* No. pl. 2. f. 6, 7.
β? Ac. Salicis. *Curtis.* iii. pl. 136.
6288. 11; Rumicis*. (*Och. iv. 62.*)—*Och. Tr. v. a. 38.*—(*Curtis l. c. supra.*)
Ph. No. Rumicis. *Linn.* ii. 852.—*Berk. S. i.* 142.—*Don. iv.* pl. 126.—*Stew.* ii. 190.—*Turt.* iii. 335.
No. Ruminina. (*Haw. Pr. 17.*)
No. Rumicis. *Hüb.* No. pl. 2. f. 9.—*Haw.* 178.—(*Sam. I. 30.*)
Albin. pl. xxii. f. 32. e-i.
Bramble M.: Ph. Rumicis. (*Wilkes.* 26. pl. 56. imago.)
Knot-grass. *Harr. V. M.* 29.
6289. 12; Euphorbiæ*: the Spurge.—*Haw. l. c.* (*Och. iv. 62?*)
Och. Tr. v. a. 40.
No. Euphorbiæ. (*Wien. V. 67?*)—*Fabr. E. S.* iii. 103?—
Hüb. No. pl. 3. f. 12.—*Haw.* 178.—(*Sam. I. 29.*)
No. Cyparissiæ. *Hüb.* No. pl. 134. f. 615. ♀. teste Och.
6290. 13, Euphrasiæ*. (*Och. iv. 62.*)—*Och. Tr. v. a. 43.*
No. Euphorbiæ. *Esper. pl. cxvii.* f. 1-3.
No. Esulæ. *Hüb.* No. pl. 134. f. 613.
Albin. pl. lxxxviii. fig. f. larva.
- Genus 123: (906). BRYOPHILA, *Ochsenhimer.*
- JASPIDIÆ, *Hübner.*—PÆCILIA, *Schrantz*, (*Och.*,) (*Samou.*)
6291. 1; glandifera*. *Och. v. a. 58.*
No. glandifera. (*Wien. V. 70.*)—*Hüb.* No. pl. 5. f. 24.
No. Lichenes. *Fabr.* iii. b. 104.—*Haw.* 203.—(*Sam. I. 29.*)
Ph. Lichenes. *Don.* vii. pl. 223. f. 3.
Ph. No. Lichenis. *Stew.* ii. 188.—*Turt.* iii. 330.
No. Lichenina: marbled green. (*Haw. Pr. 16.*)
Bishop. *Harr. V. M.* 13.
6292. 2; perla*: marbled Beauty.—*Haw. l. c.* *Och. v. a. 61.*
No. perla. (*Wien. V. 70.*)—*Hüb.* No. pl. 5. f. 25.—*Haw.* 203.—(*Sam. I. 30.*)
No. glandifera. *Bork. E. S.* iv. 128.

Genus 124: (907.) DIPHTHERA, (*Hüb.*,) (*Och.*,) *Treit.*

6293 † 1. *ludifica*^a.

6294. 2: *runica**. (*Och.* iv. 63.)

Ph. No. *runica*. *Gmel.* iii. 2561.

No. *runica*. *Haw.* 200.—(*Sam. I.* 30.)

No. *Aprilina*. *Fabr.* iii. b. 103.—*Hüb.* No. *pl. 5.f. 22.*

Ph. No. *Aprilina*. *Don.* x. 57. *pl. 347.f. 1.*

No. *Ludificiana*. (*Haw. Pr.* 15.)

Scarce Marvel du Jour. *Harr. A.* *pl. 42.f.e.*—*Harr. V. M.* 19.

6295 [† 3, Orion.] (*Och.* iv. 63.)

No. *Orion*. *Esper. No. pl. cxvii.f. 4-7.* In Mus. Brit.

Genus 125: (908). THYATIRA, (*Och.*,) (*Samou.*,) *Treit.*, *Curtis.*

6296. 1; *derasa**. (*Och.* iv. 77.)—*Och. Tr. v. b. 165.*—(*Curtis l. c. infra.*)

Ph. No. *derasa*. *Linn.* ii. 851.—*Don. vii. 17. pl. 223.f. 1.*—*Stew.* ii. 190.—*Turt.* iii. 320.

No. *derasina*. (*Haw. Pr.* 14.)

No. *derasa*. *Hüb.* No. *pl. 14.f. 66.*—*Haw.* 244.—(*Sam. I.* 29.)

No. *Pyritoides*. *Berl. Mag.* (*Hufn.*) iii. 400.

Buff Arches. (*Wilkes D.* *pl. 6.f. 3.*)—*Harr. V. M.* 9.

6297. 2; *batis**. (*Och.* iv. 77.)—*Och. Tr. v. b. 162.*—*Curtis. ii. pl. 72.*

Ph. No. *batis*. *Linn.* ii. 836.—*Don. i. pl. 33.f. 1.*

No. *batisina*. (*Haw. Pr.* 16.)

No. *batis*. *Haw.* 245.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 28.)

Peach blossom. (*Wilkes D.* *pl. 10.f. 6.*)—*Harr. Ex.* 53. *pl. xiii.f. 3.*—*Harr. V. M.* 13.

Genus 126: (909). ERIOPUS^b, *Treit.*

^a 6293 † 1. *ludifica*. (*Och.* iv. 68.)—*Och. Tr. v. a. 50.*

Ph. No. *ludifica*. *Linn.* ii. 848.—*Turt.* iii. 329. (!)

No. *ludifica*. *Hüb.* No. *pl. 5.f. 23.*

^b Genus 126: (909). ERIOPUS, *Treit.*

LAGOPUS^a, *Latr.?*—HADENA p, *Och.*, (*Samou.*)

6298 † 1. *Pteridis*. *Och. Tr. v. a. 366.*

No. *Pteridis*. *Fabr.* iii. b. 90.—*Hüb.* No. *pl. 13.f. 65.*—(*Sam. I. 30.*) (!)

No. *manicata*. *Villers E.* ii. 275. *pl. 5.f. 22.*

No. *formosa*. *Bork. E. S.* iv. 362.

No. *Juventina*. *Cramer.* iv. *pl. 400.f. N. N.*

^a LAGORUS: Genus Avium. Vide *Gcn. Zool.* xi. 286.

Genus 127: (910). CALYPTRA, (*Ochsen.*)

PH. BOMBYX, *Linné*, &c.—CALPE *p*, *Treit.*—GONOPTERA, *Latr.*
6299. 1; Libatrix*. (*Och.* iv. 78.)

Ph. Bo. Libatrix. *Linn.* ii. 831.—*Berk.* S. i. 138.—*Don.* vi.
85. *pl.* 216.—*Stew.* ii. 158.—*Turt.* iii. 299.

Bo. Libatrus: Furbelow M. (*Haw. Pr.* 8.)

No. Libatrix. *Hüb.* No. *pl.* 93. *f.* 436.—*Haw.* 844.—(*Sam. I.*
29.)

Pa. No. 50. *List. Göed.* (*Angl.*) 40. *f.* 30.—*Id. (Lat.)* 85. *f.* 30.
Albin. *pl.* xxxii. *f.* 50. *a-c.*

Herald M. *Harr. Ex.* 10. *pl.* 1. *f. c-f.*—*Harr. V. M.* 31.

Genus 128: (911). CEROPACHA *mihi*.

TETHEA B., (*Och.*,) (*Samou.*)—CYMATOPHORA B. *p*, *Treitschke.*

A. Alæ vix elongatæ, latæ; posticæ haud abbreviatæ.

a. *Corpore gracile.*

6300. 1; fluctuosa*.

No. fluctuosa. *Hüb.* No. *pl.* 44. *f.* 212.—*Haw.* 252.—(*Sam. I.*
29.)

No. similina: Satin Carpet. (*Haw. Pr.* 14.)

6301. 2; duplaris*.

Tinea duplaris. *Linn. F.* No. 1357.

No. duplaris: Lesser Satin Carpet. *Haw.* 253.—(*Sam. I.* 29.)

No. bicolor. *Esper.* iv. *pl.* cxcvii. *f.* 4.

No. bipuncta. *Bork. E. S.* iv. 627.

No. undosa. *Hüb.* No. *pl.* 44. *f.* 211.

No. dissimilina. (*Haw. Pr.* 14.)

b. *Corpore subcrasso.*

6302. 3; diluta*.

No. diluta. (*Wien. V.* 87.)—*Fabr.* iii. *b.* 86.—*Hüb.* No.
pl. 43. *f.* 206.—*Haw.* 251.—(*Sam. I.* 29.)

No. dilutina: lesser Lutestring. (*Haw. Pr. App.* 3.)

No. octogena. *Esper.* iv. *pl.* cxxviii. *f.* 6.

Bo. undata. *Fabr.* iii. *a.* 451.

Bo. fasciculosa. *Bork. E. S.* iii. 326.

Half-mourner. *Harr. A. pl.* 35. *f. f-g.* *Harr. V. M.* 31.

6303. 4; Or*.

No. Or. (*Wien. V.* 87.)—*Fabr.* iii. *b.* 86.—*Hüb.* No. *pl.* 43.
f. 210.

No. flavigornis: Poplar Lutestring. *Haw.* 252.—(*Sam. I.* 29.)

No. octogena. *Esper.* iv. *pl.* cxxviii. *f.* 5.

No. consobrina. *Bork. E. S.* iv. 622.

No. gemina. *Linn. Trans. (Beckwith.)* ii. 4. *pl.* 1. *f.* 4–6.—
Don. x. 59. *pl.* 347. *f.* 3.—*Stew.* ii. 196.—*Turt.* iii. 324.

No. s græcum. *Villers E.* ii. 251.

6304. 5, octogesima. *Steph. Ill. (H.)* iii. *pl. 27.* *f. 2.*
 No. octogesima. *Hüb. No. pl. 43.* *f. 209?*
 No. octogena. *Esper. iv. pl. cxxviii.* *f. 4.*
 No. Or. *Bork. E. S. iv.* 620.
 B. Alæ anticæ elongatæ, angustæ; posticæ breves.
6305. 6; *flavicornis**.
Ph. No. flavicornis. Linn. ii. 856.—*Don. x.* 72. *pl. 352.* *f. 3.*
 No. *flavicornina. (Haw. Pr. 19.)*
 No. *luteicornis*: yellow horned. *Haw. 252.*
 No. *lenticornis. (Sam. I. 29.)*
6306. 7; *ridens**.
 No. *ridens. Fabr. iii. b.* 119.—*Haw. 202.*—(*Sam. I. 30.*)
 No. *ridensina*: Frosted-green. (*Haw. Pr. 15.*)
 No. *xanthoceros. Hüb. No. pl. 43.* *f. 205.*
 No. *chrysoceras. Linn. Trans. (Beckwith.) ii. 3. pl. 1.* *f. 1-3.*
 —*Stew. ii. 195.*
 No. *erythrocephala. Esper. iv. pl. cxi.* *f. 1-3.*
 No. *flavicornis. (Wien. V. 72.)*
 No. *putris. Naturforscher. viii.* 108.
- Genus 129: (912). TETHEA, (*Och.,*) (*Samou.*)
 CYMATOPHORA A., *Treit.*
6307. 1; *subtusa**. (*Och. iv. 64.*)
 No. *subtusa. (Wien. V. 88.)*—*Hüb. No. pl. 44.* *f. 213.*—
Haw. 250.—(*Sam. I. 30.*)
 No. *tenuina*: the Olive. (*Haw. Pr. 14?*)
6308. 2; *retusa**. (*Och. iv. 64.*)
Ph. No. retusa. Linn. ii. 858.
 No. *retusa. Hüb. No. pl. 44.* *f. 214.*—*Haw. 251.*—(*Sam. I. 30.*)
 No. *Capreæ. Fabr. iii. b.* 58?
Ph. No. chrysoglossa. Linn. Trans. (Beckwith.) ii. 6. pl. 1.
f. 10-11.—*Don. x.* 67. *pl. 350.* *f. 2.*—*Stew. ii. 196.*—
Turt. iii. 325.
 No. *chrysoglossina*: Double Kidney. (*Haw. Pr. 14.*)
6309. [3; *gracilis**.]
 No. *gracillina. (Haw. Pr. 14.)*
 No. *chrysoglossidina. (Haw. Pr. App. 3.)*
 No. *gracilis*: slender bodied. *Haw. 251.*—(*Sam. I. 29.*)
- Genus 130: (913). BOMBYCIA, *Hübner?*
 TETHEA B. p, *Och.*—BOMBYX p, *Esper.*—CYMATOPHORA B. p,
Treit.—BOMBYCIA p, *Hübner.*
6310. 1; *Viminalis**: Minor Shoulder Knot.—*Haw. l. c.*
 No. *Viminalis. Fabr. iii. b.* 72.
 No. *Saliceti. Bork. E. S. iv.* 632.

Bo. stricta. *Esper.* iii. *pl.* lxxxiv. *f.* 5.

No. scripta. *Hüb.* *No. pl.* 10. *f.* 50.—*Haw.* 213.—(*Sam. I.* 30.)
Bolton's Beauty. *Harr. V. M.* 17.

Genus 131: (914). CYMATOPHORA.

CYMATOPHORA A, b, *Treitschke.*

6311. 1; Oo*.

Ph. Bo. Oo. *Linn.* ii. 832.—*Berk. S. i.* 139.—*Don. v.* 107.
pl. 179.—*Stew. ii.* 156.

No. Ooina. (*Haw. Pr.* 14.)

No. ferruginago. *Hüb.* *No. pl.* 41. *f.* 95.—*Haw.* 238.—(*Sam. I.* 29.)

Scallop-winged Oak M.: Ph. Oo. (*Wilkes. 6. pl.* 11.)

Heart M. *Harr. V. M.* 31.

β; No. renata. *Fabr.* iii. *b.* 85.

No. renago: dark Heart M. *Haw.* 238.—(*Sam. I.* 30.)

Genus 132: (915). COSMIA, (*Och.,*) (*Samou.,*) *Treit.*

COSMIÆ, (*Hüb.*)

6312. 1; diffinis*. (*Och. iv.* 84.)—*Och. Tr. v. b.* 386.

Ph. No. diffinis. *Linn.* ii. 848.—*Stew. ii.* 189.—*Turt. iii.* 321.

No. diffina. (*Haw. Pr.* 16.)

No. diffinis. *Hüb.* *No. pl.* 42. *f.* 202.—*Haw.* 247.—(*Sam. I.* 29.)

White-spotted Pinion. *Harr. Ex.* 24. *pl. v. f.* 8.—*Harr. V. M.* 39.

6313. 2; affinis*. (*Och. iv.* 84.)—*Och. Tr. v. b.* 389.

Ph. No. affinis. *Linn.* ii. 848.

No. affina: lesser-spotted Pinion. (*Haw. Pr.* 16.)

No. affinis. *Hüb.* *No. pl.* 42. *f.* 201.—*Haw.* 247.—(*Sam. I.* 28.)

Albin. pl. xxxi. *f.* 49. *f.-i.*

Double-spotted Pinion. *Harr. V. M.* 29.

6314. 3: Pyralina*. (*Och. iv.* 84.)—*Och. Tr. v. b.* 392.

No. Pyralina. (*Wien. V.* 88.)—*Hüb.* *No. pl.* 42. *f.* 203.—

lunar-spotted Pinion.—*Haw.* 247.—*Ent. Trans. (Hatchett.)*

i. 327. *pl. 9. f. 1.*—(*Sam. I.* 30.)

No. corusca. *Esper. iv. pl. cxxxv. f. 4, 5.*

6315. 4; trapetzina*. (*Och. iv.* 84.)—*Och. Tr. v. b.* 383.

Ph. No. trapetzina. *Linn.* ii. 836.—*Turt. iii.* 310.

No. trapezina. (*Haw. Pr.* 15.)

No. trapetzina. *Hüb.* *No. pl.* 42. *f.* 200.—*Haw.* 246.—(*Sam. I.* 30.)

Ph. rhombica. *Berl. M. (Hufn.)* iii. 296.

Dun-bar. *Harr. A. pl. x. f. n-r.*—*Harr. V. M.* 11.

6316. 5: fulvago*. (*Och. iv.* 84.)—*Och. Tr. v. b.* 389.

No. fulvago. (*Wien. V.* 86.)—*Hüb.* *No. pl.* 41. *f.* 198, 199.

No. paleacea. *Esper.* iv. *pl.* cxxii. *f.* 3, 4.

No. gilvago. *Bork.* E. S. iv. 683.

No. angulago: angle-striped Sallow. *Ent. Trans. (Hatchett.)* i. 244. *pl. fig. sup.*—*Haw.* 239.—(*Sam. I.* 28.)

Genus 133: (916). XANTHIA, (*Hübner,*) (*Samou.,*) *Treit., Curtis.*
6317. 1; flavago*. (*Curtis l. c. infra.*)

No. flavago: pink-barred Sallow.—*Haw. l. c. Fabr.* iii. *b.* 76.
—(*Haw. Pr.* 14.)—*Haw.* 236.—(*Sam. I.* 29.)

No. togata. *Esper.* iv. *pl.* cxxiv. *f.* 1.

No. ochreago. *Bork.* E. S. iv. 671.

No. silago. *Hüb.* No. *pl.* 40. *f.* 1.

Albin. *pl.* lxviii. *f. a-d.*

6318. 2; fulvago*. (*Curtis l. c. infra.*)

Ph. No. fulvago. *Linn.* ii. 858.—*Stew.* ii. 194.—*Turt.* iii. 315.

No. fulvago. *Fabr.* iii. *b.* 73.—(*Haw. Pr.* 14.)—*Haw.* 236.—(*Sam. I.* 29.)

Ph. No. crocea. *Villers E.* ii. 279.

No. flavescens. *Esper.* iv. *pl.* cxxii. *f.* 2.

No. cerago. *Hüb.* No. *pl.* 94. *f.* 444. *pl.* 40. *f.* 190.

Ph. rubago. *Don.* x. 32. *pl.* 338. *f.* 2.

Ph. No. cerago. *Stew.* ii. 194?

Albin. *pl.* xxxiii. *f.* 52. *a-d.*

Sallow M.: Ph. citrago. (*Wilkes.* 5. *pl.* 8. *imago.*)—*Harr. V. M.* 41.

6319. [3; gilvago*]: lemon Sallow.—*Haw. l. c.*

No. gilvago. *Fabr.* iii. *b.* 76?—(*Haw. Pr.* 14.)—*Haw.* 237.—(*Sam. I.* 29.)

No. cerago. *Hüb.* No. *pl.* 94. *f.* 445.

6320. 4; aurago*: barred S.—*Haw. l. c.* (*Och.* iv. 83.)—(*Curtis l. c. infra.*)

No. aurago. (*Wien. V.* 86.)—*Fabr.* iii. *b.* 74.—*Hüb.* No. *pl.* 41. *f.* 196, 197.—(*Haw. Pr.* 14.)—*Haw.* 236.—(*Sam. I.* 28.)

No. prætexta. *Esper.* iv. *pl.* cxxiv. *f.* 2.

No. fucata. *Esper.* iv. *pl.* cxxiv. *f.* 3, 4.

No. rutilago. *Bork.* E. S. iv. 674.

6321. 5, centrago. *Curtis.* ii. *pl.* 84.

No. centrago: centre-barred Sallow. *Haw.* 236.—(*Sam. I.* 29.)

No. xerampelina. *Hüb.* No. *pl.* 90. *f.* 421. ♀.

6322. 6; citrago*: orange S.—*Haw. l. c.* (*Och.* iv. 83.)—(*Curtis l. c. supra.*)

Ph. No. citrago. *Linn.* ii. 857.—*Berk. S.* i. 143.—*Stew.* ii. 194.—*Turt.* iii. 316.

No. citrago. *Hüb.* No. *pl.* 39. *f.* 188.—(*Haw. Pr.* 14.)—*Haw.* 238.—(*Sam. I.* 29.)

No. ochreago. *Hüb. B.* ii. 1. *pl. 1. f. D.*
Sallow M. (*Wilkes. 5. pl. 8. larva.*)

6323. 7, *fimbriago mihi*.

6324. 8; *croceago* *. (*Och. iv. 83.*)—*Och. Tr. v. b.* 360.
No. *croceago*. (*Wien. V. 86.*)—*Fabr. iii. b. 73.*—(*Haw. Pr. 14.*)—*Hüb. No. pl. 40. f. 189.*—*Haw. 238.*—(*Sam. I. 29.*)
No. *fulvago*. *Esper. iv. pl. clxxxvi. f. 3, 4.*
No. *aurantiago*. *Don. v. 15. pl. 150. f. 2, 3.*—*Stew. ii. 195.*
Ph. *ferruginata*. *Turt. iii. 254?*
Albin. pl. xv. f. 22. e-h.
Orange Upperwing. *Harr. V. M. 57.*

6325. 9; *rufina* *. (*Och. iv. 83.*)—*Och. Tr. v. b.* 347.

Ph. Bo. *rufina*. *Linn. ii. 830.*
No. *rufina*. *Fabr. iii. b. 33.*—*Hüb. No. pl. 38. f. 184.* ~
No. *cataenata*. *Esper. iv. pl. cxxiii. f. 1, 2.*
No. *punica*. *Bork. E. S. iv. 300.*
No. *ferrugina*. *Marsh. MSS.*—(*Haw. Pr. 15.*)
Ph. No. *helvola*. *Linn. F. No. 1142.*
No. *helvola*: flounced Rustic. *Haw. 229.*—(*Sam. I. 29.*)
Xa. *helvola*. (*Curtis l. c. supra.*)

Genus 134: (917). GORTYNA, (*Och.*,) (*Samou.*,) *Treit.*, *Curtis.*
XANTHIA p, (*Samou.*)

6326. 1; *micacea* *: Rosy Rustic.—*Haw. l. c.* (*Och. iv. 83.*)—*Curtis. vi. pl. 252.*

No. *micacea*. *Esper. No. vi. pl. cxlv. f. 6.*
No. *cypriaca*. *Hüb. No. pl. 46. f. 224.*—*Haw. 227.*—(*Sam. I. 29.*)

6327. 2; *flavago* *. (*Och. iv. 83.*)—*Och. Tr. v. b.* 335.—(*Curtis l. c. supra.*)

No. *flavago*. (*Wien. V. 86.*)—*Hüb. No. pl. 39. f. 186, 187.*
No. *ochracea*. *Hüb. B. i. 1, 2. M?*
Ph. No. *Lappæ*. *Don. x. 35. pl. 340.*
No. *Lappina*. (*Haw. Pr. 14.*)
No. *ochraceago*: frosted Orange. *Haw. 234.*—(*Sam. I. 29.*)
No. *rutilago*. *Fabr. iii. b. 75.*—(*Samou. 252.*)
Mottled Orange. *Harr. A. pl. 35. f. a-e.*—*Harr. V. M. 39.*

6328 † 3. Luteago^a.

^a 6328 † 3. Luteago. *Och. Tr. v. b.* 338.

No. *Luteago*. (*Wien. V. 86.*)—*Hüb. No. pl. 39. f. 184.* ♂.

Xa. *Luteago*. (*Samou. 252.*) (!)

No. *brunneago*. *Esper. Nō. iv. pl. cxvi. f. 2, 3.*

No. *lutea*. *Bork. E. S. iv. 684.*

Genus 135: (918). NONAGRIA, (*Och.*,) (*Samou.*,) *Treit.*

6329. 1; *Typhæ**. (*Och.* iv. 82.)—*Och. Tr. v. b.* 327.

No. *Typhæ*. *Marsh. MSS.*—*Hüb. No. pl. 88. f. 415.*—
Haw. 173.—(*Sam. I. 30.*)

No. *Arundinis*. *Fabr. iii. b. 30.*

No. *Typhina*: *Bullrush M.* (*Haw. Pr. 12.*)

Var. No. *nervosa*. *Esper. iv. pl. cxl. f. 1?*

No. *fraterna*. *Bork. E. S. iv. 724?*

6330 † 2, *pilicornis**.

No. *pilicornis*: hairy-horned Wainscot. *Ent. Trans. (Haworth.) i. 336.* In Mus. *D. Hatchett.*

6331. 3, *crassicornis*.

No. *crassicornis*: large Wainscot. *Haw. 173.*—(*Sam. I. 29.*)

6332 † 4, *Cannæ*. (*Och.* iv. 82.)—*Och. Tr. v. b.* 325.

No. *Algæ*. *Esper. iv. pl. cxl. f. 1, 2.*

No. *Arundinis*. *Hüb. No. pl. 83. f. 386.*—(*Sam. I. 28.*) In Mus. *D. Haworth et Stone.*

Genus 136: (919). LEUCANIA, (*Och.*,) (*Samou.*,) *Treit., Curtis.*

HELIOPHILOÆ, (*Hübner.*)

6333. 1: *comma**. (*Och.* iv. 81.)—*Och. Tr. v. b.* 302.—(*Curtis l. c. infra.*)

Ph. No. *Comma*. *Linn. ii. 850.*—*Turt. iii. 331.*

No. *Commaina*: Shoulder-stripe Wainscot. (*Haw. Pr. 12.*)

No. *Comma*. *Haw. 174.*—(*Sam. I. 29.*)

No. *pallens*. *Esper. iv. pl. cx. f. 2.*

No. *turbida*. *Hüb. No. pl. 47. f. 228.*

♀; No. *congrua*. *Hüb. No. pl. 135. f. 616.*

No. *ramilinea*. *Haworth MSS.*

6334. 2, *littoralis*.

Le. *littoralis*. *Curtis. iv. pl. 157.*

6335 † 3, *obsoleta**. (*Och.* iv. 81.)—*Och. Tr. v. b.* 301.

No. *obsoleta*. *Hüb. No. pl. 48. f. 233.*

In Mus. *Brit. et D. Chant.*

6336. 4; *impura**. (*Och.* iv. 81.)—*Och. Tr. v. b.* 294.

No. *impura*. *Hüb. No. pl. 85. f. 396.*

No. *fuligosina*: Smoky Wainscot. (*Haw. Pr. 12.*)—*Haw. 174.*

No. *fuliginosa*. (*Sam. I. 29.*)

Le. *obsoleta*. (*Curtis l. c. supra.*)

Albin. pl. xxxiii. f. 53. e-h.

Wainscot M. *Harr. V. M. 57.*

6337. [5; *punctina**]: dotted-bordered Wainscot.—*Haw. l. c.* (*Curtis l. c. supra.*)

No. punctina. (*Haw. Pr.* 13.)—*Haw.* 174.—(*Sam. I.* 30.)

No. Ectypa. *Hüb. No. pl.* 48. *f.* 231?

6338. 6; arcuata * *mihi.*

6339. 7; pallens*. (*Och. iv.* 81.)—*Och. Tr. v. b.* 290.—(*Curtis l. c. supra.*)

Ph. No. pallens. *Linn. ii.* 838.—*Stew. ii.* 182.—*Turt. iii.* 291.

No. pallensina: Common Wainscot. (*Haw. Pr.* 13.)

No. pallens. *Hüb. No. pl.* 48. *f.* 234.—*Haw.* 175.—(*Sam. I.* 29.)

6340. 8; rufescens*. (*Curtis l. c. supra.*)

No. rufescens: red Wainscot. *Haw.* 175.—(*Sam. I.* 30.)

No. rufescensina. (*Haw. Pr.* 13.)

Leu. straminea. (*Och. iv.* 81?)—*Och. Tr. v. b.* 297?

6341. 9; suffusa* *mihi.*

6342. 10; ochracea* *mihi.*

6343. 11: fluxa*.

No. fluxa. *Hüb. No. pl.* 83. *f.* 413.

♀: No. fulva. *Hüb. No. pl.* 106. *f.* 496.

Le. fulva. (*Curtis l. c. supra.*)

6344. 12; Phragmatidis*.

No. Phragmatidis. *Hüb. No. pl.* 47. *f.* 230.

No. semiicana. *Esper. iv. pl.* clxxxix. *f.* 5?

No. pygmina: Small Wainscot. (*Haw. Pr.* 13.)—*Haw.* 176.—(*Sam. I.* 30.)

Le. pygmina. *Curtis l. c. supra.*

6345. [13, pallida*] *mihi.*

6346. 14, neurica*.

Noc. neurica. *Hüb. No. pl.* 82. *f.* 381. ♂. *pl.* 144. *f.* 659, 660. ♂. *f.* 661. ♀.

6347 † 15, geminipuncta*. (*Curtis l. c. supra.*)

Noc. geminipuncta: Twin-spotted Wainscot. *Haw.* 176.—*Ent. Trans. (Hatchett.) i.* 327. *pl.* 9. *f.* 2.—(*Sam. I.* 29.)

Noc. extrema. *Hüb. No. pl.* 88. *f.* 412?

In *Mus. Brit. D. Hatchett et Milne.*

6348. 16: pudorina. (*Och. iv.* 81.)—*Och. Tr. v. b.* 299.—(*Curtis l. c. supra.*)

No. pudorina. (*Wien. V.* 85.)—*Hüb. No. pl.* 86. *f.* 401.

Leu. impudens. (*Ing. Inst.* 91.)

♀, No. impudens. *Hüb. No. pl.* 47. *f.* 229.

6349 † 17, unipuncta.

No. unipuncta: White-speck. *Haw.* 174.

Simyra punctosa. *Och. Tr. v. b.* 287? In *Mus. D. Haworth.*

Genus 137: (920). SIMYRA, (*Och.*,) *Treit.*

6350. 1, *musculosa*. (*Och.* iv. 81.)—*Och. Tr.* v. b. 286.—(*Ing. Inst.* 91.)

No. *musculosa*. *Hüb. No. pl.* 78. *f.* 363.

No. *pudorina*. *Bork. E. S.* iv. 720.

6351. 2: *venosa*. (*Och.* iv. 81.)—*Och. Tr.* v. b. 281.

No. *venosa*. *Bork. E. S.* iv. 716.

No. *degener*. *Hüb. No. pl.* 81. *f.* 380.

No. *atomina*: powdered Wainscot. (*Haw. Pr.* 13.)—*Haw.* 175.—(*Sam. I.* 28.)

6352. 3, *nervosa**. (*Och.* iv. 81.)—*Och. Tr.* v. b. 283.

No. *nervosa*: tawny veined W.—*Haw. l. c.* (*Wien. V.* 85.)—*Fabr.* iii. b. 23.—*Hüb. No. pl.* 47. *f.* 326.—*Haw.* 176.—(*Sam. I.* 29.)

No. *oxyptera*. *Esper. iv. pl.* cxxx. *f.* 6.

Genus 138: (921). PHLOGOPHORA.

PHLOGOPHORA A., *Treit.*—HADENA C., *Och.*

6353. 1; *meticulosa**. *Och. Tr.* v. a. 373.

Ph. No. meticulosa. *Linn. ii.* 845.—*Berk. S. i.* 140.—*Don. iv.* 83. *pl.* 139.—*Stew. ii.* 187.—*Turt. iii.* 319.

No. *meticulosina*. (*Haw. Pr.* 16.)

No. *meticulosa*. *Hüb. No. pl.* 14. *f.* 67.—*Haw.* 244.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 29.)

Pa. Nos. 44 & 56. *List. Göed. (Angl.)* 54. *f.* 44. 62. *f.* 56.
—*Id. (Lat.)* 118. *f.* 44. 137. *f.* 56.

Albin. pl. xxx. *f.* 46–47. *a–e.*

Angleshades M.: *Ph. meticulosa*. (*Wilkes. 3. pl.* 3.)—*Harr. A. pl.* 41. *f.* c–e.—*Harr. V. M.* 43.

Genus 139: (922). CUCULLIA, *Schrank*, (*Samou.*,) *Curtis*, (*Kirby.*)

TRIBONOPHORÆ, *Hüb.*—CENROTÆPTERYX, *Leach MSS.*

A. *Alis denticulatis*.

6354. 1; *Scrophulariæ**. (*Och.* iv. 88.)—(*Curtis l. c. infra.*)

No. *Scrophulariæ*. *Hüb. No. pl.* 55. *f.* 267.—*Haw.* 167.—(*Sam. I.* 30.)

Ph. No. Verbasci. *Don. viii.* 13. *pl.* 257?

Water Betony M.: *Ph. Verbasci*. (*Wilkes. 7. pl.* 15.)

Water Betony likeness. *Harr. V. M.* 17.

6355. 2; *Verbasci**. (*Och.* iv. 88.)—(*Curtis l. c. infra.*)

Ph. No. Verbasci. *Linn. ii.* 350.—*Berk. S. i.* 142.—*Stew. ii.* 189.—*Turt. iii.* 336.

No. *Verbascina*: Mullein M. (*Haw. Pr.* 12.)

No. *Verbasci*. *Hüb. No. pl.* 55. *f.* 266.—*Haw.* 167.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 30.)

Albin. pl. xiii. f. 18. f-k.

Water Betony Sword-grass M. *Harr. A. pl. viii. f. a-e.*—
Harr. V. M. 17.

B. Alis integris.

6356. 3; *Asteris**: Starwort.—*Haw. l. c.* (*Och. iv. 88.*)—
Curtis. i. pl. 45.
No. *Asteris.* (*Wien. V. 312.*)—*Fabr. iii. b. 121.*—*Haw. 168.*
—(*Sam. I. 28.*)
No. *Asterina.* (*Haw. Pr. 12.*)
- 6357 † 4; *Thapsiphaga**. *Och. Tr. v. c. 120?* In Mus. Brit.
6358. 5; *Umbratica**. (*Och. iv. 88.*)—(*Curtis l. c. supra.*)
Ph. No. *Umbratica.* *Linn. ii. 849.*—*Don. viii. 26. pl. 262. f. 2.*
—*Stew. ii. 189.*—*Turt. iii. 337.*
No. *Umbraticina.* (*Haw. Pr. 12.*)
No. *Umbratica:* large pale Shark.—*Haw. l. c.* *Hüb. No. pl. 54. f. 263.*—*Haw. 165.*—(*Sam. I. 30.*)
Shark. *Harr. V. M. 43.*
6359. 6; *Lactucæ**: Lettuce S.—*Haw. l. c.* (*Och. iv. 88.*)—
(*Curtis l. c. supra.*)
No. *Lactucæ.* (*Wien. V. 76.*)—*Fabr. iii. b. 367.*—*Haw. 166.*
—(*Sam. I. 29.*)
No. *lucifuga.* *Hüb. No. pl. 54. f. 262.*
6360. 7; *Tanaceti**: Tansy S.—*Haw. l. c.* (*Och. iv. 88.*)—
(*Curtis l. c. supra.*)
No. *Tanaceti.* (*Wien. V. 73.*)—*Fabr. iii. b. 121.*—*Hüb. No. pl. 54. f. 265.*—*Haw. 165.*—(*Leach E. E. ix. 134.*)—
—(*Sam. I. 30.*)
6361. 8; *lucifuga**: large dark S.—*Haw. l. c.* (*Och. iv. 88.*)—
(*Curtis l. c. supra?*)
No. *lucifuga.* (*Wien. V. 312.*)—*Hüb. No. pl. 74. f. 262.*—
Haw. 166.—(*Sam. I. 29.*)
6362. 9, *Chamomillæ**: Chamomile S.—*Haw. l. c.* (*Och. iv. 88.*)—
(*Curtis l. c. supra.*)
No. *Chamomillæ.* (*Wien. V. 73.*)—*Fabr. E. S. iii. b. 121.*—
—*Hüb. No. pl. 54. f. 264.*—*Haw. 165.*—(*Sam. I. 29.*)
6363. [10; *fissina**]: twin-tailed S.—*Haw. l. c.* (*Curtis l. c. supra.*)
No. *fissina.* (*Haw. Pr. 12.*)—*Haw. 166.*—(*Sam. I. 29.*)
6364. 11. *Gnaphalii*^a.
6365. 12, *Absinthii**. (*Och. iv. 87.*)—(*Curtis l. c. supra.*)
Ph. No. *Absinthii.* *Linn. ii. 845.*—*Don. ix. 35. pl. 304.*—
Stew. ii. 187.—*Turt. iii. 321.*

^a 6364 † 11. *Gnaphalii.* (*Och. iv. 87.*)—(*Curtis l. c. supra.*) (!)
No. *Gnaphalii.* *Hüb. No. pl. 126. f. 582.*

No. Absinthina: Wormwood M. (*Haw. Pr.* 12.)

No. Absinthii. *Hüb.* No. pl. 55. f. 258.—*Haw.* 163—
(*Sam. I.* 28.)

Ph. punctigera. *Berl. M.* (*Hufn.*) iii. 416.

6366 † 18, Artemisiæ. (*Och.* iv. 87.)

No. Artemisiæ. (*Wien. V.* 312.)—*Fabr.* iii. b. 78.—*Hüb.* No. pl. 53. f. 259.—(*Sam. I.* 28.)

No. Argentea. *Fuesly A.* i. pl. 5. f. 1–7. In Mus. Brit.

Genus 140: (923). CALOPHIASIA *mihi*.

XYLENA p, *Och.*—*XYLINA p*, *Treit.*

6367. 1, Linariæ*.

No. Linariæ. (*Wien. V.* 73)—*Fabr.* iii. b. 92.—*Hüb.* No. pl. 52. f. 252.—(*Kirby & Sp. I. E.* iii. 255.)

No. stictica. *Fabr. M.* ii. 173.

Ph. lunula. *Berl. M.* (*Hufn.*) iii. 394.

Genus 141: (924). CHARICLEA *mihi*, *Curtis*, (*Kirby.*)

XYLENA D. γ, *Och.*—*XYLINA p*, *Treit.*

6368. 1, Delphinii*. *Curtis.* ii. pl. 76.

Ph. No. Delphinii. *Linn.* ii. 857.—*Berk. S.* i. 143.—*Don. x.* 17. pl. 331.—*Stew.* ii. 193.—*Turt.* iii. 322.

No. Delphina. (*Haw. Pr.* 16.)

No. Delphinii. *Haw.* 248.—(*Sam. I.* 29.)

Pease-blossom M.: Ph. Delphinii. (*Wilkes. S.* f. 4.)—*Harr. V. M.* 13.

Genus 142: (925). EREMOBIA *mihi*.

XANTHIA A. p, *Och.*—*XANTHIA p*, *Curtis*, fo. 84.—*PHYTOMETRA p*, *Haw.*

6369. 1: ochroleuca*.

No. ochroleuca. (*Wien. V.* 87.)—*Esper.* iv. pl. cxxvi. f. 1, 4.

No. flammea: (ochroleuca.) *Hüb.* No. pl. 19. f. 92.

No. citrina. (*Haw. Pr.* 14.)—*Haw.* 237.—(*Sam. I.* 29.)

I'h. citrina: Dusky Sallow M. *Don. x.* 36. pl. 340. f. 2.

Xa. citrina. (*Curtis l. c. supra.*)

Var. Phy. bifasciosa: double-barred Brown. *Haw.* 266.

Genus 143: (926). ABROSTOLA, *Och.*, (*Samou.*)

PLUSIÆ p, *Hüb.*

6370. 1; triplasia*. (*Och.* iv. 88.)

Ph. No. triplasia. *Linn.* ii. 854.—*Stew.* ii. 192.—*Turt.* iii. 335.

No. triplacea: dark Spectacle M. *Haw.* 245.—(*Sam. I.* 30.)

No. Asclepiades. *Hüb.* No. pl. 55. f. 268.

6371. 2; Asclepiadis*. (*Och.* iv. 88.)

No. Asclepiadis. (*Wien. V.* 91.)—*Fabr.* iii. b. 117.—*Haw.* 246.—(*Sam. I.* 28.)

No. triplasia. *Hüb.* No. pl. 55. f. 269.
 Ph. No. triplacia. *Don.* ix. 23. pl. 298.
 Ph. tripartita. *Berl. M. (Hufn.)* iii. 414.
 Spectacle. *Harr. V. M.* 45.

6372 † 3. Urticæ?

No. Urticæ. *Hüb.* No. pl. 137. f. 625? In Mus. D. —?

6373. 4, illustris. (*Och.* iv. 88.)

No. illustris: Purple shades.—*Haw. l. c.* *Fabr.* iii. b. 84.—
Hüb. No. pl. 56. f. 274.—*Haw.* 258.—(*Sam. I.* 29.)

♀, No. cuprea. *Esper.* iv. pl. cx. f. 4.

Genus 144: (927). CELSIA *miki*^a.

Genus 145: (928). PLUSIA, *Och.*, (*Kirby.*)

PLUSIÆ *p.*, *Hübn.*—PHYTOMETRA *1*, *Haw.*—CAMPÆA *p.*, *La-*
marck.

6375. 1; Iota*. (*Och. iv. 90.*)—*Och. Tr. v. c.* 181.

Ph. No. Iota. *Linn.* ii. 844.—*Turt.* iii. 318.

No. Iotina. (*Haw. Pr. 16.*)

No. Iota. *Hüb.* No. pl. 52. f. 282.—(*Sam. I.* 29.)

Phy. Iota γ . *Haw.* 256.

No. pulchrina. (*Haw. Pr. 16.*)

No. interrogationis. *Esper.* iv. pl. cxiii. f. 1, 2.

Golden Y. Moth. *Harr. V. M.* 59.

β , No. Ganimæ-aurina. (*Haw. Pr. 16.*)

6376. 2; percontationis*. (*Och. iv. 90?*)

No. Iota. *Esper.* iv. pl. cxiii. f. 3, 4.

Ph. No. Iota. *Don.* viii. 33. pl. 256. f. 1.

Phy. Iota α . *Haw.* 256.

6377. 3, inscripta?

No. inscripta. *Esper.* No. pl. cxiii. f. 5?

6378. 4, interrogationis. (*Och. iv. 90.*)—*Och. Tr. v. c.* 190.

Ph. No. interrogationis. *Linn.* ii. 844.—*Stew.* ii. 86.

No. subpurpurina. (*Haw. Pr. 16.*)

Ph. aurosignata. *Don.* xiii. 43. pl. 453.

Phy. interrogationis: Yorkshire Y. *Haw.* 257.

No. interrogationis. (*Sam. I.* 29.)

No. Æmula. *Bork. E. S.* iv. 789.

Harr. Ex. 21. pl. v. f. 3.

Scarce Silver Y. Moth. *Harr. V. M.* 59.

^a Genus 144: (927). CELSIA *miki*.

POLIA C., *Och.*—PLUSIA C., *Treitschke.*—PHALÆNA-BOMBYX *p.*, *Linné.*

6374 † 1. viridis.

Ph. Bo. Celsia. *Linn.* ii. 831.—*Martyn V. M.* (!)

No. Celsia. *Hüb.* No. pl. 15. f. 72. ♂. f. 73. ♀.

6379. 5; Gamma*. (*Och.* iv. 90.)—*Och. Tr.* v. c. 185.
 Ph. No. Gamma. *Linn.* ii. 843.—*Berk. S.* i. 141.—*Don.* viii.
 34. *pl.* 265. *f.* 2.—*Stew.* ii. 186.
 No. Gammina. (*Haw. Pr.* 16.)
 No. Gamma. *Hüb.* No. *pl.* 53. *f.* 283.—(*Sam. I.* 29.)—(*Kirby & Sp. I. E.* iii. 255.)
 Phy. Gamma. *Haw.* 256.
 Pa. No. 14. *List. Goëd. (Angl.)* 20. *f.* 14.—*Id. (Lat.)* 41. *f.* 14.
 Y. Moth. *Albin. pl.* lxxix. *f. e-h.*—*Harr. V. M.* 59.
 Silver Y. Moth: Ph. Gamma. (*Wilkes.* 34. *pl.* 69.)
 Golden Y. M. (*Wilkes D.* *pl.* 11. *f.* 3.)
- 6380 † 6, circumflexa *? (*Och.* iv. 90.)—*Och. Tr.* v. c. 179.
 Ph. No. circumflexa. *Linn.* ii. 844.
 No. circuinflexina. (*Haw. Pr.* 16.)
 Phy. circumflexa: Essex Y. *Haw.* 257.
 No. circumflexa. *Hüb.* No. *pl.* 58. *f.* 285.—(*Sam. I.* 29.)
 Ph. flexuosa: Yorkshire Y. *Don.* xii. 53. *pl.* 412.
 In Mus. D. Donovan, et Swainson.
- 6381 † 7, biloba mihi. In Mus. D. Swainson.
- 6382 † 8, aurifera. (*Och.* iv. 89.)—*Och. Tr.* v. c. 168.—(*Ing. Inst.* 91.)
 No. aurifera. *Hüb.* No. *pl.* 98. *f.* 463.
 In Mus. Brit. et D. Ingpen.
6383. 9; chrysitis*. (*Och.* iv. 89.)—*Och. Tr.* v. c. 169.
 Ph. No. chrysitis. *Linn.* ii. 843.—*Berk. S.* i. 140.—*Don.* iv.
 77. *pl.* 137.—*Stew.* ii. 186.—*Turt.* iii. 316.
 No. chrysitis. *Hüb.* No. *pl.* 56. *f.* 272.—(*Leach E. E.* ix. 134.)
 —(*Sam. I.* 29.)
 No. chrysitina. (*Haw. Pr.* 16.)
 Phy. chrysitis. *Haw.* 255.
Albin. pl. lxxi. *f. a-d.*
 The Burnished M. (*Wilkes D.* *pl.* 11. *f.* 8.)
 Burnished brass. *Harr. A.* *pl.* 22. *f. a-c.*—*Harr. V. M.* 15.
6384. 10; orichalcea *. (*Och.* iv. 89.)—*Och. Tr.* v. c. 173.
 No. orichalcea. *Fabr.* iii. b. 77.—*Hüb.* No. *pl.* 57. *f.* 278.—
 (*Sam. I.* 29.)
 Phy. orichalcea. *Haw.* 255.
 No. Chrysa. *Esper.* iv. *pl.* exli. *f.* 2.
 Ph. No. ærifera. *Sowerb. B. M.* i. *pl.* 29.
 Scarce burnished Brass. *Harr. E.* 25. *pl.* vi. *f.* 4.
 Burnished Brass likeness. *Harr. V. M.* 15.
6385. 11, bractea. (*Och.* iv. 89.)—*Och. Tr.* v. c. 176.
 No. bractea. (*Wien. V.* 314.)—*Fabr.* iii. b. 78.—*Hüb.* No.
pl. 57. *f.* 279.—(*Sam. I.* 29.)
 No. bractcina. (*Haw. Pr.* 16.)

Phy. bractea: Gold spangle. *Haw.* 255.

Ph. No. bractea. *Stew.* ii. 186.—*Sowerb.* *B. M.* i. *pl.* 28.

Ph. No. securis. *Villers E.* ii. 271. *pl.* v. *f.* 10.

6386. 12; Festucæ*. (*Och.* iv. 89.)—*Och. Tr.* v. c. 165.

Ph. No. Festucæ. *Linn.* ii. 845.—*Berk. S.* i. 141.—*Don.* ii. *pl.* 46.—*Stew.* ii. 187.—*Turt.* iii. 317.

No. Festucina. (*Haw. Pr.* 16.)

Phy. Festucæ. *Haw.* 254.

No. Festucæ. (*Leach E. E.* ix. 134.)—(*Sam. I.* 29.)

Albin. *pl.* lxxxiv. *f.* e—h.

Gold spot M.: Ph. Festucæ. (*Wilkes.* 8. *pl.* 17.)—*Harr. V. M.* 43.

Genus 146: (929). HELIOTHIS, *Och.*, (*Samou.*)

HELIOTHENTES, *Hüb.*

6387. 1; marginata*. (*Och.* iv. 91.)—*Och. Tr.* v. c. 232.

No. marginata. *Fabr.* iii. b. 88.—*Don.* v. *pl.* 150. *f.* 1.—*Turt.* iii. 321.

No. marginago: bordered Sallow. (*Haw. Pr.* 14.)—*Haw.* 235.—(*Sam. I.* 29.)

Ph. No. limbata. *Stew.* ii. 188.

β; No. rutila. (*Wien. V.* 86.)—*Hüb.* No. *pl.* 39. *f.* 155.—(*Haw. Pr.* 14.)

Ph. No. rutilago. *Turt.* iii. 316.

No. umbra. *Bork. E. S.* iv. 672.

No. umbrago. *Esper. iv. pl.* clxxxv. *f.* 7, 8.

6388. 2: peltigera*. (*Och.* iv. 91.)—*Och. Tr.* v. c. 227.

No. peltigera. (*Wien. V.* 89.)—*Hüb.* No. *pl.* 63. *f.* 310.

No. scutigera. *Bork. E. S.* iv. 93.

No. florentina. *Esper. iv. pl.* cxxxv. *f.* 2.

No. barbara. *Fabr.* iii. b. 111.

Ph. straminea. *Don.* ii. 65. *pl.* 61.—*Stew.* ii. 194.—*Turt.* iii. 297.

No. strammina. (*Haw. Pr.* 16.)—(*Sam. I.* 30.)

Phy. strainnea: bordered Straw. *Haw.* 263.

6389. 3; dipsacea*. (*Och.* iv. 91.)—*Och. Tr.* v. c. 220.

Ph. No. dipsacea. *Linn.* ii. 856.—*Don.* x. 9. *pl.* 327. *f.* 3.

No. dipsacina. (*Haw. Pr.* 12.)

No. dipsacea. *Hüb.* No. *pl.* 63. *f.* 311.—(*Sam. I.* 29.)

Phy. dipsacea: Marbled Clover. *Haw.* 263.

Ph. viriplaca. *Berl. M.* (*Hufn.*) iii. 406.

Teazle. *Harr. V. M.* 47?

Genus 147: (930). ANARTA, *Och.*, (*Samou.*,) *Curtis.*

PHYTOMETRA p, *Haw.*

A. Corpore subcrasso.

6390. 1, Myrtilli *. (*Och.* iv. 90.)—*Curtis.* iii. *pl.* 145.

Ph. No. Myrtilli. *Linn.* ii. 852.—*Don.* vii. *pl.* 231.—*Stew.* ii. 191.—*Turt.* iii. 339.

No. Myrtillina. (*Haw. Pr.* 12.)

No. Myrtilli. *Haw.* 162.—(*Sam. I.* 29.)

Ph. Ericæ. *Berl. M.* (*Hufn.*) iii. 292.

Beautiful Yellow underwing. *Harr. Ex.* 18. *pl.* iv. *f.* e.—*Harr. V. M.* 53.

Var. No. albirena: Small Yellow underwing. *Haw.* 163.—(*Sam. I.* 28.)

6391 † 2. *cordigera*^a.

B. Corpore gracili.

6392. 3; *Heliaca**. (*Och.* iv. 91.)—*Och. Tr.* v. c. 212.

No. *Heliaca*. (*Wien. V.* 94.)—*Hüb. No. pl.* 64. *f.* 316.

No. *Arbuti*. *Fabr.* iii. b. 126. (!)—(*Sam. I.* 28.)

No. *Arbutina*. (*Haw. Pr.* 12.)

Ph. No. *Arbuti*. *Stew.* ii. 191.—*Turt.* iii. 339.—*Don.* x. 52. *pl.* 343. *f.* 3.

Phy. *Arbuti*: Minute Yellow underwing. *Haw.* 265.

• An. *Arbuti*. *Curtis l. c. supra*.

No. *fasciola*. *Esper.* iv. *pl.* clxiii. *f.* 1.

Ph. *domestica*. *Berl. M.* (*Hufn.*) iii. 406.

Small Yellow underwing. (*Wilkes D. pl.* 9. *f.* 2.)—*Harr. A.* *pl.* 53. *f.* o.—*Harr. V. M.* 55.

Genus 148: (931). ACONTIA, *Och.*

PHYTOMETRA *p.*, *Haw.*

6393. 1; *luctuosa**. (*Och.* iv. 92.)—*Och. Tr.* v. c. 247.

No. *luctuosa*. *Hüb. No. pl.* 62. *f.* 305, 306.—(*Sam. I.* 29.)

Phy. *luctuosa*: four-spotted. *Haw.* 264.

No. *Italica*. *Fabr.* iii. b. 37?

6394 † 2. *apraca*. (*Och.* iv. 92?)—*Och. Tr.* v. c. 239?

No. *apraca*. *Hüb. No. pl.* 80. *f.* 371?

No. *atro-albina*. (*Haw. Pr.* 17.)

No. *albo-ater*: the Nun. *Haw.* 184. In *Mus. D.* —?

6395. 3, *Solaris*. (*Och.* iv. 92.)—(*Ing. Inst.* 90.)—*Och. Tr.* v. c. 244.

No. *Solaris*. (*Wien. V.* 90.)—*Hüb. No. pl.* 62. *f.* 307. ♂: *f.* 308. ♀.

No. *albicollis*. *Fabr.* iii. b. 36.

No. *ruplicola*. *Bork. E. S.* iv. 82.

Ph. *lucida*. *Berl. M.* (*Hufn.*) iii. 302.

^a 6391 † 2. *cordigera*. (*Och.* iv. 90.)—(*Curtis l. c. supra.*) (!)

No. *cordigera*. *Thunb. Mus.* vi. *f.* 4.

No. *albirena*. *Hüb. No. pl.* 21. *f.* 99.—nec *Haworthi* 163. *vide supra.*

- 6396 † 4, Caloris. (*Och.* iv. 92.)—*Och. Tr.* v. c. 241.
 No. Caloris. *Hüb.* No. *pl.* 80. *f.* 372. In Mus. *D. Curtis.*
- 6397 † 5, nigrirena.
Phy. nigrirena: black Kidney. *Haw.* 266.
 In Mus. *D. Swainson.*
- Genus 149: (932). DESMOPHORA *mihi.*
- 6398 † 1, elegans *?
Ph. catæna: Brixton Beauty. *Sowerb. B. M.* i. *pl.* 14.
 No. catæna. *Haw.* 184.—(*Sam. I.* 29.) In Mus. *D. Curtis.*
- Genus 150: (933). ERASTRIA, (*Och.,*) (*Samou.,*) *Curtis.*
- EROTYLÆ *p.*, *Hüb.*—PHYTOMETRA 2. *p.*, *Haw.*—PIHALÆNA-TORTRIX *p.*, *Linné.*—BOMBYX *p.*, et PYRALIS *p.*, *Fabr.*
6399. 1: sulphurea*. (*Och.* iv. 92.)—(*Curtis l. c. infra.*)
Ph. Py. sulphuralis. *Linn.* ii. 881.—*Don.* x. 33. *pl.* 339. *f.* 1.
 —*Stew.* ii. 180.
 No. sulphurea. *Hüb.* No. *pl.* 60. *f.* 291.—(*Sam. I.* 30.)
Phy. sulphurea: spotted Sulphur. *Haw.* 262.
Py. sulphuralis. (*Haw. Pr.* 29.)—*Panz. F.* viii. *f.* 18.
Bo. lugubris. *Fabr.* iii. *a.* 467.
No. Arabica. *Bork. E. S.* iv. 807.
Pyr. trabealis. *Villers E.* ii. 445.
6400. 2: uncana. (*Och.* iv. 92.)—*Curtis l. c. infra.*
Ph. Ge. uncana. *Linn.* ii. 875.—*Turt.* iii. 343.
Phy. unca: Silver hook. *Haw.* 262.—(*Samou.* 403.)
Py. unca. (*Sam. I.* 35.)
 No. unca. *Hüb.* No. *pl.* 60. *f.* 293.
6401. 3, Bankiana.
Py. Bankiana. *Fabr.* iii. *b.* 242. (!)—*Stew.* ii. 172.—*Turt.* iii. 342.
Py. Banksianalis. (*Haw. Pr.* 31.)
Phy. Bankiana: Silver barred. *Haw.* 261.
 No. Olivea. *Hüb.* No. *pl.* 60. *f.* 292.
Er. argentula. (*Och.* iv. 92.)—*Curtis l. c. infra.*
6402. 4, venustula. (*Och.* iv. 92.)—*Curtis l. c. infra.*
 No. venustula. *Hüb.* No. *pl.* 60. *f.* 294.
Phy. venustula: Rosy Marbled. *Haw.* 265.
6403. 5, minuta. (*Och.* iv. 92.)—*Och. Tr.* v. c. 266.
 No. minuta. *Hüb.* No. *pl.* 95. *f.* 451.
Phy. minuta: small Marble. *Haw.* 265.
- 6404 † 6, ostrina. (*Och.* iv. 92.)—*Curtis.* iii. *pl.* 140.
 No. ostrina. *Hüb.* No. *pl.* 85. *f.* 399. In Mus. *D. Curtis.*
- 6405 † 7, apicosa.
Phy. apicosa: blossom tip. *Haw.* 261.
 In Mus. *D. Haworth et Stone.*

6406. 8; fuscula*. (*Och.* iv. 92.)—*Och. Tr. v. c. 257.*
 No. fuscula. (*Wien. V.* 89.)—*Hüb. No. pl. 60. f. 297.*
 No. polygramma. *Esper. iv. pl. cxlv. f. 7.*
 No. præduncula. *Bork. E. S. iv. 175.*
 Phy. fusca: Marbled White spot. *Haw.* 261.
 No. fusca. (*Samou.* 403.)
6407. [9, albidilinea*.]
 Phy. albidilinea: Marbled White line. *Haw.* 261.—(*Sam. I.* 403.)

Genus 151: (934). PHYTOMETRA.

ANTHOPHILA, *Och.*—*PHYTOMETRA 3 p*, *Haworth.*

6408. 1; ænea*: small Purple barred. *Haw.* 266.
 No. ænea. (*Wien. V.* 85.)—*Hüb. No. pl. 75. f. 350.*—
 (*Sam. I.* 28.)
 No. latruncula. *Esper. iv. pl. clxiii. f. 2.*
 No. olivacea. *Vieweg. T. V.* ii. 85.
 Ph. Laccata. *Scop. C.* No. 563.

Genus 152: (935). ACOSMETIA *mihi*.

ANTHOPHILA p, *Och.*

6409. 1: lutescens.
 Phy. lutescens: reddish Buff. *Haw.* 260.
6410. 2: caliginosa.
 No. caliginosa. *Hüb. No. pl. 100. f. 474.*
 An. infida. (*Och. iv. 93.*)
 An. caliginosa. *Och. Tr. v. c. 286.*
6411. 3; rufula.
 Phy. rufa: small rufous. *Haw.* 260.
 No. ruferculina. (*Haw. Pr.* 13?)
6412. 4, lineola *mihi*.
6413. 5; arcuosa*.
 Phy. arcuosa: small dotted Buff. *Haw.* 260.—(*Sam. I.* 28.)
 No. arcuina. (*Haw. Pr.* 13.)

Genus 153: (936). SCOPELOPUS^a.

Genus 154: (937). STILBIA *mihi*.

PHALENA p, *Haw.*—*GEOMETRA p*, *Hüb.*—*OPHIUSA?* *Ing.*

6415. 1, anomala*.

^a Genus 153: (936). SCOPELOPUS *mihi*.

PHYTOMETRA 2 p, *Haw.*

6414 † 1. *inops mihi*.

Phy. scopolæpes: brush-Foot. *Haw.* 260. (!) In Mus. Brit.?

Ph. anomala: the Anomalous. *Ent. Trans. (Haworth.)* i. 336.
 Op. δ anomala. (*Ing. Inst.* 91.)
 Geo. hybridata. *Hüb. Geo.*

Genus 155: (938). OPHIUSA, *Och.*

ASCALAPHÆ *p*, *Hübn.*—BOMBYX *p*, *Esper.*

6416. 1; lusoria*. (*Och. iv. 93.*)—*Och. Tr. v. c. 289.*
 Ph. Bo. lusoria. *Linn. ii. 831.*—*Don. x. 76. pl. 354. f. 2.*
 No. lusina. (*Haw. Pr. 13?*)
 No. lusoria. *Hüb. No. pl. 65. f. 318.*—(*Sam. I. 29.*)
 Phy. lusoria: Black-neck. *Haw. 259.*
- 6417 † 2, ludicra. (*Och. iv. 93.*)—*Och. Tr. v. c. 292.*
 No. ludicra. *Hüb. No. pl. 65. f. 319.*
 Phy. ludicra: Scarce Black-neck. *Haw. 259.*

In Mus. D. Swainson.

6418. 3, crassiuscula.

Phy. crassiuscula: double-barred. *Haw. 259.*

- 6419 † 4. grandirena^a.

Genus 156: (939). CATEPHIA, *Och.*

PHYTOMETRA 3 *p*, *Haw.*

- 6420 † 1, leucomelas.
 Ph. No. leucomelas. *Linn. ii. 856.*
 No. leucomelina. (*Haw. Pr. 12.*)
 Phy. leucomelas: large 4-spotted. *Haw. 264.*
 No. Alchemista. *Hüb. No. pl. 62. f. 303.*
 No. convergens. *Fabr. iii. b. 100.* In Mus. D. Haworth.

6421. 2, trifasciata *mihi.*

Genus 157: (940). MORMO, (*Samou.*)

MORMO *p*, *Och.*—HEMIGEOMETRA *p*, *Haworth.*—LEMURES *p*, *Hübner.*—MANIA *p*, *Treit.*

6422. 1; maura*. (*Och. iv. 70.*)
 Ph. No. maura. *Linn. ii. 843.*—*Don. vii. pl. 30. f. 1.*—
Stew. ii. 183.—*Turt. iii. 298.*
 No. maurina: great Brown-bar. (*Haw. Pr. 11.*)
 No. maura. *Hüb. No. pl. 67. f. 326.*—*Haw. 269.*—(*Leach E. E. ix. 134.*)—(*Sam. I. 29.*)
 No. Lemur. *Naturf. (Hufnagle.) vi. 112. pl. 5. f. 1.*
 Old Lady M. *Harr. E. 9. pl. 1. f. a, b.*—*Harr. V. M. 33.*

^a 6419 † 4. grandirena: great Kidney. *Haw. 264. (!)*
 Olim in Mus. D. Leach ex Museo Portlandico.—*Haw. l. c.*

Genus 158: (941). CATOCALA, Schrank, *Curtis*, (Kirby.)

BLEPHARA, Hüb.—HEMIGEOMETRA *p*, Haw.

6423. 1: Fraxini*. (*Och.* iv. 95.)—*Curtis l. c. infra.*

Ph. No. Fraxini. *Linn.* ii. 843.—*Berk. S.* i. 140.—*Don. v.* 89.
pl. 171. *pl.* 172. *larva*.—*Stew.* ii. 184.—*Turt.* iii. 294.

No. Fraxina. (*Haw. Pr.* 11.)

No. Fraxini. Hüb. No. *pl.* 68. *f.* 327.—(*Leach E. E.* ix. 134.)
—(*Sam. I.* 29.)

He. Fraxini. *Haw.* 267.

Clifden' Nonpareil, a Moth: Ph. Fraxini. (*Wilkes.* 44. *pl.* 90.)
—*Harr. A.* *pl.* 31. *f. a-e.*—*Harr. V. M.* 37.

6424 † 2. Elocata^a.

6425. "3; Nupta*. (*Och.* iv. 95.)—*Och. Tr. v. c.* 337.—(*Curtis l. c. infra.*)

Ph. No. Nupta. *Linn.* ii. 841.—*Berk. S.* i. 140.—*Don. vii.*
pl. 224.—*Stew.* ii. 183.—*Turt.* iii. 294.

No. Nuptina. (*Haw. Pr.* 11.)

No. Nupta. Hüb. No. *pl.* 69. *f.* 330.—(*Leach E. E.* ix. 134.)
—(*Sam. I.* 29.)

He. Nupta. *Haw.* 268.

No. concubina. *Bork. E. S.* iv. 21.

Red underwing. *Albin.* *pl.* lxxx. *f. a-d.*—*Harr. A.* *pl.* 18.
f. g-m.—*Harr. V. M.* 55.

The great Red underwing. (*Wilkes D.* *pl.* 6. *f.* 1.)—*Id.*
pl. 10. *f.* 7.

Willow Red underwing: Ph. Pacta. (*Wilkes.* 17. *pl.* 35.)

6426 † 4. Pacta^b.

6427. 5; sponsa*. (*Och.* iv. 95.)—*Och. Tr. v. c.* 343.—(*Curtis l. c. infra.*)

Ph. No. sponsa. *Linn.* ii. 841.—*Don. ix.* 77. *pl.* 324.—
Stew. ii. 182.—*Turt.* iii. 293.

No. sponsina. (*Haw. Pr.* 11.)

No. sponsa. Hüb. No. *pl.* 71. *f.* 333.—(*Sam. I.* 30.)—(*Kirby & Sp. I. E.* iii. 260.)

He. sponsa: dark Crimson underwing. *Haw.* 268.

6428. 6; promissa*. (*Och.* iv. 95.)—(*Ing. Inst.* 90.)—(*Curtis l. c. infra.*)

^a 6424 † 2. Elocata. (*Och.* iv. 95.)—*Curtis. v. pl.* 217. (!)

No. Elocata. *Esper.* iv. *pl.* xcix. *f.* 1, 2.

No. Nupta. *Fabr.* iii. *b.* 53.

No. Marita. Hüb. No. *pl.* 105. *f.* 494. ♀.

No. Uxor. Hüb. No. *pl.* 69. *f.* 328. ♀. In Mus. D. *Curtis.*

^b 6426 † 4. Pacta. (*Och.* iv. 95.)—*Och. Tr. v. c.* 352.

Ph. No. Pacta. *Linn.* ii. 841.—*Berk. S.* i. 140. (!)—*Turt.* iii. 294. (!)
—(*Leach E. E.* ix. 134.)—(*Kirby & Sp. I. E.* iii. 260.)

No. promissa. (*Wien. V.* 90.)—*Fabr.* iii. b. 54.—*Hüb.* No. pl. 71. f. 334.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 30.)

He. promissa: light Crimson underwing. *Haw.* 268.

No. Mneste. *Hüb.* No. pl. 123. f. 569.

Crimson underwing: *Pl. Nupta.* (*Wilkes.* 33. pl. 68.)—*Harr. A.* pl. 19. f. g—l.—*Harr. V. M.* 55.

6429. 7: conjuncta*. (*Och.* iv. 95.)—*Och. Tr.* v. c. 347.—(*Curtis l. c. supra.*)

No. conjuncta. *Esper.* iv. pl. c. f. 1, 2.

No. conjuga. *Hüb.* No. pl. 71. f. 335.—(*Sam. I.* 29.)

He. conjuga: lesser Crimson underwing. *Haw.* 269.

Genus 159: (942). BREPHA, *Hüb.*, (*Samou.*,) *Curtis.*

BREPHOS, (*Och.*)—HEMIGEOMETRA *b*, *Haw.*

A. Antennis haud submoniliformibus; (in masculis pectinatis.)

6430. 1; Parthenias*. (*Och.* iv. 96.)—(*Curtis l. c. infra.*)

Ph. No. Parthenias. *Linn.* ii. 835.—(*Sam. I.* 30.)

No. notha. *Hüb.* No. pl. 74. f. 343, 344.

Bo. parthenias. (*Haw. Pr.* 10.)

Ph. Bo. parthenias. *Turt.* iii. 222.—*Stew.* ii. 156.—*Don.* vii. 80. pl. 246. f. 1.

Bo. vidua. (*Wien. V.* 91.)—*Fabr. E. S.* i. a. 463.

Orange underwing. (*Wilkes D.* pl. 11. f. 2.)—*Harr. A.* pl. 35. f. i.—*Harr. V. M.* 55.

6431 + 2, puella. (*Och.* iv. 96.)—*Och. Tr.* v. c. 385.

No. puella. *Esper.* iv. pl. cvi. f. 2, 3.

No. spuria. *Hüb.* No. pl. 74. f. 345. In Mus. Brit.

B. Antennis submoniliformibus; (in masculis haud pectinatis.)

6432. 3; notha*. (*Och.* iv. 96.)—*Curtis.* iii. pl. 121.

No. Parthenias. *Hüb.* No. pl. 74. f. 341, 342.

Ne. notha: light Orange underwing. *Haw.* 269.

No. notha. (*Sam. I.* 29.)

Orange underwing companion. *Harr. V. M.* 55.

Genus 160: (943). EUCLIDIA, (*Och.*,) (*Samou.*,) *Treit.*

EUCLIDIÆ, *Hüb.*—PHYTOMETRA *p*, *Haw.*—CAMPÆA *p*, *La-*
marck.

6433. 1; glyphica*. (*Och.* iv. 96.)—*Och. Tr.* v. c. 390.

Ph. No. glyphica. *Linn.* ii. 838.—*Turt.* iii. 306.

No. glypticina. (*Haw. Pr.* 12.)

No. glyphica. *Hüb.* No. pl. 75. f. 347.—(*Sam. I.* 29.)

Phy. glyphica: the Burnet. *Haw.* 265.

Burnet companion. *Harr. V. M.* 15.

6434 † 2. triquetra^a.

6435. 3; Mi*. (*Och. iv. 96.*)—*Och. Tr. v. e.* 395.

Ph. No. Mi. *Linn. ii.* 838.

No. Miina. (*Haw. Pr. 12.*)

No. Mi. *Hüb. No. pl. 75. f. 346.*—(*Sam. I. 29.*)

Phy. Mi. *Haw. 265.*

Ph. Graminis. *Berl. M. (Hufnagle.) iii. 412.*

Mask M. *Harr. A. pl. 41. f. 5.*—Shipton M. *Harr. V. M. 43.*

Subsectio 3. LE.-SEMIDIURNA mihi.

Familia XV: (128). GEOMETRIDÆ.

(PHALÆNA-GEOMETRA *p*, *Linné*, &c.—PHALÆNA *p*, *Fabr.*)

Slender-bodied Moths. Larvæ: Loopers.

Genus 161: (944). PSYCHOPHORA, Kirby: (*vide Bombyx Sabini. Parry Voyage: App.*)

PSODOS (PSOIDOS) *p*, Treit.

6436 † 1, trepidaria: Black Mountain M.—*Haw. l. c.*

Ge. trepidaria. *Hüb. Ge. pl. 66. f. 343?*—*Haw. 281.*—(*Sam. I. 19.*) In Mus. D. Dale, *Haworth et Vigors.*

6437 † 2, alpinata*: the Gold Four-spot.—*Haw. l. c.*

Ge. alpinata. (*Wien. V. 115.*)—*Hüb. Ge. pl. 38. f. 197.*

Ph. equestrata. *Fabr. iii. b. 179.*—(*Haw. Pr. 26.*)—*Haw. 345.*

Ge. equestraria. *Esper. v. pl. 1. f. 1.*

In Mus. D. *Curtis, Dale et Haworth.*

Genus 162: (945). SPERANZA, Curtis.

FIDONIA *p*, Treit.

6438. 1; limbaria*. (*Curtis l. c. infra.*)

Ph. limbaria. *Fabr. iii. b. 141. (!)*—*Stew. ii. 163.*—*Turt. iii. 237.*

Ge. limbaria. (*Haw. Pr. 23.*)—*Haw. 286.*—(*Sam. I. 18.*)

Ge. conspicuata. (*Wien. V. 116.*)

Ge. conspicuaria. *Hüb. Ge. pl. 22. f. 117, 118.*

Frosted Yellow. *Harr. Ex. 22. pl. v. f. 4.*—*Harr. V. M. 59.*

6439. 3, sylvaria. (*Ing. Inst. 91.*)—*Curtis. v. pl. 225.*

6434 † 2. triquetra. (*Och. iv. 96.*)—*Och. Tr. v. c. 393.*

No. triquetra. (*Wien. V. 94.*)—*Fabr. iii. b. 34.*—*Hüb. No. pl. 75. f. 348.*

No. fortificata. *Fabr. iii. b. 52.*

Pyr. fascialis. *Villers E. ii. 450. pl. vi. f. 28.*

No. triquetra. (*Sam. I. 30.*) (!)

Genus 163: (946). FIDONIA.

FIDONIA p, Treit.—**BUPALUS?** *p*, Curtis folio 33.

6440. 1: fuliginaria*.

Ph. Ge. fuliginaria. *Linn. F.* 327.

Ge. fuliginaria: waved Black. (*Haw. Pr.* 24.)—*Haw.* 281.—(*Sam. I.* 18.)

Bu.? fuliginarius. (*Curtis l. c. supra.*)

Ph. carbonaria. *Fabr.* iii. b. 154.

Ge. carbonaria. *Hüb. Ge. pl.* 28. *f.* 151.

† ♀, Ph. lunulata. *Fabr.* iii. b. 194.

6441. 2; atomaria*: common Heath.—*Haw. l. c.* *Och. Tr.* vi. *a.* 286.

Ph. Ge. atomaria. *Linn.* ii. 862.—*Don.* vii. 85. *pl.* 248. *f.* 1, 2.—*Stew.* ii. 165.—*Turt.* iii. 238.

Ge. atomaria. *Hüb. Ge. pl.* 25. *f.* 136.—(*Haw. Pr.* 21.)—*Haw.* 280.—(*Sam. I.* 18.)

Bu.? atomarius. (*Curtis l. c. supra.*)

Ph. Aceraria. *Berl. M.* (*Hufnagle.*) iv. 520.

Ph. pennata. *Scop. C.* 228. ♂.

Ph. Isoscelata. *Scop. C.* 225. ♀.

The Heath M. (*Wilkes D. pl.* 1. *f.* 3.)

Brown heath. *Harr. V. M.* 31.

β; Ge. glarearia: yellow Heath.—*Haw. l. c.* (*Wien. V.* 106)?—*Hüb. Ge. pl.* 25. *f.* 131?—*Haw.* 280.—(*Sam. I.* 18.)

Pale Heath. *Harr. V. M.* 31.

γ; Ge. roseidaria: light Heath.—*Haw. l. c.* *Hüb. Ge. pl.* 24. *f.* 128.—*Haw.* 280.—(*Sam. I.* 19.)

6442. [3, carbonaria.]

Ge. carbonaria: black Heath. *Haw.* 281.—(*Sam. I.* 18.)

6443. 4: ericetaria*.

Ph. Ge. ericetaria. *Vill. E.* ii. 329. *pl.* vi. *f.* 9. ♀?

Ge. ericetaria: bordered Grey. (*Haw. Pr.* 21.)—*Haw.* 278.—(*Sam. I.* 18.)

Bu. ericetarius. (*Curtis l. c. supra.*)

Ge. plumistraria. *Hüb. Ge. pl.* 24. *f.* 127. ♂. *pl.* 81. *f.* 417, 418. ♂. *pl.* 419, 420.

♀, Ge. subfimbriata: the four-barred. *Ent. Trans.* (*Haworth.*) i. 336.

Genus 164: (947). BUPALUS, Leach, Samou., Curtis.

FIDONIA p, Treit.

6444. 1; Piniarius*. *Leach E. E.* ix. 134.—(*Samou.* 253.)—(*Curtis l. c. infra.*)

Ph. Ge. Piniaria. *Linn.* ii. 861.—*Don.* x. 27. *pl.* 336.—*Stew.* ii. 163.—*Turt.* iii. 237.

Ge. Piniaria: bordered White.—*Haw. l. c.* *Hüb. Ge. pl. 22.*
f. 119.—(*Haw. Pr. 21.*)—*Haw. 278.*—(*Sam. I. 19.*)
 Ph. Ge. Tiliaria. *Linn. F. No. 1234.* ♀.

6445. 2: favillacearius. *Curtis. i. pl. 33.*

Ge. favillacea. *Hüb. Ge. pl. 26. f. 139.*—*Haw. 278.*—
 (*Sam. I. 18.*)

Ph. Ge. mediopunctaria. *Don. xiii. 59. pl. 461. f. 1.*

The Grey Scolloped bar. *Harr. A. pl. 33. f. m.*—*Harr. V. M.*
 25.

♂? Ge. Belgaria. *Fabr. S. 451.*—*Hüb. Ge. pl. 26. f. 140.* ♂.

Genus 165: (948). ANISOPTERYX *mihi.*

FIDONIA p, Treit.

6446. 1; leucophearia*.

Ge. leucophearia. (*Wien. V. 101.*)—*Hüb. Ge. pl. 37. f. 195.*
 —*Haw. 279.*—(*Sam. I. 18.*)

Spring Usher. *Harr. A. pl. 43. f. m, n, o, q.*—*Harr. V. M. 57.*

β; Ge. nigricaria: dark-bordered Usher.—*Haw. l. c.* *Hüb. Ge.*
pl. 35. f. 181.—*Haw. 279.*—(*Sam. I. 18.*)

Ge. marinorinaria. *Esper. v. pl. xxxvii. f. 1.*

♀ β, Ge. luctuaria: mourning Widow. *Haw. 279.*—(*Sam. I. 18.*)
Albin. pl. cxvii. f. a-d?

6447. 2; Æscularia*.

Ge. Æscularia. (*Wien. V. 101.*)—*Hüb. Ge. pl. 36. f. 189.*—
Haw. 306.—(*Sam. I. 18.*)

Ge. murinaria. *Esper. v. pl. xxxii. f. 5, 6.*

Ge. cineraria. *Marsh. MSS.*—(*Haw. Pr. 23.*)

Genus 166: (949). LAMPETIA *mihi.*

FIDONIA p, Treit.

6448. 1; stictaria*.

Ge. stictaria: dotted border. *Marsh. MSS.*—(*Haw. Pr. 21.*)
 —*Haw. 286.*

Ge. progemmaria. *Hüb. Ge. pl. 35. f. 183.*

Ge. capreolaria. *Esper. v. pl. xxxvi. f. 8, 9.*

Ge. strietaria. (*Sam. I. 19.*)

Cross wing. *Harr. V. M. 59.*

Albin. pl. xliv. f. 72. a-d.

6449. [2, connectaria*.]

Ge. connectaria: connecting Umbre.—*Haw. 285.*—(*Sam. I.*
18.)

6450. 3; prosapiaria*.

Ph. Ge. prosapiaria. *Linn. ii. 864.*—*Turt. iii. 238.*

Ge. prosapiaria: scarce Umbre. (*Haw. Pr. 21.*)—*Haw. 285.*
 —(*Sam. I. 19.*)

Ge. aurantiaria. *Hüb. Ge. pl.* 35. *f.* 184.

β ; Ph. Ge. testacearia. *Vill. E.* ii. 321.—(*Haw. Pr. App.* 4.)

6451. 4; defoliaria*.

Ph. Ge. defoliaria. *Linn. ii.* 225.—*Stew. ii.* 167.—*Turt. iii.* 240.

Ge. defoliaria. *Hüb. Ge. pl.* 35. *f.* 182.—(*Haw. Pr.* 21.)—*Haw.* 284.—(*Sam. I.* 18.)

Ph. pulveraria. *Berl. M. (Hufnagle.) iv.* 518.

Mallow M. or Mottled Umbræ. *Harr. A. pl.* 14. *f.* *n-r.*

Mottled Umbræ. (*Wilkes D. pl.* 8. *f.* 6.)—Ph. defoliata. (*Wilkes. 36. pl.* 72.)—*Harr. V. M.* 53.

Albin. pl. c. f. e-h.

β ; Ph. diversaria. *Fabr. iii. b.* 157. (!)?—*Turt. iii.* 244.

Genus 167: (950). AMPHIIDASIS *mihî*.

AMPHIIDASIS *p*, *Treit.*—BISTON *p*, *Samou.*

6452. 1; pilosaria*. (*Och. Tr. v. b.* 434.)—*Id. vi. a.* 240.

Ge. pilosaria. (*Wien. V.* 100.)—*Hüb. Ge. pl.* 34. *f.* 176.

Ge. plumaria. *Esper. v. pl.* xxxv. *f.* 1, 2.

Ph. pedaria. *Fabr. E. S. iii. b.* 148.

Ge. pedaria. (*Haw. Pr. 20.*)—*Haw.* 274.

Bi. pedaria. (*Sam. I.* 6.)

Ge. hyemaria. *Bork. E. S. v.* 193.

Albin. pl. xci. f. e-i.

Brindle M. (*Wilkes. 42. pl.* 87.)

Pale brindled Beauty. (*Harr. V. M.* 15.)—(*Id. 17.*)

6453. 2; hispidaria*. (*Och. Tr. v. b.* 434.)—*Id. vi. a.* 247.

Ge. hispidaria. (*Wien. V.* 99.)—(*Haw. Pr. 20.*)—*Haw.* 274.

Bi. hispidaria. (*Sam. I.* 6.)

Ph. Ursularia. *Don. xiii. 31. pl.* 447.

Small brindled Beauty. *Harr. V. M.* 15.

Genus 168: (951). BISTON, *Leach*, *Samou.*, (*Kirby.*)

AMPHIIDASIS *p*, *Treit.*

6454. 1; prodromarius*. (*Leach E. E. ix.* 134.)—(*Samou.* 253.)

Ph. prodromaria. (*Wien. V.* 99.)—*Fabr. iii. b.* 159.—*Don. vii.* 7. *pl.* 219.—*Stew. ii.* 165.—*Turt. iii.* 245.

Ge. prodromaria. (*Haw. Pr. 20.*)—*Haw.* 272.

Ge. marmoraria. *Esper. v. pl.* xxviii. *f.* 1–8.

Ph. strataria. *Berl. M. (Hufnagle.) iv.* 514.

Oak Beauty. (*Wilkes D. pl.* 5. *f.* 5.)—*Harr. Ex.* 53. *pl.* xiii. *f.* 4.—*Harr. V. M.* 11.

6455. 2; Betularius*. (*Leach E. E. ix.* 134.)—(*Samou.* 253.)

Ph. Ge. Betularia. *Linn. ii.* 862.—*Berk. S. i.* 144.—*Don. vii.* 55. *pl.* 237.—*Stew. ii.* 165.—*Turt. iii.* 245.

Ge. Betularia. (*Haw. Pr. 20.*)—*Haw.* 272.

Ge. Ulmaria. *Bork. E. S.* v. 181.

Albin. pl. xl. f. 64. a-d. ♂.—*pl. xli. f. 66. a-d.* ♀.—*Id. pl. xci. f. a-d.*—*Id. pl. xcii. f. a-d.*

Spotted Elm M.: Ph. Betularia. (*Wilkes. 38. pl. 77.*)

Peppered M. (*Wilkes D. pl. 5. f. 1.*)—*Harr. A. pl. 18. f. a-f.*
—*Harr. V. M. 39.*

6456. 3; hirtarius*. (*Leach E. E. ix. 134.*)—(*Samou. 253.*)

Ph. Ge. hirtaria. *Linn. F. No. 1236.*—*Turt. iii. 241.*

Ge. hirtaria. *Hüb. Ge. pl. 33. f. 175.*—(*Haw. Pr. 20.*)—*Haw. 273.*

Ph. atomaria. *Berl. M. (Hufnagle.) iv. 510.*

Albin. pl. xxxix. f. 62. a-d.

Brindled Beauty. (*Wilkes D. pl. 11. f. 11.*)—(*Wilkes 35. pl. 70.*)—*Harr. A. pl. 9. f. a-f.*—*Harr. V. M. 11.*—*Id. 15.*

β; Ge. congeneraria: forked striped Brindle. *Hüb. Ge. pl. 33. f. 174?*—*Haw. 273.*—(*Sam. I. 18.*)

Ge. contiguaria. *Bork. E. S. v. 187.*

γ, Ge. fumaria: dark Brindle. *Haw. 273.*—(*Sam. I. 18.*)

Genus 169: (952). METRA mihi.

CROCALLIS p. Treit.

6457. 1; pennaria*.

Ph. Ge. pennaria. *Linn. ii. 861.*—*Don. viii. 86. pl. 287. f. 2.*—*Stew. ii. 163.*—*Turt. iii. 233.*

Ge. pennaria. *Hüb. Ge. pl. 3. f. 14.*—(*Haw. Pr. 22.*)—*Haw. 290.*—(*Sam. I. 19.*)

October M.: Ph. pennaria. (*Wilkes. 38. pl. 79.*)—*Harr. V. M. 39?*

November. *Harr. A. pl. 43. f. g-i.*—*Harr. V. M. 37.*

† β, Ge. bifidaria: the feathered Thorn. *Haw. 291 et 301.*

Genus 170: (953). CROCALLIS mihi.

CROCALLIS p. Treit.

6458. 1; elinguaria*. (*Och. Tr. v. b. 431.*)—*Id. vi. a. 153.*

Ph. Ge. elinguaria. *Linn. ii. 862.*

Ge. elinguaria. *Hüb. Ge. pl. 4. f. 20.*—(*Haw. Pr. 22.*)—*Haw. 291.*—(*Sam. I. 18.*)

Albin. pl. xxxix. f. 63. e-h.—*Id. pl. xlii. f. 67. e-h.*

Scolloped Oak. (*Harr. V. M. 43.*)

Genus 171: (954). —

ENNOMOS D. p. Treit.

6459. 1; bidentata*.

Ph. Ge. bidentata. *Linn. F. No. 1255.*

Ge. bidentaria: scoloped Hazel. (*Haw. Pr. 22.*)—*Haw. 291.*—*Turt. iii. 233.*—(*Sam. I. 18.*)

Ge. dentaria. *Hüb. Ge. pl. 3. f. 12.* ♀.—*Turt. iii. 235.*

Ph. Ge. dentaria. *Fabr. iii. b. 137.* (!)—*Stew. ii. 161.*

Ge. obscurata. (*Wien. V. 104?*)

Albin. pl. xcvi. f. a-c.

Scolloped winged broad-bar. *Harr. A. pl. 10. f. s-z.*—*Harr. V. M. 11.*

Genus 172: (955). GEOMETRA, *Leach?* *Samou.*, (*Kirby.*)

ENNOMOS D. p., *Treit.*

6460. 1; Alniaria*.

Ph. Ge. Alniaria. *Linn. ii. 860.*—*Stew. ii. 161.*—*Turt. iii. 234.*

Ge. Alniaria: Canary-shouldered Thorn. (*Haw. Pr. 22.*)—*Haw. 293.*—(*Sam. I. 18.*)

6461. 2; Canaria*.

Ph. Ge. Canaria. *Hüb. B. ii. pl. 4. f. Y. 1, 2.*

Ge. Tiliaria. *Hüb. Ge. pl. 5. f. 23.*—(*Haw. Pr. 22.*)

Ge. Alniaria β. *Haw. 294.*

6462. 3; ochraria* *mihi.*

6463. 4; erosaria*: September Thorn.—*Haw. l. c.* (*Haw. Pr. 22.*)—*Haw. 293.*—(*Sam. I. 18.*)

Ge. erosaria. (*Wien. V. 103.*)—*Hüb. Ge. pl. 5. f. 25.*

Ph. crassaria. *Fabr. iii. b. 135?*

Ge. Tiliaria. *Esper. v. pl. x. f. 3-7?*

6464. 5; Quercinaria*: plain August Thorn.—*Haw. l. c.* *Hüb. Ge. pl. 5. f. 24.*—(*Haw. Pr. 22.*)—*Haw. 294.*—(*Sam. I. 19.*)

♀. Ge. Alniaria. *Hüb. Ge. pl. 5. f. 26.*

Ph. Ge. Alniaria. *Don. viii. 61. pl. 275. f. 1.*

Ge. Tiliaria: freckled August Thorn. *Haw. 294.*—(*Sam. I. 19.*)

6465. 6; Quercaria*. *Hüb. Ge. pl. 80. f. 411, 412?*

Ge. angularia: clouded August Thorn. (*Haw. Pr. 22.*)—*Haw. 294.*—(*Sam. I. 18.*)

6466. 7; angularia*. (*Wien. V. 103.*)—*Hüb. Ge. pl. 5. f. 22.*

6467. [8; Carpiñaria*]: flounced Thorn.—*Haw. l. c.* *Hüb. Ge. pl. 5. f. 27.*—(*Haw. Pr. 22.*)—(*Sam. I. 18.*)

Ph. erosaria. *Esper. v. pl. xi. f. 1, 2.*

Ge. Carpiñaria β. *Haw. 295.*

Ph. dentaria. *Villers E. ii. 301.*

6468. 9; fuscantaria*. (*Haw. Pr. 22.*)

Ge. Carpiñaria α. *Haw. 295.*

6469. 10; illunaria*: early Thorn.—*Haw. l. c.* *Hüb. Ge. pl. 7. f. 36, 37.*—(*Haw. Pr. 22.*)—*Haw. 292.*—(*Sam. I. 18.*)

Ge. lunaria var. 2, 3. (*Wien. V. 282.*)

Ge. bilunaria. *Esper. v. pl. xiii. f. 1, 2.*

Ge. unilunaria. *Esper. v. pl. xiv. f. 6.*

- Ph. Ge. ustularia. *Don.* iii. 25. *pl.* 32?—*Stew.* ii. 162?—*Turt.* iii. 233.
 Scollop-winged M. (*Wilkes.* 39. *f.* 31.)
 6470. [11; juliaria*]: July Thorn. *Haw.* 293.—(*Sam. I.* 18.)
 Ge. lunaria var. 4. (*Wien. V.* 282.)
 Ge. fulvolunaria. *Esper.* v. *pl.* xiv. *f.* 9, 10?
Albin. *pl.* xlvi. *f.* 68. *a-d.*
 6471. 12; lunaria*: lunar Thorn.—*Haw. l. c.* (*Wien. V.* 103.)
 —*Hüb. Ge. pl.* 7. *f.* 33.—(*Haw. Pr.* 22.)—*Haw.* 292.—(*Leach E. E.* ix. 134.)—(*Sam. I.* 18.)
 Ph. lunaria. *Fabr.* iii. b. 136.—*Don.* iv. 63. *pl.* 132.—*Stew.* ii. 161.—*Turt.* iii. 235.
 Ge. lunularia. *Hüb. B. i.* 27. *pl.* 3. *f.* T. 1, 2.
Albin. *pl.* xv. *f.* a-d.
 Hawthorn M. (*Wilkes.* 40. *pl.* 83.)
 6472. 13: delunaria*. *Hüb. Ge. pl.* 7. *f.* 34.—(*Ing. Inst.* 90.)
 6473. 14, sublunaria *mihi.*
 6474. 15; illustraria*: purple Thorn.—*Haw. l. c.* *Hüb. Ge. pl.* 7. *f.* 35.—(*Haw. Pr.* 22.)—*Haw.* 291.—(*Sam. I.* 18.)
 Ge. lunaria var. 5. (*Wien. V.* 283.)
 Ge. quadrilunaria. *Esper.* v. *pl.* xii. *f.* 5, 6.
 Ph. Phœbaria. *Schrantz B.* ii. 13.
 Ph. tetralunaria. *Berl. M.* (*Hufnagle.*) iv. 506.
Albin. *pl.* xlvi. *f.* 69. *e-h.*

Genus 173: (956). PERICALLIA *mihi*, (*Kirby.*)

ENNOMOS D. *p.*, *Treit.*

6475. 1; Syringaria*: Lilac Beauty.—*Haw. l. c.*
 Ph. Ge. Syringaria. *Linn.* ii. 860.—*Berk. S. i.* 144.—*Stew.* ii. 161.—*Turt.* iii. 234.—*Don.* vi. 3. *pl.* 181.
 Ge. Syringaria. *Hüb. Ge. pl.* 6. *f.* 29.—(*Haw. Pr.* 22.)—*Haw.* 293.—(*Sam. I.* 19.)
 Richmond Beauty: Ph. Syringaria. (*Wilkes D. pl.* 10. *f.* 9.)
 —(*Wilkes.* 39. *pl.* 82.)—*Harr. V. M.* 13.

Genus 174: (957). —

ENNOMOS D. *p.*, *Treit.*—HIPPARCHUS *p.*, *Leach, Samou.*

6476. 1; Prunaria*.
 Ph. Ge. Prunaria. *Linn.* ii. 861.—*Berk. S. i.* 144.—*Don. i.* 47. *pl.* 27.—*Stew.* ii. 162.—*Turt.* iii. 237.
 Ge. Prunaria. *Hüb. Ge. pl.* 23. *f.* 123. ♂. *f.* 122. ♀.—(*Haw. Pr.* 22.)—*Haw.* 283.—(*Sam. I.* 19.)
 Hi. Prunaria. (*Leach E. E.* ix. 134.)—(*Samou.* 253.)
 Hi. Prunatus. (*Sam. I.* 22.)
 Ph. fulvularia. *Berl. M.* (*Hufn.*) iv. 518.

Ph. corticalis. *Scop.* C. 216.

Albin. pl. xlivi. f. 70. a-c.—*Id.* pl. c. f. a-d.

Orange M.: Ph. Prunaria. (*Wilkes.* 40. pl. 84.)—*Harr.* V. M. 37.

β, Ge. Corylaria. *Esper.* v. pl. xviii. f. 1, 3.

Ph. Prunaria var. *Don.* ix. 13. pl. 293. f. 3.

γ, Ge. dimidiata. *Fabr.* iii. b. 169. (!)—*Stew.* ii. 162.—*Turt.* ii. 250.

Ph. sordiata. *Schrank* B. ii. 19.

Genus 175: (958). —

ENNOMOS D. p, *Treit.*, (*Kirby.*)

6477. 1; Cratægata*.

Ph. Ge. Cratægata. *Linn.* ii. 868.—*Berk.* S. i. 145.—*Stew.* ii. 168.

Ge. Cratægaria. *Hüb. Ge.* pl. 6. f. 32.—*Turt.* iii. 254.—(*Haw. Pr.* 26.)—*Haw.* 298.—(*Sam. I.* 18.)—(*Kirby & Sp. I. E.* iii. 97.)

Albin. pl. xl. f. 65. e-h.—*Id.* pl. xlvi. f. 76. f. 77. a-e.—*Id.* pl. xcv. f. e-h.

Brimstone M.: Ph. Cratægata. (*Wilkes.* 39. pl. 80.)—*Harr.* A. pl. 29. f. g, l, m.

Yellow or Brimstone. *Harr.* V. M. 59.

Genus 176: (959). OURAPTERYX, *Leach, Samou.*

ACENA, *Treit.*—URAPTERYX, (*Kirby.*)

6478. 1; Sambucaria*. (*Leach E. E.* ix. 134.)—(*Leach Z. M.* i. 80. pl. 35. f. 2.—(*Samou.* 253.)

Ph. Ge. Sambucaria. *Linn.* ii. 860.—*Berk.* S. i. 144.—*Stew.* ii. 160.—*Turt.* iii. 233.—*Don.* v. 85. pl. 170.

Ge. Sambucaria. *Hüb. Ge.* pl. 6. f. 28.—(*Haw. Pr.* 21.)—*Haw.* 297.—(*Sam. I.* 19.)

Ph. No. 10. *List. Goëd. (Lat.)* 26. f. 10.—*Id. (Angl.)* 14. f. 10.
Albin. pl. xciv. f. a-d.

Swallow-tail M.: Ph. Sambucaria. (*Wilkes.* 38. pl. 78.)—*Harr.* V. M. 47.

Genus 177: (960). PHALENA, *Latreille, Leach, Samou.*

ELLOPIA A. p, *Treit.*—BOMBYX p, *Esper.*—CAMPÆA p, *La-*
marck.

6479. 1; inargaritaria*. *Fabr.* iii. b. 131.—(*Leach E. E.* ix. 134.)—(*Samou.* 252.)

Ph. Ge. margaritata. *Linn.* ii. 568. (865.)—*Don.* xvi. 5. pl. 543.

Ge. margaritaria: the light Emerald.—*Haw. l. c.* *Hüb. Ge.* pl. 3. f. 13.—(*Haw. Pr.* 21.)—*Haw.* 299.—(*Sam. I.* 18.)

- Noctua! margaritaria. (*Sam. I.* 29.)
 Bo. sesquitriata. *Bork. E. S.* iii. 454.
 Bo. sesquitriata. *Esper. v.* iii. *pl. lii. f.* 1, 2.
 Ge. bupleuraria. *Villers E.* iv. 495.
 Ge. vernaria. *Berl. M. (Hufnagel.)* iv. 506.
 Cross-barred Housewife. *Harr. V. M.* 31.

Genus 178: (961). ELLOPIA *miki*.

ELLOPIA B., *Treit.*—CAMPÆA *p.*, *Lamarck.*

6480. 1; fasciaria*. (*Och. Tr. v. b.* 430.)—*Id. vi. a.* 97.
 Ph. Ge. fasciaria. *Linn. ii.* 862.—*Turt. iii.* 244.
 Ge. fasciaria: barred Red.—*Haw. l. c.* *Hüb. Ge. pl. 1. f.* 5.
pl. 87. f. 446, 447.—(*Haw. Pr. 23.*)—*Haw. 301.*—(*Sam. I.* 18.)
 Ph. Neustriaria. *Berl. M. (Hufnagle.)* iv. 520.

Genus 179: (962). HIPPARCHUS, *Leach, Samou.*

GEOMETRA, *Treit.*—PHALÆNA *p.*, *Latr.*

6481. 1; Papilionarius*. (*Leach E. E.* ix. 134.)—(*Samou.* 253.)
 Ph. Ge. Papilionaria. *Linn. ii.* 864.—*Berk. S. i.* 144.—*Don.*
viii. 35. pl. 287. f. 1.—*Stew. ii.* 164.—*Turt. iii.* 236.
 Ge. Papilionaria. *Hüb. Ge. pl. 2. f. 6.*—(*Haw. Pr. 21.*)—
Haw. 298.—(*Sam. I.* 19.)
 The large Emerald. *Harr. Ex.* 52. *pl. xiii. f.* 1.—*Harr. V. M.* 23.

6482. 2; vernarius*.
 Ph. Ge. vernaria. *Linn. ii.* 858.—*Stew. ii.* 159.—*Turt. iii.* 231.
 Ge. vernaria. *Hüb. Ge. pl. 2. f. 7.*
 Ge. chrysoprasaria. *Esper. v. pl. v. f.* 1–4.
 Ge. Æruginaria. *Bork. E. S. v.* 43.
 Ph. Ge. volutata. *Villers E. ii.* 373?—*Turt. iii.* 258?
 Ge. volutaria. *Haw. 298.*—(*Sam. I.* 19.)
 Ph. Ge. lucidata. *Don. iii. 67. pl. 97.*—*Stew. ii.* 163.
 Ge. lucidata. (*Haw. Pr. 21.*)
 The small Emerald M. *Harr. Ex.* 32. *pl. 8. f.* 8.—*Harr. V. M.* 23.

6483. 3, viridatus*.
 Ph. Ge. viridata. *Linn. ii.* 865.—*Berk. S. i.* 145.—*Stew. ii.* 163.
 Ge. viridaria. *Hüb. Ge. pl. 2. f. 11.*
 Ge. vernaria: the small Grass Emerald. *Haw. 300.*—(*Sam. I.* 19.)
Albin. pl. xlviij. f. 80. a–c.
 Small green Housewife. *Harr. V. M.* 31.

6484. 4, clorarius?
 Ge. clorarius. *Hüb. Ge. pl. 68. f.* 352?
 Ph. Ge. lactearia. *Linn. ii.* 858?

6485. 5; *Cythisaria**.

Ge. *Cythisaria*. (*Wien. V. 97.*)—*Hüb. Ge. pl. 1. f. 2.*

Ph. *prasinaria*. *Fabr. iii. b. 151.*

Ge. *prasinaria*: Grass Emerald. (*Haw. Pr. 21.*)—*Haw. 299.*
—(*Sam. I. 19.*)

Ph. *pruinata*. *Berl. M. (Hufnagle.) iv. 520.*

Ph. *Genistaria*. *Villers E. ii. 328.*

Green brown M.: Ph. *Papilionaria?* (*Wilkes. 37. pl. 75.*)

Green Carpet. *Harr. Ex. 25. pl. vi. f. 5.*

Genus 180: (963). CLEORA.

CLEORA p, *Curtis*.—*GEOMETRA p*, *et BOARMIA p*, *Treit.*

A. *GEOMETRA B. p*, *Treit.*

6486. 1; *bajularia**.

Ge. *bajularia*. (*Wien. V. 97.*)—*Hüb. Ge. pl. 1. f. 3.*

Ph. *ditaria*. *Fabr. iii. b. 152.—Don. vi. 51. pl. 202. f. 1.—Stew. ii. 166.—Turt. iii. 242.*

Ge. *ditaria*: blotch'd Emerald. (*Haw. Pr. 21.*)—*Haw. 299.*
—(*Sam. I. 18.*)

Ph. *pustulata*. *Berl. M. (Hufnagle.) iv. 520.*

Maid of Honor M. *Harr. A. pl. 41. f. r.—Harr. V. M. 31.*

B. *BOARMIA p*, *Treit.*

6487. 2; *Lichenaria**.

Ge. *Lichenaria*. (*Wien. V. 100.*)—*Hüb. Ge. pl. 31. f. 164.—(Haw. Pr. 20.)—Haw. 280.—Don. x. 41. pl. 342. f. 1.—(Sam. I. 18.)*

Ge. *cineraria*. *Bork. E. S. v. 165.*

Lime-Moss M. (*Wilkes. 37. pl. 76.*)

Brussels' lace. *Harr. V. M. 33.*

6488. 3: *viduaria*. (*Ing. Inst. 90.*)

Ge. *viduaria*. (*Wien. V. 101.*)—*Hüb. Ge. pl. 31. f. 165.*
pl. 70. f. 364.

Ph. *angularia*. *Thunb. I. S. iv. 59. fig. adj.*

6489. 4, *teneraria*. (*Ing. Inst. 90.*)

Ge. *teneraria*. *Hüb. Ge. pl. 67. f. 348.*

Cl. *tæneraria*. (*Curtis l. c. infra.*)

Ge. *glabraria*. *Hüb. Ge. pl. 65. 339. ♂?—Id. pl. 31. f. 162. ♀?*

6490. 5: *cinctaria*. *Curtis. ii. pl. 88.—(Ing. Inst. 90.)*

Ge. *cinctaria*. (*Wien. V. 101.*)—*Hüb. Ge. pl. 31. f. 166.*

Ge. *pascuaria*. *Esper. Ge. pl. xlivi. f. 1, 2.*

6491. 6: *pictaria**.

Ge. *pictaria*. *Thunb. I. S. i. 6. fig. adj.*

Genus 181: (964). ALCIS, *Curtis*.

- BOARMIA *p*, *Treit.*, (*Kirby.*)—HEMEROPHILA *p*, *mihi*: (*olim.*)
6492. 1; repandaria*. (*Curtis l. c. infra.*)
Ph. Ge. repandata. *Linn.* ii. 866.—*Stew.* ii. 164.—*Don.* x. 21.
pl. 333. *f.* 1.
Ge. repandaria. (*Wien. V.* 101.)—*Hüb. Ge.* *pl.* 30. *f.* 161.—
(*Haw. Pr.* 20.)—*Haw.* 275.—(*Sam. I.* 19.)
Mottled Beauty. *Harr. V. M.* 11.
6493. [2, destrigaria*.] (*Curtis l. c. infra.*)
Ge. destrigaria: light mottled Beauty. *Haw.* 275.—(*Sam. I.*
18.)
Ge. conspersaria. (*Haw. Pr.* 20.)
6494. 3, muraria. *Curtis l. c. infra.*
6495. 4: conversaria*. (*Curtis l. c. infra.*)
Ge. conversaria: large Carpet.—*Haw. l. c.* *Hüb. Ge.* *pl.* 62.
f. 321. *pl.* 76. *f.* 393.—*Haw.* 302.—*Don.* xv. *pl.* 514.—*Ent.*
Trans. (*Hatchett.*) i. 328. *pl.* 9. *f.* 3.—(*Sam. I.* 18.)
6496. 5: sericearia. *Curtis.* iii. *pl.* 113.—(*Ing. Inst.* 90.)
6497. 6; consortaria*. (*Curtis l. c. supra.*)
Ph. consortaria. *Fabr.* iii. *b.* 137.—*Don.* x. 22. *pl.* 333. *f.* 2.
Ge. consortaria. *Hüb. Ge.* *pl.* 32. *f.* 168.—(*Haw. Pr.* 20.)—
Haw. 275.—(*Sam. I.* 18.)
Pale Oak Beauty. *Harr. V. M.* 11.
6498. 7: Roboraria*. (*Curtis l. c. supra.*)
Ph. Roboraria. *Fabr.* iii. *b.* 137.—*Don.* xv. *pl.* 527.
Ge. Roboraria. *Hüb. Ge.* *pl.* 32. *f.* 169.—*Haw.* 275.—
(*Sam. I.* 19.)
Ph. leucophearia. *Villers E.* ii. 323.
Ge. grandaria: the great Oak Beauty. (*Haw. Pr.* 20.)
Albin. pl. xciii. *f.* a-d.
- 6499 [† 8, piperitaria.]
Ge. piperitaria. *Haw. MSS.* In Mus. D. Haworth.
6500. 9; rhomboidaria*. (*Curtis l. c. supra.*)
Ge. rhomboidaria. (*Wien. V.* 101.)—*Hüb. Ge.* *pl.* 29. *f.* 154.
pl. 32. *f.* 170. *pl.* 95. *f.* 483.—*Haw.* 276.—(*Sam. I.* 19.)
Ge. gemmaria. *Bork. E. S.* v. 156.
Noetua! rhomboidaria. (*Sam. I.* 30.)
Willow Beauty. *Harr. V. M.* 13.
6501. 10, consobrinaria: tawny Beauty.—*Haw. l. c.*
Ge. consobrinaria. *Hüb. Ge.* *pl.* 29. *f.* 152?—*Haw.* 276.—
(*Sam. I.* 18.)
Al. australaria. *Curtis l. c. supra.*
Ge. Devoniaria. *Haworth MSS.*

6502. 11, fimbriaria *mihi*; (nec *Hübneri*: vide *Curtis l. c. supra*.)

Genus 182: (965). HEMEROHILA *mihi*.

ACIDALIA *p*, *Treit.*

6503. 1; abruptaria*.

Ph. abruptaria. *Thunb. I. S. iii. 59. pl. 4. fig. adj.*

Ph. Ge. suberaria. *Don. vii. 91. pl. 251. f. 1.—Stew. ii. 162.*
—*Turt. iii. 236.*

Ge. petrificata. *Hüb. Ge. pl. 52. f. 267.*

Ge. suberaria. (*Haw. Pr. 21.*)—*Haw. 284.*—(*Sam. I. 19.*)

Waved Umbre. (*Wilkes D. pl. 11. f. 10.*)—*Harr. V. M. 53.*

Genus 183: (966). BOARMIA *mihi*.

BOARMIA *p*, *Treit.*—CLEORA *p*, *Curtis folio 88.*

6504. 1; tetragonaria*.

Ge. tetragonaria. *Haworth. MSS.*

Cl. tetragonaria. (*Curtis l. c. supra.*)

Bo. trigonaria *mihi olim.*

6505. 2; Abietaria*. (*Och. Tr. v. b. 433.*)—*Id. vi. a. 204.*

Ge. Abietaria. (*Wien. V. 101.*)—*Hüb. Ge. pl. 30. f. 160.*—
Haw. 276.—(*Sam. I. 18.*)

Cl. Abietaria. (*Curtis l. c. supra.*)

Ge. Gemmaria Abietis. *Esper. v. pl. lii. f. 5.*

Ingrailed. *Harr. V. M. 33.*

6506. 3; crepuscularia*. (*Och. Tr. v. b. 433.*)—*Id. vi. a. 190.*

Ge. crepuscularia: small Ingrailed.—*Haw. l. c.* (*Wien. V.*
101.)—*Hüb. Ge. pl. 30. f. 158.*—*Haw. 277.*—(*Sam. I. 18.*)

Cl. crepuscularia. (*Curtis l. c. supra.*)

Ge. biundularia. *Esper. v. pl. xl. f. 3, 4.*

Ph. similaria. *Berl. M. (Hufnagle.) iv. 512.*

6507. 4, consonaria*. (*Och. Tr. v. b. 433.*)

Ge. consonaria: brindled Grey.—*Haw. l. c.* *Hüb. Ge. pl. 30.*
f. 157.—*Haw. 277.*—(*Sam. I. 18.*)

Cl. consonaria. (*Curtis l. c. supra.*)

6508. 5; strigularia* *mihi*.

6509. 6; extersaria*. (*Och. Tr. v. b. 433.*)—*Id. vi. a. 216.*

Ge. extersaria: brindled White-spot.—*Haw. l. c.* *Hüb. Ge.*
pl. 30. f. 159.—*Haw. 277.*—(*Sam. I. 18.*)

Cl. extersaria. (*Curtis l. c. supra.*)

6510. 7; punctularia*: Grey Birch.—*Haw. l. c.*

Ge. punctularia. *Hüb. Ge. pl. 61. pl. 317.*—(*Haw. Pr. App.*
4.)—*Haw. 277.*—(*Sam. I. 18.*)

Cl. punctularia. (*Curtis l. c. supra.*)

Ge. punctulata. (*Wien. V. 101.*)—*Bork. E. S. v.*

Genus 184: (967). GRAMMATOPHORA *mihi*.FIDONIA *p*, Treit.

6511. 1; Vauaria*.

Ph. Ge. Vauaria. *Linn.* ii. 863.—*Berk. S. i.* 144.—*Don. vi.* 37. *pl.* 196.—*Stew. ii.* 166.—*Turt. iii.* 241.Ge. Wauaria: the common V. Moth.—*Haw. l. c.* *Hüb. Ge. pl. 11. f.* 55.—*Haw. 283.*Ge. Vauaria. (*Haw. Pr. 21.*)—(*Sam. I. 19.*)Ge. Viduaria. *Müll. F. F.* 49.Pa. No. 12. *List. Goëd. (Angl.)* 19. *f.* 12.—*Id. (Lat.)* 19. *f.* 12. *Albin. pl. xlvi.* *f.* 78. *a-d.*Gooseberry M.: Ph. Wauaria. (*Wilkes. 41. pl. 86.*)L. Moth. *Harr. A. pl. 34. f. g-i.*—*Harr. V. M. 35.*6512 † [2, Vau nigraria*]: Sooty V.—*Haw. l. c.*Ge. Vau nigraria: the slender-bodied Black V. *Ent. Trans. (Hatchett.) i.* 244. *pl. 7. f.* 3.—*Haw. 282.*—(*Sam. I. 19.*)Genus 185: (968). AZINEPHORA *mihi*.FIDONIA *p*, Treit.6513. 1; pulveraria*: barred Umbre.—*Haw. l. c.*Ph. Ge. pulveraria. *Linn. ii.* 862.—*Turt. iii.* 244.Ge. pulveraria. *Hüb. Ge. pl. 39. f.* 203.—(*Haw. Pr. 23.*)—*Haw. 301.*—(*Sam. I. 19.*)*Albin. pl. xcvi.* *f. d-f.*Freckled broad bar. *Harr. A. pl. 42. f. o.*Genus 186: (969). CABERA *mihi*.CABERA *p*, Treit.6514. 1; pusaria*. (*Och. Tr. v. b.* 437.)—*Och. Tr. vi. a.* 344.Ph. Ge. pusaria. *Linn. ii.* 864.—*Stew. ii.* 167.—*Turt. iii.* 239.Ge. pusaria: common white Wave.—*Haw. l. c.* *Hüb. Ge. pl. 17. f.* 87.—(*Haw. Pr. 23.*)—*Haw. 290.*—(*Sam. I. 19.*)Ph. strigata. *Scop. C.* 218.*Albin. pl. cxviii.* *f. e-h.*Pale waved. *Harr. A. pl. 44. f. h.*—*Harr. V. M. 57.*

6515. 2; rotundaria*.

Ge. rotundaria: round winged Wave. *Haw. 289.*—(*Sam. I. 19.*)

6516. 3; exanthemata*.

Ph. exanthemata. *Scop. C.* 218.Ge. exanthemaria. *Espcr. v. pl. xxxiii.* *f. 3, 4.*Ge. striaria: common Wave.—*Haw. l. c.* *Hüb. Ge. pl. 17. f.* 88.—(*Haw. Pr. 23.*)—*Haw. 289.*—(*Sam. I. 19.*)*Albin. pl. xcii.* *f. e-h.*—*Id. pl. xcix.* *f. a-d.*β; Ge. arenosaria: sandy Wave. *Haw. 289.*—(*Sam. I. 18.*)γ? Ge. approximaria: twin-striped Wave. (*Haw. Pr. 23.*)—*Haw. 289.*

Genus 187: (970). CYCLOPHORA *mihi*, (Kirby.)

CABERA *p*, Treit.

6517. 1; omicronaria*: Mocha.—*Haw. l. c.*

Ge. omicronaria. (*Wien. V. 107.*)—*Hüb. Ge. pl. 13. f. 65.*—(*Haw. Pr. 24.*)—*Haw. 312.*—(*Sam. I. 18.*)

Ph. annularia. *Fabr. E. S. iii. b. 147.*

6518. 2; ocellaria*: false Mocha.—*Haw. l. c.*

Ge. ocellaria. *Hüb. Ge. pl. 13. f. 64.*—(*Haw. Pr. 24.*)—*Haw. 312.*—(*Sam. I. 18.*)

Ge. albiocellaria. *Esper. v. pl. xlivi. f. 7?*

Ge. Hübneraria. (*Haw. Pr. 24.*)

Mocha stone. *Harr. V. M. 45.*

Albin. pl. l. f. 85. a-d.

β? Ge. punctaria. *Hüb. Ge. pl. 13. f. 67.*

Ph. Ge. porata. *Linn. ii. 866?*—*Stew. ii. 164?*

6519. 3; pendularia*: Birch Mocha.—*Haw. l. c.*

Ph. Ge. pendularia. *Linn. F. No. 1244.*

Ge. pendularia. *Hüb. Ge. pl. 13. f. 66.*—(*Haw. Pr. 24.*)—*Haw. 311.*—(*Sam. I. 19.*)

Pale Mocha Stone. *Harr. V. M. 45.*

Albin. pl. xlix. f. 82. f. a-d.

β; Ph. circularia. *Fabr. Sup. 451.*

Ph. albipunctata. *Berl. M. (Hufnagle.) iv. 526.*

Buff Argus M.: Ph. amataria. (*Wilkes. 37. pl. 74. fig. sup.*)—*Harr. V. M. 9.*

6520 † 4, albicinctata*.

Ph. albicinctata: the white-lined Black. *Haw. 344.*

In Mus. D. Hatchett.

6521. 5; orbicularia*: dingy Mocha.—*Haw. l. c.*

Ge. orbicularia. *Hüb. Ge. pl. 13. f. 60.*—(*Haw. Pr. 24.*)—*Haw. 311.*—(*Sam. I. 19.*)

6522. 6; punctaria*.

Ph. Ge. punctaria. *Linn. ii. 859.*—*Stew. ii. 160.*—*Turt. iii. 232.*

Ge. punctaria. (*Haw. Pr. 23.*)—*Haw. 312.*—(*Sam. I. 19.*)

Ge. fultaria. *Villers E. ii. 330?*

Ph. Ge. communifasciata. *Don. xiii. 47. pl. 456.*

Buff Argus M.: Ph. amataria. (*Wilkes. 37. pl. 74. fig. inf.*) Maiden's Blush. *Harr. V. M. 13.*

β? Ge. subangularia: scarce Angled. *Haw. 313.*

6523. 7: trilinearia*: Clay Triple-lines.—*Haw. l. c.*

Ge. trilinearia. *Bork. E. S. v. 502.*

Ge. linearia. *Hüb. Ge. pl. 13. f. 68.*—(*Haw. Pr. 23.*)—*Haw. 314.*—(*Sam. I. 18.*)

Genus 188: (971). BRADYEPETES *mihî*.

ENNOMOS B. p, *Treit.*, (Kirby.)

6524. 1; amataria*.

Ph. Ge. amataria. *Linn.* ii. 859.—*Berk.* S. i. 143.—*Stew.* ii. 160.—*Turt.* iii. 232.—(Kirby & Sp. I. E. iii. 151. nota.)

Ph. Ge. amatorio: Buff Argus. *Don.* ii. 74. *pl.* 33. *f.* 2.

Ge. amataria. *Hüb. Ge. pl.* 10. *f.* 52.—(Haw. Pr. 22.)—*Haw.* 296.—(Sam. I. 18.)

Ph. vibicaria. *Berl. M.* (Hufnagle.) iv. 514.

Blood vein. *Harr. V. M.* 53.

6525. 2; advenaria*: little Thorn.—*Haw.* l. c.

Ge. advenaria. *Hüb. Ge. pl.* 9. *f.* 45.—(Haw. Pr. 23.)—*Haw.* 296.—(Sam. I. 18.)

6526 † 3. dilectaria*.

6527. 4; apiciaria*: bordered Beauty.—*Haw.* l. c.

Ge. apiciaria. (Wien. V. 104.)—*Hüb. Ge. pl.* 9. *f.* 47.—(Haw. Pr. 23.)—*Haw.* 295.

Ph. Ge. vespertaria. *Don.* vii. 47. *pl.* 233. *f.* 3.—*Stew.* ii. 167.—*Turt.* iii. 241.

Ge. apicaria. *Esper.* v. *pl.* xv. *f.* 3.

Ge. apriciaria. (Sam. I. 18.)

Ge. marginaria. *Villers E.* ii. 303. *pl.* vi. *f.* 3.

Essex broad border. (Harr. V. M. 15.)

6528. 5, vespertaria.

Ge. vespertaria. *Linn.* ii. 864.—*Thunb.* I. S. 5. *fig. adj.*

Ge. parallelaria. (Wien. V. 104.)—*Hüb. Ge. pl.* 9. *f.* 43, 44.

Ge. affiniaria. *Bork. E. S.* v. 136.

Ph. repandaria. *Berl. M.* (Hufn.) iv. 503.

6529. 6; dolabraria*.

Ph. Ge. dolabraria. *Linn.* ii. 861.—*Don.* x. 63. *pl.* 349. *f.* 1.—*Stew.* ii. 161.—*Turt.* iii. 235.

Ge. dolabraria. *Hüb. Ge. pl.* 8. *f.* 42.—(Haw. Pr. 23.)—*Haw.* 295.—(Leach E. E. ix. 134.)—(Sam. I. 18.)

Ph. Ustulataria. *Berl. M.* (Hufn.) iv. 516.

Scorched Wing. (Wilkes D. *pl.* 3. *f.* 1.)—*Harr. V. M.* 57.

Genus 189: (972). ASPILATES, *Treitschke*.

CABERA p, *Treit.*—ASPITATES, *Treit. olim.*

6530 † 1, purpuraria. (Och. Tr. v. b. 431.)—*Id.* vi. a. 127.

Ph. Ge. purpuraria. *Linn.* ii. 864.—*Stew.* ii. 167. (!)—*Turt.* iii. 247. (!)

^a 6526 † 3. dilectaria: Small Thorn.—*Haw.* l. c.

Ge. dilectaria. *Hüb. Ge. pl.* 8. *f.* 38–39?—*Haw.* 296. (!)

Ge. purpuraria: purple-barred Yellow.—*Haw. l. c. Hüb. Ge. pl. 38. f. 198, 199.*—*Haw. 310.*

Ph. cruentaria. *Berl. M. (Hufnagle.) iv. 516.*

In Mus. *D. Swainson.*

6531. 2; citraria*. (*Och. Tr. v. b. 431.*)—*Id. vi. a. 139.*

Ge. citraria: yellow Belle.—*Haw. l. c. Hüb. Ge. pl. 40. f. 212.*
—*Haw. 288.*—(*Sam. I. 18.*)

Ge. trifoliaria. (*Haw. Pr. 23.*)

6532. 3; gilvaria. (*Och. Tr. v. b. 431.*)—*Id. vi. a. 132.*

Ge. gilvaria: Straw Belle.—*Haw. l. c. (Wien. V. 102.)*—*Hüb. Ge. pl. 38. f. 201.*—*Haw. 287.*—(*Sam. I. 18.*)

6533. 4; plumbaria*.

Ph. plumbaria. *Fabr. iii. b. 160. (!)*—*Stew. ii. 166.*—*Turt. iii. 246.*

Ge. palumbaria. (*Wien. V. 202.*)—*Hüb. Ge. pl. 42. f. 221.*

Ge. plumbaria. (*Haw. Pr. 23.*)—*Haw. 287.*—(*Sam. I. 19.*)

Ph. mucronata. *Scop. C. 222.*

Bell or Belle. *Harr. V. M. 13.*

6534. 5; respersaria*: Grass Wave.—*Haw. l. c.*

Ge. respersaria: lesser Grass Wave.—*Haw. l. c. Hüb. Ge. pl. 23. f. 125.*—*Haw. 289.*—(*Sam. I. 19.*)

β; Ge. strigillaria: the ingrailed Wave.—*Haw. l. c. Hüb. Beyt. i. 2. K.*—*Haw. 288.*

γ; Ge. inæquaria: the larger Grass Wave. *Haw. 288.*—(*Sam. I. 18.*)

Ge. majuscularia. (*Haw. Pr. 23.*)

Genus 190: (973). LARENTIA *mihi.*

LARENTIA *p.*, *Treit.*

6535. 1; cervinaria*. (*Och. Tr. v. b. 440.*)—*Och. Tr. vi. b. 76.*

Ge. cervinata. (*Wien. V. 111.*)—*Hüb. Ge. pl. 62. f. 318.*

Ph. Ge. clavaria. *Marsh. MSS.*

Ge. clavaria: Mallow M. (*Haw. Pr. 22.*)—*Haw. 302.*—(*Sam. I. 18.*)

6536. 2; Chenopodiata*: Aurelian's plague: *olim.*

Ph. Ge. Chenopodiata. *Linn. ii. 868.*—*Stew. ii. 169.*

Ge. Chenopodiaria: small Mallow M. (*Haw. Pr. 22.*)—*Haw. 302.*—(*Sam. I. 18.*)

Ge. mensuraria. (*Wien. V. 111.*)—*Hüb. Ge. pl. 37. f. 193.*

Ph. limitata. *Scop. C. 228.*

Ph. Ge. Chenipodiata. *Turt. iii. 260.*

Shaded broad bar. *Harr. A. pl. 33. f. n.*—*Harr. V. M. 9.*

6537. 3; bipunctaria*. (*Och. Tr. v. b. 441.*)—*Och. Tr. vi. b. 87.*

Ph. bipunctaria. *Fabr. iii. b. 145.*

Ge. bipunctaria: Chalk Carpet. *Haw. 303.*—(*Sam. I. 18.*)

Ge. bipunctata. *Hüb. Ge. pl. 53. f. 276.*

Ph. Undulata. *Scop. C. 223?*

Chalk-pit M. (*Harr. V. M. 39.*)

6538. 4; multistrigaria*.

Ge. multistrigaria: mottled Grey. *Haw. 306.*

Ge. multistrigata. (*Sam. I. 18.*)

Genus 191: (974). CIDARIA *mihi.*

CIDARIA et XERENE *p, Treit.*

6539. 1; didymata*.

Ph. Ge. didymata. *Linn. ii. 872.*

Ge. didymaria: twin-spot Carpet. (*Haw. Pr. 23.*)—*Haw. 306.*
—(*Sam. I. 18.*)

Ge. scabrata. *Hüb. Ge. pl. 44. f. 229?*

6540. 2, inunitata*.

Ge. munitata. *Hüb. Ge. pl. 66. f. 346.*—(*Sam. I. 18.*)

Ph. munitata: the rufous Carpet. *Haw. 328?*

Ph. Ge. tristrigaria. *Don. xiii. 60. pl. 461. f. 2.*

6541. 3; unidentaria*.

Ge. unidentaria: dark-barred Twin-spot. (*Haw. Pr. 23.*)—
Haw. 308.—(*Sam. I. 19.*)

Ge. quadrifasciaria. *Hüb. Ge. pl. 55. f. 284.*

Albin. pl. xcvi. f. e-h.

6542. 4; quadrifasciaria*. (*Och. Tr. v. b. 442?*)—*Och. Tr. vi.*
b. 146?

Ph. Ge. quadrifasciaria. *Linn. F. No. 1253.*

Ge. quadrifasciaria: large Twin-spot. (*Haw. Pr. App. 4.*)—
Haw. 307.—(*Sam. I. 19.*)

Ge. badiata. *Bork. E. S. v. 344.*

β, Ge. Ligustrata. *Hüb. Ge. pl. 55. f. 282.*

γ, Ph. Ge. undulataria. *Villers E. ii. 322. pl. vi. f. 6.*

Ge. undulataria. (*Haw. Pr. App. 4.*)

6543. 5; ferrugaria*. (*Och. Tr. v. b. 442.*)—*Och. Tr. vi. b. 148.*

Ph. Ge. ferrugata. *Linn. F. No. 1292.*—*Turt. iii. 263.*

Ge. ferrugata. *Hüb. Ge. pl. 55. f. 285.*

Ge. ferrugaria: red Twin-spot. (*Haw. Pr. 23.*)—*Haw. 308.*
—(*Sam. I. 18.*)

Ge. Alchemillaria. *Esper. v. pl. xl. f. 5, 6.*

Ge. corculata. *Berl. M. (Hufnagle.) iv. 616.*

Var. Ge. spadicearia. (*Wien. V. 113.*)

Ge. Linariaria. *Bork. E. S. v. 381.*

6544. [6, Salicaria*.]

Ge. Salicaria: striped Twin-spot. *Haw. 309.*—(*Sam. I. 19.*)

6545. 7, latenaria.

Ge. latenaria. (*Curtis Cat. No. 45.*)

6546. 8; miaria*. (*Och. Tr. v. b. 443.*)—*Och. Tr. vi. b. 159.*
 Ge. miaria. (*Wien. V. 113.*)
 Ge. miata. *Hüb. Ge. pl. 57. f. 292.*
 Ge. miataria. *Esper. v. pl. xlvi. f. 2, 3.*
 Ph. viridata. *Fabr. iii. b. 152. (!)—Berk. S. i. 145?*—(*Haw. Pr. 28?*)
 Ge. viridaria. *Villers E. ii. 320.—Stew. ii. 166.—Haw. 304.—(Sam. I. 19.)*
 Ph. rectangulata. *Berl. M. (Hufnagle.) iv. 606.*
 Ge. pectinitaria. *Fuesly M. i. 218.—(Haw. Pr. 23.)*
 Green Carpet. *Harr. V. M. 17.*
6547. 9; olivaria*. (*Och. Tr. v. b. 442.*)—*Och. Tr. vi. b. 157.*
 Ge. olivata. (*Wien. V. 112.*)—*Hüb. Ge. pl. 59. f. 307.*
 Ge. olivaria: Becch Green Carpet. *Haw. 304.—(Sam. I. 18.)*
 ♀, Ge. alboviridata. (*Haw. Pr. 26.*)
 ♂, Ge. alboviridaria. (*Haw. Pr. 23.*)
 Ph. pectinitaria. *Don. xiv. 33. pl. 479. f. 1.*
6548. 10; implicaria*.
 Ph. Ge. implicata. *Villers E. ii. 386.*
 Ge. implicaria. (*Haw. Pr. App. 4.*)—*Haw. 303.—(Sam. I. 18.)*
 Ge. montanata. (*Wien. V. 113.*)—*Hüb. Ge. pl. 48. f. 248.*
 Cid. montanaria. (*Och. Tr. v. b. 444.*)—*Och. Tr. vi. b. 201.*
 Silver ground. *Harr. V. M. 29.*
6549. 11; fluctuata*.
 Ph. Ge. fluctuata. *Linn. ii. 871.—Stew. ii. 171.—Turt. iii. 257.*
 Ge. fluctuata. *Hüb. Ge. pl. 48. f. 249.—(Sam. I. 18.)*
 Ph. fluctuata: the Garden Carpet. (*Haw. Pr. 25.*)—*Haw. 333.*
Albin. pl. xcix. f. e-h.
6550. [12; costovata*.]
 Ph. costovata: the short-barred Carpet. (*Haw. Pr. 25.*)—*Haw. 334.*
 Ge. costovata. (*Sam. I. 18.*)
6551. 13; propugnata*: the flame Carpet.—*Haw. l. c.*
 Ge. propugnata. (*Wien. V. 112.*)—*Hüb. Ge. pl. 55. f. 286.*
 —(*Sam. I. 19.*)
 Ph. propugnata. *Fabr. iii. b. 188.—(Haw. Pr. App. 5.)—Haw. 354.*
 Ci. propugnaria. (*Och. Tr. v. b. 442.*)—*Och. Tr. vi. b. 141.*
 Ph. designata. *Berl. M. (Hufnagle.) iv. 612.*
 Ph. lynceata. *Don. x. 65. pl. 349. f. 3.*

Genus 192: (975). HARPALYCE *mihai*.

CIDARIA *p.*, Treit.

6552. 1; fulvata*.
 Ge. fulvata. (*Wien. V. 112.*)—*Forst. C. i. 76.—Hüb. Ge. pl. 57. f. 297.—(Sam. I. 18.)*
 K 2

Ph. fulvata: the barred Yellow. (*Haw. Pr.* 27.)—*Haw.* 328.
 Ph. sociata. *Fabr.* iii. b. 198.—*Stew.* ii. 173.—*Turt.* iii. 264.
 —(*Haw. Pr.* 26.)

Small clouded Yellow. (*Wilkes D. pl.* 1. *f.* 2.)

Clouded Yellow. *Harr. A. pl.* 35. *f.* 1.—*Harr. V. M.* 59.

6553. 2; ocellata*.

Ph. Ge. ocellata. *Linn.* ii. 870.

Ge. ocellata. (*Sam. I.* 18.)—*Hüb. Ge. pl.* 48. *f.* 252.

Ph. ocellata. (*Haw. Pr.* 25.)—*Haw.* 331.

Ph. tridentata. *Berl. M.* (*Hufnagle.*) iv. 618.

Ph. lynceata. *Fabr.* iii. b. 189. (!)—(*Haw. Pr. App.* 5.)—*Stew.* ii. 171.—*Turt.* iii. 259.

Ge. fasciata. *Scop. C.* 221.—*Villers E.* ii. 364.

Purple bar. *Harr. V. M.* 11.

(*Wilkes D. pl.* 10. *f.* 3.)

6554. 3; Galiata.

Ge. Galiata. (*Wien. V.* 113.)—*Hüb. Ge. pl.* 53. *f.* 272.—(*Sam. I.* 18.)

Ph. Galiata: the Galium Carpet. *Haw.* 332.

6555 † [4, unilobata.]

Ph. unilobata: the blunt-angled Carpet. *Haw.* 331.

Ge. unilobata. (*Sam. I.* 19.) In Mus. *D. Haworth.*

6556 † [5, quadriannulata.]

Ph. quadriannulata: the Necklace Carpet. *Haw.* 331.

In Mus. *D. Haworth.*

6557. 6: sinuata*.

Ge. sinuata. (*Wien. V.* 114.)—*Hüb. Ge. pl.* 56. *f.* 288.—(*Sam. I.* 19.)

Ph. sinuata: the royal Mantle. *Haw.* 326.

Ph. regalata. (*Haw. Pr.* 25.)

6558. 7; derivata*.

Ge. derivata. (*Wien. V.* 113.)—*Hüb. Ge. pl.* 56. *f.* 289.—(*Sam. I.* 18.)

Ph. derivata. *Haw.* 326.

Ge. violacea nigrostriata. *Villers E.* ii. 378.

Ph. funbriata. *Fabr.* iii. b. 187?

The Streamer. (*Wilkes D. pl.* 11. *f.* 9.)—*Harr. Ex.* 26. *pl.* vi. *f.* 7.—*Harr. V. M.* 45.

6559. 8; rubidata*: the Flame.—*Haw. l. c.*

Ge. rubidata. (*Wien. V.* 188.)—*Hüb. Ge. pl.* 56. *f.* 290.

Ph. rubidata. *Fabr.* iii. b. 180.—*Haw.* 325.

Ge. rubiadata. (*Sam. I.* 19.)

6560. 9: Berberata*.

Ge. Berberata. (*Wien. V.* 113.)—*Hüb. Ge. pl.* 56. *f.* 287.—(*Sam. I.* 18.)

6561. 10; biangulata*: the cloaked Carpet.—*Haw. l. c.*
 Ph. biangulata. *Marsh. MSS.*—(*Haw. Pr. 26.*)—*Haw. 326.*
 Ge. picata. *Hüb. Ge. pl. 84. f. 435.*
 Ge. biangulata. (*Sam. I. 18.*)
 A Carpet M. (*Wilkes D. pl. 11. f. 4.*)
 Short Cloak Carpet. *Harr. Ex. 31. pl. viii. f. 4.*—*Harr. V. M. 17.*
6562. 11; unangulata*.
 Ph. unangulata: the sharp-angled Carpet. *Marsh. MSS.*—(*Haw. Pr. 25.*)—*Haw. 332.*
 Ge. unangulata. (*Sam. I. 19.*)
 The White Stripe M. (*Wilkes D. pl. 5. f. 6.*)
6563. 12; sylvaticata*.
 Ph. sylvaticata: the Wood Carpet. *Haw. 332.*
 Ge. aquata. *Hüb. Ge. pl. 75. f. 410?*
 Ge. sylvaticata. (*Sam. I. 19.*)
6564. 13; subtristata*.
 Ph. subtristata: the common Carpet. (*Haw. Pr. 25.*)—*Haw. 332.*
 Ph. contristata. *Don. xv. 12. pl. 510. f. 2.*
 Ge. subtristata. (*Sam. I. 19.*)
 A White stripe M. (*Wilkes D. pl. 8. f. 5.*)
 Carpet M. *Harr. V. M. 17.*
 ♂, Ph. degenerata: the degenerate Carpet. *Haw. 333.*
 Ge. degenerata. (*Sam. I. 18.*)
6565. 14, tristata: the small Argent and Sable.—*Haw. l. c.*
 Ph. Ge. tristata. *Linn. ii. 869.*—*Turt. iii. 256.*
 Ge. tristata. (*Wien. V. 113.*)—*Hüb. Ge. pl. 49. f. 254.*
 Ph. tristata. *Fabr. iii. b. 183.*—*Haw. 333.*
 Ph. contristata. (*Haw. Pr. 25.*)
6566. 15; silacea*.
 Ge. silacea. (*Wien. V. 113.*)—*Hüb. Ge. pl. 59. f. 303. ♂.*
pl. 93. f. 477, 478. ♀.
 ♀; Ph. silacea: the small Phœnix. *Haw. 323.*
 ♂; Ph. insulata: the insulated Carpet. *Marsh. MSS.*—(*Haw. Pr. 26.*)—*Haw. 330.*
 Ge. insulata. (*Sam. I. 18.*)
 Ph. cuneata. *Don. xiv. 52. pl. 487. f. 2.*
6567. 16; ruptata*.
 Ge. ruptata. *Hüb. Ge. pl. 57. f. 295.*—(*Sam. I. 19.*)
 Ph. ruptata: the broken-barr'd Carpet. *Haw. 327.*—*Don. xiv. 34. pl. 479. f. 2.*
 Ph. interruptata. (*Haw. Pr. 26.*)
Albin. pl. xcvi. f. a-d.
6568. 17; miata*: the auuin Green Carpet.

Ph. Ge. miata. *Linn.* ii. 869.—*Turt.* iii. 255.
 Ph. miata. *Fabr.* iii. b. 180.—(*Haw. Pr.* 26.)—*Haw.* 328.—
Don. xiv. 35. *pl.* 479. *f.* 3.
 Ph. luctuata. *Fabr.* iii. b. 195.
 Ge. miata. (*Sam. I.* 18.)
Albin. *pl.* I. *f.* 86. *e-h.*

6569. 18; psittacata*: the red-green Carpet.
 Ge. psittacata. (*Wien. V.* 112.)—*Hüb. Ge. pl.* 43. *f.* 227.—
 (*Sam. I.* 19.)
 Ph. psittacata. *Fabr.* iii. b. 195.—*Haw.* 329.
 Ph. siterata. *Berl. M.* (*Hufnagle.*) iv. 522.
 Ph. rubroviridata. *Marsh. MSS.*—(*Haw. Pr.* 26.)—*Don.* xiv.
 48. *pl.* 485. *f.* 3.
 6570. 19; immanata*.
 Ph. immanata: the dark marbled Carpet. *Marsh. MSS.*—
 (*Haw. Pr.* 26.)—*Haw.* 323.
 Ge. immanata. (*Sam. I.* 18.)

6571. [20, amœnata] mihi.

6572. 21; marmorata*: the marbled Carpet.—*Haw. l. c.*
 Ph. marmorata. *Fabr.* iii. b. 192.—*Haw.* 324.
 Ge. marmorata. (*Sam. I.* 18.)
 Ph. punctum-notata. *Marsh. MSS.*—(*Haw. Pr.* 26.)
 Ph. omicrata. *Don.* xv. 11. *pl.* 510. *f.* 1?
 6573. [22, concinnata] mihi.
 6574. 23; comma-notata*: yellow marbled Carpet.—*Haw. l. c.*
 Ph. comma-notata. *Marsh. MSS.*—(*Haw. Pr.* 26.)—*Haw.* 325.
 Ge. comma-notata. (*Sam. I.* 18.)
 6575. 24; centum-notata*: common marbled Carpet.—*Haw. l. c.*
 Ph. centum-notata. *Fabr.* iii. b. 191.—(*Haw. Pr.* 25.)—
Haw. 324.
 Ge. centum-notata. (*Sam. I.* 18.)
 Ge. rupata. (*Wien. V.* 113.)—*Hüb. Ge. pl.* 59. *f.* 305. *pl.* 86.
f. 445?
 Ph. truncata. *Berl. M.* (*Hufnagle.*) iv. 602?
 Hornsey Beauty. *Harr. V. M.* 11.

6576. [25; saturata*] mihi.

6577. [26; perfuscata*].
 Ge. perfuscata: the brown marbled Carpet. *Haw.* 325.—
 (*Sam. I.* 19.)
 6578. 27; suffumata*.
 Ge. suffumata. (*Wien. V.* 316.)—*Hüb. Ge. pl.* 59. *f.* 306.—
 (*Sam. I.* 19.)
 Ph. suffumata: the Water Carpet. *Haw.* 323.
 Ph. insititiata. *Marsh. MSS.*—(*Haw. Pr.* 25.)

Genus 193: (976). STEGANOLOPHIA *mihi*.

CIDARIA *p*, Treit.

6579. 1; Prunata*.

Ph. Ge. Prunata. *Linn.* ii. 869.—*Stew.* ii. 170.—*Turt.* iii. 254.

Ph. Prunaria. *Don.* vii. 45. *pl.* 233. *f.* 1.

Ph. Prunata. *Fabr.* iii. b. 178.—(*Haw. Pr.* 25.)—*Haw.* 322.

Ge. Prunata. (*Sam. I.* 19.)

Cleifden Carpet. (*Wilkes D. pl.* 2. *f.* 5?)

Clouded Carpet. *Harr. Ex.* 30. *pl.* viii. *f.* 1.—*Harr. V. M.* 17.

Phœnix. (*Harr. V. M.* 39.)

Genus 194: (977). ELECTRA *mihi*.

CIDARIA *p*, Treit.

6580. 1; Spinachiata*.

Ph. Spinachiata: the Spinach. (*Haw. Pr.* 26.)—*Haw.* 341.

Ge. marmorata. *Hüb. Ge. pl.* 54. *f.* 279.

Ge. Spinaciata. (*Sam. I.* 19.)

6581. 2; comitata*: dark Spinach.—*Haw. l. e.*

Ph. Ge. comitata. *Linn.* ii. 868.—*Stew.* ii. 169.—*Turt.* iii. 253.

Ph. comitata. *Fabr.* iii. b. 176.—(*Haw. Pr.* 26.)—*Haw.* 342.

Ge. comitata. (*Sam. I.* 18.)

Ge. chenopodiata. (*Wien. V.* 112.)—*Hüb. Ge. pl.* 58. *f.* 299.

Albin. pl. xlvi. *f.* 79. *f-i.*

July Arrach M.: Ph. chenopodiata. (*Wilkes.* 36. *pl.* 71.)—*Harr. V. M.* 9.

β. Ph. Ge. dotata. *Mus. Linn.*

6582. 3, Populata.

Ph. Ge. Populata. *Linn.* ii. 868.—*Turt.* iii. 253.

Ge. Populata. *Hüb. Ge. pl.* 58. *f.* 300.—*Ent. Trans.* (*Ha-worth.*) i. 337.—(*Sam. I.* 19.)

Ph. Ge. cuspidata. *Stew.* ii. 164.

6583. 4; testata*.

Ph. Ge. testata. *Linn. F. No.* 1262.

Ph. testata: the Chevron. *Haw.* 342.

Ge. testaceata. (*Haw. Pr.* 26.)

Ge. testata. (*Sam. I.* 19.)

Broad Chivern'd. *Harr. V. M.* 17?

6584. [5, achatinata.]

Ge. achatinata. *Hüb. Ge. pl.* 58. *f.* 301.

6585. 6; Pyraliata*.

Ge. Pyraliata. (*Wien. V.* 117.)—*Hüb. Ge. pl.* 58. 302.—(*Sam. I.* 19.)

Ph. Populata: barred Straw. (*Haw. Pr.* 26.)—*Haw.* 341.

Albin. pl. xlvi. *f.* 75. *d-g.*

6586. 7, imbutata.

Ge. imbutata. *Hüb. Ge. pl. 78. f. 463.*

Genus 195: (973). IDAËA.

IDAËA A, *Treit.*

6587. 1, dealbata*. (*Och. Tr. v. b. 446.*)—*Och. Tr. vi. b. 259.*

Ph. Ge. dealbata. *Linn. ii. 870.*

Ge. dealbata. (*Sam. I. 18.*)

Ph. dealbata. (*Haw. Pr. 27.*)—*Haw. 317.*

Ge. dealbaria. *Hüb. Ge. pl. 41. f. 214.*

Ph. lineata. *Scop. C. 218.*

Black veined. *Harr. V. M. 53.*

Genus 196: (979). ABRAXAS, *Leach, Samou., (Kirby.)*

ZERENE p, *Treit.*

6588. 1, pantaria.

Ge. pantaria. *Linn. ii. 863.—Stew. ii. 166.—(Sam. I. 19.)*

Ph. pantaria. *Haw. 317.*

Ge. pantaria. (*Wien. V. 115.*)—*Hüb. Ge. pl. 16. f. 84.—(Haw. Pr. 21.)*

Ph. Ulmata. *Fabr. iii. b. 176.*

The Panther. (*Harr. V. M. 39.*)

6589. 2: Ulmata*. (*Leach E. E. ix. 134.*)—(*Samou. 253.*)

Ph. Ulmata. *Fabr. iii. b. 176.—Don. ix. 11. pl. 293. f. 1.—Turt. iii. 254.*

Ge. Ulmaria. *Hüb. Ge. pl. 76. f. 391, 392.—(Haw. Pr. 21.)*

Ph. Ulmata: scarce Magpie. *Haw. 317.*

Ph. Ge. sylvata. *Villers E. ii. 363.*

Ge. pantherata. *Bork. E. S. v. 470.*

Clouded Magpie. *Harr. V. M. 35.*

6590. 3; Grossulariata*. (*Leach E. E. ix. 134.*)—(*Samou. 253.*)

Ph. Ge. Grossulariata. *Linn. ii. 867.—Berk. S. i. 145.—Stew. ii. 168.—Don. i. pl. 4.—Turt. iii. 253.*

Ge. Grossulariaria. (*Wien. V. 115.*)—*Hüb. Ge. pl. 16. f. 81, 82.—(Haw. Pr. 21.)*

Ph. Grossulariata: the Magpie. *Haw. 316.*

Pa. No. 9. *List. Goëd. (Angl.) 13. f. 9.—Id. (Lat.) 24. f. 9. Albin. pl. xlivi. f. 71. d-g.*

Gooseberry M.: Ph. Grossulariata. (*Wilkes. 41. pl. 85.*)

Currant M. *Harr. A. pl. 12. f. f-h.*

Great or Large Magpie M. (*Wilkes. D. pl. 11. f. 6.*)—*Harr. V. M. 35.*

Genus 197: (980). —^a

Genus 198: (981). XERENE, Treitschke.

6592. 1; hastata*.

Ph. Ge. hastata. *Linn.* ii. 870.—*Stew.* ii. 170.—*Don.* iv. 55.
pl. 129. *f.* 123.—*Turt.* iii. 256.

Ph. hastata. (*Haw. Pr.* 25.)—*Haw.* 336.

Ge. hastata. (*Sam. I.* 18.)

The Mottled Beauty, a Moth. (*Wilkes D.* *pl.* 4. *f.* 6.)

Argent and Sable. *Harr. A.* *pl.* 15.—*Harr. V. M.* 9.

6593. 2; albicillata*. (*Och. Tr.* v. b. 444.)—*Och. Tr.* vi. b. 228.

Ph. Ge. albicillata. *Linn.* ii. 870.—*Stew.* ii. 170.—*Don.* vi. 52.
pl. 202. *f.* 2.—*Turt.* iii. 256.

Ph. albicillata: the beautiful Carpet. (*Haw. Pr.* 24.)—
Haw. 337.

Ge. albicillata. (*Sam. I.* 18.)

Ph. vestalis. *Naturforscher.* xiii. 30. *pl.* 3. *f.* 7. *a, b.*

Clifden Beauty. *Harr. V. M.* 13?

6594. 3; procellata*. (*Och. Tr.* v. b. 444.)—*Och. Tr.* vi. b. 213.

Ge. procellata. (*Wien. V.* 114.)—*Hüb. Ge.* *pl.* 48. *f.* 251.—
Turt. iii. 257.—(*Sam. I.* 19.)

Ph. procellata: the chalk Carpet. (*Haw. Pr.* 24.)

Ph. porcellata. *Don.* vi. 53. *pl.* 502. *f.* 3.

Clifden Beauty. (*Wilkes D.* *pl.* 2. *f.* 2.)

Clifden Beauty. *Harr. Ex.* 22. *pl.* v. *f.* 6.

6595. 4; adustata*. (*Och. Tr.* v. b. 444.)—*Och. Tr.* vi. b. 225.

Ge. adustata. (*Wien. V.* 114.)—*Hüb. Ge.* *pl.* 15. *f.* 75.—
(*Sam. I.* 18.)

Ph. adustata: the scorched Carpet. (*Haw. Pr.* 25.)—*Haw.* 337.

The large Blue-bordered. *Harr. Ex.* 20. *pl.* v. *f.* 1.

Clifden Carpet. *Harr. V. M.* 17.

6596. 5; rubiginata*. (*Och. Tr.* v. b. 444.)—*Och. Tr.* vi. b. 223.

Ge. rubiginata. (*Wien. V.* 114.)—*Hüb. Ge.* *pl.* 48. *f.* 250.—
(*Sam. I.* 19.)

Ph. rubiginata: the blue-bordered Carpet. *Haw.* 338.

Ph. abbreviata. *Marsh. MSS.*—(*Haw. Pr.* 25.)

Ge. albaria. *Villers E.* ii. 321.

Ge. bicolorata. *Berl. M.* (*Hufnagle.*) iv. 608.

Blue-border. (*Wilkes D.* *pl.* 4. *f.* 5.)—*Harr. V. M.* 13.

^a Genus 197: (980). —

XERENE *p.*, Treit.

6591 1. melanaria.

Ph. Ge. melanaria. *Linn.* ii. 862.

Ge. melanaria. *Hüb. Ge.* *pl.* 16. *f.* 86.

Ph. melanata: the yellow underwinged Magpie. *Haw.* 316. (!)

6597. [6, contaminata?]

Ge. contaminata. *Berl. M. (Hufnagle.)* iv. 614?Genus 199: (982). *YPSIPETES mihi.**ACIDALIA p, Treit.*

6598. 1; impluviata*.

Ge. impluviata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 43. f. 223.*—
(*Sam. I. 18.*)Ph. impluviata: May Highflyer. *Haw. 321.*Ge. trifasciata. *Bork. E. S. v. 308.*Ph. literata. *Don. xiv. 81. pl. 499. f. 2.*July highflyer likeness. *Harr. V. M. 25.*

6599. 2; elutata*.

Ge. elutata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 48. f. 224. pl. 74.*
f. 381–385.—(*Sam. I. 18.*)Ph. elatata. *Haw. 321.*Ph. Ge. virgata. *Villers E. ii. 379?**Albin. pl. xliv. f. 73. e–h.*July Sallow M.: Ph. fluctuata? (*Wilkes. 26. pl. 73.*)July high Flyer. *Harr. V. M. 25.* β , Ph. fuscoadata. *Don. xi. 73. pl. 386. f. 3.*—or yellow-striped
Highflyer. *Haw. 321.*Ge. fuscoadata. (*Sam. I. 18.*)

6600. 3, horridaria?

Ge. horridaria. (*Haw. Pr. 24?*)Genus 200: (983). *PHIBALAPTERYX mihi.**ACIDALIA p, et ASPILATES p, Treit.*

6601. 1; tersata*.

Ge. tersata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 52. f. 268.*—
(*Sam. I. 19.*)Ph. tersata. *Haw. 339.*The Fern. *Harr. V. M. 25.*

6602. 2; vitalbata*.

Ge. vitalbata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 22. f. 269.*—
(*Sam. I. 19.*)Ph. vitalbata: the small waved-Umber. *Haw. 340.*

6603. 3; lignata*.

Ge. lignata. *Hüb. Ge. pl. 52. f. 270.*—(*Sam. I. 18.*)Ph. lignata: the oblique Carpet. *Haw. 340.*Ge. areolaria. (*Haw. Pr. 23.*)Ph. lineataria. *Don. xiv. 47. pl. 485. f. 1, 2.*6604 † 4, cognata* *mihi.*In Mus. *D. Curtis.*

6605. 5, lineolata.

Ge. lineolata. (*Wien. V. 102.*)—*Hüb. Ge. pl. 60. f. 311.*—
(*Sam. I. 18.*)

Ph. lineolata: the Oblique striped. *Haw.* 340.

Ph. virgata. *Berl. M.* (*Hufnagle.*) iv. 608.

6606 † 6. polygrammata?

Ge. polygrammata. *Hüb. Ge. pl.* 54. *f.* 277?

In Mus. D. —?

6607 † 7, angustata*.

Ph. angustata: the narrow-barred Carpet. *Haw.* 340.

Ge. angustata. (*Sam. I.* 18.)

In Mus. D. *Haworth, J. Latham?* et *Milne.*

6608. 8; badiata*.

Ge. badiata. (*Wien. V.* 111.)—*Hüb. Ge. pl.* 56. *f.* 291.—
(*Sam. I.* 18.)

Ph. badiata. *Haw.* 325.

Ph. Berberata. *Don.* xiv. 65. *pl.* 493. *f.* 1.

Shoulder stripe. (*Harr. V. M.* 45.)

Genus 201: (984). SCOTOSIA *mihi.*

ACIDALIA *p.*, *Treitschke.*

6609. 1; Rhamnata*.

Ge. Rhamnata. (*Wien. V.* 109.)—*Hüb. Ge. pl.* 52. *f.* 271.—
(*Sam. I.* 19.)

Ph. Rhamnata: the dark Umber. (*Haw. Pr.* 25.)—*Haw.* 339.

Ph. transversata. *Berl. M.* (*Hufnagle.*) iv. 600.

6610. 2; vetulata*.

Ge. vetulata. (*Wien. V.* 109.)—*Hüb. Ge. pl.* 51. *f.* 263.—
(*Sam. I.* 19.)

Ph. vetulata: the brown Scolop. *Haw.* 320.

Ph. fuscata. (*Haw. Pr.* 27.)

6611. 3, Sparsaria.

Ge. Sparsaria. *Hüb. Ge. pl.* 22. *f.* 116.

Ge. roraria. *Esper. v. pl.* xxiv. *f.* 4.

Genus 202: (985). TRIPHOSA *mihi.*

ACIDALIA *p.*, *Treitschke.*

6612. 1; dubitata*.

Ph. Ge. dubitata. *Lin. ii.* 866.—*Don.* vii. 82. *pl.* 246. *f.* 2.
—*Stew. ii.* 163.—*Turt. iii.* 249.

Ph. dubitata. (*Haw. Pr.* 25.)—*Haw.* 318.

Ge. dubitata. (*Sam. I.* 18.)

Ph. fuliginata. *Berl. M.* (*Hufnagle.*) iv. 610.

Tissue. *Harr. V. M.* 51.

6613. 2; cinereata* *mihi.*

6614. 3; cervinata*.

Ge. cervinata. *Hüb. Ge. pl.* 51. *f.* 266.—(*Sam. I.* 18.)

Ph. cervinata: the scarce Tissue. *Haw.* 318.

Ac. ancipitata. (*Och. Tr. v. b.* 440.)

Ac. certata. *Hübner Verz:* teste *Treit. Och. Tr. vi. b.* 72.

Genus 203: (986). —

ACIDALIA p, Treitschke.

6615. 1; *bilineata**.

Ph. Ge. bilineata. *Linn. ii.* 868.—*Stew. ii.* 169.—*Don. viii.* 86.

pl. 287. f. 3.—*Turt. iii.* 258.

Ph. bilineata: the yellow Shell. (*Haw. Pr. 26.*)—*Haw. 343.*

Ge. bilineata. (*Sam. I.* 18.)

Yellow shoulder stripe. *Harr. V. M.* 45.

Genus 204: (987). —

ACIDALIA p, Treitschke, (Kirby.)

6616. 1; *undulata**.

Ph. Ge. undulata. *Linn. ii.* 867.—*Stew. ii.* 168.—*Don. x.* 48.

pl. 342. f. 3.—*Turt. iii.* 253.

Ph. undulata. *Haw. Pr. 27.*—*Haw. 320.*

Ge. undulata. (*Sam. I.* 19.)

Ph. serrata. *Berl. M. (Hufnagle.)* iv. 522.

Scollop Shell. (*Wilkes D. pl. 11. f. 1.*)—*Harr. Ex. 12. pl. 11. f. 5, 6.*—*Harr. V. M.* 43.

Genus 205: (988). CHARISSA, *Curtis.*

GNOPHOS p, Treitschke.

6617. 1: *obscuraria:* Dark Annulet.—*Haw. l. c.* (*Curtis l. c. infra.*)

Ge. obscuraria. (*Wien. V. 108.*)—*Hüb. Ge. pl. 27. f. 146.*—*Haw. 314.*

Ph. lividata. *Fabr. iii. b.* 170.

Ge. Anthracinaria. *Esper. v. pl. xxv. f. 3–5.*

6618. 2; *dilucidaria.*

Ge. dilucidaria. (*Wien. V. 315.*)—*Hüb. Ge. pl. 2. f. 143.*

6619. 3; *pullata:* brown Annulet.—*Haw. l. c.* (*Curtis l. c. infra.*)

Ge. pullata. (*Wien. V. 108.*)

Ge. pullaria. *Hüb. Ge. pl. 27. f. 145.*—*Haw. 314.*—(*Sam. I. 19.*)

Ph. Ge. quadripustulata. *Don. xiii. 68. pl. 463.*

Ge. dilucidaria. *Esper. v. pl. xlvi. f. 3.*

6620. [4, *serotinaria.*] (*Curtis l. c. infra.*)

Ge. serotinaria: large Mocha. *Hüb. Ge. pl. 28. f. 147?*—*Haw. 311.*

6621 + 5, *operaria.* *Curtis. iii. pl. 105.*

Ge. operaria *Hüb. Ge. pl. 69. f. 359.*

In Mus. D. *Curtis, Dale, Haemorth et Stone.*

Genus 206: (989). PACHYCNEMIA *mihi*.

FIDONIA *p*, Treitschke.

6622. 1; Hippocastanaria*.

Ge. Hippocastanaria. Hüb. Ge. pl. 36. f. 186.

Ph? anomala. Ent. Trans. (Haworth.) i. 337.

Genus 207: (990). LOZOGRAMMA *mihi*.

ASPILATES *p*, Treitschke.

6623. 1; petraria*.

Ge. petraria. Hüb. Ge. pl. 21. f. 113.

Ph. petrata. Haw. 344.

Ge. petrata. (Sam. I. 19.)

Ph. chlorosata. Scop. C. 222.

Ge. virgaria. Bork. E. S. v. 61.

Brown Silver lines. Harr. V. M. 35.

Genus 208: (991). APLOCERA *mihi*.

LARENTIA *p*, Treitschke.

6624. 1; plagiata*.

Ph. Ge. plagiata. Linn. ii. 869.—Stew. ii. 169.

Ph. plagiata: the slender Treble-bar. Haw. Pr. 25.—Haw. 318.

Ph. duplicata. Fabr. iii. b. 193.—Don. vii. 46. pl. 233. f. 2.—(Haw. Pr. App. 5.)—Turt. iii. 261.

Ge. duplicata. (Sam. I. 18.)

Ge. plagiata. (Sam. I. 19.)

The Treble-barred Moth. (Wilkes D. pl. 6. f. 4.)

Treble or triple bars. Harr. A. pl. 28. f. k.—Harr. V. M. 11.

6625. 2, cæsiata*?

Ge. cæsiata. (Wien. V. 112.)—Hüb. Ge. pl. 53. f. 275.—(Sam. I. 18.)

Ph. cæsiata: the February Carpet. Haw. 330.

β, Ph. infrequentata: the scarce Carpet. Haw. 330.

Ge. cyanata. Hüb. Ge. pl. 62. f. 319?

6626. 3, flavicinctata.

Ge. flavicinctata. Hüb. Ge. pl. 68. f. 354.

Genus 209: (992). CHESIAS, Treitschke.

6627. 1; Spartiata*. (Och. Tr. v. b. 437.)—Id. vi. a. 331.

Ph. Spartiata. Fabr. iii. b. 181.—Don. x. 42. pl. 342. f. 2.—Haw. Pr. 27.—Haw. 339.

Ge. Spartiata. (Sam. I. 19.)

Ph. Ge. Spartiata. Fuesly Ar. pl. 11.

Streak. (Harr. V. M. 45.)

6628. 2; obliquaria*. (Och. Tr. v. b. 437.)—Id. vi. a. 340.

Ge. obliquaria. (Wien. V. 102.)

- Ph. Bombycata: the Chevron.—*Don. l. c.* *Hüb. B. i. 2. K.*
 —(*Haw. Pr. App. 5.*)—*Don. xi. 74. pl. 386. f. 4.*
 Ph. rufata: the Broom-tip.—*Haw. l. c.* *Fabr. iii. b. 181?*—
Haw. 322.—*Stew. ii. 170.*
 Ge. rufata. (*Sam. I. 19.*)
 Broom bust tip. *Harr. V. M. 49.*

Genus 210: (993). —

CHESIAS p, Treitschke.

A. Antennis pectinatis.

6629. 1; simulata*.
 Ge. simulata. *Hüb. Ge. pl. 66. f. 345.*—(*Sam. I. 19.*)
 B. Antennis haud pectinatis.
6630. 2; variata*.
 Ge. variata. (*Wien. V. 110.*)—(*Sam. I. 19.*)
 Ph. Juniperata. (*Haw. Pr. 26.*)
 Ph. variata: the grey Carpet. *Ent. Trans. (Hatchett.) i. 245.*
pl. 7. f. 1.—*Haw. 327.*
6631. 3, fulvata.
 Ph. fulvata. *Fabr. iii. b. 188?*
 Ge. pinetata. *Bork. E. S. v. 373?*
 Ge. obeliscata. *Hüb. Ge. pl. 57. f. 296?*
6632. 4: Juniperata*.
 Ph. Ge. Juniperata. *Linn. ii. 871.*
 Ge. Juniperata. *Hüb. Ge. pl. 57. f. 294.*—(*Sam. I. 18.*)

Genus 211: (994). —

ACIDALIA p, Treitschke.

6633. 1; dilutata*.
 Ge. dilutata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 36. f. 188. ♂.*—
 (*Samou. 443.*)
 Ph. dilutata: the November. *Haw. 319.*
 Ge. 4-fasciata. *Bork. E. S. v. 294.*
 Ge. affiniata. *Bork. E. S. v. 294.*
 Ph. omicrata. *Haw. Pr. 25.*
 Ph. inscriptata. *Don. xv. 25. pl. 517.*
Albin. pl. xlvi. f. 74. a-c.
 The grey waved. *Harr. Ex. 31. pl. viii. f. 3.*
 β; Ph. fimbriata: the bordered November. *Haw. 320.*
 Ge. fimbriata. (*Sam. I. 18.*)

Genus 212: (995). **CHEIMATOPIA miki, (Kirby.)**

ACIDALIA p, et FIDONIA p, Treitschke.—HYBERNIA p, Latr.?

6634. 1; vulgaris*: Winter M.—*Haw. l. c.*
 Ph. Ge. brumata. *Linn. ii. 874.*—*Stew. ii. 172.*—*Turt. iii. 260.*

- Ge. brumaria. *Hüb. Ge. pl. 37.* f. 191. *pl. 80.* f. 415. *pl. 99.*
f. 509. ♀.—*Haw. Pr. 23.*—*Haw. 305.*—(*Sam. I. 18.*)
 Ph. hyemata. *Berl. M. (Hufnagle.) iv. 612.*
 Noctua brumata. (*Kirby & Sp. I. E. i. 206.*)

6635. 2; rupicapraria *: Early M.—*Haw. l. c.*
 Ge. rupicapraria. (*Wien. V. 105.*)—*Hüb. Ge. pl. 42.* f. 222.
 Ph. Ge. primaria. *Marsh. MSS.*—*Haw. Pr. 23.*—*Haw. 305.*
 Ge. primaria. (*Sam. I. 19.*)
Albin. pl. xlix. f. 83. e-g?

Genus 213: (996). LOBOPHORA *mihi*, *Curtis*, (*Kirby.*)

CHESIAS *p*, *Treitschke*.—ACIDALIA *p*, *Treitschke*.—PTERAPHIERAPTERYX, *Leach olim.*

A. Tibiis posticis bicalcaratis.

6636. 1: polycommata *. (*Curtis. ii. pl. 81.*)
 Ge. polycommata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 36.* f. 190. ♀.

6637. 2, costæstrigata *. (*Curtis l. c. supra.*)
 Ph. costæstrigata: the twin-striped Pinion. *Haw. 319.*
 Ge. rupestrata. *Hüb. Ge. pl. 37.* f. 192?
 Ge. costastrigata. (*Sam. I. 18.*)

6638. 3; dentistrigata *.
 Ph. dentistrigata: the early Tooth-striped. *Haw. 320.*
 Ge. dentistrigata. (*Sam. I. 18.*)
 Ge. lobulata. *Hüb. Ge. pl. 70.* f. 362.
 Lo. lobulata. (*Curtis l. c. supra.*)

6639. 4; viretata *. (*Curtis l. c. supra.*)—(*Ing. Inst. 91.*)
 Ge. viretata. *Hüb. Ge. pl. 44.* f. 230.—(*Sam. I. 19.*)
 Ph. viretata: the brindle-barred Yellow. *Haw. 329.*
 Ph. trinotata. *Don. xiv. 79. pl. 499.* f. 1.

B. Tibiis posticis quadricalcaratis.

6640. 5; hexapterata *. (*Curtis l. c. supra.*)
 Ph. hexapterata. *Fabr. iii. b. 193.*—*Don. vi. 29. pl. 192.*—
 (*Haw. Pr. 28.*)—*Haw. 356.*—*Stew. ii. 169.*—*Turt. iii. 261.*
 —(*Kirby & Sp. I. E. ii. 352.*)
 Ge. hexapterata. (*Sam. I. 18.*)
 Ph. halterata. *Berl. M. (Hufnagle.) iv. 608.*
 Var. ♀. Ph. zonata. *Thunb. I. S. iv. 60. fig. adj.?*
 Prominent M. *Harr. V. M. 41.*

6641. 6; sexalisata *. (*Curtis l. c. supra.*)
 Ge. sexalisata. *Hüb. Ge. pl. 44.* f. 228.—(*Sam. I. 19.*)
 Ph. sexalisata: the small Seraphim. *Haw. 356.*
 Ge. sex-alata. *Bork. E. S. v. 304.*
 Seraphim. (*Harr. V. M. 43.*)

Genus 214: (997). EUPITIHECIA, *Curtis*.LAURENTIA *p*, *Treitschke*.6642. 1; Linariata *. *Curtis*. ii. pl. 64.Ph. Linariata: the beautiful Pug.—*Haw. l. c.* (*Wien. V.* 118.)—*Fabr. iii. b.* 190.—(*Haw. Pr. App. 5.*)—*Haw.* 364.Ge. linariata. (*Sam. I.* 18.)6643. 2; pulchellata * *mihi*.

6644. 3; rectangulata *.

Ph. Ge. rectangulata. *Linn.* ii. 872.Ph. rectangulata: the green Pug. (*Haw. Pr.* 28.)—*Haw.* 363.Ge. rectangulata. *Hüb. Ge. pl.* 45. *f.* 235.—(*Sam. I.* 19.)Ph. viridulata. *Berl. M.* (*Hufnagle*) iv. 524.The Olive M. *Harr. V. M.* 37?—*Harr. Ex.* 15. *pl.* iii. *f.* 7?

6645. 4, subærata.

Ge. subærata. *Hüb. Ge. pl.* 90. *f.* 463?

6646. 5, nigrosericeata *.

Ph. nigrosericeata: the black-silk Pug. *Haw.* 363.

6647 † 6, sericeata *.

Ph. sericeata: the Satin Pug. *Haw.* 363.In Mus. *D. J. Latham*.

6648. 7; V ata *.

Ph. V ata: the V Pug. *Haw.* 364.Geo. V ata. (*Sam. I.* 19.)Ge. coronata. *Hüb. Ge. pl.* 72. *f.* 372, 373?

6649. 8; Strobilata *.

Ge. Strobilata. *Bork. E. S.* v. 352.—*Hüb. Ge. pl.* 87. *f.* 449, 450.Ph. bistrigata: the double-striped Pug. *Haw.* 361.

6650. 9; rufifasciata *.

Ph. rufifasciata: the red-barred Pug. *Haw.* 361.Ge. rufifasciata. (*Sam. I.* 19.)6651. 10; lævigata *: Juniper P.—*Haw. l. c.*Ph. lævigata. *Fabr. iii. b.* 197.—(*Haw. Pr.* 28.)—*Haw.* 362.Ge. lævigata. (*Sam. I.* 18.)6652. [11; exiguata *] (*Curtis l. c. supra.*)Ge. exiguata. *Hüb. Ge. pl.* 73. *f.* 379.

6653. 12; trimaculata *.

Ph. trimaculata: the mottled Pug. *Haw.* 362.Ge. trimaculata. (*Sam. I.* 19.)6654. [13; ochreata *] *mihi*.6655. 14; abbreviata * *mihi*. (*Curtis l. c. supra.*)Ge. abbreviata. (*Sam. I.* 18.)

6656. 15, singulariata*.
 Ph. Ge. singulariata. *Villers E.* ii. 383. *pl. 6. f. 20.*
 Ph. singulariata: the grey P. *Haw.* 360.—(*Sam. I.* 19.)
6657. 16; nebulata*.
 Ph. nebulata: the brindled P. *Haw.* 360.
6658. 17; albipunctata*.
 Ph. albipunctata: the speckled P. *Haw.* 360.
6659. 18, subumbrata*.
 Ge. subumbrata. (*Wien. V.* 110.)—*Hüb. Ge. pl. 45. f. 233.*
 Ph. subumbrata: the small brindled P. *Haw.* 361.
6660. 19, subfasciata * *mihi.*
6661. 20; minutata*.
 Ge. minutata. (*Wien. V.* 110.)—*Hüb. Ge. pl. 45. f. 237.*
pl. 88. f. 454.
 Ph. vulgata: the common P. *Haw.* 359.
 Ge. vulgata. (*Sam. I.* 19.)
6662. 21, subfuscata*.
 Ph. subfuscata: the brown-grey P. *Haw.* 360.
 Ge. subfuscata. (*Sam. I.* 19.)
 Ph. denotata?
6663. 22, innotata*.
 Ph. innotata. *Bork. E. S.* v. 332.—*Hüb. Ge. pl. 86. f. 441, 2.*
6664. 23; Absinthiata*.
 Ph. Ge. Absinthiata. *Linn. F.* No. 296.
 Ph. Absinthiata: the Wormwood P. (*Haw. Pr.* 28.)—*Haw.* 359.
 Ge. Absinthiata. *Hüb. Ge. pl. 88. f. 453?*—(*Sam. I.* 18.)
6665. 24, notata*.
6666. 25, elongata*.
 Ph. elongata: the long-winged P. *Haw.* 358.
 Ge. elongata. (*Sam. I.* 18.)
 Ge. Pimpinellata. *Hüb. Ge. pl. 86. f. 443, 4.* ♀.
6667. 26; simpliciata*.
 Ph. simpliciata: the plain P. *Haw.* 359.
6668. 27; pusillata*.
 Ge. pusillata. (*Wien. V.* 110.)—*Fabr.* iii. b. 204?—*Turt.* iii.
 266.—*Hüb. Ge. pl. 73. f. 378.*—(*Sam. I.* 19.)
 Ph. pusillata: the small grey P. (*Haw. Pr. App.* 5.)—
Haw. 359.
Albin. pl. xciii. f. e-h?
6669. 28, plumbeolata*.
 Ph. plumbeolata: the lead-coloured P. *Haw.* 360.
 Ge. plumbeolata. (*Sam. I.* 19.)
6670. 29; subfulvata*.

- Ph. subfulvata: the Tawny speck. *Haw.* 357.
 Ge. subfulvata. (*Sam. I.* 19.)
 Ph. fulvata. (*Haw. Pr.* 27.)
 Lar. oxydata. *Och. Tr.* vi. b. 114?
6671. 30, cognata *mihi*.
6672. 31; succenturiata*.
 Ph. Ge. succenturiata. *Linn.* ii. 872.—*Turt.* iii. 262.—
Hüb. Ge. pl. 89. *f.* 459.
 Ph. succenturiata: the bordered Lime Speck. (*Haw. Pr.* 25.)—
Haw. 358.
- Ge. succenturiata. (*Sam. I.* 19.)
6673. 32; Centaureata*.
 Ge. Centaureata. (*Wien. V.* 114.)—*Hüb. Ge. pl.* 46. *f.* 240.
pl. 88. *f.* 452.—(*Sam. I.* 18.)
 Ph. Centaureata: the Lime Speck. (*Haw. Pr. App.* 5.)—
Haw. 358.
- Ph. succenturiata. *Berl. M.* (*Hufnagle.*) iv. 329.
 Ph. oblongata. *Thunb. I. S.* i. 14. 33. *pl. adj.*
 Ph. signata. *Scop. C.* 231.
 Line Speck. *Harr. V. M.* 44.
6674. 33, piperitata* *mihi*.
6675. 34; angustata*.
 Ph. angustata: the narrow-winged P. *Haw.* 362.
6676. 35; variegata*.
 Ph. variegata: the marbled P. *Haw.* 362.
 Ph. insigniata. *Hüb. B.* ii. 4. *pl.* 3. *f.* U. S.?
 Eu. insignata. (*Curtis l. c. supra.*)
6677. 36, consignata*.
 Ge. consignata. *Bork. E. S.* v. 315.—*Hüb. Ge. pl.* 47. *f.* 245.—
 (*Sam. I.* 18.)
 Ph. consignata: the pinion spotted P. *Haw.* 357.
6678. 37; venosata*: the netted P. *Haw. l. c.*
 Ph. venosata. *Fabr.* iii. b. 197.—*Haw.* 357.—*Turt.* iii. 263.
 Ge. venosata. (*Sam. I.* 19.)
 Ph. decussata: the pretty Widow M. *Don.* viii. 38. *pl.* 266.
f. 3.—(*Haw. Pr.* 28.)—*Stew.* ii. 173.—*Turt.* iii. 256.
 Ph. diversata. *Fabr.* iii. b. 183?

Genus 215: (998). MINOA.

MINOA A, *Treitschke*.

6679. 1; Chærophyllata*. (*Och. Tr.* vi. 445.)—*Och. Tr.* vi. b. 251.
 —the looping Chimney Sweeper.—*Haw. l. c.*
- Ph. Chærophyllata. *Linn.* ii. 866.—*Berk. S.* i. 145.—*Don.* vii.
 48. *pl.* 253. *f.* 4.—*Stew.* ii. 167.—*Turt.* iii. 257.—(*Haw. Pr.*
 27.)—*Haw.* 345.

Ph. atrata. *Linn. F. No. 1274.*

Ge. Chærophyllata. (*Sam. I. 18.*)

Chimney Sweeper. *Harr. A. pl. 30. f. o.—Harr. V. M. 45.*

6680. 2; Euphorbiata*. (*Och. Tr. v. b. 445.*)—*Och. Tr. vi. b. 249.*

Ph. Euphorbiata. (*Wien. V. 116.*)—*Fabr. iii. b. 197.—Don.*

v. 31. pl. 153. f. 1.—(Haw. Pr. 27.)—Stew. ii. 171.—Turt. iii. 263.—Haw. 345.

Ge. Euphorbiaria. *Hüb. Ge. pl. 15. f. 78.—(Sam. I. 18.)*

Ge. murinata. *Scop. C. 229.—Villers E. ii. 368.*

Ph. fuscata. *Berl. M. (Hufnagle.) iv. 524.*

Ph. sordiata. (*Haw. Pr. 26.*)

6681 † 3. tinctaria. (*Och. Tr. v. b. 445.*)

Ge. tinctaria. *Hüb. Ge. pl. 23. f. 121?*

Ge. lutearia. *Fabr. iii. b. 143.—Esper. v. pl. xxiv. f. 1.*

An hujus generis? In Mus. D. —?

6682 † 4. niveata^a.

Genus 216: (999). BAPTA *mihi.*

XERENE *p*, *Treitschke*.—MACARIA *p*, *Curtis*.

6683. 1; bimaculata*.

Ph. Ge. bimaculata. *Villers E. ii. 373. pl. vi. f. 17.*

Ph. bimaculata: the white Pinion-spotted. (*Haw. Pr. 27.*)—*Haw. 356.*

Ge. bimaculata. (*Sam. I. 18.*)

Ge. taminata. (*Wien. V. 116.*)

Ge. taminaria. *Hüb. Ge. pl. 17. f. 90.*

Ma. bimaculata. (*Curtis fo. 132.*)

6684. 2; punctata*.

Ph. punctata. *Fabr. iii. b. 197. (!)—Stew. ii. 171.—Turt. iii. 263.*

Ge. punctata. (*Sam. I. 19.*)

Ph. nubeculata: the clouded Silver. *Marsh. MSS.—(Haw. Pr. 25.)—Haw. 355.*

Ge. temerata. (*Wien. V. 116.*)

Ge. temeraria. *Hüb. Ge. pl. 17. f. 91.*

Ma. punctata. (*Curtis fo. 132.*)

Genus 217: (1000). EMMELESIA *mihi.*

A. ACIDALIA et CIDARIA *p*, *Treitschke*.

6685. 1; decolorata*.

^a 6682 † 4. niveata. (*Och. Tr. v. 446.*)—*Och. Tr. vi. b. 254.*

Ph. niveata. *Scop. C. 539.*

Ge. nivearia. (*Wien. V. 116.*)—*Hüb. Ge. pl. 41. f. 217.*

Ph. nivearia. *Fabr. iii. b. 129. (!)—Stew. ii. 59. (!)—Turt. iii. 231. (!)*

Ge. farinata. *Bork. E. S. v. 489.*

- Ge. decolorata. *Hüb. Ge. pl. 47. f. 243.*—(Sam. I. 18.)
 Ph. decolorata: the sandy Carpet. *Haw. 328.*
6686. 2; Alchemillata*.
 Ph. Ge. Alchemillata. *Linn. ii. 869?*—*Stew. ii. 170?*—
Turt. iii. 262.
 Ph. Alchemillata: the Rivulet. *Haw. Pr. 26.*—*Haw. 335.*
 Ge. Alchemillata. *Hüb. Ge. pl. 50. f. 261.*—(Sam. I. 18.)
6687. 3; affinitata* *mihi.*
6688. 4; rivulata*.
 Ge. rivulata. (*Wien. V. 109.*)—*Hüb. Ge. pl. 50. f. 259.*—
 (Sam. I. 19.)
 Ph. rivulata: the middle Rivulet. *Haw. 335.*
6689. [5; nassata*]: the small Rivulet.
 Ph. nassata. *Fabr. iii. b. 204.*—(*Haw. Pr. App. 5.*)—*Haw. 335.*
 Ge. nassata. (Sam. I. 18.)
6690. 6, ericetata.
 Ge. ericetata. *Dale?* MSS.
6691. 7; albulata*: the grass Rivulet.
 Ph. albulata. (*Wien. V. 109.*)—*Fabr. iii. b. 204.*—*Haw. 336.*
 Ge. albulata. *Hüb. Ge. pl. 50. f. 257.*—(Sam. I. 18.)
6692. 8, trigonata*.
 Ph. trigonata: the small blue-border. *Haw. Pr. 25.*—*Haw. 338.*
 Ge. trigonata. (Sam. I. 19.)
6693. 9, blandiata.
 Ge. blandiata. (*Wien. V. 109?*)—*Hüb. Ge. pl. 50. f. 258?*
6694. 10; unifasciata*.
 Ph. unifasciata: the single-barred Rivulet. *Haw. 335.*
 Ge. unifasciata. (Sam. I. 19.)
 Ge. Salicata. *Hüb. Ge. pl. 53. f. 273?*
 Ac. Salicaria. (*Och. Tr. v. b. 440.*)—*Och. Tr. vi. b. 64.*
6695. 11; bifasciata*.
 Ph. bifasciata: the double-barred Rivulet. *Haw. 334.*
6696. 12; rusticata*: the least Carpet.—*Haw. l. c.*
 Ph. rusticata. (*Wien. V. 113.*)—*Fabr. iii. b. 189.*—(*Haw. Pr. App. 5.*)—*Haw. 364.*
 Ge. rusticata. *Hüb. Ge. pl. 46. f. 241.*—(Sam. I. 19.)
- 6697 + 13, rubricata.
 Ge. rubricata. (*Wien. V. 110.*)—*Fabr. iii. b. 201.*
 Ge. rubricaria. *Hüb. Ge. pl. 111. f. 487.*

In Mus. D. J. Standish.

6698 † 14. *purpurata*^a.

B. ACIDALIA *p*, Treit., (Kirby.)

6699. 15; *sylvata**: the waved Carpet.—*Haw.* l. c.

Ph. *sylvata*. (*Wien. V.* 109.)—(*Haw. Pr. App.* 5.)—*Haw.* 329.

Ge. *sylvata*. *Hüb. Ge. pl.* 44. *f.* 231.—(*Sam. I.* 19.)

Ph. *testacea*. *Don.* xiv. 51. *pl.* 487. *f.* 1.

6700. 16; *candidata**: the small white Wave.—*Haw.* l. c.

Ph. *candidata*. (*Wien. V.* 110.)—*Haw.* 352.

Ge. *candidaria*. *Hüb. Ge. pl.* 19. *f.* 101.

Ph. *immutata*. *Fabr.* iii. *b.* 203.

Ph. *albulata*. *Berl. M.* (*Hufnagle.*) iv. 616.

Ge. *candidulata*. (*Sam. I.* 18.)

6701. 17; *luteata**: the small yellow Wave.—*Haw.* l. c.

Ph. *luteata*. (*Wien. V.* 110.)—*Fabr.* iii. *b.* 199.—(*Haw. Pr. App.* 5.)—*Haw.* 352.

Ge. *lutearia*. *Hüb. Ge. pl.* 19. *f.* 103.

Ph. *flavostrigata*. *Don.* xi. 73. *pl.* 386. *f.* 1, 2.

Ge. *luteata*. (*Sam. I.* 18.)

C. FIDONIA *p*, Treit.—MACARIA *p*, Curtis.

6702. 18; *heparata**.

Ge. *heparata*. (*Wien. V.* 116.)—(*Sam. I.* 18.)

Ge. *hepararia*. *Hüb. Ge. pl.* 11. *f.* 58.

Ph. *heparata*: dingy Shell. *Haw.* 343.

Ma. *heparata*. (*Curtis fo.* 132.)

Genus 218: (1001). HERCYNA *mih*.

FIDONIA *p*, et XERENE *p*, Treitschke.—MACARIA *p*, Curtis, (Kirby.)

6703. 1; *clathrata**.

Ph. Ge. *clathrata*. *Linn.* ii. 867.—*Stew.* ii. 168.—*Don.* vii. 86. *pl.* 248. *f.* 2.—*Turt.* iii. 256.

Ge. *clathraria*. *Hüb. Ge. pl.* 25. *f.* 112.

Ph. *clathrata*: the latticed Heath. (*Haw. Pr.* 27.)—*Haw.* 348.

Ge. *clathrata*. (*Sam. I.* 18.)

Ph. *retialis*. *Scop. C.* 217.

Scarce Heath. *Harr. V. M.* 31.

Var. Ph. *radiata*: the radiated Heath. *Haw.* 348.

Ph. *retata*: the netted Heath. *Haw.* 348.

Ge. *retata*. (*Sam. I.* 19.)

Ma. *clathrata*. (*Curtis folio* 132.)

^a 6698 † 14. *purpurata*.

Ph. Ge. *purpurata*. *Linn. F.* No. 1302.—*Schäff. Ic.* 205. *f.* 4, 5?—*Turt.* iii. 265. (!)

An hujus generis?

6704. 2; macularia*.

Ph. Ge. macularia. *Linn.* ii. 862.—*Stew.* ii. 171.—*Turt.* iii. 263.

Ge. maculata. (*Wien. V.* 115.)—*Hüb. Ge. pl.* 25. *f.* 135.—(*Sam. I.* 18.)

Ph. maculata. *Don.* vii. 93. *pl.* 251. *f.* 3.—(*Haw. Pr.* 26.)—*Haw.* 343.

Ma. maculata. (*Curtis fo.* 132.)

Speckled Yellow. (*Wilkes D. pl.* 1. *f.* 5.)—*Harr. A. pl.* 28. *f.* 1.—*Harr. V. M.* 59.

6705. 3; quadrimaculata*.

Ph. quadrimaculata: Pinion-spotted Yellow. *Ent. Trans. (Hatchett.)* i. 245. *pl.* 7. *f.* 3.—*Haw.* 343.

Ge. quadrimaculata. (*Sam. I.* 19.)

Ma. quadrimaculata. (*Curtis fo.* 132.)

Genus 219: (1002). HYRIA *mihi*.

FIDONIA *p*, *Treitschke*.—PYRALIS *p*, *Wien. V.*

6706. 1; auroraria*: Purple bordered Gold.—*Haw. l. c.*

Ge. auroraria. *Hüb. Ge. pl.* 12. *f.* 63.—*Haw.* 310.

Py. auroralis. (*Wien. V.* 124.)

Ge. variegata. *Fabr.* iii. *b.* 205.

Ge. sanguinaria. *Hüb. B. i. pl.* 3. *f.* S. S. 21.

Ph. muricata. *Berl. M. (Hufnagle.)* iv. 606.

Genus 220: (1003). PTYCHOPODA *mihi*.—(*Curtis fo.* 132.)

A. Tibiis posticis in masculis haud calcaratis, in fœminis bicalcaratis.

a. ACIDALIA *p*, *Treit.*

6707. 1; osseata*.

Ph. osseata. (*Wien. V.* 110.)—(*Sam. I.* 19.)

Ge. ossearia. *Hüb. Ge. pl.* 19. *f.* 102.

Ph. osseata: the dwarf Cream-wave. *Haw.* 353.

6708. 2; subochreata* *mihi*.

6709 † 3, marginepunctata *mihi*. In Mus. D. *Dale*, *Haworth et Stone.*
b. IDÆA *p*, *Treit.*

6710. 4; lividata*.

Ph. Ge. lividata. *Linn. F. No.* 1285.

Ge. lividata. (*Sam. I.* 18.)

Ph. lividata: the small Dotted-wave. *Haw.* 355.

Ph. scutata. *Fabr.* iii. *b.* 202.

Ge. scutularia. *Hüb. Ge. pl.* 14. *f.* 72.

Ph. scutulata. (*Haw. Pr.* 27?)

Ph. dimidiata. *Bork. E. S.* v. 522.

6711. 5; trigeminata*.

- Ph. trigeminata: the treble Twin-spot. *Haw.* 354.
 Ge. scutularia. *Hüb. Ge. pl.* 14. *f.* 73.
 Ge. trigeminata. (*Sam. I.* 19.)
 c. *IDAEA p.*, *Treit.*
6712. 6; *decoraria**.
 Ge. *decoraria*. (*Wien. V.* 117.)—*Hüb. Ge. pl.* 14. *f.* 71?
 Ph. *cinerata*. *Fabr. iii. b.* 200?
6713. 7; *dilutaria**.
 Ge. *dilutaria*. *Hüb. Ge. pl.* 19. *f.* 100.
 Ph. *dilutata*: the small fan-footed Wave. *Haw.* 353.
 Ge. *dilutata*. (*Sam. I.* 18.)
 Ph. *decorata*. (*Haw. Pr.* 28.)
6714. 8; *fimbriolata** *mihi*.
6715. 9; *virgulata**.
 Ge. *virgularia*. *Hüb. Ge. pl.* 19. *f.* 104?
 Ge. *virgulata*. (*Sam. I.* 19.)
 Ph. *virgulata*: the small Dusty-wave. *Haw.* 354.
 Ph. *virgata*. (*Haw. Pr. App.* 5?)
6716. 10; *subsericeata**.
 Ph. *subsericeata*: the satiny Wave. *Haw.* 352.
 Ge. *subsericeata*. (*Sam. I.* 19.)
6717. 11; *inornata**.
 Ph. *inornata*: the plain Wave. *Haw.* 349.
 Ge. *inornata*. (*Sam. I.* 18.)
 Ph. *murinata*. *Fabr. iii. b.* 198. (!)?—*Turt. iii.* 263?
 Ida. *suffusata*. *Och. Tr. vi. b.* 272?
6718. 12; *remutata**.
 Ph. Ge. *remutata*. *Linn. ii.* 872.
 Ge. *remutata*. (*Sam. I.* 19.)
 Ph. *remutata*: the false ribband Wave. (*Haw. Pr.* 27.)—
Haw. 349.
 Ge. *remutaria*. *Hüb. Ge. pl.* 18. *f.* 98?
 Ph. *trilineata*. *Berl. M.* (*Hufnagle.*) iv. 606?
6719. 13; *aversata**.
 Ph. Ge. *aversata*. *Linn. ii.* 869.
 Ge. *aversata*. (*Sam. I.* 18.)
 Ph. *aversata*: the ribband Wave. (*Haw. Pr.* 27.)—*Haw.* 349.
 Ge. *aversaria*. *Hüb. Ge. pl.* 11. *f.* 56. ♂.—*Id. pl.* 75. *f.* 388. ♀.
6720. 14, *fuliginata*.
 Ph. *fuliginata*: the dingy Wave. *Haw.* 350.
6721. 15, *fumata*. *Dale?* MSS.
 Ph. *pallidata*. (*Wien. V.* 109?)
 Ge. *pallidaria*. *Hüb. Ge. pl.* 18. *f.* 96?

B. Tibiis posticis in masculis haud calcaratis, in fœminis 4-calcaratis.

a. IDÆA *p*, Treit.

6722. 16; incanata.

Ph. Ge. incanata. *Linn.* ii. 871.

Ph. incanata: the Mullein Wave. *Haw.* 350.

Ge. immutaria. *Hüb. Ge. pl.* 20. *f.* 108.

Ge. incanata. (*Sam. I.* 18.)

6723. [17, contiguaria.]

Ge. contiguaria. *Hüb. Ge. pl.* 20. *f.* 105.

Ph. contiguata: the tooth-striped Wave. *Haw.* 350.

6724. 18; lactata*.

Ph. lactata: the pale cream Wave. *Haw.* 351.

Ph. nemorata. *Haw. Pr.* 27.

Ge. sericeata. *Hüb. Ge. pl.* 78. *f.* 404?

Ge. lactata. (*Sam. I.* 18.)

6725. [19; sublactata*.]

Ph. sublactata: the broad-striped cream-Wave. *Haw.* 351.

Ge. sublactata. (*Sam. I.* 19.)

6726. 20; centrata*.

Ge. centrata. *Fabr.* iii. *b.* 200?

Ge. remutaria. *Hüb. Ge. pl.* 18. *f.* 98?

Ph. floslactata: the cream-Wave. *Haw.* 351.

Ge. floslactata. (*Sam. I.* 18.)

b. IDÆA *p*, Treit.

6727. 21; ornata*.

Ge. ornata. (*Wien. V.* 117.)

Ge. ornataria. *Hüb. Ge. pl.* 14. *f.* 70.

Ph. ornata: the Lace border. *Haw.* 355.—*Turt.* iii. 265.

Ph. instituta. *Berl. M.* (*Hufnagle.*) iv. 526.

Ge. paludata. (*Sam. I.* 19.)

Laced border. *Harr. V. M.* 15.

6728 † 22, limboundata^a.

6729. 23, immutata.

Ph. Ge. immutata. *Linn.* ii. 871.—*Stew.* ii. 171.—*Turt.* iii. 266.

Ph. immutata: the lesser cream-Wave. *Haw. Pr.* 27.—*Haw.* 352.

Ge. sylvestraria. *Hüb. Ge. pl.* 18. *f.* 97.

Ac. sylvestrata. (*Och. Tr.* v. *b.* 439.)

Ge. immulata. (*Sam. I.* 18.)

6730 † 24, subroseata.

^a 6728 † 22,? limboundata.

Ph. limboundata: the large Lace-border. *Haw.* 355. (?)

Ph. subroseata: the rosy Wave. *Haw.* 351.

Ge. subroseata. (*Sam. I.* 19.) In Mus. D. *Haworth et Stone.*

C. Tibiis posticis in utroque sexū 4-calcaratis.

a. XERENE *p*, *Treit.*

6731. 25; marginata*.

Ph. Ge. marginata. *Linn.* ii. 870.—*Stew.* ii. 171.—*Don.* ix. 12.

pl. 293. *f.* 2.—*Turt.* iii. 255.

Ge. marginata. (*Sam. I.* 18.)

Ph. Staphyleata. *Scop. C.* 221.

Ge. marginaria. *Hüb. Ge. pl.* 15. *f.* 79.

Ph. marginata. (*Haw. Pr.* 25.)—*Haw.* 333.

Clouded border. *Harr. Ex.* 26. *pl.* vi. *f.* 6.—*Harr. V. M.* 15.

Var. β ; Ge. nævaria. *Hüb. Ge. pl.* 15. *f.* 80.

Ph. navata. (*Haw. Pr.* 25.)

Var. γ ; Ge. pollutaria. *Hüb. Ge. pl.* 15. *f.* 77.

I'h. pollulata. (*Haw. Pr.* 25.)

b. GEOMETRA *p*, *Treit.*

6732. 26; putataria*.

Ph. Ge. putataria. *Linn.* ii. 859.—*Stew.* ii. 160.—*Turt.* iii. 232.

Ge. putataria. *Hüb. Ge. pl.* 2. *f.* 10.—*Haw.* 300.—(*Sam. I.* 19.)—*Scop. C.* 211.

Ge. lactearia? little Emerald. (*Haw. Pr.* 21.)

Pale Green Housewife. *Harr. V. M.* 31.

D. Tibiis posticis in masculis bicalcaratis, in foeminis 4-calcaratis.

GEOMETRA *p*, *Treit.*—MACARIA *p*, *Curtis.*

6733. 27; Thymiaria*.

Ph. Ge. Thymiaria. *Linn.* ii. 859?

Ge. Thymiaria: common Emerald. (*Haw. Pr.* 21.)—*Haw.* 300.—(*Sam. I.* 19.)

Ph. Ge. strigata. *Villers E.* ii. 378.

Ph. fimbriata. *Berl. M.* (*Hufnagle.*) iv. 604.

Ge. Æstivaria. *Bork. E. S.* v. 32.—*Hüb. Ge. pl.* 2. *f.* 9.

Ph. vernaria. *Fabr.* iii. b. 129.—*Don.* ix. 47. *pl.* 310.

Ma. Thymiaria. (*Curtis fo.* 132.)

Albin. pl. xlviij. *f.* 81. *d-g.*

Small green Housewife. *Harr. A. pl.* 3.

Large green Housewife. *Harr. V. M.* 31.

6734. [28, vernaria*.]

Ge. vernaria. *Esper. v. pl.* 1. *f.* 6–9?

6735 † 29, vibicaria.

Ph. Ge. vibicaria. *Linn.* ii. 859.—*Stew.* ii. 66.—*Haw.* 310.

Ge. vibicaria. (*Wien. V.* 117.)—*Hüb. Ge. pl.* 10. *f.* 50.

Ph. rubrofasciata. *Berl. M.* (*Hufnagle.*) iv. 612.

Ph. cruentata. *Scop. C.* 226.

An hujus generis?

In Mus. D. *Sacainson.*

6736 † 30. *Lactearia* *.

Genus 221: (1004). *MACARIA*, *Curtis*.

ENNOMOS p, *Treitschke*, (*Kirby*.)

A. Tibiis posticis in masculis haud calcaratis, in fœminis 4-calcaratis.

6737. 1; *imitaria* *.

Ge. *imitaria* *: Small Blood vein.—*Haw. l. c. Hüb. Ge. pl. 10. f. 51.*—(*Haw. Pr. 22.*)—*Haw. 297.*—(*Sam. I. 18.*)
Ma. *imitata*. (*Curtis l. c. infra.*)

6738. 2; *variegata* *.

Ph. *variegata*. *Scop. C. 222.*

Ge. *strigillaria*. *Hüb. Ge. pl. 20. f. 109.*

Ph. *strigillata*: the subangled Wave. *Haw. 350.*

Ph. *strigillaria*. (*Ing. Inst. 91.*)

Ge. *strigilata*. (*Sam. I. 19.*)

Ph. *mediata*. *Fabr. iii. b. 198?*

6739 † 3, *emutaria*. (*Ing. Inst. 91.*)

Ge. *emutaria*. *Hüb. Ge. pl. 63. f. 323.* In Mus. *D. Stone*.

B. Tibiis posticis in utroque sexū 4-calcaratis.

6740. 4; *notata* *. (*Curtis l. c. infra.*)

Ph. Ge. *notata*. *Linn. ii. 866.*—*Turt. iii. 251.*

Ge. *notata*: the Peacock M. (*Sam. I. 18.*)

Ph. *notata*. (*Haw. Pr. 27.*)—*Haw. 346.*

Ge. *notataria*. *Hüb. Ge. pl. 11. f. 53.*—*Id. pl. 61. f. 316.*

Ph. *exustata*. *Berl. M. (Hufnagle.) iv. 600.*

6741. 5; *alternata* *.

Ge. *alternata*. (*Wien. V. 106.*)

Ge. *lituraria*: (*alternaria.*) *Hüb. Ge. pl. 61. f. 315.*

Ph. *prænotata*: the sharp-angled Peacock. *Haw. 346.*

Ge. *prænotata*. (*Sam. I. 19.*)

Ma. *prænotata*. (*Curtis l. c. infra.*)

6742 † 6, *subrufata*.

Ph. *subrufata*: the slender-striped Rufous. *Haw. 347.*

In Mus. *D. Haworth*.

6743. 7, *liturata* *. *Curtis. iii. pl. 132.*

Ph. Ge. *liturata*. *Linn. F. No. 1273.*

Ph. *liturata*: the tawny-barred Angle. *Haw. 346.*

Ge. *liturata*. (*Sam. I. 18.*)

Ge. *lituraria*. *Hüb. Ge. pl. 11. f. 54.*

Ge. *alternaria*: (*lituraria.*) *Hüb. Ge. pl. 61. f. 314.*

^a 6736 † 30. *Lactearia*.

Ph. Ge. *Lactearia*. *Linn. ii. 858.*—*Turt. iii. 231. (!)*

An hujus generis?—*Minoa p*, *Treit.*, (*Kirby*.)

Ph. obscurata. (*Haw. Pr.* 27.)

Ph. igneata. *Berl. M.* (*Hufnagle.*) iv. 612.

6744. 8, präatomata. (*Curtis l. c. supra.*)

Ph. präatomata: the dingy Angled. *Haw.* 345.

6745. 9, unipunctata.

Ph. unipunctata: the white Spot. *Haw.* 345.

C. Tibiis posticis in masculis haud calcaratis, in fœminis bicalcaratis.

6746. 10, limbata.

Ph. limbata: the bordered Chequer. *Haw.* 346.

6747. 11; emarginata*. (*Curtis l. c. supra.*)

Ph. Ge. emarginata. *Linn.* ii. 866.—*Turt.* iii. 252.

Ge. emarginataria. *Hüb. Ge. pl.* 20. *f.* 107.

Ph. emarginata: the scolop'd Double line. *Haw.* 347.

Ge. emarginata. (*Sam. I.* 18.)

Ph. demandata. *Fabr.* iii. *b.* 167.—(*Haw. Pr.* 27.)

Ph. quadripunctata. *Don.* xiv. *pl.* 493. *f.* 3.

Ph. crosata. *Berl. M.* (*Hufnagle.*) iv. 526.

♀; Ph. dimidiata: the small Scolop. (*Haw. Pr.* 27.)—*Haw.* 347.

Ma. dimidiata. (*Curtis l. c. supra.*)

Ge. dimidiata. (*Sam. I.* 18.)

Ph. rumigerata. *Don.* xiv. *pl.* 493. *f.* 2.

Genus 222: (1005). ENNOMOS, *Treitschke.*

BOMBYX *p.*, *Borkhausen.*—FALCARIA *p.*, *Haworth.*—PYRALIS *p.*, *Haworth Pr.*—PLATYPTERYX *p.*, *Samou.*—LASPERIA? *Germar.*

6748. 1; flexula*.

Ph. flexula. *Fabr.* iii. *b.* 166.

Fa. flexula: the beautiful Hook-tip. *Haw.* 154.

Ge. flexularia. *Hüb. Ge. pl.* 4. *f.* 19.

Py. flexulalis. (*Haw. Pr.* 28.)

Ph. Ge. sinuata. *Villers E.* ii. 334.

Ph. flexula. (*Sam. I.* 34.)

Familia XVI: (129). PLATYPTERICIDÆ.

(PH.-GEOMETRA *p.*, et PH.-BOMBYX *p.*, *Linné.*—PHALÆNA *p.*, *Fabr.*) Hook-tips.

Genus 223: (1006.) PLATYPTERYX, *Laspeyres*, *Leach*, *Samou.*, (*Kirby.*)

DREPANA *p.*, *Schrank*, (*Kirby.*)—PYRALIS *p.*, *Haw. Pr.*—FALCARIA *p.*, *Haworth.*

6749. 1; lacertula*.

Ge. lacertula. (*Wien. V.* 64.)—*Hüb. Bo. pl.* 12. *f.* 49. ♀.

Ph. Ge. lacertinaria. *Linn.* ii. 860.—*Berk. S. i.* 144.—*Don.* vii. 92. *pl.* 251. *f.* 2.—*Stew. ii.* 160.—*Turt.* iii. 233.

- Ph. Scincula. *Hüb. Ge. pl. 12. f. 50.* ♂.
 Ge. dentaria. *Thunb. Diss. i. 5.*
 Py. lacertinalis. (*Haw. Pr. 28.*)
 Fa. Lacertula. *Haw. 153.*
 Ph. lacertanaria. (*Leach E. E. ix. 134.*)—(*Sam. I. 254.*)
 Scallap Hook-tip. (*Harr. V. M. 49.*)
 β; Fa. curvula: the bordered Hook-tip. *Haw. 154.*
 Ph. curvula. (*Sam. I. 34.*)
6750. [2: cultraria*.]
 Ph. cultraria. (*Leach E. E. ix. 134.*)—(*Kirby & Sp. I. E. iii. 260.*)
 Fa. Lacertula β. *Haw. 154.*
- Genus 224: (1007). DREPANA, *Lespeyres, Leach, Samou.*
 DREPANA p, *Schrink.*—PYRALIS p, *Haw. Pr.*—FALCARIA p, *Ha-worth.*—BOMBYX p, *Hübner.*—PLATYPTERYX p, *Och., (Kirby.)*
6751. 1; falcataria*. (*Leach E. E. ix. 134.*)—(*Samou. 254.*)
 Ph. Ge. falcataria. *Linn. ii. 859.*—*Turt. iii. 233.*
 Py. falcatarialis. (*Haw. Pr. 28.*)
 Bo. falcula. (*Wien. V. 64.*)—*Hüb. Bo. pl. 11. f. 44.*
 Fa. falcula. *Haw. 152.*
 Pebble Hook-tip. *Harr. V. M. 49.*
6752. 2; hamula*. (*Sam. I. 34.*)
 Bo. hamula. (*Wien. V. 64.*)—*Hüb. Bo. pl. 12. f. 46, 47.*
 Fa. hamula: Oak Hook-tip. *Haw. 153.*
 Ph. falcata. *Fabr. iii. b. 165. (!)*—*Stew. ii. 162.*—*Turt. iii. 248.*
 Py. falcatalis. (*Haw. Pr. 28.*)
 Ph. binaria. *Berl. Mag. (Hufnagle.) iv. 516.*
Albin. pl. lxv. f. a-d.
 Wild rose M.: Ph. Lacertinaria? (*Wilkes. 14. pl. 30.*)
 Brown Hook-tip. *Harr. A. pl. 41. f. a-b.*—*Harr. V. M. 49.*
6753. [3, uncula*.]
 Bo. uncula. *Hüb. Bo. pl. 12. f. 45.*
 Bo. Uncinula. *Bork. E. S. iii. 461.*
 Ph. hamula var. (*Och. iv. 97.*)
6754. 4: unguicula*.
 Bo. unguicula. *Hüb. Bo. pl. 12. f. 48.*
 Fa. unguicula: the barred Hook-tip. *Haw. 153.*
 Py. cultraria. (*Haw. Pr. 28.*)
 Bo. sicula. *Esper. iii. pl. lxxiv. f. 4-7.*
 Ph. cultraria. (*Fabr. iii. b. 133?*)
- 6755 † 5, fasciata *miki.*
 Fa. uncula: the scarce Hook-tip. *Haw. 153.*

In Mus. D. Swainson.

Genus 225: (1008). CILIX, Leach, Samou.

PIALÆNA-ATTACUS *p*, Linné?—BOMBYX *p*, Fabricius.—PLATYPTERYX *p*, Latr.—FALCARIA *p*, Haworth.

6756. 1; compressa*. (Leach E. E. ix. 134.)—(Samou. 254.)
 Bo. compressa. Fabr. iii. 455.
 Bo. compressus. (Haw. Pr. 10.)—Haw. 110.
 Ph. Bo. compressa. Don. vii. pl. 239. f. 2.—Stew. ii. 155.—
Turt. iii. 216.
 Bo. spinula. (Wien. V. 64.)—Hüb. Bo. pl. 11. f. 40.
 Fa. spinula: the Chinese character. Haw. 154.
 Ph. At. ruffa. Linn. ii. 1068?
 Ge. modesta. Naturforscher. xiii. 27. pl. 3. f. 4.
 Ph. glaucata. Scop. C. No. 221. pl. xxxii. f. 549.
Albin. pl. lxv. f. e—h.
 Goose Egg M. Harr. V. M. 21.

Familia XVII: (130). PYRALIDÆ, Leach.

(PIALÆNA-PYRALIS, Linné, &c.)—CRAMBITES *p*, et TORTRICES *p*, Latr.)

Genus 226: (1009). HYPENA, Schrank.

CRAMBUS *p*, Fabr., Haworth.—PYRALIS *p*, Hübner, Haw. Pr.—HERMINIA, Latr., Leach, Samou., (Kirby.)

6757. 1; proboscidalis*. (Och. Tr. vi. b. 311.)
 Ph. Py. proboscidalis. Linn. ii. 881.—Stew. ii. 180.
 Py. proboscidalis. Hüb. Py. pl. 2. f. 7.—(Haw. Pr. 28.)
 Cr. proboscideus. Fabr. Sup. 465.
 Cr. proboscidatus: the Snout. Haw. 365.
 He. proboscidalis. (Leach E. E. ix. 134.)—(Samou. 253.)
 Ph. rostralis. Berk. S. i. 146.
 Ph. Ge. proboscidalis. Turt. iii. 274.
 Ph. ensalis. Fabr. iii. b. 221.
 Snout Eggar likeness. Harr. A. pl. 31. f. f—h.—Harr. V. M. 23.
 6758 † 2, obesalis*? (Och. Tr. vi. b. 312.)
 Py. crassalis. Hüb. Py. pl. 2. f. 8.—(Haw. Pr. 29.)
 Cr. crassatus: the pinion Snout. Haw. 366.
 He. crassalis. (Sam. I. 21.) In Mus. D. Haworth.
 6759. 3; rostralis*. (Och. Tr. vi. b. 312.)
 Ph. Py. rostralis. Linn. ii. 881.—Stew. ii. 180.
 Py. rostralis. Hüb. Py. pl. 2. f. 10.—(Haw. Pr. 29.)
 Ph. Ge. rostralis. Turt. iii. 274.
 He. rostralis. (Sam. I. 21.)
 Cr. rostratus: the buttoned Snout. Haw. 366.
 Eggar likeness. Harr. V. M. 23?
 β; Cr. palpus: the dark Snout. Haw. 366.

Ph. palpalis. *Fabr.* iii. b. 223. (!)

Py. palpalis. *Hüb.* *Py. pl.* 2. f. 9?—*Stew.* ii. 180.—*Turt.* iii. 275.

γ; Cy. vittatus: the cream edged Snout. *Haw.* 367.

Py. vittalis. (*Haw. Pr.* 29.)

He. vittalis. (*Sam. I.* 21.)

Py. radiatalis. *Hüb.* *Py. pl.* 20. f. 134?

6760. 4, crassalis*. (*Och. Tr.* vi. b. 311.)

Cra. crassalis. *Fabr.* S. 466.

Py. achatalis. *Hüb.* *Py. pl.* 2. f. 12. ♀. *pl.* 27. f. 172. ♂.—(*Haw. Pr.* 29.)

Cr. achatatus: the beautiful Snout. *Haw.* 367.

He. achatalis. (*Sam. I.* 21.)

Genus 227: (1010). POLYPOGON, Schrank.

HERMINIA p, Latreille, Samou.—CRAMBUS p, Fabr., Haworth.—

PYRALIS p, Hüb., Haw. Pr.—HERMINIA, Treitschke.

6761. 1, cribralis.

Py. cribralis. *Hüb.* *Py. pl.* 1. f. 2.

6762. 2; barbalis*.

Ph. Ge. barbalis. *Linn.* ii. 881.—*Turt.* iii. 273.

Cr. barbatus. *Fabr.* Sup. 464.—*Haw.* 368.

Py. barbalis: the common Fan-foot. (*Haw. Pr.* 29.)

He. barbalis. (*Sam. I.* 21.)

Py. pectitalis. *Hüb.* *Py. pl.* 19. f. 122.

Ph. Ge. strigillata. *Linn.* ii. 872.—*teste Haworthi.*

Albin. *pl.* lxxiv. f. e-h.

Snout. *Harr. A.* *pl.* 43. f. l, t.—*Harr. V. M.* 43.

The Fan-footed. *Harr. Ex.* 25. *pl.* vi. f. 2.—*Harr. V. M.* 25.

6763. 3: derivalis*.

Py. derivalis. *Hüb.* *Py. pl.* 3. f. 19.

Cr. derivatus: the Clay Fan-foot. *Haw.* 369.

He. derivalis. (*Sam. I.* 21.)

6764. 4; tarsicrinialis*.

Py. tarsicrinialis. *Hüb.* *Py. pl.* 1. f. 5.

Cr. tarsicrinatus: the Fan-foot. *Haw.* 369.

He. tarsicrinialis. (*Sam. I.* 21.)

Py. tentaculalis. (*Haw. Pr.* 29.)—*Turt.* iii. 274?

6765. 5; nemoralis*.

Ph. nemoralis. *Fabr.* iii. b. 222. (!)—*Stew.* ii. 180.—*Turt.* iii. 275.

Py. grisealis. (*Wien. V.* 120.)—*Hüb.* *Py. pl.* 1. f. 4.—(*Haw. Pr.* 30.)

He. nemoratus: the small Fan-foot. *Haw.* 370.

He. nemoralis. (*Sam. I.* 21.)

6766. 6, emortalis.

- Py. emortualis. *Hüb. Py. pl. 1. f. 1.*—(*Haw. Pr. 30.*)
 Cr. emortuatus: the olive Crescent. *Haw. 369.*
 Py. glaucinalis. (*Wien. V. 120.*)
 Ge. olivaria. *Bork. E. S. v.*

Genus 228: (1011). *MADOPA mihi.*

HYPENA p, Treitschke.

6767. 1, *Salicalis**.

- Ph. *Salicalis*. *Fabr. iii. b. 227.*—*Turt. iii. 277.*
 Py. *Salicalis*. (*Wien. V. 285. pl. 1. a. f. 5.*)—*Hüb. Py. pl. 1. f. 3.*—(*Haw. Pr. 30.*)
 Cr. *Salicatus*: the lesser Bell. *Haw. 370.*
 Her. *Salicalis*. (*Sam. I. 21.*)

Genus 229: (1012). *CLEDEOBIA mihi.*

6768. 1; *angustalis**.

- Py. *angustalis*. *Hüb. Py. pl. 4. f. 21.*—(*Haw. Pr. 31.*)
 Cr. *angustatus*: the small Snout. *Haw. 368.*
 He. *angustalis*. (*Sam. I. 21.*)
 Py. *curtalis*. (*Wien. V. 120.*)
 ♀; Py. *Bombycalis*. *Hüb. Py. pl. 19. f. 123.*
 Cr. *Bombycatus*: the long-tailed Snout. *Haw. 368.*
 He. *Bombycalis*. (*Sam. I. 21.*)
 Py. *rufescalis*. (*Haw. Pr. 30?*)
 Py. *erigalis*. *Fabr. iii. b. 237.*

6769. 2; *albistrigalis**.

- Cr. *albistrigatus*: the white-line Snout. *Haw. 368.*
 He. *albistrigalis*. (*Sam. I. 21.*)

6770. 3, *costæstrigalis*.

- Cr. *costæstrigalis*. *Haworth?* MSS.

Genus 230: (1013). —

6771. 1, *undulalis*.

- Py. *undulalis*. *Haworth* MSS.

6772. 2, *bistrialis mihi.*

Genus 231: (1014). *AGLOSSA, Latreille, (Kirby.)*

CRAMBUS p, Fabr., Haworth.—PYRALIS, Schrank.

6773. 1; *pinguinalis**. *Latr. H. xiv. 229.*—(*Kirby & Sp. I. E. iii. 156. nota.*)

- Ph. Py. *pinguinalis*. *Linn. ii. 882.*—(*Haw. Pr. 29.*)—*Stew. ii. 181.*—*Turt. iii. 279.*
 Cr. *pinguinalis*. (*Sam. I. 13.*)
 Py. *pinguinalis*. *Hüb. Py. pl. 4. f. 24.*—(*Leach E. E. ix. 135.*)
 —(*Sam. I. 35.*)
 Cr. *pinguis*. *Fabr. Sup. 468.*

Cr. pinguinatus: the large Tabby. *Haw.* 371.

Cr. pinguinalis. (*Kirby & Sp. I. E.* i. 135.)

He. pinguinalis. (*Sam. I.* 21.)

Tabby. *Harr. V. M.* 47.

β , *Cr. pinguiculatus*: the Tabby. *Haw.* 372.

Py. pinguiculalis. (*Haw. Pr.* 29.)

6774. 2; *capreolatus**.

Py. capreolata. *Hüb. Py. pl.* 23. *f.* 153.

Cr. capreolatus: the small Tabby. *Haw.* 372.

Py. capreolatus. (*Sam. I.* 35.)

6775. 3: *dimidiatus**^a.

Genus 232: (1015). PYRALIS *mihi*, *Samou.*

CRAMBUS *p*, *Fabr.*, *Haworth.*—BOTYS *p*, *Latreille*.—AGROTERA *p*, *Schrank*.—ASOPIA, *Treitschke*.

6776. 1; *farinalis**. *Hüb. Py. pl.* 15. *f.* 95.—(*Haw. Pr.* 31.)—(*Sam. I.* 35.)

Ph. Py. farinalis. *Linn. ii.* 881.—*Turt. iii.* 273.

Cr. farinatus: the Meal Moth. *Haw.* 374.

6777 ‡ 2, *marginatus*.

Cr. marginatus: the scarce Meal Moth. *Haw.* 374.

In Mus. *D. Raddon et Swainson.*

6778. 3; *glaucinalis**. (*Haw. Pr.* 31.)—(*Sam. I.* 35.)

Ph. Py. glaucinalis. *Linn. ii.* 881.—*Turt. iii.* 273.

Cr. glauccinatus: the double-striped.—*Haw. l. c.* *Fabr. Sup.* 464.—*Haw.* 374.

Py. nitidalis. *Hüb. Py. pl.* 15. *f.* 98.

Genus 233: (1016). AGROTERA, *Schrank*?

ASOPIA A. *p*, *Treitschke*.

6779. 1; *costalis**.

Ph. costalis. *Fabr. iii. b.* 240. (!)—*Stew. ii.* 181.—*Turt. iii.* 284.

Cr. costalis. *Haw.* 375.

Py. costalis. (*Haw. Pr.* 29.)—(*Sam. I.* 35.)

Py. fimbrialis. *Hüb. Py. pl.* 15. *f.* 77.

Gold Fringe. *Harr. V. M.* 27.

Genus 234: (1017). —

ASOPIA B. *p*, *Treitschke*.

6780. 1; *flamealis**.

^a 6775. 3: *dimidiatus**.

Py. dimidialis. (*Haw. Pr.* 29.) (!)

Cr. dimidiatus: the Tea Tabby. *Haw.* 372. (!)

He. dimidiatus. (*Sam. I.* 21.) (!)

Py. flamealis. *Hüb. Py. pl. 15. f. 99.*—(*Haw. Pr. 29.*)
 Cr. flameatus: the rosy Flounced. *Haw. 375.*
 He. flamealis. (*Sam. I. 21.*)

Genus 235: (1018). SIMAËTHIS, *Leach, Samou.*

ANTHOPHILA, *Haworth.*—XYLOPODA, *Latr.*—ASOPIA B. p.,
Treitschke. Nettle-taps.

6781. 1; Fabriciana*.

Ph. To. Fabriciana. *Linn. ii. 880.*
 An. Fabricii: Fabricius' Nettle-tap. *Haw. 471.*
 Ph. To. Urticana. (*Wien. V. 132.*)—*Villers E. ii. 418.*
 Ph. Ti. Oxyacanthella. *Linn. ii. 886.*
 An. Oxyacanthæ: autumn Nettle-tap. *Haw. 471.*
 Si. dentana. (*Leach E. E. ix. 135.*)—(*Samou. 254.*)
 Si. dentata. (*Sam. I. 38.*)
 Aso. alternalis. (*Och. Tr. vi. b. 317.*)
 Nettle-tap. *Harr. V. M. 51.*
 To. dentana. *Hüb. To. pl. 1. f. 4, 5.*—(*Sam. I. 41.*)

6782. 2; pariana*.

Ph. To. pariana. *Linn. ii. 880.*—*Hüb. To. pl. 1. f. 1, 2.*—
Turt. iii. 357.
 An. par: double-barred Nettle-tap. *Haw. 471.*
 As. parialis. (*Och. Tr. vi. b. 317.*)

6783. 3; lutosa*.

An. lutosa: early Nettle-tap. *Haw. 472.*
 To. lutosa. (*Sam. I. 42.*)

6784. 4, Myllerana*.

Py. Myllerana. *Fabr. iii. b. 277.*
 An. Mylleri: Myller's Nettle-tap. *Haw. 472.*
 To. Myller. (*Sam. I. 42.*)

6785. 5, punctosa.

An. punctosa: narrow Silver-dotted. *Haw. 472.*

Genus 236: (1019). ENNYCHIA, *Treitschke.*

PYRAUSTA p., *Curtis.*

6786. 1; octomaculata*.

Ge. octomaculata. *Linn. M. 540.*
 Ph. atralis. *Fabr. iii. b. 241.*—*Don. viii. 39. pl. 266. f. 4.*—
Stcw. ii. 181.—*Turt. iii. 284.*
 Py. atralis. (*Haw. Pr. 29.*)—*Haw. 388.*
 Bo. atralis. (*Sam. I. 7.*)
 Py. atralis. (*Curtis l. c. infra.*)
 Py. guttalilis. (*Wien. V. 124.*)—*Hüb. Py. pl. 12. f. 75.*
 No. trigutta. *Esper. iv. pl. clxiii. f. 6.*

- White-spot. (*Wilkes D. pl. 9. f. 3.*)—*Harr. A. 27. f. p.*—
Harr. V. M. 43.
6787. 2; *anguinalis**. (*Och. Tr. vi. b. 319.*)
*Py. anguinalis**: the wavy-barred Sable.—*Haw. l. c.*
Py. anguinalis. *Hüb. Py. pl. 5. f. 32.*—*Haw. 389.*
Bo. anguinalis. (*Sam. I. 7.*)
Pyr. anguinalis. (*Curtis l. c. infra.*)
6788. 3, *cingulata*: the silver-barred Sable.—*Haw. l. c.*
Ph. Ge. cingulata. *Linn. ii. 874.*—*Turt. iii. 267.*
Py. cingulalis. *Hüb. Ge. pl. 5. f. 30.*—(*Haw. Pr. 29.*)—
Haw. 389.
Bo. cingulatus. (*Sam. I. 7.*)
Pyr. cingulalis. *Curtis. iii. pl. 128.*
- 6789 † 4, *fascialis**?
Py. fascialis: the Flounced. *Haw. 390.* In Mus. *D. Haworth.*
- Genus 237: (1020). PYRAUSTA, Schrank, (*Curtis.*)
- PHALENA-GEOMETRA *p*, *Linné*.—CRAMBUS *p*, *Fabricius*.—
BOTYS *p*, *Latr.*, *Leach*, *Sanou*.
6791. 1; *purpurealis**. (*Curtis folio 128.*)
Ph. Py. purpurealis. *Linn. ii. 883.*—*Don. x. 34. pl. 339. f. 2.*
—*Turt. iii. 283.*
Py. purpurealis. (*Haw. Pr. 29.*)—*Haw. 388.*
Bo. purpurealis. (*Sam. I. 7.*)
Py. coccinalis. *Hüb. Py. pl. 6. f. 37.*
Crimson and Gold. (*Wilkes D. pl. 5. f. 2.*)—*Harr. A. pl. 28.*
f. m.—*Harr. V. M. 19.*
6792. 2; *punicealis**. (*Curtis l. c. supra.*)
Py. punicealis: the Purple and Gold.—*Haw. l. c.* *Fabr. iii.*
b. 239.—(*Haw. Pr. 29.*)—*Hüb. Py. pl. 6. f. 34?*—*Haw. 239.*
Bo. punicealis. (*Sam. I. 7.*)
6793. [3; *ostrinalis**.] (*Curtis l. c. supra.*)
Py. ostrinalis: the scarce Purple and Gold.—*Haw. l. c.* *Hüb.*
Py. pl. 17. f. 113.—*Haw. 389.*
Bo. ostrinalis. (*Sam. I. 7.*)
6794. 4; *Porphyrialis**.
Py. Porphyrialis. *Fabr. iii. b. 239.*
Py. Porphyrialis. *Hüb. Py. pl. 6. f. 36?*—(*Haw. Pr. 29.*)
Py. porphyrialis: the Porphyry. *Haw. 389.*
Pyr. porphyrialis. (*Curtis l. c. supra.*)
Bo. Porphyrialis. (*Sam. I. 7.*)
6795. 5; *cespitalis**. (*Curtis l. c. supra.*)
Ph. cespitalis: the Straw-barred. *Fabr. iii. b. 238.*
Py. cespitalis. *Hüb. Py. pl. 6. f. 39.*—*Haw. 390.*
Bo. cespitalis. (*Sam. I. 7.*)

6796. [6; sordidalis*.] (*Curtis l. c. supra.*)
 Py. sordidalis: the dingy Straw-barred.—*Haw. l. c. Hüb. Py. pl. 7. f. 40.*—*Haw. 391.*
 Bo. sordidalis. (*Sam. I. 7.*)
- Genus 238: (1021). HYDROCAMPA, *Latreille*, (*Kirby.*)
 BOTYS et NYMPHULA p, *Schrantz.*
6797. 1; literalis*: the lettered China-mark.—*Haw. l. c.*
 Py. literalis. (*Wien. V. 121.*)—*Hüb. Py. pl. 13. f. 86.*—
 (*Haw. Pr. 30.*)—*Haw. 384.*
 Bo. literalis. (*Sam. I. 7.*)
 Ph. argentalis. *Fabr. iii. b. 240?*
6798. 2; Sambucata*: the garden China-mark.—*Haw. l. c.*
 Ph. Sambucata. *Fabr. iii. b. 215.*
 Py. Sambucalis. (*Wien. V. 124.*)—*Hüb. Py. pl. 13. f. 81.*—
 (*Haw. Pr. 30.*)—*Haw. 383.*
 Bo. Sambucata. (*Sam. I. 7.*)
Albin. pl. xxxvii. f. 59. a-d.
 Brown China Mark. *Harr. V. M. 37.*
6799. 3; Potamogata*.
 Ph. Ge. Potamogata. *Linn. ii. 873.*—*Don. xi. 9. pl. 363. f. 1.*
 Py. Potamogalis. (*Haw. Pr. 30.*)—*Haw. 382.*
 Bo. Potamogata. (*Leach E. E. ix. 135.*)
 Bo. Potamogeta. (*Sam. I. 7.*)
 Py. Nymphaealis. *Hüb. Py. pl. 13. f. 85.*
 Brown China Mark. *Harr. A. pl. 41. f. o-q.*
 Large China Mark. *Harr. Ex. 30. pl. viii. f. 2.*
6800. 4; Nymphæata*.
 Ph. Ge. Nymphæata. *Linn. ii. 873.*—*Stew. ii. 172.*—*Turt. iii. 271.*
 Py. Nymphaealis: the beautiful China-mark. (*Haw. Pr. 30.*)
 —*Haw. 383.*
 Py. Potamogalis. *Hüb. Py. pl. 13. f. 82.*
 Ph. stagnata. *Don. xi. 10. pl. 363. f. 2.*
 Bo. Nymphæata. (*Sam. I. 7.*)
6801. 5; Lemnata*: the small China-mark.—*Haw. l. c.*
 Ph. Ge. Lemnata. *Linn. ii. 874.*—*Don. viii. 37. pl. 266. f. 1,*
 2.—*Stew. ii. 172.*—*Turt. iii. 271.*
 Py. Lemnalis. *Hüb. Py. pl. 13. f. 83. ♂. f. 84. ♀.*—(*Haw. Pr. 30.*)—*Haw. 384.*
 Bo. Lemnata. (*Leach E. E. ix. 135.*)—(*Sam. I. 7.*)
 Small white China Mark. *Harr. A. pl. 7. f. k-m.*—*Harr. V. M. 37.*
- ♀; Ph. uliginata. *Fabr. iii. b. 214.*
6802. 6; Stratotata*: the ringed China-mark.—*Haw. l. c.*
 Ph. Ge. Stratotata. *Linn. ii. 873.*—*Turt. iii. 270.*

Py. Stratiotalis. *Hüb. Py. pl. 13. f. 87.* ♂.—(*Haw. Pr. 30.*)
—*Haw. 333.*

Bo. Stratiotalis. (*Sam. I. 7.*)—(*Kirby & Sp. I. E. iv. 56 & 74.*)
Ph. Ge. paludata. *Fabr. iii. b. 213.* (!)—(*Haw. Pr. 25.*)—
Turt. iii. 270.

Rush China Mark. *Harr. V. M. 35.*

Genus 239: (1022). —

6803. 1; hybridalis*: the rush Veneer.—*Haw. l. c.*

Py. hybridalis. *Hüb. Py. pl. 17. f. 114.*—*Haw. 386.*

Bo. hybridalis. (*Sam. I. 7.*)

Tin. Noctuella. (*Wien. V. 136.*)

Rush Vanear. *Harr. V. M. 53.*

Genus 240: (1023). DIAPHANIA *mihi.*

6804. 1, lucernalis*: the transparent China-mark.—*Haw. l. c.*

Py. lucernalis. *Hüb. Py. pl. 17. f. 108.*—(*Haw. Pr. 30.*)—
Haw. 384.

Genus 241: (1024). —

BOTYS *p.*, *Latreille*.—NYMPHULA *p.*, *Schrank.*

6805. 1; forficalis*: the garden Pebble.—*Haw. l. c.*

Ph. Py. forficalis. *Linn. ii. 832.*—*Turt. iii. 275.*

Py. forficalis. *Hüb. Py. pl. 9. f. 58.*—(*Haw. Pr. 30.*)—*Haw. 377.*

Cr. forficatus. *Fabr. Sup. 467.*

Bo. forficalis. (*Sam. I. 7.*)

Genus 242: (1025). BOTYS.

BOTYS *p.*, *Latreille*.—NYMPHULA *p.*, *Schr.*—MARGARITIA *p.*,
(*Kirby.*)

6806. 1; Urticata*.

Ph. Ge. Urticata. *Linn. ii. 873.*—*Berk. S. i. 145.*—*Don. x. 64.*
pl. 349. f. 2.—*Stew. ii. 172.*—*Turt. iii. 269.*

Py. Urticalis. *Hüb. Py. pl. 12. f. 78.*—(*Haw. Pr. 30.*)—
Haw. 382.

Bo. Urticata. (*Sam. I. 7.*)

Pa. No. 61. *List. Göed. (Angl.) 66. f. 61.*—*Id. (Lat.) 150. f. 61.*
Magpie M. *Albin. pl. xxxvii. f. 60. i-m.*

Small Magpie M. *Harr. A. pl. 6.*—*Harr. V. M. 35.*

Genus 243: (1026). MARGARITIA *mihi*, (*Kirby.*)

BOTYS *p.*, *Latreille*, *Leach*, *Samou.*—NYMPHULA *p.*, *Schrank.*

6807 † 1, diversalis.

Py. diversalis. *Hüb. Py. pl. 16. f. 102.* In Mus. Brit.

6808. 2, longalis*.

Py. longalis: the long-winged Pearl. *Haw. 379.*

- Py. elongalis. (*Haw. Pr.* 30.)
 Bo. longalis. (*Sam. I.* 7.)
 Py. glabralis. *Hüb. Py. pl.* 18. *f.* 117?
 Py. lancealis. (*Wien. V.* 121?)—*nec Fabricii.*
6809. 3; verticalis*.
 Ph. Py. verticalis. *Linn. ii.* 882.—*Berk. S.* i. 146.—*Don. xvi.*
pl. 556.—*Stew. ii.* 181.—*Turt. iii.* 277.
 Py. verticalis. *Hüb. Py. pl.* 9. *f.* 57.—(*Haw. Pr.* 30.)—
Haw. 376.
 Bo. verticalis. (*Sam. I.* 7.)
Albin. pl. lxxiii. *f.* a—d.
 Mother of Pearl M.: Ph. verticalis. (*Wilkes.* 24. *pl.* 51.)
 Small Magpie likeness. *Harr. A. pl.* 33. *f.* h—l.—*Harr. V. M.*
 35.
6810. 4, palealis: the Sulphur.—*Haw. l. c.*
 Ph. palealis. *Fabr. iii. b.* 231.
 Py. palealis. (*Wien. V.* 123.)—*Hüb. Py. pl.* 11. *f.* 70.—
Haw. 378.
 Bo. pulealis. (*Sam. I.* 7.)
6811. 5, centrostrigalis *mihi.*
6812. 6; limbalis*: the lesser Pearl.—*Haw. l. c.*
 Py. limbalis. *Hüb. Py. pl.* 11. *f.* 72, 73.—*Haw.* 378.
 Bo. limbalis. (*Sam. I.* 7.)
 Bo. cinctalis. (*Och. Tr. vi. b.* 314.)
6813. 7; hyalinalis*: the scarce Pearl.—*Haw. l. c.*
 Py. hyalinalis. *Hüb. Py. pl.* 11. *f.* 74.—*Haw.* 377.
 Bo. hyalinalis. (*Sam. I.* 7.)
6814. 8, glabralis: the dingy Pearl.—*Haw. l. c.*
 Ph. glabralis. *Fabr. E. S. iii. b.* 277.
 Py. glabralis. *Hüb. Py. pl.* 10. *f.* 65.—*Haw.* 380.
 Bo. glabralis. (*Sam. I.* 7.)
6815. 9; angustalis*.
 Py. angustalis: the narrow-winged Pearl. *Haw.* 379.
 Bo. angustulus. (*Sam. I.* 7.)
6816. 10; terminalis*.
 Py. terminalis: the bordered Pearl. *Haw.* 379.
 Bo. terminalis. (*Sam. I.* 7.)
- 6817 † 11, pallidalis.
 Py. pallidalis: the delicate Pearl. *Haw.* 379.
 In Mus. D. *Haworth.*
6818. 12; Thapsalis*. (*Och. Tr. vi. b.* 314.)—the straw China-mark.—*Haw. l. c.*
 Ph. Verbasalis. *Fabr. iii. b.* 212?

Py. Verbascalis. *Hüb. Py. pl. 9. f. 59.*—(*Haw. Pr. 30.*)—
Haw. 381.

Bo. Verbascalis. (*Sam. I. 7.*)

6819. [13; ochrealis *]: the small straw China-mark.—*Haw. l. c.*
Py. ochrealis. *Fabr. iii. b. 231.*

Py. ochrealis. *Hüb. Py. pl. 22. f. 146.*—*Haw. 381.*

Bo. ochrealis. (*Sam. I. 7.*) 1

6820. 14, longipedalis.

Py. longipedalis. *Dale?* *MSS.*

6821. 15; Verbascalis *: the rusty China-mark.—*Haw. l. c.*

Py. Verbascalis. (*Wien. V. 121.*)

Py. arcualis. *Hüb. Py. pl. 12. f. 80.*—(*Haw. Pr. 30.*)—*Haw. 381.*

Bo. arcualis. (*Sam. I. 7.*)

Large golden China Mark. *Harr. V. M. 37.*

6822. 16; flavalis *: the gold China-Mark.—*Haw. l. c.*

Py. flavalis. *Hüb. Py. pl. 11. f. 69.*—*Haw. 382.*

Bo. flavalis. (*Sam. I. 7.*)

Small golden China Mark. *Harr. V. M. 37.*

6823. 17; ferrugalis *: the rusty Dot.—*Haw. l. c.*

Py. ferrugalis. *Hüb. Py. pl. 9. f. 54.*—(*Haw. Pr. 30.*)—
Haw. 382.

Bo. ferrugalis. (*Sam. I. 7.*)

6824. 18; pulveralis *.

Py. pulveralis. *Hüb. Py. pl. 17. f. 109.*

6825. 19; cineralis *: the cinereous Pearl.—*Haw. l. c.*

Ph. cineralis. *Fabr. iii. b. 230.*

Py. cineralis. *Hüb. Py. pl. 10. f. 66.*—(*Haw. Pr. 30.*)—
Haw. 380.

Bo. cineralis. (*Sam. I. 7.*)

6826. 20; fimbrialis * *nihili.*

6827. 21, uliginosalis.

Py. uliginosalis. *Curtis?* *MSS.*

6828. 22; lutealis *: the pale Straw.—*Haw. l. c.*

Py. lutealis. *Hüb. Py. pl. 22. f. 145.*—*Haw. 380.*

Bo. lutealis. (*Sam. I. 7.*)

Py. secalis. (*Haw. Pr. 31.*)—*Turt. iii. 279.*—(*Kirby & Sp. I. E. i. 172.*)

6829. 23; tetragonalis *.

Py. tetragonalis: the Diamond-spot. *Haw. 385.*

Bo. tetragonalis. (*Sam. I. 7.*)

6830 † 24, cilialis.

Py. cilialis. *Hüb. Py. pl. 18. f. 119.* In Mus. D. Curtis.

6831. 25: sericealis*: the straw Dot.—*Haw. l. c.*

Py. sericealis. (*Wien. V. 122.*)—*Hüb. Py. pl. 9. f. 56.*—
Haw. 381.

Bo. sericealis. (*Sam. I. 7.*)

Py. Leeana. *Fabr. iii. b. 242. (!)*—*Don. x. 87. pl. 357. f. 1.*
—*Stew. ii. 173.*—*Turt. iii. 342.*

Py. Leeanalisis. (*Haw. Pr. 31.*)

Ph. Ge. limbata. *Linn. ii. 873?*—*Turt. iii. 269?*

6832. 26, margaritalis.

Ph. margaritalis. (*Wien. V. 123.*)—*Fabr. iii. b. 226.*

Ph. extimalis. *Scop. C. No. 614?*

6833. 27; elutalis*: the chequered Straw.—*Haw. l. c.*

Py. elutalis. *Hüb. Py. pl. 10. f. 62.*—(*Haw. Pr. 30.*)—
Haw. 378.

Bo. clutalis. (*Sam. I. 7.*)

Genus 244: (1027). SCOPULA, Schrank.

6834. 1, Prunalis. (*Och. Tr. vi. b. 313.*)

Py. Prunalis. (*Wien. V. 121.*)

Py. leucophealis. *Hüb. Py. pl. 12. f. 77.*

♀? Py. elutalis. (*Wien. V. 121.*)

Py. albidalis. *Hüb. Py. pl. 18. f. 118.*

6835. 2; nebulalis*: the dusky Brindled.—*Haw. l. c.* (*Och. Tr. vi. b. 313.*)

Py. nebulalis. *Hüb. Py. pl. 8. f. 51.*—(*Haw. Pr. 31.*)—
Haw. 386.

Bo. nebulalis. (*Sam. I. 7.*)

6836. 3; nivealis*.

Ph. nivealis. *Fabr. iii. b. 232.*

Py. nivealis: the white Brindled. (*Haw. Pr. 31.*)—*Haw. 385.*

Bo. nivealis. (*Sam. I. 7.*)

Py. umbralis. *Hüb. Py. pl. 8. f. 52.*

China Mark Likeness. *Harr. A. pl. 29. f. p-s.*—*Harr. V. M. 37.*

6837 † 4. sticticalis*.

6838. 5, dentalis*? the starry Brindle.

Py. dentalis. (*Wien. V. 120.*)—*Hüb. Py. pl. 4. f. 25.*—
Haw. 385.

No. fulminans. *Fabr. iii. b. 104.*

Ph. ramalis. *Fabr. iii. b. 230.*

No. radiata. *Esper. iv. pl. cxxvi. f. 2, 3.*

An hujus generis?

* 6837 † 4. sticticalis.

Ph. Py. sticticalis. *Linn. ii. 883.*—*Turt. iii. 281. (!)*

Genus 245: (1028). NOLA, Leach, Samou.

HERCYNIA p, Treitschke.—PH.-TINEA p, Linné.—BOTYS p, Samou.
—BRIOPHILA? p, (Kirby.)

6839. 1; Monachalis*.

Py. Monachalis: the small Black-arches. Haw. 386.

6840. 2; strigulalis*: the least Black-arches.—Haw. l. c.

Py. strigulalis. Hüb. Py. pl. 3. f. 16.—(Haw. Pr. 31.)—Haw.
387.—(Kirby & Sp. I. E. iii. 232.)

Bo. strigulalis. (Sam. I. 7.)

6841. 3; cucullatella*.

Ph. Ti. cucullatella. Linn. ii. 889.

Py. cucullatalis: the short-cloaked. (Haw. Pr. 29.)—Haw. 387.

Bo. cucullatalis. (Sam. I. 7.)

Py. palliolalis. Hüb. Py. pl. 23. f. 149.

No. palliolalis. (Leuch. E. E. ix. 135.)—(Sam. I. 30.)

To. palliolatis. (Sam. I. 42.)

6842. [4; fuliginalis*] mihi.

Subsectio 4. LE.-VESPERTINA mihi.

(PH.-TORTRIX, -TINEA p, et -ALUCITA, Linné.)

Familia XVIII: (131). TORTRICIDÆ.

(PHALENA-TORTRIX, Linné.—PYRALIS, Fabr.—TORTRIX,
Hüb., Haw.—PYRALITES p, Latr.) Twisters.

Genus 246: (1029). CHLOEPHORA mihi.

NOCTUA p, Haw. Pr.

6843. 1; Fagana*.

Py. Fagana. Fabr. iii. b. 243.—Stew. ii. 174.—Turt. iii. 343.

No. Fagina. (Haw. Pr. 15.)

To. Fagana. Haw. 395.—(Leach E. E. ix. 135.)—(Sam. I. 41.)

Ph. Fagana. Don. viii. 75. pl. 280.

To. prasinana. (Wien. V. 125.)—Hüb. To. pl. 25. f. 158.—
Berk. S. i. 146.

Green M. with Silver lines: Ph. prasinana. (Wilkes. 6. pl. 18.)

Green Silver lines. Harr. A. pl. 10. f. i-m.—Harr. V. M. 35.
Albin. pl. 31.

♂; Py. sylvana. Fabr. iii. b. 244.

6844. 2; prasinana*.

Ph. To. prasinana. Linn. ii. 875.—Stew. ii. 173.—Turt. iii. 312.

No. prasinina. (Haw. Pr. 15.)

Py. prasinaria. Fabr. iii. b. 243.

Ph. prasinana? Don. ii. pl. 40. fig. sup.

To. Quercana. (Wien. V. 125.)—Hüb. To. pl. 25. f. 159.

To. prasinana. *Haw.* 395.—(*Kirby & Sp. I. E.* iii. 278.)
Scarce Silver lines. *Harr. A. pl.* 30. *f. e-h.*—*Harr. V. M.* 35.

Genus 247: (1030). *TORTRIX Auctorum.*

6845. 1; clorana*. *Hüb. To. pl.* 25. *f. 160.*—*Haw. Pr.* 32.—*Haw.* 397.—(*Leach E. E.* ix. 135.)—(*Sam. I.* 41.)
Ph. To. clorana. *Linn. ii.* 876.—*Stew. ii.* 174.—*Turt. iii.* 343.—(*Kirby & Sp. I. E.* iii. 279.)
Small green Oak M.: Ph. viridana. (*Wilkes. 4. pl.* 5.)
Cream-bordered Green Pea. *Harr. V. M.* 29.
6846. 2; viridana*. *Haw. Pr.* 32.
Ph. To. viridana. *Linn. ii.* 875.—*Berk. S. i.* 146.—*Don. iv.* 95. *pl.* 144.—*Stew. ii.* 174.—*Turt. iii.* 343.—(*Sam. I.* 42.)
To. viridana. *Hüb. To. pl.* 25. *f. 156.*—(*Haw. Pr.* 32.)
Albin. pl. lxxii. *f. e-h.*
Pea Green M. *Harr. A. pl.* 10.—1, 2, y, z.—*Harr. V. M.* 27.
6847. 3; flavana*: the plain Yellow. *Haw.* 397.
To. flavana. *Hüb. To. pl.* 25. *f. 157.*
6848. 4; unitana. *Hüb. To. pl.* 19. *f. 123.*
Ph. Viburnana. (*Wien. V.* 128.)
- 6849 † 5, Pillerana. (*Wien. V.* 126?)
Py. Pillerana. *Fabr. iii. b.* 251?
To. luteolana. *Hüb. To. pl.* 21. *f. 136?*
To. Galiana *Museorum.* In *Mus. D. Bentley, Chant, et Stone.*

Genus 248: (1031). *LOZOTÆNIA miki.*

To.-OBliquanæ *p.*, *Haworth.*

6850. 1; Forsterana*.
Py. Forsterana. *Fabr. iii. b.* 251. (!)—*Stew. ii.* 177.—*Turt. iii.* 346.
To. Forsterana: the Forsterian. (*Haw. Pr.* 32.)—*Haw.* 421.—(*Sam. I.* 41.)
Albin. pl. lxii. *f. a-d.*
6851. 2; Avellana*.
Ph. To. Avellana. *Linn. ii.* 877.—*Stew. ii.* 176.—*Turt. iii.* 350.
To. Avellana: the Hazel Tortrix. (*Haw. Pr.* 33.)—*Haw.* 421.—(*Sam. I.* 41.)
To. Sorbiana. *Hüb. To. pl.* 18. *f. 113.*
6852. 3; Carpiniana*.
To. Carpiniana: the dark Oblique-bar.—*Haw. l. c.* *Hüb. To. pl.* 18. *f. 116.*—*Haw.* 422.—(*Sam. I.* 41.)
Ph. To. Heperana. *Stew. ii.* 176?
6853. 4; Ribeana*.
To. Ribeana: the common Oblique-bar.—*Haw. l. c.* *Hüb. To. pl.* 18. *f. 114.*—*Haw.* 423.—(*Sam. I.* 42.)

6854. [5; Grossulariana*] *mihi*.
 6855. 6; *Cerasana**.
 To. *Cerasana*: the hollow Oblique-bar.—*Haw.* l. c. *Hüb.* *To.*
 pl. 19. *f.* 119.—*Haw.* 423.
6856. 7; *lævigana**.
 To. *lævigana*. (*Wien.* V. 129?)—*Fabr.* iii. b. 253?
6857. 8; *Corylana**.
 Py. *Corylana*. *Fabr.* iii. b. 260.
 To. *Corylana*: the great Chequered. *Haw.* 422.
 To. *textana*. *Hüb.* *To.* *pl.* 18. *f.* 115.
6858. 9; *Rosana**.
 Ph. To. *Rosana*. *Linn.* ii. 876.—*Stew.* ii. 176.—*Turt.* iii. 345.
 To. *Rosana*: the Rose. (*Haw.* *Pr.* 32.)—*Haw.* 424.—
 (*Sam.* I. 42.)
 Ph. *Ameriana*. *Villers E.* iii. 393.—(*Haw.* *Pr.* 34.)
6859. 10; *Oxyacanthana**.
 To. *Oxyacanthana*: the White-thorn.—*Haw.* l. c. *Hüb.* *To.*
 pl. 18. *f.* 117.—(*Haw.* *Pr.* 33.)—*Haw.* 425.—(*Sam.* I. 42.)
6860. 11; *Viburnana**.
 Py. *Viburnana*. *Fabr.* iii. b. 257?
 To. *Viburnana*: the Viburnian. *Haw.* 425.
6861. 12, *subocellana mihi*.
6862. 13; *fuscana**.
 Ph. To. *fuscana*. *Fabr.* iii. b. 251.—*Turt.* iii. 346.
 To. *fuscana*: the great Brown. (*Haw.* *Pr.* 33.)—*Haw.* 424.
6863. [14; *Branderiana**.]
 Ph. To. *Branderiana*. *Linn.* ii. 877?
 To. *Branderiana*: the Branderian. (*Haw.* *Pr.* 34.)—*Haw.* 424.
 Py. *Pasquayana*. *Fabr.* iii. b. 248?
 β? To. *Cratægana*. *Hüb.* *To.* *pl.* 17. *f.* 107.
6864. 15; *oporana**.
 Ph. To. *oporana*. *Linn.* ii. 876.—*Berk.* S. i. 146.—*Stew.* ii.
 175.—*Turt.* iii. 352.
 To. *oporana*: the great Hook-tipped.—*Haw.* l. c. *Hüb.* *To.*
 pl. 18. *f.* 112.—(*Haw.* *Pr.* 32.)—*Haw.* 427.—(*Sam.* I. 42.)
 To. *Hermanniana*. (*Wien.* V. 317.)
 Plumb-tree M.: Ph. *oporana*. (*Wilkes.* 17. *pl.* 34.)
 Scorched Hook-tip. *Harr.* V. M. 49.
 Albin. *pl.* xxxvi. *f.* 58. *f-l.*
6865. 16; *fulvana**.
 To. *fulvana*. (*Wien.* V. 128.)
 To. *Pyrastrana*. *Hüb.* *To.* *pl.* 20. *f.* 124.
 Py. *Gerningana*: the Gerningeon.—*Haw.* l. c. *Haw.* 428.

6866. 17; *Xylosteana* *.

Ph. To. *Xylosteana*. *Linn.* ii. 876?—*Turt.* iii. 446?

To. *Xylosteana*: the forked Red-bar. (*Haw. Pr.* 32.)—
Haw. 428.—(*Sam. I.* 42.)

To. *obliquana*. *Fabr.* iii. b. 257?

To. *characterana*. *Hüb. To. pl.* 20. f. 125?

6867. 18; *Roborana* *.

To. *Roborana*. *Hüb. To. pl.* 20. f. 126.

6868. 19; *obliquana* *.

Py. *obliquana*. *Fabr.* iii. b. 257? (!)—*Stew.* ii. 175?—*Turt.* iii. 349.

To. *obliquana*: the oblique-barred. (*Haw. Pr.* 34.)—*Haw.* 421.
Barred Hook-tip. *Harr. A. pl.* 41.

6869. 20; *costana* *.

Py. *costana*. *Fabr.* iii. b. 252.

To. *costana*: the straw Oblique-bar. *Haw.* 423.—(*Sam. I.* 41.)

To. *Gnomana*. *Hüb. To. pl.* 21. f. 131.

Ph. To. *Betulana*. *Don.* xi. 26. *pl.* 369. f. 2.

6870. 21, *biustulana* * *mihi*.

6871. 22; *Modeeriana* *.

Ph. To. *Modeeriana*. *Linn.* ii. 880?—*Turt.* iii. 351.

To. *Modeeriana*: the Modeerian. *Haw.* 423.

6872. 23; *Acerana* *.

To. *Acerana*: the Maple.—*Haw. l. c.* *Hüb. To. pl.* 19. f. 118.
—*Haw.* 425.—(*Sam. I.* 41.)

6873. 24; *trifasciana* *.

Py. *trifasciana*. *Fabr.* iii. b. 248.

To. *trifasciana*: the Afternoon. *Haw.* 426.

6874. 25; *Grotiana* *.

Py. *Grotiana*. *Fabr.* iii. b. 272.

To. *Grotiana*: the Grotian. (*Haw. Pr.* 34.)—*Haw.* 426.

To. *ochreana*. *Hüb. To. pl.* 21. f. 134.

Var? To. *flavana*. *Hüb. To. pl.* 21. f. 133?

6875. 26; *croceana* *.

To. *croceana*: the Saffron.—*Haw. l. c.* *Hüb.* 19. f. 120.—
Haw. 424.

6876. 27; *cruciana* *.

Ph. To. *cruciana*. *Linn.* ii. 880.

To. *cruciana*: the red Cross. *Haw.* 426.

6877. [28; *cinerana* *.]

Py. *cinerana*. *Fabr.* iii. b. 257?

To. *cruciana* β. *Haw.* 427.

6878. 29; *Holmiana* *.

Ph. To. Holmiana. *Linn.* ii. 878.—*Turt.* iii. 352.
To. Holmiana: the Holmian.—*Haw. l. c.* *Hüb. To. pl. 7.*
f. 39.—(*Haw. Pr. 33.*)—*Haw. 427.*—(*Sam. I. 41.*)

6879. 30, Schreberiana?

To. Schreberiana. *Panz. F.* vii. *f. 19?*—*Turt.* iii. 352?

Genus 249: (1032). AMPIHISA, *Curtis.*

6880. 1, Gerningiana.

To. Gerningiana. (*Wien. V.* 318?)

Py. Gerningiana. *Fabr.* iii. 265?

To. pectinana. *Hüb. To. pl. 17.* *f. 103.*

Am. pectinana. (*Curtis l. c. infra.*)

6881 † 2. Walkeri. *Curtis. v. pl. 209.* In Mus. D. Curtis et Walker.

Genus 250: (1033). DITULA *mihi.*

6882. 1; angustiorana*.

To. angustiorana: the narrow-winged Red-bar. *Haw.* 429.

6883. [2; rotundana*.]

To. rotundana: the round-tipped Red-bar. *Haw.* 429.

6884. 3; porphyriana*.

To. porphyriana: bright Oblique-barred.—*Haw. l. c.* *Hüb. To. pl. 5.* *f. 26.*—*Haw. 461.*

6885. [4; nebulana*.]

Ph. To. nebulana. *Don. xi. 13. pl. 364.* *f. 3.*

To. nebulana: the clouded iron. *Haw. 461.*—(*Sam. I. 42.*)

Ph. To. piceana. *Linn. ii. 877?*

6886. 5; sylvana*.

To. sylvana: red Blotch-back.—*Haw. l. c.* *Hüb. To. pl. 20.*
f. 128.—*Haw. 462.*

6887. 6; Asseclana*.

To. Asseclana: barred Blotch-back.—*Haw. l. c.* *Hüb. To. pl. 4.* *f. 19?*—*Haw. 462.*

6888. [7; Æthiopiana*.]

To. Æthiopiana: the Negro. *Haw. 462.*

6889. 8; scriptana*.

To. scriptana: short-barred White.—*Haw. l. c.* *Hüb. To. pl. 17.* *f. 110.*—*Haw. 431.*

6890. 9, semifasciana*.

To. semifasciana: short-barred Grey. *Haw. 431.*—(*Sam. I. 43.*)

Genus 251: (1034). ANTITHESIA *mihi.*

TO.-MARMORANÆ *p.*, *Haworth.*

6891. 1; corticana*.

To. corticana: the marbled Long-cloak.—*Haw. l. c.* *Hüb. To. pl. 3.* *f. 13.*—*Haw. 432.*—(*Sam. I. 41.*)

6892. 2; *Betuletana**.

To. *Betuletana*: the Birch Long-cloak. *Haw.* 432.—(*Sam. I.* 41.)

6893. 3; *tripunctana**.

Py. tripunctana. *Fabr.* iii. b. 283.

To. *tripunctana*: the common Long-cloak. *Haw.* 432.

To. *tripunctata*. (*Haw. Pr.* 34?)

To. *variegana*. *Hüb. To. pl.* 3. f. 14.

Ph. Cynosbana. *Don.* x. 79. *pl.* 355. f. 3.

6894. 4; *Pruniana**.

To. *Pruniana*: the Lesser Long-cloak.—*Haw. l. c.* *Hüb. To. pl.* 3. f. 15.—*Haw.* 433.—(*Sam. I.* 42.)

6895. 5, *pullana**.

To. *pullana*: the Dingy-marbled. *Haw.* 434.

6896. 6; *marginana**.

To. *marginana*: the bordered Long-cloak. *Haw.* 433.

6897. 7; *oblongana**.

To. *oblongana*: the narrow Long-cloak. *Haw.* 433.

6898. 8; *Gentianæana**.

To. *Gentianæana*: the Gentian.—*Haw. l. c.* *Hüb. To. pl.* 3. f. 12.—*Haw.* 433.

6899. 9; *Salicella**.

Ph. Ti. Salicella. *Linn.* ii. 887.—*Berk. S.* i. 147.—*Stew.* ii. 198.—*Turt.* iii. 367.

Ti. Salicella. (*Haw. Pr.* 39.)

To. *Salicana*: the White-backed. *Haw.* 430.—*Hüb. To. pl.* 3. f. 11.—(*Sam. I.* 42.)

Provence Rose M.: *Ph. Salicella*. (*Wilkes.* 5. *pl.* 10.)—*Harr. V. M.* 41.

Genus 252: (1035). *SPILONOTA mihi*.

6900 † 1, *nubiferana**.

To. *nubiferana*: the cloudy White. *Haw.* 431.—(*Sam. I.* 42.)

Ph. To. Wahlboomina. *Linn.* ii. 879?

In *Mus. D. Curtis, Hatchett, Haworth et Stone.*

6901. 2; *Cynosbatella**.

Ph. Ti. Cynosbatella. *Linn.* ii. 887.

To. *Cynosbana*: the Black-cloaked.—*Haw. l. c.* (*Haw. Pr.* 33.)—*Stew.* ii. 178.—*Turt.* iii. 359.

To. *ocellana*. *Hüb. To. pl.* 4. f. 18.

Py. luxana. *Fabr.* iii. b. 255?

6902. 3; *aquana**.

To. *aquana*: the Brown-cloaked.—*Haw. l. c.* *Hüb. To. pl.* 4. f. 17.—*Haw.* 430.

6903. 4; trimaculana*.
 To. trimaculana: the triple Blotched. *Haw.* 442.
6904. 5; fœnella*.
 Ph. Ti. fœnella. *Linn.* ii. 888.—*Turt.* iii. 368.
 To. fœnana: the White-foot. *Haw.* 439.
 Py. Scopoliana. (*Wien. V.* 129.)—*Fabr.* iii. b. 281.
 Ph. To. interrogationana. *Don.* ii. 75. *pl.* 65. *f.* 1.—*Stew.* ii. 179.—*Turt.* iii. 351.
 To. interrogatiana. (*Haw. Pr.* 32.)
 To. tibialana. *Hüb. To. pl.* 7. *f.* 4.
6905. 6; rusticana*.
 Py. rusticana. *Fabr.* iii. b. 254?
 To. rusticana: the tawny Blotch-back. (*Haw. Pr.* 33.)—*Haw.* 442.—(*Sam. I.* 42.)
6906. 7; Pflugiana*.
 Py. Pflugiana. *Fabr.* iii. b. 253.
 To. Pflugiana: the Pflugian. *Haw.* 441.
6907. 8; Straemiana*.
 Py. Straemiana. *Fabr.* iii. b. 255.
 To. Straemiana: the Straemian. (*Haw. Pr.* 33.)—*Haw.* 441.
 To. sinuulana. *Hüb. To. pl.* 7. *f.* 41.
 Ph. To. bimaculana. *Don.* xiii. 55. *pl.* 459.
6908. 9; trigeminana* *michi.*
6909. 10; sticticana*.
 Py. sticticana. *Fabr.* iii. b. 270. (!)—*Turt.* iii. 354.
 To. sticticana. (*Sam. I.* 42.)
 To. profundana. *Hüb. To. pl.* 4. *f.* 21.
 To. stictana: the brown Blotch-back. (*Haw. Pr.* 34.)—*Haw.* 442.
6910. 11; costipunctana*.
 To. costipunctana: the lesser Blotch-back. *Haw.* 443.
6911. 12; tetragonana* *michi.*
6912. 13; nigricostana*.
 To. nigricostana: the black-edged Marble. *Haw.* 438.
6913. 14; ustulana*.
 To. ustulana: the scorched Bluntwing. *Haw.* 467.
6914. 15; comitana*.
 To. comitana: the Cream Short-cloak.—*Haw. l. c. Hüb. To. pl.* 3. *f.* 16.—*Haw.* 434.—(*Sam. I.* 41.)
- Genus 253: (1036). —
6915. 1; dorsana*.
 To. dorsana. *Hüb. To. pl.* 7. *f.* 36?
 To. fimbriana: the brown Bordercd. *Haw.* 446.—(*Sam. I.* 41.)

Genus 254: (1037). PSEUDOTOMIA *mihi*.

6916. 1; *obscurana** *mihi*.

6917. 2; *fraternana**.

To. *fraternana*: the cinereous-silver Barred. *Haw.* 449.—
(*Sam. I.* 41.)

To. *Strobilana*. *Hüb. To. pl. 12. f. 70.*

6918. 3; *atromargana**.

To. *atromargana*: the black Bordered. *Haw.* 446.—(*Sam. I.* 41.)

6919. 4; *Stobilella**.

Ph. Ti. *Stobilella*. *Linn. ii.* 802.—*Stew. ii.* 199.—*Turt. iii.* 371.

To. *Strobilana*: the light Silver-striped. *Haw.* 448.—(*Sam. I.* 42.)

To. *Argyrana*. *Hüb. To. pl. 8. f. 46.*

6920. 5; *sequana**: the silver Blotch-back.—*Haw. l. c.*

To. *sequana*. *Hüb. To. pl. 8. f. 44.*—*Haw.* 446.—(*Sam. I.* 42.)

6921. 6; *Petiverella**.

Ph. Ti. *Petiverella*. *Linn. ii.* 895.

To. *Petiverana*: the Petiverian. *Haw.* 445.

To. *montana*. (*Wien. V.* 127.)

6922 † 7; *concinnana* *mihi*. In Mus. D. Rudd.

6923. 8; *simpliciana**.

To. *simpliciana*: the plain Silver-fringed. *Haw.* 444.

To. *lunulana*. (*Wien. V.* 127.)—*Hüb. To. pl. 7. f. 35?*

6924. 9; *Jacquiniana**.

Py. *Jacquiniana*. *Fabr. iii. b.* 258.

To. *Jacquiniana*: the Jacquinian. *Haw.* 444.

Var. To. *inquinitana*. *Hüb. To. pl. 8. f. 43.*

6925. 10; *strigana**.

Py. *strigana*. *Fabr. iii. b.* 282?

To. *strigana*: the plain Gold-fringed. *Haw.* 444.

6926. 11; *atropurpurana**.

To. *atropurpurana*: the purple Black. *Haw.* 467.

6927. 12; *nigricana**.

Py. *nigricana*. *Fabr. iii. b.* 276. (!)—*Turt. iii.* 357.

To. *nigricana*: the black Striped-edge. *Haw.* 458.—(*Sam. I.* 42.)

6928. 13; *proximana**.

To. *proximana*: pale brown Striped-edge. *Haw.* 458.

6929. 14; *puncticostana** *mihi*.

6930. 15; *Trauniana**.

Py. *Trauniana*. *Fabr. iii. b.* 259.

To. *Traunjana*: the Traunian.—*Haw. l. c.* *Hüb. To. pl. 7. f. 38.*—*Haw.* 444.

6931. 16; *Populana**.
 Py. *Populana*. *Fabr.* iii. b. 258.
 To. *Populana*: the pygmy Y. *Haw.* 447.—(*Sam. I.* 42.)
6932. 17; *trigonana** *mihi*.
6933. 18; *Lediana**.
 Ph. To. *Lediana*. *Linn.* ii. 879.—*Clerk. P. pl.* x. f. 12.
 To. *Lediana*: the Ledian.—*Haw.* 459.
6934. 19; *comitana**.
 To. *comitana*. (*Wien. V.* 131.)
 To. *piciæana*. *Hüb. To. pl.* 12. f. 72.
 To. *Abietana mihi olim*.
6935. 20; *Gundiana**: the Gundian.—*Haw. l. c.*
 To. *Gundiana*. *Hüb. To. pl.* 8. f. 42.—*Haw.* 448.
6936. 21; *compositella**.
 Ti. *compositella*. *Fabr.* iii. b. 316. (!)—*Stew.* ii. 200.—
Turt. iii. 374.
 Py. *composana*. *Fabr.* S. 480.
 To. *composana*: the triple-striped Blotch-back. *Haw.* 447.—
 (*Sam. I.* 41.)
 To. *compositana*. (*Haw. Pr.* 33.)
6937. 22; *dorsana**.
 Py. *dorsana*. *Fabr.* iii. b. 282?
 To. *dorsana*: the single-striped Blotch-back. (*Haw. Pr.* 33.)—
 —*Haw.* 447.
6938. 23; *aurana**.
 Py. *aurana*. *Fabr.* iii. b. 279. (!)—*Don.* ii. 53. *pl.* 57. f. 2.—
Stew. ii. 178.—*Turt.* iii. 358.
 To. *aurana*: the double Orange-spot. (*Haw. Pr.* 33.)—
 —*Haw.* 445.—(*Sam. I.* 41.)
 Py. *mediana*. *Fabr.* iii. b. 284.
 To. *mediana*. *Hüb. To. pl.* 28. f. 179.
 Py. *fulvana*. *Fabr.* S. 477.
 Ti. *fulvella*. *Fabr.* iii. b. 317?
6939. 24; *nitidana**.
 Py. *nitidana*. *Fabr.* iii. b. 276. (!)—*Turt.* iii. 357.
 To. *nitidana*: dark Silver-striped. (*Haw. Pr.* 34.)—*Haw.* 448
 To. *nitida*. (*Sam. I.* 42.)

Genus 255: (1038). STEGANOPTYCHA *mihi*.

To.-DORSANÆ *p*, *Haworth*.

6940. 1; *tetraquetrana**.
 To. *tetraquetrana*: the square-barred Single-dot. *Haw.* 454.
 —(*Sam. I.* 42.)
6941. 2; *unipunctana**.

- To. unipunctana: the marbled Single-dot. *Haw.* 454.—
 (*Sam. I.* 42.)
6942. 3; triquetra*.
 To. triquetra: the angle-barred Single-dot. *Haw.* 454.
6943. 4; angulana*.
 To. angulana: the angle-striped Single-dot. *Haw.* 455.
6944. 5; Bœberana*.
 Py. Bœberana. *Fabr.* iii. b. 285.
 To. Bœberana: the Bœberian. *Haw.* 450.
 Ph. Ti. nisella. *Linn.* ii. 888?
6945. 6; Rubiana*.
 Ph. Rubiana. *Villers E.* ii. 409?
 To. Rubiana: the blotch-backed Grey. (*Haw. Pr.* 34.)—
Haw. 450.—(*Sam. I.* 42.)
 Ph. Pavonana. *Don.* i. 61. *pl.* 58. *f.* 3. *pl.* 59. *f.* 1. *aucta*.—
Stew. ii. 179.
6946. 7; cuspidana*.
 To. cuspidana: the pointed Bar. *Haw.* 451.
6947. 8; stictana*.
 To. stictana: the spotted Red. *Haw.* 451.
6948. 9; rhombifasciana*.
 To. rhombifasciana: the square Bar. *Haw.* 451.
6949. 10; cinerana*.
 To. cinerana: the mottled Grey. (*Haw. Pr.* 33.)—*Haw.* 451.
 —(*Sam. I.* 41.)
- Genus 256: (1039). ANCHYLOPERA *mihi*.
6950. 1; retusana*.
 To. retusana: the variable Red. *Haw.* 453.
6951. 2; subuncana*.
 To. subuncana: the red Hook-tip. *Haw.* 453.
 Py. Mitterbachiana. *Panz. F.* 81. *f.* 23?
 To. festivana. *Hüb. To. pl.* 9. *f.* 52?
6952. 3; obtusana*.
 To. obtusana: the blunt-winged Blotch-back. *Haw.* 453.
6953. 4; unculana*.
 To. unculana: the hook-tipped Blotch-back. *Haw.* 453.
6954. 5; Lundana*.
 Py. Lundana. *Fabr.* iii. b. 282.
 To. Lundiana: the Lundian. *Don.* xi. 39. *pl.* 374. *f.* 1?—
Haw. 452.—(*Sam. I.* 42.)
 To. Corylana. *Hüb. To. pl.* 9. *f.* 53.
 To. badiana. (*Wien. V.* 126?)

6955. 6; *fractifasciana**.
To. *fractifasciana*: the Broken-barred. *Haw.* 466.
6956. 7; *siculana**.
To. *siculana*: hook-tipped Streak.—*Haw.* l. c. *Hüb.* To. pl. 13. f. 79.—*Haw.* 452.
6957. 8, *diminutana**.
To. *diminutana*: Festoon Tortrix. *Haw.* 452.
- 6958 † 9, *funalana* * *mihi*. In Mus. D. *Stone*.
6959. 10; *uncana**.
To. *uncana*: the Bridge.—*Haw.* l. c. *Hüb.* No. pl. 13. f. 76.—*Haw.* 451.
Ph. To. *geminana*. *Don.* xi. 29. pl. 370. f. 1.
- 6960 † 11, *biarcuana** *mihi*. In Mus. D. *Chant*, et *Stone*.
- Genus 257: (1040). —
6961. 1; *harpana**.
To. *harpana*: the hooked Marble.—*Haw.* l. c. *Hüb.* To. pl. 13. f. 77.—*Haw.* 437.—(*Sam.* I. 41.)
Py. *lætana*. *Fabr.* iii. b. 258.
6962. 2, *nigromaculana**.
To. *nigromaculana*: the beautiful Marble. *Haw.* 436.
6963. 3; *nævana**.
To. *nævana*. *Hüb.* To. pl. 41. f. 261.
6964. 4; *sociana**.
To. *sociana*: the white Short-cloak. *Haw.* 434.
6965. 5; *incarnana**.
To. *incarnana*: the marbled Short-cloak. *Haw.* 435.—*Hüb.* To. pl. 30. f. 191?—(*Sam.* I. 41.)
- 6966 † 6, *Paykulliana*.
Py. *Paykulliana*: the Paykullian.—*Haw.* l. c. *Fabr.* iii. b. 272.
To. *Paykulliana*. (*Haw.* Pr. 33.)—*Haw.* 435. In Mus. D. *Haworth*.
6967. 7; *fimbriana**.
To. *fimbriana*. *Thunb.* I. S. 44. pl. 2. f. 3.
To. *sesquilunana*: the double Crescent. *Haw.* 435.
6968. 8; *subocellana**.
Ph. To. *subocellana*: the retuse Marble.—*Haw.* l. c. *Don.* xii. 59. pl. 380. f. 1.—*Haw.* 437.—(*Sam.* I. 42.)
6969. 9, *Asseclana*.
To. *Asseclana*. *Hüb.* To. pl. 30. f. 194.
To. *decorana*: the obtuse Marble. *Haw.* 437.
6970. 10; *Mitterbacheriana**.
To. *Mitterbacheriana*. (*Wien.* V. 129.)—*Hüb.* To. pl. 30. f. 192.

- To. Mitterbachiana: the Mitterbachian. *Haw.* 463.
 Ph. To. trimaculana. *Don.* xi. 25. *pl.* 369. *f.* 1.
 To. Mitterbachina. (*Sam. I.* 42.) -

Genus 258: (1041). SEMASIA *mihi*, (*Kirby.*)

To.-SIGNANÆ *p.*, *Haw.*—ERMINEA *p.*, (*Kirby.*)

6971. 1; Pomonella*.

- Ph. Ti. Pomonella. *Linn.* ii. 892.—*Berk.* i. 147.—*Stew.* ii. 179.
 Er. Pomonella. (*Kirby & Sp. I. E.* iii. 123.)
 Py. Pomana. *Fabr.* iii. b. 279.—(*Haw. Pr. 32.*)—*Turt.* iii. 358.
 To. Pomonana. *Haw.* 457.
 To. Pomona. (*Sam. I.* 42.)—(*Leach E. E.* ix. 135.)
 The Codling M.: Ph. Pomonella. (*Wilkes.* 5. *pl.* 9.)—
Harr. V. M. 17.

Apple-tree M.: Ph. Pomonilla. *Harr. V. M.* 9.

6972. 2; splendana*.

To. splendana. *Hüb. To. pl.* 6. *f.* 31.

6973. 3; grossana*.

To. grossana: the smoky Marble. *Haw.* 438.

6974. 4; Wœberana*.

- Py. Wœberana. *Fabr.* iii. b. 259.
 To. Wœberana: the Wœberian. (*Wien. V.* 126.)—*Haw.* 457.
 To. Wœberiana. (*Sam. I.* 42.)
 To. unguicana. (*Haw. Pr. 33?*)—*Turt.* iii. 359?
 To. ornatana. *Hüb. To. pl.* 6. *f.* 32.
 Ph. Ti. unguicella. *Linn.* ii. 887?

6975. 5; Rheedella*: the Rheedian.—*Haw. l. c.*

Ph. Ti. Rheedella. *Linn.* ii. 898.—*Don.* xii. 49. *pl.* 377. *f.* 1.
 —*Turt.* iii. 376.

To. Rheediana. *Haw.* 405.

To. aurana. *Hüb. To. pl.* 4. *f.* 22.

6976. 6; lanceolana*.

To. lanceolana. *Hüb. To. pl.* 13. *f.* 80.

To. Ulicetana: the light Striped-edge. *Haw.* 458.

6977. 7; Hypericana*.

To. Hypericana: the yellow Striped-edge.—*Haw. l. c.* *Hüb.*
To. pl. 4. *f.* 23.—*Haw.* 458.

6978. 8; perlepidana*.

To. perlepidana: the beautiful Crescent. *Haw.* 458.—
 (*Sam. I.* 42.)

Affinis Tiniæ Jungiellæ. *Linn. F. No.* 1410.—*Haw. l. c.*

6979. 9; pupillana.

Ph. To. pupillana. *Linn.* ii. 880.—*Turt.* iii. 348.

Py. pupillana. *Fabr.* iii. b. 255. (?)

To. pupillana. (*Haw. Pr.* 32.)

To. Absinthiana; Wormwood Tortrix.—*Haw. l. c.* *Hüb. To.*
pl. 6. f. 34.—*Haw. 457.*—(*Sam. I.* 41.)

6980. 10; fulvana * *mihi*.

To. pupillana: the fulvous Sealed.—*Haw. l. c.* *Hüb. To.*
pl. 4. f. 20.—*Haw. 455.*

6981. 11; cana*.

To. cana: the hoary Sealed. *Haw. 456.*—(*Sam. I.* 41.)

6982. 12; Scopoliana*.

To. Scopoliana: Scopolitan. *Haw. 456.*

6983. 13, rufana *mihi*.

Genus 259: (1042). —

6984. 1; arcuana*: the Arched.—*Haw. l. c.*

Ph. To. arcuana. *Linn. ii.* 877.—*Don. xi.* 11. *pl. 364. f. 1.*—
Turt. iii. 350.

To. arcuana. *Hüb. To.* *pl. 6. f. 33.*—(*Haw. Pr. 33.*)—*Haw. 403.*

Ph. To. Lambergiana. *Scop. C.* 234.

Genus 260: (1043). APHELIA *mihi*.

To.-INOPIANÆ *p.*, *Haworth.*

6985. 1; egenana*.

To. egenana: the dusty Drab. *Haw. 469.*

6986. 2; pauperana*.

To. pauperana: the spotted Drab. *Haw. 469.*—(*Sam. I.* 42.)

6987. 3; egestana*.

To. egestana: the lesser Drab. *Haw. 470.*—(*Sam. I.* 41.)

6988. 4; plagana*.

To. plagana: the broad-streaked Drab. *Haw. 470.*

6989. 5, expallidana*.

To. expallidana: the pale Drab. *Haw. 469.*

Genus 261: (1044). —

CNEPHASIA *p.*, *Curtis.*

6990. 1; quadripunctana*. (*Curtis l. c. supra.*)

To. quadripunctana: dotted Drab. *Haw. 468.*

To. Pratana. *Hüb. To.* *pl. 36. f. 227, 228.*

6991. [2; Cantiana.] *Curtis l. c. supra.*

Genus 262: (1045). CNEPHASIA, *Curtis.*

6992. 1, Penziana?

To. Penziana. *Thumb. I. S.* 43. *pl. 2. f. 1?*

Cn. bellana. *Curtis. iii. pl. 100.*

6993. [2, octomaculana.] *Haw. MSS.*—(*Curtis l. c. supra.*)

6994. 3; longana*. (*Curtis l. c. supra.*)

To. longana: Long-winged. *Haw. 463.*

6995. 4; ictericana*.
To. ictericana: the jaundiced Drab. *Haw.* 469.
6996. 5, sinuana*.
To. sinuana. (*Wien. V.* 131.)—*Hüb. To. pl.* 33. *f.* 212.
6997. 6; obsoletana* *mihi.*
6998. 7; assinana*: the large grey Elm.—*Haw. l. c.* (*Curtis l. c. supra.*)
To. assinana. *Hüb. To. pl.* 16. *f.* 101.—*Haw.* 464.
Py. cretana. *Fabr.* iii. *b.* 250.
6999. 8; interjectana*. (*Curtis l. c. supra.*)
To. interjectana: lesser Grey Elm. *Haw.* 464.
To. Masculana. *Hüb. To. pl.* 16. *f.* 98?
7000. 9; Logiana*. (*Curtis l. c. supra.*)
Ph. To. Logiana. *Linn.* ii. 879?
To. Logiana: the Logian. *Haw.* 464.—(*Sam. I.* 41.)
To. pascuiana. *Hüb. To. pl.* 16. *f.* 99.
7001. 10; rectifasciana*. (*Curtis l. c. supra.*)
To. rectifasciana: straight-barred Elm. *Haw.* 465.
Ph. To. trifasciana. *Don.* xi. 30. 370. *f.* 2.
To. hybridana. *Hüb. To. pl.* 38. *f.* 238?
7002. 11; aurifasciana* *mihi.*
7003. 12; Resinella*.
Ph. Ti. Resinella. *Linn.* ii. 892.
To. Turionana. *Hüb. To. pl.* 35. *f.* 220, 221.
- Genus 263: (1046). —
7004. 1; nubilana*.
To. nubilana: the smoky Grey.—*Haw. l. c.* *Hüb. To. pl.* 17. *f.* 111.—*Haw.* 467.—(*Sam. I.* 42.)
7005. 2; perfuscana*.
To. perfuscana: the deep Brown. *Haw.* 467.
- Genus 264: (1047). ORTHOTÆNIA *mihi.*
To.-FASCIANÆ *p.*, *Haworth.*
7006. 1; quadrimaculana*.
To. quadrimaculana: blotched Drab. *Haw.* 468.
To. antiquana. *Hüb. To. pl.* 34. *f.* 213, 214.
7007. 2; fasciana*.
Py. fasciana. *Fabr.* iii. *b.* 261.
To. fasciana: straight Barred. (*Haw. Pr.* 32.)—*Haw.* 460.—(*Sam. I.* 41.)
To. rusticana. *Hüb. To. pl.* 11. *f.* 66.
Ph. To. heperana. *Stew.* ii. 176?
- ♀; To. fasciolana.
Ph. To. biliturana. *Don. xi.* 32. *pl.* 371. *f.* 2. ♀.
7008. 3; Urticana*.

To. Urticana: barred Nettle.—*Haw.* l. c. *Hüb.* No. pl. 11.
f. 65.—*Haw.* 460.—(*Sam. I.* 42.)
To. lacunana. (*Wien. V.* 318?)

7009. 4; micana*.

To. micana: Silver dotted. *Haw.* 460.—*Hüb.* To. pl. 5. f. 28?

7010. 5; undulana*.

To. undulana. (*Wien. V.* 131.)

Py. rivellana. *Fabr.* iii. b. 280.

To. conchana: Silver-striped.—*Haw.* l. c. *Hüb.* To. pl. 17.
f. 106.—*Haw.* 460.

7011. 6; marmorana*: the marbled Dog's tooth.—*Haw.* l. c.

To. marmorana. *Hüb.* To. pl. 5. f. 25.—*Haw.* 450.

To. achatana. (*Wien. V.* 131?)

7012. 7; obsoletana* *mihi*.

7013. 8, bistrigana* *mihi*.

7014. 9, Pinetana.

To. Pinetana: Silver-marbled.—*Haw.* l. c. *Hüb.* To. pl. 10.
f. 57?—*Haw.* 461.

7015. 10; politana*.

To. politana: the red-barred Grey. *Haw.* 465.

7016. 11, fuligana*: the dark-barred Grey.—*Haw.* l. c.

To. fuligana. *Hüb.* To. pl. 17. f. 109.—*Haw.* 465.

7017. 12, pulchellana*.

To. pulchellana: the dark-barred Grey. *Haw.* 429.

7018. 13; bifasciana*.

To. bifasciana: the double-barred Orange. *Haw.* 468.

7019. 14; aurofasciana*.

To. aurofasciana: gold Barred. *Haw.* 468.

7020. 15; furfurana*.

To. furfurana: mottled Bran. *Haw.* 466.

7021. 16, subsequana*.

To. subsequana: the faint Silver-striped. *Haw.* 448.—
(*Sam. I.* 42.)

7022. 17, Hastiana.

Ph. To. Hastiana. *Linn.* ii. 878.—*Turt.* iii. 350.

To. Hastiana: the Hastian.—*Haw.* l. c. *Hüb.* To. pl. 29.
f. 186.—*Haw.* 462.

Genus 265: (1048). —

7023. 1, communana*.

Py. communana. *Fabr.* iii. b. 259.

To. communana: the Cock's head. *Haw.* 443.

Var.? Py. Cuivana. *Fabr.* S. 478?

Py. marinorana. *Fabr.* S. 477?

Genus 266: (1049). PŒCILOCHROMA *mihi*.

7024. 1; Udmanniana*.

Ph. To. Udmanniana. *Linn.* ii. 880.—*Don.* v. 33. *pl.* 153
f. 1—3.—*Stew.* ii. 178.—*Turt.* iii. 347.

To. Udmanniana: the Udmannian. *Haw.* 449.—(*Sam. I.* 42,
Py. Solandrana. *Fabr.* iii. *b.* 254.

To. Achatana. *Hüb. To. pl.* 9. *f.* 49.

To. Udmaddiana. (*Haw. Pr.* 32.)

7025. 2; Sparmanniana*.

Py. Sparmanniana. *Fabr.* iii. *b.* 285.

Ph. To. Sparmanniana. *Gmel.* iv. 2518.—*Stew.* ii. 179?

To. Sparmanniana: the Sparmannian. *Haw.* 440.

β , Py. profundana. *Fabr.* iii. *b.* 258.

To. profundana: the marbled Diamond-back. (*Haw. Pr.* 33.)
 —*Haw.* 440.

γ , Py. Brunnichana. *Fabr.* iii. *b.* 258?—*Turt.* iii. 349.

To. Brunnichana: the Brunnichian. (*Haw. Pr.* 33.)—*Haw.* 440.

δ , Py. trapezana. *Fabr.* iii. *b.* 255.

To. trapezana: the testaceous Diamond-back. *Haw.* 441.—
 (*Sam. I.* 42.)

7026. 3; Solandriana*.

Ph. To. Solandriana. *Linn.* ii. 878.—*Turt.* iii. 347.

To. Solandriana: the Solandrian. (*Haw. Pr.* 32.)—*Haw.* 449.
 —(*Sam. I.* 42.)

Py. Udmanniana. *Fabr.* iii. *b.* 254.

To. semimaculana. *Hüb. To. pl.* 9. *f.* 48.

7027. 4; maculana*.

Py. maculana. *Fabr.* iii. *b.* 251.

To. maculana: the black Double-blotched. *Haw.* 440.—
 (*Sam. I.* 42.)

7028. 5, semifuscana*.

To. semifuscana. *Haworth MSS.*

7029. 6; piceana*.

To. piceana: the shining Pitch. *Haw.* 440.—(*Sam. I.* 42.)

7030. 7, maurana*: the great Double-bar.—*Haw. l. c.*

To. maurana. *Hüb. To. pl.* 19. *f.* 122.—*Haw.* 459.

Genus 267: (1050). PTYCHOLOMA *mihi*.7031. 1; Lecheana*: the Lechean.—*Haw. l. c.*

Ph. To. Lecheana. *Linn.* ii. 877.—*Turt.* iii. 350.

To. Lecheana. *Hüb. To. pl.* 11. *f.* 67.—(*Haw. Pr.* 32.)—
Haw. 403.—(*Sam. I.* 41.)

Genus 268: (1051). EUCHROMIA *mihi*.7032. 1, purpurana*: the Purple.—*Haw. l. c.*

To. purpurana. *Haw.* 400.

7033. 2, fulvipunctana: the Tawney-dotted.—*Haw. l. c.*

To. fulvipunctana. *Haw.* 400.

Py. sponsana. *Fabr.* iii. b. 246?

Genus 269: (1052). **LOPHODERUS mihi.**

7034. 1; ministranus*: Yellow-barred Iron.—*Haw. l. c.*

Ph. To. ministrana. *Linn.* ii. 877.—*Turt.* iii. 346.—*Don.* xii. 60. *pl.* 380. *f.* 2.

To. ministrana. (*Haw. Pr.* 33.)—*Haw.* 398.

To. ferrugana. *Hüb. To. pl.* 10. *f.* 56.

7035. 2, subfasciana *mihi.*

Genus 270: (1053). **SARROTHRIPIUS, Curtis.**

TO.-PALPANÆ, Haw.

7036. 1; degeneranus*: large Marbled.—*Haw. l. c.* (*Curtis l. c. infra.*)

To. degenerana. *Hüb. To. pl.* 2. *f.* 8?—*Haw.* 406.—(*Sam. I.* 41.)

Ph. To. bifasciana. *Don.* x. 85. *pl.* 357. *f.* 3?

7037. 2; dilutanus*: large Brown.—*Haw. l. c.* (*Curtis l. c. infra.*)

To. dilutana. *Hüb. To. pl.* 2. *f.* 6.—*Haw.* 406.

Py. rivagana. *Fabr.* iii. b. 266?

7038. 3; Afzelianus*: Afzelian.—*Haw. l. c.* (*Curtis l. c. infra.*)

Ph. To. Afzeliana. *Gmel.* iv. 2518?—*Stew.* ii. 179.

To. Afzeliana. (*Haw. Pr.* 33.)—*Haw.* 407.—(*Sam. I.* 41.)

7039. 4; Lathamianus*: Lathamian.—*Haw. l. c.* (*Curtis l. c. infra.*)

Ph. To. Lathamiana. *Gmel.* iv. 2518?—*Stew.* ii. 179.

To. Lathamiana. *Haw.* 407.

Ph. To. Ilicana. *Don.* x. 85. *pl.* 357. *f.* 2.

7040. 5; Ilicanus*: large Holly.—*Haw. l. c.*

Py. Ilicana. *Fabr.* iii. b. 266. (!)—*Stew.* ii. 175.—*Turt.* iii. 352.

To. Ilicana. (*Haw. Pr.* 32.)—*Haw.* 407.—(*Sam. I.* 41.)

To. punctulana. *Hüb. To. pl.* 2. *f.* 9.

Sa. punctulanus. (*Curtis l. c. infra.*)

7041. 6; ramosanus*. *Curtis.* i. *pl.* 29.

To. ramosana. *Hüb. To. pl.* 2. *f.* 10.

7042 + 7, Stonanus. *Curtis MSS.*

Sa. ramulana *mihi.*

In Mus. D. Stone.

Genus 271: (1054). **PERONEA, Curtis.**

TO.-ASPERANÆ, Haworth.

A. Alis anticis in medio fasciculo elevato squamarum.

7043. 1: profanana*. (*Curtis l. c. infra.*)

- Py. profanana. *Fabr.* iii. b. 268. (!)—*Turt.* iii. 353.
 To. profanana: the rusty Button. (*Haw. Pr.* 34.)—*Haw.* 412.
 —*Don.* xii. 51. *pl.* 377. *f.* 3.
7044. 2; striana*. (*Curtis l. c. infra.*)
 To. striana: the brown Button. *Haw.* 413.
7045. 3, substriana* mihi. (*Curtis l. c. infra.*)
7046. 4: brunneana* mihi. (*Curtis l. c. infra.*)
7047. 5: vittana* mihi. (*Curtis l. c. infra.*)
7048. 6, spadiceana*. (*Curtis l. c. infra.*)
 To. spadiceana: the bay-shouldered Button. *Haw.* 412.—
 (*Sam. I.* 42.)
7049. 7; consimilana* mihi. (*Curtis l. c. infra.*)
7050. 8; Desfontainiana*.
 Py. Desfontainiana. *Fabr.* iii. b. 268. (!)—*Turt.* iii. 353.
 To. Desfontainiana: the Desfontainian. (*Haw. Pr.* 34.)—
Haw. 413.—(*Sam. I.* 41.)
 To. sericeana. *Hüb.* *To. pl.* 14. *f.* 83.
 Pe. sericeana. (*Curtis l. c. infra.*)
7051. 9, fulvocristana mihi. (*Curtis l. c. infra.*)
7052. 10, albovittana mihi. (*Curtis l. c. infra.*)
7053. 11: fulvovittana mihi. (*Curtis l. c. infra.*)
7054. 12; cristalana*. (*Curtis l. c. infra.*)
 Ph. To. cristalana. *Don.* iii. 13. *pl.* 77. *f.* 1, 2.—*Stew.* ii. 180.
 —*Turt.* iii. 347.
 To. christallana. (*Haw. Pr.* 32.)
7055. 13, subvittana mihi. (*Curtis l. c. infra.*)
7056. 14, cristana.
 Py. cristana. *Fabr.* iii. b. 267.
 To. cristana: the white Button.—*Haw. l. c.* *Hüb.* *To. pl.* 28.
f. 176.
7057. 15, albipunctana. *Haworth MSS.*
 Py. ephippiana. *Fabr. S.* 479?
 B. Alis anticis haud cristatis.
7058. 16; umbrana*. (*Curtis l. c. infra.*)
 To. umbrana: the dark-streaked Button.—*Haw. l. c.* *Hüb.*
To. pl. 10. *f.* 59.—*Haw.* 411.—(*Sam. I.* 42.)
7059. 17: divisana*. (*Curtis l. c. infra.*)
 To. divisana. *Hüb.* *To. pl.* 31. *f.* 198.
- 7060 † 18, strigana mihi. (*Curtis l. c. infra.*) In Mus. *D. Stone.*
7061. 19: radiana*. (*Curtis l. c. infra.*)
 To. radiana: the Buff-edged.—*Haw. l. c.* *Hüb.* *To. pl.* 28.
f. 177.—*Haw.* 412.

7062. 20; centrovittana*. *Haworth MSS.*—(*Curtis l. c. infra.*)
7063. 21, rainostriana *mihi*. (*Curtis l. c. infra.*)
7064. 22: combustana. (*Curtis l. c. infra.*)
To. combustana. *Hüb. To. pl. 37. f. 234.*
7065. 23; albistriana*. (*Curtis l. c. infra.*)
To. albistriana: the Grey-streak. *Haw. 412.*
7066. 24, autumnana. (*Curtis l. c. infra.*)
To. autumnana. *Hüb. To. pl. 39. f. 247.*
7067. 25, subcristana *mihi*. (*Curtis l. c. infra.*)
7068. 26, coronana*.
To. coronana. *Thunb. I. S. 18. pl. 2. fig. adj.*
To. eximiana: the marbled Chesnut. *Haw. 413.*
Pe. eximiana. (*Curtis l. c. infra.*)
To. examiana. (*Sam. I. 41.*)
7069. 27; Byringerana*. (*Curtis l. c. infra.*)
To. Byringerana. *Hüb. To. pl. 10. f. 61.*
7070. 28; obsoletana* *mihi*.
7071. 29; favillaceana*.
To. favillaceana: the Ash-coloured.—*Haw. l. c. Hüb. To. pl. 11. f. 62.—Haw. 409.*
7072. 30; tristana*.
To. tristana: the lesser Ash-coloured.—*Haw. l. c. Hüb. To. pl. 9. f. 50.—Haw. 410.*
7073. 31; reticulana*.
To. reticulana: the chequered Grey. *Haw. 409.*
7074. 32: ruficostana. *Curtis. i. pl. 16.*
- 7075 + 33: bistriana*. (*Curtis l. c. supra.*)
To. bistriana: the double Bay-streak. *Haw. 399.*
In *Mus. D. Curtis, Haworth, et Stone*
7076. 34; albicostana *mihi*. (*Curtis l. c. supra.*)
7077. 35: similana* *mihi*. (*Curtis l. c. supra.*)
- C. An Novum Genus?
7078. 36, latifasciana*. (*Curtis l. c. supra.*)
To. latifasciana: the broad Barred. *Haw. 414.—(Sam. I. 41.)*
7079. 37; plumbosana*. (*Curtis l. c. supra.*)
Py. plumbana. *Fabr. iii. b. 269?*
To. scabrina. *Hüb. To. pl. 10. f. 58?*
To. plumbosana: the Lead-coloured. *Haw. 415.*
7080. 38; Boscana*. (*Curtis l. c. supra.*)
Py. Boscana. *Fabr. iii. b. 269?*
To. Boscana: the Boscan. *Haw. 415.*

7081. 39; *trigonana** *mihi*.
 7082. 40; *Schalleriana*.
 Ph. To. *Schalleriana*. *Linn.* ii. 879.
 To. *Schalleriana*: the Schallerian. (*Haw. Pr.* 33.)—*Haw.* 416.
 —(*Sam. I.* 42.)
 7083. 41; *rufana*.
 Py. *rufana*. *Fabr.* iii. b. 263.
 To. *rufana*: the red Triangle.—*Haw. l. c.* *Hüb. To. pl.* 20.
 f. 127.—*Haw.* 417.—(*Sam. I.* 42.)
 7084. 42; *costimaculana* *mihi*.
 7085 † 43, *Logiana**.
 To. *Logiana*. (*Wien. V.* 130.)—*Hüb. To. pl.* 11. *f.* 64.
 Pli. To. *Logiana*. *Turt.* iii. 353? In *Mus. D. Stone*.
 7086. 44; *asperana**.
 Py. *asperana*. *Fabr.* iii. b. 269.—*Stew.* ii. 177.
 To. *asperana*: the White-shouldered. (*Haw. Pr.* 32.)—
 Haw. 414.—(*Sam. I.* 41.)
 7087. 45; *variegana**.
 Py. *variegana*. *Fabr.* iii. b. 254.
 To. *variegana*: the common Rough-wing. *Haw.* 414.
 To. *cristana*. *Hüb. To. pl.* 10. *f.* 55.
 7088. 46; *borana**.
 Py. *borana*. *Fabr.* iii. b. 270?
 To. *borana*: the crested Buff. *Haw.* 415.—(*Sam. I.* 41.)

Genus 272: (1055). PARAMESIA *mihi*.

7089. 1; *subtripunctulana** *mihi*.
 7090. 2; *gnomana**.
 Ph. To. *gnomana*. *Linn.* ii. 876.—*Turt.* iii. 352.
 To. *gnomana*: the Dial. (*Haw. Pr.* 32.)—*Haw.* 417.—
 (*Sam. I.* 41.)
 To. *Steneiriana*. *Hüb. To. pl.* 27. *f.* 170.
 Var.? Ph. To. *notana*. *Don.* xi. 27. *pl.* 369. *f.* 3, 3?
 7091. 3; *bifidana**.
 To. *bifidana*: the Fork-striped. *Haw.* 418.—(*Sam. I.* 41.)
 7092. 4; *tripunctulana**.
 To. *tripunctulana*: the rusty Treble-spot. *Haw.* 417.
 To. *tripunctana*. *Hüb. To. pl.* 20. *f.* 129.—(*Sam. I.* 42.)
 7093. 5; *cerusana**.
 To. *cerusana*: the white Treble-spot.—*Haw. l. c.* *Hüb. To.*
 pl. 11. *f.* 63.—*Haw.* 416.—(*Sam. I.* 41.)

Genus 273: (1056). LEPTOGRAMMA, *Curtis MSS.*

7094. 1; *literana**.

- Ph. To. literana. *Linn.* ii. 876.
 To. literana: the black-sprigged green.—*Haw. l. c. Hüb. To. pl. 15. f. 89.*—(*Haw. Pr. 32.*)—*Don. x. 78. pl. 355. f. 2.*—*Haw. 411.*—(*Sam. I. 41.*)
7095. 2; squamana *: Green tufted M.—*Haw. l. c.*
 Py. squamana. *Fabr. iii. b. 270.*—*Don. v. 51. pl. 157. f. 7.*—*Stew. ii. 178.*—*Turt. iii. 354.*
 To. squamana: the scaly Green. (*Haw. Pr. 34.*)—*Haw. 410.*—(*Sam. I. 42.*)
 To. squamulana. *Hüb. To. pl. 15. f. 93 & 94.*
7096. 3; tricolorana *.
 To. tricolorana: the tricoloured Green. *Haw. 411.*—(*Sam. I. 42.*)
 To. irrorana var. *Hüb. To. pl. 15. f. 95.*
7097. 4; irrorana *.
 To. irrorana. *Hüb. To. pl. 15. f. 96.*
7098. 5; fulvomixtana * *mihi.*
7099. 6; scabrana *.
 Py. scabrana. *Fabr. iii. b. 271. (!)*—*Stew. ii. 174.*—*Turt. iii. 355.*
 To. scabrana: the grey Rough-wing. (*Haw. Pr. 32.*)—*Haw. 410.*
 To. irrorana var. *Hüb. To. pl. 15. f. 97.*
- Genus 274: (1057). GLYPHISIA *mihi.*
- TORTICES-EMARGANÆ, *Haw.*
7100. 1; emargana *.
 Py. emargana. *Fabr. iii. b. 271. (!)*—*Stew. ii. 174.*—*Turt. iii. 355.*
 To. emargana: the chequered Notch-wing. (*Haw. Pr. 32.*)—*Haw. 403.*—(*Sam. I. 41.*)
7101. 2; excavana *.
 To. excavana: the Iron Notch-wing. *Haw. 403.*—(*Sam. I. 41.*)
 Ph. To. emargana var. *Don. iii. 91. pl. 106. f. 5.*
7102. 3, effractana *.
 To. effractana: the common Notch-wing.—*Haw. l. c. Hüb. To. pl. 28. f. 175.*—*Haw. 403.*
 Ph. To. emargana. *Don. iii. 91. pl. 106. f. 1.*
 To. affractana. (*Sam. I. 41.*)
7103. 4; caudana *.
 Py. caudana. *Fabr. iii. b. 271. (!)*—*Stew. ii. 174.*—*Turt. iii. 355.*
 To. caudana: the shallow Notch-wing. (*Haw. Pr. 32.*)—*Haw. 404.*—(*Sam. I. 41.*)
- 7104 † [5, ochracea *] *mihi.* . In Mus. D. Stone.

Genus 275: (1058). DICTYOPTERYX *mihi*.7105. 1; *contaminana* *.To. *contaminana*: the chequered Pebble.—*Haw. l. c.* *Hüb.**To. pl. 22. f. 142?*—(*Sam. I. 41.*)Ph. Py. *xylosteana*. (*Haw. Pr. 32.*)*Harr. Ex. 94. pl. xxviii. f. 2, 3.*7106. 2; *ciliiana* *.To. *ciliiana*: the White-fringed.—*Haw. l. c.* *Hüb. To. pl. 27.**f. 171.*—*Haw. 419.*—(*Sam. I. 41.*)Ph. To. *obscurana*. *Don. xii. 40. pl. 374. f. 2.*Orange Hook-tip. *Harr. V. M. 49?*7107. 3; *rhombana* *.To. *rhombana*: the Dark-chequered.—*Haw. l. c.* *Hüb. To.**pl. 27. f. 173.*—*Haw. 418.*—(*Sam. I. 42.*)7108. 4; *plumbana* *.To. *plumbana*. *Hüb. To. pl. 9. f. 54.*To. *plumbeolana*: the clouded Straw. *Haw. 420.*—(*Sam. I. 42.*)7109. 5; *Lœflingiana* *.Ph. To. *Lœflingiana*. *Linn. ii. 878.*—*Don. iii. 49. pl. 90.*—*Stew. ii. 177.*—*Turt. iii. 356.*To. *Lœflingiana*: the Lœflingian. (*Haw. Pr. 33.*)—*Haw. 420.*
—(*Sam. I. 41.*)To. *Ectypana*. *Hüb. To. pl. 30. f. 190.*7110. 6; *Forskåleana* *.Ph. To. *Forskåleana*. *Linn. ii. 878.*—*Turt. iii. 355.*To. *Forskåleana*: the Forskålian.—*Haw. l. c.* *Hüb. To. pl. 22.*
f. 143.—(*Haw. Pr. 33.*)—*Haw. 420.*—(*Sam. I. 41.*)

Genus 276: (1059). —

7111. 1, *ochraceana* * *mihi*.Genus 277: (1060). CHEIMATOPHILA *mihi*.7112. 1; *castaneana* *.To. *castaneana*: the chesnut Tortrix. *Haw. 410.*To. *hyemana*: the Winter Tortrix. *Haw. 413.*To. *hyemalis*. (*Sam. I. 41.*)To. *mixtana*. *Hüb. To. pl. 34. f. 215.* β ? To. *nigripunctana* (*mihi olim.*)Genus 278: (1061). ARGYROTOZA *mihi*.7113. 1; *Bergmanniana* *.Ph. To. *Bergmanniana*. *Linn. ii. 878.*—*Don. v. 49. pl. 157.*
f. 1-6.—*Stew. ii. 177.*—*Turt. iii. 356.*To. *Bergmanniana*: the Bergmannian. (*Haw. Pr. 33.*)—
Haw. 404.—(*Sam. I. 41.*)To. *Rosana*. *Hüb. To. pl. 22. f. 137.*

7114. 2; Conwayana*: Conwayian. (*Haw. Pr.* 33.)—*Haw.* 405.
 Py. Conwayana. *Fabr.* iii. b. 277. (!)—*Stew.* ii. 178.—
Turt. iii. 357.
 To. Lediana. *Hüb. To. pl.* 24. f. 151?
7115. 3; subaurantiana* *mihi*.
7116. 4; Hoffmannseggiana*: Hoffmannseggian.—*Haw. l. c.*
 To. Hoffmannseggiana. *Hüb. No. pl.* 24. f. 150?—*Haw.* 405.
7117. 5; permixtana*: Orange and Black.—*Haw. l. c.*
 To. permixtana. *Hüb. To. pl.* 12. f. 75.—*Haw.* 406.
7118. 6; Daldorfiana*: Daldorfian. *Haw.* 405.
 Py. Daldorfiana. *Fabr.* iii. b. 246.
 Ph. To. dimidiana. *Don. xi. 12. pl.* 364. f. 2.

Genus 279: (1062). ARGYROLEPIA *mihi*.

- 7119 † 1. Lathoniana: the Silver-spotted.—*Haw. l. c.* *Hüb. To. pl.* 30. f. 189.—*Haw.* 402. In Mus. D. —?
7120. 2, Bentleyana: Bentleyan. *Haw.* 403.
 Ph. To. Bentleyana. *Don. x. 85. pl.* 357. f. 1.
7121. 3; Turionana*: orange-spotted. *Haw.* 399.—(*Ing. Inst.* 91.)
 Ph. Ti. Turionella. *Linn. ii.* 802.—*Stew.* ii. 200.
 Py. sponsana. *Fabr.* iii. b. 246?
7122. 4; gemmana*. *Hüb. To. pl.* 43. f. 269.
7123. 5, æneana*: Silvery Broad Bar.—*Haw. l. c.* *Hüb. To. pl.* 30. f. 188.—*Haw.* 404.
7124. 6; tesserana*: the Tessellated.—*Haw. l. c.*
 To. tesserana. (*Wien. V.* 126.)
 To. tesserana. *Hüb. To. pl.* 23. f. 144.—*Haw.* 427.
 Py. Heisana. *Fabr.* iii. b. 262.
7125. [7; decimana*.]
 To. decimana. (*Wien. V.* 517?)—*Hüb. To. pl.* 23. f. 145?
 Py. decimana. *Fabr.* iii. b. 261?
7126. 8; Baumanniana*: Baumannian. (*Haw. Pr.* 34.)—
Haw. 404.—(*Sam. I.* 41.)
 Py. Baumanniana. *Fabr.* iii. b. 262.
 Var. To. Hartmanniana. *Hüb. To. pl.* 24. f. 146.
- Genus 280: (1063). EUPŒCILIA *mihi*.
7127. 1; maculosana*.
 To. maculosana: the small Black-spotted. *Haw.* 438.
7128. 2; angustana*: the barred Marble.—*Haw. l. c.*
 To. angustana. *Hüb. To. pl.* 12. f. 74.—*Haw.* 438.—(*Sam. I.* 41.)
 Ph. fasciella. *Don. xiii. 41. pl.* 452.

7129. 8; *pygmeana**.
To. *pygmeana*: the dingy Dwarf. *Haw.* 439.
7130. 4; *nana**.
To. *nana*: the barred Dwarf. *Haw.* 439.—(*Sam. I.* 42.)
7131. 5, *luteolana** *mihi*.
7132. 6, *dubitana**.
To. *dubitana*. *Hüb. To. pl.* 12. *f.* 71.
7133. 7; *Sodaliana**.
To. *Sodaliana*: the brindled Marble. *Haw.* 436.
7134. 8; *bilunana**.
To. *bilunana*: the hoary Double-crescent. *Haw.* 436.
7135. 9; *albana**.
To. *albana*: the light Marbled. *Haw.* 436.

Genus 281: (1064). —

7136. 1; *roseana**.
To. *roseana*: the Rosy. *Haw.* 401.
7137. 2, *rubroseana**.
To. *rubroseana*: the dingy Rosy. *Haw.* 402.
7138. 3; *ruficiliana**.
To. *ruficiliana*: the red Fringe. *Haw.* 402.—(*Sam. I.* 42.)
Ti. *ciliella*. *Hüb. To. pl.* 26. *f.* 180.—(*Haw. Pr.* 38.)
7139. 4; *griseana**.
To. *griseana*: oblique-barred Grey. *Haw.* 402.
7140. 5, *marginana** *mihi*.
7141. 6, *margaritana*.
To. *margaritana*: the orange-barred Pearl. *Haw.* 401.
7142. 7. *Smeathmanniana**: the Smeathmannian.—*Haw. l. c.*
Py. *Smeathmanniana*. *Fabr.* iii. *b.* 249. (!)—*Stew.* ii. 176.—*Turt.* iii. 345.
To. *Smeathmanniana*. (*Haw. Pr.* 33.)—*Haw.* 400.—(*Sam. I.* 42.)
To. *badiana*. *Hüb. To. pl.* 23. *f.* 147.

Genus 282: (1065). PIITHEOCHROA *mihi*.

7143. 1; *rugosana**: the Rough-wing.—*Haw. l. c.*
To. *rugosana*. *Hüb. To. pl.* 14. *f.* 82.—*Haw.* 431.—(*Sam. I.* 42.)
To. *strigillana*. (*Haw. Pr.* 32.)
Ph. V *albana*. *Don.* xi. 31. *pl.* 371. *f.* 1.

Genus 283: (1066). LOZOPERA *mihi*.

7144. 1; *alternana* *mihi*.
To. *Stephensiana*. *Blunt MSS.*

7145. 2; *Straminea**.

To. *Straminea*: short-barred Straw. *Haw.* 401.—(*Sam. I.* 43.)

7146. 3; *Fabriciana**: the Fabrician.—*Haw. l. c.*

To. *Fabriciana*. *Hüb. To. pl.* 23. *f.* 149.—*Haw. 401.*

7147. 4, *Francillana**: the Francillonian.—*Haw. l. c.*

Py. *Francillana*. *Fabr. iii. b.* 264. (!)—*Turt. iii.* 352.—*Don. x.* 77. *pl.* 355. *f.* 1.

To. *Francillana*. (*Haw. Pr. 34.*)—*Haw. 401.*

To. *Baumanniana*. *Hüb. To. pl.* 23. *f.* 148.

Genus 284: (1067). *XANTHOSETIA mihi*.

7148. 1; *Zœgana**: Zœgian.—*Haw. l. c.* *Hüb. To. pl.* 55. *f.* 256.

—(*Haw. Pr. 32.*)—*Haw. 398.*—(*Sam. I.* 42.)

Ph. To. *Zœgana*. *Linn. ii.* 876.—*Don. iii.* 92. *pl.* 106. *f.* 2.—*Stew. ii.* 175.—*Turt. iii.* 348.

Clouded Straw. *Harr. V. M.* 45.—*Harr. Ex. 11. pl.* 11. *f.* 1, 2.

7149. 2; *ferrugana**: clouded Iron. *Haw. 398.*

7150. 3; *hamana**: hook-marked Straw.—*Haw. l. c.* *Hüb. To.*

pl. 22. *f.* 140.—(*Haw. Pr. 32.*)—*Haw. 397.*—(*Sam. I.* 41.)

Ph. To. *Hamana*. *Linn. ii.* 876.—*Stew. ii.* 175.—*Turt. iii.* 348.

Py. *Zœgana* β. *Fabr. iii. b.* 256.

7151. 4; *diversana**: crossed Straw.—*Haw. l. c.* *Hüb. To.*

pl. 22. *f.* 139.—*Haw. 397.*—(*Sam. I.* 41.)

7152. 5; *inopiana**: plain Drab. *Haw. 469.*

Ti. *tetricella*. *Fabr. iii. b.* 303?

Genus 285: (1068). *PIIBALOCERA mihi*.

7153. 1; *Quercana**.

Py. *Quercana*. *Fabr. iii. b.* 271.—*Don. iii.* 93. *pl.* 106. *f.* 3.—*Stew. ii.* 175.—*Turt. iii.* 355.—(*Sam. I.* 42.)

To. *Quercana*: the Long-horned. (*Haw. Pr. 33.*)—*Haw. 399.*

To. *Fagana*. *Hüb. To. pl.* 24. *f.* 153.

Genus 286: (1069). *HYPERCALLIA mihi*.

7154. 1; *Christiernana**.

Ph. To. *Christiernana*. *Linn. ii.* 877.—*Don. ii.* 45. *pl.* 20. *f.* 1.—*Stew. ii.* 176.—*Turt. iii.* 345.—(*Sam. I.* 41.)

To. *Chrystiernana*. (*Haw. Pr. 33.*)

To. *Christiernana*: the Christiernian. *Haw. 399.*

Genus 287: (1070). *ORTHOTELIA mihi*.

7155. 1, *venosa**. *Haworth MSS?*

Familia XIX: (132). YPONOMEUTIDÆ *mihi.*

(*PHALENA-TORTRIX p., et PH.-TINEA, Linné, &c.—PYRALITES p., Latr.*) *TINEA p., Fabricius.*

Genus 288: (1071). DEPRESSARIA, *Haworth, Curtis.*

VOLUCRA, *Latr.* *Flat-body M.*

7156. 1; *Heracleana**.

Ph. To. *Heracleana.* *Linn. ii. 880?*—*Stew. ii. 178.*

To. *Heracleana.* (*Haw. Pr. 31.*)

De. *Heraclei*: the Cow-Parsnip. *Haw. 505.*—(*Curtis l. c. infra.*)
Albin. pl. xxxviii. f. 61. a-d.

7157. 2; *Umbellana**.

Py. *Umbellana.* *Fabr. iii. b. 286.*

Ti. *Umbellella.* *Fabr. S. 484.*

De. *Ubellarum*: the large-streaked. *Haw. 506.*—(*Curtis l. c. infra.*)

7158. 3; *putridella**.

Ti. *putridella.* *Hüb. Ti. pl. 33. f. 244.*

De. *putrida*: the Brown-veined. *Haw. 509.*—(*Curtis l. c. infra.*)

7159. 4; *venosa**: the Wainscot Flat-body. *Haw. 506.*—(*Curtis l. c. infra.*)

7160. 5; *apicella**?

Ti. *apicella.* *Hüb. Ti. pl. 14. f. 94.*

De. *apiosa*: the brindled Flat-body. *Haw. 509.*—(*Curtis l. c. infra.*)

To. *apiana.* (*Haw. Pr. 31?*)

7161. 6, *nervosa**: the coarse Wainscot. *Haw. 506.*—(*Curtis l. c. infra.*)

7162. 7; *badiella.*

Ti. *badiella.* *Hüb. Ti. pl. 14. f. 92.*

De. *badia*: the brown Brindled. *Haw. 509.*—(*Curtis l. c. infra.*)

7163. 8; *characterosa**: the lesser Flat-Body. *Haw. 511.*—(*Curtis l. c. infra.*)

7164. 9; *liturella**.

Ti. *liturella.* *Hüb. Ti. pl. 12. f. 83.*

De. *liturosa*: the purple Flat Body. *Haw. 508.*—(*Curtis l. c. infra.*)

7165 † 10. *Bluntii.* *Curtis. v. pl. 221.*

In Mus. D. *Curtis, Dale, et Parsons?*

7166. 11; *applana**: the common Flat-Body. *Haw. 510.*—(*Curtis l. c. supra.*)

Py. *applana.* *Fabr. iii. b. 285.*

Ti. *aplanella.* *Fabr. S. 484.*

- Ti. applana. (*Sam. I.* 41.)
 Ti. Cicutella. *Hüb. Ti. pl. 12.* f. 79.
 To. Cicutana. (*Haw. Pr. 31.*)
7167. 12; curvipunctosa*: the Curve Dotted. *Haw.* 511.—
 (*Curtis l. c. supra.*)
 Ti. curvipunctosa. (*Sam. I.* 41.)
7168. 13; albipunctella*.
 Ti. albipunctella. *Hüb. Ti. pl. 22.* f. 149.
 De. albipuncta: the rufous Brindled. *Haw.* 510.—(*Curtis l. c. supra.*)
7169. 14; ocellana*.
 Py. ocellana. *Fabr.* iii. 272. (!)—*Stew.* ii. 175.—*Turt.* iii. 355.
 Ti. characterella. (*Wien. V.* 137.)
 Ti. signella. *Hüb. Ti. pl. 12.* f. 80.
 De. signosa: the red Letter. *Haw.* 508.—(*Curtis l. c. supra.*)
 To. signana. (*Haw. Pr. 31.*)
 Ti. signosa. (*Sam. I.* 41.)
7170. 15; gilvella*.
 Ti. gilvella. *Hüb. Ti. pl. 14.* f. 96.
 De. gilvosa: the brindled Straw. *Haw.* 507.—(*Curtis l. c. supra.*)
 To. gilvana. (*Haw. Pr. 34.*)
7171. 16; costosa*: the dingy Straw. *Haw.* 508.—(*Curtis l. c. supra.*)
7172. 17; irrorella* *mihi.*
7173. 18; Carduella.
 Ti. Carduella. *Hüb. Ti. pl. 66.* f. 439.
7174. 19; atomella*.
 Ti. atomella. *Hüb. Ti. pl. 35.* f. 240.
 De. atomosa: the Powdered. *Haw.* 507.—(*Curtis l. c. supra.*)
7175. 20; Sparmanniana*.
 Py. Sparmanniana. *Fabr.* iii. b. 285. (!)—*Turt.* iii. 360.
 Ti. flavella. *Hüb. Ti. pl. 14.* f. 97.
 De. flavosa: the Straw-coloured. *Haw.* 507.—(*Curtis l. c. supra.*)
7176. 21, immaculana *mihi.*
7177. 22; Yatesana*.
 Py. Yatesana. *Fabr.* iii. b. 274. (!)
 Ph. To. Yeatiana. *Stew.* ii. 177.—*Turt.* iii. 356.
 Ph. albidana. *Don.* xi. 50. *pl. 377.* f. 2.
 De. Yeatsii: Yates's. *Haw.* 509.—(*Curtis l. c. supra.*)
7178. 23; Alstræmeriana*.
 Ph. To. Alstræmeriana. *Linn.* ii. 879.—(*Haw. Pr. 31.*)—
Turt. iii. 357.

- De. Alstræmeria : Alstræmer's. *Haw.* 508.—(*Curtis l. c. supra.*)
 Ti. Alstræmeri. (*Sam. I.* 41.)
 Ti. Puella. *Hüb. Ti. pl. 12.* f. 82.
7179. 24; purpurea*: the Lesser purple. *Haw.* 511.—(*Curtis l. c. supra.*)
 Ti. purpurea. (*Sam. I.* 41.)
- Genus 289: (1072). ANACAMPSIS, *Curtis.*
 RECURVARIA, *Haworth*, (*Kirby.*)—VOLUCRA p? *Latr.*?
7180. 1; Juniperella*.
 Ph. Ti. Juniperella. *Linn. ii.* 893.
 An. Juniperi. (*Curtis l. c. infra.*)
 Re. Juniperi: the Juniper. *Haw.* 548.
7181. 2; Populella*.
 Ph. Ti. Populella. *Linn. ii.* 892.—(*Haw. Pr.* 39.)
 An. Populi. (*Curtis l. c. infra.*)
 Re. Populi: the Poplar. *Haw.* 548.
7182. 3; rusticella*.
 Ti. rusticella. *Hüb. Ti. pl. 3.* f. 17.
 An. rustica. (*Curtis l. c. infra.*)
 Re. rustica: the dark Brown. *Haw.* 548. .
7183. 4, longicornis. *Curtis.* iv. *pl.* 189.
7184. 5; Listerella*.
 Ph. Ti. Listerella. *Linn. ii.* 896?—*Turt.* iii. 374?
 An. Listeri. (*Curtis l. c. supra.*)
 Re. Listeri: Lister's. *Haw.* 548.
7185. 6; nebulea*. (*Curtis l. c. supra.*)
 Re. nebulea: the dotted Brown. *Haw.* 549.
 Ti. Populella. *Hüb. Ti. pl. 3.* f. 21.
7186. 7; Betulea*. (*Curtis l. c. supra.*)
 Re. Betulea: the Birch. *Haw.* 549.
 Ti. Betulinella. *Hüb. Ti. pl. 3.* f. 20?
 Ti. Turpella. (*Wien. V.* 139.)
7187. 8; rhombella*.
 Ti. rhombella. *Hüb. Ti. pl. 40.* f. 277.
 Re. rhombea: the black-speck'd Grey. *Haw.* 549.
 An. rhombea. (*Curtis l. c. supra.*)
7188. 9; cinerella*.
 Ph. Ti. cinerella. *Linn. ii.* 891.—*Turt.* iii. 373.
 Re. cinerella: the Cinereous. *Haw.* 547.
 An. cinerea. (*Curtis l. c. supra.*)
7189. 10; subcinerea *. (*Curtis l. c. supra.*)
 Re. subcinerea: the Subcinereous. *Haw.* 548.
 Ti. terrella. *Hüb. Ti. pl. 25.* f. 170?

7190. 11, lutarea *. (*Curtis l. c. supra.*)
 Re. lutarea: the Clay-coloured. *Haw.* 549.
 Ti. Verbascella. *Hüb. Ti. pl. 14. f.* 93?
7191. 12; dodecella *.
 Ph. Ti. dodecella. *Linn. ii. 802.—Stew. ii. 200.—Turt. iii. 372.*
 Re. dodecea: the Small black-speck'd Grey. *Haw.* 549.
 An. dodecea. (*Curtis l. c. supra.*)
7192. 13; aspera *. (*Curtis l. c. supra.*)
 Re. aspera: the Rough. *Haw.* 550.
 Ti. Schellenbergella. *Fabr. S.* 501?
7193. 14; Mouffettella *.
 Ph. Ti. Mouffettella. *Linn. ii. 896?—Turt. iii. 375?*
 Ti. pedisequella. *Hüb. Ti. pl. 14. f.* 95?
 To. pedisequana. (*Haw. Pr. 31.*)
 Re. punctifera: the dotted Grey. *Haw.* 551.
 An. punctifera. (*Curtis l. c. supra.*)
7194. 15, nigra *. (*Curtis l. c. supra.*)
 Re. nigra: the dusted Black. *Haw.* 550.
7195. 16; sarcitella *.
 Ph. Ti. sarcitella. *Linn. ii. 888.—Turt. iii. 369.*
 Re. sarcitella: the White-shouldered Woollen M. *Haw.* 550.
 Ti. sarcitella. (*Haw. Pr. 38.*)—(*Kirby & Sp. I. E. i. 230.*)
 Ph. fascitella. *Stew. ii. 198.*
 An. sarcitea. (*Curtis l. c. supra.*)
7196. 17; lacteella *.
 Ti. lacteella. (*Wien. V.* 139?)
7197. 18, Hübneri *. (*Curtis l. c. supra.*)
 Re. Hübneri: Hübner's. *Haw.* 551.
 Ti. Granella. *Hüb. Ti. pl. 24. f.* 165.
7198. 19, domestica *. (*Curtis l. c. supra.*)
 Re. domestica: the Domestic. *Haw.* 551.
7199. 20, affinis *. (*Curtis l. c. supra.*)
 Re. affinis: the brindled Brown. *Haw.* 551.
7200. 21; diffinis *. (*Curtis l. c. supra.*)
 Re. diffinis: the greater Brindled-brown. *Haw.* 551.
7201. 22, contigua *. (*Curtis l. c. supra.*)
 Re. contigua: the light Brindled-brown. *Haw.* 552.
7202. 23, sequax *. (*Curtis l. c. supra.*)
 Re. sequax: the Brindled Brown. *Haw.* 552.
 Ti. sexpunctella. *Fabr. iii. b.* 313?
7203. [24, proxima *.] (*Curtis l. c. supra.*)
 Re. proxima: the beautiful Brindled-brown. *Haw.* 552.
7204. 25; tricolorella *.
 Ti. tricolorella: the tricoloured. *Ent. Trans. (Haworth.) i.* 338.

7205. 26, luctuella*.
 Ti. luctuella. *Hüb. Ti. pl. 21. f. 144?*
7206. 27, decorella*.
 Ti. decorella: the neat. *Ent. Trans. (Haworth.) i. 338.*
7207. 28, subrosea*. (*Curtis l. c. supra.*)
 Re. subrosea: the little Blossom. *Haw. 553.*
7208. 29, marmorea*. (*Curtis l. c. supra.*)
 Re. marmorea: the beautiful Marble. *Haw. 553.*
7209. 30, guttifera*. (*Curtis l. c. supra.*)
 Re. guttifera: the white-dotted Black. *Haw. 553.*
7210. 31, atra. (*Curtis l. c. supra.*)
 Re. atra: the little Black. *Haw. 553.*
 Ti. exiguela. *Fabr. iii. b. 328?—Hüb. Ti. pl. 39. f. 266?*
7211. 32, maculella*.
 Ti. maculella. *Fabr. iii. b. 306.—Turt. iii. 369.*
 Re. maculea: the short-barred White. *Haw. 552.*
 An. maculea. (*Curtis l. c. supra.*)
7212. 33; Tremella*.
 Ti. Tremella. (*Wien. V. 139.*)
 Ti. Blattariella. *Hüb. Ti. pl. 22. f. 148.*
 Re. Blattariæ: the Horse-shoe. *Haw. 553.*
 An. Blattariæ. (*Curtis l. c. supra.*)
7213. 34; nivella*.
 Ti. nivella. *Fabr. iii. b. 335. (!)—Stew. ii. 203.—Turt. iii. 380.*
 Re. nivella: the black-dotted White. *Haw. 554.*
 An. nivea. (*Curtis l. c. supra.*)
7214. 35; aleella*.
 Ti. aleella. *Fabr. iii. b. 317. (!)—Turt. iii. 374.*
 Ti. nanella. *Hüb. Ti. pl. 39. f. 267.*
 Re. nana: the Black-clouded. *Haw. 554.*
 An. nana. (*Curtis l. c. supra.*)
7215. 36, interruptella*.
 Ti. interruptella. *Hüb. Ti. pl. 17. f. 116?*
 Re. interrupta: the Brown-streak. *Haw. 554.*
 An. interrupta. (*Curtis l. c. supra.*)
7216. 37, fulvescens. (*Curtis l. c. supra.*)
 Re. fulvescens: the Tawny. *Haw. 554.*
7217. 38, fuscescens. (*Curtis l. c. supra.*)
 Re. fuscescens: the faint-dotted Brown. *Haw. 555.*
7218. 39; alternella*.
 Ti. alternella. *Hüb. Ti. pl. 22. f. 151.—(Haw. Pr. 35.)*
 Re. alterna: the black-spotted White. *Haw. 556.*
7219. 40, angustella*.

Ti. angustella. *Hüb. Ti. pl. 26. f. 177.*—(*Haw. Pr. 37.*)

Re. angusta: the black-spotted Brimstone. *Haw. 557.*

7220. [41, albimaculea *.]

Re. albimaculea: the white-spotted Black. *Haw. 557.*

7221. 42, quadripuncta *.

Re. quadripuncta: the four-spotted. *Haw. 557.*

Ti. Scopollella. *Hüb. Ti. pl. 36. f. 246.*—*Turt. iii. 376.*

Genus 290: (1073). LOPHONOTUS *mihī.*

7222. 1, fasciculellus *mihī.*

Genus 291: (1074). —

7223 † 1. emarginella.

Ph. Ti. emarginella. *Don. xi. 90. pl. 392. f. 3.*

In Mus. D. Donovan.

Genus 292: (1075). CHELARIA, *Haworth.*

7224. 1; rhomboidella *.

Ph. Ti. rhomboidella. *Linn. ii. 891.*—*Turt. iii. 373.*

Ti. conscriptella. *Hüb. Ti. pl. 41. f. 283.*

Ch. conscripta: the Lobster-clawed. *Haw. 526.*

Ph. Hübnerella. *Don. xi. 63. pl. 382. f. 2.*

Genus 293: (1076). —

RECURVARIA*** *p., Haworth.*

7225. 1; Silacella *.

Ti. Silacella. *Hüb. Ti. pl. 17. f. 117.*

Re. silacea: the dingy Straw. *Haw. 555.*

7226. 2; rufescens *.

Re. rufescens: the dwarf Wainscot. *Haw. 555.*

7227. 3; nebulella * *mihī.*

7228. 4; ochroleucella * *mihī.*

7229. 5; lucidella * *mihī.*

7230. 6, falciformis *.

Re. falciformis: the Hook-tipped. *Haw. 555.*

Genus 294: (1077). —

7231. 1; tinctella *.

Ti. tinctella. *Hüb. Ti. pl. 31. f. 214.*

7232. 2; cinerella *.

Ti. cinerella. *Hüb. Ti. pl. 25. f. 173.*

7233. 3; unitella *.

Ti. unitella. *Hüb. Ti. pl. 22. f. 147.*

Ti. fusco-aurella: the Brown-gold. *Haw. 569?*

Genus 295: (1078). MACROCHILA *mihi*.

YPSOLOPHUS *p*, Haw.—CRAMBUS *p*, Fabr.

7234. 1; fasciella *.

Ti. fasciella. Hüb. Ti. pl. 16. f. 111.

Yp. fasciellus: the Long-winged. Haw. 545.

7235. 2; parenthesella *.

Ph. Ti. parenthesella. Linn. ii. 890.—Turt. iii. 370.

Yp. parenthesellus: the Parenthesis. Haw. 540.

Ti. rostrella. Hüb. Ti. pl. 17. f. 113.—(Haw. Pr. 37.)

7236. 3; marginella *.

At. marginella. Fabr. iii. b. 333. (!)

Ph. Ti. marginella. Don. ii. 58. pl. 58. f. 2.—Turt. iii. 370, 380.

Li. marginata. Fabr. S. 461.

Ti. striatella. Hüb. Ti. pl. 23. f. 154?—(Haw. Pr. 38.)

Yp. marginellus: the white Bordered. Haw. 540.

Ph. marginatella. Stew. ii. 203.

7237. 4; bicostella *.

Ph. Ti. bicostella. Linn. ii. 890.—Turt. iii. 370.

Ti. bicostella. Hüb. Ti. pl. 17. f. 115.—(Haw. Pr. 38.)

Yp. bicostellus: the light Streak. Haw. 539.

7238 † 5. aristella ^a.

7239. 6; palpella *.

Yp. palpellus: the dingy Streak. Haw. 545.

Genus 296: (1079). ENICOSTOMA *mihi*.

RECURVARIA *p*, Haw.—ŒCOPHORA *p*, Latr.

7240. 1; Thunbergana *.

Py. Thunbergana. Fabr. iii. b. 268.

To. Thunbergana. (Haw. Pr. 32.)

Re. Thunbergii: Thunberg's. Haw. 547.

Ti. lobella. Hüb. Ti. pl. 35. f. 238.

7241. 2; Geoffroyella *.

Ph. Ti. Geoffroyella. Linn. ii. 896.

Ti. Geoffroyella. Hüb. Ti. pl. 18. f. 123.—(Haw. Pr. 36.)

Re. Geoffroyi: Geoffroy's. Haw. 556.

Genus 297: (1080). DASYCERA.

DASYCERUS^b, Haworth.—ŒCOPHORA *p*, Latr.—ÆCOPHORA *p*, Samou.

7242. 1; Oliviella *.

^a 7238 † 5. aristella.

Ph. Ti. aristella. Linn. ii. 894.—Turt. iii. 381. (!)

An hujus generis?

^b DASYCERUS: Genus Coleopterorum. Vide Latr. G. iii. 19.

Ti. Oliviella. *Fabr.* iii. b. 316.

Da. Olivieri: Olivier's. *Haw.* 524.

Ti. Æmulella. *Hüb. Ti. pl.* 32. f. 222.

Ti. fulgidella. *Marsh. MSS.*

7243. 2; sulphurella*.

Ti. sulphurella. *Fabr.* iii. b. 345. (!)—(*Haw. Pr.* 38.)—*Turt.* iii. 383.

Da. sulphureus: the yellow Underwinged. *Haw.* 524.

Ph. Ti. sulphuratella. *Stew.* ii. 204.

♀; Al. flavella. *Fabr.* iii. b. 332.—(*Sam. I.* 1.)

Ti. flavella. (*Haw. Pr.* 38?)

Ti. cornutella. *Fabr.* S. 492.

Genus 298: (1081). ADELA, *Latr.*, *Leach*, *Samou.*

NEMOPHORA, (*Hoffmansegg.*)—NEMAPOGON *p.*, Schrank.—ALUCITA *p.*, *Fabr.*—CAPILLARIA, *Haworth.*

7244. 1; Latreillella*. (*Latr. G.* iv. 224.)

Ti. Latreillella. *Hüb. Ti. pl.* 52. f. 355, 356?

7245. 2; Sulzella*. (*Latr. G.* iv. 224.)

Ph. Ti. Sulzella. *Linn.* ii. 896.—*Turt.* iii. 382.

Ti. Sulzella. *Hüb. Ti. pl.* 18. f. 121.—(*Haw. Pr.* 37.)

Ca. Sultzii: Sultz's. *Haw.* 520.

Var.? Ph. Ti. Podaëlla. *Linn.* ii. 896.—*Don.* viii. 42. *pl.* 267. f. 3.—*Stew.* ii. 205.—*Turt.* iii. 382.

7246. 3; DeGeerella*. (*Latr. G.* iv. 224.)—(*Leach E.* E. ix. 133.)—(*Sam. I.* 1.)

Ph. Ti. DeGeerella. *Linn.* ii. 895.—*Don.* viii. 41. *pl.* 267. f. 1, 2.—*Stew.* ii. 205.—*Turt.* iii. 382.

Ti. Geerella. *Hüb. Ti. pl.* 19. f. 130.—(*Haw. Pr.* 37.)

Ca. DeGeerii: DeGeer's. *Haw.* 519.

♂? Al. striatella. *Fabr. M.* ii. 257.—(*Haw. Pr.* 37.)

Ph. striella. *Stew.* ii. 204.

7247. 4; fasciella*.

Al. fasciella. *Fabr.* iii. b. 342. (!)—*Turt.* iii. 383.—*Stew.* ii. 204.

Ca. fascia: the copper Japan. *Haw.* 520.

Ti. Schiffermyllerella. *Hüb. Ti. pl.* 19. f. 132.—(*Haw. Pr.* 37.)

7248. 5, cuprella*.

Al. cuprella. *Fabr.* iii. b. 342.

Ca. cuprella: the Scabious Long-horn. *Haw.* 521.

Ti. viridella. *Hüb. Ti. pl.* 19. f. 128?—(*Haw. Pr.* 37?)

7249. 6; viridella*.

Al. viridella. *Fabr.* iii. b. 341.

Ca. viridis: the green Long-horn. *Haw.* 520.

Ti. Sphingiella. *Hüb. Ti. pl.* 19. f. 129.—(*Haw. Pr.* 37.)

Japan Long-horn. *Harr. V. M.* 31.

7250. [7, Reaumerella*.] (*Latr. G.* iv. 224.)
 Ph. Reaumerella. (*Wien. V.* 143.)—*Turt.* iii. 383.
 Ph. Ti. Reaumerella. *Linn.* ii. 895?—(*Haw. Pr.* 39?)
7251. 8, Frischella*.
 Ph. Ti. Frischella. *Linn.* ii. 896.—*Turt.* iii. 382.
 Ca. Frischii: the Frischian. *Haw.* 521.
7252. 9; Swammerdammella*.
 Ph. Ti. Swammerdammella. *Linn.* ii. 895.—*Turt.* iii. 382.
 Ti. Swammerdammella. *Hüb. Ti. pl.* 62. *f.* 410 & 411.—
 (*Haw. Pr.* 37.)
 Ca. Swammerdami: Swammerdam's. *Haw.* 522.
 Golden Long-horn. *Harr. V. M.* 31?
7253. 10; Panzerella*.
 Al. Panzerella. *Fabr.* iii. *b.* 339.
 Ca. Panzeri: Panzer's. *Haw.* 522.
 Ti. Swammerdammella. *Hüb. Ti. pl.* 19. *f.* 127.
 Ti. Panzerella. (*Haw. Pr.* 37.)—*Hüb. Ti. pl.* 62. *f.* 412.
7254. 11; Ti. Robertella*.
 Ph. Ti. Robertella. *Linn.* ii. 896.—*Turt.* iii. 382.
 Al. Pilella. *Fabr.* iii. *b.* 339.
 Ti. pilrella. *Hüb. Ti. pl.* 34. *f.* 235.—(*Haw. Pr.* 37.)
 Ca. pilea: the pale-brown Long-horn. *Haw.* 522.

Genus 299: (1082). —

DIURNEA 3 *p*, *Haw.*

7255. 1; Tortricella*.
 Ti. Tortricella. *Hüb. Ti. pl.* 2. *f.* 11.
 Di. Tortricea: the clouded Lead. *Haw.* 503.
 Ti. Tortricea. (*Sam. I.* 41.)
7256. 2; nubilea*.
 Di. nubilea: the clouded Brown. *Haw.* 503.
 Ti. nubilea. (*Sam. I.* 41.)

Genus 300: (1083). —

CAPILLARIA 2 *p*, *Haw.*

7257. 1; Tesserella*.
 Ca. tessellea: the pale chequered Brown. *Haw.* 522.
7258. 2; pubicornis*.
 Ca. pubicornis: the pale downy-horned. *Haw.* 523.

Genus 301: (1084). —

DIURNEA 3 *p*, *Haw.*—**GEOMETRA** *p*, *Haw.*

7259. 1; Salicella*.
 Ti. Salicella. *Hüb. Ti. pl.* 2. *f.* 9.
 Di. Salicis: the rosy Day Moth. *Haw.* 504.

Ti. Salicis. (*Sam. I.* 41.)

♀; Geo. incompletaria: the incomplete. *Haw.* 305.—(*Sam. I.* 18.)

7260. 2; gelatella*.

Ph. Py. gelatella. *Linn.* ii. 883.—*Stew.* ii. 196.—*Turt.* iii. 362.

Di. gelata: the autumnal Dagger. *Haw.* 502.

Ti. gelatella. (*Sam. I.* 41.)

To. gelatana. *Hüb. To. pl.* 42. f. 266. ♂—♀.

Ph. congelatella. *Clerck Ic. pl.* 8. f. 5.

♀. Ph. paradoxa. *Sulzer. pl.* 23. f. 21, 22.

Genus 302: (1085). —

DIURNEA 2, *Haw.*—GEOMETRA *p*, *Haw.*

7261. 1; Phryganella*.

Ti. Phryganella. *Hüb. Ti. pl.* 2. f. 10.—(*Haw. Pr.* 35.)

Di. Phryganea: the drab Day M. *Haw.* 503.

Ti. Phryganea. (*Sam. I.* 41.)

♀; Geo. apteraria: the Apterous. *Haw.* 306.

Geo. apteria. (*Sam. I.* 18.)

Ph. Ti. Lichenella. *Linn.* ii. 899?—*Turt.* iii. 378?

Ti. Lichenum. (*Kirby & Sp. I. E.* i. 463?)

Genus 303: (1086). DIURNEA, (*Kirby.*)

DIURNEA 1, *Haw.*

7262. 1; Fagella*.

Ti. Fagella. *Fabr.* iii. b. 300.—(*Haw. Pr.* 36.)

Di. Fagi. *Haw.* 501.

Ti. Fagi. (*Sam. I.* 41.)

March Dagger. *Harr. V. M.* 19.

Albin. pl. xxxvi. f. 57. a—e.

7263. 2; Novembris*: the November Dagger. *Haw.* 502.

Ti. Novembris. (*Sam. I.* 41.)—(*Kirby & Sp. I. E.* iv. 510.)

Genus 304: (1087). EPIGRAPHIA *mihi*.

DIURNEA 4, *Haworth.*

7264. 1; Avellanella*.

Ti. Avellanella. *Hüb. Ti. pl.* 4. f. 27.

7265. 2; Steinkelnerana*.

Py. Steinkelnerana. *Fabr.* iii. b. 267.

Di. Steinkelneri: Steinkelner's. *Haw.* 504.

Ti. Characterella. *Hüb. Ti. pl.* 4. f. 26.—(*Haw. Pr.* 36.)

Genus 305: (1088). MELANOLEUCA *mihi*.

Y PONOMENTA *p*, *Fabricius.*—ERMINEA *p*, *Haw.*

7266. 1, Echiella.

Ti. Echiella. (*Wien. V.* 140.)—*Hüb. Ti. pl.* 15. f. 105.

Al. bipunctella. *Fabr.* iii. b. 384.

Yp. Echiella. (*Latr. G.* iv. 222.)—(*Sam. I.* 44.)

7267. 2; pusiella*.

Ph. Ti. pusiella. *Linn.* ii. 884.—*Turt.* iii. 368.

Ti. Lithospermella. *Hüb. Ti. pl.* 15. f. 104.

Ti. sequella. (*Wien. V.* 140.)

7268. 3; dodecea*.

Er. dodecea: the Scarce Ermine. *Haw.* 514.

Ti. decorella. *Hüb. Ti. pl.* 44. f. 303.

7269 † 4; funerella?*

Ti. funerella. *Fabr.* iii. b. 309?—*Hüb. Ti. pl.* 15. f. 85?

Er. funerea: the Funereal. *Haw.* 515. In *Mus. D. Curtis.*

Genus 306: (1089). YPONOMEUTA, *Fabr.*, *Leach*, *Samou.*

ERMINEA, *Haworth.*

A. Alis anticis nigro punctatis.

7270. 1; Evonymella*. (*Latr. G.* iv. 222.)—(*Leach E. E.* ix. 133.)—(*Sam. I.* 44.)

Ph. Ti. Evonymella. *Linn.* ii. 885.—*Stew.* ii. 197.—*Don.* xi. 80. *pl.* 355. *f.* 4.—*Turt.* iii. 362.

Ti. Evonymella. *Fabr.* iii. b. 289.—(*Haw. Pr.* 35.)—*Hüb. Ti. pl.* 13. *f.* 88.

Er. Evonymi: the Full-spotted E. *Haw.* 512.

Distaff Ermine. *Harr. V. M.* 25.

7271. 2; irrorella*. (*Sam. I.* 44.)

Ti. irrorella. *Hüb. Ti. pl.* 14. *f.* 93.—(*Haw. Pr.* 35.)

Er. irrorea: the Surrey Ermine. *Haw.* 512.

7272. 3; rorella*.

Ti. rorella. *Hüb. Ti. pl.* 34. *f.* 234.—(*Haw. Pr.* 35.)

Er. rorea: the few-spotted E. *Haw.* 513.

Ermine. *Albin. pl.* lxx. *f.* a—d.

7273. 4; padella*. (*Latr. G.* iv. 222.)—(*Sam. I.* 44.)

Ph. Ti. padella. *Linn.* ii. 885.—*Stew.* ii. 197.—*Turt.* iii. 362.

Ti. padella. (*Haw. Pr.* 35.)

Ph. Evonymella. *Berk. S. i.* 146.—*Don. i.* 23. *pl.* 9.

Er. Padi: the common Er. *Haw.* 513.

Small Ermine M.: Ph. Evonymella. (*Wilkes. 4. pl.* 5.)—*Harr. A. pl.* 3. *f.* k—m.—*Harr. V. M.* 23.

7274. 5; plumbella*. (*Sam. I.* 44.)

Ti. plumbella. *Fabr.* iii. 290.—(*Haw. Pr.* 35.)

Er. plumbea: the Kent Er. *Haw.* 513.

7275. 6; Curtisella*.

Ph. Ti. Curtisella. *Don. ii.* 77. *pl.* 65. *f.* 4.

Ti. Curtisella. (*Haw. Pr.* 38.)

Er. Curtisella: Curtis's. *Haw.* 514.

Ti. cænobotella. *Hüb. Ti. pl.* 45. *f.* 309.

B. Alis anticis haud punctatis.

7276. 7; Cratægella.

Ph. Ti. Cratægella. *Linn.* ii. 885.—*Turt.* iii. 368.

7277. 8; ambiguella*.

Ti. ambiguella. *Hüb. Ti. pl.* 22. *f.* 153.

Er. ambigua: the small Brown-bar. *Haw.* 514.

7278. 9; leucatella*.

Ph. Ti. leucatella. *Linn.* ii. 891.—*Turt.* iii. 371.

Ti. leucatella. *Hüb. Ti. pl.* 21. *f.* 146.—(*Haw. Pr.* 37.)

Er. leucatea: the small White-bar. *Haw.* 514.

7279. 10; bifasciella?*

Ti. bifasciella. *Fabr.* iii. b. 309?

7280. 11; comptella*.

Ti. comptella. *Hüb. Ti. pl.* 13. *f.* 89.

Er. compta: the Peacock's feather. *Haw.* 515.

Ph. Ti. apiella. *Don.* ii. 54. *pl.* 57. *f.* 5.

7281. 12; lutarella?*

Ti. lutarella. *Hüb. Ti. pl.* 25. *f.* 168?

Er. lutarea: the muddy Ermine. *Haw.* 515.

7282. 13; subfasciella* *mih.*

7283. 14; Cæsiella*.

Ti. Cæsiella. *Hüb. Ti. pl.* 25. *f.* 172?

Er. cæsia: the Purple-edged. *Haw.* 516.

7284. 15; semifusca*.

Er. semifusca: the long-winged White-back. *Haw.* 517.

Ph. Ti. Pruniella. *Don.* ii. 57. *pl.* 58.—61. *pl.* 59. *f.* 2. *aucta.*

Ph. To. Pruniella. *Turt.* iii. 349.

7285. 16; mendicella*.

Ti. mendicella. *Hüb. Ti. pl.* 26. *f.* 179.

Er. mendica: the purple White-back. *Haw.* 517.

7286. 17; albistria*.

Er. albistria: the purple White-back. *Haw.* 517.

7287. 18; Pruniella*.

Ph. Ti. Pruniella. *Linn. F. No.* 1386?—*Stew.* ii. 202.—*Turt.* iii. 362.

Ti. Pruniella. *Hüb. Ti. pl.* 26. *f.* 175.—(*Haw.* 38.)

Er. Pruni: the White-back. *Haw.* 516.

Ti. semialbella. (*Haw. Pr.* 38.)

Al. Ephippella. *Fabr.* iii. b. 330.

7288. 19; tetrapodella*.

Ph. Ti. tetrapodella. *Mus. Marsham.*

Ph. Ti. tetrapodella. *Linn.* ii. 890?

7289. 20, ocella* *mih.*

7290. 21, subocellea * *mihi*.
 7291. 22; ossea *. Er. ossea: the Cream-coloured. *Haw.* 517.
 7292. 23; curvella *. Ph. Ti. curvella. *Linn. F. No.* 1387.
 Er. curva: the brindled Ermine. *Haw.* 516.
 7293. 24; Clematella *. Ti. Clematella. *Fabr. iii. b.* 306. (!)—*Stew. ii.* 199.—*Turt. iii.* 370.
 Rec. Clematea: the barred White. *Haw.* 552.
 Ti. arcella. *Fabr. iii. b.* 305?
 Ti. repandella. *Hüb. Ti. pl. 37. f.* 256.
 An. Clematea. (*Curtis fo.* 189.)

Genus 307: (1090). ARGYROSETIA *mihi*.Ti.-METALLICÆ *p*, *Haworth*.

7294. 1; Gœdartella *: Gœdart's.—*Haw. l. c.*
 Ph. Ti. Gœdartella. *Linn. ii.* 897.—*Stcw. ii.* 201.
 Ti. Gœdartella. *Hüb. Ti. pl. 20. f.* 133.—(*Haw. Pr. 37.*)—*Haw.* 571.
 Ph. semiargentella. *Don. ii.* 76. *pl. 65. f. 2, 3.*—*Turt. iii.* 363.
 Ti. semiargentella. (*Haw. Pr. 39.*)
 7295. 2; semifasciella *. Ti. semifasciella: the short Gold-bar. *Haw.* 570.
 7296. 3; I W-ella *. Ti. I W-ella: the Gold I W. *Haw.* 569.
 7297. 4; I V-ella *. Ti. I V-ella: the Gold I V. *Haw.* 570.
 7298. 5; literella *. Ti. literella: the Greek-lettered Gold. *Haw.* 570.
 7299. 6; aurivittella *. Ti. aurivittella: the golden Ribband. *Haw.* 570.
 7300. 7, aurifasciella * *mihi*.

Genus 308: (1091). ARGYROMIS? (*Curtis MSS?*)Ti.-METALLICÆ *p*, *Haworth*.

7301. 1; Blancardella *: Blancard's.—*Haw. l. c.*
 Ti. Blancardella. *Fabr. iii. b.* 327. (!)—*Stew. ii.* 202.—*Turt. iii.* 373.—*Haw.* 575.
 7302. 2; Schreberella *: Schreber's.—*Haw. l. c.*
 Ti. Schreberella. *Fabr. iii. b.* 327.—*Stew. ii.* 202.—*Turt. iii.* 377.—*Haw.* 575.
 7303. 3; Cydoniella *: the bright speck'd Gold.—*Haw. l. c.*
 Ti. Cydoniella. *Fabr. iii. b.* 323.—*Hüb. Ti. pl. 39. f.* 271?—*Haw.* 575.

7304. 4; Klemanella*: Kleman's.—*Haw.* l. c.
 Ti. Klemanella. *Fabr.* iii. b. 326.—*Hüb. Ti. pl.* 29. f. 201.—
 (*Haw. Pr.* 38.)—*Haw.* 576.
7305. 5; Mespilella*: the silver-spotted Gold.—*Haw.* l. c.
 Ti. Mespilella. *Hüb. Ti. pl.* 39. f. 272.—*Haw.* 576.
7306. 6, Rayella*: Ray's.—*Haw.* l. c.
 Ph. Ti. Rayella. *Linn.* ii. 898.—*Turt.* iii. 377.
 Ti. Rayella. *Fabr.* iii. b. 167?—*Hüb. Ti. pl.* 29. f. 200.—
 (*Haw. Pr.* 38.)—*Haw.* 577.
7307. 7; tristrigella*.
 Ti. tristrigella: the treble Gold stripe. *Haw.* 576.
7308. 8, trifasciella*: the tawny Treble-bar.—*Haw.* l. c.
 Ph. Ti. Lyonetella. *Linn.* ii. 897?—*Turt.* iii. 376?
- 7309 † 9. Myllerella^a.
7310. 10; Harrisella*: Harris's.—*Haw.* l. c.
 Ph. Ti. Harrisella. *Linn.* ii. 899.—*Fabr.* iii. b. 327. (!)—
Stew. ii. 202.—*Turt.* iii. 377.
 Ti. Harrisella. *Fabr.* iii. b. 327.—*Haw.* 577.
7311. 11; Cramerella*.
 Ti. Cramerella: Cramer's.—*Haw.* l. c. *Fabr.* iii. b. 327. (!)—
Stew. ii. 202.—*Turt.* iii. 378.—*Haw.* 578.
 Ti. Prunifoliella. *Hüb. Ti. pl.* 28. f. 191.
 Ph. Ti. Bonnetella. *Linn.* ii. 897?—*Turt.* iii. 376?
7312. 12; hortella*: the Porcelain.—*Haw.* l. c.
 Ti. hortella. *Fabr.* iii. b. 327.—*Haw.* 579.
 Ph. Cramerella. *Don.* xi. 89. *pl.* 392. f. 1?
7313. 13; sylvella*: the dark Porcelain.—*Haw.* l. c.
 Ti. sylvella. *Haw.* 579.
 Ph. Blancardella. *Don.* xi. 90. *pl.* 392. f. 2?
7314. 14; cuculipenella*: the Cuckoo's Feather.—*Haw.* l. c.
 Ti. cuculipenella. *Hüb. Ti. pl.* 28. f. 192?—*Haw.* 579.
7315. 15; Corylifoliella*: the Hazel Red.—*Haw.* l. c.
 Ti. Corylifoliella. *Hüb. Ti. pl.* 28. f. 194.—(*Haw. Pr.* 37.)—
Haw. 580.
7316. 16; Alnifoliella*.
 Ti. Alnifoliella. *Hüb. Ti. pl.* 28. f. 193.—(*Haw. Pr.* 37.)
7317. 17; obscurella* mihi.
7318. 18; rufipunctella*.
 Ti. rufipunctella: the red-and-white Barr'd. *Haw.* 580.

^a 7309 † 9. Myllerella.

Ti. Myllerella. *Fabr.* iii. b. 325.—*Turt.* iii. 377. (!)

Genus 309: (1092). HERIBEIA *mihi*.

Ti.-METALLICÆ *p*, Haw.—GRACILLARIA? *p*, (Kirby.)

7319. 1, Haworthella *mihi*.

7320. 2; humerella*.

Ti. humerella. Hüb. *Ti. pl. 42. f. 292*.

7321. 3; Forsterella*: Forster's.—Haw. *l. c.*

Ti. Forsterella. *Fabr. iii. b. 328*.—(Haw. *Pr. 39.*)—Haw. 577.

7322. [4; simpliciella]* *mihi*.

7323. 5, cognatella *mihi*.

7324. 6; Clerckella*.

Ph. Ti. Clerckella. *Linn. ii. 899*.

Ti. Clerckella: Clerck's.—Haw. *l. c.* *Fabr. iii. b. 329*.—(Haw. *Pr. 39.*)—Haw. 578.

7325. 7; nivella* *mihi*.

Ti. cerasifoliella. Hüb. *Ti. pl. 28. f. 190?*

7326. 8; punctaurella*.

Ti. punctaurella: the golden Dot. Haw. 578.

7327. 9; unipunctella* *mihi*.

7328. 10; semiaurella* *mihi*.

Ti. malifoliella. Hüb. *Ti. pl. 28. f. 195?*

Genus 310: (1093). MICROSETIA *mihi*.

Ti.-METALLICÆ *p*, Haworth.

7329. 1; Subbistrigella*.

Ti. subbistrigella: the double Silver-bar. Haw. 581.

7330. 2; obsoletella* *mihi*.

7331. 3; exiguella*.

Ti. exiguella. *Fabr. iii. b. 328?*

7332. 4; cinereo-punctella*.

Ti. cinereo-punctella: the grey dotted Brown. Haw. 381.

7333. 5; Stipella*: the triple Gold-spotted.—Haw. *l. c.*

Ti. Stipella. Hüb. *Ti. pl. 20. f. 138*.—Haw. 568.

7334. 6; guttella*: the white-spotted Sable.—Haw. *l. c.*

Ti. guttella. Hüb. *Ti. pl. 26. f. 176*.—Haw. 582.

7335. 7; quadrella*: the silver-spotted Sable.—Haw. *l. c.*

Ti. quadrella. *Fabr. iii. b. 298?*—Hüb. *Ti. pl. 42. f. 293?*—Haw. 582.

7336. 8; sequella*.

Ti. sequella: the silver-blotted. Haw. 583.

7337. 9; pulchella*.

Ti. pulchella: the small Argent and Sable. Haw. 582.

7338. 10; nigrella*: the small double Silver-bar.—*Haw. l. c.*
 Ti. nigrella. *Hüb. Ti. pl. 41. f. 285.*—*Haw. 583.*
7339. 11; trimaculella*.
 Ti. trimaculella: the cream-spotted Sable. *Haw. 583.*
7340. 12; subbimaculella*.
 Ti. subbimaculella: the twin-spot Sable. *Haw. 583.*
7341. 13; nigrociliella* *mihi.*
- 7342 † 14, unifasciella*.
 Ti. unifasciella: the silver-barred Brown. *Haw. 584.*
 In Mus. *D. Haworth.*
7343. 15; mediofasciella*.
 Ti. mediofasciella: the central Silver-bar. *Haw. 584.*
7344. 16; aurella*: the diamond-barred Pygmy.—*Haw. l. c.*
 Ti. aurella. *Fabr. iii. b. 329.*—*Haw. 584.*
7345. 17; posticella*.
 Ti. posticella: the pygmy Silver-bar. *Haw. 584.*
 Ti. Hübnerella. *Hüb. Ti. pl. 34. f. 236.*
- 7346 † 18, violaceella*.
 Ti. violaceella: the violet Pygmy. *Haw. 585.*
 In Mus. *D. Haworth.*
7347. 19; floslactella*.
 Ti. floslactella: the cream Pygmy. *Haw. 585.*
7348. 20; atri-capitella*.
 Ti. atri-capitella: the black-headed Pygmy. *Haw. 585.*
7349. 21; rufieapitella*.
 Ti. rufieapitella: the red-headed Pygmy. *Haw. 586.*
7350. 22; pygmæella*.
 Ti. pygmæella: the least Pygmy. *Haw. 586.*
- B. An hujus generis?
7351. 23; sericiella*.
 Ti. sericiella: the Satin Pygmy. *Haw. 585.*
7352. 24; aurofasciella* *mihi.*
7353. 25; Gleichella*: Gleiche's.—*Haw. l. c.*
 Ti. Gleichella. *Fabr. iii. b. 323. (!) — Turt. iii. 376.*—*Haw. 582.*
 Ph. Gleichenella. *Stew. ii. 201.*
7354. 26; quadriguttella*: the four-spotted Gold.—*Haw. l. c.*
 Ti. 4-guttella. *Haw. 574.*
- Genus 311: (1094). OECOPHORA, *Latr.*
- GLYPHYPTERYX, *Curtis.*—TI.-METALLICÆ *p.*, et GRACILLARIA *p.*, *Haworth.*—OECOPHORA, *Samou.*
7355. 1: Linneella*. (*Latr. G. iv. 223.*)—(*Leach E. E. ix. 133.*)—(*Sam. I. 1.*)

Ph. Ti. Linneella. *Linn.* ii. 893.—*Turt.* iii. 377.

Gl. Linneella. *Curtis.* iv. *pl.* 152.

7356. 2; Rœsella*. (*Latr. G.* iv. 223.)—(*Leach E. E.* ix. 183.)
—(*Sam. I.* 1.)

Ph. Ti. Rœsella. *Linn.* ii. 893.—*Stew.* ii. 202.—*Turt.* iii. 377.

Ti. Rœsella: Rœsel's.—*Haw. l. c.* *Hüb. Ti. pl.* 20. *f.* 135.—
Haw. 573.

Gl. Rœsella. (*Curtis l. c. supra.*)

7357. 3; Schæfferella*.

Ph. Ti. Schæfferella. *Linn.* ii. 898.—*Don.* v. 99. *pl.* 175.—
Stew. ii. 201.

Ti. Schæfferella: Schæffer's.—*Haw. l. c.* *Hüb. Ti. pl.* 20.
f. 136. (*aucta.*)—(*Haw. Pr.* 37.)—*Turt.* iii. 376.—*Haw.* 574.

Gl. Schæfferella. (*Curtis l. c. supra.*)

7358 + 4. bimaculella*? the orange-blotted Black.—*Haw. l. c.*

Ti. bimaculella. *Haw.* 574. In Mus. D. I. Latham.

7359. 5; eximia*.

Gr. eximia: the Nonpareil. *Haw.* 532.

7360. 6; metallella*.

Ph. Ti. metallella. (*Wien. V.* 144?)

Genus 312: (1095). PANCALIA *mih.*

ŒCOPHORA *p.*, *Latreille*.—GRACILLARIA *p.*, *Haworth*.

7361. 1; Leuwenhoekella*.

Ph. Ti. Leuwenhoekella. *Linn.* ii. 897.—*Turt.* iii. 377.

Ti. Leuwenhoekella: Leuwenhoek's. (*Haw. Pr.* 37.)—*Haw.*
574.

7362. 2; fusco-ænea*.

Po. fusco-ænea: the Brown-brassy. *Haw.* 537.

7363. 3; fusco-cuprea*.

Po. fusco-cuprea: the Brown-copper. *Haw.* 537.

7364. 4: Merianella*.

Ph. Ti. Merianella. *Linn.* ii. 897.—*Stew.* ii. 201.—*Turt.* iii.
375.

Te. Merianella. (*Haw. Pr.* 37.)

Gr. Merianæ: Merian's. *Haw.* 531.

Genus 313: (1096). —

GRACILLARIA *p.*, *et* TINEA *p.*, *Haworth*.

7365. 1; guttea*.

Gr. guttea: the white-spotted Brown. *Haw.* 531.

Ti. Merianella. *Hüb. Ti. pl.* 20. *f.* 134.

7366. 2; Fyesella*.

Ti. Eyesella. *Fabr.* iii. *b.* 316.—(*Haw. Pr.* 39.)

Ph. triguttella. *Don.* xi. 63. *pl.* 382. *f.* 1.

Gr. Fueslii: Fuesly's. *Haw.* 531.

7367. 3; Erxlebella? *

Ti. Erxlebella. *Fabr.* iii. *b.* 340?

Ti. fusco-cuprella: the Brown-copper. *Haw.* 569.

7368. 4; fusco-viridella*.

Ti. fusco-viridella: the Brown-green. *Haw.* 569.

Genus 314: (1097). —

TINEA-METALLICÆ p, Haworth.

7369. 1; cinctella*.

Ph. Ti. cinctella. *Linn.* ii. 891.—*Turt.* iii. 371.

Ti. cinctella: the Silver barred Sable. *Hüb. Ti. pl.* 21. *f.* 142.
—(*Haw. Pr.* 37.)—*Haw.* 581.

7370. 2, albistrigella* *mih.*

Genus 315: (1098). —

PORRECTARIA p, et GRACILLARIA p, Haworth.

7371. 1, grandipennis*.

Po. grandipennis: the great Raven-Feather. *Haw.* 536.

7372. 2, Picæpennis*.

Po. Picæpennis: the Pye-feather. *Haw.* 536.

7373. 3; cylindrella*.

Ti. cylindrella. *Fabr.* iii. *b.* 303.—(*Haw. Pr.* 39.)

Gr. cylindrea: the buff-blotched Slender. *Haw.* 527.

Ti. tristella. *Hüb. Ti. pl.* 32. *f.* 218.

7374. 4; serratella*.

Ph. Ti. serratella. *Linn.* ii. 802.—(*Kirby & Sp. I. E.* i. 462.)

Po. Coracipennis β . *Haw.* 536.

7375. 5; Coracipennella*.

Ti. Coracipenella. *Hüb. Ti. pl.* 30. *f.* 209.

Po. Coracipennis: the small Raven-feather. *Haw.* 536.

7376. 6; obscurella*.

Ti. obscurella. *Fabr.* iii. *b.* 312?

Po. obscurea: the Brown-feather. *Haw.* 536.

7377. 7, Gryhipennella*.

Ti. Gryhipcnella. *Hüb. Ti. pl.* 30. *f.* 206.

Po. Gryhipennis: the Vulture-feather. *Haw.* 537.

7378. 8; lutarea*.

Po. lutarea: the shining Clay. *Haw.* 537.

7379. 9; ochroleucella* *mih.*

7380. 10; nigricella* *mih.*

7381. 11; *flavicaput**.

Po. *flavicaput*: the yellow-headed Black. *Haw.* 536.

Genus 316: (1099). —

Ti.-METALLICÆ p, Haworth.

7382. 1; *scissella**.

Ti. *scissella*: the oblong Gold-head.—*Haw.* l. c. *Hüb.* *Ti.* *pl.* 39. *f.* 270.—*Haw.* 580.

Ti. *angustipennella*.—?

Genus 317: (1100). —

PORRECTARIA p, Haworth.

7383. 1; *spissicornis**.

Po. *spissicornis*: the thick-horned Green. *Haw.* 537.

7384. 2; *Trifolii** *mihi*.

Genus 318: (1101). **PORRECTARIA, Haworth.**

7385. 1; *Anatipennella**.

Ti. *Anatipenella*. *Hüb.* *Ti.* *pl.* 29. *f.* 186.

Po. *Anatipennis*: the Goose-feather. *Haw.* 534.

7386. 2, *ornatipennella**.

Ti. *ornatipenella*. *Hüb.* *To.* *pl.* 29. *f.* 199.

Po. *ornatipennis*: the silver-streaked Hook-tip. *Haw.* 534.

7387. 3; *ochrea**: the silver-streaked. *Haw.* 533.

Pter. *ochrodactylus*. *Fabr.* iii. b. 345?

The Spear Moth. *Harr. V. M.* 47?—*Harr. Ex.* 14. *pl.* iii. *f.* 2–5?

7388. 4; *Gallipennella**.

Ti. *Gallipenella*. *Hüb.* *Ti.* *pl.* 29. *f.* 200.

Po. *Gallipennis*: the Cock's-feather. *Haw.* 534.

7389. 5, *lineolea**: the Red-speck'd. *Haw.* 534.

7390. 6, *albicosta**: the White-edged. *Haw.* 535.

7391. 7; *leucapennella**.

Ti. *leucapenella*. *Hüb.* *Ti.* *pl.* 30. *f.* 205.

Po. *leucapennis*: the Lead-coloured. *Haw.* 535.

7392. [8; *argentula**.]

Pli. Ti. *argentula*. *Marsham. MSS.*

Genus 319: (1102). —

PORRECTARIA p, et RECURVARIA p, Haworth.

7393. 1, *auritella**.

Ti. *auritella*. *Hübner.*

7394. 2, *Cygnipennella**.

- Ti. Cygnipennella. *Hüb. Ti. pl. 30. f. 207.*
Po. Cygnipennis: the Swan's Feather. *Haw. 536.*

7395. 3, semialbella* *mihi.*

7396 † 4, triatomea.
Po. triatomea: the treble-atom'd White. *Haw. 535.*
In Mus. D. Haworth.

7397. 5; floslactis*.
Po. floslactis: the Cream-colour'd. *Haw. 535.*

7398. 6, rufo-cinerea*.
Po. rufo-cinerea: the Red-brindled. *Haw. 535.*

7399. 7; lucidella* *mihi.*

7400. 8; Oleella*.
Ti. Oleella. *Fabr. iii. b. 308?*
Po. Oleæ: the small Shining Brown. *Haw. 535.*

7401. 9; rufipennella*.
Ti. rufipennella. *Hüb. Ti. pl. 30. f. 204.*
Po. rufipennis: the Red-feather. *Haw. 537.*

7402. 10; fulvescens*.
Po. fulvescens. *Haworth? MSS?*

7403. 11; marginea*.
Re. marginea: the bordered Straw. *Haw. 556.*

Genus 320: (1103). —

RECURVARIA*** *p.*, Haworth

7404. 1; Lambdella*.
 Ph. Ti. Lambdella. *Don.* ii. 53. *pl.* 57. *f.* 2.—*Turt.* iii. 363.
 Ti. Lambdella. (*Haw. Pr.* 38.)
 Re. Lambda: the tawny Crescent. *Haw.* 556.

7405. 2; lunaris*.
 Re. lunaris: the lesser tawny Crescent. *Haw.* 556.

7406. 3; lutarella*.
 Ti. lutarella. *Hüb. Ti. pl.* 25. *f.* 168?

7407. 4; saturatella* *mihi.*

7408. 5, Panzerella*.
 Ph. Ti. Panzerella. *Don.* iii. 94. *pl.* 106. *f.* 4?—*Turt.* iii. 362?
 Ti. Donovanella. (*Haw. Pr.* 38.)

7409. 6; flavifrontella*: the yellow-head.—*Haw. l. c.*
 Ti. flavifrontella. *Fabr. S.* 305.—*Hüb. Ti. pl.* 18. *f.* 126.—
 (*Haw. Pr.* 38.)—(*Haw.* 393.)—*Ent. Trans. (Haworth.)* i.
 338.

Familia XX : (133). TINEIDÆ mihi.

(PHALÆNA-TINEA *p.*, Linné.—NOCTUO-BOMBYCITES *p.*, et PYRALITES *p.*, Latr.—CRAMBIDÆ et TINEIDÆ *p.*, Leach.)

(TINEA *p.*, et ALUCITA *p.*, Fabricius.)

Genus 321 : (1104). GALLERIA, Fabricius, Haworth, Leach, Samou., (Kirby.)

A. Alis antieis posticè rotundatis.

7410. 1; alvearia*. *Fabr. S. 463.*—(Leach E. E. ix. 135.)

Ga. alvea: the honey Moth. *Haw. 392.*—(Sam. I. 17.)

To. grisella. *Fabr. iii. b. 289?*

Bo. cinereola. *Hüb. Bo. pl. 23. f. 91.*

B. Alis antieis posticè emarginatis.

7411. 2; cereana*. *Fabr. S. 462.*

Ph. Ge. cereana. *Linn. ii. 874.*

Ti. cerella. *Fabr. iii. b. 287.*—*Hüb. Ti. pl. 4. f. 25.*

Ga. cerea: the Honey-comb Moth. *Haw. 392.*—(Sam. I. 17.)

Ph. Ti. mellonella. *Linn. ii. 888.*—*Don. viii. 79. pl. 283.*—

Stew. ii. 199.—*Turt. iii. 369.*

Ti. mellonella. (Kirby & Sp. I. E. i. 31. 230.: ii. 266.)

No. mellonina. (*Haw. Pr. 13.*)

Genus 322: (1105). ILYTHIA, (Latreille.)

CRAMBUS *p.*, *Fabr.*, *Haw.*—HERMINIA *p.*, *Sam.*

7412. 1; colonella*.

Ph. Ti. colonella. *Linn. ii. 883.*—*Don. viii. 28. pl. 263. f. 2.*

—*Stew. ii. 196.*—*Turt. iii. 361.*

Ti. colonella. *Hüb. Ti. pl. 4. f. 23.*

Cr. colonatus: the green-shaded. *Haw. 374.*

Cr. colonum. *Fabr. Sup. 469.*

No. colonina. (*Haw. Pr. 13.*)

He. colonialis. (*Sam. I. 21.*)

Genus 323: (1106). MELIA, Curtis.

LITHOSIA *p.*, *Fabricius*, *Haworth.*

7413. 1; socia*. (*Curtis folio 201.*)

Ph. Ti. sociella. *Linn. ii. 883.*

Li. socia: the pale shoulder. *Haw. 151.*

Ti. tribunella. (*Wien. V. 319.*)—*Hüb. Ti. pl. 4. f. 22.*

No. sociina. (*Haw. Pr. 13.*)

He. socia. (*Sam. I. 21.*)

7414 † 2, bipunctana*. (*Curtis l. c. supra.*)

To. bipunctata. *Ent. Trans. (Haworth.) i. 337.*

Ti. sociella. *Hüb. Ti. pl. 4. f. 24.* In Mus. D. Hatchett.

Genus 324: (1107). —

MELIA *p.*, *Curtis.*

- 7415 † 1, flammea *?
Me. flammea. *Curtis.* v. pl. 201. In Mus. D. *Dale.*

- 7416 † 2, sericea *.
Me. sericea. *Curtis l. c. supra.* In Mus. D. *Curtis et Dale?*

Genus 325: (1108). EUDOREA, *Curtis*, (*Kirby.*)SCOPARIA^a, *Haw.*—SCOPEA, *Haw.*—CIILO *p.*, *Zinck. Sommers.*

7417. 1, pallida. *Curtis l. c. infra.*

7418. 2; Pyralella *.
Ti. Pyralella. *Hüb. Ti. pl. 24. f. 167.*—(*Haw. Pr. 36.*)
Sc. Pyralea: the yellow-stigmaed Grey. *Haw. 499.*
Ti. Pyralea. (*Sam. I. 41.*)
Eu. Pyralea. (*Curtis l. c. supra.*)

7419. 3; tristrigella * *mihi.*

7420. 4; dubitalis *.
Py. dubitalis. *Hüb. Py. pl. 8. f. 49.*
Sc. dubita: the hoary Grey. *Haw. 499.*
Eu. dubita. (*Curtis l. c. infra.*)

7421. 5; cembrella *.

- Ph. Ti. cembrella. *Linn. ii. 892?*—*Stew. ii. 200.*—*Turt. iii. 372.*
Sc. Cembræ: the large Grey. *Haw. 498.*
Eu. Cembræ. (*Curtis l. c. infra.*)

7422. 6; subfuscata *. (*Curtis l. c. infra.*)

- Sc. subfuscata: the drab Grey. *Haw. 498.*

7423. 7, murana. *Curtis. iv. pl. 170.*

7424. 8; lineola *. *Curtis l. c. supra.*

7425. 9; Resinea *.

- Sc. Resinea: the Resin Grey. *Haw. 499.*

- Eu. Resinea. (*Curtis l. c. supra.*)

7426. 10; Mercurella *.

- Ph. Ti. Mercurella. *Linn. ii. 892.*—(*Haw. Pr. 39.*)

- Sc. Mercurea: the Small Grey. *Haw. 499.*

- Eu. Mercurea. (*Curtis l. c. supra.*)

- Ti. Cratægella. *Hüb. Ti. pl. 34. f. 231.*

7427. 11; angustea *. *Curtis l. c. supra.*

Genus 326: (1109). PHYCITA, *Curtis.*PHYCIS^b *p.*, *Fabr.*, *Haworth*, *Leach*, *Samou.*

7428. 1: nebulella *.

^a SCOPARIA: Genus Plantarum. Vide *Linn.* iii. 123.^b PHYCIS: Piscis Antiquorum.

- Ti. nebulella. *Hüb. Ti. pl. 23. f. 157.*—(*Haw. Pr. 38.*)
 Ph. nebulea: the ermine Knot-horn. *Haw. 494.*—(*Curtis l. c. infra.*)
7429. 2; diluta*: the powdered Knot-horn. *Haw. 495.*—(*Curtis l. c. infra.*)
 Ti. dilutella. *Hüb. Ti. pl. 10. f. 69?*
 Ti. canella. (*Wien. V. 135?*)
7430. 3; elutella*.
 Ti. elutella. *Hüb. Ti. pl. 24. f. 163.*—(*Haw. 38.*)
 Ph. elutea: the cinereous Knot-horn. *Haw. 496.*—(*Curtis l. c. infra.*)
7431. 4: rufa*: the rufous Knot-horn. *Haw. 497.*—(*Curtis l. c. infra.*)
7432. 5; angustella*.
 Ti. angustella. *Hüb. Ti. pl. 10. f. 68?*
 Ph. angustea: the small Ermine Knot-horn. *Haw. 497.*—(*Curtis l. c. infra.*)
7433. 6; semirufa*: the red-streaked Knot-horn. *Haw. 496.*—(*Curtis l. c. infra.*)
7434. 7; bistriga*: the double-striped Red Knot-horn. *Haw. 496.*—(*Curtis l. c. infra.*)
 Ti. bistriga. (*Sam. I. 41.*)
7435. 8: Gemina*: the twin-barred Knot-horn. *Haw. 497.*
7436. 9; tumidella*. *Germ. M. (Zincken g. Sommer.) iii. 136.*
 To. tumidana. (*Wien. V. 130?*)
 Ti. verrucella. *Hüb. Ti. pl. 11. f. 73.*—(*Haw. Pr. 36.*)
 Ph. verrucea: the warted Knot-horn. *Haw. 494.*—(*Curtis l. c. infra.*)
7437. 10; consociella*. *Germ. M. (Zincken g. Sommer.) iii. 138.*—(*Curtis l. c. infra.*)
 Ti. consociella. *Hüb. Ti. pl. 48. f. 328.*
7438. 11; fascia*: the broad-barred Knot-horn. *Haw. 496.*—(*Curtis l. c. infra.*)
 Ph. suavella. *Germ. M. (Zincken g. Sommer.) iii. 140.*
7439. 12: advenella*. *Germ. M. (Zincken g. Sommer.) iii. 141.*
7440. 13; marmorea*: the marbled Knot-horn. *Haw. 495.*—(*Curtis l. c. infra.*)
7441. 14, Porphyrea*. (*Curtis l. c. infra.*)
7442. 15; Rhenella*. *Germ. M. (Zincken g. Sommer.) iii. 166.*
 Tin. Rhenella. *Schiffermüller.*—*Charp. & Z. S. 178.*
 Ti. palumbella. *Hüb. Ti. pl. 10. f. 70.*

- Ph. palumbea: the dove-coloured Knot-horn. *Haw.* 494.—
 (*Curtis l. c. infra.*)
7443. 16: pinguis*: the tabby Knot-horn. *Haw.* 493.—*Curtis v. pl.* 233.
7444. 17; formosa*: the beautiful Knot-horn. *Haw.* 494.—
 (*Curtis l. c. supra.*)
7445. 18, obtusa*: the blunt-winged Knot-horn. *Haw.* 495.—
 (*Curtis l. c. supra.*)
 Ti. obtusella. *Hüb. Ti. pl.* 31. *f.* 215?
7446. 19; ornatella*. *Germ. M. (Zincken g. Sommer.)* iii. 154.
 Ti. ornatella. (*Wien. V.* 319.)
 Ti. criptella. *Hüb. Ti. pl.* 11. *f.* 77.—(*Haw. Pr.* 36.)
 Ph. cryptea: the speckled Knot-horn. *Haw.* 493.—(*Curtis l. c. supra.*)
- 7447 + 20, Abietella*. *Germ. M. (Zincken g. Sommer.)* iii. 160.
 Ti. Abietella. (*Wien. V.* 138.)—*Fabr. M.* ii. 245.
 Ti. Decuriella. *Hüb. Ti. pl.* 11. *f.* 74.
 Ph. Deeuriella. (*Curtis l. c. supra.*)
 In Mus. *D. Bentley, Dale et Steme.*
7448. 21; Roborella*. *Germ. M. (Zincken g. Sommer.)* iii. 147.
 Ti. Roborella. (*Wien. V.* 138.)
 Ti. spissicella. *Fabr. Sp. I.* ii. 289.—*Hüb. Ti. pl.* 11. *f.* 75.—
 (*Haw. Pr.* 36.)
 Ti. spissicornis. *Fabr. S.* 463.—(*Sam. I.* 41.)
 Ph. spissicornis: the dotted Knot-horn. *Haw.* 492.—(*Curtis l. c. supra.*)
7449. 22; cristella*. *Germ. M. (Zincken g. Sommer.)* iii. 152?
 Ti. cristella. *Hüb. Ti. pl.* 11. *f.* 76.—(*Haw. Pr.* 36.)
 Ph. cristea: the purplish Knot-horn. *Haw.* 492.—(*Curtis l. c. supra.*)
7450. 23; legatella*. *Germ. M. (Zincken g. Sommer.)* iii. 149.
 Ti. legatella. *Hüb. Ti. pl.* 11. *f.* 71?—(*Haw. Pr.* 36.)
 Ph. legatea: the plain Knot-horn. *Haw.* 492.—(*Curtis l. c. supra.*)
7451. 24; fusca*: the brown Knot-horn. *Haw.* 493.—(*Curtis l. c. supra.*)
7452. 25; palumbella*. *Germ. M. (Zincken g. Sommer.)* iii. 151.
 Ti. palumbella. (*Wien. V.* 138.)—*Fabr. iii. b.* 302.
 Ti. contubernella. *Hüb. Ti. pl.* 11. *f.* 72.—(*Haw. Pr.* 36.)
 Ph. contubernea: the mealy Knot-horn. *Haw.* 493.—(*Curtis l. c. supra.*)
 Ti. contuberaria. (*Sam. I.* 41.)

Genus 327: (1110). ONCOCERA *mihi*.

CRAMBUS *p*, Fabricius.—PALPARIA *p*, Haw.—PHYCIS *p*, Zincken g. Sommer.—PHYCITA *p*, Curtis fo. 233.—YPONOMEUTA *p*, Samou.

A. Palpis erectis.

7453. 1; Cardui*.

Pa. Cardui: the Thistle Ermine. Haw. 484.

Cr. Cardui. (Sam. I. 13.)

Ph. Cardui. (Curtis l. c. supra.)

Ti. Cribella. Hüb. Ti. pl. 10. f. 67?—(Haw. Pr. 35.)

Ypo. Cribella. (Sam. I. 44.)

Thistle Ermine. Harr. V. M. 25.

7454. 2; carnella*.

Ph. Ti. carnella. Linn. ii. 837.—(Haw. Pr. 36.)

Ti. carnella. Hüb. Ti. pl. 10. f. 66.

Pa. carnea: the rosy Veneer. Haw. 484.

Cr. carnea. (Sam. I. 13.)

Ph. carnea. (Curtis l. c. supra.)

Purple Vanear. Harr. V. M. 51?

7455. [3; sanguinella*.]

Ti. sanguinella. Hüb. Ti. pl. 10. f. 65.—(Haw. Pr. 36.)

Pa. sanguinea: the buff-edged rosy Veneer. Haw. 484.

Cr. sanguinea. (Sam. I. 13.)

Ph. sanguinea. (Curtis l. c. supra.)

Ph. Ti. carnella. Dou. v. 35. pl. 153. f. 5.—Turt. iii. 365.

B. Palpis porrectis.

7456. 4, miniosella.

Phy. miniosella. Germ. Mag. (Zincken g. Sommer.) iii. 126.

7457. [5, Lotella]?

Ti. Lotella. Hüb. Ti. pl. 48. f. 334?

7458 † 6, ocellea*.

Pa. ocellea: the Necklace Veneer. Haw. 436.

Cr. ocellea. (Sam. I. 13.) In Mus. D. Haworth.

7459. 7; ahenella*.

Ti. ahenella. (Wieu. V. 135?)—Hüb. Ti. pl. 9. f. 58, 9?

Ti. ænecella. Hüb. Ti. pl. 6. f. 41. ♂?

Cr. obscuratus: the dingy Snout. Haw. 367.

Her. obscuralis. (Sam. I. 21.)

Pa. tetrix: the mouse-coloured Veneer. Haw. 486.

Cr. tetrix. (Curtis l. c. folio 109.)

Genus 328: (1111). CRAMBUS, Fabricius, Samou., Curtis.

PALPARIA *p*, Haworth.—TRICHOSTOMA, Zinck. S. (olim.)—CHILO *p*, Zinck. S.

A.

7460. 1; Lythargyrellus*.

Ti. Lythargyrella. Hüb. Ti. pl. 33. f. 227.

7461. 2; argyreus*. *Fabr. S. 471.*
 Pa. argyrea: the streaked-Satin Veneer. *Haw. 486.*
 Striped Vanear. *Harr. V. M. 53.*
7462. 3; Arbustorum*. *Fabr. S. 472.*
 Pa. arbustea: the yellow-satin Vener. *Haw. 486.*
 Cr. Arborum. (*Sam. I. 13.*)
7463. 4; argentellus*.
 Ph. Ti. argentellus. *Linn. ii. 895?*—*Stew. ii. 202?*—*Turt. iii. 365?*
 Pa. argentea: the white-satin Veneer. *Haw. 486.*
 Ti. perlella. (*Wien. V. 134.*)—*Hüb. Ti. pl. 6. f. 40.*
 Silver Vanear. *Harr. V. M. 53.*
7464. [5; dealbellus*.]
 Ti. dealbella. *Thunb. Diss. (Wenner.) 84.*
- B.
7465. 6, hamellus*.
 Ti. hamella. *Thunb. Diss. (Wenner.) 84. pl. adj. f. 3.*
 Ti. ensigerella. *Hüb. Ti. pl. 54. f. 367. (667.)*
 Pa. baccæstria: the pearl-streak Veneer. *Haw. 488.*
- 7466 † 7, tentaculellus*. (*Curtis l. c. supra.*)
 Ti. tentaculella. *Hüb. Ti. pl. 83. f. 230.*
 Pa. tentaculea: the Portland Veneer. *Haw. 487.*
 In Mus. *D. Stone.*
7467. 8; pascuellus*.
 Ph. Ti. pascuella. *Linn. ii. 886.—Stew. ii. 197.—Turt. iii. 365.*
 Ti. pascuella. *Hüb. Ti. pl. 5. f. 31.—(Haw. Pr. 36.)*
 Cr. pascuum. *Fabr. S. 471.*
 Cr. pascuorum. (*Leach E. E. ix. 135.*)—(*Sam. I. 13.*)
 Pa. pascuea: the inlaid Veneer. *Haw. 488.*
- † β, Cr. pascella. *Ahrens F. iii. f. 16.* β in Mus. *D. Stone.*
7468. 9: Dumetellus*.
 Ti. Dumetella. *Hüb. Ti. pl. 58. f. 389.*
 Ph. Ti. pascuella. *Scop. C. No. 621.*
7469. 10, ericellus*.
 Ti. ericella. *Hüb. Ti. pl. 54. f. 371. (271.)*
7470. 11; pratellus*.
 Ph. Ti. pratella. *Linn. ii. 886.—Stew. ii. 197.—Turt. iii. 364.*
 Ti. pratella. *Hüb. Ti. pl. 5. f. 29.—pl. 60. f. 401.—(Haw. Pr. 36.)*
 Cr. pratorum. *Fabr. S. 471.—(Leach E. E. ix. 135.)—(Sam. I. 13.)*
 Pa. pratea: the dark inlaid Veneer. *Haw. 488.*
7471. [12; angustellus*] mihi.
7472. 13; hortuellus*.
 Ti. hortuella. *Hüb. Ti. pl. 7. f. 46.*

Pa. hortaea: the garden Veneer. *Haw.* 490.
Cr. hortorum. (*Sam. I.* 13.)

7473. [14; cespitellus*.]

Ti. cespitella. *Hüb. Ti. pl. 7. f.* 45.

Pa. cespitea: the straw-coloured Veneer. *Haw.* 490.

Cr. cespitis. (*Sam. I.* 13.)

Ti. strigella. *Fabr. iii. b.* 297.

Cr. strigatus. *Fabr. S.* 472.—(*Sam. I.* 13.)

Ti. chrysonuchella. (*Wien. V.* 134.)

Chi. hortuellus var. *Germ. M.* (*Zincken g. Sommer.*) ii. 62.

7474. 15, montanellus *mihi*.7475. 16, marginellus *mihi*.

7476. 17; tristis*.

Pa. tristis: the dingy Veneer. *Haw.* 486.

Te. tristella. *Fabr. iii. b.* 296?

Ti. lignella. *Hüb. Ti. pl. 9. f.* 57?

7477. 18; culmellus*.

Ti. eulmella. *Linn. ii.* 886.

Ti. straminella. (*Wien. V.* 134.)—*Hüb. Ti. pl. 7. f.* 49.—(*Haw. Pr.* 36.)

Pa. striga: the small straw-coloured Veneer. *Haw.* 490.

Grass close-wing. *Harr. V. M.* 57?

7478. 19, auriferellus*.

♂, Ti. auriferella. *Hüb. Ti. pl. 9. f.* 62.

Pa. aurifera: the dark dwarf Veneer. *Haw.* 491.

Cr. auriferus. (*Curtis l. c. supra.*)

♀, Ti. barbella. *Hüb. Ti. pl. 9. f.* 61.

Pa. barbella: the dwarf Veneer. *Haw.* 490.

Cr. barbus. (*Curtis l. c. supra.*)

7479. 20, pygmæus.

Pa. pygmæa. *Haworth MSS.*

C.

7480. 21, radiellus. *Curtis. iii. pl.* 109.

Ti. radiella. *Hüb. Ti. pl. 47. f.* 325.

7481. 22, margaritellus.

Ti. margaritella. (*Wien. V.* 134.)—*Fabr. iii. b.* 295.—*Hüb. Ti. pl. 6. f.* 39.

Cr. margaritaceus. *Fabr. S.* 470.—(*Curtis l. c. supra.*)

7482. 23, latistrius*. (*Curtis l. c. supra.*)

Pa. latistria: the broad-streak Veneer. *Haw.* 485.

Ch. Leachellus. *Germ. M.* (*Zincken g. Sommer.*) iii. 114.

7483. 24; Pinetellus*.

Ph. Ti. pinetella. *Linn. ii.* 836.—*Don.* viii. 27. *pl.* 263. *f.* 1.

—*Stew. ii.* 197.—*Turt. iii.* 364.

Cr. Pineti. *Fabr.* S. 470.—(*Leach E. E.* ix. 135.)—(*Sam. I.* 13.)
 Pa. Pineti: the Pearl Veneer. *Haw.* 487.
 Ti. conchella. *Hüb. Ti. pl.* 6. f. 38.—(*Haw. Pr.* 36.)
 Ph. virginella. *Scop. C.* No. 629.

7484. 25; chrysonuchellus *.

Ti. chrysonuchella. *Scop. C.* No. 628.

Ti. Gramella. *Fabr.* iii. b. 300. (!)—*Stew.* ii. 198.—*Turt.* iii. 367.

Ti. campella. *Hüb. Ti. pl.* 7. f. 44.—(*Haw. Pr.* 36.)

Pa. campea: the powdered Veneer. *Haw.* 489.

7485 + 26, rorellus *.

Ti. rorella. *Linn.* ii. 886.

Ti. Craterella. *Scop. C.* No. 627.

Ti. linetella. *Fabr.* iii. b. 292.

Cr. lineatus. *Fabr.* S. 470.

Ti. chrysonuchella. *Hüb. Ti. pl.* 7. f. 43.—(*Curtis l. c. supra.*)
 In Mus. D. Stone.

7486. 27; falsellus *.

Ti. falsella. (*Wien. V.* 134.)—*Fabr.* iii. b. 295.—*Hüb. Ti. pl.* 5. f. 50.—(*Haw. Pr.* 36.)

Pa. falsa: the chequered Veneer. *Haw.* 488.

Ti. abruptella. *Thunb. Diss. (Wenner.)* 83. *pl. f.* 2.

Cr. falsa. (*Sam. I.* 13.)

7487. 28; luteellus *.

Ti. luteella. (*Wien. V.* 134.)

Ti. ochrella. *Hüb. Ti. pl.* 8. f. 55. ♂.

Ti. exsoletella. *Hüb. Ti. pl.* 7. f. 48. ♀.—(*Haw. Pr.* 36.)

Pa. rorea: the barred Veneer. *Haw.* 488.

Cr. Rosea. (*Sam. I.* 13.)

7488. 29; inquinatellus *.

Ti. inquinatella. (*Wien. V.* 134.)—*Hüb. Ti. pl.* 8. f. 54.—(*Haw. Pr.* 36.)

Pa. geniculea: the elbow-striped Veneer. *Haw.* 488.

Cr. geniculea. (*Sam. I.* 13.)

7489 + 30: aridellus *. (*Curtis l. c. supra.*)

Ti. aridella. *Thunb. Diss. (Wenner.)* 83. *pl. f.* 1.

In Mus. D. Stone.

7490. 31; selasellus *.

Ti. selasella. *Hüb. Ti. pl.* 60. f. 405. ♂. 406. ♀.

7491. 32; fuscelinellus.

Ti. fuscelinella. *Schrink B.* ii. 100.

7492. 33; obtusellus * mihi.

7493. 34; petrificellus *.

Ti. petrificella. *Hüb. Ti. pl.* 7. f. 47.

- Pa. petrificea: the common Veneer. *Haw.* 485.
 Cr. petrificea. (*Sam. I.* 13.)
 Vanear. *Harr. V. M.* 53.
7494. 35; nigristriellus * *mihi*.
 Ti. dcliella. *Hüb. Ti. pl.* 60. *f.* 402, 403?
7495. 36; aquilellus.
 Ti. aquilella. *Hüb. Ti. pl.* 8. *f.* 52.
7496. 37; paleellus *.
 Ti. paleella. *Hüb. Ti. pl.* 8. *f.* 51.—(*Haw. Pr.* 36.)
 Pa. palcea: the large yellow Veneer. *Haw.* 485.
 Ti. exoletella. (*Wien. V.* 134.)
 Yellow Vanear. *Harr. V. M.* 53.
7497. 38; culmorum *. *Fabr. S.* 471.
 Ti. culmella. *Hüb. Ti. pl.* 8. *f.* 50.—(*Haw. Pr.* 36.)
 Pa. culmea: the large brown-edged Veneer. *Haw.* 485.
 Ph. culmella. *Berk. S. i.* 146?—*Stew. ii.* 198?—*Turt. iii.* 365?
 Cr. culmorum. (*Sam. I.* 13.)
- Genus 329: (1112). CHILO, Zinck. Sommer.
- CRAMBUS *p*, et LITHOSIA *p*, *Fabr.*—PALPARIA *p*, Haworth.
7498. 1; sorficellus *. *Charp. & Z. S.* 123.
 Ti. sorficella. *Thunb. Diss. (Wenner.)* 85. *pl. adj. f.* 4.
 Pa. consortia: the aquatic Veneer. *Haw.* 483.
 Cr. consorta. (*Sam. I.* 13.)
 Ch. mucronellus. *Germ. M. (Zincken g. Sommer.)* ii. 39.
 ♂; Ti. consortella. *Hüb. Ti. pl.* 32. *f.* 220.—(*Haw. Pr.* 36.)
 ♀; Ti. lanceolella. *Hüb. Ti. pl.* 43. *f.* 296.
 Var. ♂, Pa. hirta: the hairy-horned Vener. *Haw.* 483.
7499. 2, fumeus.
 Pa. fumea: the smoky Veneer. *Haw.* 483.
7500. 3, punctigerellus *mihi*.
7501. 4: Phragmitellus. *Germ. M. (Zincken g. Sommer.)* ii. 36.
 Ti. Phragmitella. *Hüb. Ti. pl.* 43. *f.* 297. ♂.—*f.* 298. ♀.
 Pa. rhombea: the wainscot Veneer. *Haw.* 483.
7502. 5: gigantellus *. *Germ. M. (Zincken g. Sommer.)* ii. 38.
 Ti. gigantella. (*Wien. V.* 135.)—*Hüb. Ti. pl.* 8. *f.* 53.
 Pa. gigantella: the gigantic Veneer. *Haw.* 482.
 Cr. gigantea. (*Sam. I.* 13.)
 Lith. convoluta. *Fabr. S.* 460.
7503. 6; caudellus *.
 Ph. Ti. caudella. *Linn. ii.* 894.—(*Haw. Pr.* 35.)
 Pa. caudea: the Hook-tip Veneer. *Haw.* 482.
 Cr. caudea. (*Sam. I.* 13.)
 Ti. mucronella. (*Wien. V.* 136.)—*Fabr. iii. b.* 298.

Cr. mucronatus. *Fabr. S. 473.*

Ti. acuminella. *Hüb. Ti. pl. 41. f. 284.* ♀.

Genus 330: (1113). PLUTELLA, Schrank, (Kirby.)

PALPARIA *p.*, Haw.—YPSOLOPHUS *p.*, Fabr., Haw.

7504. 1; Acinacidella*.

Ti. Acinacidella. *Hüb. Ti. pl. 34. f. 237.*

Pa. acinacidea: the Narrow-winged Veneer. *Haw. 482.*

Cr. acinacidea. (*Sam. I. 13.*)

7505. 2; nemorella*.

Ph. Ti. nemorella. *Linn. ii. 887.*—*Stew. ii. 198.*

Ti. cultrella. *Hüb. Ti. pl. 41. f. 282.*—(*Haw. Pr. 35.*)

Pa. cultrea: the pale Hook-tip Veneer. *Haw. 482.*

Cr. cultrea. (*Sam. I. 13.*)

7506. 3; dentella*: the tooth-streaked Hook-tip.—*Haw. l. c.*

Yp. dentellus. *Fabr. S. 508.*—*Haw. 538.*

Ti. harpella. (*Wien. V. 136.*)—*Hüb. Ti. pl. 16. f. 110.*—(*Haw. Pr. 35.*)

Albin. pl. lxxiii. f. e-h.

7507. 4; scabrella*.

Ph. Ti. scabrella. *Linn. ii. 891.*—*Turt. iii. 381.*

Ti. pterodactylella. *Hüb. Ti. pl. 15. f. 102.*

Yp. pterodactylellus: the wainscot Hook-tip. *Haw. 539.*

Ti. bifissella. (*Wien. V. 319.*)

7508. 5; subfalcatella.

Ti. falcella. *Hüb. Ti. pl. 16. f. 112.*—(*Haw. Pr. 35?*)

7509. 6, asperella.

Ph. Ti. asperella. *Linn. ii. 891.*—*Stew. ii. 204.*—*Turt. iii. 381.*

To. asperellana: the rough White. *Haw. 416.*

Ti. asperella. *Hüb. Ti. pl. 15. f. 101.*

Yp. asperellus: the chequered Hook-tip. *Haw. 539.*

Ph. Ti. falcatella. *Don. x. 81. pl. 355. f. 5.*

Genus 331: (1114). YPSOLOPHUS, Fabricius.

YPONOMEUTA *p.*, Samou.—CEROSTOMA, Latr.—ALUCITA *p.*, Fabr., (olim.)

7510. 1; mueronellus*: the netted Hook-tip. *Haw. 539.*

Ti. mucronella. *Hüb. Ti. pl. 15. f. 99.*

7511. 2; Persicellus*.

Yps. bifasciatus: the double-barred. *Haw. 544.*

Yps. Nemorum. *Fabr. S. 508?*—(*Leach E. E. ix. 135.*)

Ti. Nemorum. (*Sam. I. 41.*)

7512. 3; costellus*: the White-shouldered.—*Haw. l. c. Fabr. S.*

509. (!)—*Haw. 542.*—*Turt. iii. 381.*

- Ti. costella. *Hüb. Ti. pl. 16. f. 107.*
 Ph. costatella. *Stew. ii. 203.*
7513. [4; ochroleucus *]: the buff White-shoulder. *Haw. 542.*
 7514. [5; ermineus *]: the ermined White-shoulder. *Haw. 542.*
 7515. [6; ustulatus *]: the streaked White-shoulder. *Haw. 542.*
 7516. 7; variellus *.
 Ti. variella. *Hüb. Ti. pl. 16. f. 106.*
 Yps. variellus: the variable Autumn. *Haw. 543.*
7517. [8; quinquepunctatus *]: the five-spotted. *Haw. 544.*
 7518. [9; lutosus *]: the dotted Drab. *Haw. 545.*
 7519. [10; flaviciliatus *]: the yellow-fringed White. *Haw. 545.*
 7520. 11; rufimitrellus *.
 Ti. rufimitrella. *Hüb. Ti. pl. 18. f. 124.*
7521. 12; fissellus *.
 Ti. fissella. *Hüb. Ti. pl. 16. f. 103.*
 Yps. fissus: the Broad Streak. *Haw. 543.*
7522. 13; radiatellus *.
 Ph. Ti. radiatella. *Don. iii. 14. pl. 77. f. 3, 4.—Turt. iii. 370.*
 Ti. radiatella. (*Haw. Pr. 39.*)
 Yps. radiatus: the Radiated. *Haw. 543.*
7523. 14; maurellus *.
 Ti. maurella. *Hüb. Ti. pl. 18. f. 122.*
7524. 15; vittellus *: the black Back. *Haw. 541.*
 Ph. Ti. vittella. *Linn. ii. 890.*
 Ti. vittella. *Hüb. Ti. pl. 24. f. 164.—(Haw. Pr. 38.)*
 Ti. vittatus. (*Leach E. E. ix. 135.*)
 Ce. dorsatus. *Latr. G. iv. 233. pl. 16. f. 6?*
7525. 16; sequellus *: the small Marvel du Jour. *Haw. 541.*
 Ph. Ti. sequella. *Linn. ii. 885.—Turt. iii. 363.*
 Ti. sequella. *Hüb. Ti. pl. 15. f. 103.—(Haw. Pr. 35.)*
 Yps. sequellus. (*Sam. I. 44.*)
7526. 17; Hesperidellus *.
 Ti. Hesperidella. *Hüb. Ti. pl. 25. f. 169.—(Haw. Pr. 38.)*
 Yps. vittatus. *Fabr. S. 506.*
 Yps. Hesperidis: the gray Streak. *Haw. 541.*
 Ph. Ti. porrectella. *Linn. ii. 894?*
7527. 18; Xylostella *: the Honeysuckle.—*Haw. l. c.*
 Ph. Ti. Xylostella. *Linn. ii. 890.—Stew. ii. 203.*
 Yp. Xylostei. *Fabr. S. 503.—Haw. 540.*
 Ti. Xylostella. *Hüb. Ti. pl. 17. f. 119.—(Haw. Pr. 38.)*

Genus 332: (1115). EUPLOCAMUS, Latreille, Leach, Samou.

Phycis p, Och.—PYRALIS p, Scopoli.

7528 † 1. Anthracinellus ^a.

7529 † 2. tessellus ^b.

7530. 3: mediellus *. (Ing. Inst. 90.)

Ti. mediella. Hüb. Ti. pl. 3. f. 19.

Genus 333: (1116). TINEA Auctorum. Clothes-Moth.

7531. 1; tapetzella *: black-cloaked Woollen-M.—Haw. l. c.

Fabr. iii. 303.—Hüb. Ti. pl. 13. f. 91.—(Haw. Pr. 35.)—Haw.

562.—(Kirby & Sp. I. E. i. 230.)

Ph. Ti. tapetzella. Linn. ii. 888.—Stew. ii. 198.—Turt. iii. 368.

Pha. tapetzella. Berk. S. i. 147.

Py. tapezana. Fabr. S. 480.

7532. 2; semifulvella *: the Fulvous tip. Haw. 562.

7533. 3; vestianella *?

Ph. Ti. vestianella. Linn. ii. 888.—Turt. iii. 369.

Ti. vestianella. (Haw. Pr. 37.)

Ti. saturella: the dark brindled Woollen-M. Haw. 562.

7534. 4; fuscipunetella *: the brown-dotted Woollen-M. Haw. 562.

7535. 5; pellionella *: the single spotted Woollen-M.—Haw. l. c.

Fabr. iii. 304.—Hüb. Ti. pl. 3. f. 15.—(Haw. Pr. 37.)—(Leach E. E. ix. 133.)—Haw. 563.—(Kirby & Sp. I. E. i. 230.)—Stark E. ii. 369.

Ph. Ti. pellionella. Linn. ii. 888.—Stew. ii. 198.

Physis pellionella. (Sam. I. 33.)

7536. 6; nigripunctella *: the many-spotted Yellow. Haw. 564.

7537. 7, albipunctella *: the white-speckled Black. Haw. 564.

7538. 8, flavescentella: the triple-spotted Buff. Haw. 564.

7539. 9; Lappella *: the triple-spotted Yellow.—Haw. l. c. Hüb. Ti. pl. 37. f. 252.—Haw. 564.

Ph. Ti. Lappella. Linn. ii. 889?—Stew. ii. 203?

Ti. tripunctella. Fabr. iii. b. 312.—Don. xi. 64. pl. 382. f. 3.

^a 7528 † 1. Anthracinellus.

Ti. anthracinella. (Wien. V. 319.)—Hüb. Ti. pl. 33. f. 224.

Ti. guttella. Fabr. iii. b. 293.—Turt. iii. 364. (!)

Eu. guttellus. (Latr. G. iv. 223.)—(Leach E. E. ix. 133.)—(Samou. 249. (!))

Ph. Anthracina. (Och. iii. 122.)—Id. iv. 51.

^b 7529 † 2. tessellus.

Ph. Ti. tessella. Linn. ii. 889?—Turt. iii. 370. (!)—An hujus generis?

7540. 10, sulphurella *: the Sulphur. *Haw.* 564.
7541. 11, Destructor *mihî*. *Zool. J. (Stephens.)* i. 453 nota.
Ti. flavifrontella. *Latr. G.* iv. 224?
7542. 12; ustella *: the white-backed Black. *Haw.* 565.
Ph. Ti. ustella. *Linn.* ii. 890.
Ph. Ti. flavella. *Mus. Marsham.*
Ti. ferruginella. *Hüb. Ti. pl.* 51. f. 348.
7543. 13; cloacella *: the dark-mottled Woollen. *Haw.* 563.
Ph. Ti. fuscella. *Linn.* ii. 893?—*Turt.* iii. 372?
7544. 14; granella *: the mottled Woollen. (*Haw. Pr.* 38.)—*Haw.* 563.
Ph. Ti. granella. *Linn.* ii. 889.—*Stew.* ii. 203.—*Turt.* iii. 380.
7545. 15; parasitella *: the light-brindled Woollen.—*Haw. l. c.*
Hüb. Ti. pl. 3. f. 16.—(*Haw. Pr.* 37.)—*Haw.* 563.
- Genus 334: (1117). LEPIDOCERA *mihî*.
- YPSOLOPHUS *p.*, Haworth.
7546. 1; Taurella *.
Ti. Taurella. *Hüb. Ti. pl.* 27. f. 188.
Yp. Taurellus: the little Bull. *Haw.* 546.
7547. 2; setella *.
Ph. Ti. setella. *Marsham MSS.*
7548. 3; mediopectinella *.
Ti. mediopectinella. (*Haw. Pr.* 35.)
Yp. mediopectinellus: the middle Feathered. *Haw.* 545.
7549. 4, Chenopodiella.
Ti. Chenopodiella. *Hüb. Ti. pl.* 46. f. 320.

Genus 335: (1118). INCURVARIA, Haworth.

RECURVARIA *p.*, Haworth.

7550. 1; masculella *.
Ti. masculella. (*Wien. V.* 143.)—*Hüb. Ti. pl.* 18. f. 125. ♀.
—(*Haw. Pr.* 35.)
Ti. muscalella. *Fabr.* iii. b. 314.
In. muscula: the feathered Diamond-Back. *Haw.* 559.
Var. Ti. bipunctella. (*Haw. Pr.* 35.)
7551. 2, pectinella *: the feathered Twin-spot. *Haw.* 559.
Ti. pectinella. *Fabr.* iii. b. 310?
Ph. Ti. trigonella. *Linn.* ii. 891?—*Turt.* iii. 373?
7552. 3; Oehlmanniella *.
Ti. Oehlmanniella. *Hüb. Ti. pl.* 27. f. 184.—(*Haw. Pr.* 37.)
In. Oehlmanni: Oehlman's. *Haw.* 560.
7553. [4, spuria *]: the Treble-spotted. *Haw.* 560.

7554. 5; tripunctella*.

Rec. tripuncta: the Treble-spotted. *Haw.* 557.

Genus 336: (1119). —

TINEA-MACULATÆ *p.*, Haworth.7555. 1; oppositella*: the two-spotted Brown.—*Haw.* l. c.Ti. oppositella. *Fabr.* S. 486. (!)—*Hüb. Ti. pl.* 21. *f.* 141.—(*Haw. Pr.* 37.)—*Stew.* ii. 204.—*Turt.* iii. 383.—*Haw.* 567.7556. 2; 4-punctella*: the double-spotted Brown.—*Haw.* l. c.Ti. 4-punctella. *Fabr.* iii. b. 311.—*Haw.* 567.7557. 3; minutella*: the double Gold-spotted.—*Haw.* l. c.Ti. minutella. *Linn.* ii. 893.—*Turt.* iii. 374.—(*Haw. Pr.* 39.)—*Haw.* 568.Ti. similella. *Hüb. Ti. pl.* 27. *f.* 182?7558. 4; atrella: the two-spotted Black.—*Haw.* l. c.Ti. atrella. *Hüb. Ti. pl.* 40. *f.* 278.—*Haw.* 567.

7559 † 5, miscella.

Ti. miscella: the Yellow-dotted. *Haw.* 580.In Mus. D. *Haworth.*7560 † 6, Knockella*: Knock's.—*Haw.* l. c.Ti. Knockella. *Fabr.* iii. b. 318.—*Haw.* 568.In Mus. D. *Haworth.*7561. 7, cerusella*: the triple-spotted White.—*Haw.* l. c.Ti. cerusella. *Hüb. Ti. pl.* 27. *f.* 183.—(*Haw. Pr.* 39.)—*Haw.* 567.

7562 † 8, formosella*.

Ti. formosella: the Gold striped Sable. *Ent. Trans.* (*Haworth.*) i. 337.

In Mus. D. —?

7563. 9; Albinella*: Albin's.—*Haw.* l. c.Ph. Ti. Albinella. *Linn.* ii. 897.—*Turt.* iii. 375.Ti. Albinella. *Fabr.* iii. b. 319.—*Haw.* 581.

7564. 10, Megerlella.

Ti. Megerlella. *Hüb. Ti. pl.* 44. *f.* 307.Genus 337: (1120). LAMPRONIA *mihi*.TI.-METALLICÆ *p.*, Haworth.7565. 1; capitella*: the triple-spotted Black.—*Haw.* l. c.Ph. Ti. capitella. *Linn.* ii. 894?—*Stew.* ii. 200.—(*Haw. Pr.* 39.)—*Turt.* iii. 373.Ti. capitella. *Fabr.* iii. b. 315. (!)—*Haw.* 565.7566. 2; prælatella*: the spotted Violet.—*Haw.* l. c.Ti. prælatella. *Fabr.* iii. b. 315.—*Hüb. Ti. pl.* 26. *f.* 251.—*Haw.* 566.

7567. 3; rupella *? the four-spotted Black.—*Haw.* *l. c.*
 Ti. rupella. *Fabr.* iii. b. 315.—*Hüb. Ti. pl.* 36. *f.* 250.—
Haw. 565.
7568. 4; flavipunctella *.
 Ti. flavipunctella: the four-spotted Brown. *Haw.* 566.
7569. 5; marginepunctella * *mihi*.
7570. 6; melanella *.
 Ti. melanella: the white-speckled Black. *Haw.* 266.
7571. 7; corticella *.
 Ti. corticella: the golden-speckled Black. (*Kirby & Sp. I. E.*
 i. 193.)—*Haw.* 266.
 Ph. Ti. corticella. *Linn.* ii. 893?—*Stew.* ii. 200?
7572. 8; atrella * *mihi*.
7573. 9; subpurplella *.
 Ti. subpurplella: the purple Underwing. *Haw.* 571.
 Ti. Knockella. *Hüb. Ti. pl.* 38. *f.* 260?
7574. 10; purplella *.
 Ti. purplella: the purple Upperwing. *Haw.* 571.
 Ti. Goldeggella. *Hüb. Ti. pl.* 37. *f.* 258?
7575. 11; europurplella *.
 Ti. europurplella: the Gold-brindled Purple. *Haw.* 572.
 Ti. Sparmannella. *Fabr.* iii. b. 324?
7576. 12; rubroaurella *.
 Ti. rubroaurella: the red-gold. *Haw.* 572.
 Ti. fibulella. *Fabr.* iii. b. 326?
7577. 13; Helwigella *.
 Ti. Helwigella. *Hüb. Ti. pl.* 38. *f.* 263.
 Ti. rubrifasciella: the red-barred Gold. *Haw.* 572.
7578. 14, sanguinella *.
 Ti. sanguinella: the scarlet-barred Gold. *Haw.* 572.
7579. 15; Calthella *.
 Ph. Ti. Calthella. *Linn.* ii. 895.—*Turt.* iii. 382.
 Ti. Calthella: the small Gold. (*Haw. Pr.* 38.)—*Haw.* 573.
 Ti. pusillella. *Hüb. Ti. pl.* 50. *f.* 341.
7580. 16, concinnella * *mihi*.
7581. 17; Seppella *: Sepp's.—*Haw.* *l. c.*
 Ti. Seppella. *Fabr.* iii. b. 320? (!)—(*Haw. Pr.* 38.)—*Haw.*
 573.—*Turt.* iii. 375.
7582. 18; amœnella *.
 Ti. amoenella. *Hüb. Ti. pl.* 57. *f.* 388.
7583. 19, bistrigella.
 Ti. bistrigella: the silver-striped Gold. *Haw.* 573.

Genus 338: (1121). —

7584. 1; auroguttella* *mihi*.

Genus 339: (1122). GRACILLARIA, Haworth.

ALUCITA *p.*, Fabr.

7585. 1; nebulea*: the nebulous Slender. *Haw.* 532.

7586. 2; Meleagripennella*.

Ti. Meleagripennella: the Turkey's Feather.—*Haw. l. c.* *Hüb.*

Ti. pl. 28. f. 189.—(*Haw. Pr. 38.*)—*Haw.* 578?

7587. 3; anastomosis*: the confluent Barr'd. *Haw.* 530.

Ti. Syringella. *Fabr.* iii. b. 328?

7588. 4; cinerea*: the double-barr'd Slender. *Haw.* 530.

7589. 5; V flava*: the yellow V. *Haw.* 530.

Ph. Ti. padella. *Linn.* ii. 894?

7590. 6; versicolor*: the Changeable. *Haw.* 531.

Ti. ustulatella. *Fabr.* iii. b. 307?

7591. 7; substriga*: the obscure striped. *Haw.* 532.

7592. 8; semifascia*: the semi White-bar. *Haw.* 528.

7593. 9; purpurea*: the triangle-marked Purple. *Haw.* 528.

7594. 10; stigmatella*.

Ti. stigmatella. *Fabr.* iii. 304. (!)—(*Haw. Pr. 39.*)—*Stew.* ii. 199.—*Turt.* iii. 369.

Ti. triangulella. *Panz. F.* xviii. f. 23.

Gra. trigona: the triangle-marked Red. *Haw.* 529.

Ti. Upupæpenella. *Hüb. Ti. pl. 30. f.* 203.

7595. 11; ochracea*: the triangle-marked Ochre. *Haw.* 528.

7596. 12; Thunbergella*.

Ti. Thunbergella. *Fabr.* iii. b. 326.

Gr. Thunbergii: Thunberg's. *Haw.* 529.

7597. 13; hemidactylella*.

Ti. hemidactylella. (*Wien. V.* 144.)—*Hüb. Ti. pl. 40. f.* 276.

Gr. hemidactyla: the mottled Red. *Haw.* 527.

Ph. Ti. punctella. *Linn.* ii. 890.

7598. 14; rufipennella*.

Ti. rufipennella. *Hüb. Ti. pl. 30. f.* 204.

7599. 15, elongella*.

Ph. Ti. elongella. *Linn.* ii. 890?—*Turt.* iii. 370?

Ti. signipenella. *Hüb. Ti. pl. 29. f.* 196.—(*Haw. Pr. 38.*)

Gr. signipennis: the plain Red. *Haw.* 527.

Ti. ciliella. (*Wien. V.* 136?)

7600. 16; violacea*: the violaceous Slender. *Haw.* 528.

7601. 17; roscipennella*.

Ti. roscipenella. *Hüb. Ti. pl. 29. f. 198.*

Gr. roscipennis: the livid Slender. *Haw. 528.*

7602. 18: leucapennella.

Ti. leucapennella. *Hüb. Ti. pl. 30. f. 205.*

7603. 19; præangusta: the Poplar Slender. *Haw. 530.*

Familia XXI: (134). ALUCITIDÆ, *Leach.*

(PTEROPHORITES, *Latrecille*.—PHALÆNA-ALUCITA, *Linné.*)
Plumes.

Genus 340: (1123). PTEROPHORUS, *Geoffroy, Haworth, Leach,*
Samou., Curtis.

ALUCITA p, *Schrank, (Kirby.)*

A.

7604. 1; pentadactylus*. *Fabr. iii. b. 348.*—(*Leach E. E. ix.*
135.)—(*Sam. I. 35.*)—(*Curtis l. c. infra.*)

Ph. Al. pentadactyla. *Linn. ii. 900.*—*Berk. S. i. 147.*—*Don.*
iv. 5. pl. 110.—*Stew. ii. 205.*—*Turt. iii. 385.*

Al. pentadactyla: the large White Plume. (*Haw. Pr. 39.*)—
Haw. 475.

Plumed M. *Harr. A. pl. 1. f. o-q.*

White plumed M. *Harr. V. M. 41.*

7605 † 2, spilodactylus. *Curtis. iv. pl. 161.*

In Mus. *D. Curtis, et Sparshall.*

7606. 3; bipunctidactylus. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)

Ph. Al. bipunctidactylus. *Villers E. ii. 535.*

Al. bipunctidactyla: the grey Wood Plume. (*Haw. Pr.*
App. 6.)—*Haw. 476.*

7607. 4; fuscodactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)

Ph. Al. fuscodactylus. *Villers E. ii. 535.*

Al. fuscodactyla: the brown Wood Plume. (*Haw. Pr. 39.*)—
Haw. 476.

7608. 5; pterodactylus*. *Fabr. iii. b. 347.*—(*Sam. I. 35.*)—
(*Curtis l. c. supra.*)

Ph. Al. pterodactyla. *Linn. ii. 900.*—*Turt. iii. 384.*

Al. pterodactyla: the common Plume.—*Haw. l. c. Hüb. Al.*
pl. 1. f. 4.—(*Haw. Pr. App. 6.*)—*Haw. 475.*

Ph. didactyla: Brown Feathered M. *Berk. S. i. 147.*—
Stew. ii. 205.—*Turt. iii. 384.*

Brown plumed M. *Harr. A. pl. 30. f. i-l.*—*Harr. V. M. 39.*

7609. 6; monodactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)

Ph. Al. monodactyla. *Linn. ii. 899?*—*Stew. ii. 383.*

Al. monodactyla: the hoary Plume. (*Haw. Pr. App. 5.*)—
Haw. 476.

7610. 7; tephridactylus*. (*Curtis l. c. supra.*)
Al. tephridactyla. *Hüb. Al. pl. 4. f. 17.*
7611. 8; tridactylus*. *Fabr. iii. b. 346.*—(*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. tridactyla. (*Haw. Pr. App. 5.*)—*Haw. 477.*
Ph. Al. tridactyla. *Linn. ii. 899.*—*Stew. ii. 205.*
7612. 9; niveidactylus* *mihi.*
7613. 10; tetradactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Ph. Al. tetradactyla. *Linn. ii. 900.*
Ph. Al. didactyla. *Scop. C. No. 265.*
Ph. Al. tridactyla. *Villers E. ii. 532.*
Al. tetradactyla: the white-shafted Plume. (*Haw. Pr. App. 6.*)—*Haw. 477.*
7614. 11; citridactylus. *Haworth MSS.*—(*Curtis l. c. supra.*)
7615. 12; ochrodactylus*. (*Curtis l. c. supra.*)
Al. ochrodactyla. *Fabr. iii. b. 345?*—(*Haw. Pr. App. 6.*)
7616. 13; galactodactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. galactodactyla: the spotted White Plume.—*Haw. l. c. Hüb. Al. pl. 1. f. 2.*—(*Haw. Pr. App. 6.*)—*Haw. 475.*
Al. albodactylus. *Fabr. iii. b. 348?*
7617. 14; leucodactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. leucodactyla. *Hüb. Al. pl. 1. f. 5.*
Al. leucodactyla: the lemon Plume. (*Haw. Pr. App. 6.*)—*Haw. 477.*
7618. 15; lunædactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. lunædactyla: the crescent Plume. *Haw. 477.*
Al. phæodactyla. *Hüb. Al. pl. 3. f. 14, 15.*
7619. 16; pallidactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. pallidactyla: the pale Plume. *Haw. 478.*
Al. ochrodactyla. *Hüb. Al. pl. 3. f. 12, 13?*
7620. 17; migadactylus*. *Fabr. iii. b. 348?*—(*Curtis l. c. supra.*)
Al. migadactyla: the Chalk-pit Plume. (*Haw. Pr. App. 6.*)—*Haw. 478.*
- Pt. megadactylus. (*Sam. I. 35.*)
7621. 18; phæodactylus* *mihi.* (*Curtis l. c. supra.*)
- B.
7622. 19; trigonodactylus*. (*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. trigonodactyla: the triangle Plume. *Haw. 478.*
7623. 20; rhododactylus*. *Fabr. iii. b. 347.*—(*Sam. I. 35.*)—(*Curtis l. c. supra.*)
Al. rhododactyla: the Rose Plume.—*Haw. l. c. Hüb. Al. pl. 2. f. 8.*—(*Haw. Pr. 39.*)—*Haw. 478.*

7624. 21; calodactylus *. *Fabr.* iii. b. 346.—(*Sam. I.* 35.)—
(*Curtis l. c. supra.*)
Al. calodactyla: the beautiful Plume.—*Haw. l. c.* *Hüb. Al.*
pl. 2. f. 7.—(*Haw. Pr. 39.*)—*Haw. 478.*
7625. 22; tesseradactylus *. *Fabr.* iii. b. 347.—(*Sam. I.* 35.)—
(*Curtis l. c. supra.*)
Ph. Al. tesseradactyla. *Linn.* ii. 900.—*Turt.* iii. 384.
Al. tesseradactyla: the marbled Plume. (*Haw. Pr. App. 6.*)
—*Haw. 479.*
Gray Plumed. *Harr. V. M.* 41.
7626. 23, punctidactylus *. (*Sam. I.* 35.)—(*Curtis l. c. supra.*)
Al. punctidactylus: the brindled Plume. *Haw. 479.*
Al. acanthadactyla. *Hüb. Al. pl. 5. f. 23, 24?*
7627. 24; didactylus *. (*Leach E. E.* ix. 135.)—(*Sam. I.* 35.)—
(*Curtis l. c. supra.*)
Ph. Al. didactyla. *Linn.* ii. 899.—*Don.* ix. 65. *pl. 318.*
Al. didactyla: the spotted rusty Plume. (*Haw. Pr. 39.*)—
Haw. 479.
Al. trichodactyla. *Hüb. Al. pl. 2. f. 9.*
7628. [25; heterodactylus *]. (*Sam. I.* 35.)
Ph. Al. heterodactyla. *Villers E.* ii. 535.
Al. heterodactyla: the spotted black Plume. (*Haw. Pr. 39.*)—
Haw. 479.
7629. 26, microdactylus *. (*Curtis l. c. supra.*)
Al. parvidactyla: the small Plume. *Haw. 480.*
Pt. macrodactylus. (*Sam. I.* 35.)

Genus 341: (1124). ALUCITA, *Scopoli*, *Leach*, *Samou.*

PTEROPHORUS *p*, *Fabr.*, *Haw.*—ORNEODES, *Latr.*

7630. 1; hexadactyla *. (*Haw. Pr. 39.*)—(*Leach E. E.* ix. 135.)—
(*Sam. I.* 2.)
Ph. Al. hexadactyla. *Linn.* ii. 900.—*Berk.* S. i. 148.—*Don.*
iv. 75. *pl. 136.*—*Stew.* ii. 205.—*Turt.* iii. 385.
Pt. hexadactylus: the six-cleft Plume.—*Haw. l. c.* *Fabr.* iii.
b. 349.—*Haw. 480.*
Twenty-plumed. *Harr. V. M.* 41.—*Harr. Ex.* 13. *pl. ii.*
f. 7. pl. iii. f. 1, aucta.
Many-feathered Moth.—*Berk. l. c.*
7631. 2, polydactyla. *Hüb. Al. pl. 6. f. 28.*
- 7632 † 3, pæciolodactyla *mihi.*

In Mus. D. Haworth.

ORDO II: (9). DIPTERA.

(ANTLIATA, *Fabricius*.—HALTERIPTERA, *Clairville*.)Familia I: (135). CULICIDÆ, *Latreille*.(CULEX, *Linné*, &c.—TIPULIDÆ *p*, *Leach*.—CULICIDES, *Latr.*, olim.)Genus 1: (1125). CULEX *Auctorum*. Gnat: Larvæ; Loggerheads.

7633. 1; annulatus*. *Fabr. A.* 35.—*Turt. iii.* 663.—*Zool. Journ. (Steph.) i.* 452.
Cu. pipiens. (*Samou. 71. pl. 9. f. 5. ♀.*)
7634. 2; affinis*. *Zool. Journ. (Steph.) i.* 452.
7635. 3; Calopus*. *Meig. Zw. i. 3?*—*Zool. Journ. (Steph.) i.* 452.
7636. 4; cantans*. *Meig. Zw. i. 6. pl. 1. f. 9. ♂.*—*Zool. Journ. (Steph.) i.* 453.
7637. 5; fumipennis*. *Zool. Journ. (Steph.) i.* 453.
7638. 6; ornatus*. *Meig. Zw. i. 5.*—*Zool. Journ. (Steph.) i.* 454.
Cu. equinus. *Meig. Kl. i. 3.*
7639. 7; sylvaticus*. *Meig. Zw. i. 6.*—*Zool. Journ. (Steph.) i.* 454.
Cu. fasciatus. *Meig. Kl. i. 4.*
7640. 8; maculatus. *Meig. Zw. i. 6.*—*Zool. Journ. (Steph.) i.* 454.
7641. 9; lateralis*. *Meig. Zw. i. 5.*
7642. 10; nemorosus*. *Meig. Zw. i. 4.*—*Zool. Journ. (Steph.) i.* 454.
Cu. reptans. *Meig. Kl. i. 3.*
7643. 11; domesticus?* *Meig. Zw. i. 8?*—*Zool. Journ. (Steph.) i.* 455.
7644. 12; pipiens*. *Linn. ii. 1002.*—*Berk. i. 166.*—*Stcw. ii. 268.*
—*Turt. iii. 663.*—*Shaw. G. Z. vi. 387.*—(*Kirby & Sp. I. E. i. 113.*—*Id. ii. 361.*)—(*Bingley. iii. 327.*)—*Zool. Journ. (Steph.) i.* 455.—*Wood. ii. 97. pl. 67.*—*Stark. E. ii. 376.*
7645. 13; bicolor*. *Meig. Zw. i. 9.*—*Zool. Journ. (Steph.) i.* 456.
7646. 14; marginalis*. *Zool. Journ. (Steph.) i.* 455.
7647. 15; lutescens*. *Fabr. A.* 35.—*Turt. iii. 664.*—*Zool. Journ. (Steph.) i.* 456.
7648. 16; punctatus. *Meig. Zw. i. 9.*—*Zool. Journ. (Steph.) i.* 456.
7649. 17; rufus*. *Meig. Zw. i. 7.*—*Zool. Journ. (Steph.) i.* 456.
7650. 18; concinnus *mihi*.

Genus 2: (1126). ANOPHELES, Meigen, Steph., Curtis.

CULEX, Linné, &c.

7651. 1; bifurcatus*. Meig. Zw. i. 11.—Zool. Journ. (Steph.) i. 456.—Curtis. v. pl. 210.
 Cu. bifurcatus. Linn. ii. 1002.—Berk. i. 166.—Stew. ii. 269.
 Cu. trifurcatus. Fabr. A. 35.—Turt. iii. 664.
 Cu. claviger. Meig. Kl. i. 4. pl. i. f. 8.
7652. 2; grisescens* mihi. Zool. Journ. (Steph.) iii. 160.
7653. 3; maculipennis*. Meig. Zw. i. 11. pl. 1. f. 17. ♀.—Zool. Journ. (Steph.) i. 457.—Curtis l. c. supra.
7654. 4, plumbeus* mihi. Zool. Journ. (Haliday & Steph.) iii. 160.

Familia II: (136). TIPULIDÆ, Leach.

(TIPULA, Linné, &c.)

Genus 3: (1127). CORETHRA, Meigen, Samouelle.

TIPULA p, DeGeer.—CHIRONOMUS p, Fabr.

7655. 1, plumicornis*. Meig. Zw. i. 15. pl. 1. f. 22. ♂.
 Ch. plumicornis. Fabr. A. 42.
 Ti. crystallina. DeGeer. vi. 149.
 Ti. hafniensis. Gmel. v. 2826.
 Co. lateralis. Meig. Kl. i. 8.—Panz. F. cix. f. 16.
 Straw coloured plumed Gnat. Gor. & Pr. i. pl. 2. f. 1, 2?
 larva and pupa.
7656. 2; culiciformis*. Meig. Zw. i. 16.—(Samou. I. 12.)
 Ti. culiciformis. DeGeer. vi. 144. pl. 23. f. 3—12.

Genus 4: (1128). CHIRONOMUS, Meigen, Samou., Curtis.

A. Alis nudis. a. Halteribus pallidis.

7657. 1; plumosus*. Fabr. A. 37.—(Kirby & Sp. I. E. iii. 288.
 —Id. iv. 54.)
 Ti. plumosa. Linn. ii. 974.—Berk. S. i. 161.—Don. i. pl. 49?
 —Stew. ii. 252.—Turt. iii. 590.
7658. 2; annularius*. Meig. Zw. i. 21.
 Ti. annularia. DeGeer. vi. 146. pl. 19. f. 14, 15.
7659. 3; grandis*. Megerle.—Meig. Zw. i. 21.
7660. 4; prasinus*. Meig. Zw. i. 22.
7661. 5, pallens. Meig. Zw. i. 22.
7662. 6; flaveolus*. Meg.—Meig. Zw. i. 23.
7663. 7; palustris* mihi.
7664. 8; tentans*. Fabr. A. 38.
 Ch. vernalis. Meig. Kl. i. 13.

7665. 9; *flavicollis* *. *Meig. Zw.* i. 24.
 7666. 10; *dorsalis* *. *Meig. Zw.* i. 25.
 7667. 11; *uliginosus* * *mihi*.
 7668. 12; *fasciatus* * *mihi*.
 7669. 13; *pilipes*. *Meg.*—*Meig. Zw.* i. 26.
 7670. 14; *littorellus* *. *Meig. Zw.* i. 26.
 7671. 15; *flavicornis* * *mihi*.
 7672. 16; *riparius* *. *Meig. Zw.* i. 23.
 7673. 17; *nigricans* * *mihi*.
 7674. 18; *fuscescens* * *mihi*.
 7675. 19; *pallipes* * *mihi*.
 7676. 20; *brunnipes* * *mihi*.
 7677. 21; *rufipes* * *mihi*.
 7678. 22; *tendens* *. *Fabr. A.* 39.
 7679. 23; *fuscipennis* *. *Meig. Zw.* i. 35.
 7680. 24; *tarsalis* * *mihi*.
 7681. 25; *pedellus* *. *Meig. Zw.* i. 28.
 Ti. littoralis β . *Linn. F.* No. 1759.
 Ti. pedella. *DeGeer.* vi. 146. *pl.* 19. *f.* 12, 13.
 Ch. cantans. *Fabr. A.* 45.
 Ti. littoralis. *Schrank A.* No. 874.—*Berk. S.* i. 162.
 7682. 26; *gibbus* *. *Fabr. A.* 41.—*Panz. F.* cix. *f.* 20. ♂. *f.* 21. ♀.
 7683. 27; *scutellatus* *. *Meig. Zw.* i. 33.
 7684. 28; *terminalis* *. *Meig. Zw.* i. 34.
 7685. 29; *flexilis* *. *Fabr. A.* 40.
 Ti. flexilis. *Linn. ii.* 975.—*Turt. iii.* 591.
 7686. 30; *viridulus* *. *Fabr. A.* 33.
 Ti. viridula. *Linn. ii.* 975.—*Turt. iii.* 593.
 Chi. littoralis. *Meig. Kl.* i. 14.
 7687. 31; *virescens* *. *Meig. Zw.* i. 31.
 Ti. littoralis. *Stew. ii.* 252?—*Turt. iii.* 592?
 7688. 32; *annulimanus* * *mihi*.
 7689. 33; *autumnalis* * *mihi*.
 7690. 34; *pusillus* *. *Fabr. A.* 45.
 Ti. pusilla. *Linn. ii.* 975.—*Stew. ii.* 252.—*Turt. iii.* 593.
 7691. 35; *vitripennis* *. *Meig. Zw.* i. 32.
 7692. [36; *assimilis* *] *mihi*.
 Ti. macrocephala. *Turt. iii.* 593?
 7693. 37; *sticticus* *. *Meig. Zw.* i. 37.
 Ti. stictica. *Fabr. S. I.* ii. 407.

- Ti. stricta. *Fabr.* iv. 245.
 Ch. Histrio. *Meig.* *Kl.* i. 19.
7694. 38; Histrio*. *Fabr. A.* 41.
 7695. 39; maculipennis*. *Meig. Zw.* i. 38.
 7696. 40; nubeculosus*. *Meig. Zw.* i. 37.
 7697. 41; humeralis* *mihi.*
 7698. 42; laetus*. *Meig. Zw.* i. 38.
 7699. 43; hyalipennis* *mihi.*
 7700. 44; nigricornis* *mihi.*
 7701. 45; nitidus*. *Meig. Zw.* i. 35.
 7702. 46; ater* *mihi.*
 7703. 47; carbonarius*. *Meig. Zw.* i. 40.
 7704. 48; plebeius*. *Meg.—Meig. Zw.* i. 40.
 7705. 49; tibialis*. *Meig. Zw.* i. 40.
 7706. 50; albimanus*. *Meig. Zw.* i. 40.
 Ch. annularis. *Meig. Kl.* i. 17.—*Panz. F.* cix. f. 19.
 7707. 51; bicinctus*. *Meg.—Meig. Zw.* i. 41.
 7708. 52; trifasciatus*. *Meig. Zw.* i. 42.—*Panz. F.* 109. 18.
 7709. 53; sylvestris*. *Fabr. A.* 47.
 Ch. vibratorius. *Meig. Kl.* i. 16.
 7710. 54; tricinctus*. *Meig. Zw.* i. 41.
 7711. 55; ornatus*. *Meig. Zw.* i. 43.
 7712. 56; motitator*. *Fabr. A.* 38.
 Ti. motitatrix. *Linn. ii.* 974.—*Berk. S.* i. 162.—*Stew. ii.* 252.
 —*Turt. iii.* 591.
 7713. 57; tremulus*. *Fabr. A.* 40.
 Ti. tremula. *Linn. ii.* 975.
 7714. 58; annulipes*. *Meig. Zw.* i. 42.
 7715. 59; apicalis* *mihi.*
 7716. 60; rubicundus*. *Meig. Zw.* i. 35.
 7717. 61; pygmæus*. *Meig. Zw.* i. 36?
 7718. 62; melaleucus*. *Meig. Zw.* i. 39.
 7719. 63; trimaculatus* *mihi.*
- b. *Halteribus atris.*
7720. 64, plumipes *mihi.*
 Ch. obscurus. *Fabr. A.* 40?
 7721. 65, tristis. *Wied.—Meig. Zw.* i. 48.
 7722. 66; nitidicollis* *mihi.*

7723. 67; *stercorarius**. *Meig. Zw.* i. 46.
Tipula stercoraria. *DeGeer. vi. 149. pl. 22. f. 14-20. pl. 23. f. 1.*
Ch. chiopterus. *Meig. Kl.* i. 17.
7724. 68; *aterrimus**. *Meig. Zw.* i. 47.
7725. 69; *byssinus**. *Meig. Zw.* i. 46.
Ti. byssina. *Schr. B. iii. No. 2330.*
7726. 70; *minimus**. *Meig. Zw.* i. 47.
7727. 71; *nigerrimus** *mihi*.
 B. *Alis pilosis*. a. *Halteribus atris*.
7728. 72; *fuscus**. *Meig. Zw.* i. 52.
7729. 73; *picipes**. *Meig. Zw.* i. 52.
 b. *Halteribus pallidis*.
7730. 74; *flavipes*. *Meig. Zw.* i. 50.
7731. 75; *vernus**. *Meig. Zw.* i. 49.
7732. 76; *luteicornis** *mihi*.
7733. 77; *luteipennis** *mihi*.
7734. 78; *Junci**. *Meig. Zw.* i. 50.
7735. 79; *cingulatus** *mihi*.
7736. 80; *fuscipes**. *Meig. Zw.* i. 49.
7737. 81; *pallicornis** *mihi*.
7738. 82; *affinis**. *Wied. Z. M.* i. 66.—*Meig. Zw.* i. 51.
Ch. viridulus. *Meig. Kl.* i. 14.
7739. 83; *flavescens** *mihi*.
7740. 84; *albidus**. *Wied.*—*Meig. Zw.* i. 51.
7741. 85; *nanus**. *Meig. Zw.* i. 50.
7742. 86; *flabellatus**. *Meig. Zw.* i. 51.

Genus 5: (1129). —

CHIRONOMUS p, *Meg.*—*CHIRONOMUS*, *Curtis*.

- 7743 † 1, *aestivus*.
Ch. aestivus. *Curtis. ii. pl. 90.* In Mus. *D. Bentley*.
7744. 2; *fulvus** *mihi*.
7745. 3; *ferruginatus** *mihi*.

Genus 6: (1130). *SPHÆROMIAS* *mihi*.

7746. 1; *annulitarsis** *mihi*.
7747. 2; *varipes* *mihi*.
- 7748 † 3, *albomarginatus** *mihi*. In Mus. *D. Cooper*.

Genus 7: (1131). *TANYPUS*, *Meigen*, *Samou*.*CHIRONOMUS p*, *Fabr.*

7749. 1; *varius**. *Meig. Zw.* i. 56. *pl. 2. f. 12.* ♂.

- Ch. varius. *Fabr. A.* 41.
 Ta. punctatus. *Meig. Kl. i.* 21.
 7750. 2; variegatus * *mihi*.
 7751. 3; zonatus *. *Meig. Zw. i.* 59.
 Chir. zonatus. *Fabr. A.* 44.
 Tip. zonata. *Stew. ii.* 252.
 7752. 4; pallidulus *. *Meg.—Meig. Zw. i.* 65.
 7753. 5; carneus. *Meig. Zw. i.* 67.
 Ch. carneus. *Fabr. A.* 41.
 7754. 6; notatus *. *Meig. Zw. i.* 58.
 7755. 7; melanurus *. *Meig. Zw. i.* 59.
 7756. 8; ornatus * *mihi*.
 7757. 9; elegans * *mihi*.
 7758. 10; monilis *. *Meig. Zw. i.* 60.
 Ti. monilis. *Linn. ii.* 975.—*Berk. S. i.* 162.—*Stew. ii.* 252.
 Ti. maculata. *DeGeer. vi.* 151. *pl. 27. f.* 15—19.
 7759. 11; pictipennis *. *Meig. Zw. i.* 61.
 Ta. cinctus. *Meig. Kl. i.* 22.—*Panz. F. cv. f.* 6.—(*Samou. I.*
 40.)
 7760. 12; concinnus * *mihi*.
 7761. 13; nebulosus *. *Meig. Zw. i.* 57.
 Ta. littoralis. *Meig. Kl. i.* 22.
 7762. 14; punctatus *. *Meig. Zw. i.* 58.
 Ch. punctatus. *Fabr. A.* 43.
 Ta. nebulosus. *Meig. Kl. i.* 23.
 7763. 15; choreus *. *Meig. Zw. i.* 62.
 ♂ Ta. fasciatus. *Meig. Kl. i.* 21.
 ♀ Ta. sylvaticus. *Meig. Kl. i.* 24.
 7764. 16; culiciformis *. *Meig. Zw. i.* 63.
 Tip. culiciformis. *Linn. ii.* 978.—*Stew. ii.* 253.
 7765. 17; nervosus *. *Hoffmansegg.—Meig. Zw. i.* 64.
 7766. 18; pallens * *mihi*.
 7767. 19; ferruginicollis *. *Meg.—Meig. Zw. i.* 64.
 7768. 20; Melanops *. *Wied.—Meig. Zw. i.* 65.
 7769. 21; Arundineti *. *Meig. Zw. i.* 66.
 Ti. Arundineti. *Linn. ii.* 974.—*Turt. iii.* 592.
 7770. 22; præcox *. *Meig. Zw. i.* 62.
 Genus 8: (1132). PRIONOMYIA *mihi*.
 CRATOPOGON C, *Meigen*.—CHIRONOMUS p, *Fabr.*.—CULEX p,
Fabr..—SERROMYIA? *Megerle*.
 7771. 1; femorata *.

Chi. femoratus. *Fabr. A.* 45.

Cer. femoratus. *Meig. Kl. i.* 28. *pl. 2. f. 4.* mas.

7772. 2; morio*.

Cul. morio. *Fabr. A.* 36.—*Stew. ii.* 269.—*Turt. iii.* 664.

7773. 3; atra*.

Cer. ater. *Meg.*—*Meig. Zw. i.* 84.

7774. 4; rufitarsis*.

Cer. rufitarsis. *Meig. Zw. i.* 83.

7775. 5; pusilla* mihi.

7776. 6, armata.

Cer. armatus. *Meig. Zw. i.* 83.

Genus 9: (1133). PALPOMYIA, *Mcgerle?*

CERATOPOGON B, *Meig.*—CHIRONOMUS p, *Fabr.*

7777. 1, succincta.

Cer. succinctus. *Hoffm.*—*Meig. Zw. i.* 85.

7778. 2; basalis* mihi.

7779. 3; scutellata* mihi.

7780. 4; hortulana*.

Cer. hortulanus. *Meig. Zw. i.* 81.

7781. 5; rufipes*.

Cer. rufipes. *Meig. Zw. i.* 81.

7782. 6; serripes*.

Cer. serripes. *Meig. Zw. i.* 82.

7783. 7. spinipes.

Cer. spinipes. *Meig. Zw. i.* 81.—*Panz. F. ciij. f. 14.*

Genus 10: (1134). CERATOPOGON, *Meigen.*

CHIRONOMUS p, *Fabr.*

7784. 1; nigerrimus* mihi.

7785. 2; holosericeus*. *Meig. Zw. i.* 70.

7786. 3; floralis*. *Meig. Zw. i.* 70.

7787. 4; palustris*. *Meig. Zw. i.* 71.

Tipula. *Schl. G. M. pl. 37. f. 2?*

7788. 5; brunnipes*. *Meig. Zw. i.* 71.

7789. 6; albicornis*. *Meig. Zw. i.* 74.

7790. 7; communis*. *Meig. Zw. i.* 70.

Chi. communis. *Fabr. A.* 44.

7791. 8; pallipes*. *Meig. Zw. i.* 74.

7792. 9; albipennis. *Meg.*—*Meig. Zw. i.* 73.

Cer. ambiguus. *Meig. Kl. i.* 32.

7793. 10; leucopeza. *Meig. Zw. i.* 72.

7794. 11; exigua * *mihi*.
 7795. 12; albitarsis. *Weid. M.* i. 67?
 7796. 13; Stigma *. *Meig. Zw.* i. 73. *pl. 2. f.* 18.
 7797. 14; obsoletus *. *Meig. Zw.* i. 76.
 7798. 15; bimaculatus * *mihi*.
 7799. 16; angustatus * *mihi*.
 7800. 17; lutescens * *mihi*.
 7801. 18; assimilis * *mihi*.
 7802. 19; niveipennis *. *Meig. Zw.* i. 73.
 7803. 20; lucorum *. *Meig. Zw.* i. 72.

Genus 11: (1135). CULICOIDES, *Latreille*. Midge.

CULEX *p*, *Linné*.—CERATOPOGON *p*, *Meigen*.

7804. 1; punctata *. *Latr. G.* iv. 252.
Cul. pulicaris. Linn. ii. 1003.—*Berk. S.* i. 166.—*Stew.* ii. 269.
 —*Turt.* iii. 664.
Cer. pulicaris. Meig. Zw. i. 75. *pl. 2. f.* 17.

7805. 2; variegata * *mihi*.

Genus 12: (1136). LABIDOMYIA *mihi*.

FORCIPOMYIA, *Megerle*.

7806. 1; bipunctata *.
Tipula bipunctata. Linn. ii. 978.
Cer. bipunctata. Meig. Zw. i. 74.
Cer. trichopterus. Meig. Kl. i. 31.
For. pictipennis. Megerle; teste Meigen.
 7807. 2; nemorosa *.
Cer. nemorosus. Meig. Zw. i. 75.
Tan. nemoralis. Meig. Kl. i. 24.
 7808. 3; albipuncta * *mihi*.
 7809. 4; brunnipes * *mihi*.
 7810. 5; costalis * *mihi*.

Genus 13: (1137). LASIOPTERYX *mihi*.

LASIOPTERA B, *Meigen*.

7811. 1; obfuscata *.
Las. obfuscata. Hoffm.—*Meig. Zw.* i. 90.
 7812. 2; pusilla? *
Las. pusilla. Wied.—*Meig. Zw.* i. 91?
 7813. 3; confinis * *mihi*.
 7814. 4; elegantissima * *mihi*.
 7815. 5; inops * *mihi*.

Genus 14: (1138). DIOMYZA? Megerle.

LASIOPTERA A? Meig.

7816. 1; fuliginosa* mihi.

7817. 2; rubra* mihi.

An Tip. Berberina var. Schr. A. No. 885?

7818. 3; gigantea* mihi.

Genus 15: (1139). CECIDOMYIA, Latreille, Curtis, (Kirby.)

OLIGOTROPHUS, Latr.—CHIRONOMUS p, Fabr.

7819. 1; Oxyacanthæ* mihi.

Ce. grandis. Meig. Zw. i. 94?

7820. 2; Leacheana* mihi.

7821. 3; verna*. Curtis. iv. 178.

7822. 4; Klugii*. Meig. Zw. i. 95.

7823 † 5, Kirby*. Westwood MSS. In Mus. D. Westwood.

7824. 6; nigra*. Meig. Zw. i. 95. pl. 3. f. 11. ♀.—(Curtis l. c. supra.)

7825. 7; iridescens* mihi.

7826. 8; Ribesii*. Meg.—Meig. Zw. i. 93.

7827. 9; lateralis*. Meig. Zw. i. 96.—(Curtis l. c. supra.)

7828. 10; palustris*. Meig. Zw. i. 96.—(Curtis l. c. supra.)

Tipula palustris. Linn. ii. 978.—Stew. ii. 254.—Turt. iii. 595.

7829. 11; Tritiei*. (Kirby & Sp. I. E. iv. 503.)—(Curtis l. c. supra.)

Tipula Tritici. Linn. Trans. (Kirby.) iv. 230.—v. 106. pl. 4.

f. 1-3.—Stew. ii. 254.—Turt. iii. 593.—(Kirby & Sp. I. E. i. 28.)—Loudon M. (Kirby.) i. 227. f. 91. a.

The Wheat Fly. Bingley. iii. 311.

7830. 12; nigricollis*. Meig. Zw. i. 97.—(Curtis l. c. supra.)

7831. 13; griseola*. Meig. Zw. i. 97.

7832. 14; griseicollis*. Meig. Zw. i. 97.

7833. 15; fuscicollis*. Meig. Zw. i. 97.

7834. 16; longicornis*.

Tipula longicornis. Linn. ii. 97.—Turt. iii. 595.

7835. 17; flavicans* mihi.

7836. 18; carnea*. Meig. Zw. i. 98.

7837. 19; rosea* mihi.

7838. 20; melanocephala* mihi.

Tip. minutissima. Stew. ii. 254?

7839. 21; bicolor*. Meig. Zw. i. 98.

7840. 22; lutea*. *Meig. Kl. i. 40. pl. 2. f. 10, 11.*—(*Samou. I. 9.*)—(*Curtis l. c. supra.*)
7841. 23; flava*. *Meig. Zw. i. 99.*—(*Curtis l. c. supra.*)
7842. 24; maculipennis* *mihi.*
7843. 25; fuscipennis*. *Meig. Zw. i. 98.*
7844. 26; cucullata*. *Meig. Zw. i. 96.*

Genus 16: (1140). CAMPYLOMYZA, Wiedemann.

7845. 1; atra*. *Meig. Zw. i. 102.*
Cecid. atra. *Meig. Kl. i. 40.*
7846. 2; Aceris*. *Meig. Zw. i. 102.*
7847. 3; bicolor*. *Wied.*—*Meig. Zw. i. 102.*
7848. 4; flavipes*. *Meig. Zw. i. 102. pl. 3. f. 6. ♀.*

Genus 17: (1141). PSYCHODA, Latreille, Samou.

BIBIO, Geoffroy.—TINEARIA, Schellenburg.—TRICHOPTERA,
Meig. Kl.

7849. 1; nigrofusca* *mihi.*
Ps. obscura. *Macquart?*—*Boir. M. ii. 360?*
7850. 2; aterrima* *mihi.*
7851. 3; palustris*. *Meig. Zw. i. 105. pl. 2. f. 18.*
7852. 4; ocellaris*. *Meig. Zw. i. 105. pl. 2. f. 14, 17.*
Tip. hirta. *Stew. ii. 253?*—*Turt. iii. 595?*
7853. 5; concinna* *mihi.*
Ps. variegata. *Macquart?*—*Boir. M. ii. 360?*
7854. 6; trifasciata*. *Meig. Zw. i. 105.*
Trich. trifasciata. *Meig. Kl. i. 44. pl. 2. f. 20.*
7855. 7; nubila*. *Meg.*—*Meig. Zw. i. 107.*
7856. 8; fuliginosa*. *Meig. Zw. i. 107.*
7857. 9; humeralis*. *Hoffm.*—*Meig. Zw. i. 106.*
7858. 10; phalænoides*. *Latr. Gen. iv. 251.*
Tipula phalænoides. *Linn. ii. 977.*—*DeGeer. vi. 158. pl. 27.*
f. 6–9.—*Berk. S. i. 162.*—*Stew. ii. 253.*—*Turt. iii. 595.*—
(*Samou. I. 35.*)
- Ps. muraria. *Latr. H. xiv. 293.*
7859. 11; canescens*. *Meig. Zw. i. 106.*
7860. 12; nervosa*. *Meig. Zw. i. 106.*
Tipula nervosa. *Schr. B. iii. sp. 2350.*
7861. 13, nana* *mihi.*

Genus 18: (1142). ERIOPTERYX *mihi*.

ERIOPTERA, Meigen.—POLYRAPHIA, Megerle.

A. Vide Meigen Zw. i. 109.

7862. 1; maculata*.

Eri. maculata. Meig. Zw. i. 109.

7863. 2; flavescens*.

Tipula flavescens. Linn. ii. 973.

Eri. flavescens. Meig. Zw. i. pl. 4. f. 9. ala.

7864. 3; lutea*.

Eri. lutea. Meig. Zw. i. 110.

7865. 4, montana.

Eri. montana. Meig. Zw. i. 110.

7866. 5, tænionota.

Eri. tænionota. Wied.—Meig. Zw. i. 111.

Poly. pallidipennis. Megerle: (teste Meig. l. c.)

7867. 6; fuscipennis*.

Eri. fuscipennis. Meig. Zw. i. 111.

7868. 7, fusca *mihi*.

7869. 8; trivialis*.

Eri. trivialis. Hoffm.—Meig. Zw. i. 112.

7870. 9; lineata*.

Eri. lineata. Meig. Zw. i. 111.

7871. 10; Stigma* *mihi*.

7872. 11; geniculata* *mihi*.

7873. 12; analis* *mihi*.

7874. 13; varia*.

Eri. varia. Hoffm.?—Meig. Zw. i. 115?

B. Vide Meigen Zw. i. 112. a. *Alis dense villosis*.

7875. 14, obscura.

Eri. obscura. Meig. Zw. i. 113.

7876. 15, grisea.

Eri. grisea. Meig. Zw. i. 112.

7877. 16, atra.

Eri. atra. Fabr. A. 33.—Meig. Kl. i. pl. 3. f. 8. mas. 9. scem.

7878. 17; murina*.

Eri. murina. Meig. Zw. i. 113.

7879. 18; pallida* *mihi*.

7880. 19; tineta* *mihi*.

7881. 20, ochracea.

Eri. ochracea. Hoffm.—Meig. Zw. i. 114.

b. *Alis ferè nudis.*

7882. 21; virescens * *mihi.*
 7883. 22; hyalina * *mihi.*
 7884. 23; pallidipennis * *mihi.*
 7885. 24; halterata * *mihi.*
 7886. 25; pallipes * *mihi.*
 7887. 26; pallidula * *mihi.*

C. Vide *Meigen Zw.* i. 114.

7888. 27; imbuta *. Wied.—*Meig. Zw.* i. 114. *pl. 4. f. 8.*
 7889. 28, cinerascens *. *Meig. Zw.* i. 114. *pl. 4. f. 6.* antenna.
 7890. 29; nodicornis * *mihi.*

Genus 19: (1143). LEPTORHINA *mihi.*LIMNOBIA *p.*, *Meig.*

7891. 1; flava * *mihi.*
 7892. 2; bicolor * *mihi.*
 Lim. longirostris. Wied.—*Meig. Zw.* i. 146. *pl. 5. f. 1.* caput.
 —(*Curtis folio 50.*)

Genus 20: (1144). —

7893. 1; thoracicus * *mihi.*
 7894. 2; cognatus * *mihi.*

Genus 21: (1145). DICRANOMYIA *mihi.*LIMNOBIA *p.*, *Meig.*—FURCOMYIA *p.*, *Meger.*—UNOMYIA *p.*, *Meger.*

A. Vide *Meig. Zw.* i. 146. *pl. 6. f. 7.* ala.—GONOMYIA, *Megerle.*

7895. 1; sulphurea * *mihi.*

7896. 2, tenella.

Lim. tenella. Hoffm.—*Meig. Zw.* i. 146.

Lim. limbata. Wiedemann: (*teste Meig. l. c.*)

Go. tricolor. Megerle: (*teste Meig. l. c.*)

B. Vide *Meig. Zw.* i. 133. *pl. 6. f. 5.* ala.

7897. 3; nigripes * *mihi.*

7898. 4; lutea *.

Lim. lutea. *Meig. Zw.* i. 133.—(*Curtis folio 50.*)

Furcomyia pallida. Megerle: (*teste Meig. l. c.*)

7899. 5; inusta *.

Lim. inusta. *Meig. Zw.* i. 135.

7900. 6; modesta *.

Lim. modesta. Wied.—*Meig. Zw.* i. 134.

7901. 7; iridescens* *mihi*.

7902. 8; chorea*.

Lim. chorea. *Wied.*—*Meig. Zw.* i. 134.

Unomyia nubila. *Megerle*: (*teste Meig. l. c.*)

7903. 9; Didyma*.

Lim. Didyma. *Meig. Zw.* i. 135.

7904. 10; Dumetorum*.

Lim. Dumetorum. *Meig. Zw.* i. 136.

C. Vide *Meig. Zw.* i. 141. *pl. 4. f. 18.* ala.

7905. 11; glabrata*?

Lim. glabrata. *Wied.*—*Meig. Zw.* i. 142?

Ti. versipellis. *Harr. Ex.* 160. *pl. xlviij. f. 8?*

Genus 22: (1146). LIMNOBIA.

LIMNOBIA *p*, *Meig.*—UNOMYIA *p*, *Megerle*.—LIMONIA *p*, *La-treille*.

A. Vide *Meig. Zw.* i. 133. *pl. 4. f. 19.* ala.

7906. 1, fusca. *Meig. Zw.* i. 133.—(*Curtis l. c. infra.*)

B. Vide *Meig. Zw.* i. 125. *pl. 6. f. 2.* ala.

7907. 2; fuscipennis*. *Meig. Zw.* i. 125.—(*Curtis l. c. infra.*)

7908. 3, lucorum*. *Meig. Zw.* i. 125.

7909. 4, discicollis. *Meg.*—*Meig. Zw.* i. 125.

7910. 5; xanthura* *mihi*.

Ti. lensus. *Harr. Ex.* 160. *pl. xlviij. f. 7?*

7911. 6; cingulata* *mihi*.

C. Vide *Meig. Zw.* i. 126. *pl. 6. f. 3.* ala.

7912. 7, nemoralis. *Meig. Zw.* i. 126.—(*Curtis l. c. infra.*)

Lim. xanthopyga. *Wiedemann*: (*teste Meig. l. c.*)

7913. 8; leucophæa*. *Hoffm.*—*Meig. Zw.* i. 127.

7914. 9, plebeia. *Meig. Zw.* i. 127.

D.

7915. 10; aprica* *mihi*.

E. Vide *Meig. Zw.* i. 137. *pl. 4. f. 13.* ala.

7916. 11, Stigma. *Meig. Zw.* i. 138.

7917. 12; tripunctata*. *Meig. Zw.* i. 138. *pl. 4. f. 13.*—(*Curtis l. c. infra.*)

Tipula tripunctata. *Fabr. Sp.* ii. 405.

Tipula Phragmatidis. *Schra. No.* 860.

7918. 13; sexpunctata*. *Meig. Zw.* i. 139.

Tipula sexpunctata. *Fabr. Sp.* ii. 405.

Limonia sexpunctata. *Meig. Kl.* i. 59. *pl. 3. f. 15.*

7919. 14; analis *. *Meig. Zw.* i. 141.
Limonia flavipes. *Meig. Kl.* i. 59.
7920. 15, pabulina. *Meig. Zw.* i. 140.
7921. 16; *flavipes* *. *Meig. Zw.* i. 150.
Tipula flavipes. *Fabr. A.* 30.
7922. 17; *nubeculosa* *. *Meig. Zw.* i. 140.
Tipula punctata. *Stew.* ii. 251?
Tipula 4-maculata. *Turt.* iii. 585?
F. Vide *Meig. Zw.* i. 127. *pl. 4. f.* 20. ala.
7923. 18; *albifrons*? * *Meig. Zw.* i. 137.
7924. 19; *ferruginea* *. *Meig. Zw.* i. 128.—(*Curtis l. c. infra.*)
Limonia flavescens. *Meig. Kl.* i. 56.
Tipula flavescens. *Schell. G. M. pl.* 37. *f.* 1. mas.
7925. 20; *punctum* *. *Meig. Zw.* i. 128.
7926. 21; *dispar* *. *Megcr.*—*Meig. Zw.* i. 129.
Lim. fuscipes. *Wiedemann:* (*teste Meig. l. c.*)
7927. 22; *fulvescens* *. *Hoffm.*—*Meig. Zw.* i. 127.
7928. 23; *lineola.* *Meig. Zw.* i. 128.
7929. 24, *ochracea.* *Meig. Zw.* i. 129.
G. Vide *Meig. Zw.* i. 141. *pl. 4. f.* 18. ala.
7930. 25; *xanthoptera* *. *Meig. Zw.* i. 141.—(*Curtis l. c. infra.*)
- 7931† 26. *replicata* ^a.
7932. 27; *quadrinotata* *. *Meig. Zw.* i. 144.
Tipula quadrinotata. *Fabr. Mus.:* (*teste Meig. l. c.*)
H. Vide *Meig. Zw.* i. 131. *pl. 6. f.* 4. ala.
7933. 28, *littoralis.* *Meig. Zw.* i. 131.—(*Curtis l. c. infra.*)
7934. 29, *geniculata.* *Hoffm.*—*Meig. Zw.* i. 124.
I. Vide *Meig. Zw.* i. 122. *pl. 4. f.* 15. ala.
7935. 30; *transversa* *. *Meig. Zw.* i. 123.
7936. 31; *ocellaris* *. *Meig. Zw.* i. 152.—*Curtis. i. pl.* 56.
Tipula ocellaris. *Linn. ii.* 973.—*Turt.* iii. 587.
7937. 32; *picta* *. *Meig. Zw.* i. 123.—(*Curtis l. c. supra.*)
Tipula picta. *Fabr. A.* 29.
Tipula — *Schell. G. M. pl.* 3. *f.* 1.
7938. 33; *punctata* *. *Meig. Zw.* i. 122. *pl. 4. f.* 15. ala.
Tipula ocellaris. *Fabr. Mus.:* (*teste Meig. l. c.*)
Tipula annulata. *Turt.* iii. 587?—(*Kirby & Sp. I. E.* iv. 54?)

^a 7931† 26. *replicata.* *Meig. Zw.* i. 142.

Tipula replicata. *Linn. ii.* 973.—*De Geer. vi.* 138. *pl.* 20. *f.* 1–16.—
Turt. iii. 588. (!)—(*Kirby & Sp. I. E.* iii. 116.)

K. Vide *Meig. Zw.* i. 121. *pl. 4. f. 16.* ala.

7939. 34; marmorata*. *Hoffm.*—*Meig. Zw.* i. 121.
Limonia maculata. *Meig. Kl.* i. 61.

7940. 35, fasciata. *Meig. Zw.* i. 121. *pl. 4. f. 16.* ala.
Ti. fasciata. *Fabr. A.* 30.

L. Vide *Meig. Zw.* i. 119. *pl. 6. f. 1.* ala.

7941. 36, pictipennis. *Meig. Zw.* i. 119.

M. Vide *Meig. Zw.* i. 148. *pl. 5. f. 8.* ala.

7942. 37; immaculata*. *Meig. Zw.* i. 148.—(*Curtis l. c. supra.*)

N. Vide *Meig. Zw.* i. 147. *pl. 5. f. 7.* ala.

7943. 38; punctipennis*. *Meig. Zw.* i. 147. *pl. 5. f. 2.* caput.
f. 3. os. f. 7. ala.

Limonia hybrida. *Meig. Kl.* i. 57.

7944. 39; stictica*. *Meig. Zw.* i. 148.

O. Vide *Meig. Zw.* i. 132. *pl. 5. f. 6.* ala.

7945. 40; fimbriata*. *Meig. Zw.* i. 132.—(*Curtis l. c. supra.*)

7946. 41, pilipes. *Meig. Zw.* i. 150.—(*Curtis l. c. supra.*)
Tipula pilipes. *Fabr. A.* 30.

Genus 23: (1147). RIIIPIDIA, *Meigen.*

7947. 1, maculata. *Meig. Zw.* i. 153. *pl. 11.* ♂.

Genus 24: (1148). PEDICIA, *Latreille, Samou.*

LIMNOBIA p, *Meig.*

7948. 1, rivosa*. *Latr. G.* iv. 255.

Tipula rivosa. *Linn. ii.* 971.—*Stew. ii.* 250.—*Meig. Kl.* i. 23.
pl. iii. f. 14.—(*Samou. 291.*)—(*Kirby & Sp. I. E. i. pl. 4. f. 4.*)
Tipula triangularis. *Fabr. A.* 27.—*Stew. ii.* 250.—*Turt. iii.* 585.

7949. [2, crassipes] mihi.

Genus 25: (1149). CTENOPHORA, *Meigen, Samou., Curtis.*

TANIPTERA, *Latr.*

A. Vide *Meig. Zw.* i. 160. *pl. 5. f. 16.* antennæ.

7950 † 1, ornata. *Megerle.*—*Meig. Zw.* i. 166.—*Curtis. i. pl. 5.*
 ♂ in Mus. D. Dale.

7951 † 2, flaveolata. *Fabr. A.* 18.—*Meig. Kl.* i. 87. *pl. 4. f. 18.* fœm.
 —(*Curtis 2 edit. l. c. supra.*)

Reaum. Ins. v. pl. 1. f. 14–16. mas.

Tip. crocata. *Schr. A.* 854. In Mus. D. Beck, et Haworth.

7952. 3; pectinicornis*. *Meig. Zw.* i. 160.—(*Curtis l. c. supra.*)
 —(*Curtis 2 edit. l. c. supra.*)

Tip. pectinicornis. *Linn.* ii. 970.—*Stew.* ii. 250.—*Turt.* iii. 584.—*Schæff.* *Ic.* cvi. f. 5, 6.—*Wood.* ii. 85. *pl.* 64.

Tip. nigro-crocea. *DeGeer.* vi. 152.

Tip. variegata. *Fabr. Sp.* ii. 402.—*Stew.* ii. 251.—*Turt.* iii. 585.

Tip. splendor. *Harr. Ex.* 56. *pl.* xiv. f. 3.

7953. 4; consobrina* *mihi.*

B. Vide *Meig. Zw.* i. 158. *pl.* 5. *f.* 15. antenna.

7954. 5; nigricornis*. *Meig. Zw.* i. 159.—(*Curtis 2 edit. l. c. supra.*)

Ct. atrata. *Meig. Kl.* i. 85.

7955. 6, atrata*. *Meig. Zw.* i. 158.—(*Samou.* 291.)—(*Curtis l. c. supra.*)—(*Curtis 2 edit. l. c. supra.*)

Tip. atrata. *Linn.* ii. 972.

Tip. ichneumonea. *DeGeer.* vi. 138. *pl.* 19. *f.* 10.

C. Vide *Meig. Zw.* i. 156. *pl.* 5. *f.* 14. antennæ.

7956. 7; bimaculata*. *Meig. Zw.* i. 156.—(*Curtis l. c. supra.*)—(*Curtis 2 edit. l. c. supra.*)

Tip. bimaculata. *Linn.* ii. 972.—*Stew.* ii. 251.—*Turt.* iii. 587.—*Schæff. Ic.* cxii. f. 5, 6.

7957. 8; paludosa?* *Fabr. A.* 19?—*Curtis 2 edit. l. c. supra.*

Genus 26: (1150). NEPHROTONA, *Meigen.*

7958. 1; dorsalis*. *Meig. Zw.* i. 202. *pl.* 5. *f.* 19–22. ♂.

Tip. dorsalis. *Fabr. A.* 28.

Genus 27: (1151). TIPULA *Auctorum.*

LIMONIA *p.*, *Meig. Kl.* *Daddy Long-legs:* “*Harry Long-legs or Taylor Fly.*” Albin.

A. Vide *Meig. Zw.* i. 192. *pl.* 6. *f.* 9. ala.

7959. 1; Scurra. *Hoffmannsegg.*—*Meig. Zw.* i. 198.

7960. 2; interrupta* *mihi.*

7961. 3; Histrio*. *Fabr. A.* 28.

Tip. flavo-maculata. *DeGeer.* vi. 137. *pl.* 19. *f.* 2, 3.

Tip. cornicina. *Meig. Kl.* i. 71.

7962. 4; pallida* *mihi.*

7963. 5; maculosa*. *Hoffm.*—*Meig. Zw.* i. 197.

Tip. maculata. *Meig. Kl.* i. 71.

7964. 6; quadrifaria*. *Meig. Zw.* i. 199.

7965. 7; cornicina*. *Linn.* ii. 972.—*Berk. S.* i. 161.—*Stew.* ii. 251.—*Turt.* iii. 586.

7966. 8; pratensis*. *Linn.* ii. 972.—*Stew.* ii. 251.—*Turt.* iii. 586.—*Schæff. Ic.* xv. f. 5.

7967. 9, *imperialis**? *Meger.*—*Meig. Zw.* i. 196. *pl. 6. f. 9.* fœm.
 7968. 10; *crocata**. *Linn.* ii. 971.—*Don.* ii. 29. *pl. 48. f. 1.*—
Berk. S. i. 161.—*Stew.* ii. 250.—*Turt.* iii. 584.—(*Kirby & Sp. I. E.* ii. 359 & 382.)
 Tip. *flavo-fasciata*. *DeGeer.* vi. 137.
 Tip. *perpulcher*. *Harr. Ex.* 159. *pl. xlviij. f. 6.*
 B. Vide *Meig. Zw.* i. 170. *pl. 6. f. 8.* ala.
 7969. 11, *nigra*. *Linn.* ii. 971.—(*Ing. Inst.* 92.)
 Ti. *verticillata*. *Fabr.* iv. 237.
 Ti. *coenosus*. *Harr. Ex.* 161. *pl. xlviij. f. 9?*
 7970. 12, *Stigma mihi*.
 7971. 13; *vernalis**. *Meig. Zw.* i. 182.
 Tip. *divagor*. *Harr. Ex.* 161. *pl. xlviij. f. 10?*
 7972. 14; *Lineola**. *Megerle.*—*Meig. Zw.* i. 181.
 Tip. *pendens*. *Harr. Ex.* 56. *pl. xiv. f. 4.*
 7973. 15; *hortulana**. *Meig. Zw.* i. 177.
 7974. 16; *pabulina**. *Meig. Zw.* i. 180.
 7975. 17, *lateralis*. *Meig. Zw.* i. 174.
 7976. 18; *flavolineata**. *Meig. Zw.* i. 185.
 7977. 19; *vittata**. *Meig. Zw.* i. 171.
 Tip. *oleracea*. *Samou.* 71. *pl. 9. f. 2.*
 7978. 20; *nubeculosa**. *Meig. Zw.* i. 174.
 Tip. *Hortorum*. *Fabr. A.* 24.—*Stew.* ii. 250.—*Turt.* iii. 585.
 Tip. *unca*. *Hoffm. Mus.*: (*teste Meig. l. c.*)
 7979. 21; *Hortorum**. *Linn.* ii. 971.—*Berk. S.* i. 161?
 7980. 22; *varipennis**. *Hoffm.*—*Meig. Zw.* i. 183.
 Tip. *rivosa*. *Mus. Fabr.*: (*teste Meig. l. c.*)
 7981. 23; *hortensis**. *Hoffm.*—*Meig. Zw.* i. 178.
 Tip. *Hortorum*. *Meig. Kl.* i. 69.
 7982. 24; *marmorata**. *Meig. Zw.* i. 179.
 7983. 25; *rufina**. *Meig. Zw.* i. 176.
 7984. 26, *suffusa mihi*.
 7985. 27; *pagana**. *Meig. Zw.* i. 184.
 Tip. *plicata*. *Meig. Kl.* i. 73.
 7986. 28; *pruinosa**. *Hoffm.*—*Meig. Zw.* i. 191.
 7987. 29; *bimaculosa** *mihi*.
 Tip. *selenitica*. *Hoffm.*?—*Meig. Zw.* i. 187?
 7988. 30; *lunata**. *Linn.* ii. 972.—*Berk. S.* i. 161.—*Stew.* ii. 251.
 —*Turt.* iii. 585.—*Schaff. Ic.* 162. *f. 5.* mas. 6. fœm.
 7989. 31; *fascipennis**. *Hoffm.*—*Meig. Zw.* i. 187.

7990. 32; ochracea*. *Meig. Zw.* i. 186.
 Tip. lunata. *Fabr. Sp.* ii. 402?
Albin. pl. lxi. f. e-g.
7991. 33, flavigennis *mihi*.
7992. 34, flaviginea *mihi*.
7993. 35; oleracea*. *Linn. ii. 971.*—*Berk. S.* i. 161.—*Stew. ii.*
 250.—*Turt. iii. 585.*—*De Geer. vi. 134. f. 18. f. 12, 13.*—
Bingley. iii. 310.—(*Kirby & Sp. I. E.* i. 181 nota.—ii. 360 nota,
 361.—*Id. iii. 295, 551, 552.*)
 Tip. terrestris. *Harr. Ex.* 56. *pl. xiv. f. 2.*
7994. 36; brachypteryx* *mihi*.
7995. 37; gigantea*. *Schr. A. No. 345.*—*Meig. Zw.* i. 170.
 Ti. sinuata. *Fabr. A. 23.*—(*Kirby & Sp. I. E.* iii. 57.)
 Tip. rivosa. *Don. ii. 30. pl. 48. f. 2.*—*Berk. S.* i. 160.—
Stew. ii. 250.—*Turt. iii. 584.*
 Tip. nubilosus. *Harr. Ex.* 55. *pl. xiv. f. 1.*
7996. 38; lutescens*. *Fabr. A. 24.*
 Tip. fulvipennis. *De Geer. vi. 135.*
 Tip. discimacula. *Megerle.*
7997. 39; glabricollis* *mihi*.
7998. 40; fimbriata*. *Meig. Zw.* i. 190.
- Genus 28: (1152). DOLICHOPEZA, *Curtis*.
7999. 1, Sylvicola. *Curtis. ii. pl. 62.*
- Genus 29: (1153). PTYCHOPTERYX, *Leach*.
 PTYCHOPTERA, *Meigen*.
8000. 1; albimana*.
 Pty. albimana. *Fabr. A. 21.*—*Meig. Zw.* i. 207. *pl. 6. f. 17.*
8001. 2; contaminata.
 Tip. contaminata. *Linn. ii. 972.*—*Berk. S.* i. 161.—*Stew. ii.*
 251.—*Turt. iii. 585.*—*Schaeff. Ic.* 196. *f. 3.* male. 48. *f. 7.*
fem.
 Tip. fuscipes. *Gmel. v. 2814.*
8002. 3; paludosa*.
 Pty. paludosa. *Meig. Zw.* i. 207.
8003. 4; affinis* *mihi*.
8004. 5; subnebulosa* *mihi*.
- Genus 30: (1154). TRICHOCERA, *Meigen*. Tell-tales, *Harris*.
 NEMATOCERA p, *Megerle*.—LIMONIA p, *Latreille*.
8005. 1; fuscata*. *Meig. Zw.* i. 212.
8006. 2; parva*. *Meig. Zw.* i. 213.

8007. 3; hiemalis *. *Meig. Zw.* i. 213.—(*Kirby & Sp. I. E.* ii. 444 nota.)

Tip. hiemalis. *De Geer.* vi. 141. *pl. 21. f. 1, 2.*

Tri. perennis. *Mus. Hoffm.*: (*tæste Meig. l. c.*)

Tip. saltator. *Harr. Ex.* 57. *pl. xiv. f. 5.*

8008. 4; regelationis *. *Meig. Zw.* i. 214. *pl. 7. f. 9.* fœm.

Tip. regelationis. *Linn. ii.* 973.—*Stew. ii.* 251.

8009. 5; maculipennis *. *Meig. Zw.* i. 214.

8010. 6; annulata *. *Meig. Zw.* i. 215.

Genus 31: (1155). ANISOMERA, *Hoffmansegg.*

8011 † 1. obscura. *Hoffm.*—*Meig. Zw.* i. 210. *pl. 7. f. 5–8?*—(*Curtis Cat. No. 45.*) In Mus. D. Curtis.

Genus 32: (1156). DIXA, *Meigen.*

8012. 1, aprilina. *Meig. Zw.* i. 218. *pl. 7. f. 12.* mas.

8013. 2, maculata. *Meig. Zw.* i. 219.

8014. 3; variegata * *mihi.*

Genus 33: (1157). BOLITOPHILA, *Meigen.*

LEPTOCERA, *Megerle.*—MACROCERA *p.*, *Meig. Kl.*

8015 † 1, fusca. *Meig. Zw.* i. 212. *pl. 8. f. 3, 4.*

Mac. hybrida. *Meig. Kl.* i. 47. In Mus. Brit.

Genus 34: (1158). MACROCERA, *Meigen.*

8016. 1; fasciata *. *Meig. Zw.* i. 223. *pl. 8. f. 5.* mas.

8017. 2; lutea *. *Meig. Zw.* i. 223.—*Panz. F. cv. f. 7.*

8018. 3; lineola * *mihi.*

8019. 4; centralis *. *Meig. Zw.* i. 225.

8020. 5; angulata *. *Meig. Zw.* i. 224.

8021. 6; phalerata *. *Meig. Zw.* i. 223.

Genus 35: (1159). MYCETOBLIA, *Meigen.*

8022. 1; pallipes *. *Megerle.*—*Meig. Zw.* i. 280. *pl. 8. f. 10.*

Genus 36: (1160). PLATYURA, *Meigen, Curtis.*

CEROPLATUS *p.*, *Bosc.?*—SCIARA *p.*, *Fabr.*—ASINDULUM, *La-treille.*

A. Vide *Meig. Zw.* i. 232. *pl. 8. f. 14.* ala.

8023. 1; atrata *. *Meig. Zw.* i. 233.—(*Curtis l. c. infra.*)

Ce. atratus. *Fabr. A.* 16.

B. Vide *Meig. Zw.* i. 235. *pl. 8. f. 19.* ala.

8024. 2; lineata *. *Meig. Zw.* i. 234. (!)—(*Curtis l. c. infra.*)

Sc. lineata. *Fabr. A.* 57. (!)

Musca lineata. *Turt. iii.* 633.

Musca striata. *Stew. ii.* 264.

8025. 3; *laticornis**. *Meig. Zw.* i. 238. *pl. 8. f. 19-21.*—(*Curtis l. c. infra.*)
8026. 4; *signata**. *Meig. Zw.* i. 238.
8027. 5; *rufipes**. *Hoffm.*—*Meig. Zw.* i. 241.—(*Curtis l. c. infra.*)
8028. 6; *pallipes** *mihi.*
8029. 7; *semirufa**. *Meig. Zw.* i. 237.—(*Curtis l. c. infra.*)
8030. 8; *nemoralis**. *Meig. Zw.* i. 236.—(*Curtis l. c. infra.*)
8031. 9; *flavipes**. *Meig. Zw.* i. 237.—*Curtis.* iii. *pl. 134.*
8032. 10; *cingulata** *mihi.*—(*Curtis l. c. supra.*)
8033. 11; *ochracea**. *Meig. Zw.* i. 240.—(*Curtis l. c. supra.*)
8034. 12; *discoloria**. *Meig. Zw.* i. 239.—(*Curtis l. c. supra.*)
8035. 13; *abdominalis** *mihi.*
8036. 14; *interrupta** *mihi.*

Genus 37: (1161). —

8037. 1; *zonatus** *mihi.*

Genus 38: (1162). SCIOPHILA, *Hoffm.*, *Meigen.*

PLATYURA *p.*, *Fabr.*

A. Vide *Meig. Zw.* i. 247. *pl. 9. f. 6.* ala.

8038. 1; *marginata**. *Meig. Zw.* i. 249.

8039. 2; *maculata**. *Meig. Zw.* i. 248.

Pl. *maculata.* *Fabr. A.* 33.

8040. 3, *annulata**. *Meig. Zw.* i. 247.

8041. 4; *ferruginea**. *Meig. Zw.* i. 249.

B. Vide *Meig. Zw.* i. 251. *pl. 9. f. 8.* ala.

8042. 5; *vitripennis**. *Meig. Zw.* i. 251.

8043. 6; *ochracea** *mihi.*

C. Vide *Meig. Zw.* i. 251. *pl. 9. f. 7.* ala.

8044. 7; *hirta**. *Hoffm.*—*Meig. Zw.* i. 251.

8045. 8; *pallipes** *mihi.*

Genus 39: (1163). LEIA, *Meigen.*

A. Vide *Meig. Zw.* i. 254. *pl. 9. f. 13.* caput.

8046. 1, *nitidicollis.* *Meig. Zw.* i. 255.

B. Vide *Meig. Zw.* i. 255. *pl. 9. f. 12.* ala.

8047. 2; *flavicornis**. *Meig. Zw.* i. 255. *pl. 9. f. 11.* fœm.

8048. 3; fascipennis*. *Megerle*.—*Meig. Zw.* i. 255.
 8049. 4; fasciola*. *Meig. Zw.* i. 256.
 C. Vide *Meig. Zw.* i. 257. *pl. 9. f.* 18. ala.
 8050. 5; analis*. *Meig. Zw.* i. 257.
 Mycetophila dubia. *Meig. Kl.* i. 92.

Genus 40: (1164). MYCETOPHILA, Meigen.

SCIARA p, *Fabr.*—*MUSCA p*, *Villers.*

A. Vide *Meig. Zw.* i. 260. *pl. 9. f.* 15. ala. a. *Alis maculatis*.

8051. 1; ornata* *mihi*.
 8052. 2; lutea. *Meig. Zw.* i. 263.
 8053. 3; arcuata*. *Meig. Zw.* i. 261.
 8054. 4; lunata*. *Meig. Zw.* i. 260.
 Sc. lunata. *Fabr. A.* 58.
 My. lunata. *Meig. Kl.* i. 90. *pl. 5. f.* 2, 3.
 8055. 5; fuscicornis. *Meig. Zw.* i. 261?
 8056. 6; nebulosa* *mihi*.
 8057. 7; lineola*. *Meig. Zw.* i. 262. *pl. 9. f.* 15.
 8058. 8; ruficollis*. *Meg.*—*Meig. Zw.* i. 262.
 b. *Alis immaculatis*.

8059. 9; luteipennis* *mihi*.
 8060. 10; flavipennis* *mihi*.

B. Vide *Meig. Zw.* i. 267. *pl. 9. f.* 21. ala.

8061. 11; maculosa*. *Meig. Zw.* i. 263.
 Odontophila maculosa. *Megerle*: (*teste Meig. l. c.*)
 8062. 12; discoidea*. *Meig. Zw.* i. 263.

C. Vide *Meig. Zw.* i. 266. *pl. 9. f.* 20. ala.

8063. 13; lateralis*. *Meig. Zw.* i. 266.
 8064. 14; fusca*. *Meig. Zw.* i. 266.
 Ti. Fungorum. *DcGeer. vi.* 142.
 8065. 15; cingulata* *mihi*.
 8066. 16; semifusca*. *Meig. Zw.* i. 267.

D. Vide *Meig. Zw.* i. 269. *pl. 9. f.* 18. ala.

8067. 17; ornaticollis*. *Meig. Zw.* i. 269.
 8068. 18; cucullata* *mihi*.
 8069. 19; lugens*. *Wiedemann*.—*Meig. Zw.* i. 269.
 8070. 20; analis*. *Megerle*.—*Meig. Zw.* i. 269.
 8071. 21; zonata* *mihi*.

8072. 22; *flaviceps* *. *Meig. Zw.* i. 270.

8073. 23; *nigra* *. *Meig. Zw.* i. 270.

Genus 41: (1165). CORDYLA, *Meigen*.

ODONTOPHILA *p*, *Megerle*.

8074. 1; *crassicornis* *. *Meig. Zw.* i. 275.

Genus 42: (1166). MOLOBRUS, *Latreille*.

HIRTEA *p*, *Fabr.*—SCIARA *p*, *Fabr.*

A. Halteribus fuscis.

8075. 1; *Thomæ* *.

Tip. *Thomæ*. *Linn.* ii. 976.

Sci. Thomæ. *Meig. Zw.* i. 278. *pl. 4. f. 3.*

8076. 2; *Morio* *.

♀; *Sc. Morio*. *Fabr. A.* 57.

♂; *Hi. forcipata*. *Fabr. A.* 55.—*Stew.* ii. 253.—*Turt.* iii. 594.

Sc. florilega. *Meig. Kl.* i. 98.

8077. 3; *fuliginosa* * *mihi*.

8078. 4; *fuscipes* *.

Sc. fuscipes. *Meig. Zw.* i. 280.

8079. 5; *obscura* * *mihi*.

8080. 6; *fucata* *.

Sc. fucata. *Meig.*—*Meig. Zw.* i. 281.

8081. 7; *præcox* *.

Sc. præcox. *Meig. Zw.* i. 279.

8082. 8; *ruficauda* *.

Sc. ruficauda. *Meig. Zw.* i. 280.

8083. 9; *xanthopus* * *mihi*.

8084. 10; *vitripennis* *.

Sc. vitripennis. *Hoffm.*—*Meig. Zw.* i. 281.

8085. 11; *fenestrata* *.

Sc. fenestrata. *Meig. Zw.* i. 281.

8086. 12; *fuscipennis* *.

Sc. fuscipennis. *Meig. Zw.* i. 282.

8087. 13; *scatopsoides* *.

Sc. scatopsoides. *Meig. Zw.* i. 282.

8088. 14; *sylvatica* *.

Sc. sylvatica. *Meig. Zw.* i. 283.

8089. 15; *nervosa* *.

Sc. nervosa. *Meig. Zw.* i. 283.

B. Halteribus flavis aut pallidis.

8090. 16; *flavipes* *.

Sc. flavipes. *Meig. Zw.* i. 283.—*Panz. F.* ciii. *f.* 15.

8091. 17; *phaeopus** *mihi*.
 8092. 18; *bicolor**.
 Sc. *bicolor*. *Meg.*—*Meig. Zw.* i. 284.
 8093. 19; *pallipes**.
 Chironomus pallipes. *Fabr. A.* 45.
 Sc. *pallipes*. *Meig. Zw.* i. 284.
 8094. 20; *hyalipennis**.
 Sc. *hyalipennis*. *Meig. Zw.* i. 285.
 8095. 21; *brunnipes**.
 Sc. *brunnipes*. *Meig. Zw.* i. 286.
 8096. 22; *pusillus**.
 Ti. *pusilla*. *Meig. Zw.* i. 286.
 8097. 23; *nemoralis**.
 Sc. *nemoralis*. *Meig. Zw.* i. 287.
 8098. 24; *longipes**.
 Sc. *longipes*. *Meig. Zw.* i. 286.
 8099. 25; *hirticornis**.
 Sc. *hirticornis*. *Meig. Zw.* i. 287.

Genus 43: (1167). SIMULIUM, Latreille

SIMULIA, Meigen.—**CULEX p.**, Linné.—**BIBIO p.**, Olivier.—**SCATOPSE p.**, Fabr.—**HIRTEA p.**, Schellen.—**ATRACTOCERA**, Meig. Kl.

8100. 1; ornata*. *Meig. Zw.* i. 290.
Atr. regelationis. *Meig. Kl.* i. 94.

8101. 2; reptans*. *Meig. Zw.* i. 291.—(*Kirby & Sp. I. E.* i. 128.)
Cu. reptans. *Linn. ii.* 1003.—*Turt.* iii. 664.
Tip. erythrocephala. *DeGeer.* vi. 161. *pl.* 28. *f.* 5, 6. mas.
Atr. varipes. *Megerle:* (*teste Meig. l. c.*)

8102. 3; varia*. *Meig. Zw.* i. 292.

8103 † 4. lineata. *Meig. Zw.* i. 293. In Mus. Brit.?

8104. 5; variegata*. *Hoffm.*—*Meig. Zw.* i. 292.
Hir. livida. *Schell. G. M.* *pl.* 38. *f.* 3.

8105. 6; affinis* *mihi.*

8106. 7; luteicornis* *mihi.*

8107. 8; picipes* *mihi.*

8108. 9; flavipes* *mihi.*

8109. 10; elegans*. *Meig. Zw.* i. 296.

8110. 11; auricoma*. *Meig. Zw.* i. 296.

8111. 12; latipes*. *Meig. Zw.* i. 297.

8112. 13; nigra*. *Meig. Zw.* i. 297.

8113. 14. equinus^a.

Genus 44: (1168). THYRIDOPHILA mihi.

8114. 1; pyrrhopa* mihi.

Genus 45: (1169). SCATOPSE, Geoffroy.

SCIARA p, Fabr.—CERIA, Scopoli.

8115. 1; notata*. Meig. Zw. i. 300. pl. 10. f. 13.

Tip. notata. Linn. ii. 977.

Tip. latrinarum. DeGeer. vi. 160. pl. 28. f. 1—4.

Sc. albipennis. Fabr. A. 55.

Ce. decemnodia. Scop. C. No. 950.

8116. 2; nigra*. Meig. Zw. i. 300.

8117. 3; punctata*. Meig. Zw. i. 301.

8118. [4, Nectarea.] Marsham MSS.

8119. 5; picipes* mihi.

Genus 46: (1170). DILOPHUS, Meigen.

HIRTEA p, Fabr.—BIBIO p, Olivier.—PULLATA p, Harr.

8120. 1; vulgaris*. Meig. Zw. i. 306. pl. 11. f. 1. mas. f. 8. ala fœm.

Tip. febrilis. Linn. ii. 976.—Berk. S. i. 162.—Stew. ii. 253.—Turt. iii. 594.

Tip. forcipata. Schran. B. iii. 2339.

Pu. parvus. Harr. Ex. 77. pl. xxii. f. 7, 8.

♂; Di. senilis. Megerle: (teste Meig. l. c.)

♀; Di. costalis. Megerle: (teste Meig. l. c.)

8121. 2; marginatus*. Meig. Zw. i. 307.

Bi. nigrita. Olivier: (teste Meig. l. c.)

8122. 3; femoratus*. Meig. Zw. i. 307.

8123. 4; tenuis*. Hoffm.—Meig. Zw. i. 308.

Genus 47: (1171). BIBIO, Geoffroy, Curtis, (Kirby.)

HIRTEA p, Fabr.—PULLATA p, Harr.

8124. 1; Pomonæ*. Meig. Zw. i. 312.—(Curtis l. c. infra.)

Hir. Pomonæ. Fabr. A. 53.

Tip. Marci fulvipes. DeGeer. vi. 160.

Tip. Pomonæ. Herbst. Gem. Nat. viii. pl. 338. f. 5.—Don. ix. 27. pl. 300.—Stew. ii. 252.—Turt. iii. 594.

Pu. Funestus. Harr. Ex. 77. pl. xxii. f. 3, 4.

^a 8113 † 14. equinus.

Culex equinus. Linn. ii. 1003.—Turt. iii. 664. (!)

8125. 2; Marci*. *Meig. Zw.* i. 311.—(*Curtis l. c. infra.*)
 ♀; Tip. Marci. *Linn.* ii. 976.—*Stew.* ii. 252.—*Turt.* iii. 593.—
Panz. F. xcv. f. 20.
 Hi. Marci. (*Kirby & Sp. I. E.* ii. 361.)
- ♂; Tip. brevicornis. *Linn.* ii. 976.—*Turt.* iii. 593.
 Tip. febrilis. *Schr. A.* 878.
 Empis! pennipes. *Samou.* 72. *pl. 9.* f. 6!
 Pu. Funerosus. *Harr. Ex.* 76. *pl. xxii.* f. 1, 2.
8126. 3; hortulanus*. *Meig. Zw.* i. 310.—(*Kirby & Sp. I. E.* i.
 192.)—(*Curtis l. c. infra.*)
 Tip. hortulana. *Linn.* ii. 977.—*Berk. S.* i. 162.—*Stew.* ii. 353.
 —*Turt.* iii. 593.
 Hir. hortulana. *Schell. G. M.* *pl. 39.* f. 1. fœm., f. 2. mas.
 Pu. Citrius. *Harr. Ex.* 77. *pl. xxii.* f. 5, 6.
8127. 4; ferruginatus*. *Meig. Zw.* i. 316.—(*Curtis l. c. infra.*)
 Tip. ferruginata. *Linn.* ii. 976.
 Tip. flavicaudis. *DeGeer.* vi. 160.
8128. 5; villosus*. *Meig. Zw.* i. 313.
8129. 6; Johannis*. *Meig. Zw.* i. 314.—(*Curtis l. c. infra.*)
 Tip. Johannis. *Linn.* ii. 976.—*DeGeer.* vi. 159. *pl. 27.* f. 12—20.
 Tip. Pyri. *Fabr. E. S.* iv. 249.
 Hir. præcox. *Fabr. A.* 31.
 Hir. hyalina. *Meig. Kl.* i. 110.
8130. 7; nigripes*. *Meig. Zw.* i. 315.—(*Curtis l. c. infra.*)
 Pu. Minimus. *Harr. Ex.* 77. *pl. xxii.* f. 9?
8131. 8; venosus*. *Meig. Zw.* i. 315.—*Curtis.* iii. *pl. 138.*
8132. 9; vernalis*. *Meig. Zw.* i. 315.—(*Curtis l. c. supra.*)
 Pu. Miniusculus. *Harr. Ex.* 77. *pl. xxii.* f. 10?
8133. 10; geniculatus* *mihi.*
8134. 11; flavipennis* *mihi.*
8135. 12; clavipes*. *Meig. Zw.* i. 317.—(*Curtis l. c. supra.*)
 Hir. Johannis. *Fabr. A.* 52.
8136. 13, lanigerus. *Hoffm.*—*Meig. Zw.* i. 317.—(*Curtis l. c. supra.*)
- 8137 † 14. dorsalis. *Megerle.*—*Meig. Zw.* i. 318.—(*Curtis l. c. supra.!*) In Mus. D. —
- Genus 48: (1172). ASPISTES, *Hoffmansegg*, *Meigen*, (*Kirby.*)
- 8138 † 1, Chelseaensis* *mihi.* In Mus. D. *Haworth.*
8139. 2, obscurus *mihi.*

Genus 49: (1173). RHYPHUS, *Latreille, Curtis.*

SCIARA p, *Fabr.*—RHAGIO p, *Fabr.*—ANISOPUS, *Meig. Kl.*—
SYLVICOLÆ p, *Harr.*

8140. 1; fuscatus*. *Meig. Zw. i. 321. pl. 11. f. 18. ♀.*—(*Curtis l. c. infra.*)

Sc. fuscata. *Fabr. A. 58.*

An. fuscus. *Meig. Kl. i. 103.*

8141. 2; punctatus*. *Meig. Zw. i. 322.*—(*Curtis l. c. infra.*)

Sc. punctata. *Fabr. A. 59.*

Musca bilineata. *Gmel. v. 2866.*

An. nebulosus ♂. *Meig. Kl. i. 103. pl. 6. f. 4.*

Sy. Cælebs. *Harr. Ex. 102. pl. xxxi. f. 8?*

8142. 3; fenestralis*. *Meig. Zw. i. 323.*—*Curtis. iii. pl. 102.*

Tip. fenestralis. *Scop. C. 322.*

Sc. cincta. *Fabr. A. 60.*

Musca succincta. *Gmel. v. 2866.*

An. nebulosus ♀. *Meig. Kl. i. 103.*

Sy. brevis. *Harr. Ex. 104. pl. xxxi. § 3.*

8143. 4; variegatus* *mihi.*

Familia III: (137). ASILIDÆ, *Leach.*

(ASILUS, *Linné, &c.*—ASILICI, *Latr.*)

Genus 50: (1174). ASILUS *Auctorum.*

DASYPOGON p, *Fabr.*—ERAX p, *Scopoli.*

8144. 1; forcipatus*. *Linn. ii. 1008.*—*Berk. S. i. 167.*—*Stew. ii. 273.*—*Turt. iii. 676.*—(*Curtis l. c. infra.*)

As. cinereus. *DeGeer. vi. pl. 14. f. 5–9.*

As. Tipuloides. *Harr. Ex. 64. pl. xvii. f. 3.*

8145. 2, obscurus*. *Meig. Zw. ii. 315.*

8146. 3; albiceps*. *Meig. Zw. ii. 312?*

As. albipes. (*Curtis l. c. infra.*)

8147. 4, cristatus*. *Hoffm.*—*Meig. Zw. ii. 322?*

As. delecta. *Harr. Ex. 64. pl. xvii. f. 4 & 5.*

8148. 5; trigonus*. *Meig. Zw. ii. 322.*

8149. 6, cingulatus*. *Fabr. A. 172.*

8150. 7; varipes*. *Meig. Zw. ii. 328?*

As. maculosus. *Harr. Ex. 64. pl. xvii. f. 6.*

8151. 8; calceatus*. *Meg.*—*Meig. Zw. ii. 316?*

8152. 9; atricapillus*. *Fall. D. S. (Asili.) 105.*

8153. 10; opacus*. *Gürtler.*—*Meig. Zw. ii. 315.*—(*Curtis l. c. infra.*)

8154. 11; æstivus *. *Schra. A.* No. 996.—(*Curtis l. c. infra.*)
 As. niger. *DeGeer.* vi. pl. 14. f. 12.
 As. tibialis. *Fall. D. S. (Asil.)* 9.
 As. leucopogon. *Mus. Brit.*

8155. 12, cognatus * *mih.*

8156. 13, germanicus. *Linn. ii.* 1008.—*Curtis.* i. pl. 46.
 ♀, As. tibialis. *Fabr. E. S.* iv. 383.

8157. 14; crabroniformis *: Hornet Fly.—*Berk. l. c.* *Linn. ii.*
 1007.—*Harr. Ex.* 65. pl. xvii. f. 1, 2.—*Berk. S.* i. 167.—*Don.* v.
 109. pl. 180.—*Stew.* ii. 272.—*Turt.* iii. 674.—(*Kirby & Sp. I. E.*
ii. 361.)—(*Samou.* 72. pl. 9. f. 9.)—(*Curtis l. c. supra.*)

Genus 51: (1175). DASYPOGON, *Meig., Leach, Samou., Curtis.*
 ERAX *p., Scop.*

8158. 1, punctatus. *Fabr. A.* 165.—*Panz. F.* xlv. f. 24.—
 (*Sam. I.* 14.)—(*Curtis folio* 153.)
 ♂, Da. diadema. *Fabr. A.* 164.—*Panz. F.* xlv. f. 23.

Genus 52: (1176). LEPTARTHROUS *mih.*

DASYPOGON *p., Meig., Curtis.*

8159. 1; brevirostris *.
 Da. brevirostris. *Meig. Zw.* ii. 273.—*Curtis.* iv. pl. 153.
 ♂. Da. longitarsis. *Fallen D. S. (Asil.)* 13.
 ♀. Da. armillatus. *Fallen D. S. (Asil.)* 12.

Genus 53: (1177). LAPHRIA, *Fabr., Leach, Samou., Curtis.*
 ERAX *p., Scopoli.*

8160. 1; nigra *. *Meig. Zw.* ii. 293.—*Ahrens. F.* ii. f. 24.—
Curtis. ii. pl. 94.
 8161 † 2. *gilva*^a.
 8162 † 3. *gibbosa*^b.
 8163 † 4. *atra*^c.
 8164 † 5. *flava*^d.

^a 8161 † 2. *gilva*.
 As. *gilvus.* *Linn. ii.* 1007.—*Stew.* ii. 272. (!)—*Turt.* iii. 676. (!)
 As. *rufus.* *DeGeer.* vi. 97. pl. 13. f. 15.

^b 8162 † 3. *gibbosa*.
 As. *gibbosus.* *Linn. ii.* 1007.—*Stew.* ii. 272. (!)—*Turt.* iii. 674. (!)
 As. *bombylius.* *DeGeer.* vi. 96. pl. 13. f. 6.

^c 8163 † 4. *atra*. *Linn. ii.* 1007.—*Stew.* ii. 272. (!)—*Turt.* iii. 675. (!)
 As. *atra.* *Meig. Zw.* ii. 302. pl. 20. f. 24.
 La. *violacea.* *Meig. Kl.* i. 262.

^d 8164 † 5. *flava.* *Meig. Zw.* ii. 288.
 As. *flavus.* *Linn. ii.* 1007.—*Stew.* ii. 272. (!)—*Panz. F.* xxxix.
 f. 23, 24.—*Turt.* iii. 675. (!)

8165 † 6. marginata^a.

Genus 54: (1178). —

DIOCTRIA *p*, Meigen.

8166. 1; atricapilla*.

Di. atricapilla. Fallen. D. S. (Asil.) 7.

8167. 2; semihyalina*.

Di. semihyalina. Hoffmannsegg.—Meig. Zw. ii. 254.

Genus 55: (1179). DIOCTRIA, Meigen, Leach, Samou., (Kirby.)

SYLVICOLÆ II., Harris.—ERAX *p*, Scop.

8168. 1; celandica*. Fabr. A. 149.—(Sam. I. 15.)

As. celandicus. Linn. ii. 1008.—Stew. ii. 273.—Herbst. Nat. viii. 119. pl. 346. f. 5.—Turt. iii. 679.

As. Morio. Berk. S. i. 167?

Sy. lugubris. Harr. Ex. 159. pl. xlvi. f. 1.

8169. 2; rufipes*. Meig. Zw. ii. 242.

As. rufipes. De Geer. vi. 97. pl. 17.

Di. frontalis. Meig. Kl. i. 257.

Di. flavipes var. 1. Fallen. D. S. (Asil.) 7.

Sy. Cursor. Harr. Ex. 159. pl. xlvi. f. 2.

8170. 3; varipes*. Meig. Zw. ii. 245?

8171. 4; lateralis*. Meig. Zw. ii. 249?

Sy. informis. Harr. Ex. 159. pl. xlvi. f. 3?

8172. 5; annulata*. Meig. Zw. ii. 251?

8173. 6, podagricus. Mus. Marsham.

Di. flavipes. Fall. D. S. (Asili.) 7. 2?

8174. 7; nigripes*. Meig. Zw. ii. 246.

Di. fuscipennis. Fall. D. S. (Asili.) 7. 3.

Genus 56: (1180). GONIPES, Latreille, Leach, Samou.

LEPTOGASTER, Meigen.—DASYPOGON *p*, Fabr.

8175. 1; cylindricus*. Latr. G. iv. 301.

As. cylindrica. De Geer. vi. 99. pl. 14. f. 13.

As. tipuloides. Fabr. E. S. iv. 172.—Berk. S. i. 167?—
Stew. ii. 273.—Turt. iii. 678.

Go. tipuloides. (Sam. I. 19.)

8176. 2, fuscus.

Sc. fuscus. Meig. Zw. ii. 344.

^a 8165 † 6. marginata. Meig. Zw. ii. 291.

As. marginatus. Linn. ii. 1008.—De Geer. vi. 97. pl. 14. f. 1.—
Stew. ii. 273. (!)

B. HYBOTINÆ, Meigen.—EMPIS p, Fabr.—EMPIDES p, Latr.

Genus 57: (1181). HYBOS, Fabr.

DASYPOGON p, Fabr.—ACROMYIA, Bonelli.

8177. 1; funebris*. Fabr. A. 145.

As. culiciformis. Fabr. iv. 389.—Stew. ii. 273.—Turt. iii. 680.
Em. clavipes. Fabr. iv. 403.

8178. 2; vitripennis*. Meig. Zw. ii. 348.

8179. 3; pilipes*. Meig. Zw. ii. 349.

8180. 4; funiipennis*. Meig. Zw. ii. 349.

8181. 5, Leachianus mihi.

8182. 6; flavipes. Fabr. A. 145.—Meig. Zw. ii. 348. pl. 21. f. 20.
As. clavipes. Mus. Marsham.

8183. 7; Marshamanus mihi.

As. culiciformis. Mus. Marsham.

8184. 8; brunnipes* mihi.

8185. 9; nervosus* mihi.

Genus 58: (1182). OCYDROMIA, Hoffmannsegg.

8186. 1; scutellata*. Meig. Zw. ii. 354.

8187. 2; rufipes*. Meig. Zw. ii. 353.

8188. 3; flavipes*. Megerle.—Meig. Zw. ii. 353.

8189. 4, ruficollis. Meig. Zw. ii. 353. pl. 21. f. 24.
Em. flavicollis. Mus. Marsham.

8190. 5, glabricula. Fallen. D. S. (Empid.) 33.—Meig. Zw. ii.
352. pl. 21. f. 23.

8191. 6; dorsalis* mihi.

Genus 59: (1183). OEDALEA, Meigen.

8192. 1; minuta*. Meig. Zw. ii. 356.

Em. minuta. Fall. D. S. (Empid.) 32.

8193. 2; hybotina*. Meig. Zw. ii. 356. pl. 21. f. 27.

Em. hybotina. Fall. D. S. (Empid.) 31.

Familia IV: (138). EMPIDÆ, Leach.

(EMPIS, Linné, &c.—EMPIDES, Latr.)

A. EMPIDIÆ, Meig.

Genus 60: (1184). BRACHYSTOMA, Meigen.

BACCINA p, Fabr.

8194. 1; vesiculosæ*. Meig. Zw. iii. 13. pl. 22. f. 8, 9.

Ba. vesiculosæ. Fabr. A. 200.

8195. 2; longicornis*. Meig. Zw. iii. 12. pl. 22. f. 6, 7.

Genus 61: (1135). HILARA, Meig., *Curtis*, (Kirby.)

TACHYDROMIA p, Fabr.—BIBIO p, Panzer.

A. Vide Meig. Zw. iii. 3.

8196. 1; ciliipes*. Meig. Zw. iii. 3. pl. 22. f. 3.

Em. clavipes. Harr. Ex. 150. pl. xliv. f. 3. ♂.

8197. 2; globulipes*. Hoffm.—Meig. Zw. iii. 3.—(Curtis l. c. supra.)

Em. maura. Fabr. A. 139.—Meig. Kl. i. 222. pl. 2. f. 28.—
(Kirby & Sp. I. E. ii. 7.)

Bibio senilis. Panz. F. liv. f. 3.

8198. 3; chorica*. Meig. Zw. iii. 4.—(Curtis l. c. supra.)

Em. chorica. Fall. D. S. (Empid.) 24.

Em. affinis. Mus. Marsham.

8199. 4; nigrina*. Meig. Zw. iii. 4.—(Curtis l. c. supra.)

Em. nigrina. Fall. D. S. (Empid.) 24.

8200. 5; clypeata*. Meig. Zw. iii. 4.—(Curtis l. c. supra.)

8201. 6; manicata*. Meig. Zw. iii. 5.—(Curtis l. c. supra.)

Em. Corynodis. Mus. Marsham.

8202. 7; modesta*. Meig. Zw. iii. 10.—(Curtis l. c. supra.)

8203. 8; interstincta*. Meig. Zw. iii. 6.—(Curtis l. c. supra.)

Em. interstincta. Fall. D. S. (Empid.) 24.

8204. 9; fuscipes*. Meig. Zw. iii. 6.—(Curtis l. c. supra.)

Ta. fuscipes. Fabr. A. 144.

Ta. plumbea. Fabr. A. 144.

Em. intermedia. Fall. D. S. (Empid.) 23.

Em. albida. Meig. Kl. i. 227.

8205. 10; quadrivittata*. Wied.—Meig. Zw. iii. 7.—(Curtis l. c. supra.)

8206. 11; pruinosa*. Megerle.—Meig. Zw. iii. 7.—(Curtis l. c. supra.)

8207. 12; univittata*. Meig. Zw. iii. 9?

8208. 13; lugubris*. Meig. Zw. iii. 10.

8209. 14; litorea. Meig. Zw. iii. 8.—(Curtis l. c. supra.)

Em. litorea. Fall. D. S. (Empid.) 24.

8210. 15; lurida*. Meig. Zw. iii. 8.—(Curtis l. c. supra.)

Em. lurida. Fall. D. S. (Empid.) 22.

8211. 16; tenella*. Meig. Zw. iii. 9.

Em. tenella. Fall. D. S. (Empid.) 25.

B. Vide Meig. Zw. iii. 11.

8212. 17; flavipes*. Meig. Zw. iii. 11.—(Curtis l. c. supra.)

Em. acephala. Panz. F. liv. f. 24.

8213. 18, obscura. *Meig. Zw.* iii. 11.—(*Curtis l. c. supra.*)
C. Vide *Meig. Zw.* iii. 11.

8214. 19, fasciata. *Meig. Zw.* iii. 11.—(*Curtis l. c. supra.*)

Genus 62: (1186). GLOMA, Meigen.

8215. 1, fuscipennis. *Meig. Zw.* iii. 14. *pl. 22. f. 10-12.*

Genus 63: (1187). —

8216. 1, bipunctata.

Em. bipunctata. *Mus. Marsham.*

8217. 2, Evanida.

Em. Evanida. *Mus. Marsham.*

Genus 64: (1188). PACHYMERIA mihi.

EMPIS B. p, Meigen.

8218. 1; ruralis *.

Em. ruralis. *Meig. Zw.* iii. 40.

Em. confidens. *Harr. Ex.* 151. *pl. xliv. f. 7.*

8219. 2; aprica * mihi.

Genus 65: (1189). EMPIS Auctorum.

8220. 1; pennipes *. *Linn.* ii. 1003.—*Panz. F.* lxxiv. f. 18.—
Stew. ii. 269.—*Turt.* iii. 665.—(*Sam. I. 16.*)—*Wood.* ii. 100. *pl. 68.*

Em. ciliata. *Fall. D. S. (Empid.)* 20.

Em. pennata. *Schrink A.* No. 987.

Em. longirostris. *Meig. Kl.* ii. 223.

8221. 2; umbrina *. *Hoffm.*—*Meig. Zw.* iii. 41.

8222. 3; decora *. *Meig. Zw.* iii. 24. *pl. 22. f. 18.*

8223. 4; pennaria *. *Fallen. D. S. (Empid.)* 20.

8224. 5; vitripennis *. *Meig. Zw.* iii. 25.

8225. 6; lepidopus *. *Meig. Zw.* iii. 23.

8226. 7; leucoptera *. *Meig. Zw.* iii. 27.

8227. 8; vernalis *. *Meig. Zw.* iii. 27.

8228. 9; chioptera *. *Fallen. D. S. (Empid.)* 21.—*Meig. Zw.* iii.
27. *pl. 22. f. 19.*

Em. crassipes. *Schrink A.* No. 988.

8229. 10; Bistortæ *. *Meig. Zw.* iii. 29.

8230. 11; pilipes *. *Meig. Zw.* iii. 31.

8231. 12; punctata *. *Fabr. A.* 142.

8232. 13; testacea *. *Fabr. A.* 141.

8233. 14; stercorea *. *Linn.* ii. 1004.—*Stew.* ii. 270.—*Turt.* iii.
667.

Em. pertinax. *Harr. Ex.* 150. *pl. xliv. f. 5.*

8234. [15; forcipata*.] *Mus. Marsham.*
 8235. 16; lutea*. *Meig. Zw.* iii. 37.
 Em. certus (oertus). *Harr. Ex.* 150. *pl. xliv. f. 6.* —
 8236. 17; tessellata*. *Fabr. A.* 140.
 Em. livida. *Fabr. A.* 139.—*Turt.* iii. 666.
 Em. sordida. *Mus. Marsham.*
 8237. 18, affinis *? *mihi.*
 8238. 19; livida*. *Linn.* ii. 1003.—*De Geer.* vi. 101. *pl. 14. f. 14.*
 —*Harr. Ex.* 149. *pl. xliv. f. 1.*—*Stew.* ii. 270.
 Em. lineata. *Fabr. A.* 141.
 ♀, Em. fugeo. *Harr. Ex.* 150. *pl. xliv. f. 4.*
 Var.? Em. melanopa. *Mus. Marsham.*
 Em. constans. *Harr. Ex.* 150. *pl. xliv. f. 2?*
8239. 20, cognata *mihi.*

Genus 66: (1190). PLATYPTERYGIA *mihi.*

EMPIS *p.*, Linné, *Curtis.*—PLATYPTERA, *Meig. (olim.)*

8240. 1, borealis.
 Em. borealis. *Linn.* ii. 1003.—*Turt.* iii. 665.—(Sam. I. 16.)
 —*Curtis.* i. *pl. 18.*

Genus 67: (1191). RHAMPHOMYIA, Hoffmansegg.

PLATYPTERA *p.*, *Meig.?*

- 8241 † 1. cinerea^a.
 8242. 2; sulcata*. *Meig. Zw.* iii. 46.
 Em. fixus. *Harr. Ex.* 151. *pl. xliv. f. 8.*
 8243. 3; plumipes*. *Meig. Zw.* iii. 47.
 8244. 4; nigripes *. *Meig. Zw.* iii. 48.
 Em. nigripes. *Fabr. A.* 141.
 Em. crassirostris. *Fall. D. S. (Empid.)* 31.
 Em. vicanus. *Harr. Ex.* 151. *pl. xliv. f. 9.*
 8245. 5; atra *. *Meig. Zw.* iii. 45.
 8246. 6, rugicollis. *Meig. Zw.* iii. 46.
 8247. 7, variabilis. *Meig. Zw.* iii. 51.
 Em. variabilis. *Fall. D. S. (Empid.)* 29.
 8248. 8; culicina *. *Meig. Zw.* iii. 52.

* 8241 † 1. cinerea. *Meig. Zw.* iii. 43.
 Em. cinerea. *Fabr. A.* 141.—*Turt.* iii. 666. (!)
 Em. tipularia. *Fall. D. S. (Empid.)* 27.

- Em. culicina. *Fall. D. S. (Empid.)* 28.
 Em. avidus. *Harr. Ex.* 151. *pl. xliv. f.* 10.
 8249. 9, tenuirostris. *Meig. Zw.* iii. 52.
 Em. tenuirostris. *Fall. D. S. (Empid.)* 29.
 8250. 10, flava. *Meig. Zw.* iii. 59.
 Em. flava. *Fall. D. S. (Empid.)* 30.
 8251. 11; flavipes * *mihi*.
 8252. 12; longipes *. *Meig. Zw.* iii. 55. *pl. 22. f. 3.* mas.
 8253. 13; obscura *.
 8254. 14; albipennis *. *Meig. Zw.* iii. 59.
 Em. albipennis. *Fall. D. S. (Empid.)* 30.
 8255. 15; umbripennis *. *Meig. Zw.* iii. 54.
 Em. umbripennis. *Fall. D. S. (Empid.)* 30. 34.
 8256. 16; gibba *. *Meig. Zw.* iii. 58.
 Em. gibba. *Fall. D. S. (Empid.)* 32. 41.
 8257. 17; holosericea *. *Meig. Kl. i.* 231.

Genus 68: (1192). ENICOPTERYX *mihi*.

RHAMPHOMYIA *p*, *Meig.*

8258. 1; fusca *.
 Em. fusca. *Mus. Marsham.* .
 8259. 2; infuscata *.
 Rh. infuscata. *Meig. Zw.* iii. 53. *pl. 23. f. 4.* ala.
 8260. 3; hyalipennis * *mihi*.
 Rh. anomalipennis. *Meig. Zw.* iii. 55.

B. TACHYDROMIÆ, *Meig.*—SICUS, *Latr.*, (*Kirby.*)

Genus 69: (1193). HEMERODROMIA, *Hoffmansegg.*

8261. 1; monostigma *. *Hoffm.*—*Meig. Zw.* iii. 62. *pl. 23. f. 6.*
 8262. 2; Meigeniana * *mihi*.
 8263. 3, Mantispa. *Meig. Zw.* iii. 64. *pl. 23. f. 9.* ala.
 Ta. Mantispa. *Panz. F.* ciii. *f. 16.*
 Em. melanocephala. *Fabr. iv.* 407.
 Si. raptor. *Latr. G.* iv. 104. *pl. 16. f. 11, 12.*

Genus 70: (1194). TACHYDROMIA, *Meig.*

MUSCA *p*, *Linn.*—CALOBATA *p*, *Fabr.*—PLATYPALPUS, *Marc.*

8264. 1; arrogans *. *Meig. Zw.* iii. 63.
 Mu. arrogans. *Linn. ii.* 995.
 Ta. cimicoides. *Fabr. A.* 144.
 8265. 2; annulimana *. *Meig. Zw.* iii. 69.
 8266. 3; connexa *. *Meig. Zw.* iii. 70.
 Ta. cimicoides. *Meig. Kl. i.* 239.

8267. 4; fuscipennis. *Fall. D. S. (Empid.)* 14. 19.
 8268. 5; nervosa*. *Meig. Zw.* iii. 72.
 8269. 6; venosa* *mihi.*
 8270. 7; annulipes*. *Meig. Zw.* iii. 77.
 8271. 8; annulata*. *Fallen D. S. (Empid.)* 7.—*Meig. Zw.* iii. 77.
 8272. 9; fascipes*. *Meig. Zw.* iii. 78.
 8273. 10; flavipes*. *Fabr. A.* 142.
 Ta. vulgaris. *Meig. Kl.* i. 237.
 Si. flavipes. (*Kirby & Sp. I. E.* iii. 669.)
 8274. 11; bicolor*. *Fabr. A.* 143.
 8275. 12; pallidiventris*. *Meig. Zw.* iii. 82.
 Ta. flavipes. *Fall. D. S. (Empid.)* 6.
 8276. 13; candicans. *Fall. D. S. (Empid.)* 10.
 8277. 14, grossipes.
 Em. grossipes. *Mus. Marsham.*
 8278. 15; dissimilis*. *Fall. D. S. (Empid.)* 9.
 8279. 16; fasciata*. *Meig. Zw.* iii. 86. *pl. 23. f. 22.*
 8280. 17, flavipalpis*. *Meig. Zw.* iii. 74.
 8281. 18; fulvipes*. *Megerle.*—*Meig. Zw.* iii. 78.
 8282. 19; ventralis*. *Megerle.*—*Meig. Zw.* iii. 85.
 8283. 20, calceata. *Meig. Zw.* iii. 87.
 8284. 21; pallipes*. *Fall. D. S. (Empid.)* 8.
 8285. 22; nigritarsis*. *Fall. D. S. (Empid.)* 34.
 8286. 23; albisetosa*. *Panz. F.* ciii. *f.* 17.
 Ta. assimilis. *Fall. D. S. (Empid.)* 8.
 8287. 24; nigra*. *Meig. Zw.* iii. 75.
 8288. 25; nigrina*. *Meig. Zw.* iii. 76.
 8289. 26; minuta*. *Meig. Zw.* iii. 76.
 8290. 27; exigua*. *Meig. Zw.* iii. 81.
 8291. 28; castanipes*. *Meig. Zw.* iii. 79.
 8292. 29; agilis*. *Meig. Zw.* iii. 80.
 8293. 30; tibialis* *mihi.*
 8294. 31; apicalis* *mihi.*
 8295. 32; consorta* *mihi.*
 8296. 33; lutea*. *Meig. Zw.* iii. 89.
 8296*. 34; cursitans*. *Fabr. A.* 144. (!)
 Mu. cursitans. *Stcw.* ii. 261.—*Turt.* iii. 612.

Familia V: (139). DOLICHOPIDÆ, Leach.

DOLYCHOPODES, Latr.—DOLYCHOPUS, Fabr.

A. PLATYPEZINÆ, Meig.

Genus 71: (1195). PLATYPEZA, Meigen.

8297. 1; boletina*. Fallen D. S. (*Platypt.*) 4. 1.8298. 2; atra*. Fall. D. S. (*Platypt.*) 6. 3.

Genus 72: (1196). CALLOMYIA, Meigen.

8299. 1; aterrima* *mihi*.

Cal. antennata. Fall.—Meig. Zw. iv. 15?

B. MEGACEPHALI, Meig.—SYRPHIÆ p, Latr.

Genus 73: (1197). PIPUNCULUS, Latr., Leach, Samou.

CEPHALOPS, Fallen.

8300. 1; campestris*. Latr. G. iv. 332.—(Leach E. E. x. 130.)
—(Sam. I. 34.)

8301. 2; geniculatus*. Meig. Zw. iv. 20.

8302. 3; sylvaticus*. Meig. Zw. iv. 20.

8303. 4; Dubrensis *mihi*.

Pi. flavipes. Meig. Zw. iv. 21?

8304. 5, ruralis*. Meig. Zw. iv. 22.

C. DOLICHOPODES, Meig.

Genus 74: (1198). RHAPHIUM, Meigen.

8305. 1; longicorne*. Meig. Zw. iv. 28.

8306 + 2, macrocerum*. Wied.—Meig. Zw. iv. 29.

In Mus. D. Westwood.

Genus 75: (1199). DIAPHORUS, Meigen.

8307. 1; flavocinctus*. Hoffmannsegg.—Meig. Zw. iv. 33. pl. 34.
f. 8.

8308. 2; Winthemi*. Meig. Zw. iv. 84.

Genus 76: (1200). CHRYSOTUS, Meigen.

8309. 1; neglectus*. Meig. Zw. iv. 41. pl. 35. f. 10.
Do. neglectus. Wied. Z. M. i. 74.8310. 2; nigripes*. Meig. Zw. iv. 42.
Do. nigripes. Fabr. A. 269.8311. 3; læsus*. Meig. Zw. iv. 43.
Do. læsus. Wied. Z. M. i. 75.

8312. 4; femoralis*. Meg.—Meig. Zw. iv. 42.

8313. 5; cilipes*. Meig. Zw. iv. 41.

8314. 6; tibialis* *mihi*.

8315. 7; copiosus *. Meig. Zw. iv. 41.

8316. 8; laetus *. Wied.—Meig. Zw. iv. 43.

Genus 77: (1201). PORPHYROPS, Meigen.

8317. 1; diaphanus *. Meig. Zw. iv. 46. pl. 35. f. 5.

Do. diaphanus. Fabr. A. 270.

Mu. ludeus. Harr. Ex. 157. pl. xlvi. f. 3?

8318. 2; splendidus *.

Po. auricollis. Meig. Zw. iv. 47?

Mu. semiargentata. Turt. iii. 606?—Stew. ii. 261?

8319. 3, argyrius *. Meig. Zw. iv. 46.

8320. 4, argentinus. Meig. Zw. iv. 47.

8321. 5; leucocephalus *. Meig. Zw. iv. 49.

8322. 6, thoracicus *. Meig. Zw. iv. 53.

8323. 7, consobrinus * mihi.

8324. 8; aulicus *. Meig. Zw. iv. 48.

8325. 9; quadrispectatus *. Meig. Zw. iv. 48.

Do. quadrispectatus. Fabr. A. 269.

8326. 10, tarsalis * mihi.

Genus 78: (1202). PSILOPUS, Meigen.

8327. 1; platypterus *. Meig. Zw. iv. 36.

Do. platypterus. Fabr. A. 270.

8328. 2; consobrinus * mihi.

8329. 3; contristans *. Meig. Zw. iv. 37.

Do. contristans. Wied. Z. M. i. 72.

8330. 4; lobipes *. Meig. Zw. iv. 38.

8331. 5; lugens *. Meig. Zw. iv. 38.

8332. 6; obscurus *. Meig. Zw. iv. 39. (!)

8333. 7; nervosus *. Meig. Zw. iv. 36.

Do. nervosus. Lehmann D. 40.

8334. 8; regalis *. Meig. Zw. iv. 35.

Genus 79: (1203). SYBISTROMA, Meigen.

8335. 1; discipes *. Meig. Zw. iv. 71.

Do. discipes. Ahr. F. iv. f. 24.

Do. gracilipes. Leach? MSS.

8336. 2, patellipes. Meig. Zw. iv. 72. (!)

Do. frontalis. Leach? MSS.

Genus 80: (1204). MEDETERUS, Fischer, Curtis.

HYDROPHORUS, Fallen.

8337. 1, regius *. Meig. Zw. iv. 60.—(Curtis l. c. infra).

- Do. regius. *Fabr. A.* 267.
 Mu. virens. *Panz. F. liv. f.* 16?
8338. 2; viridis*. *Meig. Zw.* iv. 60.—(*Curtis l. c. infra.*)
8339. 3; rostratus*. *Meig. Zw.* iv. 61.
 Do. rostratus. *Fabr. A.* 269.
8340. 4, notatus*. *Meig. Zw.* iv. 62.—*Curtis. iv. pl.* 162.
 Do. notatus. *Fabr. A.* 269. (!)
 Mu. notata. *Stew. ii.* 261.—*Turt. iii.* 613.
8341. 5, abbreviatus.
 Mu. abbreviatus. *Mus. Marsham.*
8342. 6, xanthopterus *mihi.*
8343. 7; flavipes*. *Meig. Zw.* iv. 61.
8344. 8; præcox*. *Meig. Zw.* iv. 64.
8345. 9; prodromus*. *Meig. Zw.* iv. 64.
8346. 10; truncorum*. *Winthem.*—*Meig. Zw.* iv. 67.
8347. 11; nebulosus*. *Meig. Zw.* iv. 68.
 Hy. nebulosus. *Fall. D. S. (Dolich.)* 3, 4.
8348. 12; tenellus*. *Wied. Z. M.* i. 73.—*Meig. Zw.* iv. 69.
- Genus 81: (1205). DOLICHOPUS, *Latr., Leach, Samou., (Kirby.)*
RHAGIO p, Schrank.—SATYRA, *Meig. (olim.)*
8349. 1; nobilitatus*. *Fabr. A.* 268.—(*Sam. I.* 15.)
 Mu. nobilitatus. *Linn. ii.* 995.—*Turt. iii.* 613.
 Mu. joco. *Harr. Ex.* 157. *pl. xlvi. f.* 1.
8350. 2; plumicornis*. *Meig. Zw.* iv. 83. (!)
8351. 3; atratus*. *Hoffm.*—*Meig. Zw.* iv. 76.
8352. 4; picipes*. *Winthem.*—*Meig. Zw.* iv. 76.
8353. 5; nigricornis*. *Megerle.*—*Meig. Zw.* iv. 82.
8354. 6; chalybeus*. *Wied. Z. M.* i. 72.—*Meig. Zw.* iv. 79.
8355. 7; metallicus* *mihi.*
8356. 8; æneovirens* *mihi.*
8357. 9; nigroæneus* *mihi.*
8358. 10; tarsalis* *mihi.*
8359. 11; angulatus*.
 Do. nitidus. *Meig. Zw.* iv. 80. (!)
8360. 12; nitidus*. *Fall. D. S. (Dolich.)* 12. 9.
8361. 13; subflexuosus* *mihi.*
8362. 14; unguilatus*. *Fabr. A.* 266.—*Meig. Zw.* iv. 80.
 Mu. unguilata. *Linn. ii.* 995.—*Panz. F. xx. f.* 21.—*Stew. ii.* 261.—*Turt. iii.* 613.

Nemotelus æneus. *DeGeer.* vi. 78. *pl. xi. f. 14–22.*

Mu. ludicus. *Harr. Ex.* 157. *pl. xlviij. f. 2?*

8363. 15, nigritarsis*.
Do. ruralis. *Meig. Zw.* iv. 94?
8364. 16; simplex*. *Meig. Zw.* iv. 85.
8365. 17, pennitarsis. *Fall. D. S. (Dolich.)* ii. 6.—*Meig. Zw.* iv. 91.
8366. 18, plumitarsis. *Fall. D. S. (Dolich.)* 10.4.—*Meig. Zw.* iv. 89.
8367. 19, popularis. *Hoffm.*—*Fall. D. S. (Dolich.)* 11. 9.—*Meig. Zw.* iv. 91.
8368. 20; acuticornis*. *Wied. Z. M.* i. 74.—*Meig. Zw.* iv. 94.
8369. 21; plebeius*. *Meig. Zw.* iv. 99. (!)
8370. 22; xanthogaster*. *Meig. Zw.* iv. 99. (!)
8371. 23; viridis*. *Wied.*—*Meig. Zw.* iv. 100.
8372. 24; gratiosus*. *Meig. Zw.* iv. 100?
8373. 25; relictus*. *Meig. Zw.* iv. 77.
8374. 26; æratus* *mihi.*
8375. 27; nigripennis*. *Fall. D. S. (Dolich.)* 15, 16.—*Meig. Zw.* iv. 102. *pl. 35. f. 20. caput.* An hujus generis?

Familia VI: (140). RHAGIONIDÆ, Leach.

RHAGIONIDES, *Latr.*—LEPTIDES, *Meig.*

Genus 82: (1206). LEPTIS, *Fabr.*

ATHERIX p., *Fabr.*—SYLVICOLÆ p., *Harr.*

8376. 1; aurata*. *Meig. Zw.* ii. 99.
Rh. atratus. *Fabr. E. S.* iv. 276.
Rh. tomentosus. *Fabr.* iv. 275.
Mu. cingulata. *Don.* xiii. 67. *pl. 465.*
♂, Sy. secretus. *Harr. Ex.* 101. *pl. xxxi. f. 6.*
♀, Sy. solitaneous. *Harr. Ex.* 102. *pl. xxxi. f. 10.*
8377. 2, helveola*. *Meig. Zw.* ii. 100.
8378. 3, flaveola*. *Meig. Zw.* ii. 100.
Anthrax genius. *Panz. F.* liv. *f. 4.*
8379. 4, Diadema*. *Meig. Zw.* ii. 101.
Rh. aureus. *Meig. Kl.* i. 302.
8380. 5, affinis* *mihi.*

Genus 83: (1207). RHAGIO, *Olivier*, *Leach*, *Samou.*

LEPTIS, *Fabr.*, *Meig. Zw.*—NEMOTELUS p., *DeGeer.*—ATHERIX p., *Fabr.*—DY.-SYLVICOLÆ, *Harr.*

8381. 1; lineola*. *Fabr.* iv. 275.

- Rh. albifrons. *Meig. Kl. i.* 300.
 Sy. Monachus. *Harr. Ex. 102. pl. xxxi. f. 9.*
 8382. 2; strigosus. *Meig. Kl. i.* 299.
 Sy. derelictus. *Harr. Ex. 102. pl. xxxi. f. 7.*
 8383. 3; punctatus* *mihi.*
 8384. 4; Tringarius*. *Fabr. iv.* 372.
 Rh. vanellus. *Fabr. iv.* 272.
 Musca tringaria. *Linn. ii.* 982.
 Nem. scolopaceus var. *DeGeer. vi.* 69. *pl. 9. f. 10.*
 Sy. solivagus. *Harr. Ex. 101. pl. xxxi. f. 4.*
 8385. 5; immaculatus*. *Meig. Kl. i.* 301.
 Sy. reconditus. *Harr. Ex. 101. pl. xxxi. f. 3.*
 8386. 6; annulatus*.
 Nem. annulatus. *DeGeer. vi.* 69.
 8387. 7; Scolopaceus*. *Fabr. iv.* 271.—*Panz. F. xiv. f. 19.*—
 (*Sam. I.* 36.)
 Musca Scolopacea. *Linn. ii.* 982.—*Stew. ii.* 263.—*Turt. iii.* 632.
 Sy. solitarius. *Harr. Ex. 100. pl. xxxi. f. 1, 2.*
 Var.? Sy. monotropus. *Harr. Ex. 101. pl. xxxi. f. 5.*
 Genus 84: (1208). AATHERIX, *Meig., Leach, Samou., Curtis.*
 ANTHRAX *p.*, BIBIO *p.*, et LEPTIS *p.*, *Fabr.*
 8388. 1, Ibis*. *Meig. Zw. ii.* 105.—*Curtis. i. pl. 26.*—(*Ing. Inst. 91.*)
 ♂, Lep. Ibis. *Fabr. A.* 70?
 Sy. melancholia. *Harr. Ex. 103. pl. xxxi. § 2. f. 1.*
 ♀, Ant. Titanus. *Fabr. A.* 126.
 At. maculatus. *Latr. G. iv.* 289.—(*Sam. I.* 5.)
 Nodutis maculata. *Megerle. (teste Meig.)*
 8389. 2, marginata*? *Meig. Zw. ii.* 106.—(*Curtis l. c. supra.*)
 Musca marginata. *Gmel. v.* 2829.—*Stew. ii.* 255.
 Musca Atherix. *Don. xvi.* 17. *pl. 549.*
 8390. 3; melæna*. *Hoffm.*—*Meig. Zw. ii.* 109.
 8391. 4, crassicornis. *Panz. F. cv. f. 10.*
 Lep. griseola. *Fall. D. S. (Ath.)* 12. 7.

Familia VII: (141). MYDASIDÆ, *Leach.*

MYDASII, *Latreille.*—XYLOTOMÆ, *Meig.*

Genus 85: (1209). THEREVA, *Latr., Leach, Samou.*

BIBIO *p.*, *Fabr.*—NEMOTELUS *p.*, *DeGeer.*—DI-SYLVICOLÆ *p.*, *Harr.*

8392. 1; plebeia*. *Meig. Zw. ii.* 117.—(*Leach E. E. x.* 130.)—
 (*Sam. I.* 41.)

- Musca plebeia. *Linn.* ii. 979.—*Stew.* ii. 255.—*Turt.* iii. 635.
 Bi. strigata. *Fabr. A.* 67.
 Bi. rustica. *Fall. D. S. (Anthr.)* 4. 2.
 Ne. fasciatus. *DeGeer.* vi. 76. *pl.* 11. *f.* 1.
 Sy. Monos. *Harr. Ex.* 103. *pl.* xxxi. § 2. *f.* 3.
8393. 2; cincta *. *Meig. Zw.* ii. 117?
8394. 3; tæniata. *Meig. Zw.* ii. 120.
8395. 4, funebris. *Meig. Zw.* ii. 121.
 Bi. lugubris. *Meig. Kl.* i. 214.
8396. 5, bipunctata. *Meig. Zw.* ii. 121.
8397. 6; fulva *. *Meig. Zw.* ii. 123.
8398. 7; flavilabris *. *Meig. Zw.* ii. 122.
 Ly. Unicus. *Harr. Ex.* 103. *pl.* xxxi. § 2. *f.* 2.
8399. 8; anilis *. *Meig. Zw.* ii. 125.
 Musca anilis. *Linn.* ii. 982.
 Bi. flavipes. *Fabr. A.* 67.
 Bi. anilis. *Panz. F.* v. *f.* 23.
 Bi. sordida. *Panz. F.* xviii. *f.* 19.
8400. 9, albipennis *. *Meig. Zw.* ii. 119?
8401. 10; annulata *. *Meig. Zw.* ii. 126.
 Bi. anilis. *Fabr. A.* 68.
 Bi. annulata. *Fabr. A.* 68.

Familia VIII: (142). TABANIDÆ, Leach.

TABANUS, Linné, &c.—TABANII, Latreille.

Genus 36: (1210). TABANUS Auctorum. Horse-Fly, Breeze.

8402. 1; micans *. *Meig. Zw.* ii. 34. *pl.* 13. *f.* 20. *caput.*—
 (*Curtis l. c. infra.*)
 Ta. austriacus. *Fabr. A.* 96?
 Ta. niger. *Don.* xvi. 47. *pl.* 564.
8403. 2, signatus? *Meig. Zw.* ii. 34.—(*Curtis l. c. infra.*)
8404. 3; autumnalis *. *Linn.* ii. 1000.—*Stew.* ii. 267.—*Turt.* iii. 657.—(*Sam. I.* 40.)—(*Curtis l. c. infra.*)
 Ta. bovinus. *Harr. Ex.* 27. *pl.* vii. *f.* 1.
8405. 4; bovinus *. *Linn.* ii. 1000.—*Berk. S.* i. 166.—*Panz. F.* ii. *f.* 20.—*Stew.* ii. 267.—*Turt.* iii. 657?—(*Sam. I.* 40.)—*Wood.* ii. 92. *pl.* 66.—(*Curtis l. c. infra.*)
 Ta. tropicus. *Harr. Ex.* 28. *pl.* vii. *f.* 2?
8406. 5, tarandinus. *Linn. F.* 1884.
8407. 6; paganus. *Fabr. A.* 99. (!)—*Stew.* ii. 267.—*Turt.* iii. 659.
 —(*Curtis l. c. infra.*)—(*Sam. I.* 40.)

3403. 7; *bromius**. *Linn.* ii. 1001.
 Ta. *maculatus*. *DeGeer.* vi. 89.
 Ta. *autumnalis*. *Harr. Ex.* 28. *pl. vii. f. 4.*
3409. 8; *montanus**. *Meig. Zw.* ii. 55.—(*Curtis l. c. infra.*)
3410. 9; *luridus**. *Fallen.*—*Meig. Zw.* ii. 55.—(*Curtis l. c. infra.*)
3411. 10, *solstitialis**. *Meig. Zw.* ii. 56.—(*Curtis l. c. infra.*)
3412. 11; *tropicus**. *Linn.* ii. 1001.—*Panz. F.* xiii. *f. 22.*—
Stew. ii. 267.—*Turt.* iii. 659.—(*Samou.* 71. *pl. 9. f. 4.*)—(*Curtis l. c. infra.*)
3413. 12; *rusticus**. *Fabr. A.* 99.—*Panz. F.* xiii. *f. 21.*—*Turt.*
 iii. 659.—(*Curtis l. c. infra.*)
3414. 13, *fulvus*. *Meig. Zw.* ii. 61.
 Ta. *sanguisorba*. *Harr. Ex.* 28. *pl. vii. f. 3.*
 Ta. *alpinus*. *Schrank B.* iii. 2534.—*Curtis.* ii. *pl. 78.*
3415. 14, *bimaculatus*. —?

Genus 87: (1211). HÆMATOPOTA, *Meig.*, *Leach*, *Samou.*, (*Kirby.*)

3416. 1, *ocellata*. *Megerle?*
 Ta. *pluvialis*. *Harr. Ex.* 29. *pl. vii. f. 8?*
3417. 2; *pluvialis**. *Meig. Zw.* ii. 78.—(*Sam. I.* 20.)
 Tab. *pluvialis*. *Linn.* ii. 1001.—*Berk. S.* i. 166.—*Don. v.* 21.
pl. 151. f. 3.—*Stew.* ii. 267.—*Turt.* iii. 660.
 Ta. *cæcutiens*. *Harr. Ex. pl.* vii. *f. 8.*
 ♂; Tab. *hyetomantis*. *Schrank B.* iii. 2536.
3418. 3, *italica*. *Meig. Kl.* i. 163.
 Ta. *sanguisuga*. *Harr. Ex.* 29. *pl. vii. f. 6.*
3419. 4; *equorum**. *Meig. Zw.* i. 80.

Genus 88: (1212). CHRYSOPS, *Meig.*, *Leach*, *Samou.*

3420. 1; *cæcutiens**. *Fabr. A.* 110.—(*Sam. I.* 11.)
 Ta. *cæcutiens*. *Berk. S.* i. 166.—*Don. iv.* 61. *pl. 131.*—
Stew. ii. 268.—*Turt.* iii. 662.
 ♂. *Ch. lugubris*. *Fabr. A.* 113.
Ch. viduatus. *Fabr. A.* 113.
3421. 2; *relictus**. *Meig. Zw.* ii. 69.
Ch. viduatus. *Meig. Kl.* i. 158. *pl. 9. f. 12.*
 Ta. *cæcutiens*. *Panz. F.* xiii. *f. 24.*
 Ta. *nubilosus*. *Harr. Ex.* 28. *pl. vii. f. 5.*
3422. 3, *consimilis mihi*.

Familia IX: (143). BOMBYLIDÆ, Leach.

(BOMBYLIUS, Linné.—BOMBYLIARII, Latreille.)

Genus 89: (1213). BOMBYLIUS Auctorum. Humble-bee Fly.

8423. 1, posticus. *Fabr. A.* 131.Bo. micans. *Meig. Kl. i.* 183.8424. 2; major*. *Linn. ii.* 1009.—*Berk. S. i.* 167.—*Don. ii.* 79.*pl. 66.*—*Stew. ii.* 273.—*Turt. iii.* 681.—(Sam. I. 7.)Bo. variegatus. *DeGeer. vi.* 107. *pl. 15.* f. 10.Bo. sinuatus. *Mikan B. 35.* *pl. 2.* f. 4.Bombylius. *Harr. Ex. pl. xlvi.* f. 2.8425. 3; medius*. *Linn. ii.* 1009.—*Berk. S. i.* 168.—*Don. v.* 5.*pl. 146.* f. 1.—*Stew. ii.* 274.—*Turt. iii.* 681.—(Sam. I. 7.)Bo. major. (*Samou. 295.* *pl. 9.* f. 10.)—*Wood. ii.* 106. *pl. 71.*Bo. discolor. *Mikan B. 27.* *pl. 2.* f. 1.Bombylius. *Harr. Ex. pl. xlvi.* f. 1.8426. 4, pictus. *Panz. F.* xxiv. f. 24.Bo. planicornis. *Fabr. A.* 129.8427. 5, cinerascens. *Mikan B. 50.* *pl. 3.* f. 10.8428. 6, minor*. *Linn. ii.* 1009.—*Berk. S. i.* 168.—*Stew. ii.* 274.—*Don. xv.* 65. *pl. 536.*—*Turt. iii.* 682.—(Sam. I. 7.)Bo. venosus. *Mikan B. 42.*8429. 7, ctenopterus. *Mikan B. 45.* *pl. 3.* f. 8.—(Ing. Inst. 91.)

Genus 90: (1214). PLOAS, Latr.

CONOPHORUS, Meig. olim.

8430 † 1, virescens? *Fabr. A.* 136?—*Meig. Zw. ii.* 231. *pl. 19.* f. 6?Co. maurus. *Meig. Kl. i.* 191. *pl. 10.* f. 17?Pl. hirticornis. (*Latr. G. iv.* 312. *pl. 15.* f. 7?)

In Mus. Brit., et D. Curtis?

Familia X: (144). ANTHRACIDÆ, Leach.

ANTHRAX, Fabricius.—ANTHRACII, Latreille.—BOMBYLIARII
p, Meigen.

Genus 91: (1215). LOMATIA, Meig.

STYGIA, Meig. olim.

8431 † 1. Lo. lateralis.

St. lateralis. *Meig. Zw. ii.* 140.An. Belzebul. *Panz. F.* xlv. f. 16.

8432 † 2, Lo. Belzebub.

An. Belzebub. *Fabr. A.* 124.

In Mus. Brit.

Genus 92: (1216). ANTHRAX, Fabricius, Leach, Samou., (Kirby,) Curtis.

BIBIO p, Fabr.—NEMOTELUS p, DeGeer.

8433. 1, flava. Hoffm.—*Meig. Zw. ii.* 143.—(Curtis l. c. infra.)

PART II.

T

- An. hottentottus. *Latr. G.* iv. 310.—(*Sam. I. 3.*)
 Mu. hottentotta. *Don.* xiv. 69. *pl.* 494.
8434. 2, circumdata. *Hoffm.*—*Meig. Zw.* ii. 143.—(*Curtis l. c. infra.*)
 An. hottentotta. *Linn.* ii. 981.
 Ne. hottentottus. *DeGeer.* vi. 77. *pl.* 11. *f.* 7.
 An. fasciatus. *Meig. Kl.* i. 200.
 Bo. Hottentottus. *Turt.* iii. 686.
8435. 3, cingulata. *Meig. Zw.* ii. 145. *pl.* 17. *f.* 9. ♂.
 8436 † 4. Abaddon^a.
8437. 5, ornata. *Hoffm.*—*Curtis.* i. *pl.* 9.
8438. 6, Pandora. *Fabr. A.* 121.—*Meig. Zw.* ii. 170. *pl.* 17. *f.* 12.—(*Ing. Inst.* 91.)
- 8439 † 7. Maura^b.
- 8440 † 8. semiatra^c.
- 8441 † 9. sinuata^d.

Familia XI: (145). ACROCERIDÆ, Leach.

INFLATA, *Latreille*.—MUSCA p, *Linné*.

Genus 93: (1217). HENOPS, *Illiger*, *Curtis*.

OGCODES, *Latreille*, *Leach*, *Samou*.—SYRPHUS p, *Panzer*.—NE-MOTELUS p, *Schäff.*

8442. 1; gibbosus*. *Fabr. A.* 333.—(*Curtis l. c. infra.*)
 Mu. gibbosa. *Linn.* ii. 987.
 He. leucomelas. *Meig. Kl.* i. 151. *pl.* 8. *f.* 30.
 Og. gibbosus. (*Sam. I. 32.*)
8443. 2; marginatus*. *Meig. Zw.* iii. 100. *pl.* 24. *f.* 12.—(*Curtis. iii. pl. 110.*)
 Sy. gibbosus. *Panz. F.* xlii. *f.* 21.

^a 8936 † 4. Abaddon. *Fabr. E. S.* iv. 262.—(*Sam. I. 3.*) (!)

^b 8439 † 7. Maura. *Fabr. E. S.* iv. 258.—*Panz. F.* xxxii. *f.* 19.

Mu. Maura. *Linn.* ii. 981.—*Stew.* ii. 256. (!)

Bo. Maurus. *Turt.* iii. 685. (!)

An. bifasciata. *Meig. Zw.* ii. 156. *pl.* 17. *f.* 15. ala.

An. dæmon. *Panz. F.* xlvi. *f.* 16.

^c 8440 † 8. semiatra. *Hoffm.*—*Meig. Zw.* ii. 157. *pl.* 17. *f.* 14. ala.

Mu. Morio. *Linn.* ii. 981.—*Berk. S.* i. 168. (!)—*Panz. F.* xxxii. *f.* 18.—*Stew.* ii. 256. (!)

^d 8441 † 9. sinuata. *Fall. D. S. (Ant.)* 6. 1.—*Meig. Zw.* ii. 159. *pl.* 17. *f.* 18. ala.

An. Morio. *Fabr. E. S.* iv. 257.

As. Morio. *Stew.* ii. 257. (!)

Bo. Morio. *Turt.* iii. 685. (!)

Ne. Morio. *DeGeer.* vi. 78. *pl.* 11. *f.* 13.

Mu. Anthrax. *Schra. A.* No. 893.

Genus 94: (1218). ACROCERA, Meigen, Leach, Samou.

SYRPHIUS *p*, Panzer.—NEMOTELUS *p*, Schäff.

8444. 1; globula*. Meig. Zw. iii. 95.

Sy. Globulus. Panz. F. lxxxvi. f. 20.
Ac. gibbosa. (Sam. I. 1.)

8445. 2; albipes*. Meig. Zw. iii. 96.

Ne. globulus var. Fall. D. S. (Strat.) 4.

Familia XII: (146). STRATIOMYDÆ, Latreille.

Genus 95: (1219). PACHYGASTER, Meigen, Curtis.

VAPPO, Latr., Leach, Samou.—NEMOTELUS *p*, Panz.—SARGUS *p*, Fallen.

8446. 1; ater*. Meig. Zw. iii. 102.—(Curtis l. c. infra.)

Ne. ater. Panz. F. liv. f. 5.

Va. ater. Fabr. A. 254.—(Sam. I. 43.)

Sa. pachygaster. Fall. D. S. (Strat.) 13

8447. 2; Leachii* mihi.—Curtis. i. pl. 42.

Genus 96: (1220). NEMOTELUS Auctorum.

8448. 1; uliginosus*. Fabr. iv. 269.—Meig. Zw. iii. 114. pl. 25.
f. 19. fœm.—(Sam. I. 28.)

Mu. uliginosa. Linn. ii. 982.—Turt. iii. 655.—Don. xv. 31.
pl. 519.

Str. mutica. Fabr. S. I. ii. 419.

8449. 2; Pantherinus*. Meig. Zw. iii. 115. pl. 25. f. 20. mas.

Mu. Pantherina. Linn. ii. 980.

Ne. marginatus. Fabr. A. 88. (!)

Mu. marginella. Gmel. v. 2836.—Stew. ii. 256.

♂; Ne. uliginosus. Panz. F. xlvi. f. 21.

♀; Ne. marginatus. Panz. F. xlvi. f. 22.

Str. mutica. Schr. B. iii. 2389.

Mu. marginata. Turt. iii. 655.

8450. 3; nigrinus*. Fall. D. S. (Strat.) 6.

Ne. nigritus. Panz. F. cvii. f. 17.

8451. 4; brevirostris*. Meig. Zw. iii. 117.

Genus 97: (1221). SARGUS Auctorum.

NEMOTELUS *p*, DeGeer.

A. Vide Meig. Zw. iii. 110.

8452. 1; politus*. Fabr. A. 257.

Mu. polita. Linn. ii. 894.—Stew. ii. 261.—Turt. iii. 611.

Nem. auratus. DeGeer. vi. 81.

Sar. splendens. Meig. Kl. i. 144.

Mu. vitreus. Harr. Ex. 48. pl. xi. f. 9, 10. ♂, ♀.

♀; Sar. cyaneus. Fabr. A. 258. var.

8453. 2; *flavicornis*. *Meig.* *Zw.* iii. 112.
 Mu. parvulus. *Harr. Ex.* 48. *pl. xi. f.* 11?
8454. 3; *formosus**. *Meig.* *Zw.* iii. 110.
 Mu. aurata. *Fabr. iv.* 335.—*Don.* iv. 91. *pl. 142. f. 1.*—
 Stew. ii. 261.—*Turt. iii.* 610.
 ♂; *Sar. auratus*. *Fabr. A.* 257.
 ♀; *Sar. xanthopterus*. *Fabr. A.* 255.—*Meig. Kl. pl. 8. f.* 16–18.
 Nem. flavogeniculatus. *DeGeer.* vi. 81.
 Mu. cicur. *Harr. Ex.* 47. *pl. xi. f.* 88. ♂. ♀.
 B. Vide *Meig. Zw.* iii. 106.
8455. 4; *flavipes**. *Meig.* *Zw.* iii. 108.
8456. 5; *nitidus**. *Meig.* *Zw.* iii. 108.
8457. 6; *infuscatus**. *Meig.* *Zw.* iii. 107.
 Sar. auratus. *Meig. Kl. i.* 143.
 Sar. cuprarius ♀. *Fall. D. S. (Strat.)* 15.
8458. 7; *cuprarius**. *Meig.* *Zw.* iii. 106.
 Mu. cupraria. *Linn. ii.* 994.—*Stew. ii.* 261.—*Turt. iii.* 610.
 Sar. cupreus. (*Sam. I.* 37.)
 Mu. indicus. *Harr. Ex.* 47. *pl. xi. f.* 77. ♂, ♀?
8459. 8; *Reaumuri**. *Meig.* *Zw.* iii. 109.
 Reaumur Ins. iv. 22. *pl. 5–8.*

Genus 98: (1222). ODONTOMYIA, *Meig. Kl.*, *Leach*, *Samou.*

STRATIOMYS *p.*, *Meig. Zw.*

8460. 1; *tigrina**. *Meig. Kl. i.* 130.—(*Sam. I.* 31.)
 Str. tigrina. *Panz. F.* lviii. *f.* 20.
 β, *Mu. geniculata*. *Marsh. MSS.*
- 8461 † 2, *argentata**. *Meig. Kl. i.* 131.
 Str. argentata. *Panz. F.* lxxi. *f.* 20. ♂.—cviii. *f.* 10. ♀.
 In *Mus. Brit., et D. Kirby.*
- 8462 † 3. *Microleon*^a.
8463. 4; *Hydroleon**. *Meig. Kl. i.* 131.—(*Sam. I.* 31.)
 Mu. Hydroleon. *Linn. ii.* 980.—*Berk. S. i.* 165.—*Stew. ii.* 256.—*Turt. iii.* 630.
 Oxycera Hydroleon. (*Sam. I.* 32.)
 ♀; *Str. angulata*. *Panz. F.* lviii. *f.* 19.
 ♂; *Str. Hydroleon*. *Panz. F.* vii. *f.* 21.

^a 8462 † 3. *Microleon*.

Ox. Microleon. (*Sam. I.* 31.) (!)

Mu. Microleon. *Linn. ii.* 980.—*DeGeer.* vi. 64. *pl. 9. f. 1, 2.*—
 Turt. iii. 629. (!)

8464. 5; *viridula* *.

Str. *viridula*. *Fabr. A.* 84.—*Panz. F.* lviii. f. 18.

Str. *marginata*. *Fabr. A.* 84.

Str. *canina*. *Panz. F.* lviii. f. 23.

Od. *dentata*. *Meig. Kl. i.* 130.

8465. 6; *felina* *.

Str. *felina*. *Panz. F.* lviii. f. 22.—*Ent. Trans. (Haworth.)* i. 254.

Str. *vulpina*. *Panz. F.* lviii. f. 24.

Odo. *vulpina*. (*Sam. I.* 31.)

Str. *flavissima*. *Fabr. MSS.*

Mu. *Mycroleon*. *Harr. Ex.* 46. *pl. xi.* f. 5.

8466 † 7, *trimaculata*. *Mus. Brit.*

Str. *Hydrodromia*. *Meig. Zw.* iii. 146? In *Mus. Brit.*

8467. 8; *Hydropota* *.

Str. *Hydropota*. *Meig. Zw.* iii. 147.

8468. 9; *ornata* *.

Str. *ornata*. *Meig. Zw.* iii. 144.

Od. *furcata*. *Meig. Kl. i.* 129. *pl. vii.* f. 22.

Genus 99: (1223). STRATIOMYS, *Geoffroy*.

ODONTOMYIA p, *Samou.*—HIRTEA p, *Scop.*

8469. 1; *Potamida* *. *Meig. Zw.* iii. 137.

Str. *Chamæleon*, ♂. *Meig. Kl. i.* 126. *pl. vii.* f. 18.

Mu. *Chamæleon*. *Harr. Ex.* 44. *pl. xi.* f. 1.

8470. 2; *Chamæleon*. *Meig. Zw.* iii. 134.—(*Sam. I.* 39.)—

(*Kirby & Sp. I. E.* ii. 230 & 285.—*Id. iii.* 99.—*Id. iv.* 11 & 54.)

Mu. *Chamæleon*. *Linn. F. No.* 1780.—*Berk. S. i.* 162.—

Don. i. 67. *pl. 31.* f. 1. *pl. 35.* larva.—*Stew. ii.* 256.—

Turt. iii. 628.—*Shaw G. Z.* vi. 379. *pl. 105.* fig. sup.

♀, Str. *nigrodentata*. *Meig. Kl. i.* 126. *pl. vii.* f. 19.

8471. 3; *furcata* *. *Fabr. A.* 78.

Stra. *panthaleon*. *Fall. D. S. (Strat.)* 7.

Odo. *furcata*. (*Sam. I.* 31.)

Mu. *singularius*. *Harr. Ex.* 45. *pl. xi.* f. 2.

8472. 4, *riparia* *. *Meig. Zw.* iii. 138.

Stra. *strigata*. *Meig. Kl. i.* 124.

Mu. *tenebricus*. *Harr. Ex.* 45. *pl. xi.* f. 3?

8473. 5; *strigata* *. *Fabr. A.* 80.—*Panz. F.* xii. f. 20.

Hirtæa *longicornis*. *Scop. Carn. No.* 999.

♀; Stra. *thoracica*. *Fabr. A.* 79.

♂; Stra. *villosa*. *Meig. Kl. i.* 125.

♀; Stra. *nubeculosa*. *Meig. Kl. i.* 125.

8474. 6; *triangulata* * *mihi*.

Genus 100: (1224). CLITELLARIA, Meig., Leach, Samou.

EPHIPPIUM, Latr.

8475. 1; ephippium*. Meig. Zw. iii. 122.—(Sam. I. 11.)
 Mu. ephippium. Don. xvi. 37. pl. 559.—(Mill. B. E. pl. 1. f. 6.)
 Eph. thoracicum. Latr. Gen. iv. 276.
 Mu. India. Schrank A. 891.

Genus 101: (1225). OXYCERA, Meig., Leach, Samou.

8476. 1; pulchella*. Meig. Zw. iii. 125.

Oxy. hypoleon. Meig. Kl. i. 137. f. 8. f. 3. ♂.

Mu. hypoleon. Don. v. 6. pl. 146. f. 3.—Stew. ii. 256.—
 Turt. iii. 631.

Mu. tardigradus. Harr. Ex. 46. pl. xi. f. 6.

8477. 2; trilineata*. Meig. Zw. iii. 126.—(Sam. I. 32.)

Str. trilineata. Fabr.—Panz. F. i. f. 13.

Mu. trilineata. Linn. ii. 980.—Don. v. 25. pl. 151. f. 5.—
 Stew. ii. 256.—Turt. iii. 630.

Mu. Hydroleon. Harr. Ex. 46. pl. xi. f. 4.

8478. 3; muscaria*. Meig. Zw. iii. 126.

Str. muscaria. Fabr.—Panz. F. cviii. f. 15. ♂. f. 16. ♀.

Familia XIII: (147). XYLOPHAGIDÆ.

(XYLOPHAGI, Meigen.—STRATIOMYDÆ p, Latr.)

Genus 102: (1226). BERIS, Latr., Leach, Samou., (Kirby.)

STRATIOMYS p, Geoff.—ACTINA, Meig. (olim.)

A. Scutello octo-spinoso.

8479. 1; abdominalis* mihi.

3480. 2; lucida* mihi.

Mu. nitens. Mus. Marsham.

3481. 3; fuscipes*. Meig. Zw. ii. 8.

B. Scutello sex-spinoso.

3482. 4; femoralis*. Meig. Zw. ii. 6.

3483. 5; nigra*. Meig. Zw. ii. 7.

3484. 6; similis*.

Mu. similis. Forst. C. i. 97.—Stew. ii. 257.—Turt. iii. 632.

Be. nigripes. Meig. Zw. ii. 7?

3485. 7; chalybeata*. Meig. Zw. ii. 4.

Mu. chalybeata. Forst. C. i. 95.—Stew. ii. 257.—Turt. iii. 632.

Actina atra. Meig. Kl. i. 118.

Mu. crassipes. Mus. Marsh.

♀; Mu. sexdentata. Fabr. A. 87. (!)—Stew. ii. 256.

3486. 8; clavipes*. Meig. Zw. ii. 5.—(Sam. I. 6.)

- Mu. clavipes. *Linn.* ii. 981.
 Stra. clavipes. *Panz. F.* ix. f. 19.
 8487. 9; vallata*. *Meig. Zw.* ii. 5.
 Stra. clavipes. *Fabr. A.* 86.
 Mu. vallata. *Forst. C.* i. 96.—*Stew.* ii. 257.—*Turt.* iii. 632.
 Be. nigritarsis. *Latr. G.* iv. 273.—(*Sam. I.* 6.)
 ♀; Mu. sexdentata. *Turt.* iii. 631?
 C. Scutello quadri-spinoso.
 8488. 10; tibialis*. *Meig. Zw.* ii. 3.
 Genus 103: (1227). XYLOPHAGUS, *Meig., Leach, (Kirby.)*
NEMOTELUS p, DeGeer.—*ACTINA p, Meig.*—*BERIS p, Latr.*
 8489 † 1, ater*. *Fabr. A.* 64.
 ♂. Empis subulata. *Panz. F.* liv. f. 23. In *Mus. Brit. et D. Stone?*

Familia XIV: (148). SYRPHIDÆ, *Leach.*

(*MUSCA p, Linné.*—*SYRPHUS, Fabr.*—*SYRPHIÆ, Latr.*—*SYRPHII, Meig.*)

- Genus 104: (1228). MICRODON, *Illiger, Curtis.*
MULIO p, Fabr.—*STRATIOMYS p, Panz.*—*APHRITIS, Latr., Leach, Samou.*
8490. 1; Apiformis. *Meig. Zw.* iii. 163.—*Curtis.* i. pl. 70.
 Mus. Apiformis. *DeGeer.* vi. 56. pl. vii. f. 18—20.
 Mus. mutabilis. *Linn. F.* No. 1807. (nec *descriptio.*)
 Stra. pigra. *Schrank B.* iii. 2387.
 Mus. nova. *Schra. A.* No. 889.
 Mul. apiarius. *Fabr. A.* 185.
 Ap. aurópubescens. (*Latr. G.* iv. 330. pl. 16. f. 7, 8.)—(*Sam. I.* 4.)
8491. 2, mutabilis. *Meig. Zw.* iii. 164.
 Mus. mutabilis. *Linn. ii.* 985.
 Mus. plebeia. *Schra. A.* No. 890.
 Stra. conica. *Panz. F.* xii. f. 21.

Genus 105: (1229). CHRYSOTOXUM, *Meig., Leach, Samou.*
MULIO p, et MILESIA, Fabr.

8492. 1; bicinctum*. *Latr. G.* iv. 329.
 Mus. bicincta. *Linn. ii.* 985.—*Don.* x. 54. pl. 346. f. 2?—
 Syr. bicinctus. *Panz. F.* xlvi. f. 18.
 Mus. callosus. *Harr. Ex.* 61. pl. xv. f. 18.
- 8492*. 2; hortensis. *Meig. Zw.* iii. 173.
8493. 3; arcuatum*. *Latr. G.* iv. 327.—(*Sam. I.* 11.)
 Mus. arcuata. *Linn. ii.* 985.—*Stew.* ii. 265.—*Turt.* iii. 645.
 —*Schæff. Ic.* pl. 73. f. 8.
 Mus. imbellis. *Harr. Ex.* 60. pl. xv. f. 16.

3494. 4; intermedium*. *Meig. Zw.* iii. 169.
Mul. arcuatus var. ♀. *Fall. D. S. (Syrph.)* 5.
3495. 5; marginatum*. *Meig. Zw.* iii. 171.
Mul. fasciolatus. *Fall. D. S. (Syrph.)* 5.
Mus. cautus. *Harr. Ex.* 60. *pl. xv. f.* 15.
3496. 6; fasciolatum*.
Mus. fasciolata. *De Geer.* vi. 55. *pl. 7. f.* 13.
Mil. Vespiiformis. *Fabr. A.* 188.
Syr. arcuatus. *Panz. F.* ii. *f.* 10.

Genus 106: (1230). CERIA, *Fabr.*, *Leach*, *Samou.*, *Curtis.*
CONOPS p, *Schrank.*

- 3497 † 1, Conopsoides. *Meig. Zw.* iii. 160.—*Curtis.* iv. *pl.* 186.
Mus. Conopsoides. *Linn.* ii. 982.
Cer. clavicornis. *Fabr. A.* 173.
Syr. conopseus. *Panz. F.* xliv. *f.* 20.
Con. vaginicornis. *Schrank B.* iii. *No.* 2561.
 In *Mus. Brit. et D. Heysham?*

Genus 107: (1231). DOROS, *Meig.*, *Leach*, *Samou.*

MILESIA p, *Fabr. A.*—*MULIO p*, *Fabr. S.*—*SCÆRA p*, *Fallen.*

8498. 1; conopseus*. (*Sam. I.* 15.)
Syr. conopseus. *Fabr. S. I.* ii. 429.
Mus. conopsea. *Turt.* iii. 645.
Syr. coarctatus. *Panz. F.* xlv. *f.* 22.
Mus. profuges. *Harr. Ex.* 81. *pl. xxiv. f.* 25.

Genus 108: (1232). ASCIA, *Megerle.*

MERODON p, *Fabr.*—*MILESIA p*, *Fallen.*

3499. 1; omicron*.
Mus. omicron. *Mus. Marsham.*
 ♀. *Mus. femorata*. *Mus. Marsham.*
8500. 2; cingulata* *mihi*.
8501. 3; podagrîca*. *Meig. Zw.* iii. 186.
Mer. podagrîca. *Fabr. A.* 198.
Syr. podagricus. *Panz. F.* lix. *f.* 16.
Mus. ichneumonia. *Schra. A.* *No.* 911.
Mus. elongata. *Schrank B.* iii. *No.* 2414.
♂; *Mus. molio*. *Harr. Ex.* 111. *pl. xxxiii. f.* 54.
♀; *Mus. tenur*. *Harr. Ex.* 112. *pl. xxxiii. f.* 59.
8502. 4, lanceolata. *Meig. Zw.* iii. 187?
8503. 5; floralis*. *Meig. Zw.* iii. 188.
8504. 6; dispar*. *Meig. Zw.* iii. 188. *pl. 27. f.* 27. ♂. *f.* 28. ♀.
Mus. dispar. *Schrank B.* iii. *No.* 2415.
8505. 7; bicincta* *mihi*.

- 8506 † 3, geniculata. *Meig. Zw.* iii. 192. (!) In Mus. Brit.
- Genus 109: (1233). SPHEGINA, *Meig.*
MILESIA *p.*, *Fallen.*
8507. 1; clunipes*. *Meig. Zw.* iii. 194. *pl. 28. f. 5.*
Mil. clunipes. *Fallen D. S. (Syrph.)* 12.
- 8508 † 2, nigra. *Meig. Zw.* iii. 195. In Mus. Brit. et D. Hope.
- Genus 110: (1234). BACCHA, *Fabr.*
8509. 1; elongata*. *Fabr. A.* 200.—*Meig. Zw.* iii. 197. *pl. 28. f. 13.*
8510. 2; nigripennis*. *Meig. Zw.* iii. 200.
8511. 3; tabida*. *Meig. Zw.* iii. 199.
8512. 4; splexina*. *Meig. Zw.* iii. 198.
8513. 5, scutellata*. *Meig. Zw.* iii. 197.
8514. 6; obscuripennis*. *Meig. Zw.* iii. 199.
Mus. perexilis. *Harr. Ex.* 81. *pl. xxiv. f. 24.*
- Genus 111: (1235). PSARUS, *Fabr., Leach.*
- 8515 † 1, abdominalis. *Fabr. A.* 211.—*Meig. Zw.* iii. 174. *pl. 27. f. 12.* In Mus. Brit.
- Genus 112: (1236). PARAGUS, *Latr.*
SCÆVA *p.* et MULIO *p.*, *Fabr.*
- 8516 † 1, bicolor. *Latr. G.* iv. 326.—*Coqueb. Ic.* 26. *f. 9.*
Mul. bicolor. *Fabr. A.* 186.
Mus. melanochrysa. *Gmel. v.* 2879. In Mus. Brit.?
- 8517 † 2, arcuatus. *Meig. Zw.* iii. 179. *pl. 27. f. 20, 21.* In Mus. Brit.?
8518. 3; obscurus*. *Megerle.*—*Meig. Zw.* iii. 183.
8519. 4; femoratus*. *Megerle.*—*Meig. Zw.* iii. 184.
- Genus 113: (1237). EUMERUS, *Meigen.*
PIPIZA *p.*, *Fallen.*
8520. 1; ruficornis*. *Meig. Zw.* iii. 206.
8521. 2; ornatus*. *Meig. Zw.* iii. 204.
8522. 3; strigatus*. *Meig. Zw.* iii. 203.
Pip. strigata. *Fallen D. S. (Syrph.)* 61.
Syr. annulatus. *Panz. F. lx.* *f. 11.*
8523. 4; funeralis*. *Megerle.*—*Meig. Zw.* iii. 208.
8524. 5; Selene*. *Meig. Zw.* iii. 210.
- Genus 114: (1238). PSILOTA, *Meigen.*
8525. 1; Anthracina*. *Meig. Zw.* iii. 256. *pl. 29. f. 18. 20.*
Mu. diræ. *Harr. Ex.* 112. *pl. xxxiii. f. 57.*
8526. [2; nubila*] mihi.

Genus 115: (1239). CHRYSOGASTER, Meigen.

ERISTALIS p, Fabr.—MILESIA p, Latr.

A. Antennæ capitulo ovato.

8527. 1; fumipennis* *mihi*.
 8528. 2; cæmteriorum*. *Meig. Zw.* iii. 268.
 Er. cæmteriorum. Fabr. A. 246.
 Sy. cæmteriorum. Panz. F. lxxxii. f. 17.
 Er. solstitialis. Fall. D. S. (Syr.) 56.
 Mu. cæmteriorum. Don. xii. 20. pl. 401. f. 2?
 8529. 3; ænea*. *Meig. Zw.* iii. 270.
 8530. 4; chalybeata*. *Meig. Zw.* iii. 267.
 8531. 5; nigroænea* *mihi*.
 8532. 6; viduata*. *Meig. Zw.* iii. 269.
 Mu. viduata. Linn. ii. 994.—Turt. iii. 611.
 8533. 7; metallica*. *Meig. Zw.* iii. 267.
 Er. metallicus. Fabr. A. 246.
 8534. 8; violacea*. *Meig. Zw.* iii. 267.
 8535. 9; splendens*. *Meig. Zw.* iii. 266.
 8536. 10; splendida*. *Megerle.—Meig. Zw.* iii. 271.
 8537. 11; discicornis*. *Megerle.—Meig. Zw.* iii. 270.
 8538. 12; grandicornis*. *Meig. Zw.* iii. 270.
 Mu. politus. Harr. Ex. 81. pl. xxiv. f. 26?

B. Antennæ capitulo elongato.

8539. 13; nobilis*. *Meig. Zw.* iii. 272.
 Er. nobilis. Fall. D. S. (Syr.) 57.
 8540. 14; elegans*. *Wied.—Meig. Zw.* iii. 272. *pl. 30. f. 9.* antenna.

Genus 116: (1240). PIPIZA, Meigen.

ERISTALIS p, Fabricius.—MILESIA p, Latr.

A. Vide *Meig. Zw.* iii. 250.

8541. 1; melancholica*. *Meig. Zw.* iii. 251.
 8542. 2; vitripennis*. *Meig. Zw.* iii. 254.
 8543. 3; carbonaria*. *Meig. Zw.* iii. 251.
 8544. 4; chalybeata*. *Meig. Zw.* iii. 252.
 8545. 5; funebris*. *Meig. Zw.* iii. 250.
 8546. 6; lugubris*. *Meig. Zw.* iii. 250.
 Er. lugubris. Fabr. A. 246.
 Mu. mœsta. Gmel. v. 2874.

B. Vide *Meig. Zw.* iii. 242.

8547. 7; noctiluca*. *Meig. Zw.* iii. 244.

Mu. noctiluca. *Linn.* ii. 986.—*Don.* x. 55. *pl.* 346. *f.* 4.

Sy. rosarum. *Panz. F.* xcv. *f.* 21.

Mu. tristor. *Harr. Ex.* 107. *pl.* xxxii. *f.* 42.

8548. 8; signata*. *Meig. Zw.* iii. 246.

8549. 9; Artemis*. *Meig. Zw.* iii. 244.

8550. 10; lucida. *Meig. Zw.* iii. 247.

Mu. rosarum. *Marsham MSS.*

8551. 11; geniculata*. *Meig. Zw.* iii. 245.

8552. 12; bimaculata*. *Meig. Zw.* iii. 246.

8553. 13; guttata*. *Meig. Zw.* iii. 247.

8554. 14; notata*. *Meig. Zw.* iii. 246.

8555. 15; hyalipennis *mih.*

Genus 117: (1241). CHEILOSIA, Hoffmannsegg.

SCÆVA *p.*, Fabricius.

8556. 1; granditarsa*.

Mu. granditarsa. *Forst. C. i.* 99.—*Stew.* ii. 263.—*Turt.* iii. 626.

Sy. lobatus. *Meig. Zw.* iii. 336.

8557. 2; Ocymi*.

Sc. Ocymi. *Fabr. A.* 252.

Sy. Ocymi. *Panz. F.* lxxxii. *f.* 18.

8558. 3; Rosarum*.

Sc. Rosarum. *Fabr. A.* 251.—*Panz. F.* cviii. *f.* 14.

8559. 4; albimanus*.

Sc. albimanus. *Fabr. A.* 253.

Mu. albimana. *Stew.* ii. 266.—*Turt.* iii. 651.

8560. 5; submaculata* *mih.*

8561. 6; scutata*.

Sy. scutatus. *Meig. Zw.* iii. 333.

Sc. albimana. *Fall. D. S. (Syr.)* 46.

Mu. albimana 2. *Turt.* iii. 651.

8562. 7; manicata*.

Sy. manicatus. *Meig. Zw.* iii. 336.

8563. 8; irregularis* *mih.*

8564. 9; clypeata*.

Sy. clypeatus. *Meig. Zw.* iii. 335.

8565. 10; peltata*.

Sy. peltatus. *Meig. Zw.* iii. 334. *pl.* 30. *f.* 31, 32.

Mu. navus. *Harr. Ex.* 109. *pl.* xxxiii. *f.* 50?

8566. 11; stictica*.

Sy. sticticus. *Meig. Zw.* iii. 332.

Mu. dexter. *Harr. Ex.* 104. *pl.* xxxii. *f.* 46?

8567. 12; maculosa*.

- Sy. maculosus. *Meig. Zw.* iii. 330.
 Mu. facultas. *Harr. Ex.* 109. *pl. xxxiii.* *f. 49?*
 8568. 13; gracilis*.
 Sy. gracilis. *Meig. Zw.* iii. 328.
 8569. 14; scalaris*.
 Sy. scalaris. *Fabr. E. S.* iv. 308.—*Panz. F.* xlv. *f. 20.*
 Sc. mellina. *Fall. D. S. (Syr.)* 46.
 8570. 15; melliturga*.
 Sy. melliturgus. *Meig. Zw.* iii. 329.
 8571. 16, mellaria*.
 Sy. mellarius. *Meig. Zw.* iii. 328.
 8572. 17, mellina.
 Mu. mellina. *Linn. ii.* 988.—*Turt. iii.* 650.
 Sy. noctilucus. *Panz. F.* lxxii. *f. 24.*
 Sc. Rosarum. *Fall. D. S. (Syr.)* 47.

Genus 118: (1242). —

SCÆVA *p.*, *Fallen.*

8573. 1; tæniatus*.
 Sy. tæniatus. *Meig. Zw.* iii. 325. *pl. 30.* *f. 35, 36.* ♂.
 8574. 2; scriptus*.
 Mu. scripta. *Linn. ii.* 987.—*Stew. ii.* 266.—*Turt. iii.* 651.—
 Schell. D. pl. 10. *f. 2.*
 Sc. menthastræ. *Fall. D. S. (Syr.)* 48.
 Mu. invisito. *Harr. Ex.* 83. *pl. xxiv.* *f. 31.*
 8575. 3; Menthastræ*.
 Mu. Menthastræ. *Linn. ii.* 987.—*Berk. S.* i. 163.—*Stew. ii.*
 266.—*Turt. iii.* 651.
 8576. 4; Melissæ*.
 Sy. Melissæ. *Meig. Zw.* iii. 326.
 8577. 5; pictus*.
 Sy. pictus. *Meig. Zw.* iii. 326.
 8578. 6; Philanthus*.
 Sy. Philanthus. *Meig. Zw.* iii. 327?

Genus 119: (1243). SCÆVA.

SCÆVA *p.*, *Fabr.*

A. Abdomine sublineari, depresso.

8579. 1; Iris*.
 Sy. Iris. *Meig. Zw.* iii. 320.
 8580. 2; decora*.
 Sy. decorus. *Meig. Zw.* iii. 319.
 Am. Ribesii. *Mus. Marsham.*
 Mu. timeo. *Harr. Ex.* 107. *pl. xxxii.* *f. 44?*

8581. 3; cincta*. *Fall. D. S. (Syr.)* 45.
 8582. 4; auricollis*.
 Sy. auricollis. Meig. Zw. iii. 313.
 8583. 5; umbellatarum*. *Fabr. A.* 250.
 Mu. agilitas. Harr. Ex. 108. pl. xxxii. f. 45?
 8584. 6, balteata*.
 Mu. balteata. DeGeer. vi. 52.
 Sy. nectareus. Fabr. iv. 309.—Panz. F. lxxxii. f. 19.
 Mu. alternans. Mus. Marsham.
 Mu. alternata. Schr. A. No. 908.
 Mu. canabina. Gmel. v. 2864.
 ♂; *Mu. scitule. Harr. Ex. 111. pl. xxxiii. f. 55.*
 ♀; *Mu. scitulus. Harr. Ex. 105. pl. xxxii. f. 33.*
 8585. 7, hyalinata. *Fall. D. S. (Syr.)* 43.
 Mu. comtus. Harr. Ex. 108. pl. xxxii. f. 47.
 B. Abdomine subovato, paulò convexo.
 8586. 8, subflexuosa *mihi.*
 8587. 9; Grossulariæ*.
 Sy. Grossulariæ. Meig. Zw. iii. 306.
 Mu. formosus. Harr. Ex. 107. pl. xxxii. f. 43.
 8588. 10; Ribesii.
 Mu. Ribesii. Linu. ii. 987.—DeGeer. vi. 47. pl. 6. f. 3—13.—Don. xii. 21. pl. 401. f. 3.—Stew. ii. 266.—Turt. iii. 649.
 Mu. blandus. Harr. Ex. 106. pl. xxxii. f. 38.
 8589. 11; undulata* *mihi.*
 8590. 12; vitripennis*. *Megerle?*
 Sy. vitripennis. Meig. Zw. iii. 308.
 8591. 13; tricincta*. *Fall. D. S. (Syr.)* 41.
 Sc. bifasciata. Mus. Fabr.: (teste Meig. iii. 309.)
 8592. 14; nitidicollis*. *Megerle?*
 Sy. nitidicollis. Meig. Zw. iii. 308.
 8593. 15; bifasciata*. *Fabr. A.* 248.
 Mu. interrupta. Gmel. v. 2879.
 Mu. eligans. Harr. Ex. 105. pl. xxxii. f. 34.
 8594. 16; elegans* *mihi.*
 8595. [17, Corollæ*.] *Fabr. A.* 250.
 Sc. olitoria. Fall. D. S. (Syr.) 43.
 My. pyrorum. Schrank B. iii. 2430.
 8596. 18; topiaria*.
 Sy. topiarius. Meig. Zw. iii. 305.
 8597. 19; lata* *mihi.*
 8598. 20; luniger*.
 Sy. luniger. Meig. Zw. iii. 300.

8599. 21; transfuga*.
 Mu. transfuga. *Mus. Marsham.*
8600. 22; arcuata*. *Fall. D. S. (Syr.)* 42.
 Sc. Pyrastris. *Mus. Fabr.:* (*teste Meigen* iii. 301.)
8601. 23; Pyrastris*.
 Mu. Pyrastris. *Linn.* ii. 987.—*Berk. S. i.* 163.—*Don. xii.* 19.
pl. 401. f. 1.—*Stew. ii.* 266.—*Turt. iii.* 649.
- Mu. Rosæ. *De Geer.* vi. 49. *pl. 6. f. 14–21.*
 Sc. transfuga. *Mus. Fabr.:* (*teste Meig.* iii. 302.)
 Sy. Pyrastris. (*Sam. I.* 41.)
Albin. pl. lxvi. a–d.
8602. 24; selenitica*.
 Sy. seleniticus. *Meig. Zw.* iii. 304. *pl. 30. f. 21.*
 Mu. mellina. *Harr. Ex.* 80. *pl. xxiv. f. 23.*
8603. 25; nigrocærulea* *mihi.*
8604. 26; albostriata*. *Fall. D. S. (Syr.)* 42.
8605. 27; lunulata*.
 Sy. lunulatus. *Meig. Zw.* iii. 299.
8606. 28; venustus*.
 Sy. venustus. *Meig. Zw.* iii. 299.
- C. ERISTALIS *p.*, *Fabr.*—ELOPHILUS *p.*, *Latr.*
8607. 29; glaucia*. *Panz. F. civ. f. 16.*
 Mu. glaucia. *Linn. ii.* 986.
8608. 30; nobilis*.
 Sy. nobilis. *Meig. Zw.* iii. 316.

Genus 120: (1244). —

ERISTALIS *p.*, *Fabr.*—SCÆVA *p.*, *Fallen.*

8609. 1; ornatus*.
 Sy. ornatus. *Meig. Zw.* iii. 298.
 Mu. pedissequus. *Harr. Ex.* 61. *pl. xv. f. 19.*
8610. 2; festivus*.
 Mu. festiva. *Linn. ii.* 986.—*Stew. ii.* 265.—*Turt. iii.* 647.
 Mu. citrofasciata. *De Geer.* vi. 53.
 Mu. arcuata. *Don. xii.* 84. *pl. 424. f. 2.*
 Mu. anteambulo. *Harr. Ex.* 60. *pl. xv. f. 17.*

Genus 121: (1245). SYRPHUS.

ERISTALIS *p.*, *Fall.*, *Fabr. A.*

8611. 1; lucorum*. *Meig. Zw.* iii. 313. *pl. 30. f. 27.*
 Mu. lucorum. *Linn. ii.* 985.—*Turt. iii.* 643.
 Mu. pellucens. *Harr. Ex.* 82. *pl. xxiv. f. 28.*
8612. 2; maculipennis* *mihi.*
8613. 3, œstraceus*.
 Mu. œstracea. *Linn. ii.* 985.—*Turt. iii.* 642.

- Sy. rupestris. *Panz. F.* lix. f. 13.
 Mu. illustratus. *Harr. Ex.* 104. *pl.* xxxii. f. 32.
8614. 4; assimilis* *mihi.*
 8615. 5; ruficornis*. *Meig. Zw.* iii. 278.—*Panz. F.* lxxvii. f. 20.
 Er. ruficornis. *Fabr. A.* 243.
 Mu. rutilo. *Harr. Ex.* 80. *pl.* xxiv. f. 21.
8616. 6, grossus*? *Meig. Zw.* iii. 281.
 Er. grossa. *Fall. D. S. (Syr.)* 53.
 Mu. Corydon. *Harr. Ex.* 106. *pl.* xxxii. f. 36.
8617. 7; flavipes*. *Panz. F.* liv. f. 10.
8618. 8; fulvicornis*. *Meig. Zw.* iii. 283.
8619. 9; variabilis*. *Panz. F.* lx. f. 10.
 Er. ater. *Fabr. A.* 246.
 Er. nigrita. *Fabr. A.* 244.
8620. 10; nigrinus*. *Meig. Zw.* iii. 282.
 Mu. funebres. *Harr. Ex.* 106. *pl.* xxxii. f. 37.
8621. 11; scutellatus*. *Meig. Zw.* iii. 284. *pl.* 30. f. 29, 30. (fœm.)
 Er. scutellata. *Fall. D. S. (Syr.)* 55.
 Mu. inundata. *Mus. Marsham.*
 Mu. tarditas. *Harr. Ex.* 106. *pl.* xxxii. f. 40.
8622. 12, flavicornis. *Meig. Zw.* iii. 285.
 Er. flavicornis. *Fabr. A.* 244.
8623. 13; vulpinus*. *Meig. Zw.* iii. 292.
8624. 14; nigripes*. *Meig. Zw.* iii. 282.
8625. 15; chalybeatus*. *Megerle.*—*Meig. Zw.* iii. 294.
8626. 16, funeralis. *Meig. Zw.* iii. 292.
8627. 17, mutabilis. *Meig. Zw.* iii. 283.
 Er. mutabilis. *Fall. D. S. (Syr.)* 54.
8628. 18; Chlorus*. *Meig. Zw.* iii. 284.
8629. 19; urbanus*. *Meig. Zw.* iii. 287.
8630. 20; pusillus* *mihi.*
8631. 21, means. *Fabr. Sup.* 562.
8632. 22; viduus*. *Meig. Zw.* iii. 282.
 Mu. viduata. *Fabr. iv.* 336.
 Mu. bardus. *Harr. Ex.* 106. *pl.* xxxii. f. 39?
8633. 23; albitarsis*. *Meig. Zw.* iii. 290.
8634. 24; curialis*. *Meig. Zw.* iii. 287.
8635. 25; antiquus*. *Meig. Zw.* iii. 291.
8636. 26; subfasciatus* *mihi.*
8637. 27; picipes* *mihi.*
8638. 28; caliginosus* *mihi.*
 Mu. fastuosa. *Stew. ii.* 265?

8639. 29; costalis * *mihi*.

8640 † 30. devius *.

Genus 122: (1246). ERISTALIS, Fabricius, (Kirby.)

HELOPHILUS, Leach, Samou.—ELOPHILUS, Latr.

A. Setâ antennarum nudâ. a. *Tibiis posticis simplicibus*.

8641. 1; sepulchralis *. *Fabr. A.* 245.

Mu. sepulchralis. *Linn.* ii. 991.

Mu. interpunctus. *Harr. Ex.* 59. *pl.* xv. *f.* 13.

♀; Er. tristis. *Fabr. A.* 303.

Sy. tristis. *Panz. F.* lxxxii. *f.* 16.

Mu. ater. *Harr. Ex.* 58. *pl.* xv. *f.* 11.

8642. 2; aeneus *. *Fabr. A.* 244.

Sy. aeneus. *Panz. F.* lxxx. *f.* 15.

Mu. melanius. *Harr. Ex.* 59. *pl.* xv. *f.* 12?

8643. 3: sericeus *mihi*.

8644. 4; floreus *. *Fabr. A.* 233.

Mu. florea. *Linn.* ii. 984.—*Stew.* ii. 264.—*Turt.* iii. 639.

Sy. floreus. *Panz. F.* xli. *f.* 21.

Mu. Atropos. *Schr. A.* 904.

Mu. ablectus. *Harr. Ex.* 41. *pl.* x. § 3. *f.* 2.

8645. 5, cryptarum. *Fabr. A.* 235.

b. *Tibiis posticis compressis*.

8646. 6; apiformis *. *Meig. Zw.* iii. 390.

Sy. apiformis. *Fall. D. S. (Syr.)* 23.

Albin. pl. lxiii. *f.* e-g?

8647. 7; Hortorum *. *Meig. Zw.* iii. 387.

8648. 8; vulpinus *. *Megerle.*—*Meig. Zw.* iii. 388.

8649. 9; tenax *. *Fabr. A.* 238.

Mu. tenax. *Linn.* ii. 984.—*Harr. Ex.* 41. *pl.* x. 111. *f.* 1.—

Berk. S. i. 163.—*Stew.* ii. 265.—*Turt.* iii. 641.—*Don. xvi.*

66. *pl.* 574.—*Shaw. G. Z.* vi. 380. *pl.* 106.

Mu. porcina. *DeGeer.* vi. 45.

Sy. tenax. *Panz. F.* xiv. *f.* 23, 24.

He. tenax. (*Sam. I.* 21.)

Mu. Arbustorum. *Schra. A.* 902.

8650. 10, fumipennis *mihi*.

B. Setâ antennarum plumosâ.

8651. 11; similis *. *Meig. Zw.* iii. 392.

Sy. similis. *Fall. D. S. (Syr.)* 25.

8652. 12; Fossarum *. *Megerle.*—*Meig. Zw.* iii. 393.

^a 8640 † 30. devius. *Fabr. A.* 185. (!)

Mu. devia. *Linn.* ii. 985.—*Stew.* ii. 265. (!)—*Turt.* iii. 644. (!)

8653. 13; Pratorum*. *Megerle*.—*Meig. Zw.* iii. 393.
 8654. 14; Arbustorum*. *Fabr. A.* 236.
 Mu. Arbustorum. *Linn. ii.* 984.
 Mu. horticola var. *DeGeer. vi.* 60.
 Sy. arbustorum. *Panz. F.* xiv. f. 22.
 Mu. cinctus. *Harr. Ex.* 43. *pl. x.* *O.* iii. f. 6.
 8655. 15; Nemorum*. *Fabr. A.* 234.
 Mu. Nemorum. *Linn. ii.* 984.—*Berk. S.* i. 163.—*Stew. ii.* 264.
 —*Turt. iii.* 640.
 Mu. Lyra. *Harr. Ex.* 42. *pl. x.* *O.* iii. f. 5.
 8656. 16; Rupium*. *Fabr. A.* 24.
 Sy. cryptarum. *Panz. F.* xc. f. 18.
 Mu. paralleli. *Harr. Ex.* 43. *pl. x.* *O.* iii. f. 7.
 Var.? Mu. lineolæ. *Harr. Ex.* 58. *pl. xv.* f. 10.
 8657. 17; Horticola*. *Meig. Zw.* iii. 396.
 Mu. Horticola. *DeGeer. vi.* 60. *pl. 8.* f. 12.
 Mu. lineatus. *Harr. Ex.* 42. *pl. x.* *O.* iii. f. 4?
 Sy. flavicinctus. *Fall. D. S. (Syr.)* 24.
 8658 † 18, elegans* *mihi.* In Mus. *D. Ingpen.*
 8659. 19; intricarius*. *Fabr. A.* 232.
 Mu. intricaria. *Linn. ii.* 985.—*Stew. ii.* 265.—*Turt. iii.* 638.
 Mu. fuscus. *Harr. Ex.* 42. *pl. x.* *O.* iii. f. 3.
 8660. 20, caliginosus* *mihi.*

Genus 123: (1247). HELOPHILUS, Meigen.

ERISTALIS *p.*, *Fabr.*—RHINGIA *p.*, *Fabr.*

8661. 1, trivittatus. *Meig. Zw.* iii. 373.
 Er. trivittatus. *Fabr. A.* 235.
 Mu. parallelus. *Harr. Ex.* 57. *pl. xv.* f. 8.
 8662. 2; pendulus*. *Meig. Zw.* iii. 373.—(Sam. I. 21.)
 Mu. pendula. *Linn. ii.* 984.—*Don. i.* 69. *pl. 31.* f. 2.—*Stew. ii.*
 264.—*Turt. iii.* 638.—*Shaw G. Z.* vi. 382. *pl. 105.* fig. inf.
 Mu. trilineata: (trilenva). *Harr. Ex.* 58. *pl. xv.* f. 9.
 8663. 3; lineatus*. *Meig. Zw.* iii. 369. *pl. 32.* f. 7. ♂.
 Rh. lineata. *Fabr. A.* 223.
 Rh. muscaria. *Fabr. A.* 223.—*Panz. F.* xx. f. 24.
 8664 † 4. Frutetorum^a.
 8665. 5; lunulatus*. *Meig. Zw.* iii. 370. *pl. 32.* f. 9. (abdomen.)
 Er. lunatus. (*Ing. Inst.* 91.)

^a 8664 † 4. Frutetorum. *Meig. Zw.* iii. 375.

Er. Frutetorum. *Fabr. A.* 236. (!)

Sy. versicolor. *Fabr. iv.* 285.—*Panz. F.* lxxxii. f. 14.

Sy. femoralis. *Fall. D. S. (Syrph.)* 31. 27.

Mu. Frutetorum. *Turt. iii.* 641. (!)—*Stew. ii.* 264. (!)

8666. 6; transfugus*. *Meig. Zw.* iii. 371. *pl. 32. f. 8.* ♂.
Mu. transfuga. *Linn. ii.* 987.

Genus 124: (1248). TROPIDIA, *Meigen.*

ERISTALIS p, *Fallen.*

8667. 1, milesiformis. *Meig. Zw.* iii. 346. *pl. 31. f. 14.* (ala)—
(Ing. Inst. 92.)—(*Curtis Cat.* No. 45.)
Er. milesiformis. *Fall. D. S. (Syr.)* 52.
Mu. scitus. *Harr. Ex.* 107. *pl. xxxii. f. 41.*

Genus 125: (1249). XYLOTA.

MILESIÀ p, *Fabr.*—*XYLOTA A., Meigen,* (*Kirby.*)

8668. 1; pipiens*.

Mu. pipiens. *Linn. ii.* 988.—*Harr. Ex.* 109. *pl. xxxii. f. 48.*—
Berk. S. i. 164.—*Panz. F.* *xxxii. f. 20.*—*Stew. ii.* 266.—
Turt. iii. 652.
Mi. pipiens. (*Sam. I.* 27.)

Genus 126: (1250). —

XYLOTA B. p, *Meigen.*—*MILESIÀ p,* *Latr.*

8669. 1; ignava*. *Meig. Zw.* iii. 221.
Sy. ignavus. *Panz. F.* *lx. f. 4.*

8670. 2; segnis*.

Mu. segnis. *Linn. ii.* 988.—*Stew. ii.* 266.—*Turt. iii.* 644.
Sy. segnis. *Panz. F.* *lx. f. 3.*
Mu. Brassicariæ. *Don. v.* 17. *pl. 151. f. 1.*
Mu. longisco. *Harr. Ex.* 83. *pl. xxiv. f. 30.*

8671. 3; lenta*.

Meig. Zw. iii. 222.
Sy. piger. *Panz. F.* *lx. f. 5.*

8672. 4; Sylvarum*.

Meig. Zw. iii. 223.
Mu. sylvarum. *Linn. ii.* 985.
Mu. fucatus. *Harr. Ex.* 83. *pl. xxiv. f. 29.*
Sy. impiger. *Panz. F.* *xlv. f. 21.*

8673. [5; ærata*] mihi.

Genus 127: (1251). SPILOMYIA, *Meigen?*

XYLOTA B. p, *Meig.*—*MILESIÀ p,* *Fallen.*

8674. 1, femorata.

Mu. femorata. *Linn. ii.* 988?—*Turt. iii.* 645.

Genus 128: (1252). MILESIÀ, *Fabricius, Curtis.*

MILESIÀ D. b. p, *Meigen.*

8675. 1: speciosa.

Meig. Zw. iii. 234.—*Curtis. i. pl. 34.*

Mi. speciosa. *Fabr. A.* 188.

8676 † 2. vespiformis ^a.

Genus 129: (1253). MERODON, *Fabricius, Curtis.*

MILESIA p, Latreille, Leach, Samou.

8677 † 1, clavipes. *Fabr. A. 195.—Meig. Zw. iii. 351. pl. 31. f. 22. ♀.*
—*Curtis. ii. pl. 98. ♂.*

Mu. curvipes. Gmel. iv. 2871.

In Mus. Brit.

8678 † 2. annulata ^b.

Genus 130: (1254). CRIORHINA, *Hoffmansegg.*

MILESIA B. Meigen.—ERISTALIS, Latr., Leach, Samou.

8679. 1; Ranunculi*. (*Ing. Inst. 91.*)

Sy. Ranunculi. Panz. F. xci. f. 21.

Mu. personatus. Harr. Ex. 79. pl. xxiv. f. 20? ♀.

8680. 2; asilica*. (*Ing. Inst. 91.*)

Sy. asilicus. Fall. D. S. (Syr.) 22.

8681. 3, floccosa. (*Ing. Inst. 91.*)

Mi. floccosa. Meig. Zw. iii. 238.

Mu. Alopece. Mus. Marsham.

§ *HELIOPHILUS p, Meigen.*

8682. 4; Oxyacanthæ*. (*Ing. Inst. 91.*)

Mi. Oxyacanthæ. Meig. Zw. iii. 237.

Er. Narcissi. (Sam. I. 16.)

8683. 5; berberina*. (*Ing. Inst. 91.*)

Er. berberinus. Fabr. A. 240.

Mi. biberina. Meig. Zw. iii. 237. pl. 29. f. 9.

Genus 131: (1255). SERICOMYIA, *Latr., Meigen, Leach, Samou.*

8684. 1; mussitans*. *Meig. Zw. iii. 345.—(Ing. Inst. 91.)*

Sy. mussitans. Fabr. A. 225.—Panz. F. i. f. 15.

Mu. fulvus. Harr. Ex. 80. pl. xxiv. f. 22.

8685. 2; borealis*. *Meig. Zw. iii. 343. pl. 31. f. 9.—(Ing. Inst. 91.)*

Sy. borealis. Fall. D. S. (Syr.) 20.

Mu. laponna. DeGeer. vi. 61. pl. 8. f. 14.

Mu. silentis. Harr. Ex. 59. pl. xv. f. 14.

8686. 3; laponna*. *Meig. Zw. iii. 344.*

Mu. laponna. Linn. ii. 983.

Se. Lapponum. (Sam. I. 37.)—(Kirby & Sp. I. E. iv. pl. 4. f. 5.)

^a 8676 † 2. vespiformis. *Meig. Zw. iii. 232.*

Mu. vespiformis. Linn. ii. 986.—Turt. iii. 647. (!)

Sy. vespiformis. Panz. F. xc. f. 19.

Sy. apiformis. Fabr. iv. 300.

^b 8678 † 2. annulatus. (*Samou. 298.*) (!)

Me. annulata. Fabr. iv. 296.

Genus 132: (1256). VOLUCCELLA, *Geoffroy, Leach, Samou.,*
(Kirby.)

PTEROCERA *p*, *Meigen*, (*olim.*)—CONOPS *p*, *Scop.*

8687. 1; *inanis**. *Latr. G.* iv. 322.—(*Sam. I.* 43.)
 Mu. *inanis*. *Linn. F.* No. 1825.—*Berk. S.* i. 164?—*Don. xiv.*
 59. *pl.* 490. *f.* 1.—*Stew. ii.* 257.—*Turt. iii.* 636.—*Samou.* 71.
pl. 9. *f.* 3.
 Mu. *apivora*. *DeGeer.* vi. 28. *pl.* 3. *f.* 4.
 Sy. *nicans*. *Fabr. A.* 224.
 Mu. *annulatus*. *Harr. Ex.* 40. *pl.* x. *f.* 4.
8688. 2; *inflata**. *Meig. Zw.* iii. 405. *pl.* 32. *f.* 28.—(*Ing. Inst.*
 91.)
 Sy. *inflatus*. *Fabr. A.* 226.
 Vo. *dryophila*. *Schrantz B.* iii. 2476.
8689. 3; *pellucens**. *Meig. Zw.* iii. 404.—(*Sam. I.* 43.)
 Mu. *pellucens*. *Linn. F.* No. 1826.—*Berk. S.* i. 164.—*Stew. ii.*
 257.—*Turt. iii.* 637.—*Shaw G. Z.* vi. 385.—*Anon. Rem.*
L. G. 31. *pl.* 6.
 Sy. *pellucens*. *Panz. F.* i. *f.* 17.
 Sy. *putescens*. *Schell. G. M.* *pl.* 8. *f.* 2.
 Mu. *fera*. *Harr. Ex.* 39. *pl.* x. *f.* 2.
8690. 4; *plumata**. *Meig. Zw.* iii. 403.
 Mu. *plumata*. *DeGeer.* vi. 58. *pl.* 8. *f.* 4–9.
 Sy. *mystaceus*. *Fabr. A.* 224.—*Panz. F.* viii. *f.* 22.
 Mu. *mystacea*. *Harr. Ex.* 39. *pl.* x. *f.* 1.—*Don. xiv.* 15. *pl.* 471.
f. 1.—*Stew. ii.* 264.—*Turt. iii.* 637.
 Vo. *mystaceus*. (*Sam. I.* 43.)
 Mu. *bombylans* var. *Linn.* ii. 983.
 Vo. *apiaria*. *Schrantz B.* iii. 2475.
8691. 5; *bombylans**. *Latr. G.* iv. 322.—(*Sam. I.* 43.)
 Mu. *bombylans*. *Harr. Ex.* 40. *pl.* x. *f.* 3.—*Don. v.* 23. *pl.* 151.
f. 4.—*Stew. ii.* 264.—*Turt. iii.* 637.
 Sy. *bombylans*. *Panz. F.* viii. *f.* 21.
 Mu. *plumosa*. *Gmel. v.* 2867.
 Var.? Mu. *melanopyrrha*. *Forst. C.* i. 98?—*Stew. ii.* 258.—*Turt. iii.* 604.

Genus 133: (1257). BRACHYOPA, *Hoffm.*, *Meigen*.

RHIINGIA *p*, *Fallen*.

8692. 1; *conica**. *Meig. Zw.* iii. 261.
 Mu. *conica*. *Panz. F.* lx. *f.* 20.
 Rh. *testacea*. *Fall. D. S. (Syr.)* 34. 4.
8693. 2, *pallida mihi*.

Genus 134: (1258). RHINGIA, Scop., Fabr., Leuch, Samou., Curtis, (Kirby.)

CONOPS p, Linné.—STOMOXYS p, Gmel.—VOLUCELLA p, Geoff. 8694. 1; rostrata*. Fabr. A. 222.—(Sam. I. 36.)—(Curtis l. c. infra.)

Co. rostrata. Linn. ii. 1004.—Stew. ii. 271.—Turt. iii. 670.—

Panz. F. lxxxvii. f. 22.—Shaw G. Z. vi. 396. pl. 111. fig. inf.

St. rostrata. Stew. ii. 271.

Var. Mu. nasatus. Harr. Ex. 105. pl. xxxii. f. 35.

8695. 2; campestris*. Meig. Zw. iii. 259.—(Ing. Inst. 91.)—(Curtis. iv. pl. 182.)

Rh. rostrata var. Fall. D. S. (Syr.) 33.

Rhingia. Schell. G. M. pl. viii.

Mu. macrocephala. Harr. Ex. 82. pl. xxiv. f. 27.

Familia XV: (149). STOMOXYDÆ, Meigen.

Genus 135: (1259). STOMOXYS Auctorum.

CONOPS p, Linné.—EMPIIS p, Scop.—SIPHONA p, Meig.

8696. 1, sibirita. Fabr. A. 280.—Meig. Zw. iv. 160. pl. 38. f. 1-4.
St. irritans. Panz. F. v. f. 24.

♂, St. longipes. Gmel. v. 2892.

♀, St. grisea. Fabr. A. 279.

8697. 2; irritans*. Meig. Zw. iv. 162.

Co. irritans. Linn. ii. 1004.—Shaw G. Z. vi. 395. pl. 111. f. m.
St. pugens. Fabr. A. 282.

8698. 3; calcitrans*. Fabr. A. 280.—Stew. ii. 270.—Turt. iii. 668.
—(Samou. 298. pl. 9. f. 7.)—(Kirby & Sp. I. E. i. 48, 110 & 145.)
Co. calcitrans. Linn. ii. 1004.—Berk. S. i. 167.—Shaw G. Z.
vi. 395. pl. 111. fig. sup.?

Mu. calcitrans. Harr. Ex. 141. pl. xli. f. 41.

♀, St. tessellata. Fabr. A. 281.

Mu. pungens. DeGeer. vi. 39. pl. 4. f. 12-18.

8699. 4, stimulans? Meig. Zw. iv. 161. pl. 38. f. 8-10.

St. irritans. Fabr. A. 281.—Stew. ii. 271.—Turt. iii. 669.

Mu. irritans. Harr. Ex. 148. pl. xlvi. f. 74?

Genus 136: (1260). BUCENTES, Latr., Leach, Samou.

SIPHONA p, Meig.—STOMOXYS p, Fabr.

8700. 1; geniculata*.

Mu. geniculata. DeGeer. vi. 20. pl. 2. f. 19-23.

Si. geniculata. Meig. Zw. iv. 155.

St. minuta. Fabr. A. 282.

Bu. cinereus. Latr. G. iv. 339.—(Sam. I. 7.)

8701. 2; cinereus.

Si. cinereus. Meig. Zw. iv. 156.

8702. 3; tachinaria.

Si. tachinaria. *Meig. Zw.* iv. 156.

St. cristata. *Fabr. A.* 281?

St. geniculata. *Fall. D. S. (Hæmatomyzides.)* 5. 2?

Mu. urbanus. *Harr. Ex.* 153. *pl. xlvi. f.* 85?

8703. 4; nigrovittata.

Si. nigrovittata. *Meig. Zw.* iv. 157.

Familia XVI: (150). CONOPIDÆ, *Leach.*

Genus 137: (1261). ZODION, *Latr., Leach, Samou.*

MYOPA *p.*, *Fabr.*

8704. 1; cinereum*. *Meig. Zw.* iv. 138. *pl. 37. f.* 6, 7.

My. cinerea. *Fabr. A.* 181.

My. tibialis. *Fabr. A.* 182. (*teste Meig.*)

Zo. conopsooides. (*Latr. G.* iv. 337. *pl. 15. f. 8.*)—(*Sam. I.* 44.)

Genus 138: (1262). MYOPA *Auctorum.*

STOMOXOIDES, *Schæff.*—STOMOXYS *p.*, *Fabr.*—ASILUS *p.*, *Geoff.*

—SICUS, *Scop.*

8705. 1; atra*. *Fabr. A.* 179.—*Panz. F.* xii. *f.* 24.

♂; My. cinerascens. *Meig. Kl. i.* 287.

♀; My. maculata. *Meig. Kl. i.* 287.

My. annulata. *Fabr. A.* 181.

Var. My. micans. *Meig. Kl. i.* 289.

My. femorata. *Fabr. A.* 181.

8706. [2; pusilla*]. *Meig. Zw.* iv. 150?

8707. 3; fasciata*. *Meig. Kl. i.* 286.

My. ephippium. *Fabr. A.* 180.

Co. fusca. *Harr. Ex.* 72. *pl. xx. f.* 6, 7?

8708. 4; ferruginea*. *Fabr. A.* 178.

Co. ferruginea. *Linn. ii.* 1005.—*Stew. ii.* 271.—*Turt. iii.* 672.

Co. buccæ. *Harr. Ex.* 71. *pl. xx. f.* 5, 9.

8709. 5; dorsalis*. *Fabr. A.* 178.—(*Sam. I.* 28.)

My. ferruginea. *Panz. F.* xxii. *f.* 24.

My. testacea. *Fabr. S.* ii. 468.

My. grandis. *Meig. Kl. i.* 284.

Co. cessans. *Harr. Ex.* 71. *pl. xx. f.* 4.

8710. 6; testacea*. *Fabr. A.* 179.

Co. testaceus. *Linn. ii.* 1006.

Co. buccata. *Gmel. v.* 2895.

8711. 7; buccata*. *Fabr. A.* 179.

Co. buccata. *Linn. ii.* 1006.—*Turt. iii.* 672.

Harr. Ex. pl. xx. f. 8?

8712. 8; picta*. *Panz. F.* liv. *f.* 22.—(*Sam. I.* 28.)

Genus 139: (1263). CONOPS Auctorum.

ASILUS *p*, Geoff.—EMPIST *p*, Scop.

A. Abdominis basi coarctato.

8713. 1; rufipes *. *Fabr. A.* 176.Co. petiolata. *Don. xiii. 39. pl. 451.*

B. Abdominis basi haud coarctato.

8714. 2; vesicularis *. *Linn. ii. 1005.—Stew. ii. 271.—Turt. iii. 670.*Co. macrocephala. *Berk. S. i. 167?*♂, Co. cylindrica. *Meig. Kl. i. 275.*8715 † 3. macrocephala ^a.8716. 4; flavipes *. *Linn. ii. 1005.—Stew. ii. 271.—Panz. F. lxx. f. 21, 22.*Co. macrocephala. (*Samou. 72. pl. 9. f. 8.*)Co. vesicularis. *Harr. Ex. 70. pl. xx. f. 1.*♀; Co. trifasciata. *DeGeer. vi. 104.*Var. Co. melanocephala. *Meig. Kl. i. 278.*8717. 5; aculeata *. *Linn. ii. 1005.—(Sam. I. 12.)*Co. scutellata. *Meig. Kl. i. 276.*Co. macrocephala. *Harr. Ex. 71. pl. xx. f. 2, 3?*8718. 6; ceriæformis *. *Meg.—Meig. Zw. iv. 132. pl. 36. f. 26?*8719. 7; quadrifasciata *. *DeGeer. vi. 104. pl. 15. f. 1.*Co. aculeata. *Fabr. A. 174.—Turt. iii. 670.*

Familia XVII: (151). ŒSTRIDÆ, Leach.

MUSCIDES I., Latr.—ASTOMATA, Dumeril.

Genus 140: (1264). ŒSTRUS Auctorum.

8720 † 1, pictus. Megerle.—Meig. Zw. iv. 172.—Curtis. iii. pl. 106.

Œ. Leachii. Samouelle MSS.

8721. 2; Ovis *: Grey Fly.—*Berk. l.c. Linn. ii. 970.—Berk. S. i. 160.—Linn. Trans. (Clark.) iii. 313. pl. 23. f. 14—17.—Stew. ii. 249.—Turt. iii. 582.—Don. xvi. 19. pl. 550.—Clark E. pl. 2. f. 16—20.—Shaw G. Z. vi. 364. pl. 102. fig. inf.—(Leach A. 1.)—Bingley. iii. 309.—(Samou. 301.)—(Kirby & Sp. I. E. i. 157.)—(Curtis l. c. supra.)*8722. 3, Bovis *. (*Linn. ii. 969. Gasterophilo Equo confunditur.*)—*Linn. Trans. (Clark.) iii. 291. pl. 25. f. 1—6.—Stew. ii. 248.—Turt. iii. 581.—Clark E. pl. 2. f. 1—10.—Shaw G. Z. vi. 358. pl. 102. fig. sup.—(Leach A. 1.)—(Sam. I. 31.)—(Kirby & Sp. I. E. i. 149.)—(Curtis l. c. supra.)—Bingley. iii. 304.
Larvæ; Wornils, Wormals, Warbles.—Bingley l. c.*^a 8715 † 3. macrocephala. *Linn. ii. 1005.—Stew. ii. 271. (!)—Turt. iii. 671. (!)—Meig. Zw. iv. 125. pl. 36. f. 27.*

8723. ♀ 4; Ericetorum*. *Leach A. 2.*—(*Curtis l. c. supra.*)
Œs. hæmorrhoidalis β. *Linn. Trans. (Clark.) iii. 294.*

Genus 141: (1265). GASTEROPHILUS, *Leach, Samou., Curtis,*
(*Kirby.*)

GASTRUS, *Meigen.*—ŒSTRUS *p., Linné.*

8724. 1; hæmorrhoidalis*. (*Leach A. 2.*)—(*Sam. I. 18.*)—
(*Curtis l. c. supra.*)

Œs. hæmorrhoidalis. *Linn. ii. 970.*—*Linn. Trans. (Clark.) iii.*
308. *pl. 23. f. 10–13.*—*Stew. ii. 248.*—*Turt. iii. 582.*—
Clark E. pl. 1. f. 17–23.—*Shaw G. Z. vi. 366.*—(*Kirby &*
Sp. I. E. i. 146.)

Œs. hæmoridalis. *Berk. S. i. 160.*

Œs. Equi var. *Fabr. iv. 232.*

8725. 2, nasalis. (*Curtis l. c. supra.*)

Œs. nasalis. *Linn. ii. 969.*—*Stew. ii. 249.*—(*Kirby & Sp.*
I. E. i. 159. et nota.)

Œs. veterinus. *Fabr. A. 230.*—*Linn. Trans. (Clark.) iii. 312.*
pl. 23. f. 18, 19.—*Turt. iii. 582.*—*Clark E. pl. 1. f. 24–27.*
—*Shaw G. Z. vi. 367.*

Ga. veterinus. (*Sam. I. 18.*)

Œs. Equi. *Fabr. iv. 232.*

8726. 3, Clarkii. *Leach A. 2.*—*Meig. Zw. iv. 180. (!)*—(*Curtis*
l. c. supra.)

8727 † 4, Salutiferus*. *Curtis. iii. pl. 146.*

Œs. Salutiferus. *Clark E. Sup. pl. 1. f. 33, 34.*

Œs. Salutaris. *Id. pl. 1. f. 35, 36.* In Mus. D. Clark, et *Curtis.*

8728. 5; Equi*. *Leach A. 2.*—(*Sam. I. 18.*)—(*Curtis l. c. infra.*)

Œs. Equi. *Linn. Trans. (Clark.) iii. 298. pl. 23. f. 7–9.*—
Stew. ii. 248.—*Turt. iii. 581.*—*Clark E. pl. 1. f. 1–16.*—
Shaw G. Z. vi. 359. pl. 102. fig. med.—*Bingley. iii. 306.*—
(*Kirby & Sp. I. E. i. 146.*)—*Wood. ii. 81. pl. 63.*—*Stark E.*
ii. 388.

Œs. Bovis. *Linn. ii. 969. desc. solu.*—*Berk. S. i. 160.*—
(*Samou. 70. pl. 9. f. 1.*)

Breeze or Gad Fly.—*Bot-Fly.*—*Larvæ; Bots.*

Familia XVIII: (152). MUSCIDÆ, *Leach.*

Genus 142: (1266). PHASIA, *Latr., Leach, Samou., (Kirby.)*

CONOPS *p., Linné.*—SYRPHUS *p., et THEREVA p., Fabr.*

8729. 1, hemiptera. *Meig. Zw. iv. 191.*

Ph. variabilis. (*Linn. Trans. (Leach.) xi. 421.*)—(*Sam. I. 33.*)

♂, Sy. hemipterus. *Fabr. iv. 284.*

Mu. hemiptera. *Turt. iii. 639.*—*Don. xii. 95. f. 429.*

Th. coleoptrata. *Panz. F. lxxiv. f. 13.*

♀, Sy. astinis. *Fabr. iv. 284.*

Th. affinis. *Panz. F.* lxxiv. f. 16.

Var. Sy. coleoptratus. *Fabr. S. I.* ii. 423.

Th. subcoleoptrata. *Panz. F.* lxxiv. f. 14.

Mu. subcoleoptrata. *Stew. ii.* 264.

8730. 2; subcoleoptrata*. *Meig. Zw.* iv. 190. *pl.* 39. *f.* 13. ♀.

Co. subcoleoptrata. *Linn. ii.* 1006.—*Wood. ii.* 102. *pl.* 69.

8731. 3; semicinerea*. *Meig. Zw.* iv. 199. *pl.* 39. *f.* 14.

Genus 143: (1267). GYMNOSOMA, *Meigen, Leach, Samou.*

TACHINA p, et SYRPHUS, *Fabr.*—OCYPTERA p, *Latr.*

8732. 1; rotundata*. *Meig. Zw.* iv. 204.—(Sam. I. 20.)

Mu. rotundata. *Linn. ii.* 991.—*Panz. F.* xx. *f.* 19.—*Don. xii.*
83. *pl.* 424. *f.* 1.—*Stew. ii.* 259.—*Turt. iii.* 605.

Mu. cerinus. *Harr. Ex.* 36. *pl.* ix. *f.* 6.

8733 † 2. globosa^a.

Genus 144: (1268). PHANIA, *Meigen.*

8734. 1; thoracica*. *Meig. Zw.* iv. 220.

8735. 2; curvicauda*. *Meig. Zw.* iv. 221. *pl.* 40. *f.* 10.
Ta. curvicauda. *Fall. D. S. (Musc.)* 17. 33.

Genus 145: (1269). MILTOGRAMMA, *Meigen.*

8736. 1, œstracea. *Meig. Zw.* iv. 229. *pl.* 40. *f.* 25?
Ta. œstracea. *Fall. D. S. (Musc.)* 10. 17.

Genus 146: (1270). GONIA, *Meigen.*

8737. 1; auriceps*. *Meig. Zw.* v. 5.

8738. 2; nervosa*. *Winthem.*—*Meig. Zw.* v. 4.

Genus 147: (1271). TRIXA, *Meigen.*

8739. 1, dorsalis. *Meig. Zw.* iv. 225.

8740. 2; variegata*. *Meig. Zw.* iv. 225. (!)

Genus 148: (1272). TACHINA, *Illiger, Leach, Samou., (Kirby.)*
ECHINOMYIA p, *Latr.*

8741. 1; ferox*. *Panz. F.* civ. *f.* 20.

Mu. rotundata. *Harr. Ex.* 35. *pl.* ix. *f.* 2.

8742. 2; fera*. *Fabr. A.* 308.—(Sam. I. 40.)

Mu. fera. *Linn. ii.* 991.—*Stew. ii.* 258.—*Turt. iii.* 604.

Mu. reccumbo. *Harr. Ex.* 35. *pl.* ix. *f.* 4.

8743. 3; Virgo*. *Meig. Zw.* iv. 243.

^a 8733 † 2. globosa. *Meig. Zw.* iv. 206. *pl.* 40. *f.* 22. ♀.

Sy. globosa. *Fabr. S. I.* ii. 432.

Mu. globosa. *Stew. ii.* 265. (!)—*Turt. iii.* 609. (!)

Gym. dispar. *Fall. D. S. (Rhyzomiz.)* 9. 2.

8744. 4; lurida*. *Fabr. A.* 310.
 8745. 5; leucocoma*. *Meig. Zw.* iv. 244.
 8746. 6; echinata*. *Meig. Zw.* iv. 245.
 Mu. repens. Harr. Ex. 37. pl. ix. f. 10?
 8747. 7; ursina*. *Meig. Zw.* iv. 245.

Genus 149: (1273). ECHINOMYIA, *Dumeril, Leach, Samou.,*
 (*Kirby.*)

TACHINA *p.*, *Fabr.*

8748. 1; grossa*. (*Latr. G.* iv. 343.)—(*Sam. I.* 16.)—(*Kirby & Sp. I. E.* iii. 37.—iv. 149, 150.)
 Mu. grossa. Linn. ii. 991.—Harr. Ex. 35. pl. ix. f. 1.—Don. x. 53. pl. 346. f. 1.—Stew. ii. 259.—Turt. iii. 605.—Shaw G. Z. vi. 385.

Genus 150: (1274). —

TACHINA *p.*, *Fallen.*

A. Oculis pubescentibus.

8749. 1; cæsia*.
 Ta. cæsia. Fall. D. S. (Musc.) 27. 55.—Meig. Zw. iv. 247.
 Mu. orior. Harr. Ex. 143. pl. xlvi. f. 48.
8750. 2; consobrina*.
 Ta. consobrina. Meig. Zw. iv. 248.
8751. 3; Radicum*.
 Mu. Radicum. Fabr. A. 300.—Turt. iii. 606.
 Ta. lurida. Fall. D. S. (Musc.) 26. 54.
8752. 4; cognata* *mihi.*
8753. 5; Histrio*.
 Ta. Histrio. Meig. Zw. iv. 250. (?)
8754. 6; plumbea* *mihi.*
8755. 7; apicalis* *mihi.*
8756. 8; puparum*.
 Mu. puparum. Fabr. A. 299.
 Ta. tricincta. Fall. D. S. (Musc.) 26. 53.
8757. 9; quadripustulata*.
 Ta. quadripustulata. Fabr. A. 309.
 Ta. aestuans. Fall. D. S. (Musc.) 30. 61.
8758. 10; variegata*.
 Ta. variegata. Meig. Zw. iv. 256.
8759. 11; bimaculata* *mihi.*
8760. 12; hortulana*.
 Ta. hortulana. Meig. Zw. iv. 330.
8761. 13; arvensis*.
 Ta. arvensis. Meig. Zw. iv. 337.
8762. 14; aratoria*.

- Ta. aratoria. *Meig. Zw.* iv. 338.
 Mu. convolo. *Harr. Ex.* 143. *pl. xlvi. f. 49?*
 8763. 15; nigrolineata* *mihi.*
 8764. 16; schistacea*.
 Ta. schistacea. *Meig. Zw.* iv. 414.
 8765. 17; quadricincta* *mihi.*
 8766. 18; vulpina*.
 Ta. vulpina. *Fall. D. S. (Musc.)* 23. 47.
 Mu. investigator. *Harr. Ex.* 35. *pl. ix. f. 3?*
 8767. 19; testaceipes* *mihi.*
 8768 † 20. Histrix^a.
 8769. 21; ænea*.
 Ta. ænea. *Meig. Zw.* iv. 273.
 Mu. Mano. *Harr. Ex.* 142. *pl. xlvi. f. 45?*
 8770. 22; viridis*.
 Ta. viridis. *Fall. D. S. (Musc.)* 25. 51.—*Meig. Zw.* iv. 258.
 8771. 23; Tremula*.
 Mu. Tremula. *Linn. ii.* 991.—*Stew. ii.* 259.
 Mu. obsidianus. *Harr. Ex.* 37. *pl. ix. f. 8.*
 8772. 24; chalybeata*.
 Ta. chalybeata. *Meig. Zw.* iv. 271.
 Mu. promans. *Harr. Ex.* 143. *pl. xlvi. f. 47?*
 B. Oculis nudis.
 8773. 25; sylvatica*.
 Ta. sylvatica. *Fall. D. S. (Musc.)* 12. 20.
 8774. 26, festinans*.
 Ta. festinans. *Fallen.*—*Meig. Zw.* iv. 384.
 8775. 27; læta*.
 Ta. læta. *Wied.*—*Meig. Zw.* iv. 381.
 8776. 28; morosa*.
 Ta. morosa. *Meig. Zw.* iv. 314.
 8777. 29; continua*.
 Mu. continua. *Panz. F. lx. f. 19.*
 8778. 30; melanocephala.
 Ta. melanocephala. *Meig. Zw.* iv. 281.
 8779. 31; dubia* *mihi.*
 8780. 32; nana* *mihi.*

Genus 151: (1275). MELANOPHORA, *Meig. olim.*

TACHINA p, *Meig.*—OCYPTERA p, *Fallen.*—TEPIIRITIS p, *Fabr.*
 8781. 1; roralis*.

* 8768 † 20. Histrix. *Fabr. A.* 310?

Mu. hirsuta. *Don. xiv.* 60. *pl. 490. f. 2. (!)*

In Mus. Brit.

Mu. roralis. *Linn.* ii. 993.—*Turt.* iii. 608.

Mu. grossificationis. *Linn.* ii. 996.—(*Haw.* xviii.)—*Turt.* iii. 618.—*Don.* xii. 71. *pl.* 419.

Te. grossificationis. (*Sam.* I. 40.)

Mu. interventum. *Harr. Ex.* 144. *pl.* xlvi. *f.* 57.

Genus 152: (1276). LEUCOSTOMA, *Meig. olim.*

TACHINA *p.*, *Meig.*

8782. 1; gagatina*.

Ta. gagatina. *Meig. Zw.* iv. 287.

8783. 2; venosa*.

Ta. venosa. *Meig. Zw.* iv. 288.

8784. 3; lepida*.

Ta. lepida. *Meig. Zw.* iv. 289.

8785. 4; simplex*.

Oc. simplex. *Fall. D. S. (Rhyomyz.)* 8. 10.

Ta. simplex. *Meig. Zw.* iv. 289.

8786. 5; floralis*.

Ta. floralis. *Fall. D. S. (Musc.)* 36. 74.

8787. 6; terminalis*.

Ta. terminalis. *Meig. Zw.* iv. 323.

8788. 7, exigua*.

Ta. exigua. *Meig. Zw.* iv. 567. (367.)

8789. 8; carbonaria*.

Mu. carbonaria. *Panz. F. liv. f.* 15.

8790. 9; venosa* *mihi.*

Genus 153: (1277). METOPIA, *Meig. olim.*

TACHINA *p.*, *Meig.*

8791. 1, leucocephala*?

Mu. leucocephala. *Panz. F. liv. f.* 14.

Mu. labiata. *Fabr. A.* 304.

Mu. argyrostoma. *Mus. Marsham.*

Mu. argentata. *Stew. ii.* 258?

Genus 154: (1278). TRIARTHRIA *mihi.*

TACHINA *p.*, *Meig.*

8792. 1; bicolor*.

Ta. bicolor. *Meig. Zw.* iv. 354.

8793. 2; spinipennis*.

Ta. spinipennis. *Meig. Zw.* iv. 350.

Mu. conflu. *Harr. Ex.* 143. *pl.* xlvi. *f.* 50?

8794. 3; albicollis*.

Ta. albicollis. *Meig. Zw.* iv. 350.

Genus 155: (1279). EXORISTA, Meig.

8795. 1; larvarum*. (*Illig. M. (Meig.)* ii. 280.)
 Mu. larvarum. *Linn.* ii. 992.—*Stew.* ii. 259.—*Turt.* iii. 606.
 —(*Kirby & Sp. I. E.* i. 188. *nota.* 267. iv. 224.)
 Ta. rustica. *Fall. D. S. (Musc.)* 5. 5.
8796. 2; simulans*.
 Ta. simulans. *Meig. Zw.* iv. 306.
8797. 3; nitidula*.
 Ta. nitidula. *Meig. Zw.* iv. 297.
8798. 4; cincta*.
 Ta. cincta. *Meig. Zw.* iv. 297.
8799. 5; devia*.
 Ta. devia. *Meig. Zw.* iv. 301.
8800. 6; agrestis*.
 Ta. agrestis. *Fall. D. S. (Musc.)* 6. 7.
8801. 7; Vidua*.
 Ta. Vidua. *Meig. Zw.* iv. 315.
8802. 8; dorsalis*.
 Ta. dorsalis. *Meig. Zw.* iv. 325.
8803. 9; longipes*.
 Ta. longipes. *Meig. Zw.* iv. 341.
 Mu. dimano. *Harr. Ex.* 142. *pl. xlvi. f.* 46?
8804. 10; inanis*.
 Ta. inanis. *Meig. Zw.* iv. 342.
8805. 11; pacifica*.
 Ta. pacifica. *Meig. Zw.* iv. 342.
8806. 12; spreta*.
 Ta. spreta. *Meig. Zw.* iv. 343.

Genus 156: (1280). ERIOTHRIX, Meigen.

8807. 1; lateralis*. (*Illig. M. (Meig.)* ii. 279.)
 Mu. lateralis. *Fabr. A.* 314.—*Don.* i. 69. *pl. 31. f. 3.*—*Stew.* ii.
 259.—*Turt.* iii. 607.
 Mu. restituo. *Harr. Ex.* 36. *pl. ix. f. 5.*

Genus 157: (1281). OCYPTERYX, Leach, Samou.

OCYPTERA, Meig.—SYRPHUS p, Panz.

8808. 1; brassicaria*. *Fabr. A.* 312.—*Meig. Zw.* iv. 211. *pl. 39.*
 f. 29.—*Stew.* ii. 259.—*Turt.* iii. 606.—(*Sam. I.* 31.)
 Mu. cylindrica. *DeGeer.* vi. 16. *pl. 1. f. 12-14.*
 Sy. segnis. *Panz. F.* xxii. *f. 22.*
8809. 2; interrupta*. *Meig. Zw.* iv. 213.

Genus 158: (1282). DEXIA, Meigen.

OCTYPTERA p., Fabr.—VOLUCCELLA p., Schr.

- A. "Articulis primo secundoque abdominis æqualibus." Meig.
8810. 1; compressa*. Meig. Zw. v. 41.
 Mu. compressa. Fabr. iv. 327.
 Oc. rufa. Fabr. A. 314.
 Mu. rutillus. Harr. Ex. 86. pl. xxv. f. 20.
 Mu. rufiventris. Fall. D. S. (Musc.) 41. 8.
 Vol. lurida. Schrank B. iii. 2483.
 Mu. lateralis. Panz. F. vii. f. 22.
8811. 2; Maura. Meig. Zw. v. 39. pl. 43. f. 20. ♂.
 Mu. Maura. Fabr. A. 302.
 Mu. halterata. Panz. F. liv. f. 13.
8812. 3; caminaria*. Meig. Zw. v. 39.
8813. 4; melania*. Meig. Zw. v. 40.
 Mu. putris. Mus. Marsham.
8814. 5; volvulus*. Meig. Zw. v. 35. pl. 43. f. 19.
 Oc. volvulus. Fabr. A. 314.
 Mu. cylindrica. Fall. D. S. (Musc.) 43. 13.
 Mu. agilis. Harr. Ex. 86. pl. xxv. f. 19.
8815. 6; Anthracina*. Meig. Zw. v. 36.
8816. 7; melanoptera*. Meig. Zw. v. 36.
 Mu. melanoptera. Fall. D. S. (Musc.) 52. 34.
 Vo. roralis. Schrank B. iii. 2502?
 Mu. atratus. Harr. Ex. 37. pl. ix. f. 7?
8817. 8; nana*. Meig. Zw. v. 37.
8818. 9; leucozona*. Meig. Zw. v. 37.
 Mu. leucozona. Panz. F. civ. f. 19.
 Mu. nigripes. Fall. D. S. (Musc.) 42. 12.
 Mu. solivagus. Harr. Ex. 85. pl. xxv. f. 15?
8819. 10; nigripes*. Meig. Zw. v. 38.
 Mu. nigripes. Fabr. A. 293.—Panz. F. civ. f. 18.
 Mu. lateralis. Fall. D. S. (Musc.) 42. 11.
8820. 11; albifrons*.
 Mu. albifrons. Mus. Marsham.
- B. "Articulo primo abdominis secundo breviori." Meig.
8821. 12; picta. Wied.—Meig. Zw. v. 44.
 Mu. procedo. Harr. Ex. 141. pl. xli. f. 42?
8822. 13; rustica*. Meig. Zw. v. 46.
 Mu. rustica. Fabr. A. 296.
 Mu. provenio. Harr. Ex. 142. pl. xli. f. 43.
 Mu. tachinoides. Fall. D. S. (Musc.) 44. 17.
 Mu. longipes. Mus. Marsham.

8823. 14; *cinerea* * *mihi*.
 8824. 15, *grisescens* *. *Meig. Zw.* v. 45.
 Mu. grisescens. *Fall. D. S. (Musc.)* 44. 16.
 8825. 16; *canina* *. *Meig. Zw.* v. 47.
 Mu. canina. *Fabr. A.* 296.—*Stew. ii.* 258.—*Turt. iii.* 601.
 Mu. volets. *Harr. Ex.* 84. *pl. xxv.* *f. 12*.
 Mu. chrysostoma. *Mus. Marsham.*

Genus 159: (1283). MESEMBRINA, *Meig.*, (*Kirby.*)

8826. 1; *meridiana* *. *Meig. Zw.* v. 11. *pl. 42.* *f. 25*.
 Mu. meridiana. *Linn. ii.* 989.—*Harr. Ex.* 37. *pl. ix.* *f. 9*.—
 Stew. ii. 257.—*Turt. iii.* 597.—*Don. xiv.* 16. *pl. 471.* *f. 2*.—
 (*Sam. I.* 28.)—(*Kirby & Sp. I. E.* *ii.* 89.)—*Wood. ii.* 90. *pl. 65.*

Genus 160: (1284). SARCOPHAGA, *Meigen*, (*Kirby.*)

8827. 1; *Mortuorum* *. *Meig. Zw.* v. 16.
 Mu. Mortuorum. *Linn. ii.* 989.—*Turt. iii.* 600.—*Don. xv.* 5.
 pl. 507.
 Oc. Mortuorum. (*Sam. I.* 31.)
 Mu. vomitoria. *Fabr. A.* 290.—*Stew. ii.* 258.—*Turt. iii.* 600.
 Mu. chrysocephala. *DeGeer. vi.* 30.
 8828. 2; *carnaria* *. *Meig. Zw.* v. 18.
 Mu. carnaria. *Linn. ii.* 990.—*Stew. ii.* 258.—*Turt. iii.* 598.
 —*Shaw G. Z.* vi. 385. *pl. 107.* *fig. sup.*—(*Kirby & Sp. I. E.*
 i. 254.—*ii.* 202.)
 Mu. vivipara major. *DeGeer. vi.* 31. *pl. 3.* *f. 5-18*.

8829. 3; *striata* *. *Meig. Zw.* v. 21.

Mu. striata. *Fabr. A.* 288.

Mu. pernix. *Harr. Ex.* 84. *pl. xxv.* *f. 13?*

8830. 4; *albiceps* *. *Meig. Zw.* v. 22.

8831. 5; *sinuata* *. *Meig. Zw.* v. 24.

8832. 6; *pumila* *. *Meig. Zw.* v. 24.

8833. 7; *haemorrhoidalis* *. *Meig. Zw.* v. 28.

Mu. haemorrhoidalis. *Fall. D. S. (Musc.)* 39. 2.

Mu. carnaria. *Berk. i.* 164.—*Harr. Ex.* 84. *pl. xxv.* *f. 14*.

8834. 8; *cruenta* *. *Meig. Zw.* v. 28.

8835. 9, *haemorrhoa* *. *Meig. Zw.* v. 29.

Genus 161: (1285). MUSCA *Auctorum*. Fly.

A. Vide *Meig. v. 51.*

8836. 1; *Cæsar* *. *Linn. ii.* 989.—*Berk. S. i.* 164.—*Harr. Ex.* 87.
 pl. xxv. *f. 23*.—*Stew. ii.* 257.—*Turt. iii.* 599.—(*Sam. I.* 27.)—
 (*Kirby & Sp. I. E.* *i.* 254.)

Var.? *Mu. fulges*. *Harr. Ex.* 87. *pl. xxv.* *f. 21?*

Var.? *Mu. ingredior*. *Harr. Ex.* 140. *pl. xli.* *f. 33*.

Mu. redeo. *Harr. Ex.* 140. *pl. xli.* *f. 34*.

8837. 2; cornicina *. *Fabr. A.* 289.
 8838. 3; regina *. *Meig. Zw.* v. 58.
 8839. 4; Cæsarion. *Hoffm.*—*Meig. Zw.* v. 57.
 8840. 5; illustris *. *Meig. Zw.* v. 54.
 8841. 6; albipennis *. *Meig. Zw.* v. 58.
 8842. 7; serena *. *Meig. Zw.* v. 59.
 8843. 8, cadaverina *? *Linn. ii.* 989.—*Berk. S. i.* 164.—*Stew. ii.* 258.—*Turt. iii.* 600.

B. Vide *Meig. Zw.* v. 60.

8844. 9; vomitoria*: Blue Flesh Fly.—*Berk. l. c.* *Linn. ii.* 989.
 —*Harr. Ex.* 86. *pl. xxv. f. 18.*—*Panz. F.* x. *f. 19.*—*Berk. i.* 164.
 —*Shaw G. Z.* vi. 383. *pl. 107. fig. inf.*—(*Sam. I.* 28.)—(*Kirby & Sp. I. E.* i. 254.—iv. 229.)
 Mu. carnivora. *Fabr. iv.* 313.
 Mu. carnaria cærulea. *DeGeer. vi.* 29.
 8845. 10; erythrocephala *. *Meig. Zw.* v. 62.
 Mu. vomitoria minimus. *Harr. Ex.* 87. *pl. xxv. f. 22?*
 8846. 11; nana * *mihi.*
 8847. 12; cærulea *. *Meig. Zw.* v. 63.
 8848. 13; equestris *. *Meig. Zw.* v. 57?
 8849. 14, semicærulea * *mihi.*
 8850. 15; azurea *. *Fall. D. S. (Musc.)* 46. 19.—*Meig. Zw.* v. 63.
 Mu. pervenio. *Harr. Ex.* 139. *pl. xli. f. 29?*
 8851. [16; carnarida *.] *Mus. Marsham.*
 Mu. ventito. *Harr. Ex.* 139. *pl. xli. f. 30?*
 8852. 17; Lanio *. *Fabr. A.* 287.—*Panz. F.* liv. *f. 11.*
 Mu. reviso. *Harr. Ex.* 141. *pl. xli. f. 39.*
 8853. 18; nigromarginata * *mihi.*
 Mu. ausus. *Harr. Ex.* 85. *pl. xxv. f. 16?*
 8854. 19; Vespillo *. *Fabr. A.* 292.
 Vol. cervina. *Schrank B.* iii. 2496?
 Mu. recurro. *Harr. Ex.* 85. *pl. xxv. f. 17?*
 8855. 20; atramentaria *. *Meig. Zw.* v. 65.
 Mu. reverto. *Harr. Ex.* 140. *pl. xli. f. 35?*
 8856. 21; rudis *. *Fabr. A.* 287.
 Mu. remigro. *Harr. Ex.* 113. *pl. xli. f. 37?*
 8857. 22; domestica *: House Fly. *Linn. ii.* 990.—*Harr. Ex.* 142.
pl. xli. f. 44.—*Berk. i.* 165.—*Stew. ii.* 258.—*Schell. G. M.* *pl. 1.*
 —*Turt. iii.* 598.—(*Sam. I.* 27.)—(*Kirby & Sp. I. E.* i. 48.—ii.
 362, 472 *nota.*—iv. 104.)
 8858. 23; vitripennis *. *Meig. Zw.* v. 73. *pl. 43. f. 34.*
 8859. 24; corvina *. *Fabr. S. I.* ii. 440.

- Mu. Tau. *Schrank A.* No. 931.
 Mu. autumnalis. *DeGeer.* vi. 41.
 ♂; Mu. nigripes. *Panz. F.* ix. f. 13.
 ♀; Mu. ludifica. *Fabr.* iv. 320.—*Panz. F.* cv. f. 13.
 8860. 25; hortorum*. *Fall. D. S. (Musc.)* 52. 33.—*Meig. Zw.* v. 73.
 8861. 26; pabulorum*. *Fall. D. S. (Musc.)* 51. 31.—*Meig. Zw.* v. 75.
 Mu. prolapsa. *Harr. Ex.* 139. *pl. xli. f. 32?*
 8862. 27; stabulans*. *Fall. D. S. (Musc.)* 52. 32.—*Meig. Zw.* v. 75. *pl. 43. f. 35.* ala.
 Mu. cinerascens. *Wied. Z. M.* i. 79.
 Mu. prodeo. *Harr. Ex.* 141. *pl. xli. f. 41.*
 8863. 28; cæsia*. *Meig. Zw.* v. 76.
 8864. 29; cyanella*. *Meig. Zw.* v. 77.
 8865. 30; versicolor*. *Meig. Zw.* v. 77.
 8866. 31; maculata*. *Meig. Zw.* v. 78.
 ♂; Mu. vulpina. *Fabr. A.* 292.
 Mu. compunctus. *Harr. Ex.* 113. *pl. xxxiii. f. 24.*
 ♀; Mu. maculata. *Fabr. A.* 287.—*Harr. Ex.* 140. *pl. xli. f. 38?*
 —*Panz. F.* xliv. f. 22.—*Turt. iii.* 598.—*Don.* xiii. 25.
 pl. 445. f. 1.
 8867. 32; meditabunda*. *Fabr. A.* 297.—*Panz. F.* xliv. f. 23.
 Mu. serpo. *Harr. Ex.* 144. *pl. xlvi. f. 54.*

Genus 162: (1286). ANTHOMYIA, Meigen, Leach, Samou., (Kirby.)
 A. "Seta antennarum plus minusve plumosa. a. *Pedibus nigris.*
 * Oculis pubescentibus." Meigen.

8868. 1; lardaria*. *Meig. Zw.* v. 83.
 Mu. lardaria. *Fabr. A.* 285.
 Mu. levidus. *Harr. Ex.* 124. *pl. xxxvi. f. 52.*
 8869. 2, albolineata. *Meig. Zw.* v. 83.
 Mu. albolineata. *Fall. D. S. (Musc.)* 54. 38.
 Mu. lardaria. *Mus. Marsham.*
 8870. 3, incana. *Wied.*—*Meig. Zw.* v. 84.
 Mu. nemorum. *Fall. D. S. (Musc.)* 55. 39.
 Mu. vicanus. *Harr. Ex.* 152. *pl. xlvi. f. 78?*
 8871. 4, lucorum*. *Meig. Zw.* v. 85.
 Mu. lucorum. *Fall. D. S. (Musc.)* 55. 40.
 Mu. celsus. *Harr. Ex.* 125. *pl. xxxvi. f. 53.*
 8872. 5, lugubris*. *Meig. Zw.* v. 87.
 Mu. erectus. *Harr. Ex.* 125. *pl. xxxvi. f. 55.*
 8873. 6; umbratica*. *Meig. Zw.* v. 88.
 8874. 7; obscurata*. *Meig. Zw.* v. 89.

8875. 8; hirticeps*. *Meig. Zw. v. 197.*
 ** "Oculis nudis." *Meigen.*
8876. 9; quadrimaculata*. *Mcig. Zw. v. 92.*
 Mu. quadrimaculata. Fall. D. S. (Musc.) 63. 61.
 Mu. cornuta. Fabr. A. 298.
8877. 10; quadrum*. *Meig. Zw. v. 93.*
 Mu. quadrum. Fabr. A. 297.
 Mu. subpuncta. Fall. D. S. (Musc.) 80. 97.
 Mu. meditabunda. Mus. Marsham.
 Mu. reversio. Harr. Ex. 146. pl. xliii. f. 62.
8878. 11, hilaris. *Meig. Zw. v. 94. pl. 44. f. 9.*
 Mu. hilaris. Fall. D. S. (Musc.) 57. 44.
8879. 12; conica*. *Wied. Z. M. i. 79.—Meig. Zw. v. 98.*
8880. 13; sociata*. *Meig. Zw. v. 98.*
8881. 14; æqualis*. *Meig. Zw. v. 99.*
8882. 15, cinerella*. *Meig. Zw. v. 100.*
 Mu. cinerella. Fall. D. S. (Musc.) 77. 91.
 Mu. reditus. Harr. Ex. 146. pl. xliii. f. 61?
8883. 16; Cardui*. *Meig. Zw. v. 104.*
8884. 17; ancilla*. *Meig. Zw. v. 105?*
8885. 18; obtusipennis*. *Meig. Zw. v. 193.*
 Mu. obtusipennis. Fall. D. S. (Musc.) 57. 46.
8886. 19; crassirostris*. *Meig. Zw. v. 107.*
 Mu. flavipennis. Fall. D. S. (Musc.) 59. 52.
8887. 20; semicinerea*. *Wied. Z. M. i. 84.—Meig. Zw. v. 108.*
 Mu. hyalinata. Fall. D. S. (Musc.) 64. 62.
8888. 21; fumosa*. *Meig. Zw. v. 109.*
8889. 22; denigrata*. *Meig. Zw. v. 110.*
8890. 23; asella*. *Meig. Zw. v. 110.*
8891. 24; nigrita*. *Mcig. Zw. v. 110.*
 Mu. nigrita. Fall. D. S. (Musc.) 60. 53.
- b. "Pedibus plus minusve fulvis. * Oculis pubescentibus." *Meig.*
8892. 25; erratica*. *Meig. Zw. v. 111.*
 Mu. erratica. Fall. D. S. (Musc.) 77. 92.
 Mu. validus. Harr. Ex. 124. pl. xxxvi. f. 50.
8893. 26; errans*. *Meig. Zw. v. 112.*
 Mu. revolo. Harr. Ex. 124. pl. xxxvi. f. 51?
8894. 27; vagans*. *Meig. Zw. v. 112.*
 Mu. vagans. Fall. D. S. (Musc.) 78. 93.
8895. 28; signata*. *Meig. Zw. v. 113.*
 Mu. extranea. Mus. Marsham.
8896. 29, variegata*. *Meig. Zw. v. 114.*

8897. 30; *Populi**. *Meig. Zw.* v. 115.
 Mu. *pallida*. *Fabr. A.* 295?
 Mu. *testacea*. *DeGeer.* vi. 42.
 ** "Oculis nudis." *Meig.*
8898. 31, *testacea*. *Meig. Zw.* v. 116.
 Mu. *testacea*. *Fabr. iv.* 320.—*Panz. F.* ix. f. 14.
 Mu. *scutellaris*. *Fall. D. S. (Musc.)* 90. 123.
 Mu. *subventus*. *Harr. Ex.* 145. *pl. xlvi.* f. 60.
8899. 32, *pagana**. *Meig. Zw.* v. 116.
 Mu. *pagana*. *Fabr. A.* 288.
 Mu. *princeps*. *Harr. Ex.* 151. *pl. xlv.* f. 76?
8900. 33; *Angelicæ**. *Meig. Zw.* v. 117.
 Mu. *Angelicæ*. *Scop. C. No.* 880.
 Mu. *deceptoria*. *Gmel.* v. 2844.
8901. 34; *urbana**. *Meig. Zw.* v. 113.
 Mu. *lenis*. *Harr. Ex.* 147. *pl. xlvi.* f. 66.
8902. 35; *impuncta**. *Meig. Zw.* v. 118.
 Mu. *impuncta*. *Fall. D. S. (Musc.)* 79. 96.
 Mu. *virescens*. *Mus. Marsham.*
8903. 36; *Marshami** *mihi*.
 Mu. *cineræa*. *Mus. Marsham.*
8904. 37; *separata**. *Meig. Zw.* v. 119.
8905. 38; *modesta**. *Wied.*—*Meig. Zw.* v. 119.
8906. 39; *pertusa**. *Meig. Zw.* v. 119.
8907. 40; *tetrastigma**. *Meig. Zw.* v. 120.
8908. 41; *uliginosa**. *Meig. Zw.* v. 121.
 Mu. *uliginosa*. *Fall. D. S. (Musc.)* 81. 100.
 Mu. *deduco*. *Harr. Ex.* 125. *pl. xxxvi.* f. 54.
8909. 42. *coarctata**. *Meig. Zw.* v. 130.
 Mu. *coarctata*. *Fall. D. S. (Musc.)* 84. 108.
8910. 43; *strigosa**. *Meig. Zw.* v. 131.
 Mu. *strigosa*. *Fabr. A.* 296.
 Mu. *conica*. *Fall. D. S. (Musc.)* 83. 107.
 Mu. *vagans*. *Panz. F.* lix. f. 18.
8911. 44; *nigrimana**. *Meig. Zw.* v. 132.
 Mu. *Lancifer*. *Harr. Ex. pl.* xxxvi. f. 59.
8912. 45; *femorata** *mihi*.
8913. 46; *nigrifrons** *mihi*.
8914. 47; *tibialis** *mihi*.
- B. " *Seta antennarum plerumque nuda.* a. *Pedibus fulvis. Oculis nudis.*" *Meig.*
8915. 48; *diaphana**. *Wied. Z. M.* i. 81.—*Meig. Zw.* v. 189.
8916. 49; *inanis**. *Meig. Zw.* v. 189.
 Mu. *inanis*. *Fall. D. S. (Musc.)* 91. 127.

8917. 50, posticata. *Meig. Zw.* v. 190?
8918. 51; ornata*. *Meig. Zw.* v. 191.
8919. 52; varia*. *Meig. Zw.* v. 187.
8920. 53; fulgens*. *Meig. Zw.* v. 183.
8921. 54; mitis*. *Meig. Zw.* v. 183.
Mu. lustrator. *Harr. Ex.* 148. *pl. xlivi. f. 72.*
8922. 55, bicolor. *Hoffm.*—*Meig. Zw.* v. 185.
8923. 56; solennis*. *Meig. Zw.* v. 187.
8924. 57; Winthemi*. *Meig. Zw.* v. 186.
b. “*Pedibus nigris: oculis nudis.*” *Meig.*
8925. 58; irritans*. *Meig. Zw.* v. 134.
Mu. irritans. *Fall. D. S. (Musc.)* 62. 58.
8926. 59; bidens*. *Meig. Zw.* v. 135.
8927. 60; palæstica. *Meig. Zw.* v. 135.
8928. 61; militaris*. *Meig. Zw.* v. 136.
8929. 62; meteorica*. *Meig. Zw.* v. 137.
Mu. meteorica. *Linn. ii. 993.*—*Panz. F. i. f. 19.*—*Stew. ii. 260.*
—*Turt. iii. 609.*—(*Kirby & Sp. I. E. i. 147.*)
- Mu. vaccarum. *DeGeer. vi. 41. pl. 5. f. 1.*
Mu. Mantos. *Harr. Ex.* 148. *pl. xlivi. f. 73.* ♀.
8930. 63; armipes*. *Meig. Zw.* v. 138.
Mu. armipes. *Fall. D. S. (Musc.)* 75. 86.
8931. 64; armata*. *Meig. Zw.* v. 139.
8932. 65, Lepida *. *Wied. Z. M. i. 82.*—*Meig. Zw.* v. 140.
8933. 66; scalaris*. *Meig. Zw.* v. 141.
Mu. scalaris. *Fabr. A.* 305.
8934. 67; canicularis*. *Meig. Zw.* v. 143.
Mu. canicularis. *Linn. ii. 992.*—*Stew. ii. 259.*—*Turt. iii. 607.*
- Mu. domestica minor. *DeGeer. vi. 14.*
Mu. socio. *Harr. Ex.* 147. *xliii. pl. 69.* ♂.
Mu. constans. *Harr. Ex.* 149. *pl. xliii. f. 75.* ♀?
- Var.? Mu. socio minor. *Harr. Ex.* 153. *pl. xlvi. f. 83.*
8935. 68; dentipes*. *Meig. Zw.* v. 144.
Mu. dentipes. *Fabr. A.* 303.
Mu. domitor. *Harr. Ex.* 148. *pl. xliii. f. 71.*
8936. 69; hortorum* *mihi.*
8937. 70; floricola*. *Meig. Zw.* v. 145.
8938. 71; triangula*. *Meig. Zw.* v. 143.
Mu. triangula. *Fall. D. S. (Musc.)* 74. 82.
8939. 72; pacifica*. *Meig. Zw.* v. 149.
Mu. allevo. *Harr. Ex.* 147. *pl. xliii. f. 97.*
8940. 73; Diadema*. *Meig. Zw.* v. 151.

8941. 74; pusilla *. *Meig. Zw.* v. 151.
 8942. 75; gibbera *. *Meig. Zw.* v. 152.
 8943. 76; sepia *. *Meig. Zw.* v. 152.
 8944. 77; tristis *. *Meig. Zw.* v. 153.
 8945. 78; carbonaria *. *Meig. Zw.* v. 154?
 8946. 79; fumigata *. *Wied.—Meig. Zw.* v. 154.
 8947. 80; glabricula *. *Meig. Zw.* v. 155.
 Mu. glabricula. Fall. D. S. (Musc.) 75. 87.
 Mu. structus. Harr. Ex. 147. pl. xlivi. f. 68?
 8948. 81; Stygia *. *Meig. Zw.* v. 155.
 8949. 82; luctuosa *. *Meig. Zw.* v. 156.
 8950. 83; nigella *. *Meig. Zw.* v. 156.
 8951. 84; aterrima *. *Meig. Zw.* v. 157.
 8952. 85; ærea *. *Meig. Zw.* v. 157.
 Mu. ærea. Fall. D. S. (Musc.) 76. 89.
 8953. 86; pratensis *. *Meig. Zw.* v. 158?
 Mu. solor. Harr. Ex. 146. pl. xlivi. f. 65.
 8954. 87; transversa * *mihi.*
 8955. 88; leucostoma *. *Meig. Zw.* v. 160.
 Mu. leucostoma. Fall. D. S. (Musc.) 61. 56.
 Mu. diabolus. Harr. Ex. 126. pl. xxxvi. f. 58?
 8956. 89; Anthrax *. *Meig. Zw.* v. 161.
 8957. 90; tarsalis * *mihi.*
 8958. 91; dispar * *mihi.*
 8959. 92; triquetra *. *Meig. Zw.* v. 162.
 Mu. triquetra. Fall. D. S. (Musc.) 73. 80.
 Mu. ambulans. Schrank B. iii. 2469.
 Mu. ornata. Harr. Ex. 146. pl. xlivi. f. 64.
 8960. 93; pratincola (pratinicola) * *Meig. Zw.* v. 162.
 Mu. pratincola. Panz. F. cvii. f. 12.
 8961. 94; pluvialis *. *Meig. Zw.* v. 163.—(Sam. I. 3.)
 Mu. pluvialis. Linn. ii. 992.—Stew. ii. 260.—Turt. iii. 607.—
 Don. xi. 33. pl. 372.
 Mu. litus. Harr. Ex. 119. pl. xxxv. f. 32.
 8962. 95; floralis *. *Meig. Zw.* v. 165.
 Mu. floralis. Fall. D. S. (Musc.) 71. 76.
 8963. 96; promissa *. *Meig. Zw.* v. 166.
 8964. 97; stigmatica *. *Meig. Zw.* v. 167?
 8965. 98; radicum *. *Meig. Zw.* v. 168.
 Mu. radicum. Linn. ii. 992.
 Mu. decore. Harr. Ex. 146. pl. xlivi. f. 63. ♀.

- An. Brassicæ. *Wied. Z. M.* i. 78.
 Scat. ceparum. (*Kirby & Sp. I. E.* i. 190?)
 8966. 99; æstiva*. *Meig. Zw.* v. 169.
 8967. 100; muscaria*. *Meig. Zw.* v. 170.
 Stomoxys muscaria. *Fabr. A.* 282.
 8968. 101; spreta*. *Meig. Zw.* v. 171.
 8969. 102; platura*. *Meig. Zw.* v. 171.
 8970. 103; melanura*. *Meig. Zw.* v. 172.
 8971. 104; striolata*. *Meig. Zw.* v. 173.
 Mu. striolata. *Fall. D. S. (Musc.)* 71. 77.
 8972. 105; fugax*. *Meig. Zw.* v. 174.
 8973. 106; fuscula*. *Meig. Zw.* v. 174.
 Mu. fuscula. *Fall. D. S. (Musc.)* 86. 113.
 8974. 107; nigricornis* *mihi*.
 8975. 108; ruficeps*. *Meig. Zw.* v. 177.
 8976. 109; picipes*. *Meig. Zw.* v. 178.
 Genus 163: (1287). DRYMEIA, *Meigen?*
 8977. 1; hispida* *mihi*.
 Genus 164: (1288). ERIPHIA, *Meigen?*
 8978. 1; aterrima* *mihi*.
 Genus 165: (1289). CŒNOSIA, *Meigen*.
 8979. 1; Fungorum*. *Meig. Zw.* v. 211.
 Mu. Fungorum. *DeGeer. vi. 42. pl. 5. f. 1-7.*
 8980. 2; tigrina*. *Meig. Zw.* v. 212.
 Mu. tigrina. *Fabr. A.* 297. (!)—*Turt. iii. 602.*
 Mu. rapax. *Stew. ii. 260.*
 Mu. quadrum. *Fall. D. S. (Musc.)* 80. 99.
 8981. 3; nemoralis*. *Meig. Zw.* v. 212. *pl. 45. f. 9.*
 8982. 4; rufina*. *Meig. Zw.* v. 213.
 Mu. rufina. *Fall. D. S. (Musc.)* 92. 132.
 8983. 5; sexnotata*. *Meig. Zw.* v. 213.
 8984. 6; intermedia*. *Meig. Zw.* v. 214.
 Mu. intermedia. *Fall. D. S. (Musc.)* 87. 115.
 8985. 7; murina*. *Meig. Zw.* v. 215.
 8986. 8; means*. *Meig. Zw.* v. 216.
 8987. 9; nigra*. *Meig. Zw.* v. 216.
 8988. 10; minimæ*. *Meig. Zw.* v. 217.
 8989. 11; assimilis* *mihi*.
 8990. 12; basalis* *mihi*.
 8991. 13; semicinerea* *mihi*.
 8992. 14; pallida *mihi*.

Genus 166: (1290). LISPE, Meigen.

8993. 1; tentaculata*. Meig. Zw. v. 227. pl. 45. f. 15.
Mu. tentaculata. DeGeer. vi. 42.

Genus 167: (1291). CORDYLURA, Fallen.

ACOLASTE, Meig. olim.

8994. 1; pubera*. Meig. Zw. v. 230. pl. 45. f. 22. ♀.

Mu. pubera. Linn. ii. 994.

Mu. asiliformis. Mus. Marsham.

8995. 2; ciliata*. Meig. Zw. v. 231.

Mu. umbrosa. Mus. Marsham.

8996. 3; rufipes. Meig. Zw. v. 232. (!)

8997. 4; albipes. Fall. D. S. (Scatom.) 9. 8.—Meig. Zw. v. 233.
Mu. ochroleuca. Mus. Marsham.

8998. 5; nervosa. Meig. Zw. v. 234. pl. 45. f. 21. ♂.

8999. 6; armipes*. Meig. Zw. v. 234.

Mu. semiflava. Panz. F. lix. 19?

9000. 7; striolata. Meig. Zw. v. 235. (!)

9001. 8; spinimana*. Fall. D. S. (Scatom.) 7. 3.

9002. 9; obscura*. Fall. D. S. (Scatom.) 9. 6.

Genus 168: (1292). SCATOPHAGA, Meigen.

SCATOMYZA, Fallen.—VOLUCELLA p, Schr.

9003. 1; fucorum. Fall. D. S. (Scatom.) 5. 5.—Meig. Zw. v. 253.

9004. 2; litorea. Fall. D. S. (Scatom.) 4. 4.—Meig. Zw. v. 254.

- 9005 † 3; rufipes. Meig. Zw. v. 253. (!) In Mus. Brit.

9006. 4; merdaria*. Meig. Zw. v. 249.

Mu. merdaria. Fabr. A. 306.

9007. 5; cineraria*. Meig. Zw. v. 251.

9008. 6; spurca*. Meig. Zw. v. 250.

9009. 7; lutaria*. Meig. Zw. v. 250.

Mu. lutaria. Fabr. A. 306.

Mu. scybalaria. Mus. Marsham.—Don. x. 56. pl. 345. f. 5?

Mu. leucophæus. Harr. Ex. 73. pl. xxi. f. 3.

9010. 8; inquinata*. Meig. Zw. v. 250.

9011. 9; analis*. Meg.—Meig. Zw. v. 251.

9012. 10; stercoraria*. Meig. Zw. v. 248.

Mu. stercoraria. Linn. ii. 996.—Berk. S. i. 165.—Stew. ii. 262.—Turt. iii. 615.

Vo. scybalaria. Schrank B. iii. 2499.

Mu. putris. Harr. Ex. 73. pl. xxi. f. 1, 2.

9013. 11; scybalaria*. Meig. Zw. v. 247.

Mu. scybalaria. Linn. ii. 996.—Stew. ii. 261.—Turt. iii. 615.

Genus 169: (1293). DRYOMYZA, *Fallen.*

9014. 1; cingulata *mihi*.
 9015. 2; flaveola*. *Meig. Zw. v. 256.*
 Mu. flaveola. Fabr. A. 306.
 Dr. vetula. Fall. D. S. (Sciomyz.) 16. 1.
 Mu. concolor. Mus. Marsham.
 Mu. mellinus. Harr. Ex. 74. pl. xxi. f. 4.
 9016. 3, Fungorum.
 Mu. Fungorum. Mus. Marsham.
 9017. 4; anilis *. *Fall. D. S. (Sciomyz.) 16. 2.*
 9018. 5; præusta*. *Meig. Zw. v. 257.*

Genus 170: (1294). SAPROMYZA, *Fallen.*TEPHRITIS *p*, *Fabr.*

9019. 1; rorida*. *Fall. D. S. (Ortal.) 32. 7.—Meig. Zw. v. 259.*
 Mu. mulsus. Harr. Ex. 116. pl. xxxiv. f. 20?
 9020. 2; obsoleta*. *Fall. D. S. (Ortal.) 31. 6.—Meig. Zw. v. 260.*
 Mu. flava. Fabr. iv. 355.—Stew. ii. 262.—Turt. iii. 620.
 9021. 3; pallida*. *Fall. D. S. (Ortal.) 32. 8.—Meig. Zw. v. 260.*
 9022. 4; flava*. *Meig. Zw. v. 260.*
 Mu. flava. Linn. ii. 997.—Berk. S. i. 165.—Shaw G. Z. vi. 385.
 9023. 5; quadripunctata*. *Meig. Zw. v. 262.*
 Mu. quadripunctata. Fabr. iv. 356.—Turt. iii. 620.
 9024. 6; sexpunctata*. *Meig. Zw. v. 262.*
 9025. 7; præusta*. *Meig. Zw. v. 264.*

Genus 171: (1295). PALLOPTERA, *Fallen.*

- SAPROMYZA *p*, *Meigen*.—DACUS *p*, *Fabr.*.—TRUPANEA *p*, *Schr.*
9026. 1; arcuata*. *Fall. D. S. (Ortal.) 25. 3.*
 Sa. arcuata. Meig. Zw. v. 269.
 9027. 2; trimacula*.
 Sa. trimacula. Meig. Zw. v. 267.
 Mu. minutus. Harr. Ex. 74. pl. xxi. f. 7.
 9028. 3; decempunctata*. *Fall. D. S. (Ortal.) 30. 1.*
 Sa. decempunctata. Meig. Zw. v. 270. pl. 46. f. 12.
 9029. 4; inusta.
 Sa. inusta. Meig. Zw. v. 267.
 Mu. Diana. Mus. Marsham.
 9030. 5; Umbellatarum*.
 Da. Umbellatarum. Fabr. A. 277. (!)—Turt. iii. 619.
 Mu. gangrenosa. Panz. F. lix. f. 22.
 9031. 6; ustulata*. *Fall. D. S. (Ortal.) 24. 2.*
 9032 † 7, unicolor*.

Mu. unicolor. *Fabr. A.* 307.

Pa. marginella. *Fall. D. S. (Ortal.)* 25. 4. In Mus. *D. Cooper.*

9033. 8; notata*. *Fall. D. S. (Ortal.)* 30. 3.

Genus 172: (1296). ORTALIS, *Fallen.*

SCATOPHAGA p, et TEPHRITIS p, *Fabr.*—TRUPANEÀ p, *Schr.*

9034. 1; oscillans*. *Meig. Zw.* v. 281.

9035. 2; lugubris*. *Meig. Zw.* v. 279.

9036. 3; mœrens*. *Meig. Zw.* v. 280. (!)

9037. 4; lacustris*. *Meig. Zw.* v. 280.

Mu. germinationis. *Linn. ii.* 998?—*Stew. ii.* 263?—*Turt. iii.* 620?

9038. 5; nigrina*. *Wied.*—*Meig. Zw.* v. 279.

9039. 6; Cerasi*. *Meig. Zw.* v. 282. *pl. 46. f. 26.* ala.

Mu. Cerasi. *Linn. ii.* 998.—*Stew. ii.* 263.—*Turt. iii.* 621.

Te. Cerasi. (*Kirby & Sp. I. E.* i. 196.)

Or. uliginosæ. *Fall. D. S. (Ortal.)* 19. 4.

Var.? Te. Mali. *Fabr. A.* 320.

Te. morio. *Fabr. A.* 322.

Mu. frondescentiæ. *Linn. ii.* 999?

9040. 7; Syngenesiæ*. *Meig. Zw.* v. 283.

Te. Syngenesiæ. *Fabr. A.* 321.

Or. Juncorum. *Fall. D. S. (Ortal.)* 19. 5.

Mu. Urticæ. *Schrank A.* 969.

9041. 8, ornata. *Meig. Zw.* v. 277.

9042. 9, picta*. *Meig. Zw.* v. 276. *pl. 46. f. 28.* ala. (!)

9043. 10; Urticæ*. *Fall. D. S. (Ortal.)* 17. 1.—*Meig. Zw.* 275. *pl. 46. f. 19.*

Mu. Urticæ. *Linn. ii.* 998.—*Turt. iii.* 620.

9044. 11; crassipennis*. *Fall. D. S. (Ortal.)* 18. 2.—*Meig. v.* 273. *pl. 46. f. 23.* ala.

Sc. crassipennis. *Fabr. A.* 209.

9045. 12; marmorea*. *Meig. Zw.* v. 274. *pl. 46. f. 21.* ala.

Sc. marmorea. *Fabr. A.* 209.

Mu. hyalinata. *Panz. F. lx. f. 24.*

Genus 173: (1297). SEIOPTERA, (*Kirby.*)

TEPHRITIS p, *Latr.*—ORTALIS p, *Meigen.*—TYROPHAGA p, *Curtis.*

9046. 1; vibrans*. (*Kirby & Sp. I. E.* ii. 305 & 359.)

Mu. vibrans. *Linn. ii.* 996.—*De Geer. vi.* 17. *pl. 1. f. 19,* 20. —*Harr. Ex.* 121. *pl. xxxv. f. 39.*—*Berk. S.* i. 165.—*Stew. ii.* 262.—*Turt. iii.* 618.—*Don. x.* 54. *pl. 346. f. 3.*—*xiii.* 71. *pl. 467. f. 1.*

Te. vibrans. (*Sam. I.* 40.)

Ty. vibrans. (*Curtis folio* 126.)

- Genus 174: (1298). *TEPHRITIS*, *Latr.*, *Leach*, *Samou.*, *Curtis*.
DACUS p., *DICTYA p.*, *et SCATOPHAGA p.*, *Fabr.*—*TRUPANEA p.*,
Schra.—*TRYPETEA*, *Meig.*
9047. 1; *cornuta**. *Curtis*. vi. pl. 241.
 Mu. *cornuta*. *Fabr.* iv. 357.
9048. 2; *Tussilaginis**.
 Mu. *Tussilaginis*. *Fabr.* iv. 359.
 Try. *Tussilaginis*. *Meig.* *Zw.* v. 319. pl. 48. f. 27: (nec 26.)
 Tru. *Acanthi*. *Schrantz B.* iii. 2509.
9049. 3; *Lappæ**.
 Try. *Lappæ*. *Meig.* v. 318.
 Mu. *Arctii*. *Panz. F.* xxii. f. 23.
9050. 4, *Arctii*. (*Curtis l. c. supra.*)
 Mu. *Arctii*. *DeGeer*. vi. 21. pl. 2. f. 6–14.
 Te. *solstitialis*. *Panz. F.* ciii. f. 22.
9051. 5; *marginata**. (*Curtis l. c. supra.*)
 Te. *marginata*. *Fall. D. S. (Ortalidæ.)* 7. 8.
 Try. *marginata*. *Meig.* *Zw.* v. 322. pl. 49. f. 15. ala.
9052. 6; *Wiedemanni**. (*Curtis l. c. supra.*)
 Try. *Wiedemanni*. *Meig.* *Zw.* v. 320. pl. 49. f. 2. (!)
9053. 7; *Winthemi**.
 Try. *Winthemi*. *Meig.* *Zw.* v. 320. pl. 48. f. 25. (acc 27.) ala.
9054. 8; *Abrotani**. (*Curtis l. c. supra.*)
 Try. *Abrotani*. *Meig.* *Zw.* v. 314. pl. 48. f. 21. ala.
9055. 9; *Artemisiæ*. *Fabr. A.* 317.
 Try. *Artemisiæ*. *Meig.* *Zw.* v. 314. pl. 48. f. 20.
 Tep. *interrupta*. *Fall. D. S. (Ortal.)* 5. 4.
 Mu. *fasciata*. *Mus.* *Marsham*.
 Mu. *perelegand*. *Harr. Ex.* 74. pl. xxii. f. 5?
9056. 10; *Zoë**. (*Curtis l. c. supra.*)
 Try. *Zoë*. *Wiedemann*.—*Meig.* *Zw.* v. 315. pl. 48. f. 14. ♂. f. 15. ♀.
9057. 11; *cognata**.
 Try. *cognata*. *Wiedemann*.—*Meig.* *Zw.* v. 315. pl. 48. f. 19.
9058. 12; *Onopordinis**. *Fall. D. S. (Ortal.)* 15. 25.—(*Sam. I.*
 40.)—(*Curtis l. c. supra.*)
 Mu. *Onopordinis*. *Fabr. S. I.* ii. 455.—*Stew.* ii. 263.
 Try. *Onopordinis*. *Meig.* *Zw.* v. 316. pl. 48. f. 24. ala.
9059. 13; *Centaureæ**. *Fabr. A.* 322.
 Try. *Centaureæ*. *Meig.* *Zw.* v. 324. pl. 49. f. 8. ala.
9060. 14; *discoidea**. (*Curtis l. c. supra.*)
 Di. *discoidea*. *Fabr. A.* 326.
 Te. *Centaureæ*. *Fall. D. S. (Ortal.)* 16. 26.
 Mu. *cæsio*. *Harr. Ex.* 75. pl. 21. f. 8.

9061. 15; rivosa*.
Mu. rivosa. *Mus. Marsham.*
9062. 16; Cardui*. (*Sam. I. 40.*)—(*Kirby & Sp. I. E. iii. 274.*)
—(*Curtis l. c. supra.*)
Mu. Cardui. *Linn. ii. 998.*—*Stew. ii. 263.*—*Turt. iii. 621.*
Try. Cardui. *Meig. Zw. v. 326. pl. 49. f. 9. ala.*
9063. 17; cuspidata*. (*Curtis l. c. supra.*)
Try. cuspidata. *Meig. Zw. v. 328. pl. 49. f. 5.*
9064. 18; Solstitialis*. (*Curtis l. c. supra.*)
Mu. Solstitialis. *Linn. ii. 999.*—*Berk. S. i. 165?*—*Stew. ii. 263.*
—*Turt. iii. 621.*—*Don. ix. 15. pl. 294?*
Try. Solstitialis. *Meig. Zw. v. 329. pl. 49. f. 10. ala.*
Tru. Leucacanthi. *Schrink B. iii. 2507.*
Da. Dauci. *Fabr. A. 277.*
♀; Da. hastatus. *Fabr. A. 276.*
9065. 19; flavipes* *mihi.*
9066. 20; stylata*. *Fabr. A. 275. (!)*—(*Curtis l. c. supra.*)
Mu. stylata. *Stew. ii. 262.*—*Turt. iii. 619.*
Mu. Jacobææ. *Panz. F. xcvi. f. 22.*
Tru. Circii. *Schrink B. iii. 2505.*
9067. 21; pugionata*.
Try. pugionata. *Meig. Zw. v. 330. pl. 49. f. 11. ala.*
9068. 22; Arnicæ*. *Fabr. A. 316.*—(*Curtis l. c. supra.*)
Mu. Arnicæ. *Linn. ii. 997.*
Mu. arcuata. *Panz. F. xcvi. f. 22.*
Mu. Onopordinis? *Don. ii. 67. pl. 62?*—*Turt. iii. 622?*
Tru. sphærocephalas. *Schrink B. iii. 2515.*
Mu. miliaria. *Schrink B. iii. 968.*
9069. 23; corniculata*. *Fall. D. S. (Ortal.) 8. 11.*
Mu. biarcuata. *Mus. Marsham.*
Tep. biarcuata. (*Curtis l. c. supra.*)
9070. 24; laticauda*.
Try. laticauda. *Meig. Zw. v. 339. pl. 50. f. 11. ala.*
Mu. Achillææ. *Mus. Marsham.*
9071. 25; parietina*. (*Curtis l. c. supra.*)
Mu. parietina. *Linn. ii. 996.*
Try. parietina. *Meig. Zw. v. 334. pl. 50. f. 7. ala.*
Tep. pantherina. *Fall. D. S. (Ortal.) 10. 14.*
9072. 26; guttularis*. (*Curtis l. c. supra.*)
Try. guttularis. *Meig. Zw. v. 341. (!)*
9073. 27; flavicauda*.
Try. flavicauda. *Meig. Zw. v. 336. pl. 50. f. 11. ala.*
9074. 28; Absinthii*. *Fabr. A. 322.*—(*Curtis l. c. supra.*)
Try. Absinthii. *Meig. Zw. v. 340. pl. 50. f. 12. ala.*

9075. 29; confusa*. (*Curtis l. c. supra.*)
Try. confusa. *Meig. Zw. v.* 337. *pl. 50. f. 9. ala.*
9076. 30, Heraclei. *Fabr. A.* 277.
Mu. Heraclei. *Linn. ii.* 998.
Try. Heraclei. *Meig. Zw. v.* 338. *pl. 50. f. 1.*
- 9077 † 31. Hyoscyami. *Fall. D. S. (Ortal.)* 9. 12.—(*Curtis l. c. supra.*)
Mu. Hyoscyami. *Linn. ii.* 998.—*Stew. ii.* 262.
Try. Hyoscyami. *Meig. Zw. v.* 337. *pl. 50. f. 2.* In Mus. Brit.?
9078. 32; Leontodontis*. *Fall. D. S. (Ortal.)* 9. 13.—(*Curtis l. c. supra.*)
Mu. Leontodontis. *De Geer. vi.* 24. *pl. 2. f. 15–18.*
Mu. stellata. *Panz. F. xx.* *f. 23.*
Da. Scabiosæ. *Fabr. A.* 278.
Tep. parietina. *Fabr. A.* 319?
Mu. cinereus. *Harr. Ex. 75.* *pl. xxi. f. 11.*
9079. 33; radiata*. *Fabr. A.* 319.—(*Curtis l. c. supra.*)
Try. radiata. *Meig. Zw. 343.* *pl. 50. f. 3.*
9080. 34; eluta*. *Meig. Zw. v.* 346. *pl. 50. f. 13? ala.*
9081. 35; obsoleta*. *Wied.*—*Meig. Zw. iv.* 349.
9082. 36; Sonchi*. *Fall. D. S. (Ortal.)* 14. 23.
Mu. Sonchi. *Linn. ii.* 998?
9083. 37; Colon*. (*Curtis l. c. supra.*)
Try. Colon. *Meig. Zw. v.* 346.
9084. 38, Serratulæ. *Fall. D. S. (Ortal.)* 14. 22.
Mu. Serratulæ. *Linn. ii.* 997.—*Turt. iii.* 620.
9085. 39; pallens*. (*Curtis l. c. supra.*)
Try. pallens. *Meig. Zw. v.* 347. *pl. 50. f. 5.*
9086. 40; marginepunctata* *mihi.*
9087. 41; innotata* *mihi.*
- 9088 † 42. basalis* *mihi.*
Mu. permundus. *Harr. Ex. 74.* *pl. xxi. f. 6.*

Genus 175: (1299). LAUXANIA, Meigen.

SARGUS p, *Fabr.*

9089. 1; cylindricornis*. *Fabr. A.* 212.—*Panz. F. cv.* *f. 11.*
Mu. chrysoptera. *Schrank B. iii.* 2470.
La. rufitarsis. *Latr. H. xiv.* 390.
9090. [2; basalis*] *mihi.*
9091. 3, ænea*. *Fall. D. S. (Ortal.)* 28. 3.
9092. 4; geniculata*. *Meig. Zw. v.* 293.
Sa. geniculatus. *Fabr. A.* 257.
9093. 5; atrimana*. *Meg.*—*Meig. Zw. v.* 299.

9094. 6; lupulina*. *Meig. Zw. v. 301.*
Mu. lupulina. *Fabr. A. 298.*

Genus 176: (1300). LONCHÆA, *Fallen.*

9095. 1; chorea*. *Fall. D. S. (Ortal.) 26. 1.—Meig. Zw. v. 304.*
pl. 47. f. 31.

Mu. chorea. *Fabr. A. 304.*

9096. 2; nigrimana*. *Meig. Zw. v. 306.*

9097. 3; vaginalis*. *Fall. D. S. (Ortal.) 26. 2.*

9098. 4; pusilla*. *Meig. Zw. v. 305.*

9099. 5; tarsata*. *Fall. D. S. (Ortal.) 26. 3.*

9100. 6, nigra. *Meig. Zw. v. 305.*

9101. 7, ænea*. *Meig. Zw. v. 306.*

9102. 8; latifrons*. *Meig. Zw. v. 308.*

Genus 177: (1301). —

9103. 1. splendida *mihi.*

Mu. stagnorum. *Mus. Marsham.*

Genus 178: (1302). PSILA, *Meigen.*

SCATOPHAGA *p*, *Fabr.*—VOLUCELLA *p*, *Schrink.*

9104. 1; fimetaria*. *Meig. Zw. v. 356.*

Mu. fimetaria. *Linn. ii. 996.—Turt. iii. 615.*

Mu. flava. *Panz. F. xx. f. 22.*

Mu. rufescens. *Mus. Marsham.*

Mu. luteus. *Harr. Ex. 116. pl. xxxiv. f. 16.*

9105. 2; pallida*. *Meig. Zw. v. 357.*

Sca. pallida. *Fall. D. S. (Opomyz.) 9. 2.*

9106. 3, bicolor. *Meig. Zw. v. 358.*

9107. 4; pectoralis. *Fall. ?—Meig. Zw. v. 358?*

9108. 5; nigricornis*. *Meig. Zw. v. 359.*

9109. 6; Rosæ*. *Meig. Zw. v. 358.*

Te. Rosæ. *Fabr. A. 319.*

9110. 7; nigra*. *Meig. Zw. v. 359.*

Sc. nigra. *Fall. D. S. (Opomyz.) 9. 4.*

Genus 179: (1303). LOXOCERA, *Meig.*, *Leach*, *Samou.*

MULIO *p*, et SYRPHUS *p*, *Fabr.*—NEMOTELUS *p*, *Schr.*

9111. 1; ichneumonea*. *Meig. Zw. v. 363.—(Sam. I. 26.)*

Mu. ichneumonea. *Linn. ii. 986.—Turt. iii. 646.*

Mu. aristata. *Panz. F. lxxiii. f. 24.*

Ne. albisetus. *Schrink B. iii. 2406.*

Mu. longerro. *Harr. Ex. 152. pl. xlvi. f. 79.*

9112. 2; elongata*. *Mcig. Zw. v. 364.*

9113. 3; sylvatica*. *Meig. Zw. v. 365. pl. 51. f. 22.*

Mu. cruenta. *Mus. Marsham.*

Genus 180: (1304). CHYLIZA, Fallen.

SARGUS p, Fabricius.

9114. 1; leptogaster*. Fall. D. S. (Opomyz.) 7. 2.

Mu. leptogaster. Panz. F. liv. f. 19.

Sa. scutellatus. Fabr. A. 257.

9115. 2; atriseta*. Meig. Zw. v. 369. pl. 51. f. 26?

Genus 181: (1305). —

LISSA^a, Meig.—CHYLIZA p, Fallen.—OCYPTERA p, Fabr.

9116. 1; dolium*.

Oc. dolium. Fabr. A. 315.

Ch. loxocerina. Fall. D. S. (Opomyz.) 6. 1.

Li. loxocerina. Meig. Zw. v. 370. pl. 52. f. 1-4.

Genus 182: (1306). CALOBATA, Meigen.

MOSILLUS, Latr.—MOCILLUS, Samou.

9117. 1; petronella*. Meig. Zw. v. 377.

Mu. petronella. Linn. ii. 994.—Turt. iii. 611.

Ca. corrigiolata. Fall. D. S. (Opomyz.) 2. 3.

Schellen. G. M. pl. 6. f. 2.

9118. 2; cibaria*. Meig. Zw. v. 378.

Mu. cibaria. Linn. ii. 995.

Ca. cothurnata. Fall. D. S. (Opomyz.) 2. 2.

9119. 3; cothurnata*. Meig. Zw. v. 379. pl. 52. f. 18, 19.

Mu. cothurnata. Panz. F. liv. f. 20.

9120. 4, sellata. Meig. Zw. v. 380. (?)

9121. 5; ephippium*. Meig. Zw. v. 380.

Mu. ephippium. Fabr. iv. 333.—Panz. F. xxvi. f. 21.

Genus 183: (1307). MICROPEZA, Meigen.

CALOBATA p, Fabr.—RHAGIO p, Schrank.

9122. 1; lateralis*. Meig. Zw. v. 383. pl. 53. f. 5.

9123. 2; corrigiolata*. Meig. Zw. v. 384. pl. 53. f. 6.

Mu. corrigiolata. Linn. ii. 995.

Ca. filiformis. Fabr. A. 263.—(Sam. I. 8.)

Mu. pedo. Harr. Ex. 115. pl. xxxiv. f. 16.

Genus 184: (1308). SEPSIS, Fallen, Curtis.

MICROPEZA p, Latreille.—TEPHRITIS et CALOBATA p, Fabr.—TYROPHAGA p, Curtis.

A. Alis immaculatis.

9124. 1; cylindrica*. Meig. Zw. v. 290.—(Curtis l. c. fo. 245.)

Ca. cylindrica. Fabr. A. 263.

Le. nitidula. Fall. D. S. (Ortal.) 21.

^a LISSA: Genus Crustaceorum. Vide Leach Z. M. ii. 69.

9125. 2; Leachi*. *Meig. Zw.* v. 291.—(*Curtis l. c. fo.* 245.)
 9126. 3; putris*. *Fall. D. S. (Ortal.)* 21.—(*Curtis l. c. fo.* 245.)
 Mu. putris α . *Linn. ii.* 993.—*Berk. S. i.* 165.
 Tyr. putris. (*Curtis folio* 126.)
 9127. 4; nigricornis*. *Meig. Zw.* v. 291.
 9128. 5; annulipes*. *Meig. Zw.* v. 292.—*Curtis. vi. pl.* 245.
 9129. 6; flavipes* *mihi.*
 B. Alis apice puncto nigro.
 9130. 7; ruficornis*. *Meig. Zw.* v. 288.
 9131. 8; nigripes*. *Meig. Zw.* v. 289.—(*Curtis l. c. supra?*)
 9132. 9; flavimana*. *Meig. Zw.* v. 288.
 9133. 10; hilaris*. *Meig. Zw.* v. 288.—(*Curtis l. c. supra.*)
 9134. 11; Cynipsea*. *Fall. D. S. (Ortal.)* 23.—(*Curtis l. c. supra.*)
 Mu. Cynipsea. *Linn. ii.* 997.—*Stew. ii.* 262.—*Turt. iii.* 618.
 The lesser Mu. vibrans. *Harr. Ex.* 122. *pl. xxxv. f.* 43.
 9135. 12; fulgens*. *Hoffmansegg.*—*Meig. Zw.* v. 287.
 9136. 13; motatoria.
 Mu. motatoria. *Mus. Marsham.*
 9137. 14; violacea*. *Meig. Zw.* v. 289.
 9138. 15; Punctum*. *Fall. D. S. (Ortal.)* 22.—(*Curtis l. c. supra.*)
 Te. Punctum. *Fabr. A.* 351.
 Mu. Stigma. *Panz. F. lx. f.* 21.
 9139. 16; ornata*. *Meig. Zw.* v. 290.

Genus 185: (1309). PIOPHILA, *Fallen.*TEPHRITIS *p.*, *Fabr.*—TYROPHAGA, (*Kirby,*) *Curtis.*

9140. 1; Casei*. *Fall. D. S. (Heteromyza.)* 9. 1.
 Mu. Casei. *Linn. F. No.* 1850. β .
 Mu. putris var. β . *Linn. ii.* 993.—*Berk. S. i.* 165.—*Stew. ii.* 260.—*Turt. iii.* 610.
 Try. Casei: (putris). (*Kirby & Sp. I. E. i.* 226.—iv. 9.)—*Curtis. iii. pl.* 126.
 The Cheese Fly. *Bingley.* iii. 318.

9141. 2; atrata*. *Meig. Zw.* v. 396.
 Mu. atrata. *Fabr. iv.* 333.
 Pi. vulgaris. *Fall. D. S. (Heteromyz.)* 9. 2.
 9142. 3; nigrimana*. *Meig. Zw.* v. 396. *pl. 54. f.* 5.
 9143. 4, nigricornis*. *Meig. Zw.* v. 397.
 9144. 5; scutellaris*. *Fall. D. S. (Heteromyz.)* 10. 3.

Genus 186: (1310). HOMALURA, *Meigen.*PLANURIA, (*Megerle.*)

9145. 1; tarsata*. *Megerle.*—*Meig. Zw.* v. 399. *pl. 54. f.* 6—9.
 Mu. leucopa. *Mus. Marsham.*

Genus 187: (1311). PLATYSTOMA, Meig.

DICTYA p, Fabr.—TRUPANEA p, Schrank.

9146. 1; seminationis*. Latr. G. iv. 354.

Mu. seminationis. Fabr. iv. 355.

Mu. nævösus. Harr. Ex. 75. pl. xxi. f. 10?

Mu. pulverulenta. Mus. Marsham.

9147 † 2. umbrarum^a.

Genus 188: (1312). ULIDIA, Meigen.

CHRYSONYZA, Fallen.—TEPHRITIS p, Fabr.

9148. 1; demandata*. Meig. Zw. v. 386. pl. 53. f. 12.

Mu. demandata. Fabr. S. 564.

Chr. splendida. Fall. D. S. (Scenopinii.) 4. 1.

9149. 2; erythrophthalma*. Meg.—Meig. Zw. v. 387.

Genus 189: (1313). ACTORA, Meigen.

9150. 1; aestuum*. Meig. Zw. v. 403. pl. 54. f. 16–20.

Genus 190: (1314). HELEOMYZA, Meig.

HELCONYZA, Curtis.—SCATOPHAGA p? Fabr.

9151. 1; ustulata. Meigen MSS.—Curtis. ii. pl. 66.

9152. 2; centropunctata. Meigen MSS.

9153 † 3, lacustris. Meigen MSS. In Mus. Brit.

Genus 191: (1315). MYCETOMYZA? Fallen.

9154. 1; obscuripennis*. Meig. MSS.

9155. 2; fuscicornis* mihi.

9156. 3; apicalis mihi.

9157. [4; ruficornis] mihi.

9158. 5, pallida mihi.

9159. 6; marginepunctata*. Leach MSS.

9160. 7, nigrofasciata* mihi.

9161. 8; tripunctata* mihi.

9162. 9; rufo-testacea* mihi.

9163. 10, nebulosa mihi.

9164. 11; subvittata* mihi.

Genus 192: (1316). TETANOCERA, Dumeril.

SCATOPHAGA p, et DICTYA p, Fabr.—OTITIS p, Latr.

9165. 1; marginata*.

^a 9147 † 2. umbrarum. Meig. Zw. v. 392.

Mu. umbrarum. Fabr. iv. 350.—Stew. ii. 262. (!)—Turt. iii. 617. (!)

Mu. fulviventris. Schrank A. No. 953.

- Mu. marginata. *Fabr.* iv. 345.—*Panz.* F. xxxii. f. 22.
 Mu. tristis. *Harr. Ex.* 115. *pl.* xxxiv. f. 13.
9166. 2; varipes*? *mihi.*
Tc. variegata. *Meigen MSS?*
9167. 3; Umbrarum*.
Di. Umbrarum. *Fabr. A.* 325.
Os. Argus. *Fabr. A.* 216?
9168. 4; obsoleta* *mihi.*
9169. 5, consobrina* *mihi.*
9170. 6, ustulata*. *Leach MSS.*
 Mu. crocus. *Harr. Ex.* 118. *pl.* xxxiv. f. 27.
9171. 7; testacea*.
 Mu. testacea. *Mus. Marsham.*
 Mu. varicus. *Harr. Ex.* 114. *pl.* xxxiv. f. 12?
9172. 8; rufa*.
 Mu. rufa. *Mus. Marsham.*
9173. 9, rufifrons*.
 Mu. rufifrons. *Panz.* F. xliv. f. 24.
9174. 10; Graminum*.
 Sc. Graminum. *Fabr. A.* 205.
 Di. fulvifrons. *Latr. H.* xiv. 384.
 Mu. buccata. *Mus. Marsham.*
9175. 11; flavifrons*.
 Mu. flavifrons. *Panz.* F. lx. f. 22.
 Mu. contigua. *Mus. Marsham.*
9176. 12; oblitterata?*
 Sc. oblitterata. *Fabr. A.* 205?
 Mu. varicus. *Harr. Ex.* 115. *pl.* xxxiv. f. 14.
9177. 13; bimaculata* *mihi.*
 Mu. vagus. *Harr. Ex.* 153. *pl.* xlvi. f. 82.
- Genus 193: (1317). SEPEDON, *Latr.*, *Leach*, *Samou.*
- BACCHA p, et SCATOPHAGA p, *Fabr.*—SYRPHUS p, *Rossi.*—
 MULIO p, *Schell.*
9178. 1; palustris*. *Latr. H.* xiv. 386.—(*Sam. I.* 37.)
 Ba. sphegea. *Fabr. A.* 199. (!)
 Mus. sphegea. *Stew. ii.* 265.—*Turt. iii.* 646.
 Mus. rufipes. *Panz.* F. lx. f. 23.
 Mul. dentipes. *Schell. G. M.* *pl.* 16.
 Mus. simulator. *Harr. Ex.* 152. *pl.* xlvi. f. 77.
- Genus 194: (1318). OSCINIS, *Fabr.*
- SCATOPHAGA p, *Fabr.*—TETANOCERA p, *Latr.*
9179. 1; planifrons*.
 Mu. planifrons. *Fabr. S.* 565.
9180. 2, melanoleuca* *mihi.*

Genus 195: (1319). —

9181. 1; nervosa* *mihi*.
 9182. 2; decempunctata* *mihi*.

Genus 196: (1320). GEOMYZA, *Fallen*.

9183. 1; combinata*.
 Mu. combinata. *Linn.* ii. 997.
 9184. 2; abdominalis* *mihi*.
 9185. 3; minatrix*.
 Mu. minatrix. *Mus. Marsham*.
 9186. 4, quaterna*. *Leach?* MSS.
 9187. 5, trimaculata *mihi*.
 9188. 6; pallipes* *mihi*.
 Tephritis maculata. *Ahr. F.* iii. f. 22?

9189. 7, rufescens* *mihi*.
 9190. 8; flava*.
 Mu. flava. *Mus. Marsham*.
 9191. 9; pallida* *mihi*.
 9192. 10; arcuata* *mihi*.
 9193. 11; ventralis* *mihi*.
 9194. 12; dubia* *mihi*.

Genus 197: (1321). —

DACUS *p*, *Fabr.*—TEPHRITIS *p*, *Samou.*

9195. 1; pulchella*.
 Mu. pulchella. *Fabr.* iv. 352.—*Don.* ii. 19, *pl.* 366.
 Te. pulchella. (*Sam. I.* 40.)
 Mu. mulicbris. *Harr. Ex.* 75, *pl.* xxi. f. 9.

Genus 198: (1322). —

SCATOPHIAGA *p*, *Fabr.*—MADIZA, *Fallen?*

9196. 1; cucularia*.
 Mu. cucularia. *Linn.* ii. 995.—*Turt.* iii. 615.
 9197. 2; maculicornis* *mihi*.
 9198. 3; longicornis* *mihi*.
 9199. 4; acuta* *mihi*.
 9200. 5; xanthoptera* *mihi*.
 9201. 6; hyalinata* *mihi*.
 9202. 7, flavescens.
 Mu. flavescens. *Mus. Marsh.*
 9203. 8; geniculata* *mihi*.

Genus 199: (1323). MEROMYZA? *Meigen*.

9204. 1; pusilla*.
 Mu. pusilla. *Mus. Marsham*.

9205. 2; bipunctata *.

Mu. bipunctata. *Mus. Marsham.*

9206. 3; incrassata *.

Mu. incrassata. *Mus. Marsham.*

Genus 200: (1324). CHLOROPS, Meigen.

Oscinis p, Latr.—Tephritis p, Fabr.

9207. 1; lineatus *.

Mu. lineata. *Fabr. A.* 215.—*Stew.* ii. 262.

9208. 2; pratensis. *Meigen MSS.*

9209. 3; pumilionis *.

Mu. pumilionis. *Act. H. (Bierkand.)* 1778.—*Linn. Trans. (Markwick.)* ii. 78. *pl. 15.*—*Stew.* ii. 260.—*Turt.* iii. 609.—(Kirby & Sp. I. E. i. 172.)

Mu. lepidus. *Harr. Ex.* 121. *pl. xxxv. f. 40.*

The Hessian Fly? *Bingley.* iii. 316.

9210. 4; quadristrigatus *.

Mu. 4-strigata. *Don.* xiii. 72. *pl. 467. f. 2?*

9211. 5; puncticornis. *Meigen MSS.*

9212. 6; Frit? *

Mu. Frit. *Linn.* ii. 994.—*Stew.* ii. 260.—*Turt.* iii. 609.

9213. 7; Delta *. *Meigen MSS.*

9214. 8; geniculatus. *Meigen MSS.*

9215. 9; scutellatus *. *Meig.—Panz. F. civ. f. 21.*

9216. 10; nitidulus *.

Mu. nitidula. *Mus. Marsham.*

9217. 11; lucidus * *mihi.*

9218. 12; ventralis * *mihi.*

9219. 13; caliginosus * *mihi.*

9220. 14; tarsalis * *mihi.*

9221. 15; denticornis *. *Meig.—Panz. F. civ. f. 22.*

9222. 16; lateralis * *mihi.*

9223. 17; minutissimus * *mihi.*

9224. 18; nigricornis * *mihi.*

9225. 19; femoralis * *mihi.*

9226. 20; obscurus * *mihi.*

9227. 21; pusillus * *mihi.*

9228. 22; luteicornis * *mihi.*

Genus 201: (1325). —

9229. 1; fulvifrons * *mihi.*

Genus 202: (1326). SCENOPINUS, *Latr.*, *Leach, Samou.*

NEMOTELUS *p*, *DeGeer*.—ATRICHIA, *Schra*.—CONA, *Schell*.
9230. 1; fenestralis *. *Fabr. A.* 535.

Mu: fenestralis. *Linn. ii.* 981.—*Turt. iii.* 608.

At. spoliata. *Schrantz B.* iii. 2404.

Schell. G. M. 13. f. 1, 2.

9231. 2; sulcicollis *. *Meg.*—*Meig. Zw.* iv. 114.

9232. 3, vitripennis. *Meig. Zw.* iv. 115.

9233. 4, senilis. *Fabr. A.* 336.

9234. 5, domesticus. *Meig. Zw.* iv. 116.

Sc. fenestralis var. *Fall. D. S. (Scenop.)* 5. 1.

9235. 6, niger *. *Meig. Zw.* iv. 116.—(*Sam. I.* 37.)

He. niger. *DeGeer.* vi. 76. *pl.* 9. *f.* 5.

Ne. tarsatus. *Panz. F.* xcvi. *f.* 20.

Sc. ater. *Fall. D. S. (Scenop.)* 5. 2.

9236. 7; rugosus *. *Fabr. A.* 336.

Mu. funestalus. *Fabr. iv.* 330.

9237. 8, nigripes *. *Meg.*—*Meig. Zw.* v. 117.

Genus 203: (1327). OINOPOTA, *Kirby*.

MOSILLUS *p*, *Latr.*—MOCILLUS, *Samou.*

9238. 1, cellaris.

Mu. cellaris. *Linn. ii.* 993.—*Berk. S.* i. 165.—*Stew. ii.* 260.

—*Turt. iii.* 609.

Moc. cellarius. (*Samou.* 299.)

Mu. erythrophthalma. *Hellw.*—*Panz. F.* xvii. *f.* 24.

Genus 204: (1328). EPHYDRA, *Fallen*.

9239. 1; littoralis *. *Fall.?*

9240. 2; fumipennis * *mihi*.

Genus 205: (1329). NOTIPHILA, *Fallen*.

9241. 1, riparia. *Meig.?*

9242. 2, cinerea. *Meig.?*

Genus 206: (1330). —

9243. 1, obsoleta *.

Mu. obsoleta. *Mus. Marsham.*

9244. 2, semiobscura.

Mu. semiobscura. *Mus. Marsham.*

9245. 3; sedecimmaculata * *mihi*.

9246. 4; punctipennis * *mihi*.

9247. 5; tarsalis * *mihi*.

Genus 207: (1331). OCHTHERA, *Latreille, Leach, Samou.*

MACROCHIRA, *Meig.*—TEPHRITIS *p*, *Fabr.*

9248 † 1, Mantis. *Latr. H.* xiv. 391.—*Latr. G.* *pl.* 15. *f.* 10.—(*Sam. I.* 31.)

Mu. Mantis. *DeGeer.* vi. 143. *pl. 8. f. 15, 16.*

Te. manicata. *Fabr. A.* 323.

In Mus. Brit.

Genus 208: (1332). BORBORUS, Meigen.

SPHÆROCERA, Latr.

9249. 1; grossipes*.

Mu. grossipes. *Linn.* ii. 988.

9250. [2, curvipes*.]

Mu. curvipes. *Latr. H.* xiv. 394.

9251. 3; nitidus * *mihi.*

9252. 4; pallipes * *mihi.*

9253. 5; fuscipes * *mihi.*

9254. 6, obsoletus * *mihi.*

9255. 7; gonymelas *mihi.*

9256. 8; subsultans*.

Mu. subsultans. *Linn.* ii. 993.—*Turt.* iii. 608.

9257. 9; nervosus* *mihi.*

9258. 10; frontalis* *mihi.*

9259. 11; subæneus* *mihi.*

9260. 12; geniculatus* *mihi.*

9261. 13; longicornis* *mihi.*

9262. 14, atronitens* *mihi.*

9263. 15; longipes* *mihi.*

9264. 16; ramosus* *mihi.*

9265. 17; aterrimus* *mihi.*

9266. 18, opacus* *mihi.*

9267. 19, brunneus* *mihi.*

9268. 20, phæopterus* *mihi.*

9269. 21, lucidus* *mihi.*

9270. 22; pallidus *mihi.*

9271. 23, platycephalus* *mihi.*

Genus 209: (1333). —

9272. 1, hirtipes* *mihi.*

Hippobosca marina. *Montagu MSS.*

Genus 210: (1334). —

9273. 1; dilatatus* *mihi.*

Genus 211: (1335). PHORA, Latr.

TRINEURA, Meig.—TEPHRITIS p, Fabr.—NODA, Schell.

9274. 1; convexa*.

Mu. convexa. *Mus. Marsham.*

9275. 2; rufipes*.

Tr. rufipes. *Meig. Kl. i, b. 313. pl. 15. f. 23.*

Ph. pallipes. (*Latr. G. iv. 360.*)

9276. 3, consorta* *mihi.*

9277. 4, ochropæ* *mihi.*

9278. 5, serrata?*

Mu. serrata. *Linn. ii. 993?—Turt. iii. 608?*

9279. 6; longipes* *mihi.*

9280. 7, rufescens *mihi.*

9281. 8, annulata.

Mu. annulata. *Mus. Marsham.*

9282. 9, pusilla* *mihi.*

9283. 10, cursitans.

Mu. cursitans. *Mus. Marsham.*

9284. 11, aterrima*. *Latr. H. xiv. 394.*

Te. aterrima. *Fabr. A. 323.*

Tr. atra. *Meig. Kl. i, b. 313. pl. 15. f. 22.*

Mu. semiserrata. *Mus. Marsham.*

Genus 212: (1336). —

9285. 1; culicoides* *mihi.*

9286. 2; cognata* *mihi.*

9287. 3, lonchopteroïdes* *mihi.*

9288. 4, assimilis* *mihi.*

§ B. OXYPTERÆ, Meigen.

Genus 213: (1337). LONCHOPTERYX.

LONCHOPTERA, Meigen.—DIPSA, Fallen.

9289. 1; lutea*. *Panz. F. cviii. f. 20, 21.*

Di. furcata. *Fall. D. S. (Phytomyzides.)*

9290. 2; lacustris*. *Meig. Zw. iv. 107.*

9291. 3, riparia*. *Meig. Zw. iv. 108.*

9292. 4, palustris. *Meig. Zw. iv. 109.*

9293. 5, punctum. *Meig. Zw. iv. 110.*

9294. 6, Leachii *mihi.*

9295. 7, tristis. *Meig. Zw. iv. 110. pl. 36. f. 11. (!)*

ORDO III: (10). HOMALOPTERA, MacLeay.

(DIPTERA p, Linné, &c.—ANTLIATA p, Fabr.—OMALOPTERA, Leach.)

Familia I: (153). HIPPOBOSCIDÆ, Leach.

Genus 1: (1338). HIPPOBOSCA Auctorum. Forest or Horse-Fly.

NIRMOMYIA, Nitzsch.

9296. 1; equina *. *Linn.* ii. 1010.—*Berk.* S. i. 168.—*Don.* viii.
21. *pl.* 261. *f.* 1.—*Stew.* ii. 274.—*Turt.* iii. 687.—*Shaw G. Z.* vi.
401. *pl.* 114.—(Leach E. E. ix. 130.)—Leach E. I. 9. *pl.* xxvi.
f. 4—7.—(Samou. 302. *pl.* 9. *f.* 11.)—(Kirby & Sp. I. E. i. 227.)

Genus 2: (1339). ORNITHOMYIA, Latreille, Leach, Samou.

9297. 1; avicularia *. Leach E. I. 15. *pl.* xxv. *f.* 4, 5.—(Sam. I.
32.)—(Kirby & Sp. I. E. i. 111.)

Hi. avicularia. *Linn.* ii. 1010.—*Stew.* ii. 274.—*Turt.* iii. 687?
—*Shaw G. Z.* vi. 402. *pl.* 115?

9298. 2; viridis *. *Latr. H.* xiv. 402.—Leach E. I. 14. *pl.* xxv.
f. 1—3.—(Sam. I. 32.)

Hi. viridis. *DeGeer.* vi. 285. *pl.* 16. *f.* 21, 22.

Hi. Corvi. *Scop. C.* No. 1026.

Hi. avicularia. *Don.* viii. 22. *pl.* 261. *f.* 2.

Genus 3: (1340). CRATERINA, Olfers, Samou., Curtis.

STENEPTERYX, Leach.—ORNITHOMYIA p, Latreille.

9299. 1; Hirundinis *. Olfers.—(Sam. I. 13.)—Curtis iii. *pl.* 122.

Hi. Hirundinis. *Linn.* ii. 1010.—*Berk.* S. i. 168.—*Don.* viii.
45. *pl.* 268. *f.* 1.—*Stew.* ii. 274.—*Turt.* iii. 687.—*Shaw G. Z.*
vi. 403.—*Wood.* ii. 109. *pl.* 72.

St. Hirundinis. Leach E. I. 16. *pl.* xxv. *f.* 9—11.

Or. Hirundinis. (Kirby & Sp. I. E. i. 111.)

Genus 4: (1341). OXYPTERUM, Kirby, Leach, Samou.

ORNITHOMYIA p, Olivicr.

9300. 1; pallidum *. Leach E. I. 17. *pl.* xxv. *f.* 12—14.

Or. pallida. Oliv. E. M. viii. 544.

9301. 2; Kirbyanum *. Leach E. I. 17. *pl.* xxv. *f.* 15—16.—
(Sam. I. 32.)

Genus 5: (1342). HÆMOBORA, Curtis.

- 9302 † 1, pallipes. Curtis. i. *pl.* 14. In Mus. D. Samouelle.

Genus 6: (1343). MELOPHAGUS, Latreille, Leach, Samou., Curtis.

MELOPHILA, Nitzsch.

9303. 1; Ovinus *. *Latr. H.* xiv. 403.—Leach E. I. 18. *pl.* xxvi.
f. 14, 15.—(Sam. I. 27.)—Curtis. iii. *pl.* 142.

Hi. Ovina. *Linn.* ii. 1011.—*Don.* viii. 46. *pl.* 268. *f.* 2.—
Stew. ii. 274.—*Turt.* iii. 687.—*Shaw G. Z.* vi. 403.

Familia II: (154). NYCTERIBIDÆ, Leach.

Genus 7: (1344). NYCTERIBIA, Latreille, Samou.

PHTHIRIDIUM, Hermann, Leach.—HIPPOBOSCA *p.*, Schrank.—
CELERIPES, Montagu.—PEDICULUS *p.*, Linné.

9304. 1: Hermanni*. (*Sam. I.* 31.)

Hi. Vespertilionis. *Schrank B. No.* 2587.

Ce. Vespertilionis. *Linn. Trans. (Mont.)* xi. 11. *pl.* 3. *f.* 5.

Ph. biarticulatum. *Herm. M. A.* 124. *pl.* 6. *f.* 1.

Ph. Hermanni. *Leach E. B. Sup.* i. 446. *pl.* 23.—*Leach Z. M.*
iii. 55. *pl.* 144. *fig. sup.* ♀. *fig. med.* ♂.—*fig. inf. pes auctus.*

9305. 2: Latreillii*.

Pe. Vespertilionis. *Linn. F. No.* 1941.

Ny. pedicularia. *Latr. H.* ix. 403?

Ph. Latreillii. *Leuch Z. M.* iii. 56.

ORDO IV: (11). APIANIPTERA, Kirby.

(SUCTORIA, Latr.—SIPIONAPTERA, Latr.—APTERA *p.*, Linné.
—RHYNGOTA *p.*, Fabr.—ROPHOTEIRA, Clairv.

Familia I: (155). PULICIDÆ.

Genus 1: (1345). PULEX Auctorum. Flea.

9306. 1; irritans*. *Linn.* ii. 1021.—*Barbut G. pl.* 18.—(*Berk. S. i.*
170.)—*Stew.* ii. 232.—*Shaw N. M.* v. *pl.* 178.—*Shaw G. Z.* vi.
456. *pl.* 122.—*Turt.* iii. 701.—*Leach E. E.* ix. 126.—*Samou.* 234.
—*Bingley.* iii. 347.—*Wood.* ii. *pl.* 77.
Alb. Sp. pl. 41.—*Baker M. pl.* 13. *f.* 6.

9307. 2; Canis* mihi. (*Sam. I.* 35.)

In Mus. Brit.

9308 † 3, Bovis. *Leach MSS.*

In Mus. Brit.

9309. 4, Talpæ*. (*Sam. I.* 35.)—*Curtis.* iii. *pl.* 114.

9310 † 5, Meles. *Leach MSS.*

In Mus. Brit.

9311 † 6, Sciurorum*. *Olfcrs.* 98.

Pe. Sciuri. (*Sam. I.* 35.)

In Mus. Brit.

9312 † 7, Erinacei. *Leach MSS.*

In Mus. Brit.

9313 † 8, Leporis. *Leach MSS.*

In Mus. Brit.

9314. 9; Vespertilionis* mihi.

9315. 10; Columbæ* mihi.

9316. 11; Hirundinis* mihi. (*Sam. I.* 35.)

9317. 12; fasciatus*. *Latr. H.* xiv. 412.

ORDO V: (12). APTERA.

(APTERA p., Linné.—ANTLIATA p., Fabr.—ARACHNIDA-PARA-SITA, Latreille.—PODODUNERA, Clairv.—ANOPLURA, Leach.)

Familia I: (156). PEDICULIDÆ, Leach.

(PEDICULUS p., Linné.—HEMIPTERA-EPIZOICA, Nitzsch.)

Genus 1: (1346). PEDICULUS Auctorum. *Louse*: ova *Nits*.

9318. 1; *humanus**: Body-louse, or Tailor's Louse.—*Leach l. c.*
Linn. ii. 1016.—*Barbut G. pl.* 18. *gen.* 4.—(*Berk. S. i.* 170.)—
Stew. ii. 273.—*Shaw G. Z.* vi. 450.—*Turt.* iii. 695.—*Leach E. E.*
ix. 77.—*Leach Z. M.* iii. 66.—*Samou.* 142.—*Bingley.* iii. 345.

Pe. capitis. *DeGeer:* (*teste Nitzsch.*)

Alb. Sp. pl. 42.—*Swam. B. N. pl.* 1. *f.* 3—6.

9319. 2; *cervicalis**: Head-louse.—*Leach l. c.* *Latr. G. i.* 168.
 —*Leach E. E.* ix. 77.—*Leach Z. M.* iii. 66.—*Samou.* 143.

Pe. vestimenti. *DeGeer:* (*teste Nitzsch.*)

Genus 2: (1347). PHITHIRUS, *Leach, Samou.*, (Kirby.)

9320. 1, *inguinalis**. *Leach E. E.* ix. 77.—*Leach Z. M.* iii. 65.—
Samou. 142.

Pe. inguinalis. *Redi Ex. pl.* xix. *fig. sup.*

Pe. Pubis: Crab L.—*Berk. l. c.* *Linn.* ii. 1017.—*Berk. S. i.*
 170.—*Stew.* ii. 279.—*Turt.* iii. 695.

Albin. Sp. pl. 49. *f. sinist.*

Genus 3: (1348). HÆMATOPINUS, *Leach, Samou.*, (Kirby.)

9321. 1; *Suis**. *Leach E. E.* ix. 77.—(*Leach E. B. Sup.* i. *pl.* 24.)
 —*Leach Z. M.* iii. 65. *pl.* 146.—(*Samou.* 143.)

Pe. Suis. (*Linn.* ii. 1617.)—(*Stew.* ii. 279.)—*Wood.* ii. 123.
pl. 76.

Pe. Urius. *Germ. M.* (*Nitzsch.*) iii. 305.

9322. 2, *sphærocephalus*.

Pe. sphærocephalus. (*Germ. M.* (*Nitz.*) iii. 305.)

9323 + 3, *Cervi*.

Pe. Cervi. *Redi Ex. pl.* xxiii. *fig. sup.*—(*Linn.* ii. 1017.)—
 (*Stew.* ii. 279.)

Pe. crassicornis. (*Germ. M.* (*Nitz.*) iii. 305.)

The Louse of the Deer. *Alb. Sp. pl.* lxiii. *fig. dext.*

9324. 4, *Vituli**.

Pe. Vituli. (*Linn.* ii. 1018.)—*Berk. S. i.* 170.—*Stew.* ii. 279.
 —*Turt.* iii. 696.

9325. 5, *eurysternus*. (*Germ. M.* (*Nitz.*) iii. 305?)

9326. 6, *Caballi**. *Leach MSS.*

9327. 7; *Pe. Asini.* *Redi Ex. pl.* xxi.—(*Linn.* ii. 1018.)—
Turt. iii. 696.

Familia II: (157). NIRMIDÆ, Leach.

(*PEDICULUS p.*, Linné.—*ORTHOPTERA-EPIZOICA*, Nitzsch.)
 (Ricinus, DeGeer.—*NIRMIUS*, Hermann.)

Genus 4: (1349). TRICHIODECTES, Nitzsch.

9328. 1, crassus. (*Germ. M. (Nitzsch.)* iii. 295.)

Pe. Melis. *Fabr. A.* 341.

9329. 2, latus*. (*Germ. M. (Nitzsch.)* iii. 296.)

Ri. Canis. *DeGeer.* vii. pl. 4. f. 16.

Pe. setosus. *Olfers.* 84.

9330. 3, subrostratus*. (*Germ. M. (Nitzsch.)* iii. 296.)

Pe. Canis. *O. Fabr. F. p.* 215?

9331. 4, spherocephalus. (*Germ. M. (Nitzsch.)* iii. 296.)

Pe. Ovis. (*Linn. ii. 1017.*)—*Schra. A. p. 502. pl. 1. f. 8-9.*—
(Turt. iii. 696.)

9332+5. Climax. (*Germ. M. (Nitzsch.)* iii. 296.)

9333. 6, scalaris*. (*Germ. M. (Nitzsch.)* iii. 296.)

Pe. Bovis. *Linn. ii. 1017.*—*Berk. S. i. 170.*—*Stew. ii. 279.*—
Turt. iii. 696.

9334+7. longicornis. (*Germ. M. (Nitzsch.)* iii. 296.)

Pe. Cervi. *Redi Ex. pl. xxiii. fig. inf.*

The Louse of the Stag. *Alb. Sp. pl. lxiii. fig. inf.*

9335. 8, Equi*.

Pe. Equi. (*Linn. ii. 1018.*)—(*Stew. ii. 279.*)—(*Turt. iii. 696.*)

9336+9. exilis. (*Germ. M. (Nitzsch.)* iii. 296.)

9337. 10, retusus. (*Germ. M. (Nitzsch.)* iii. 296.)

Genus 5: (1350). DOCOPHORUS, (PHILOPEDON) Nitzsch.

9338. 1, ocellatus. (*Germ. M. (Nitzsch.)* iii. 920.)

Pe. ocellatus. *Scop. C. No. 1038.*

Pe. Corvinis. *Fabr. A. 344.*—*Stew. ii. 279.*

9339. 2, atratus. (*Germ. M. (Nitzsch.)* iii. 920.)

Ni. adustus. *Olfers.* 87.

Pulex Corvi. *Redi Ex. pl. xvi.*

Pe. Corvi. (*Linn. ii. 1018.*)—*Stew. ii. 279.*—*Turt. iii. 696.*

The Louse of the Crow. (*Alb. Sp. pl. xlvi. fig. sup.*)—*Shaw G. Z. vi. pl. 119. fig. sup.*)

9340. 3, communis. (*Germ. M. (Nitzsch.)* iii. 920.)

Pe. Emberizæ. *Fabr. A. 349.*—*Stew. ii. 279.*—*Turt. iii. 699.*

Ri. Emberizæ. *DeGeer.* vii. pl. iv. f. 9.

Pe. Curvirostræ. *Panz. F. li. f. 23.*—(*Stew. ii. 281.*)

Pe. Pyrrhulæ. (*Schr. A. 506.*)—(*Stew. ii. 281.*)

Pe. Chloridis. (*Schr. A. 506.*)—(*Stew. ii. 281.*)

Pe. Citrinellæ. (*Schr. A. 507.*)—(*Stew. ii. 281.*)

- Pe. Rubeculæ. (*Schr. A.* 507.)—(*Stew.* ii. 281.)
 Ni. globifer. *Olfers.* 91.
9341. 4, Leontodon. (*Germ. M. (Nitzsch.)* iii. 290.)
 Pe. Sturni. *Schra. Beit. pl. v. f.* 11.—*Stew.* ii. 281.
9342. 5, platyrhynchus. (*Germ. M. (Nitzsch.)* iii. 290.)
 Pe. hæmatopus. *Scop. C.* No. 1035.
 Pe. Strigis. *Fabr. A.* 343.—*Stew.* ii. 280.—*Turt.* iii. 279.
9343. 6, excisus. (*Germ. M. (Nitzsch.)* iii. 290.)
 Pe. Hirundinis. *Linn.* ii. 1020.—*Stew.* ii. 281.—*Turt.* iii. 699.
- 9344 † 7, pertusus. (*Germ. M. (Nitzsch.)* iii. 290.)
 Pe. Fulicæ. *Stew.* ii. 280.
9345. 8, icterodes. (*Germ. M. (Nitzsch.)* iii. 290.)
 Pulex Cygni secundi generis. *Redi Ex. pl. ix. fig. inf.*
 Another Swan Louse. (*Albin. Sp. pl.* 48. *fig. sinist.*)
9346. 9, melanocephalus. (*Germ. M. (Nitzsch.)* iii. 290.)
9347. 10, auratus. (*Germ. M. (Nitzsch.)* iii. 290.)
9348. 11, latifrons. (*Germ. M. (Nitzsch.)* iii. 290.)
9349. 12, tricolor. (*Germ. M. (Nitzsch.)* iii. 290.)
9350. 13, incompletus. (*Germ. M. (Nitzsch.)* iii. 290.)

Genus 6: (1351). NIRMUS *Auctorum.*

NIRMUS (PHILOPEDON), *Nitzsch.*

9351. 1, discocephalus. (*Germ. M. (Nitzsch.)* iii. 291.)
9352. 2, cameratus. (*Germ. M. (Nitzsch.)* iii. 291.)
 Pe. Tetraonis. *Linn.* ii. 1020?—*Stew.* ii. 281?
 Pe. Lagopodis. (*Linn.* ii. 1020?)—*Stew.* ii. 281?
9353. 3, fenestratus. (*Germ. M. (Nitzsch.)* iii. 291.)
9354. 4, uncinosus. (*Germ. M. (Nitzsch.)* iii. 291.)
9355. 5, Argulus. (*Germ. M. (Nitzsch.)* iii. 291.)
 Pe. Picæ. (*Linn.* ii. 1018?)—*Stew.* ii. 279?—*Turt.* iii. 697.
 Pu. Picæ. *Redi Ex. pl. v.*
 The Louse of the Magpie. (*Alb. pl. 45. fig. sup.*)
9356. 6, gracilis. (*Germ. M. (Nitzsch.)* iii. 291.)
9357. 7, decipiens. (*Germ. M. (Nitzsch.)* iii. 291.)
 Pe. Recurvirostræ. (*Linn.* ii. 1019.)—*Stew.* ii. 280.—*Turt.* iii. 698.
9358. 8, piceus. (*Germ. M. (Nitzsch.)* iii. 291.)
9359. 9, attenuatus. (*Germ. M. (Nitzsch.)* iii. 291.)
 Pe. Ortygometræ. *Schr. A.* 503?—*Stew.* ii. 281?
9360. 10, fissus. (*Germ. M. (Nitzsch.)* iii. 291.)
 Pe. Charadrii. (*Linn.* ii. 1019.)—(*Stew.* ii. 280?)—(*Turt.* iii. 698?)
9361. 11, punctatus. (*Germ. M. (Nitzsch.)* iii. 291.)

9362. 12, eugrammicus. (*Germ. M. (Nitzsch.)* iii. 291.)
9363. 13, minutus. (*Germ. M. (Nitzsch.)* iii. 291.)
Pulex Fulicæ. *Redi Ex. pl. iv. f. iii.*
The Louse of the More-Hen. *Albin Sp. pl. xlvi. fig. sinist.*
9364. 14, glaucus.
Pe. hæmatopodis. (*Linn. ii. 1019.*)—*Stew. ii. 280.—Turt. iii. 698.*
- Genus 7: (1352). LIPEURUS, (PHILOPEDON) *Nitzsch.*
9365. 1, versicolor. (*Germ. M. (Nitzsch.)* iii. 292.)
Pe. Ciconiæ. (*Linn. ii. 1019.*)—*Frisch. I. viii. pl. vi.—Stew. ii. 280.*
9366. 2, luridus *. (*Germ. M. (Nitzsch.)* iii. 292.)
Pulex Fulicæ. *Redi Ex. pl. iv. f. ii.*
The Louse of the More-Hen. (*Albin Sp. pl. xlvi. fig. dext.*)—*(Shaw G. Z. vi. pl. 120. fig. med.)*
9367. 3; squalidus. (*Germ. M. (Nitzsch.)* iii. 292.)
Pe. Anatis. *Fabr. A. 345.—Stew. ii. 281.*
9368. 4, temporalis. (*Germ. M. (Nitzsch.)* iii. 292.)
Ri. Mergi. *DeGeer. vii. pl. iv. f. 13.*
Pe. Mergi. *Fabr. A. 345.—Stew. ii. 280.*
9369. 5, jejonus. (*Germ. M. (Nitzsch.)* iii. 292.)
Pe. Anseris. *Linn. ii. 1018.—Schra. A. 503.—Stew. ii. 180.—Turt. iii. 699.*
Ni. crassicornis. *Olfers. 88.*
Pulex Anseris sylvestris. *Redi Ex. pl. x. fig. dext.*
The Louse of the wild Goose. (*Alb. Sp. pl. 48. fig. dext.*)—*(Shaw G. Z. vi. pl. 120. fig. sin. sup.)*
9370. 6, variabilis ^a.
9371. 7, ebræus. (*Germ. M. (Nitzsch.)* iii. 293.)
Pe. Gruis. (*Linn. ii. 1019.*)—*Stew. ii. 280.*
Pulex Gruis. *Redi Ex. pl. iii.*
The Louse of the Crane. *Albin. Sp. pl. 44. fig. sup.*
9372. 8, quadripustulatus. (*Germ. M. (Nitzsch.)* iii. 293.)
9373. 9; Baculus *. (*Germ. M. (Nitzsch.)* iii. 293.)
Pe. Columbæ. (*Linn. ii. 1020.*)—*Stew. ii. 281.—Turt. iii. 699.*
—*Don. ix. 7. pl. 291.*
Ni. filiformis. *Olfers. 90.*
Pu. Columbæ majoris. *Redi Ex. pl. ii. fig. sup.*
The Louse of the Pigeon. *Albin Sp. pl. 43. fig. inf.*
- 9374 † 10, obtusus *.
Pe. Ardeæ. (*Linn. ii. 1019.*)—*Stew. ii. 280.*

^a 9370. 6, variabilis? (*Germ. M. (Nitzsch.)* iii. 293.)

Pu. Ardeæ. *Redi Ex. pl. vi.*

The Louse of the Heron. (*Albin Sp. pl. 45. fig. inf.*)—(*Shaw G. Z. vi. pl. 121. fig. med.*)

9375 † 11, bilineatus.

Pe. Vagelli. *Fabr. A. 346.*—*Stew. ii. 280.*

Genus 8: (1353). GONIODES, (PHILOPEDON) *Nitzsch.*

9376. 1, falcicornis ^a.

9377. 2, chelicornis. (*Germ. M. (Nitzsch.) iii. 293?*)

9378. 3, dissimilis ^b.

9379. 4, dispar. (*Germ. M. (Nitzsch.) iii. 294.*)

9380. 5, Styliifer ^c.

9381. 6, paradoxus. (*Germ. M. (Nitzsch.) iii. 294.*)

Pediculus of the Quail. (*Shaw G. Z. vi. pl. 121. fig. sinist.*)

9382. 7, hologaster ^d.

9383. 8, compar. (*Germ. M. (Nitzsch.) iii. 294.*)

9384. 9, microthorax. (*Germ. M. (Nitzsch.) iii. 294.*)

Pediculus of the Partridge. (*Shaw G. Z. vi. pl. 121. fig. dext.*)

9385. 10, rectangulus ^e.

Genus 9: (1354). COLPOCEPHALUM, (LIOTHEUM) *Nitzsch.*

9386. 1. Zebra. (*Germ. M. (Nitzsch.) iii. 298.*)

9387. 2, flavescens. (*Germ. M. (Nitzsch.) iii. 298.*)

9388. 3, subæquale. (*Germ. M. (Nitzsch.) iii. 298.*)

9389. 4, ochraceum. (*Germ. M. (Nitzsch.) iii. 299.*)

Pulex Avis Pluvialis. *Redi Ex. pl. xi. fig. sup.*

The Louse of the Cormorant. (*Albin Sp. pl. xlvi. fig. sup.*)—

(*Shaw G. Z. vi. pl. 120. fig. dext. sup.*)

^a 9376. 1, falcicornis. (*Germ. M. (Nitzsch.) iii. 293.*)

Pe. Pavonis. (*Linn. ii. 1019.*)—*Panz. F. li. f. 19. ♀.*—*Stew. ii. 280. (!)*—*Turt. iii. 698. (!)*

Ni. tetragonocephalus. *Olfers. 90.*

Pulex Pavonis. *Redi Ex. pl. xiv. ♂.*

The Louse of the Peacock. *Albin Sp. pl. l. fig. inf.*—(*Shaw G. Z. vi. pl. 119. fig. inf.*)

^b 9378. 3, dissimilis. (*Germ. M. (Nitzsch.) iii. 294.*)

^c 9380. 5, Styliifer. (*Germ. M. (Nitzsch.) iii. 294.*)

Pe. Meleagris. *Schr. A. 504. pl. 1. f. 4.*

^d 9382. 7, hologaster. (*Germ. M. (Nitzsch.) iii. 294.*)

Ri. Gallinæ. *DeGeer. vii. pl. iv. f. 15.*

^e 9385. 10, rectangulus. (*Germ. M. (Nitzsch.) iii. 294.*)

Genus 10: (1355). MENOPON, (LIOTHEUM) Nitzsch.

9390. 1, pallidum ^a.

9391. 2, stramineum ^b.

9392. 3, cuculare. (*Germ. M. (Nitzsch.)* iii. 300.)

Pulex Sturni candidi. *Redi Ex. pl. xvii. ♂.*

The Louse of the Starling. *Albin Sp. pl. liii. fig. sup.*

9393. 4, mesoleucum. (*Germ. M. (Nitzsch.)* iii. 300.)

Ri. Cornicis. *DeGeer. vii. pl. iv. f. 11. pupa.*

Ni. Cornicis. *Latr. G. i. 169?—Samou. 143?*

9394. 5, minutum. (*Germ. M. (Nitzsch.)* iii. 300.)

Pe. Currucae. *Schrank Beit. pl. v. f. 1.*

9395. 6, phanerostigmaton. (*Germ. M. (Nitzsch.)* iii. 300.)

Pe. fasciatus. *Scop. C. No. 1040.*

Pe. Cuculi. *Fabr. A. 345.—Stew. ii. 280.—Turt. iii. 697.*

Genus 11: (1356). TRINOTON, (LIOTHEUM) Nitzsch.

9396. 1, conspurcatum. (*Germ. M. (Nitzsch.)* iii. 300.)

Pe. Cygni. (*Linn. ii. 1018.*)—*Stew. ii. 280?*

Pe. Anseris. *Roem. G. pl. xxix. f. 4.*

Pul. Cygni. *Redi Ex. pl. 8.*

The Louse of the Swan. (*Albin. Sp. pl. xlvi. fig. inf.*)

9397. 2, luridum. (*Germ. M. (Nitzsch.)* iii. 300.)

Pul. Anseris sylvestris. *Redi Ex. pl. x. fig. inf.*

The Louse of the wild Goose. (*Albin. Sp. pl. 47. fig. sinist.*)—(*Shaw G. Z. vi. pl. 120. fig. dext. inf.*)

9398. 3, lituratum. (*Germ. M. (Nitzsch.)* iii. 300.)

Ri. Lari. *DeGeer. viii. pl. 4. f. 12?*

9399. 4, obscurum.

Pe. Sternæ. *Linn. ii. 1019.—Stew. ii. 280.—Turt. iii. 698.*

Ni. fornicatus. *Olfers. 89.*

Genus 12: (1357). LÆMOBOTHRION, (LIOTHEUM) Nitzsch.

9400 † 1, giganteum. (*Germ. M. (Nitzsch.)* iii. 301.)

Pe. maximus. *Scop. C. No. 1036.*

Pe. Buteonis. (*Fabr. A. 347.*)—*Stew. ii. 279.—Turt. iii. 696.*

9401. 2, hasticeps *. (*Germ. M. (Nitzsch.)* iii. 302.)

Ni. hasticeps. *Olfers. 87.*

^a 9390. 1, pallidum. (*Germ. M. (Nitzsch.)* iii. 299.)

Pe. Caponis. (*Linn. ii. 1020.*)—*Stew. ii. 281. (!)—Turt. iii. 699. (!)*

Pe. Gallinæ. *Panz. F. li. f. 21.—Stew. ii. 280. (!)—Turt. iii. 698. (!)*

Pulex Capi. *Redi Ex. pl. xvi?*

Ni. trigonocephalus. *Olfers. 90.*

^b 9391. 2, stramineum. (*Germ. M. (Nitzsch.)* iii. 300.)

Pe. Meleagris. (*Linn. ii. 1020.*)—*Stew. ii. 280. (!)—Turt. iii. 698. (!)*

Pe. Tinnunculi. (*Linn.* ii. 1018.)—*Stew.* ii. 279.—*Turt.* iii. 696.

Pulex Tinnunculi. *Redi Ex. pl.* xiii.

The Louse of the Kestrel. (*Albin Sp. pl.* l. *fig. sup.*)

9402 † 3, atrum. (*Germ. M. (Nitzsch.)* iii. 302.)

Pulex Fulicæ. *Redi Ex. pl.* iv. *f. 1.*

The Louse of a Coot. (*Albin. Sp. pl.* 44. *fig. inf.*)

Genus 13: (1358). EUREUM, *Nitzsch.*

9403. 1, cimicoides. (*Germ. M. (Nitzsch.)* iii. 301.)

Ni. truncatus. *Olfers.* 91?

9404 † 2. Malleus. (*Germ. M. (Nitzsch.)* iii. 301.)

Genus 14: (1359). PHYSOSTOMUM, *Nitzsch.*

9405. 1, irascens. (*Germ. M. (Nitzsch.)* iii. 302.)

Pe. Motacillæ. *Fabr. A.* 349?—*Stew.* ii. 281?

9406. 2, nitidissimum. (*Germ. M. (Nitzsch.)* iii. 302.)

Ni. pterocephalus. *Olfers.* 91.

Ri. Fringillæ. *De Geer.* vii. *pl. 4. f. 6.*

ORDO VI: (13). HEMIPTERA, *Linné.*

(RHYNGOTA p, *Fabr.*—HEMIMEROPTERA p, *Clairv.*—HEMIPTERA-HETEROPTERA, *Latr.*)

SECTIO I. TERRESTRIA. (CIMEX, *Linné.*)

Familia I: (158). CIMICIDÆ, *Leach.*

(HE.-MEMBRANACEÆ, *Latr.*—ACANTHIA, *Fabr.*)

Genus 1: (1360). CIMEX *Auctorum.* Bug.

9407. 1; lectularius*. *Linn.* ii. 715.—*Berk.* S. i. 115.—*Barbut Gen.*—*Stew.* ii. 101.—*Turt.* iii. 608.—*Bingley.* iii. 181.—*Shaw G. Z.* vi. 161.—*Leach E. E.* ix. 122.—*Samou.* 223.—(*Kirby & Sp. I. E. i.* 106.)

Genus 2: (1361). ANEURUS, *Curtis.*

ACANTHIA p, *Fabr. olim.*—ARADUS p, *Fabr.*

9408. 1; lævis*. *Curtis.* ii. *pl. 86.*

Ar. lævis. *Fabr. R.* 119.

Ci. lævis. *Stew.* ii. 102.—*Turt.* iii. 611.

Genus 3: (1362). ARADUS, *Fabr.*, *Curtis*, (*Kirby.*)

COREUS p, *Schellenberg.*

9409. 1; depressus*. *Fabr. R.* 119.—*Wolff.* 129. *pl. 13. f. 123.*
(*Kirby & Sp. I. E.* iii. 615.)—(*Curtis l. c. infra.*)

9410. 2, *Betulæ**. *Fabr. R.* 119.—(*Kirby & Sp. I. E.* iii. 330.)
—*Curtis l. c. infra.*
Ci. *Betulæ*. *Linn. ii.* 718.—*DeGeer.* iii. 305. *pl. 15. f.* 16, 17.
—*Berk. S. i.* 115.—*Stew. ii.* 102.—*Turt. iii.* 611.
- 9411 † 3, *corticalis*. *Fabr. R.* 119.—*Curtis. v. pl.* 230.
Ci. *corticalis*. *Linn. ii.* 718.—*Berk. S. i.* 115.—*Stew. ii.* 102.
—*Turt. iii.* 611. In Mus. D. Dale, et Kirby.
- Genus 4: (1363). AGRAMMA, *Westwood MSS.*
TINGIS p. Fall.
9412. 1; *læta**. (*Ing. Inst.* 90.)
Ti. *læta*. *Fall. C. S.* 40.
- Genus 5: (1364). TINGIS *Auctorum.*
A. “Thorace mutico.” *Fallen.*
9413. 1; *capitata**. *Wolff.* 131. *pl. 13. f.* 124.—*Fall. C. S.* 40.
9414. 2; *antica** *mihī.*
Ti. *capitata* β. *Fall. C. S.* 40.
- B. “Thorace carinato.” a. “*Antennis nudis.*” *Fall.*
9415. 3; *costata**. *Fabr. R.* 125.—*Panz. F.* xxiii. *f.* 23.
9416. 4; *Cardui**. *Fabr. R.* 125.—*Leach E. E.* ix. 123.—*Samou.* 223.
Ci. *Cardui*. *Linn. ii.* 718.—*DeGeer.* iii. 309. *pl. 16. f.* 1.—*Turt. ii.* 614.
9417. 5; *concinna** *mihī.*
9418. 6; *nigrina**. *Fall. C. S.* 37.
9419. 7; *Humuli**. *Fabr. P.* 126.
9420. 8; *dilatata**.
Ci. *dilatatus*. *Mus. Marsham.*
9421. 9; *parvula**. *Fall. C. S.* 37.
9422. 10; *reticulata**.
Ci. *reticulata*. *Mus. Marsham.*
9423. 11, *erythrophthalma*.
Ci. *erythrophthalmus*. *Mus. Marsham.*
9424. 12; *Cassidea**. *Fall. C. S.* 37.
9425. 13; *carinata**. *Panz. F.* xcix. *f.* 20.
9426. 14; *pallida** *mihī.*
9427. 15; *pusilla**. *Fall. C. S.* 38.
b. “*Antennis pilosis.*” *Fall.*
9428. 16, *obscura** *mihī.*
Ac. *clavicornis*. *Fabr. iv.* 70.—*Panz. F.* xxiii. *f.* 23.
Ci. *clavicornis*. *Linn. ii.* 717.—*Berk. S. i.* 115.—*Stew. ii.* 102.
—*Turt. iii.* 608.

Genus 6: (1365). DICTYONOTA, *Curtis*, (*Kirby*.)
 TINGIS *p*, *Fabr.*

9429. 1; crassicornis*. *Curtis*. iv. pl. 154.
 Ti. crassicornis. *Fall. C. S.* 38.
 Ci. marginatus. *Mus. Marsham.*
9430. 2; Eryngii*. (*Curtis l. c. supra.*)
 Ti. Eryngii. *Latr. H.* xii. 253.
9431. 3, spinifrons.
 Ti. spinifrons. *Fall. C. S.* 38.
9432. 4, cristata.
 Ti. cristata. *Panz. F.* xcix. f. 19.
9433. 5; foliacea*.
 Ti. foliacea. *Fall. C. S.* 39.
9434. 6, Pyri.
 Ti. Pyri. *Fabr. R.* 126.—*Turt.* ii. 614.
9435. 7; rufescens* *mihi*.

Familia II: (159.) PENTATOMIDÆ, *Leach*.
 (HE.-LONGILABRES *p*, *Latr.*)

- Genus 7: (1366). TETYRA, *Leach*, *Samou.*, (*Kirby*).
 TETYRA *p*, *Fabricius*.—SCUTELLERA *p*, *Latreille*.
9436. 1: obliqua*. *Leach MSS?*—(*Ing. Inst.* 90.)
9437. 2: maura*. *Fabr. R.* 136.—(*Sam. I.* 40.)
 Ci. maurus. *Linn.* ii. 716.
- 9438 † 3. lineata^a.
9439. 4, fuliginosa. *Fabr. R.* 139?
 Ci. fuliginosus. *Linn.* ii. 716.—*Schäff. Ic.* 11. f. 10–12.—
Turt. ii. 619. (!)
 Te. trilineata *mihi*.
9440. 5, fulvicornis.
 Sc. fulvicornis. *Faun. F. cum icone*.
9441. 6; inuncta*. *Fabr. R.* 139.—(*Sam. I.* 40.)
 Ci. inunctus. *Panz. F.* xxxvi. f. 24.—*Stew.* ii. 103.—*Turt.* ii. 619.
9442. 7; Scarabæoides*. *Fabr. R.* 143.
 Ci. Scarabæoides. *Linn.* ii. 716.—*Wolff. Ci.* i. 4. pl. 1. f. 4.—
Berk. S. i. 115.—*Stew.* ii. 102.—*Turt.* ii. 619.

^a 9438 † 3. lineata. *Leach E. E.* ix. 121.

Ci. lineatus. *Linn.* ii. 716.

Te. nigrolineata. *Fabr. R.* 135.

Ci. nigrolineatus. *Don.* xiv. 19. pt. 473. (!)

Genus 8: (1367). *THYREOCORIS*, Schrank, Leach.

SCUTELLERA p, Latreille.—*TETYRA p*, Fabricius.

9443. 1, *globus*. Leach E. E. ix. 121.

Ci. *globus*. Wolff. Ci. i. 3. pl. 1. f. 3.

Genus 9: (1368). —

CYDNUS p? Fall.—*PENTATOMA p*, Latr.

9444. 1, *umbrinus*.

Ci. *umbrinus*. Wolff.—Panz. F. xciii. f. 15.

Genus 10: (1369). *CYDNUS*, Fabricius, Leach, Samou., Curtis, (Kirby.)

PENTATOMA p, Latreille.

9445. 1; *bicolor**. (Curtis l. c. infra.)

Ci. *bicolor*. Linn. ii. 722.—Panz. F. xxxii. f. 11.—Berk. S. i. 116.—Don. ix. 21. pl. 297.—Stew. ii. 104.—Turt. ii. 649.—Wood. i. 107. pl. 38.

Ci. *nubilosa*. Harr. Ex. 90. pl. xxvi. f. 8.

9446. 2; *tristis**. Fabr. R. 185?

Ci. *spinipes*. Schrank A. 527?

Ci. *morio*. Panz. F. xxxii. f. 15.

9447. 3, *Morio**. Fabr. R. 184.—(Curtis l. c. infra.)

Ci. *Morio*. Linn. ii. 722.—Panz. F. xxxii. f. 16.—Turt. ii. 650.

9448. 4, *dubius**. Curtis. ii. pl. 74.

Ci. *dubius*. Scop. C. 121.

Ci. *albo-marginatus*. Schra. A. 531.

Cy. *marginatus mihi*. (Curtis l. c. supra.)

9449. 5; *biguttatus**. (Curtis l. c. supra.)

Ci. *biguttatus*. Linn. ii. 722.—Turt. ii. 649.

9450. 6; *albomarginatus**.

Ci. *albomarginatus*. Fabr. R. 179.—Panz. F. xxxiii. f. 20.

Genus 11: (1370). *PENTATOMA*, Olivier, Leach, Samou., Curtis, (Kirby.)

CYDNUS p, Fabr., Leach, Samou.

9451. 1; *oleracea**. (Curtis l. c. infra.)—(Kirby & Sp. I. E. iv. 166.)

Ci. *oleraceus*. Linn. ii. 722.—Panz. F. xxxii. f. 12.—Berk. S. i. 116.—Stew. ii. 104.—Turt. ii. 649.

Cy. *oleraceus*. Leach E. E. ix. 121.—(Sam. I. 14.)

9452. 2; *cærulea**. Curtis. i. pl. 20.

Ci. *cæruleus*. Linn. ii. 722.—Berk. S. i. 116.—Stew. ii. 104.—Turt. ii. 649.

β, Pe. *cyanea*. Mus. Marsham.

9453. 3; *melanocephala**. (Curtis l. c. supra.)

^a 9455 † 5. ornata.

Ci. ornatus. Linn. ii. 725.—Panz. F. xxxiii. f. 19.—Turt. ii. 647. (!)

^b 9458 + 8. dumosa.

Ci. dumosus. Linn. ii. 721.—Panz. F. xxxiii. f. 16.—Turt. ii. 644. (!)

^c 9464 † 14. punctata.

Ci. punctatus. Linn, ii. 720.—Turt, ii. 624. (?)

Ci. rufipes. *Linn.* ii. 719.—*Wolff.* *Ci.* 1. 9. *pl.* 1. *f.* 9.—*Harr.* *Ex.* 89. *pl.* xxvi. *f.* 6.—*Stew.* ii. 103. *pl.* viii. *f.* 5.—*Turt.* ii. 623.—(*Kirby & Sp. I. E. pl.* ii. *f.* 5.)

9467. 17; *Custos**. (*Curtis l. c. supra.*)
Ci. Custos. *Fabr. R.* 157.

9468. 18; *bidens**. *Leach E. E.* ix. 121.—(*Sam. I.* 33.)—(*Curtis l. c. supra.*)

Ci. bidens. *Linn.* ii. 718.—*Panz. F.* xxvi. *f.* 22.—*Turt.* ii. 623.

Genus 12: (1371). ACANTHOSOMA, *Curtis.*

PENTATOMA *p*, *Olivier*, *Curtis.*

9469. 1, *grisea*.

Ci. griseus. *Linn.* ii. 721.—*Panz. F.* xxxiii. *f.* 17.—*Stew.* ii. 103.—*Turt.* ii. 646.—(*Kirby & Sp. I. E. i.* 358.)

Pe. grisea. (*Curtis l. c. fo.* 20.)

9470. 2; *hæmorrhoidalis**. *Curtis.* i. *pl.* 28.

Ci. hæmorrhoidalis. *Linn.* ii. 720.—*Don.* vii. 6. *pl.* 218. *f.* 2.—*Stew.* ii. 103.—*Turt.* ii. 626.—(*Kirby & Sp. I. E. iii.* 341.)

Ci. pabulinus. *Harr. Ex.* 88. *pl.* xxvi. *f.* 2.

9471. 3; *liturata**. (*Curtis l. c. supra.*)

Ci. lituratus. *Fabr. R.* 170.—*Panz. F.* xl. *f.* 19.

9472. 4; *agathina**. (*Curtis l. c. supra.*)

Ci. agathinus. *Fabr. R.* 170.—*Wolff.* *Ci.* ii. 58. *pl.* 6. *f.* 55.

Genus 13: (1372). ÆLIA, *Fabricius*, *Leach*, *Samou.*

9473. 1; *acuminata**. *Fabr. R.* 189.—*Leach E. E.* ix. 121.—*Samou.* 221.

Ci. acuminatus. *Panz. F.* xxxii. *f.* 17.—*Berk. S.* i. 116.—*Don.* iv. 28. *pl.* 118. *f.* 2.—*Stew.* ii. 104.—*Turt.* ii. 651.

Familia III: (160). COREIDÆ, *Leach.*

(HE.-LONGILABRES *p*, *Latr.*—CORISIÆ, *Latr.*)

Genus 14: (1373). COREUS, *Fabricius*, *Leach*, *Samou.*, *Curtis*, (*Kirby.*)

9474. 1; *marginatus**. *Fabr. R.* 192.—*Leach E. E.* ix. 121.—*Samou.* 222. *pl.* 5. *f.* 7.—(*Kirby & Sp. I. E. ii.* 378.—*Id.* iii. 109.)
Curtis l. c. infra.

Ci. marginatus. *Linn.* ii. 719.—*Berk. S.* i. 115.—*Stew.* ii. 103.—*Turt.* ii. 630.

Ci. Tipularious. *Harr. Ex.* 89. *pl.* xxvi. *f.* 3.

9475. 2, *scapha**? *Fabr. R.* 193.—*Wolff.* *Ci.* ii. 69. *pl.* 7. *f.* 66.—*Curtis.* iv. *pl.* 174.

9476. 3; *quadratus**. *Fabr. R.* 199.—*Wolff.* *Ci.* ii. 70. *pl.* 7. *f.* 67.—(*Curtis l. c. supra.*)

Co. rhomboideus. (*Sum. I.* 12.)

Co. venator. *Don.* xi. 41. *pl.* 375.

9477. 4, scabricollis *mihi*.

Co. scabricornis. *Panz. F. xcix. f. 21?*—(*Curtis l. c. supra?*)

9478 † 5, V. album. *Kirby MSS.* In *Mus. D. Kirby, et Waterhouse*.

9479. 6; denticulatus*. *Scop. C. No. 365.*—*Wolff. Ci. ii. 71. pl. 7. f. 68.*—(*Curtis l. c. supra?*)

Co. hirticornis. *Fabr. R. 198.*—(*Sam. I. 12.*)

Genus 15: (1374). —

LYGÆUS p, Burrell.

9480. 1; micropterus*.

Ly. micropterus. *Ent. Trans. (Burrell.) i. 73. pl. 3.*—(*Sam. I. 26.*)

Genus 16: (1375). —

COREUS II., Latreille.—**LYGÆUS p, Sam.**

9481. 1; nugax*.

Co. nugax. *Fabr. R. 200.*—*Wolff. Ci. i. 50. pl. 3. f. 30.*

Ci. gonymelas. *Don. vii. 5. pl. 218. f. 1.*—*Stew. ii. 107.*—*Turt. ii. 668.*

Ly. nugax. (*Sam. I. 26.*)

Genus 17: (1376). **ALYDUS, Fabricius, (Kirby.)**

COREUS III., Latreille.

9482. 1, calcaratus*. *Fabr. R. 251. (!)*—(*Ing. Inst. 90.*)—(*Kirby & Sp. I. E. iii. 615.*)

Ci. calcaratus. *Linn. ii. 732.*—*DeGeer. iii. 280. pl. 14. f. 23, 24.*
♀, Ci. niger. *Marsh.?* *MSS.*

9483. 2, æneus*.

Ci. æneus. *Marsh.?* *MSS.*

Genus 18: (1377). **PYRRHOCORIS, Fallen, (Kirby.)**

LYGÆUS p, Fabricius, Leach, Samou.

9484. 1, apterus.

Ci. apterus. *Linn. ii. 727.*—*Berk. S. i. 117.*—*Stew. ii. 105.*—*Turt. ii. 663.*

Ly. apterus. *Fabr. R. 227.*—(*Leach E. E. ix. 122.*)—(*Sam. I. 26.*)

Genus 19: (1378). **CORIZUS, Fallen.**

LYGÆUS p, Fabr.

9485. 1, Hyoscyami.

Ci. Hyoscyami. *Linn. ii. 726.*—*Panz. F. lxxix. f. 21.*—*Berk. S. i. 117.*—*Stew. ii. 105.*—*Turt. ii. 657.*

Ly. Hyoscyami. *Fabr. R. 218.*—(*Sam. I. 26.*)

Ci. apterus. *Harr. Ex. 91. pl. xxvi. f. 12.*—(*Samou. pl. 5. f. 8.*)

9486 † 2, Equestris.

Ci. equestris. *Linn.* ii. 726.—*Panz. F.* lxxix. f. 19.—*Berk. S.* i. 117.—*Stew.* ii. 105.—*Turt.* ii. 656.
In Mus. *Brit.*, et *D. Hope.*

Genus 20: (1379). KLEIDOCERYS, *Westwood* MSS.

LYGÆUS *p.*, *Fallen.*

9487. 1; capitatus*.
Co. capitatus. *Fabr. R.* 201.—*Wolff. Ci.* ii. 75. *pl. 8. f. 72.*
9488. 2; magnicornis*.
Co. magnicornis. *Fabr. R.* 200.
9489. 3; crassicornis*.
Ci. crassicornis. *Fabr. R.* 201.—*Schäff. Ie. pl. 13. f. 10.*—*Turt.* ii. 666. (!)
9490. 4; Caricis*.
Ci. Caricis. *Mus. Marsham.*
Ly. claviculus. *Fallen C. S.* 64?
9491. 5; Resedæ*.
Ci. Resedæ. *Panz. F.* xl. *f. 20.*
9492. 6; centralis*. *Westwood* MSS.
9493. 7; immunis *mihi.*
9494. 8; costalis* *mihi.*

Genus 21: (1380). PACHYMERUS, *St. Fargeau?*

LYGÆUS *p.*, *Fabricius.*

A. “Capite dilatato, thorace immarginato.” *Fall.*

9495. 1; Urticæ*.
Ly. Urticæ. *Fabr. R.* 231. (!)
Ci. Urticæ. *Stew.* ii. 106.—*Turt.* ii. 665.
Ci. viror. *Harr. Ex.* 91. *pl. xxvi. f. 13?*
9496. 2; sanguineus* *mihi.*
9497. 3; annularis* *mihi.*
9498. 4, Thymi.
Ly. Thymi. *Wolff.*—*Fall. C. S.* 63.
B. “Capite angustato, fronte brevi, subacutâ; thorace sæpiùs marginato.” *Fall.*
9499. 5; Pini*.
Ci. Pini. *Linn.* ii. 729.—*Wolff. Ci.* ii. 74. *pl. 8. f. 71.*—*Stew.* ii. 106.—*Turt.* ii. 664.
9500. [6; lynceus*.]
Ly. lynceus. *Fabr. R.* 231. (!)
Ci. lynceus. *Stew.* ii. 106.—*Turt.* ii. 665.
9501. 7; nubilus*.
Ly. nubilus. *Fall. C. S.* 65.
Ci. arenanis. *Linn.* ii. 729?—*Stew.* ii. 106?—*Turt.* ii. 668?

9502. 8; *agrestis**.
 Ly. *agrestis*. *Fall. C. S.* 66.
9503. 9; *erraticus*.
 Ly. *erraticus*. *Fabr. R.* 232.
9504. 10, *plebeius**.
 Ly. *plebeius*. *Fall. C. S.* 67.
9505. 11; *chiragra**.
 Ly. *chiragra*. *Fabr. R.* 233.
9506. 12, *Echii**.
 Ly. *Echii*. *Fabr. R.* 235.
9507. 13; *Rolandri**.
 Ci. *Rolandri*. *Linn.* ii. 729.—*Schæff.* *Ic.* 87. *f.* 7.—*Stew.* ii. 106.—*Turt.* ii. 664.
9508. 14; *apicalis**.
 Ci. *apicalis*. *Mus. Marsham.*
9509. 15; *sylvaticus**.
 Ly. *sylvaticus*. *Fabr. R.* 229.
9510. 16; *transversus**.
 Ci. *transversus*. *Mus. Marsham.*
9511. 17; *podagricus**.
 Ly. *podagricus*. *Fabr. R.* 232. (!)
 Ci. *podagricus*. *Turt.* ii. 666.
9512. 18; *quadratus**.
 Ly. *quadratus*. *Fabr. R.* 232.—*Coqueb.* *Ic.* 9. *f.* 12.
9513. 19; *brachypterus** *mihi*.
9514. 20; *pedestris**.
 Ly. *pedestris*. *Fall. C. S.* 71.—*Panz. F.* xcii. *f.* 14?
9515. 21; *rusticus**.
 Ly. *rusticus*. *Fall. C. S.* 70.
- 9516 ad 9522: 7 sp. *adhuc examinandæ*. (28 sp.)
- Genus 22: (1381). *PLINTHISUS*, *Westwood MSS.*
 LYGÆUS *p*, *Latr.*
9523. 1; *brevipennis**.
 Ly. *brevipennis*. *Latr. G.* iii. 123.
- Genus 23: (1382) —
 LYGÆUS *p*, *Latr.*—MIRIS *p*, *Panz.*
9524. 1; *Abietis**.
 Ci. *Abietis*. *Linn.* ii. 726.—*Berk. S.* i. 118.—*Stew.* ii. 107.—*Turt.* ii. 694.
 Mi. *Abietis*. *Panz. F.* xcii. *f.* 22.
- Var.? Ci. *ferrugineus*. *Linn.* ii. 730.

Genus 24: (1383). HYLOPIHLA, (Kirby.)

SALDA *p*, *Fabr.*

9525. 1; *Nemorum**.
Ci. Nemorum. *Linn. F.* 953.—(*Kirby & Sp. I. E.* i. 108.)
9526. 2; *bipunctata**.
Ci. bipunctata. *Mus. Marsham.*
Sa. pratensis. *Fabr. R.* 116?
9527. 3; *Serratulae**.
Sa. Serratulae. *Fabr. R.* 115. (!)
Ci. Serratulae. *Stew.* ii. 102.—*Turt.* ii. 610.
9528. [4, *campestris* *].
Sa. campestris. *Fabr. R.* 116.
9529. 5, *sylvestris**.
Sa. sylvestris. *Fabr. R.* 116.—*Turt.* ii. 613.
9530. 6, *affinis** *mihi*.
9531. 7; *minuta**.
Ly. minutus. *Fall. C. S.* 73.
9532. 8; *pygmæa**.
Ly. pygmæus. *Fall. C. S.* 73.
9533. 9; *exilis**.
Ly. exilis. *Fall. C. S.* 73.
9534. 10; *cursitans**.
Ly. cursitans. *Fall. C. S.* 74.

Genus 25: (1378). —

9535. 1; *leucoptera** *mihi*.
Salda coleoptrata. *Fall. C. S.* 31?

9536. [2; *ruficeps**] *mihi*.

Genus 26: (1384). ORTHONOTUS, Westwood.

CAPSUS *p*, *Fall.*

9537. 1, *pallicornis*.
Sa. pallicornis. *Fabr. R.* 115.
Cicada aptera. *Linn. F.* No. 894.
9538. 2; *rufifrons**.
Ca. rufifrons. *Fall. C. S.* 105.
9539. [3, *leucocephalus**.] (*Ing. Inst.* 90.)
Ci. leucocephalus. *Mus. Marsham.*
9540. 4; *albipes** *mihi*.
9541. 5; *pilosus**.
Ci. pilosus. *Mus. Marsham.*
9542. 6, *nigripes* *mihi*.

Genus 27: (1385). HETEROTOMUS, Latr.

CAPSUS *p*, *Fabr.*

9543. 1; *spissicornis**.
Ly. spissicornis. *Fabr.* iv. 181.—*Panz. F.* ii. f. 16.

- Ci. spissicornis. *Don.* iv. 71. *pl.* 135.—*Stew.* ii. 104.—*Turt.* ii. 674.
 Ca. spissicornis. (*Sam.* I. 8.)
 9544. 2; magnicornis*.
 Ly. magnicornis. *Fall. C. S.* 99.
 9545. 3, atricornis* *mihi.*
 Genus 23: (1836). CAPSUS, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)
 9546. 1; ater*. *Fabr. R.* 241.—*Leach E. E.* ix. 122.—*Samou.* 222.
 Ci. ater. *Linn.* ii. 725.—*Turt.* ii. 671.
 9547. [2; tyrannus*.] *Fabr. R.* 242.
 9548. 3, semiflavus*.
 Ci. semiflavus. *Linn.* ii. 725.
 Ca. flavicollis. *Fabr. R.* 243. (?)
 Ci. flavicollis. *Stew.* ii. 104.—*Turt.* iii. 672.
 Ca. ruficollis. (*Sam.* I. 8.)
 9549. 4; tricolor*. *Fabr. R.* 246.
 Ly. danicus. *Fall. C. S.* 93?
 Ci. rubens. *Harr. Ex.* 90. *pl.* xxvi. *f.* 10?
 Var.? Ca. seticornis. *Fabr. R.* 244?
 Ca. capilaris. *Fabr. R.* 244?
 Ci. melinus. *Harr. Ex.* 90. *pl.* xxvi. *f.* 11?
 9550. 5; aterrimus* *mihi.*
 9551. 6; albomarginatus*. *Fabr. R.* 245.
 Ci. flavomarginatus. *Don.* vii. 79. *pl.* 245.—*Stew.* ii. 106.—*Turt.* ii. 680.
 9552. [7; gothicus*.] *Fabr. R.* 244.
 Ci. gothicus. *Linn.* ii. 726.—*Turt.* ii. 673.
 9553. [8; concinnus*] *mihi.*
 Ca. scutellaris. *Fabr. R.* 245?
 Ci. superciliosus. *Linn.* ii. 728?
 9554. 9; mutabilis*. *Fall. C. S.* 98.
 9555. 10; fuscipes* *mihi.*
 9556. 11, unifasciatus. *Fabr. R.* 243.
 Mi. semiflavus. *Wolff. Ci.* iv. 154. *pl.* 15. *f.* 48.
 9557. 12; flavomaculatus*. *Fabr. R.* 247.
 9558. 13, umbratilis. *Fabr. R.* 246.
 Ci. umbratilis. *Turt.* ii. 672.
 9559. 14; triguttatus*.
 Ci. triguttatus. *Linn.* ii. 729.
 9560 ad 9566: 7 sp. adhuc examinandæ.
 9567 † 22. trifasciatus^a.

^a 9567 † 22. trifasciatus. *Fabr. R.* 244.
 Ci. trifasciatus. *Linn.* ii. 725.—*Turt.* ii. 672. (?)

Genus 29: (1387). —

CAPSUS p, *Fabr.*?

9568. 1; pulcherimus*.

Ca. bifasciatus. *Fabr. R.* 242?

Ci. clavatus. *Linn. ii.* 729?

Genus 30: (1388). —

LYGÆUS p, *Fabr.*

9569. 1; tunicatus*.

Ly. tunicatus. *Fabr. R.* 233.

Genus 31: (1389). *PŒCILOSOMA mihi*.

LYGÆUS p, et *CAPSUS p*, *Fabr.*

9570. 1; pratensis*.

Ly. pratensis. *Fabr. R.* 234.

Ci. pratensis. *Linn. ii.* 728? — *Berk. S. i.* 117. — *Stew. ii.* 106.
— *Turt. ii.* 669.

Ci. prasinus. *Mus. Marsham.*

9571. 2; campestris*.

Ci. campestris. *Linn. ii.* 728.

9572. 3, rubicunda*.

Ly. rubicundus. *Fall. C. S.* 84.

9573. 4, rufipennis*.

Ly. rufipennis. *Fall. C. S.* 84.

9574. 5, maculipeennis* *mihi*.

9575. 6; Kalmii*.

Ci. Kalmii. *Linn. ii.* 728?

9576. 7; cordigera* *mihi*.

9577. 8, flavovaria*.

Ca. flavovarius. *Fabr. R.* 243.

Ci. umbratilis. *Berk. S. i.* 117?

9578. 9, immunis* *mihi*.

9579. 10; pistacinæ*.

Ly. pistacinæ. *Fall. C. S.* 86.

9580. 11; varipes* *mihi*.

9581. 12, punctulata*.

Ly. punctulatus. *Fall. C. S.* 87.

9582. 13; concinna* *mihi*.

9583. 14, tripustulata*.

Ly. tripustulatus. *Fabr. R.* 239.

9584. 15; Gyllenhalii*.

Ly. Gyllenhalii. *Fall. C. S.* 88.

9585. 16; variabilis*.

Ly. variabilis. *Fall. C. S.* 88.

9586. 17, Umbellatarum.
 Ly. Umbellatarum. *Panz. F.* xciii. f. 19.
9587. 18, mutabilis *.
 Ci. mutabilis. *Linn. ii.* 731.
9588. 19; ambigua *.
 Ly. ambiguus. *Fall. C. S.* 89.
9589. 20; rubricata *.
 Ly. rubricatus. *Fall. C. S.* 91.
9590. 21; rosea *.
 Ly. roseus. *Fabr. R.* 238.
9591. 22; sanguinea *.
 Ly. sanguineus. *Fabr. R.* 238.
9592. 23; hæmoptera.
 Ci. hæmopterus. *Mus. Marsham.*
- 9593 ad 9609: 17 sp. adhuc examinandæ. (40 sp.)
 Cimices incertæ sedes: 20 sp.—LYGÆUS p, et CAPSUS p, *Fabr.*
9610. 1, Filicis *.
 Ci. Filicis. *Linn. ii.* 718.—*Berk. S. i.* 115.—*Stew. ii.* 102.—
Turt. ii. 613.
- Ac. Filicis. *Wolff. Ci. ii.* 46. *pl. 5. f. 43.*
9611. 2; tenellus *.
 Ly. tenellus. *Fall. C. S.* 90.
- Ci. chlorocephalus. *Mus. Marsham.*
- 9612 † 3. leucocephalus ^a .
9613. 4; pulicarius *.
 Ly. pulicarius. *Fall. C. S.* 95.
- 9614 ad 9630: 17 sp. adhuc examinandæ.
- Genus 32: (1390). AZINECERA *mihi*.
9631. 1; dispar * *mihi*.
 Ca. dolabrimornis. *Kirby MSS?*
- Genus 33: (1391). —
- LYGÆUS p, *Fabr.*
9632. 1; Stigma * *mihi*.
 Ci. laevigatus. *Mus. Marsham.*
9633. 2; rufus * *mihi*.
 Ci. danicus. *Mus. Marsham.*
9634. 3; ferrugatus *.
 Ly. ferrugatus. *Fabr. R.* 236.
 Ci. roseo-maculatus. *DeGeer.*

^a 9612 † 3. leucocephalus.

Ci. leucocephalus. *Linn. ii.* 723.—*Turt. ii.* 670. (¹)

9635. 4; *Chenopodii* *.
 Ly. *Chenopodii*. *Fall. C. S.* 74.
 Var.? Ly. *quadripunctatus*. *Fabr. R.* 235.
 Ci. *quadrimaculatus*. *Stew.* ii. 105.
9636. 5; *bipunctatus* *.
 Ly. *bipunctatus*. *Fabr. R.* 235.
9637. 6; *binotatus* *.
 Ly. *binotatus*. *Fabr. R.* 235.
9638. 7; *lævigatus* *.
 Mi. *lævigatus*. *Panz. F.* xciii. f. 21.
9639. 8; *pabulinus* *.
 Ci. *pabulinus*. *Linn.* ii. 727.—*Turt.* ii. 693.
9640. 9; *contaminatus* *.
 Ly. *contaminatus*. *Fall. C. S.* 76.
9641. 10; *nassatus* *.
 Ly. *nassatus*. *Fabr. R.* 236.
9642. 11; *rugicollis* *.
 Ly. *rugicollis*. *Fall. C. S.* 76.
9643. 12; *Tanaceti* *.
 Ly. *Tanaceti*. *Fall. C. S.* 77?
9644. 13; *angulatus* *.
 Ly. *angulatus*. *Fall. C. S.* 76.
9645. 14; *vernans* * *mihī*.
9646. 15; *seladonius* *.
 Ly. *seladonius*. *Fall. C. S.* 77.
9647. 16; *molliculus* *.
 Ly. *molliculus*. *Fall. C. S.* 77?
9648. 17; *chlorizans* *.
 Ly. *chlorizans*. *Panz. F.* xviii. f. 21.
9649. 18; *Coryli* *.
 Ci. *Coryli*. *Linn.* ii. 733.—*Stew.* ii. 106.—*Turt.* ii. 668.
9655. 24; *Arbustum* *.
 Ly. *Arbustum*. *Fabr. R.* 238.
9657. 26; *viridulus* *.
 Ly. *viridulus*. *Fall. C. S.* 90.
9658. 27; *Paykullii* *.
 Ly. *Paykullii*. *Fall. C. S.* 92?
- Genus 34: (1392). — *CAPSUS p*, *Fall.*
9659. 1; *vittatus* *.
 Ci. *vittatus*. *Don.* vii. 95. *pl.* 252. *f.* 1.—*Stew.* ii. 105.—*Turt.* ii. 677.
9660. 2; *Caricis* *.
 Ca. *Caricis*. *Fall. C. S.* 102.

Genus 35: (1393). —

CAPSUS p, Fall.

9661. 1; atricapillus*.

Ci. atricapillus. *Mus. Marsham.*

9662. 2; collaris*.

Ca. collaris. *Fall. C. S. 103?*9663. 3; pallidus* *mihi.*9664. 4; tripunctatus* *mihi.*Genus 36: (1394). *PHYTOCORIS, Fallen?**LYGÆUS p, et CAPSUS p, Fabr.*

9665. 1; striatus*.

Ci. striatus. *Linn. ii. 730.—Panz. F. xciii. f. 22.—Stew. ii. 107.—Turt. ii. 694.*Ci. striatus: Fine streaked Bugkin. *Berk. S. i. 118.*

9666. 2; striatellus*.

Ly. striatellus. *Fabr. R. 236.*Ci. quadripunctatus. *Don. iii. 77. pl. 101. f. 1-3.—Turt. ii. 680.*Ci. pulligo. *Harr. Ex. 89. pl. xxvi. f. 4.*

9667. 3, scriptus.

Ci. scriptus. *Fabr. R. 234.*

9668. 4, campestris.

Ci. campestris. *Stew. ii. 106.—Turt. ii. 669.*

9670. 6, sexguttatus*.

Ly. sexguttatus. *Fabr. R. 237.*

9672. 8; elongatus*.

Ci. elongatus. *Mus. Marsham.*

9674. 10; Populi*.

Ci. Populi. *Linn. ii. 731.—Berk. S. i. 118.—Don. vii. 95. pl. 252. f. 2.—Turt. ii. 670.*

9675. [11, umbratilis*.]

Ci. umbratilis. *Linn. ii. 728.—Stew. ii. 104.*9676 † 12. Ulmi^a.Genus 37: (1395). *MIRIS, Fabr., Leach, Samou., (Kirby.)*9677. 1; dolabratus*. *Fall. C. S. 107.*Ci. dolabratus. *Linn. ii. 730.—Turt. ii. 692.*Mi. lateralis. *Fabr. R. 254.—Wolff. Ci. iii. 115. pl. 11. f. 109. ♂?*♀. Mi. abbreviatus. *Wolff. Ci. iii. 116. pl. 11. f. 110.*Ci. subapterus. *Mus. Marsham.*9678. 2; ferrugatus*. *Fall. C. S. 107.*Mi. dolabratus. *Fabr. R. 253?*^a 9676 † 12. Ulmi.Ci. Ulmi. *Linn. ii. 731.—Berk. S. i. 118. (!)—Stew. ii. 107. (!)—Turt. ii. 694. (!)*

9679. 3; lævigatus*. *Fabr. R.* 253.
 Ci. lævigatus. *Linn. ii.* 730.—*Turt. ii.* 692.
 Ci. pallidus. *Harr. Ex.* 90. *pl. xxvi. f.* 9.
 Ci. pallescens. *Mus. Marsham.*
9680. 4; calcaratus*. *Fall. C. S.* 110.
 β; Ci. vires. *Linn. ii.* 730?
9681. 5; nudicornis* *mihi.*
9682. 6; erraticus*. *Fall. C. S.* 111.
 Ci. erraticus. *Linn. ii.* 731.
 Mi. hortorum. *Wolff. Ci.* iv. 160. *pl. 16. f.* 154.
9683. 7; longicornis*. *Fall. C. S.* 108.
9684. 8; ruficornis*. *Fall. C. S.* 112.
9685. 9; holsatus*. *Fabr. R.* 254.
9686. 10; Marshami*.
 Ci. Marshami. *Gmel.?*—*Turt. ii.* 692.
 Ci. pallescens. *Don. iii.* 78. *pl. 101. f.* 5, 6.—*Stew. ii.* 107.
9687. 11, ferus. *Fabr. R.* 255?
 Ci. ferus. *Linn. ii.* 731?—*Turt. ii.* 693.
 β; Mi. vagans. *Fabr. R.* 255?—*Leach E. E.* ix. 122.—*Samou.* 222.
9688. 12; dilatatus* *mihi.*
9689. 13; xanthoceras* *mihi.*
- Genus 38: (1396). MYODOCHA^a.
- Genus 39: (1397). NEIDES, *Latr.*, *Curtis.*
- BERYTUS, *Fabr.*, *Leach*, *Samou.*—GERRIS p, *Fabr. olim.*
9691. 1; tipularia*. *Latr. G.* iii. 120.—(*Curtis l. c. infra.*)
 Ci. tipularius. *Linn. ii.* 733.—*Turt. ii.* 692.
 By. tipularius. *Leach E. E.* ix. 122.—*Samou.* 222.
9692. 2; clavipes*. (*Curtis l. c. infra.*)
 By. clavipes. *Fabr. R.* 265.
9693. 3; tripunctata* *mihi.*
9694. 4, elegans. *Curtis.* iv. *pl.* 150.

Familia IV: (161). REDUVIIDÆ.

(HE.-NUDICOLLES, *Latr.*)

- Genus 40: (1398). REDUVIUS, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)
9695. 1; personatus*. *Fabr. R.* 267.—(*Leach E. E.* ix. 122.)—
 (*Sam. I.* 36.)—(*Kirby & Sp. I. E.* ii. 297.)

^a Genus 38: (1396). MYODOCHA, *Latr.*, *Leach*, *Samou.*

9690 † 1. Tipuloides. (*Latr. G.* iii. 126.)—(*Leach E. E.* ix. 122.)—(*Samou.* 223.) (!)
 Ci. Tipuloides. *De Geer.* v. 354. *pl. 35. f.* 18.

Ci. personatus. *Linn.* ii. 724.—*Berk.* S. i. 117.—*Stew.* ii. 108.
—*Turt.* ii. 694.

Ci. anulata. *Harr. Ex.* 89. *pl. xxvi.* *f. 5.*

Genus 41: (1399). NABIS? *Latr.*, (*Kirby?*)

REDUVIUS *p.*, *Fabr.*

9696. 1; annulatus?*

Re. annulatus. *Fabr. R.* 271?

Ci. annulatus. *Turt.* ii. 696?

9697. 2; subapterus*.

Ci. subapterus. *DeGeer.* iii. 287. *pl. 15.* *f. 10.*—(*Kirby & Sp. I. E.* ii. 391.)

Re. apterus. *Fabr. R.* 281.

9698. 3; annulipes* *mihi.*

9699. 4; cingulatus* *mihi.*

9700. 5; sublineatus* *mihi.*

9701. 6; obsoletus* *mihi.*

9702. 7; tripunctatus*.

Ci. tripunctatus. *Mus. Marsham.*

9703. 8; hirtipes *mihi.*

9704. 9; creticola*.

Ci. creticola. *Mus. Marsham.*

Genus 42: (1400). PLOIARIA, *Scop.*, *Leach*, *Samou.*, (*Kirby.*)

GERRIS *p.*, *Fabr.*

9705. 1; vagabunda*. *Latr. H.* xii. 162.—(*Leach E. E.* ix. 122.)
—(*Sam. I.* 34.)

Ci. vagabundus. *Linn.* ii. 732.—*DeGeer.* iii. 332. *pl. 17.* *f. 1, 2.*
—*Berk.* S. i. 119.—*Stew.* ii. 107.—*Turt.* ii. 691.

9706. 2; erratica*.

Ge. erratica. *Fall. C. S.* 117.

9707. 3; obscura* *mihi.*

Familia V: (162). ACANTHIIDÆ, *Leach.*

(HE.-OCULATÆ, *Latr.*—CIMICIDES II., *Latr. olim.*)

Genus 43: (1401). ACANTHIA, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

ACANTHIA *p.*, et SALDA *p.*, *Fabr.*

9708. 1; littoralis.

Ci. littoralis. *Linn.* ii. 717.—*DeGeer.* iii. 278. *pl. 14.* *f. 17.*—*Stew.* ii. 102.—*Turt.* ii. 610.

Ac. Zosteræ. *Fabr.* iv. 68.

Var. Sa. flavipes. *Fabr. R.* 114.

9709. 2; saltatoria*.

Ci. saltatorius. *Linn.* ii. 729.—*Wolff.* Ci. ii. 77. *pl. 8.* *f. 74.*—*Stew.* ii. 106.—*Turt.* ii. 671.

Ac. maculata. *Latr. H.* xii. 243.—*Leach E. E.* ix. 123.—*Samou.* 225.

9710. [3, pallipes *.] *Fabr. iv.* 71?

9711. 4, agilis *.

Ci. agilis. *Mus. Marsham.*

Sa. striata. *Fabr. R.* 114?

9712. 5, pilosa.

Sa. pilosa. *Fall. C. S.* 29.

9713. 6, marginalis.

Sa. marginalis. *Fall. C. S.* 30.

9714. 7; elegantula *.

Sa. elegantula. *Fall. C. S.* 30.

9715. 8; lateralis *.

Sa. lateralis. *Fall. C. S.* 30.

Familia VI: (163). HYDROMETRIDÆ, Leach.

(HE.-PLOTERES, *Latr.*—CIMICIDES I., 2, *Latr. olim.*)

Genus 44: (1402). HYDROMETRA, *Latr.*, *Leach*, *Samou.*, *Curtis*, (*Kirby.*)

AQUARIUS p. *Schellenb.*—*EMESSA*, *Fall.*

9716. 1; stagnorum *. *Fabr. R.* 258. (!)—*Leach E. E.* ix. 123.—*Samou.* 224.—*Curtis. i. pl.* 32.

Ci. stagnorum. *Linn. ii.* 732.—*Berk. S. i.* 118.—*Dou. ii.* 5.
pl. 38.—*Stew. ii.* 107.—*Turt. ii.* 689.—*Shaw G. Z.* vi. 167.
pl. 57. *fig. med.*

Aq. paludum. *Schellenberg H.*

Genus 45: (1403). VELIA, *Latr.*, *Leach*, *Samou.*, *Curtis*, (*Kirby.*)
HYDROMETRA *p.* *Fabr.*—GERRIS *p.* *Fall.*

9717. 1; rivulorum *. *Latr. H.* xii. 270.—*Ent. Trans. (Haworth.) i.* 252.—*Leach E. E.* ix. 123.—*Samou.* 224.—*Curtis. i. pl.* 2.
Ge. rivulorum. *Fabr. iv.* 189.

9718. [2; currens *.] *Fabr. R.* 259.—*Leach E. E.* ix. 123.—*Curtis 2 edit. 1. fo.* 2.

Genus 46: (1404). GERRIS, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)

HYDROMETRA *p.* *Fabr.*—AQUARIUS *p.* *Schell.*

9719. 1; paludum *. *Fabr. iv.* 188.—*Stoll. Ci. pl.* 9. *f.* 63.—*Latr. G. iii.* 133.—*Leach E. E.* ix. 123.—*Samou.* 224. *pl.* 5. *f.* 5?

9720. [2; brachypteryx *] *mihī.*

9721. 3; rufo-scutellata *. *Latr. G. iii.* 134.—*Stoll. Ci. pl.* 15.
f. 108.

9722. 4, thoracica * *mihī.*

9723. 5; lacustris *. *Fabr. iv.* 187.—*Latr. G. iii.* 134.

- Ci. lacustris. *Linn.* ii. 732.—*Berk. S. i.* 118.—*Don. iv.* 27.
pl. 118?—*Stew. ii.* 107.—*Turt. ii.* 689.—*Shaw G. Z. vi.* 167.
9724. 6, phæoptera * *mihi*.
9725. 7; *nana* * *mihi*.
Ge. lacustris var. C. *Latr. G. iii.* 135.
9726. 8; *aterrima* * *mihi*.

SECTIO II. AQUATICA, Leach.

(HYDROCORISIÆ, Latreille.)

Familia VII: (164). NEPIDÆ, Leach.

(NEPIDES, Latreille.—NEPA, Linné, &c.)

- Genus 47: (1405). RANATRA, *Fabr., Leach, Samou., (Kirby.)*
HEPA p, Geoffroy.

9727. 1; linearis *. *Fabr. R.* 109.—*Don. iii.* 87. *pl. 105.*—
Leach E. E. ix. 124.—*Samou.* 225.
Ne. linearis. *Linn. ii.* 714.—*Berk. S. i.* 114.—*Stew. ii.* 100.
 —*Turt. ii.* 607.—*Shaw G. Z. vi.* 159. *pl. 56. fig. sup.*—
Wood. i. 103. *pl. 37.*

- Genus 48: (1406). NEPA *Auctorum. Water Scorpion.*

HEPA p, Geoffroy.

9728. 1; cinerea *. *Linn. ii.* 714.—*Berk. S. i.* 114.—*Don. i.* 41.
pl. 18.—*Stew. ii.* 100.—*Turt. ii.* 607.—*Shaw G. Z. vi.* 157. *pl. 55.*
fig. inf., pl. 56. fig. inf. dext. et sinist.—*Leach E. E. ix.* 124.—
Samou. 225. *pl. 5.f. 4.*—(*Kirby & Sp. I. E. iii.*—616.)

- Genus 49: (1407). NAUCORIS, *Geoffroy, Leach, Samou., (Kirby.)*

9729. 1; cimicoides *. *Fabr. R.* 110.—*Don. xi.* 61. *pl. 381.*—
Leach E. E. ix. 124.—(*Sam. I.* 28.)
Ne. cimicoides. *Linn. ii.* 714.—*Berk. S. i.* 114.—*Stew. ii.* 100.
 —*Turt. ii.* 608.—*Shaw G. Z. vi.* 158. *pl. 56. fig. inf. med.*

Familia VIII: (165). NOTONECTIDÆ, Leach.

(NOTONECTIDES, *Latr.*—NOTONECTA, Linné, &c.)

- Genus 50: (1408). NOTONECTA *Auctorum. Boat-fly.*

9730. 1; furcata *. *Fabr. R.* 102.—*Ent. Trans. (Haworth.) i.* 98.
 —*Don. xvi.* *pl. 560. f. 2.*—*Leach E. E. ix.* 124.—*Linn. Trans. (Leach.) xii.* 12.—*Samou.* 226.—(*Curtis l. c. infra.*)
9731. 2; maculata *. *Oliv. E. M. viii.* 388.—*Don. xvi.* *pl. 560. f. 1.*—*Linn. Trans. (Leach.) xii.* 12.—*Samou.* 226.—(*Millard. pl. 1.f. 2.*)—*Curtis. i. pl. 10.*
No. glauca α. *Latr. G. iii.* 150.

9732. 3; glauca *. *Linn. ii.* 712.—*Berk. S. i.* 113.—*Don. iii.* 7.
pl. 73.—*Stew. ii.* 99.—*Shaw G. Z. vi.* 155. *pl. 54. fig. sup.*—

Turt. ii. 606.—*Leach E. E.* ix. 124.—*Linn. Trans. (Leach.)* xii. 13.—(Kirby & Sp. I. E. i. 108.)—*Samou.* 227. pl. 5. f. 3.—*Wood.* i. 101. pl. 36.—(*Curtis l. c. supra.*)

Genus 51: (1409). PLOA, (PLEA) *Leach, Samou.*, (Kirby.)

9733. 1; minutissima*. *Linn. Trans. (Leach.)* xii. 14.—*Samou.* 227.

No. minutissima. *Fourc. P.* i. 220.—*Berk. S.* i. 114.—*Stew.* ii. 99.—*Turt.* ii. 605.—*Shaw G. Z.* vi. 156. pl. 54. fig. med.

Genus 52: (1410). SIGARA, *Leach, Samou.*

9734. 1; minutissima*. *Linn. Trans. (Leach.)* xii. 14.—*Samou.* 227.

No. minutissima. *Linn.* ii. 713.

Genus 53: (1411). CORIXA, *Goffroy, Leach, Samou.*

SIGARA p, *Fabricius.*

A. "Elytris ad apicem subgradatim acuminatis." *Leach.*

9735. 1; coleoptrata*. *Linn. Trans. (Leach.)* xii. 16.—*Samou.* 228.
Si. coleoptrata. *Fabr. R.* 105?—*Ent. Trans. (Haworth.)* i. 98.

B. "Elytris ad apicem rotundatis." *Leach.*

a. "Elytris thoraceque rugulosis." *Leach.*

9736. 2; rivalis* *mihi.*

9737. 3; lacustris* *mihi.*

9738. 4; fossarum*. *Linn. Trans. (Leach.)* xii. 17.—*Samou.* 228.

9739. 5; striata*. *Linn. Trans. (Leach.)* xii. 16.—*Samou.* 228.
No. striata. *Linn.* ii. 712.—*Don. v.* 101. pl. 176. f. 1?

9740. 6; stagnalis*. *Linn. Trans. (Leach.)* xii. 16.—*Samou.* 228.

9741. 7; lateralis*. *Linn. Trans. (Leach.)* xii. 17.—*Samou.* 228.

9742. 8; dorsalis*. *Linn. Trans. (Leach.)* xii. 17.—*Samou.* 229.

b. "Elytris thoraceque glaberrimis, laevibus." *Leach.*

9743. 9; Geoffroyi*. *Linn. Trans. (Leach.)* xii. 17.—*Samou.* 229.

La. Corise. *Geoffroy H.* i. 478. pl. 9. f. 7.

Si. striata. *Panz. F. l.* f. 7.

No. striata. *Berk. S.* i. 114.—*Don. v.* 101. pl. 176. f. 2, 3.—

Stew. ii. 99.—*Turt.* ii. 606.—*Shaw G. Z.* vi. 155. pl. 54. fig. inf.

9744. 10; affinis*. *Linn. Trans. (Leach.)* xii. 18.—*Samou.* 229.

ORDO VII: (14). HOMOPTERA, Leach.

(RHYNGOTA p, *Fabr.*—HEMIPTERA p, *Linné*.—HEMIPTERA-HOMOPTERA, *Latr.*)

Familia I: (166). CICADIIDÆ, Leach.

Genus 1: (1412). CICADA, *Geoff.*, *Leach*, *Samou.*TETTIGONIA, *Fabr.*9745 † 1. Orni^a.9746. 2; haematodes. *Linn.* ii. 707.—*Leach E. E.* ix. 125.Ti. sanguinea. *Fabr. R.* 39.Ci. anglica. (*Samou.* 447. pl. 5. f. 2.)

Familia II: (167). FULGORIDÆ.

(FULGORELLÆ, *Latr.*—FULGORA et CICADA p, *Linné*.Genus 2: (1413). FULGORA^b.

Genus 3: (1414). —

FLATA, *Fabr.*, *Leach*, *Samou.*, (*Kirby.*)—CIXIUS p, *Samou.*

9748. 1; reticulata*.

Fl. reticulata. (*Samou.* 230.)

9749. 2; venosa*.

Ci. venosa. *Mus. Marsham.*

9750. 3; membranacea*.

Ci. membranacea. *Mus. Marsham.*

9751. 4; nebulosa* mihi.

9752. 5; nervosa*.

Ci. nervosa. *Linn.* ii. 709.—*De Geer.* iii. pl. 12. f. 1, 2.—
Turt. ii. 596.—(*Sam.* I. 11.)

9753. 6; bipunctata* mihi.

9754. 7; punctifrons* mihi.

9755. 8; X-notata* mihi.

9756. 9; rufescens* mihi.

9757. 10; obscura* mihi.

9758. 11; varipes* mihi.

9759. 12; lineola* mihi.

^a 9745 † 1. Orni. *Linn.* 707.—*Stew.* 2 edit. ii. 120. (!)Te. punctata. *Fabr. S.* 516.^b Genus 2: (1413). FULGORA, *Linn.*, *Don.*, *Stew.*9747 † 1. Europæa. *Linn.* ii. 704.—*Panz. F.* xx. f. 16.—*Don.* vi. 65.
pl. 203. (!)

Genus 4: (1415). *ISSUS*, *Fabr.*, *Leach, Samou.*

9760. 1; *coleoptratus**. *Fabr. R.* 99.—(*Sam. I.* 23.)
Ce. coleoptrata. *Panz. F.* ii. f. 11.
Ci. dilatata. *Don. pl. 138.* f. 5, 6.—*Stew. ii.* 99.

Genus 5: (1416). *CIXIUS*, *Latr., Leach, Samou.*

FLATA p, Fabr.

9761. 1; *Cynosbati**.
Fl. Cynosbati. *Fabr. R.* 54.
Ce. Dionysii. *Panz. F.* xxxiv. f. 24.
9762. 2; *trifasciatus** *mihi*.
9763. 3; *cunicularius**.
Ci. cunicularia. *Linn. ii.* 711.
9764. 4; *pilosus**. *Latr. H.* xii. 311.
9765. 5; *phæopterus** *mihi*.
9766. 6; *fuliginosus** *mihi*.
9767. 7; *dorsalis** *mihi*.
Fl. albicincta. *Germ. M. (Germar.)* iii. 199?

9768. 8; *stigmaticus**.
Fl. stigmatica. *Germ. M. (Germar.)* iii. 199.
9769. 9; *leporinus**.
Ci. leporina. *Linn. ii.* 711.—*Panz. F.* lxi. f. 19.
9770. 10; *obliquus** *mihi*.
9771. 11; *contaminatus**.
Fl. contaminata. *Germ. M. (Germar.)* iii. 196.

Genus 6: (1417). *ASIRACA*, *Latr., Leach, Samou.*

DELPHAX p, Fabr.

- 9764*. 1; *clavicornis**. *Latr. H.* xii. 316.—(*Sam. I.* 5.)
De. clavicornis. *Fabr. R.* 83.—*Coqueb. i. pl. 8.* f. 7.—(*Sam. I.* 14.)
- 9765*. 2; *apicalis** *mihi*.
- 9766*. 3; *dubia**.
Ci. dubia. *Panz. F.* xxxv. f. 20.
As. grisea. *Latr. H.* xii. 317.

Genus 7: (1418). *DELPHAX*, *Fabr.*—(*Kirby.*)

- 9767*. 1; *striata**. *Fabr. R.* 84.
- 9768*. 2; *marginata**. *Fabr. R.* 84.—*Coqueb. iii. pl. 21.* f. 4.
- 9769*. 3; *flavescens**. *Fabr. R.* 84.
- 9770*. 4; *pellucida**. *Fabr. R.* 84.

Genus 8: (1419). —

DELPHAX p, Germ.

- 9771*. 1; *hemiptera**.
De. hemiptera. *Germ. M. (Germar.)* iii. 217.
9772. 2; *aterrima** *mihi*.

Familia III: (168). CERCOPIDÆ, Leach.

(MEMBRACIDES et CICADELLÆ, Latreille.—CICADA p, Linné.)

Genus 9: (1420). CENTROTUS, Fabr.

9773. 1; Genistæ*. Fabr. R. 21. (!)—Panz. F. l.f. 20.

Ci. Genistæ. Stew. ii. 96.—Turt. ii. 578.

Me. Genistæ. (Sam. I. 27.)

Genus 10: (1421). MEMBRACIS, Fabr., Leach, Samou.

CENTROTUS, (Kirby.)

9774. 1; cornuta*. Fabr. iv. 14.—(Leach E. E. ix. 125.)—
(Sam. I. 231.)Ci. cornuta. Linn. ii. 705.—Berk. S. i. 112.—Don. ii. 27.
pl. 83.—Stew. ii. 97.—Turt. ii. 578.

Genus 11: (1422). LEDRA, Fabr., Leach, Samou., (Kirby.)

MEMBRACIS p, Oliv.

9775. 1; aurita*. Fabr. R. 24.—(Kirby & Sp. I. E. pl. ii. f. 4.)
(Sam. I. 24.)

Le. aurata. (Samou. 231.)

Ci. aurita. Linn. ii. 706.

Genus 12: (1423). CERCOPIS, Fabr., Leach, Samou., (Kirby.)

9776. 1; sanguinolenta*. Fabr. R. 92.—Leach E. E. ix. 125.—
Samou. 231. pl. 5. f. 1.Ci. sanguinolenta. Linn. ii. 708.—Don. ii. 45. pl. 54. f. 1.—
Stew. ii. 97.—Turt. ii. 584.

Genus 13: (1424). TETTIGONIA, Oliv., Leach, Samou.

9777. 1; bifasciata*.

Ci. bifasciata. Linn. ii. 706.—Panz. F. vii. f. 20.

Cer. bifasciata. (Kirby & Sp. I. E. iv. 511.)

9778. 2; impressa* mihi.

9779. 3; spumaria*.

Ci. spumaria. Linn. ii. 708.—Berk. S. i. 112.—Don. ii. 45.
pl. 54. f. 2.—Stew. ii. 97.—Turt. ii. 585.Var. Ci. lateralis. Linn. ii. 709.—Panz. F. vi. f. 24.—Berk. S. i.
113.—Stew. ii. 98.—Turt. ii. 593.

Ci. vittata. Fabr. R. 96.

Ci. lineata. Fabr. iv. 52.—Turt. ii. 593.

Ci. leucocephalus. Linn. ii. 709.—Berk. S. i. 112.—Stew. ii.
98.—Turt. ii. 585.

Ci. capitata. Fabr. iv. 56.

Ci. flavigollis. Mus. Marsham.

Ci. albiceps. Mus. Marsham.

Ci. vertumnus. Mus. Marsham.

Ci. carnaria. Mus. Marsham.

Ci. rufescens. Mus. Marsham.

9780. [4; leucophthalma *.]

Ci. leucophthalma. *Linn.* ii. 709.—*Turt.* ii. 585.

9781. 5, pusilla * mihi.

Genus 14: (1425). —

TETTIGONIA I. 2, *Latr.*

9782. 1, sanguinicollis.

Ce. sanguinicollis. *Fabr. R.* 94.

Ci. thoracica. *Panz. F.* lxi. f. 18.

† ♀ ? Ci. hæmorrhoa. *Panz. F.* lxi. f. 16.

Genus 15: (1426). IASSUS, *Fabr.*, *Leach*, *Samou.*

TETTIGONIA p, *Latr.*—CERCOPIS p, *Fabr.*

9783. 1; lanio *. *Fabr. R.* 86.—(Sam. I. 23.)

Ci. lanio. *Linn.* ii. 710.—*Panz. F.* iv. f. 23; xxii. f. 10.

Ci. viridis. *Don. pl.* 48. *pl.* 54. f. 3.

9784. 2; incarnatus * mihi.

9785. 3, griseus *.

Ci. grisca. *Fabr. R.* 96?

9786. 4, os-album *.

Ci. os-album. *Mus. Marsham.*

9787. 5; Populi *.

Ci. Populi. *Mus. Marsham.*

Ia. brunneus. *Fabr. R.* 87?

9788. 6; binotatus * mihi.

9789. 7; geminatus * mihi.

9790. 8; ornatus *.

Ci. ornata. *Mus. Marsham.*

9791. 9, variegatus * mihi.

Genus 16: (1427). —

9792. 1; humeralis * mihi.

9793. 2; flavovaria * mihi.

9794. 3; unicolor * mihi.

9795. 4, rustica.

Ci. rustica. *Fabr. iv.* 54.—*Turt.* ii. 587.

9798. 7, flava *.

Ci. flava. *Mus. Marsham.*

9802. 11; canaliculata.

Ci. canaliculata. *Mus. Marsham.*

9809. 18, glauca.

Ci. glauca. *Mus. Marsham.*

Genus 17: (1428). —

IASSUS p, *Fabr.*

9810. 1; viridis *.

Ci. viridis. *Linn.* ii. 711.—*Berk.* S. i. 113.—*Stew.* ii. 98.—
Turt. ii. 594.—*Wood.* i. 99. *pl.* 35.
Ia. viridis. (*Sam.* I. 23.)

9811. 2; *interruptus**.
Ci. interrupta. *Linn.* ii. 710.—*Berk.* S. i. 113.—*Stew.* ii. 98.—
Turt. ii. 593.

Ia. interruptus. (*Sam.* I. 23.)

9812. 3; *acuminatus**.

Ci. acuminata. *Fabr.* R. 76.

9813. 4; *nebulosus** *mihi.*

9814. 5, *brachypteryx**. *Kirby?* *MSS.*

Genus 18: (1429). —

IASSUS p, et CERCOPIS p, *Fabr.*

A. *Maculati.*

9815. 1; *obscura** *mihi.*

9816. 2; *excavata** *mihi.*

9817. 3; *irrorata** *mihi.*

9818. 4; *atra** *mihi.*

9821. 7, *variegata.*

Ci. variegata. *Fabr.* iv. 55.

9822. 8, *cuspidata.*

Ci. cuspidata. *Fabr.* R. 79. (!)—*Stew.* ii. 98.—*Turt.* ii. 598.

B. *Lineati.*

9824. 10; *lineata.*

Ia. lineatus. *Fabr.* R. 87.

9825. 11; *concinna** *mihi.*

9826. 12; *pulchella** *mihi.*

9827. 13; *striata**.

Ci. striatus. *Fabr.* R. iv.—*Berk.* S. i. 113.—*Stew.* ii. 98?—
Turt. ii. 586.

9828. 14; *flavostrigata.*

Ci. flavostrigata. *Don.* viii. 87. *pl.* 288. *f.* 2.

C. *Fasciati.*

9831. 17; *trifasciata.*

Ce. trifasciata. *Fabr.* R. 98.—*Coqueb.* Ill. Ic. 8. *f.* 10.

9832. 18; *bifasciata.*

Ci. bifasciata. *Don.* xi. 75. *pl.* 387.

9835. 21; *Serratulæ.*

Ci. serratulæ. *Fabr.* iv. 41. (!)—*Stew.* ii. 98.—*Turt.* ii. 596.

9836. 22; *nitidula**.

Ci. nitidula. *Don.* viii. 87. *pl.* 288. *f.* 1.

Genus 19: (1430). ULOPA, *Fallen.*

9837. 1; *Ericæ*.

Ce. Ericæ. *Ahr.* F. iii. *f.* 24.

9840. 4; obliqua* *mihi*.

9846. 10; reticulata*.

Ci. reticulata. *Fabr. R. 98*:

Genus 20: (1431). —

IASSUS p, CERCOPIS p, et CICADA p, Fabr.

9847. 1; acephala.

Ci. acephala. *Mus. Marsham.*

9850. 4; virescens*.

Ci. virescens. *Fabr. R. 79*.

9851. 5; Rosæ*?

Ci. Rosæ. *Linn. ii. 712.—Berk. S. i. 113.—Stew. ii. 98.—Turt. ii. 598.*

9852. 6; suturalis.

Ci. suturalis. *Mus. Marsham.*

9853. 7; sanguinea* *mihi*.

9854. 8; Urticæ.

Ci. Urticæ. *Fabr. R. 77*.

9855. 9; centromacula* *mihi*.

Ci. vitrea. *Fabr. R. 79*:

9856. 10; flavescens*.

Ci. flavescens. *Fabr. R. 79*.

9857. 11; Ulmi*.

Ci. Ulmi. *Linn. ii. 711.—Berk. S. i. 113.—Stew. ii. 98.—Turt. ii. 598.*

9858. 12; aurata*.

Ci. aurata. *Linn. ii. 711.—Turt. ii. 598.*

9859. 13; splendidula*.

Ci. splendidula. *Fabr. R. 79*.

Ci. nitidula. *Turt. ii. 598.*

9860. 14; quadrinotata.

Ci. quadrinotata. *Fabr. R. 78*.

9862. 16; apicalis* *mihi*.

9863. 17; curvatula* *mihi*.

9864. 18; picta*.

Ci. picta. *Fabr. R. 77*.

9865. 19; varia* *mihi*.

9866. 20; punctata.

Ci. punctata. *Fabr. R. 78.—Turt. ii. 597.*

9869. 23; fulgida.

Ia. fulgidus. *Fabr. R. 27.—Stew. ii. 98.—Turt. ii. 597.*

Ci. vittata. *Mus. Marsham.*

9870. 24; Quercus.

Ci. Quercus. *Fabr. R. 79.*

9872. 26; *flammigera*.
Ci. flammigera. *Mus. Marsham*.
9873. 27; *hæmatica** *mihi*.
9874. 28; *pulchella** *mihi*.
9875. 29; *obscura** *mihi*.
9876. 30; *pallida** *mihi*.

Familia IV: (169). PSYLLIDÆ^a, *Latreille*.

Genus 21: (1432). PSYLLA, *Geoff.*, *Leach*, *Samou.*

CHERMES, *Linné*, (*Kirby*.)

9877. 1; *Alni**. *Latr. G.* iii. 169.—*Leach E. E.* ix. 125.—*Samou.* 231.
Ch. Betulæ Alni. (*Linn. ii. 738.*)—*DeGeer.* iii. 148. *pl. 10.*
f. 8.—*Berk. S. i. 121.*—(*Stew. ii. 111.*)—*Turt. ii. 711.*—
Shaw G. Z. vi. 186.
9878. 2. *Graminis*.
Ch. Graminis. (*Linn. ii. 737.*)—*Berk. S. . 121.*—(*Stew. ii.*
111.)—(*Turt. ii. 710.*)
9879. 3, *Ulmi*.
Ch. Ulmi. (*Linn. ii. 737.*)—(*Stew. ii. 111.*)—(*Turt. ii. 710.*)
9880. 4. *Cerastii*.
Ch. Cerastii. (*Linn. ii. 737.*)—(*Stew. ii. 111.*)—*Turt. ii. 710.*
9881. 5, *Pyri*.
Ch. Pyri. (*Linn. ii. 737.*)—*DeGeer.* iii. 141. *pl. 9. f. 2.*—
Berk. S. i. 121.—(*Stew. ii. 111.*)—*Turt. ii. 710.*—*Shaw G. Z. vi. 187. pl. 59. fig. sup.*
9882. 6; *Sorbi*.
Ch. Sorbi. *Linn. ii. 738.*—*Berk. S. i. 121.*—(*Stew. ii. 111.*)—
Turt. ii. 710.
9883. 7. *Calthæ*.
Ch. Calthæ. (*Linn. ii. 738.*)—(*Stew. ii. 111.*)—*Turt. ii. 710.*
9884. 8; *Buxi*.
Ch. Buxi. (*Linn. ii. 738.*)—(*Stew. ii. 112.*)—*Shaw G. Z. vi.*
187. pl. 59. fig. inf.—*Wood. i. 114. pl. 40.*
Reaum. I. iii. 29. pl. 1-14.
9885. 9, *Urticæ*.

^a In this and the three remaining Families I have done little more than bring the various references of English writers together; the vastness of the science of Entomology, as may be readily conceived by the foregoing pages, and a constant residence in the metropolis, having prevented me from devoting that attention to these sadly neglected, though highly interesting, groups, which is requisite in order to obtain a correct knowledge either of the species or their affinities.

- Ch. Urticæ. (*Linn.* ii. 733.)—*De Geer.* iii. 134. *pl.* 9. *f.* 17–19.
—*Berk.* S. i. 121.—(*Stew.* ii. 112.)—*Turt.* ii. 711.
9886. 10; Betulæ.
Ch. Betulæ. (*Linn.* ii. 738.)—(*Stew.* ii. 112.)—*Turt.* ii. 711.
—(*Sam. I.* 10.)
9887. 11; Quercus.
Ch. Quercus. *Linn.* ii. 733.—*Berk.* S. i. 121.—(*Stew.* ii. 112.)
9888. 12; Fagi.
Ch. Fagi. (*Linn.* ii. 733.)—(*Stew.* ii. 112.)—*Turt.* ii. 710.
Reaum. I. iii. *pl.* 26. *f.* 1–6.
9889. 13; Abietis.
Ch. Abietis. (*Linn.* ii. 738.)—*De Geer.* iii. 99. *pl.* 8. *f.* 1–3.—
Berk. S. i. 121.—(*Stew.* ii. 112.)—(*Turt.* ii. 711.)
9890. 14, Salicis.
Ch. Salicis. (*Linn.* ii. 739.)—(*Stew.* ii. 112.)—*Turt.* ii. 711.
9891. 15; Fraxini.
Ch. Fraxini. (*Linn.* ii. 739.)—*Berk.* S. i. 122.—(*Stew.* ii. 112.)
—(*Turt.* ii. 711.)—(*Kirby & Sp. I. E.* *pl.* xxviii. *f.* 18.)
9892. 16; Aceris.
Ch. Aceris. (*Linn.* ii. 739.)—(*Stew.* ii. 112.)—*Turt.* ii. 711.
9893. 17; Pini.
Ch. Pini. *Gmelin?*—(*Stew.* ii. 112.)
9894. 18, Pruni.
Ch. Pruni. *Gmelin?*—(*Stew.* ii. 112.)
9895. 19, Cratægi.
Ch. Cratægi. *Gmelin?*—(*Stew.* ii. 112.)
9896. 20. Euonymi.
Ch. Euonymi. *Gmelin?*—(*Stew.* ii. 112.)
9897. 21. Senecionis.
Ch. Senecionis. *Gmelin?*—(*Stew.* ii. 112.)
9898. 22. Lichenis.
Ch. Lichenis. *Gmelin?*—*Stew.* ii. 112.
9899. 23; castanea.
Ch. castanea. *Gmelin?*—*Stew.* ii. 112.
9900. 24, rubra.
Ch. rubra. *Gmelin?*—*Stew.* ii. 112.
- 9901 † 25. Amygdali Persicæ^a.
- 9902 † 26. Ficus^b.

^a 9901 † 25. Amygdali Persicæ. (*Fabr. R.* 304.)
Ch. Amygdali Persicæ. *Stew.* ii. 111. (!)

Reaum. I. iv. *pl.* 1. *f.* 1, 2.

^b 9902 † 26. Ficus.

Ch. Ficus. *Linn.* ii. 739.—*Stew.* ii. 112. (!)
Reaum. I. iii. *pl.* 29. *f.* 17–24.

Genus 22: (1433). *LIVIA*, *Latr.*, *Leach*, *Samou.*, (*Kirby.*)
DIRAPHTIA, *Illiger.*

9903. 1; *Juncorum**. (*Leach E. E.* ix. 125.)—(*Samou.* 232.
pl. 5. f. 11.)
Ps. Juncorum. *Latr. F.* 322. *pl. xii. f. 3.*—*Ent. Trans. (Haworth.)* i. 252.

Familia V: (170). THRIPIDÆ.
(PHYSAPI, *Latreille.*)

Genus 23: (1434). THRIIPS *Auctorum.*

9904. 1; *aculeata**. *Fabr. R.* 312.
9905. 2; *Ulmi**. *Fabr. R.* 313.—*Turt. ii. 716.*
Th. corticis. *DeGeer.* iii. 11. *pl. 1. f. 8-13.*
9906. 3; *Urticæ**. *Fabr. R.* 313.—*Schrank Beyt. pl. 1. f. 25, 26.*
—*Turt. ii. 716.*
9907. 4; *Physapus**. *Linn. ii. 743.*—*DeGeer.* iii. 6. *pl. 1. f. 1.*
—*Berk. S. i. 122.*—*Stew. ii. 114.*—*Turt. ii. 716.*—*Shaw G. Z. vi.*
199. *pl. 63.*—*Leach E. E.* ix. 126.—*Samou.* 232. *pl. 5. f. 12.*—
(*Kirby & Sp. I. E.* i. 128: ii. 331.)—*Wood.* i. 118. *pl. 42.*
9908. 5; *Juniperina**. *Linn. ii. 743.*—*DeGeer.* iii. 10. *pl. 1. f. 5.*
—*Berk. S. i. 122.*—*Stew. ii. 114.*—*Turt. ii. 716.*—(*Sam. I.* 41.)
9909. 6; *fasciata**. *Linn. ii. 743.*—*Sulzer. pl. 7. f. 48.*—*Berk. S. i.*
133.—*Stew. ii. 114.*—*Turt. ii. 717.*—(*Sam. I.* 41.)
9910. 7; *variegata*. *Gmel.*—*Turt. ii. 717.*
9911. 8; *obscura**. *Müll. Z. D. Pr. No. 1084.*
9912. 9; *minutissima**. *Linn. ii. 743.*—*Stew. ii. 114.*—*Turt. ii.*
717.—(*Sam. I.* 41.)

Familia VI: (171). APHIDÆ, *Leach.*
(APHIDII, *Latr.*—*APHIS*, *Linné.*) *Plant-lice.*

Genus 24: (1435). APHIS, *Linné*, *Leach*, *Samou.*, (*Kirby.*)

A. “Abdomen bicorniculatum. (Antennæ setaceæ, elongatæ).”
Latr.

9913. 1; *Pruni*. (*Fabr. R.* 296.)—*DeGeer.* iii. 49. *pl. 2. f. 1-8.*
—(*Stew. ii. 110.*)—*Turt. ii. 704.*—(*Sam. I.* 4.)
9914. 2, *Pomi*. (*Latr. G.* iii. 173.)
Ap. Mali. (*Fabr. R.* 298.)—*DeGeer.* iii. 53. *pl. 3. f. 29.*—
(*Stew. ii. 111.*)—*Turt. ii. 706.*—*Shaw G. Z. vi.* *pl. 58. fig. sup. sinist.*
9915. 3, *Juniperi**. (*Fabr. R.* 300.)—*DeGeer.* iii. 56. *pl. 4. f. 7, 8.*
—(*Stew. ii. 110.*)—*Turt. ii. 707.*—(*Sam. I.* 4.)
9916. 4, *Viciae*. (*Linn. ii. 735.*)—*DeGeer.* iii. 58. *pl. 2. f. 14, 15.*
—*Turt. ii. 708.*
9917. 5; *Millesolii**. *Fabr. R.* 296.—*DeGeer.* iii. 60. *pl. 4. f. 1-5.*

- (Stew. ii. 110.)—Shaw G. Z. vi. 170. pl. 58. fig. sup. dext.—
(Sam. I. 4.)
9918. 6; Rosæ*. (Linn. ii. 734.)—Harr. Ex. 66. pl. xviii. f. 1–3.
—Berk. S. i. 119.—(Stew. ii. 110.)—Turt. ii. 706?—Shaw G. Z.
vi. 171. pl. 58. fig. med.—(Sam. I. 4.)—Bingley. iii. 186.—
Wood. i. 112. pl. 39.
9919. 7; Salicis*. (Linn. ii. 736.)—Berk. S. i. 120.—(Stew. ii.
111.)—Linn. Trans. (Curtis.) vi.—Turt. ii. 707.—Shaw G. Z. vi.
170.—(Sam. I. 4.)
Reaum. I. iii. pl. 22. f. 2.
9920. 8; Ribis. (Linn. ii. 733.)—Berk. S. i. 119.—(Stew. ii. 110.)
—Turt. ii. 703.—(Sam. I. 4.)
Reaum. I. iii. pl. 22. f. 7–10.
9921. 9, Cardui. (Linn. ii. 735.)—Berk. S. i. 120.—(Stew. ii. 110.)
—Turt. ii. 703. (704.)
9922. 10, Absinthii. (Linn. ii. 735.)—Berk. S. i. 120.—(Stew. ii.
110.)—Turt. ii. 705.—(Sam. I. 4.)
9923. 11, Euonymi. (Fabr. R. 297.)—Turt. ii. 705.
9924. 12, Avenæ. (Fabr. R. 297.)—Turt. ii. 705.
Ap. avenæ sativæ. (Stew. ii. 110.)—(Sam. I. 4.)
9925. 13, Viburni. Scop. C. No. 396.—Stew. ii. 111.—(Sam. I. 4.)
9926. 14, Tanaceti. (Linn. ii. 733.)—Berk. S. i. 120.—(Stew. ii.
110.)—Turt. ii. 706.—(Sam. I. 4.)
9927. 15, Papaveris. Fabr. R. 299.—Turt. ii. 707.
9928. 16, Sonchi. (Linn. ii. 735.)—Berk. S. i. 120.—(Stew. ii.
110.)—(Turt. ii. 708.)—(Sam. I. 4.)
9929. 17, Brassicæ. (Linn. ii. 734.)—Harr. Ex. 66. pl. xviii. f. 3–6.
—Berk. S. i. 120.—(Stew. ii. 110.)—Turt. ii. 707.—(Sam. I. 4.)
9930. 18, Althæa. Harr. Ex. 66. pl. xviii. f. 7–9.
9931. 19, Quercus.
Ap. Quercus. Linn. ii. 735.—Berk. S. i. 120.—Stew. ii. 111.
—(Sam. I. 4.)
- B. “Abdomen bituberculatum.” (Antennæ sæpe filiformes.) Latr.
9932. 20; Pini*. (Linn. ii. 736.)—DeGeer. iii. 27. pl. 6. f. 9–16.
—(Stew. ii. 110.)—Turt. ii. 707.—(Sam. I. 4.)
9933. 21; Pineti. (Fabr. R. 300.)—DeGeer. iii. 39. pl. 6. f. 27–
33.—Turt. ii. 707.
9934. 22; Alni. (Fabr. R. 298.)—DeGeer. iii. 47. pl. 3. f. 15–17.
—Berk. S. i. 121.—(Stew. ii. 110.)—(Sam. I. 4.)
9935. 23, Aceris. (Linn. ii. 736.)—Berk. S. i. 121.—Turt. ii.
703. (704.)
Ap. Aceris platanoides. (Stew. ii. 111?)—(Sam. I. 4?)
Reaum. I. iii. pl. 22. f. 6–10.

9936. 24, Ruminis. (*Linn.* ii. 734.)—*Berk.* S. i. 119.—*Turt.* ii. 703. (704.)
Ap. Ruminis Lapathi. (*Stew.* ii. 110.)—(*Sam.* I. 4.)
9937. 25, Betulæ. (*Linn.* ii. 735.)—*Berk.* S. i. 120.—*Stew.* ii. 110.
—*Turt.* ii. 705.—(*Sam.* I. 4.)
Reaum. I. iii. pl. 22. f. 2.
9938. 26, Atriplicis. (*Fabr.* R. 298.)—*Berk.* S. i. 121?—(*Stew.* ii. 111.)—*Turt.* ii. 706.—(*Sam.* I. 4.)
9939. 27, Tiliæ. (*Linn.* ii. 734.)—*De Geer.* iii. pl. 5. f. 1—5.—*Berk.* S. i. 119.—(*Stew.* ii. 110.) (tibiæ.)—*Turt.* ii. 707.—*Shaw G. Z.* vi. 171.—(*Sam.* I. 4.)
9940. 28, Roboris. *Linn.* ii. 735.—*Turt.* ii. 707.
9941. 29, Ulmi.
Ap. Ulmi. *Linn.* ii. 733.—*De Geer.* iii. 81. pl. 5. f. 7—18.—*Berk.* S. i. 119?—(*Stew.* ii. 110.)—*Turt.* ii. 706.—(*Shaw G. Z.* vi. pl. 58. fig. inf.)—(*Sam.* I. 4.)
- C. Incertæ sedes:
9942. 30, Lychnidis. (*Linn.* ii. 294.)—*Berk.* S. i. 119.—(*Stew.* ii. 110.)—*Turt.* ii. 703.—(*Sam.* I. 4.)
9943. 31, Capreæ. (*Fabr.* R. 294.)—(*Stew.* ii. 110.)—*Turt.* ii. 703.—(*Sam.* I. 4.)
9944. 32, Sambuci. (*Linn.* ii. 734.)—*Berk.* S. i. 119.—(*Stew.* ii. 110.)—*Turt.* ii. 703.—(*Sam.* I. 4.)
9945. 33, Cerasi. (*Fabr.* R. 295.)—*Turt.* ii. 703.
Ap. Pruni Cerasi. (*Stew.* ii. 110.)—(*Sam.* I. 4.)
9946. 34, Pistinacæ. (*Linn.* ii. 734.)—(*Turt.* ii. 703. (704.)
9947. 35, Nymphææ. (*Linn.* ii. 734.)—(*Turt.* ii. 703. (704.)
9948. 36. Ægopodii. *Scop. C.* No. 399.
Ap. Ægopodii podagrariæ. (*Stew.* ii. 110.)
9949. 37. Dauci. (*Fabr.* R. 299.)—*Stew.* ii. 110.—*Turt.* ii. 706.
—(*Sam.* I. 4.)
9950. 38, Ligustici. (*Fabr.* R. 301.)
Ap. Ligustici Scotici. (*Stew.* ii. 110.)—(*Sam.* I. 4.)
9951. 39. Acetosæ. (*Linn.* ii. 734.)—*Turt.* ii. 703.—(*Sam.* I. 4.)
9952. 40. Padi. (*Linn.* ii. 734.)—(*Stew.* ii. 110.)—(*Turt.* ii. 708.)
—(*Sam.* I. 4.)
Reaum. I. iii. pl. 23. f. 9, 10.
9953. 41. Lactucæ. *Linn.* ii. 735.—(*Stew.* ii. 110.)—(*Turt.* ii. 708.)—(*Sam.* I. 4.)
Reaum. I. iii. pl. 22. f. 3—5.
9954. 42. Cirsii. *Linn. F.* No. 987.—(*Stew.* ii. 110.)
9955. 43. Jaceæ. *Linn. F.* No. 991.—*Berk.* S. i. 120.—(*Stew.* ii. 110.)—*Turt.* ii. 708.—(*Sam.* I. 4.)

9956. 44. Plantaginis. *Bonnet*.—(*Stew.* ii. 111.)—(*Sam. I.* 4.)
 9957. 45. Leucanthemi. *Scop. C.* No. 404.—(*Stew.* ii. 111.)—
 (*Sam. I.* 4.)
 9958. 46. Scabiosæ. *Scop. C.* No. 405.—(*Stew.* ii. 111.)—(*Sam. I.* 4.)
 9959. 47. Fabæ. *Scop. C.* No. 408.—(*Stew.* ii. 111.)—(*Turt.* ii.
 710.)—(*Sam. I.* 4.)—*Bingley.* iii. 189.
 9960. 48. Craccæ. *Scop. C.* No. 407.—*Berk. S.* i. 120.—(*Stew.* ii.
 110.)—(*Sam. I.* 4.)
 9961. 49. Vitis^a.

Genus 25: (1436). ERIOSOMA, *Leach MSS.*, *Samou.*

MYZOXyla, *Latr.*, (*Kirby.*)—MYZOXYLUS, *Stark.*

A.

9962. 1; Fraxini*.
 Ap. Fraxini. (*Fabr. R.* 297?)—(*Stew.* ii. 110?)—*Turt.* ii. 705?
 —(*Sam. I.* 4.)
 9963. 2; Abietis*.
 Ap. Pineti. *DeGeer.* iii. pl. 6. f. 19–26?
 9964. 3; Cratægi* *michi*.
 9965. 4, Urticæ.
 Ap. Urticæ. *Linn.* ii. 736?—*Frisch. I.* 8. 34. pl. 17.—*Turt.* ii. 706.
 Ap. Urticata. (*Stew.* ii. 110.)—(*Sam. I.* 4.)
 9966. 5; Mali*. *Leach MSS.*—(*Sam. I.* 16.)
 Ap. lanigera. *Illiger*.—*Hort. Trans. (Sir J. Banks.)* ii. 162.
 pl. 11.
 Co. Mali. *Bingley.* iii. 200.

B.

9967. 6; Quercus* *michi*.
 9968. 7; Piceæ*.
 Ap. Piciæ. *Panz. F.* lxxviii. f. 22.
 9969. 8. Tremulæ.
 Ap. Tremulæ. *Linn.* ii. 736.—(*Stew.* ii. 111.)—(*Sam. I.* 4.)
 9970. 9; Xylostei.
 Ap. Xylostei. *DeGeer.* iii. 96. pl. 7. f. 8.—*Turt.* ii. 709.
 9971. 10, Bursaria.
 Ap. Bursaria. *Linn.* ii. 756.—(*Stew.* ii. 111.)—(*Sam. I.* 4.)
 Ap. Bursaria. *Turt.* ii. 703. (704.)
 Swam. B. N. pl. 45. f. xxii–xxv.
 9972. 11, Fagi.
 Ap. Fagi. *Linn.* ii. 735.—*Berk. S.* i. 120.—(*Stew.* ii. 110.)—
 Turt. ii. 705.—(*Sam. I.* 4.)
 Reaum. I. iii. pl. 22. f. 1.

^a 9961. 49. Vitis. *Scop. C.* No. 398.—*Turt.* ii. 708. (!)

9973. 12. Populi. (*Linn.* ii. 736.)—(*Stew.* ii. 111.)—*Turt.* ii. 705.
—(*Sam.* I. 4.)
- Genus 26: (1437). —
9974. 1; *Pinicola** *mihi*.
- Genus 27: (1438). ALEYRODES, *Latr.*, *Leach*, *Samou.*, (*Kirby*)
PHALÆNA-TINEA *p*, *Linné*.—*PHALÆNA* *p*, *Goff.*
9975. 1; *Chelidonii**. *Latr.* *G.* iii. 174.—*Leach E. E.* ix. 126.
—*Samou.* 233.—(*Kirby & Sp. I. E.* iii. 89. 261.)
Ph. Ti. proletella. *Linn.* ii. 889.—*Roem. G. I. pl. 23. f. 18.*—
Stew. ii. 199.
9976. 2; *immaculata** *mihi*.
9977. 3; *bifasciata** *mihi*.
9978. 4; *gigantea** *mihi*.
9979. 5; *dubia** *mihi*.
- Familia VII: (172). COCCIDÆ, *Leach*.
(*GALLINSECTA*, *Latreille*.)
- Genus 28: (1439). DORTHESIA, *Bosc*, *Leach*, (*Kirby*).
CIONOPS, *Leach*.
9980. 1, *Characias*. *Bosc*.—(*Latr.* *G.* iii. 175.)—(*Leach E. E.* ix.
126.)—(*Kirby & Sp. I. E.* iii. 183.)
Co. Characias. *Dorthes*.—*Fabr. R.* 311.
9981. [2, *dubia*.] *Kirby & Sp. I. E.* iii. 183.
Co. dubia. *Panz. F.* xxxv. *f.* 21.
9982. 3, *floccosa*. (*Kirby & Sp. I. E.* iii. 183.)
Co. floccosa. *De Geer*. vii. 604. *pl. xliv. f.* 26.
9983. 4, *Melampyri*.
(Vide *Kirby & Sp. I. E.* iii. 184.)
9984. 5, *cimiciformis*.
Ci. cimiciformis. *Leach MSS.*
9985. 6, *cataphractus*.
Co. cataphractus. *Shaw N. M. v. pl. 182.*—*Shaw G. Z.* vi. 194.
pl. 62.—*Stew.* ii. 114.—*Turt.* ii. 714.—(*Sam. I.* 12.)
- Genus 29: (1440). COCCUS, *Linn.*, *Leach*, *Haw.*, *Samou.*, (*Kirby*).
Scale-insect.
9986. 1, *Phalaridis*. *Linn.* ii. 742.—*Berk. S.* i. 122.—(*Stew.* ii.
113.)—*Turt.* iii. 714.—(*Sam. I.* 12.)
Geoff. H. i. 512. *pl. 10. f.* 5.
- 9987 † 2. *Cacti*^a.

^a 9987 † 2. *Cacti*: Cochineal Insect. *Linn.* ii. 742.—*De Geer.* vi. *pl. 80.*
f. 12-14.—*Shaw G. Z.* vi. 191. *pl. 61.*—(*Samou.* 233.) (1)

9988. 3. Vitis^a.
 9989 † 4. Hesperidum^b.
 9990. 5, Quercus. (*Linn.* ii. 740.)—(*Stew.* ii. 113.)—(*Turt.* ii. 712.)—(*Sam. I.* 12.)
 Reaum. I. iv. *pl. 6. f.* 1–4. 8–10.
 9991. 6, Betulæ. (*Linn.* ii. 740.)—*Berk. S.* i. 122.—(*Stew.* ii. 113.)—(*Turt.* ii. 713.)
 9992. 7, Carpini. (*Linn.* ii. 740.)—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
 9993. 8. Ulmi. (*Linn.* ii. 740.)—*DeGeer.* v. 28. *f.* 7.—(*Stew.* ii. 113.)—(*Turt.* ii. 713.—(*Sam. I.* 12.)
 9994. 9. Coryli. (*Linn.* ii. 741.)—(*Stew.* ii. 113.)—(*Turt.* ii. 713.—(*Sam. I.* 12.)
 Reaum. I. v. *pl. 3. f.* 4–10.
 9995. 10. Tiliæ. (*Linn.* ii. 741.)—(*Stew.* ii. 113.)—(*Turt.* ii. 713.—(*Sam. I.* 12.)
 Reaum. I. v. *pl. 3. f.* 1–3.
 9996. 11. Caprææ. *Linn.* ii. 741.—*DeGeer.* vi. *pl. 28. f.* 13.—(*Stew.* ii. 113.)—(*Turt.* ii. 713.—(*Sam. I.* 12.)
 9997. 12. Salicis. *Linn.* ii. 741.—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
 9998. 13. polonicus. (*Linn.* ii. 741.)—(*Stew.* ii. 113.)—*Shaw G. Z.* vi. 194.—(*Sam. I.* 12.)
 9999. 14. Fragariæ. *Gmel.*?—(*Stew.* ii. 113.)—(*Turt.* ii. 715.—(*Sam. I.* 12.)
 Phil. Trans. 1765. 91. *pl. 10.*
 10000. 15. Pilosellæ. (*Linn.* ii. 742.)—*Act. H.* 1742. *pl. 2.*—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
 10001. 16. Uva ursi. (*Linn.* ii. 742.)—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
 Co. Arbuti. (*Fabr. R.* 310.)
 10002 † 17. Adonidum^c.
 10003. 18. Oxyacanthæ. (*Linn.* ii. 742.)—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
 Reaum. I. iv. *pl. 6. f.* 11, 12.
 Co. Cratægi. (*Fabr. R.* 310.)
 10004. 19. Serratulæ. (*Fabr. R.* 310.) (!)—(*Stew.* ii. 113.)—(*Turt.* ii. 714.—(*Sam. I.* 12.)

^a 9988. 3. Vitis. *Linn.* ii. 741.—*Ent. Trans.* (*Haworth.*) i. 307. (!)
 Reaum. I. iv. *pl. 6. f.* 5–7.

^b 9989 † 4. Hesperidum. *Linn.* ii. 739.—*Berk. S.* i. 122. (!)—(*Stew.* ii. 113!)—(*Turt.* ii. 712!)—*Shaw G. Z.* vi. 190. *pl. 60. fig. sup.*—*Ent. Trans.* (*Haworth.*) i. 307. (!)

^c 10002 † 17. Adonidum. *Linn.* ii. 740.—*Shaw G. Z.* vi. 190.—*Ent. Trans.* (*Haworth.*) i. 308. (!)

10005. 20. Persicæ^a.
10006. 21. Abietis. *Latr. H.* xii. 389.—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
10007. 22. Mespili. *Gmelin?*—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
10008. 23; Alni. *Gmelin?*—(*Stew.* ii. 113.)—*Shaw.* vi. *pl.* 60. *fig. med.*—(*Sam. I.* 12.)
10009. 24. fuscus. *Gmelin?*—*Stew.* ii. 113.—(*Sam. I.* 12.)
10010. 25. variegatus. *Gmelin?*—*Stew.* ii. 113.—(*Sam. I.* 12.)
Reaum. I. iv. *pl.* 5. *f.* 3. *a.*
10011. 26, conchiformis. *Gmelin?*—*Stew.* ii. 113.—(*Sam. I.* 12.)
Reaum. I. iv. 5. *f.* 7.
10012. 27. Aceris. (*Fabr. R.* 308.)—(*Sam. I.* 12.)

^a 10005. 20. Persicæ. (*Fabr. R.* 307.)—(*Stew.* ii. 113.)—(*Sam. I.* 12.)
—*Bingley.* iii. 197.
Co. Persicorum. *Roem. G.* *pl.* 11. *f.* 9.—*Shaw G. Z.* vi. *pl.* 60. *fig. inf.*

APPENDIX

AD PARTEM SECUNDAM.

Page. No.

1. 5794; Papilio Machaon*: Swallow-tail B. (*Wilkes D. pl. 2. f. 1.*)
3. 5800; Colias Edusa*. (*Curtis. folio 242.*)—Clouded Yellow B. (*Wilkes D. pl. 9. f. 8.*)
4. 5800, Co. — Hyale. *Curtis. vi. pl. 242.*
5. 5810; Mancipium Cardamines*. (*Steph. Nom. 38.*)—Orangetip B. (*Wilkes D. pl. 12. f. 4.*)
9. 5823; Melitaea Selene*: The Pearl-border F. (*Wilkes D. pl. 7. f. 4.*)
10. 5827; Argynnus Adyppe*: The High-brown F. (*Wilkes D. pl. 2. f. 4.*)
- 5828; Ar. — Aglaia*: The Darkened Green F. (*Wilkes D. pl. 3. f. 6.*)
11. 5829; Ar. — Paphia*: The Great F. (*Wilkes D. pl. 7. f. 6.*)
- 5830; Vanessa C. album*: The Comma B. (*Wilkes D. pl. 3. f. 7.*)
12. 5831; Va. — Polychloros*: The Great Tortoise-shell B. (*Wilkes D. pl. 2. f. 6.*)
- 5832; Va. — Urticæ*: The Small Tortoise-shell B. (*Wilkes D. pl. 9. f. 9.*)
- 5833; Va. — Io*: The Peacock B. (*Wilkes D. pl. 1. f. 4.*)
13. 5834; Va. — Atalanta*: The Admirable B. (*Wilkes D. pl. 2. f. 3: pl. 7. f. 5.*)
14. 5836; Cynthia Cardui*: The Painted Lady B. (*Wilkes D. pl. 4. f. 2: pl. 12. f. 6.*)
- 5839; Apatura Iris*: The Purple Emperor B. (*Wilkes D. pl. 6. f. 6. ♂: pl. 10. f. 1. ♀.*)
- 5841; Limenitis Camilla*: The White Admirable. (*Wilkes D. pl. 1. f. 7: pl. 3. f. 1.*)
16. 5848; Hipparchia Semele*: The Rock Underwing B. (*Wilkes D. pl. 5. f. 4.*)
- 5849; Hi. — Galathea*: The Marbled B. (*Wilkes D. pl. 9. f. 5.*)
17. 5850; Hi. — Tithonus*: The Orange Field B. (*Wilkes D. pl. 12. f. 5.*)

Page. No.

20. 5860, *Thecla Pruni*. *Curtis*. vi. pl. 264.
 — 5865; Th. — *Quercus**: The Purple Hair Streak B.
 (*Wilkes D. pl. 3.f. 3.*)
 22. 5871, *Lycæna Hippothoë*. (*Loudon M. i. 55.f. 24.*)
 24. 5880, *Polyommatus Icarius*?—Ly. Agathon. *Godart*?
 — 5881; Po. — *Alexis**: The Ultra-marine B. (*Wilkes D.*
 pl. 3.f. 2.)
 28. linea 1. *Pro B. lege b.*
 29.†5901. *Anthrocera Scabiosæ*.—Zy. Minos. *Schrank*.
 30. 5905; An. — *Filipendulæ**: The Burnet M. (*Wilkes D.*
 pl. 7.f. 2.)
 — 5907; *Smerinthus ocellatus**: The Eyed Hawk M. (*Wilkes*
 D. pl. 8.f. 4.)
 — 5908; Sm. — *Populi**: The Poplar Hawk M. (*Wilkes*
 pl. 4.f. 4.)
 — 5909; Sm. — *Tiliæ**: The Lime Hawk. (*Wilkes pl. 8.*
 f. 3.)
 31. — **ACHERONTIA**.—**BRACHYGLOSSA**, *Boisduval*.
 — 5910; Ac. — *Atropos**: The Bee Tyger M. (*Wilkes D.*
 pl. 12.f. 1.)
 32. 5915; *Sphinx Ligustri**: The Privet Hawk M. (*Wilkes D.*
 pl. 5.f. 3.)
 33. 5925; *Deilephila Elpenor**: The Elephant M. (*Wilkes D.*
 pl. 9.f. 4.)
 — 5926; De. — *Porcellus**: The Small Elephant M. (*Wilkes*
 D. pl. 10.f. 5.)
 39. 5950; *Zeuzera Æsculi**: The Wood Leopard M. (*Wilkes*
 D. pl. 5.f. 7.)—(*Loudon M. ii. 67. fig. 16.*)
 — 5951; *Cossus ligniperda**: The Goat M. (*Wilkes D. pl. 4.f. 3.*)
 — — **PYGÆRA**:—**SERICARIA p.**, *Latreille*.
 — 5952; Py. — *bucephala**: The Buff-tip M. (*Wilkes D.*
 pl. 6.f. 7.)
 40. — **CLOSTERA**.—**SERICARIA p.**, *Latreille*.
 41. — **CERURA**.—**FURCULA**, *Lamarck*.—**DICRANURA**,
 Latr.
 — 5960; Ce. — *furcula**: *Furcula Salicis*. *Lamarck*. iii. 562.
 — 5965; Ce. — *Vinula**: The Puss M. (*Wilkes D. pl. 12.*
 f. 2.)
 42. — **STAUROPUS**.—**FURCULA p.**, *Lamarck*.
 — 5970; *Notodonta ziczac**: The Pebble M. (*Wilkes D. pl. 6.*
 f. 5.)
 — 5971; *Leiocampa dictæa**: The Swallow M. (*Wilkes D.*
 pl. 9.f. 6.)
 43. 5975. *Dele* †.
 — — **PTILODONTIS**.—**ORTIORINIA**, *Boisduval*.
 44. — — **PETASIA**.—**ASTEROSCOPEUS**, *Boisduval*.

Page. No.

46. 5985; *Saturnia Pavonia minor** : The Emperor M. (*Wilkes D. pl. 4. f. 1. ♀ : pl. 7. f. 1. ♂.*)—(*Loudon M. ii. 68. fig. 17.*)
- 5990; *Lasiocampa Roboris** : The Great Eggar. (*Wilkes D. pl. 1. f. 1.*)
49. — Genus 55, b. BOMBYX^a.
53. 6015; *Porthesia auriflua**.—*Arctia phæorrhœa*. (*Loudon M. (Bree.) ii. 66. fig. 14.*)
54. — EUTHEMONIA.—*CHELONIA p*, *Godart*.
- — ARCTIA.—*CHELONIA p*, *Godart*.
55. — NEMEOPHILA.—*CHELONIA p*, *Godart*.
60. — EULEPIA.—*EMYDIA*, *Boisduval*.
- — DEIOPEIA.—*EUCHELIA*, *Boisduval*.
62. 6061, *Setina irrorella**. *Steph. Ill. (H.) ii. 99. pl. 17. f. 1.*
- 6062, Se. — *roscida**. *Steph. Ill. (H.) ii. 100.*
- 6063; Se. — *eborina**. *Steph. Ill. (H.) ii. 100.*
63. 6066. *Dele Albin. pl. lxxii. f. a-d.*
- 6067. *Adde Albin. pl. lxxii. f. a-d.*
64. 6072. LYTAEA *mihi*.
- 6072*. Ly. — *leucographa*. (*Steph. Nom. 40.*)—*Steph. Ill. (H.) ii. 199.—Noctua leucographa*. (*Wien. V. 33?*)—*Hüb. No. pl. 88. f. 411.*
- 6072**. Ly. — *albimacula*. (*Steph. Nom. 40.*)—*Graphiphora albimacula*. *Supra. No. 6125.—(Steph. Ill. (H.) ii. 137. pl. 19. f. 3.)*
64. 6078: *Charæas nigra**. *Steph. Ill. (H.) ii. 110. pl. 20. f. 2.* (nec f. 1.)—*Ch. Aethiops*. *Supra. No. 6078.*
65. 6081, *Agrotis lunigera*. *Steph. Ill. (H.) ii. 113. pl. 20. f. 3.* (nec f. 2.)
66. 6089; Ag. — *radiola**. *Steph. Ill. (H.) ii. 119. pl. 20. f. 1.* (nec f. 3.)
67. 6096; Ag. — *cuneigera** nec *valligera*. *Vide Steph. Ill. (H.) ii. 123.*
68. 6108, *Graphiphora subrosea*. *Steph. Ill. (H.) ii. 200. pl. 19. f. 1. ♂.*
70. 6125, *Dele* : *Vide supra. No. 6072**.*
74. — CARADRINA § A. GRAMMESIA *mihi*.
- 6152; *Grammesia trilinea**. *Steph. Ill. (H.) ii. 152.*
- 6153; Gr. — *bilinea**. *Steph. Ill. (H.) ii. 152.*
78. 6182: *Xylina conspicillaris* β*. *Vide Steph. Ill. (H.) ii. 169.* —*Dele Ph. No. perspicillaris*. *Linné? &c.*

^a Genus 55, b. BOMBYX *Auctorum*.

49. 5998*. 1; Mori •.

Ph. Bo. Mori.—*Linn. ii. 817.—Stew. ii. 142.—(Kirby & Sp. I. E. i. 334.)*The Silkworm M. *Albin. pl. 12. f. 16.—Harr. A. pl. 13. f. a-f.—Bingley iii. 217.*

Page. No.

79. — CALOCAMPA.—*XYLINA p.*, *Curtis.*
 — 6184; *Ca.* — exoleta*. — *Ph. No.* exoleta. *Don.* vi. 19.
pl. 187. larva.—*Xy.* exoleta. *Curtis.* vi. *pl.* 256.
 — 6185; *Ca. vetusta* *. *Dele Steph. Ill. (H.) pl. 23. f. 1.*—*Adde*
Don. vi. 19. *pl.* 187. imago.
 — 6189; *Xylophasia rurea* *. *Steph. Ill. (H.) ii.* 176.—*No.*
rurea. *Fabr.* iii. b. 125. (!)—*Ph. No.* *rurea.* *Stew.* ii.
 189. (!)—*Turt.* iii. 338. (!)—*Ph. No.* *hepatica.* *Linn.*?
 80. 6192; *Xy.* — *combusta* *. *Steph. Ill. (H.) ii.* 177.—*Dele*
No. *rurca.* *Fabr., Stew., et Turt.*
 87. 6249: *Celæna leucographa.*—*Apamea Haworthi.* *Curtis.* vi.
pl. 260?—*Dele No.* *leucographa.* (*Wien. V.?* & *Hüb.?*)
 112. †6424, *Catocala Elocata*^a.
 118. †6457*. *Metra?* *monilis*^b.
 126. †6512. *Grammatophora Vau-nigraria* *. In *Mus. D. Hatchett.*
 146. 6673; *Eupithecia Centaureata* *: *The Liine Speck.* *Harr. A.*
pl. 19. *f. a-f.*
 148. 6697, *Dele* †.
 149. — *Pro HERCYNA lege ARTE.*
 172. †6881. *Amphisa Walkerana.* (*Loudon M. i.* 54. *fig.* 21.)
 183. 7025; *Pecilochroma profundana* *. (*Steph. Nom.* 47.)—
Dele Pœ. Sparmanniana, et Py. Sparmanniana. *Fabr.,*
Gmel., et Stew.
 209. 7357; *Oecophora Schaefferella* *.—*Gly.* *Schæfferella.* (*Ing.*
Inst. 90.)
 216. 7447, *Dele* †.

DIPTERA.

233. 7651; *Anopheles bifurcatus* *. *Anopheles bifurcatus.* (*Loudon*
M. i. 54. *fig.* 22.)
 236. 7723; *Chironomus stercorarius* *.—*Tip. stercoraria.* (*Kirby*
& Sp. I. E. iii. 143.)
 268. 8340, *Medeterus notatus* *. (*Ing. Inst.* 91.)
 281. 8514; *Baccha obscuripennis* *. (*Ing. Inst.* 91.)
 285. 8598; *Scæva lunigera* * *nec luniger.*
 286. 8608; *Sc.* — *venusta* * *nec venustus.*
 295. †8720, *Oestrus pictus.* (*Ing. Inst.* 91.)
 300. 8790; *Leucostoina nervosa* * *nec venosa.*

HOMALOPTERA.

327. †9302, *Hæmabora pallipes.* (*Ing. Inst.* 92.)

^a 112 † 6424, *Catocala Elocata.* *Loudon M. i.* 272. *fig.* 136.

^b 118 † 6457*. *Metra?* *monilis.*

Noctua monilis. *Fab.* iii. b. 46. (!)—*Stew.* ii. 85. (!)—*Phytometra*
monilis. *Haw.* 258.

INSECTA DUBIA.

1. *Nitidula* (*Helophorus*) *fusca*. *Turt.* ii. 112.
2. *Ni.* — *reticularia*. *Turt.* ii. 111.
3. *Ni.* — *psyllia*. *Marsh.* i. 138.
4. *Silpha* (*Ips*) *6-pustulata*. *Turt.* ii. 104.
5. *Dermestes ochropus*. *Marsh.* i. 64.
6. *Hister 4-guttatus*. *Marsh.* i. 95.
7. *Buprestis fuliginosa*. *Forst. C.* i. 51.—*Stew.* ii. 75.—*Turt.* ii. 418.—An. *Dasytes*?
8. *Bostrichus melanocephalus*. *Turt.* ii. 88.
9. *Curculio badensis*. *Stew.* ii. 55.
10. *Cu.* — *5-maculatus*. *Berk. S.* i. 98.—*Stew.* ii. 56.—*Turt.* ii. 221.—An. *Rh. Scanicus*. *Gyll.* iii. 118?
11. *Cu.* — *Cerasi*. *Stew.* ii. 56.
12. *Cu.* — *violaceus*. *Turt.* ii. 236.—An. *Magdalisch*?
13. *Chrysomela aterrima*. *Marsh.* i. 183.—An. *Phalacrus*?
14. *Ch.* — *chalcea*. *Marsh.* i. 183.—An. *Phalacrus*?
15. *Cryptocephalus glabratus*. *Stew.* ii. 52.
16. *Cr.* — *4-fasciatus*. *Stew.* ii. 51.—*Turt.* ii. 186.
17. *Hispa cornigera*. *Stew.* ii. 52.
18. *Crioceris nigrina*. *Marsh.* i. 223.
19. *Lytta nitidula*. *Stew.* ii. 85.
20. *Phalæna* (*Bombyx*) *Cerasi*. *Stew.* ii. 145.
21. *Ph.* — (*Geometra*) *oblongata*. *Stew.* ii. 165.
22. *Ph.* — (*Geometra*) *bidentata*. *Stew.* ii. 194.
23. *Ph.* — (*Geometra*) *strigata*. *Fabr.* iii. b. 171.—*Turt.* iii. 51.
24. *Ph.* — (*Tinea*) *Arbutella*. *Fabr.* iii. b. 306.—*Turt.* iii. 370.
25. *Ph.* — (*Tinea*) *viridella*. *Fabr.* iii. b. 312.—*Turt.* iii. 372.
26. *Ph.* — (*Tinea*) *tædella*. *Stew.* ii. 200.
27. *Ichneumon lineator*. *Fabr.* ii. 168. (!)
28. *Culex*? *ciliaris*. *Stew.* ii. 269.
29. *Tipula vernans*. *Stew.* ii. 253.
30. *Eupis forcipata*. *Stew.* ii. 270.
31. *Musca cristata*. *Stew.* ii. 261.
32. *Mu.* — *Hieracii*. *Fabr.* iv. 201.—*Stew.* ii. 263.—*Turt.* iii. 622.
33. *Mu.* — *aestuans*. *Turt.* iii. 620.
34. *Mu.* — *sericea*. *Don.* xiii. 26. *pl.* 445. *f.* 2.
35. *Mu.* — *festiva*. *Don.* xv. *pl.* 511.—An. *Dolichopus*?
36. *Mu. seminationis*. *Don.* iv. 45. *pl.* 125.

INDEX GENERUM.

- | | | |
|--|---|--|
| <p>Abax, 26, 24, 25
 Abia, 325
 Abræus, 99
 Abraxas, ii. 136
 Abrostola, ii. 104
 Acæna, ii. 121
 Acænitus, 352
 Acalles, 157
 Acanthia, ii. 351, 335
 Acanthocinus, 197
 Acanthosema, ii. 340
 Acanthurus, 410
 Acentria, 316
 <i>Achatea</i>, ii. 87
 Achatia, ii. 87
 Achenium, 286
 Acherontia, ii. 31, 371
 Acheta, 303, 302
 Acidalia, ii. 125, 138,
 139, 140, 142, 143,
 147, 149, 150
 Acidota, 298
 Acilius, 53
 <i>Acolaste</i>, ii. 311
 Acontia, ii. 108
 Acosmetia, ii. 110
 Acrida, 300
 Acrocera, ii. 275
 Acrocinus, 412
 <i>Acromyia</i>, ii. 260
 <i>Acronicta</i>, ii. 91
 Acronycta, ii. 91
 Acrydium, 302
 Actebia, ii. 87
 Actina, ii. 278, 279
 Adela, ii. 200
 Aderus, 255
 Adimonia, 211
 <i>Adscita</i>, ii. 28, 29
 <i>Æcophora</i>, ii. 199, 208
 Ægeria, ii. 35, 34
 Ægialia, 114 </p> | <p>Ælia, ii. 340
 Aëpus, 36
 <i>Æschna</i>, 308
 Æshna, 308, 309
 Agabus, 407
 Agathidium, 69, 68
 Agathis, 353
 Aglia, ii. 45
 Aglossa, ii. 159
 Agonum, 17, 16, 19, 20,
 25, 33
 Agramma, ii. 336
 Agrilus, 120
 Agrion, 307, 308
 Agroteras, ii. 160
 Agrotis, ii. 65, 64, 68, 89
 Agyrtes, 77
 Alcis, ii. 124
 Aleochara, 261, 259, 260,
 268
 Aleyrodes, ii. 367
 Allantus, 332, 330
 Allecula? 246
 Alomya, 350
 Alophus, 171
 Alpæus, 12
 Alphitobius, 243
 <i>Altica</i>, 128, 212, 213
 Alucita, ii. 231, 228, 200,
 213, 222, 229
 Alydus, ii. 341
 Alyisia, 355
 Alyson, 362
 <i>Alysson</i>, 362
 <i>Analoplia</i>, 105
 Amalus, 159
 Amara, 26, 28
 Amasis, 325
 <i>Amblycerus</i>, 192
 <i>Amblychus</i>, 14
 Amblypteryx, 318
 <i>Amblys</i>, 372 </p> | <p>Ammophila, 361
 <i>Amophila</i>, 361
 <i>Amorphæ</i>, ii. 30
 Amphidasis, ii. 117
 <i>Amphimalla</i>, 115
 Amphipyra, ii. 77
 Amphisa, ii. 172
 Anabolia, 320
 Anacampsis, ii. 195
 Anarta, ii. 107
 Anaspis, 248
 Anax, 308, 416
 Anchomenus, 16
 Anchylopera, ii. 177
 Andrena, 382, 370, 376,
 386, 387, 388, 390
 <i>Andriæ</i>, ii. 41
 Aneurus, ii. 335
 Anisomera, ii. 250
 Anisoplia, 117
 Anisopteryx, ii. 114, 116
 <i>Anisopus</i>, ii. 257
 <i>Anisotoma</i>, 66, 68, 69,
 71
 <i>Anlacus</i>, 167
 Anobium, 141, 136, 139,
 142
 <i>Anomæus?</i> 5
 Anomala, 116, 117, 410
 Anomalon, 352, 343
 Anopheles, ii. 233
 Anoplus, 159
 Anthierophagus, 86
 Anthicus, 254, 92, 255,
 256, 257
 Anthidium, 372, 370,
 371, 374
 Anthobium, 295
 Anthomyia, ii. 305
 Anthonomus, 163
 Anthophagus, 298
 <i>Anthophila</i>, ii. 110, 161 </p> |
|--|---|--|

- Anthophora*, 377, 371, 372, 373, 374
Anthrax, ii. 273, 270
Anthrenus, 96, 97
Anthribus, 192, 66, 80, 82, 193, 239, 240
Anthrocera, ii. 29
Anthrodus, 192
Antithesia, ii. 172
Apamea, ii. 85, 64, 84, 86, 87
Apate, 144, 55, 411
Apatela, ii. 91
Apatura, ii. 14
Aphanisticus, 120
Aphelia, ii. 180
Aphelopus, 400
Aphis, ii. 363
Aphodius, 108, 113, 114
Aphritis, ii. 279
Apion, 184, 189
Apis, 381, 357, 358, 363, 364, 370, 371, 372, 373, 374, 376, 377, 378
Apius, 184, 189, 364
Aplocera, ii. 141
Apoda, ii. 59
Apoderes, 191
Apoderus, 191, 190
Aporus, 358
Apotoma, 133
Aquarius, ii. 352, 44
Arachnipes, 164
Aradus, ii. 335
Archarias, 162
Arcopagus, 258
Arctia, ii. 54, 52, 53, 55, 56, 57
Arenarius, 1
Arge, 325
Argutor, 21
Argynnus, ii. 9, 8, 7
Argyreus, ii. 2, 9
Argyrolepia, ii. 190
Argyromis? ii. 205
Argyrosetia, ii. 205
Argyrotoza, ii. 189
Argus, ii. 14, 15, 21, 22
Aristus, 8
Arpactus, 362, 363
Arpcphorus, 7
Arpidiphorus, 97
Arte, ii. 373
Ascalaphæ, ii. 111
Ascia, ii. 3, 280
Asilus, ii. 257, 294, 295
Asindulum, ii. 251
Asiraca, ii. 356
Asopia, ii. 160, 161
Aspidiphorus, 97
Aspilates, ii. 128, 139, 141
Aspistes, ii. 256
Aspitates, ii. 128
Astata, 363
Astatus, 341, 342
Asteroscopus, ii. 371
Astrapaeus, 276
Ateuchus, 104, 106
Athalia, 330
Atherix, ii. 270, 269
Atomaria, 83
Atopa, 127
Atractocera, ii. 254
Atrichia, ii. 324
Atropos, 313
Attacus, ii. 45
Attagenus, 95
Attelabus, 191, 7, 100, 137, 138, 151, 184, 189, 190
Atychia, ii. 28
Auchenia, 211, 210, 213, 247
Autalia, 259
Azinecera, ii. 347
Azinephora, ii. 126
Baccha, ii. 281, 260, 321
Badister, 14, 405, 406
Baëtis, 306
Bagolis, 158, 164, 167
Balaninus, 162, 149, 163, 165, 183
Banchus, 351, 399, 403
Bapta, ii. 147
Baridius, 149
Baris, 149
Barynotus, 171
Bassus, 353, 355, 399
Battus, ii. 3, 5, 26, 27
Belyta, 399
Bembex, 364, 367
Bembidion, 34
Bembidium, 41, 34, 35, 36
Beris, ii. 278, 279
Berosus, 59
Berytus, ii. 350
Bethyllus, 399, 358
Bibio, ii. 255, 241, 254, 261, 270, 273
Biphyllus, 88
Bisnius, 283
Biston, ii. 117
Bitoma, 92, 88, 94
Blaps, 244, 243, 245
Blatta, 303
Bledius, 292
Blemus, 35, 36
Blephara, ii. 112
Blethisa, 42, 25
Blethisus, 42
Boarmia, ii. 125, 123, 124
Bolboceras, ii. 410
Bolbocerus, 106, 410
Boletaria, 85, 87, 89
Bolitestes, 142
Bolitobius, 269
Bolitophagus, 243
Bolitophila, ii. 250
Bombus, 378
Bombycia, ii. 96
Bombyciæ, ii. 34, 96
Bombylius, ii. 273
Bombyx, ii. 37, 38, 39, 44, 45, 49, 50, 51, 57, 58, 59, 60, 61, 62, 64, 65, 70, 82, 88, 91, 95, 96, 109, 111, 121, 155, 156, 157
Borborus, ii. 325
Boreus, 304
Bostrichus, 144, 139, 142, 145, 146, 147, 258
Bothynoderes, 181
Botys, ii. 164, 160, 162, 163, 168
Brachinus, 6, 5
Brachyderes, 181
Brachygaster, 343
Brachyglossa, ii. 371
Brachynemias, 393
Brachyopa, ii. 292
Brachypterus, 81
Brachyrhinus, 172, 188

<i>Brachyrhynchus</i> , 172	<i>Campylomyza</i> , ii. 241	<i>Cerophytum</i> , 121
<i>Brachysomus</i> , 176	<i>Canephoræ</i> , ii. 57	<i>Ceroplatys?</i> ii. 250
<i>Brachystoma</i> , ii. 260	<i>Cantharis</i> , 254, 130, 134, 136, 137, 195, 246, 250, 251, 252	<i>Cerostoma</i> , ii. 222
<i>Brachytarsus</i> , 193	<i>Capillaria</i> , ii. 200, 201	<i>Cerura</i> , ii. 41, 371
<i>Bracon</i> , 355, 352	<i>Capsus</i> , ii. 345, 344, 346, 347, 348, 349	<i>Cerylon</i> , 90, 91, 92
<i>Bradyepetes</i> , ii. 128	<i>Carabus</i> , 9, 13, 36, 41, 87, 298	<i>Cetonia</i> , 118, 117
<i>Bradytus</i> , 28	<i>Caradrina</i> , ii. 74, 572	<i>Ceutorhynchus</i> , 152, 150, 156, 157, 158
<i>Bremus</i> , 378	<i>Carpalimus</i> , 294	<i>Chætophora</i> , 99
<i>Brepha</i> , ii. 113	<i>Carpelinus</i> , 294	<i>Chæopteryx</i> , 321
<i>Brephos</i> , ii. 113	<i>Carpophilus</i> , 81	<i>Chalcis</i> , 393, 394
<i>Briophila</i> , ii. 93, 91, 168	<i>Cassida</i> , 228, 77	<i>Chalsis</i> , 393
<i>Brius</i> , 171	<i>Catephia</i> , ii. 111	<i>Chaonia</i> , ii. 44
<i>Brontes</i> , 195	<i>Cateretes</i> , 81, 295	<i>Chariclea</i> , ii. 104
<i>Broscus</i> , 24	<i>Catheretes</i> , 82, 83	<i>Charæas</i> , ii. 64
<i>Brotheus</i> , 158	<i>Catocala</i> , ii. 112	<i>Charissa</i> , ii. 140
<i>Bruchus</i> , 193, 139	<i>Catops</i> , 72, 74	<i>Cheilosia</i> , ii. 283
<i>Bryaxis</i> , 257	<i>Cecidomyia</i> , ii. 240	<i>Cheimatobia</i> , ii. 142
<i>Bryssus</i> , 175	<i>Cechenus</i> , 355	<i>Cheimatophila</i> , ii. 189
<i>Bucentes</i> , ii. 293	<i>Celæna</i> , ii. 87	<i>Cheiropachus</i> , 395
<i>Bupalus</i> , ii. 115	<i>Celcripes</i> , ii. 328	<i>Chelaria</i> , ii. 198
<i>Buprestis</i> , 118, 56, 226	<i>Celsia</i> , ii. 105	<i>Chelonia</i> , ii. 372
<i>Byrrhus</i> , 97, 55, 141, 238	<i>Cemonus</i> , 366	<i>Chelonus</i> , 355
<i>Bythinus</i> , 258	<i>Cenrotæpteryx</i> , ii. 102	<i>Chelostoma</i> , 371
<i>Byturus</i> , 86, 87	<i>Centris</i> , 373, 377, 378	<i>Chermes</i> , ii. 361
<i>Cabera</i> , ii. 126, 127, 128	<i>Centrotus</i> , ii. 357	<i>Chesias</i> , ii. 141, 142, 143
<i>Cacicula</i> , 240	<i>Cephaleia</i> , 341	<i>Chilo</i> , ii. 221, 214, 217
<i>Cacidula</i> , 239, 240	<i>Cephalops</i> , ii. 266	<i>Chilocorus</i> , 230
<i>Cafius</i> , 283	<i>Cephalotes</i> , 24	<i>Chimarra</i> , 318
<i>Calandra</i> , 148, 149	<i>Cephus</i> , 341	<i>Chironomus</i> , ii. 233, 236, 237, 238, 240
<i>Calathus</i> , 20, 21	<i>Ceraclea</i> , 319	<i>Chlænia</i> , 15
<i>Calepteryx</i> , 308	<i>Cerambyx</i> , 196, 139, 195, 202, 203, 205, 252	<i>Chlaenius</i> , 15, 14
<i>Callicerus</i> , 268	<i>Ceraphron</i> , 402, 400, 399	<i>Chloephora</i> , ii. 168
<i>Callidium</i> , 199, 201	<i>Cerastis</i> , ii. 76	<i>Chlorima</i> , 183
<i>Callimone</i> , 394	<i>Ceratina</i> , 371, 370	<i>Chlorolepis?</i> 179
<i>Callimorpha</i> , ii. 59, 53, 54, 55, 60	<i>Ceratopogon</i> , ii. 238, 237, 239	<i>Chlorophanus</i> , 183
<i>Callistus</i> , 16	<i>Ceratophytum</i> , 121	<i>Chlorops</i> , ii. 323
<i>Callomyia</i> , ii. 266	<i>Cerceris</i> , 366	<i>Choleva</i> , 74, 72, 73
<i>Calobata</i> , ii. 318, 264	<i>Cercopis</i> , ii. 357, 358, 359	<i>Choragus</i> , 142
<i>Calocampa</i> , ii. 79, 373	<i>Cercus</i> , 81	<i>Chrysis</i> , 392, 391, 398
<i>Calophasia</i> , ii. 104	<i>Cercyon</i> , 62	<i>Chrysaöres</i> , ii. 28
<i>Calopus</i> , 252	<i>Ceria</i> , ii. 280, 255	<i>Chrysogaster</i> , ii. 282
<i>Calosoma</i> , 11	<i>Cerigo</i> , ii. 63	<i>Chrysomela</i> , 220, 55, 73, 87, 127, 128, 137, 210, 238, 240, 242, 245, 246, 247
<i>Calpe</i> , ii. 95	<i>Ceropacha</i> , ii. 95	<i>Chrysomyza</i> , ii. 320
<i>Calyptra</i> , ii. 95	<i>Ceropales</i> , 360, 353	<i>Chrysopa</i> , 310
<i>Campæa</i> , ii. 105, 113, 121, 122		<i>Chrysops</i> , ii. 272
<i>Campta</i> , 80		<i>Chrysotoxum</i> , ii. 279
<i>Campylirhynchus</i> , 156		<i>Chrysotus</i> , ii. 266
<i>Campylis</i> , 127		
<i>Campylus</i> , 127		

<i>Chryus</i> , 179	<i>Cœnosia</i> , ii. 310	213, 225, 241, 245,
<i>Chyliza</i> , ii. 318	<i>Colas</i> , 395	246, 247
<i>Chyphus</i> , 191	<i>Colaspis</i> , 414	<i>Criorhina</i> , ii. 291
<i>Cicada</i> , ii. 355, 357, 360	<i>Colax</i> , 395	<i>Crocallis</i> , ii. 118
<i>Cicindela</i> , 1, 41, 134, 136	<i>Colias</i> , ii. 2	<i>Crocisa</i> , 376
<i>Cicones</i> , 91	<i>Colletes</i> , 387	<i>Crypta</i> , 92
<i>Cidaria</i> , ii. 130, 131, 135, 147	<i>Colobicus</i> , 88	<i>Crypticus</i> , 243
<i>Cilex</i> , ii. 157	<i>Colobus</i> , 81	<i>Cryptocephalus</i> , 226,
<i>Cilissa</i> , 386	<i>Colocasia</i> , ii. 51	74, 127, 137, 209, 210,
<i>Cillenum</i> , 36	<i>Colpocephalum</i> , ii. 333	225, 246, 254
<i>Cimbex</i> , 323, 324, 325	<i>Colymbetes</i> , 48	<i>Cryptocheilus</i> , 359
<i>Cimex</i> , ii. 335	<i>Colydium</i> , 90, 92, 195, 242	<i>Cryptophagus</i> , 85, 83,
<i>Cinetus</i> , 398, 399	<i>Comasinus</i> , 158, 157	86, 87
<i>Cionops</i> , ii. 367	<i>Cona</i> , ii. 324	<i>Cryptorhynchus</i> , 158,
<i>Cionus</i> , 150, 151	<i>Conocephalus</i> , 300	151, 157, 159
<i>Cis</i> , 142, 411	<i>Conopalpus</i> , 252	<i>Cryptus</i> , 345, 325, 327,
<i>Cistela</i> , 245, 72, 73, 95, 97, 99, 127, 128, 246	<i>Conophorus</i> , ii. 273	343, 349, 350, 352,
<i>Cixius</i> , ii. 356	<i>Conops</i> , ii. 295, 280, 292, 293, 296	353, 354, 355
<i>Cladius</i> , 328	<i>Conurus</i> , 272	<i>Ctenophora</i> , 246
<i>Clambus</i> , 70	<i>Cophosis?</i> 405	<i>Cucujus</i> , 195
<i>Clathridium</i> , 82	<i>Copris</i> , 104, 106	<i>Cucullia</i> , ii. 102
<i>Clavellaria</i> , 323, 325	<i>Coptogaster</i> , 146	<i>Culex</i> , ii. 232, 233, 237, 239, 254
<i>Clavicera</i> , 371	<i>Cordulegaster</i> , 309	<i>Culicoides</i> , ii. 239
<i>Cledeobia</i> , ii. 159	<i>Cordulia</i> , 309	<i>Cupido</i> , ii. 19, 21
<i>Cleniocerus</i> , 124	<i>Cordyla</i> , ii. 253	<i>Curculio</i> , 148, 194
<i>Cleonis</i> , 181	<i>Cordylura</i> , ii. 311	<i>Curtonotus</i> , 28
<i>Cleonus</i> , 181	<i>Corethra</i> , ii. 233	<i>Cybister</i> , 53
<i>Cleonymus</i> , 396, 395	<i>Coreus</i> , ii. 340, 335, 341	<i>Cychramus</i> , 80
<i>Cleopus</i> , 151, 150	<i>Corixa</i> , ii. 354	<i>Cyhrus</i> , 8
<i>Cleora</i> , ii. 123, 125	<i>Corizus</i> , ii. 341	<i>Cyclophora</i> , ii. 127
<i>Cleptes</i> , 393	<i>Corticaria</i> , 92, 83, 85, 90, 91, 93, 94, 195	<i>Cyclophorus</i> , 75
<i>Cleroides</i> , 138	<i>Corylophus</i> , 71	<i>Cydnus</i> , ii. 338
<i>Clerus</i> , 138, 136, 137	<i>Corynetes</i> , 138	<i>Cylindrus</i> , 145
<i>Clisiocampa</i> , ii. 48, 47	<i>Coryphium</i> , 296	<i>Cymatophora</i> , ii. 97, 95, 96
<i>Clitellaria</i> , ii. 278	<i>Cosmia</i> , ii. 97	<i>Cymidis</i> , 5
<i>Clivina</i> , 7	<i>Cossonus</i> , 148, 149	<i>Cymindis</i> , 5
<i>Cloëon</i> , 306	<i>Cossus</i> , ii. 39, 38	<i>Cynips</i> , 401, 394
<i>Clostera</i> , ii. 40, 371	<i>Cossyphus</i> , 71	<i>Cypha</i> , 272
<i>Clypeaster</i> , 71	<i>Crabro</i> , 364, 323, 362, 366, 367	<i>Cyphon</i> , 128
<i>Clythra</i> , 225	<i>Cræsus</i> , 330	<i>Cyrtoma</i> , 29
<i>Clytus</i> , 201	<i>Cranibus</i> , ii. 217, 157, 158, 159, 160, 162, 199, 213	<i>Dacne</i> , 89
<i>Cnemidotus</i> , 42	<i>Craterina</i> , ii. 327	<i>Dacus</i> , ii. 312, 314, 322
<i>Cneorhinus</i> , 174	<i>Cratomus</i> , 394	<i>Dahnea</i> , ii. 82
<i>Cnephasia</i> , ii. 180	<i>Creophilus</i> , 274	<i>Dascillus</i> , 127
<i>Cnethocampa</i> , ii. 48	<i>Crvia</i> , 210	<i>Dasicrus</i> , 179
<i>Coccinella</i> , 230, 62, 242	<i>Crioceris</i> , 210, 127, 128, 137, 142, 209, 211,	<i>Dasysera</i> , ii. 199
<i>Coccus</i> , ii. 367		<i>Dasyccerus</i> , ii. 199
<i>Cochlecoctonus</i> , 137		<i>Dasychira</i> , ii. 51
<i>Codrus</i> , 399		<i>Dasygnathus?</i> 115
<i>Cœlioxys</i> , 374		

- Dasypoda, 387, 370
 Dasypogon, ii. 258, 257,
 259, 260
 Dasytes, 136, 252
 Deilephila, ii. 32
Deilophila, ii. 32
 Deiopeia, ii. 60, 372
 Delphax, ii. 356
 Demas, ii. 51
 Demetrias, 3
 Dendrophilus, 102
 Deporaüs, 190
 Depressaria, ii. 193
 Dermestes, 95, 55, 56,
 58, 62, 66, 68, 69, 70,
 71, 74, 83, 88, 136,
 138, 139, 141, 142,
 144, 147, 194, 239,
 240, 241, 295
 Desmophora, ii. 109
 Dexia, ii. 302
 Dianois, 291
 Diaperis, 242
 Diaphania, ii. 164
 Diaphora, ii. 57
 Diaphorus, ii. 266
 Diapria, 398
Dichroa, 179, 387
 Dicranomyia, ii. 243
Dicranura, ii. 371
Dictya, ii. 314, 320
 Dictyonota, ii. 337
 Dictyopteryx, ii. 189
 Dilophus, ii. 255
Dimorpha, 363
Dimorphæ, ii. 45
 Dinarda, 260
 Dinetus, 364
 Dioctria, ii. 259
 Diomyza? ii. 240
 Diplozon, 353
 Diphthera, ii. 94
 Diplolepis, 393, 395, 396,
 402
Diprion, 327, 339
Dipsa, ii. 326
Diraphia, ii. 363
 Dircæa, 247
 Distomus, 8, 405
 Ditoma, 92
Ditomus, 8
 Ditula, ii. 172
 Diurnea, ii. 202, 201
Dixa, ii. 250
 Docophorus, ii. 330
Dolerus, 338, 337
Dolichurus, 361
Dolichopeza, ii. 249
Dolichopus, ii. 268
Dolichurus, 361
Donacia, 206, 209
Donus, 167
Dorcatoma, 141
Doreus, 103
Doritis, ii. 6
Doros, ii. 280
Dorthesia, ii. 367
Dorvillia, ii. 45
Dorytomus, 165
Dosytheus, 337
Drepana, ii. 156, 155
Drepanopteryx, 310
Drilus, 137
Dromia, 3
Dromius, 3, 3
Drusilla, 260
Dryades, ii. 9
Dryinus? 399, 400
Drymeia? ii. 310
Dryomyza, ii. 312
Dryops, 54
Drypta, 2
Dynastes, 115
Dypterygia, ii. 77
Dyschirius, 7
Dyticus, 52
Dytiscus, 42, 53, 55, 58,
 59, 60
Eccoptogaster, 144
Echidnæ, ii. 45
Echimuthus, 5
Echinomyia, ii. 298, 297
Eckoptogaster, 146
Edo? 183
Elampus, 391
Elaphrus, 41, 34, 36
Elater, 122, 54, 121, 247
Electra, ii. 135
Eledona, 243
Elicopis, 136
Ellescus, 170
Ellopia, ii. 122, 121
Elmis, 55
Elodes, 128
Elonium, 296
Elophilus, ii. 286, 288
Elophorus, 56, 57, 58
 Emmelesia, ii. 147
Emphytus, 338
Empis, ii. 262, 260, 263,
 293, 295
Emessa, ii. 352
Emus, 274
Emydia, ii. 372
Encephalus, 268
Encyrtus, 397
Endomychus, 240
Endromis, ii. 45
Engis, 89, 90
Enicocera, 408
Enicopteryx, ii. 264
Enicospilus, 352
Enicostoma, ii. 199
Ennomos, ii. 155, 118,
 119, 120, 121, 128, 154
Ennychia, ii. 161
Ensifer, 152
Entedon, 396
Epaphius, 35
Epeolus, 376
Ephemera, 305
Ephidra, ii. 324
Ephippium, ii. 278
Ephistemus, 68
Epimeces, 181
Epigraphia, ii. 202
Epipone, 369
Episema, ii. 40, 64, 70
Epomis, 14, 15
Erastria, ii. 109
Erax, ii. 257, 258, 259
Eremobia, ii. 104
Erinnys, ii. 26, 27
Eriogaster, ii. 48, 47
Eriops, 370
Erioptera, ii. 242
Eriopteryx, ii. 242
Eriopus, ii. 94
Eriosoma, ii. 366
Eriothrix, ii. 301
Eriphia? ii. 310
Eriphinus, 165
Eristalis, ii. 288, 282,
 286, 289, 290, 291
Eristhetus, 294

- Erminea*, ii. 179, 202,
 203
Erodorus, 399
Erotylæ, ii. 109
Erotylus, 89
Eucera, 376, 370
Eucharis, 394, 402
Euchelia, ii. 372
Euchreus, 392
Euchromia, ii. 183
Euclidia, ii. 113
Eucnemis, 121
Eudorea, ii. 214
Eulepia, ii. 60, 372
Eulophus, 396, 397
Eumenes, 368
Eumerus, ii. 281
Eumolpus, 228
Eumorphæ, ii. 31, 32
Eupœcilia, ii. 190
Eupelmus, 395
Eupithecia, ii. 144
Euplectus, 258
Euplexia, ii. 84
Euplocamus, ii. 224
Eupocus, 138
Eureum, ii. 335
Eurhynchus? 189
Eurytoma, 394
Eusomus, 179
Euthemonia, ii. 54, 372
Eutricha, ii. 49
Euzonia, 363
Evania, 343, 360
Evodia, 387
Evæsthetus, 294
Eyprepia, ii. 53, 54, 55,
 56, 57
Exophthalmus, 127
Exorista, ii. 301

Falagria, 259
Falcaria, ii. 155, 156,
 157
Fenusa, 830
Feronia, 405
Fidonia, ii. 115, 114, 116,
 126, 141, 142, 149
Figites, 402, 394
Flata, ii. 355, 356
Fœnus, 343
Forcipomyia, ii. 239

Forficula, 299
Formica, 356
Formicaleon, 310
Fulgora, ii. 355
Fumaria, ii. 57
Fumea, ii. 57
Furcounya, ii. 243
Furcula, ii. 371

Gabrius, 283
Galerita, 2
Galeruca, 211, 209
Galleria, ii. 213
Galleruca, 211
Gasterophilus, ii. 296
Gasterruption, 343
Gastrotus, 172
Gastropacha, ii. 49, 46,
 47, 48
Gastrus, ii. 296
Gelis, 354
Geometra, ii. 119, 110,
 122, 123, 153, 201, 202
Geomorus, 181
Geoniya, 322
Georyssus, 55, 99
Geotrupes, 107, 106,
 114, 115
Gerris, ii. 352, 350, 351
Gibbium, 140
Glæa, ii. 76
Gloma, ii. 262
Glyphisia, ii. 188
Glyphypteryx, ii. 208.
Gnophos, ii. 140
Gnophria, ii. 61
Goëra, 319
Goërius, 275
Gomphoceros, 302
Gomphocerus, 302
Gomphus, 309
Gonatopus, 400
Gonepteryx, ii. 2
Gonia, ii. 297
Goniodes, 260. ii. 333
Gonomyia, ii. 243
Gonoptera, ii. 95
Gonypes, ii. 259
Gortyna, ii. 99, 85
Gorytes, 363
Gracillaria, ii. 228, 207,
 209, 210
- Grammatophora*, ii. 126
Grammesia, ii. 372
Graphiphora, ii. 68, 40
Graphium, ii. 7
Graptus, 171
Gronops, 167
Gryllotalpa, 303
Gryllus, 300, 301, 303,
 304
Grypus, 164
Grypidius, 164
Gymnaëtron, 150
Gymnopterion, 202
Gymnosoma, ii. 297
Gymnura, 82
Gyrinus, 53
Gyrodroma, 371
Gyrohyphus, 285, 284

Hadena, ii. 80, 82, 84,
 94, 102
Hæmabora, ii. 327
Hæmatopinus, ii. 329
Hæmatopota, ii. 272
Hæmonia, 209
Halictus, 388
Haliplus, 42, 48
Hallomenus, 72, 248
Haltica, 213
Halticella, 393
Halticoptera, 396
Hama, ii. 84
Hamadryades, ii. 11
Hamaticherus, 196
Harpalus, 29, 13
Harpalyce, ii. 131
Harpyia, ii. 41, 42
Hedychrum, 391
Helcomyza, ii. 320
Heleomyza, ii. 320
Heliophila, 377
Heliophilæ, ii. 100
Heliophilus, ii. 291
Heliphobus, ii. 82
Heliothentes, ii. 107
Heliothis, ii. 107
Hellenia, 252
Hellus, 358
Helobia, 12
Helobium, 42
Helodes, 225
Helophilus, ii. 289, 288

- Helophorus*, 56
Helops, 244, 72, 74,
 243, 245
Helorus, 399
Hemerhipus, 121
Hemerobius, 311, 310,
 312, 314
Hemerodromia, ii. 264
Hemerophila, ii. 125, 124
Hemigeometra, ii. 111,
 112, 113
Henops, ii. 274
Hepa, ii. 353
Hepialus, ii. 37, 58, 39,
 59
Hepiolus, ii. 37
Heraeæ, ii. 45
Hercyna, ii. 149, 168, 373
Heriades, 371, 374
Heribæa, ii. 207
Heminia, ii. 157, 158,
 213
Hesperia, ii. 19, 21, 22,
 26, 27
Hesperophilus, 292
Heterocerus, 55
Heterogenea, ii. 59
Heteromorphæ, ii. 70
Heterothops, 284
Heterotomus, ii. 344
Hilara, ii. 261
Hipparchia, ii. 15
Hipparchus, ii. 122, 120
Hippobosca, ii. 327, 325,
 328
Hippocritæ, ii. 60
Hirtæa, ii. 253, 254, 255,
 277
Hispa, 241, 121, 137, 139
Hister, 100, 65
Holeoptera, 103
Homalura, ii. 318
Homalysus, 130
Hoplia, 117
Hoplitis? 372
Hoplitus, 42
Horia, 252
Hybernia, ii. 142
Hybonotus, 342
Hybos, ii. 260
Hydaticus, 51, 158
Hydræna, 58, 57
- Hydrachna*, 44, 43
Hydrachne, 43
Hydrobius, 60
Hydrocampa, ii. 163
Hydrocanthus, 52
Hydrochus, 56
Hydrometra, ii. 352
Hydronomus, 164
Hydrophilus, 59, 56, 58
Hydrophorus, ii. 267
Hydroporus, 45, 44
Hydroptila, 317
Hydroüs, 59
Hygrobia, 43
Hygrotus, 44
Hylæus, 390, 358, 370,
 371, 387, 388
Hylecætus, 252
Hylesinus, 145, 142, 146,
 147, 148
Hylobius, 170
Hylophila, ii. 344
Hylotoma, 325, 327,
 328, 330, 337
Hylurgus, 147
Hypena, ii. 157, 158
Hypera, 167, 170
Hypercallia, ii. 192
Hypercampu, ii. 53
Hypercompa, ii. 53, 54,
 55
Hyphidrus, 43, 44, 45
Hyphydrus, 43
Hypocyphitus? 272
Hypogymna, 50
Hypophlæus, 241
Hypulus, 247, 414
Hyria, ii. 150
- Janus*, 341
Jaspidiæ, ii. 93
Iassus, ii. 358, 359, 360
Ibalia, 403, 359, 360
Ichneumon, 346, 342,
 343, 349, 352, 354,
 359, 361, 394, 396,
 397, 398, 403
Idaëa, ii. 136, 150, 151,
 152
Ilarus, ii. 87
Ilythia, ii. 213
Incurvaria, ii. 225
- Ino*, ii. 28
Ips, 90, 85, 86, 87, 88,
 91, 92, 93, 94, 144,
 145, 146, 147, 241
Ischnosoma, 268
Issus, ii. 356
- Kleidocerys*, ii. 342
- Labia*, 299
Labidomyia, ii. 239
Labidura, 299
Laccophilus, 48
Lachneides, ii. 48
Lælia, ii. 52
Læmbobothrion, ii. 334
Lagria, 246, 136, 137
Lagopus, ii. 94
Lamia, 198, 197, 199
Lampetia, ii. 116
Lamprias, 5
Lampronia, ii. 226
Lampyris, 129, 128, 252
Laöthoë, ii. 30
Laphria, ii. 258
Larentia, ii. 129, 141, 144
Laria, 80, 193. ii. 39,
 40, 50, 51, 52, 53
Larinus, 182
Larra, 363
Lasiocampa, ii. 46, 47,
 48, 49
Lasioptera, ii. 239, 240
Lasiopteryx, ii. 239
Lasius, 240, 356, 377
Lasperia, ii. 155
Lathrobium, 286, 287
Latridius, 93, 83, 91, 92
Lauxania, ii. 316
Lebia, 5, 2, 3
Ledra, ii. 357
Leia, ii. 251
Leja, 36, 39, 40
Leiocampa, ii. 42
Leiodes, 68, 409
Leionotus, 407
Leiosoma, 170
Leistus, 12
Lema, 209, 210
Lemoniades, ii. 7
Lemures, ii. 77, 111
Lepidocera, ii. 225

- Leptarthrus*, ii. 258
Leptis, ii. 269, 270
Leptium, 238
Leptocera, ii. 250
Leptocerus, 319
Leptocheirus, 292
Leptogaster, ii. 259
Leptogramma, ii. 187
Leptorhina, ii. 243
Leptosoma, 182
Leptura, 203, 198, 199,
 202, 206
Lepyrus, 171
Lestes, 308
Lesteva, 298
Lestiva, 298
Leucania, ii. 100
Leucoma, ii. 52, 53
Leucophasia, ii. 5
Leucostoma, ii. 300
Libellula, 307, 309
Licinus, 14
Ligniperda, 139, 144
Limacodes, ii. 59
Limenitis, ii. 14
Limnebius, 58
Limnophilus, 322, 320,
 321
Limnius, 55
Limnobia, ii. 244, 243,
 246
Limonia, ii. 244, 247, 249
Lindenia, 416
Liophlaeus, 172
Liotheum, ii. 333, 334
Liparis, ii. 50, 52, 57, 53
Liparus, 170, 172, 174,
 175, 176
Lipeurus, ii. 332
Liris, 363
Lispe, ii. 311
Lissa, ii. 318
Lithosia, ii. 60, 58, 59,
 61, 62, 213, 221
Livia, ii. 363
Lixus, 182, 158, 171, 172,
 173, 174, 175, 176, 181
Lobophora, ii. 143
Loborhynchus, 172
Locusta, 301, 300
Lomatia, ii. 273
Lomechusa, 261, 260
Lonchaea, ii. 317
Lonchoptera, ii. 326
Lonchopteryx, ii. 326
Lopha, 39
Lophoderus, ii. 184
Lophonotus, ii. 198
Lophopteryx, ii. 43
Lophyrus, 327, 328
Loricera, 13
Loxocera, ii. 317
Lozogramma, ii. 141
Lozopera, ii. 191
Lozotænia, ii. 169
Lucanus, 104, 103
Ludius, 124
Lupernia, ii. 84
Luperus, 213, 72, 74,
 211, 212
Lycæna, ii. 21, 19
Lycoperdina, 240
Lyctus, 94, 90, 91, 92
Lycus, 130
Lyda, 340
Lymexylon, 251, 252
Lygæus, ii. 341, 342,
 343, 346, 347, 349
Lymnæum, 36
Lyprus, 158
Lyrops, 363
Lytæa, ii. 64
Lytta, 252, 253, 254, 255
Macaria, ii. 154, 147,
 149, 153
Macrocephalus, 192, 193
Macrocera, ii. 250
Macrochila, ii. 199
Macrochira, ii. 324
Macroglossa, ii. 34
Macroglossum, ii. 34
Macronema, 217
Macropleä, 209
Madopa, ii. 159
Madiza, ii. 322
Magdalis, 183, 184
Malachius, 184
Malthinus, 133
Mamestra, ii. 82
Mamestria, ii. 82
Mancipium, ii. 5
Manducæ, ii. 31
Mania, ii. 77, 111
Manica, 356
Maniola, ii. 14, 15
Manticora, 12
Margaritia, ii. 164
Masaris, 358
Masoreus, 406
Mastigocerus, 341
Mastigus, 255
Mechoris, 190
Mecinus, 149
Medeterus, ii. 267
Megachile, 373, 371,
 372, 374
Megacronus, 268
Megalodontes, 339
Megarthrus, 295
Megaspilus, 400
Megastigmus, 394
Megatoma, 95, 248
Megilla, 371, 377, 388
Melalophæ, ii. 39, 40
Melandrya, 247
Melanoleuca, ii. 202
Melanophora, ii. 299
Melasis, 121
Melecta, 376
Meleus, 170
Melia, ii. 213, 214
Meligethes, 80
Melitæa, ii. 7
Melitturga, 377
Melitta, 386, 387, 382,
 388, 390
Mellinus, 367, 362, 363
Meloë, 253, 254
Melolontha, 116, 115,
 117, 225
Melophagus, ii. 327
Melophila, ii. 327
Melyris, 136, 252
Membracis, ii. 357
Menopon, ii. 334
Menys, 250
Merionus, 171
Merodon, ii. 291, 280
Meromyza? ii. 322
Mesembrina, ii. 303
Messa, 330
Metopia, ii. 300
Metopius, 350
Metra, ii. 118
Mezium, 140

- Miana, ii. 86
 Miarus, 150
Miccotrogus, 159
Michorhynchus, 149
Micocerus, 172
Microdon, ii. 279
Microdus, 353
Microgaster, 353
Micropeplus, 82
Micropeza, ii. 318
Microsetia, ii. 207
Milesia, ii. 290, 279, 280,
 281, 282, 291
Miltogramma, ii. 297
Minoa, ii. 146
Mira, 397
Miris, ii. 349, 343
Miscophus, 363
Miscus, 361
Miselia, ii. 88
Misocampus, 395
Misolampus, 414
Mocillus, ii. 318, 324
Molobrus, ii. 253
Molops, 24
Molorchus, 202
Molytes, 170
Monochamus, 197
Mononychus, 156
Monotoma, 91, 90, 92
Mordella, 249, 72, 74,
 248
Mormo, ii. 111, 77
Mosillus, ii. 318, 324
Mulio, ii. 279, 280, 281,
 317, 321
Muranus, 179
Musca, ii. 303, 252, 264,
 274, 279
Mutilla, 357, 354
Mycetæa, 87
Mycetaria, 90
Mycetobia, ii. 250
Mycetocharus, 245
Mycetomyza, ii. 320
Mycetophagus, 87, 72,
 77, 85, 86, 242
Mycetophila, 245. ii. 252
Mycterus, 193
Mylabris, 193, 194
Mylæchus, 72
Myodocha, ii. 350
- Myopa*, ii. 294
Myrmeleon, 310
Myrmica, 356
Myrmecina, 356, 416
Myrmosa, 358
Mystax? 320
Mythimna, ii. 73, 74
Myzozyla, ii. 366
Myzozylus, ii. 366
- Nabis?* ii. 351
Nænia, ii. 77
Najades, ii. 14
Nanodes, 151
Naso, 150
Naucoris, ii. 353
Naupactus, 181
Nebria, 11, 12, 42
Necrobia, 138
Necrodes, 75
Necrophagus, 74
Necrophorus, 74, 409
Necydalis, 133, 202, 250,
 251, 254
Nedyus, 153
Neides, ii. 350
Nemapogon, ii. 200
Nematocera, ii. 249
Nematus, 328, 330
Nemeobius, ii. 7
Nemeophila, ii. 55, 372
Nemophora, ii. 200
Nemosoma, 90
Nemotelus, ii. 275, 269,
 270, 273, 274, 317, 324
Nemozoma, 90
Nemoura, 315
Nepa, ii. 353
Nephrotoma, ii. 247
Neuronia, 323
Nirmomyia, ii. 327
Nirmus, ii. 331
Nitidula, 78, 56, 58, 88,
 97, 238, 239, 240
Noctua, ii. 37, 43, 45, 53,
 60, 62, 68, 70, 168
Noda, ii. 325
Nola, ii. 168
Nomada, 374, 376, 357,
 382
Nomiopus, 400
Nonagria, ii. 100
- Nosodendron*, 97
Notaphus, 38
Notaris, 165
Noterus, 48
Notiobia, 319
Notiophilus, 41
Notiphila, ii. 324
Nothiophilus, 41
Nothus, 252
Notodonta, ii. 42, 43,
 44, 45
Notonecta, ii. 353
Notoxus, 254, 92, 138,
 255, 247
Nudaria, ii. 58, 57
Nycteribia, ii. 328
Nymphaialis, ii. 15
Nymphula, ii. 163, 164
Nysson, 362
- Obrium*, 199
Ochina? 142
Ochthebius, 57
Ochthera, ii. 324
Ochthephilum, 287
Ocydromia, ii. 260
Ocydromus, 36
Ocypus, 276, 275
Ocyptera, ii. 297, 299,
 301, 302, 318
Ocypteryx, ii. 301
Ocys, 37, 36
Odacantha, 2
Odonesis, ii. 49
Odonestis, ii. 49
Odontæus, 106
Odontocerum, 319
Odontocerus, 319
Odontoomyia, ii. 276, 277
Odontonyx, 19, 405
Odontophila, ii. 253
Odynerus, 368, 369
Œcophora, ii. 208, 199,
 209
Œdalea, ii. 260
Œdemera, 251, 250
Oestrus, ii. 295, 296
Ogcodes, ii. 274
Oiceoptoma, 75
Oinopota, ii. 324
Oligotrophus, ii. 240
Olistophus, 405

- Omalium*, 297, 82, 294
Omaloplia, 115
Omalus, 391
Omaseus, 23, 21, 22
Oncinum, 85
Oncocera, ii. 217
Oncoderus, 405
Oncomera, 251
Oniticellus, 106
Onitis, 106
Onthophagus, 104, 106
Onthophilus, 100
Oödes, 26
Opatrium, 243, 57, 83
Ophion, 351
Ophiusa, ii. 111, 110
Ophonus, 32, 34
Opilo, 138
Opilus, 138
Orchesia, 248
Orchestes, 160, 162
Oreades, ii. 15
Orgyia, ii. 51
Orion, 139
Orneodes, ii. 231
Ornithomyia, ii. 327
Orobitis, 151
Orsodacna, 209
Orthocerus, 241
Orthochætes, 167
Orthonotus, ii. 344
Orthoperus, 409
Orthorhinia, ii. 371
Orthosia, ii. 70
Orthotælia, ii. 192
Orthotænia, ii. 181
Ortalis, ii. 313
Oryctes, 114
Oryssus, 342
Oscinis, ii. 321, 323
Osmia, 372
Osmylus, 310
Ostoma, 77, 79
Othius, 284
Otiorhynchus, 172
Otitis, ii. 320
Ourapteryx, ii. 121
Oxura, 249
Oxybelus, 364, 362, 363
Oxycera, ii. 278
Oxygnathus, 7
- Oxyporus*, 291, 269, 271, 272, 273
Oxypterum, ii. 327
Oxystoma, 189, 184
Oxytelus, 292, 294
Pachycnemia, ii. 141
Pachygaster, ii. 275
Ibid. 172
Pachylorhynchus, 156, 158
Pachymerus, ii. 342
Pachymeria, ii. 262
Pachypodium, 399
Pachyta, 205
Pachyrhinus, 156, 158
Pæderus, 288, 284, 285, 286, 287
Pælobius, 43
Pallene, 163
Palloptera, ii. 312
Palparia, ii. 217, 221, 222
Palpomyia, ii. 238
Pamphila, ii. 27
Pamphilius, 340
Panagæus, 13
Pancalia, ii. 209
Panorpa, 305, 304
Pauurgus, 370
Panus, 184
Papilio, ii. 1
Paragus, ii. 281
Paramesia, ii. 187
Parnassius, ii. 6
Parnus, 54
Paropes, 193
Patrobus, 25
Pedicia, ii. 246
Pediculus, ii. 329, 313, 328, 330
Pedinus, 243
Pelastes, 350
Pelopæus, 261, 366
Peltastes, 350
Peltis, 77, 56, 69, 72, 75, 78
Pemphredon, 366, 364
Pentaphyllus, 85
Pentatoma, ii. 338, 340
Penthophera, ii. 57
Penthrophera, ii. 57
Pepsis, 361
- Pericallia*, ii. 120
Peridea, ii. 45
Perilampus, 393
Perla, 314, 315
Peronea, ii. 184
Peryphus, 37
Petasia, ii. 44, 371
Phalacrus, 66, 62
Phaleria, 242
Phania, ii. 297
Phasia, ii. 296
Phibalapteryx, ii. 138
Phibalocera, ii. 192
Philanthus, 367, 370
Philochthus, 36, 406
Philonthus, 279
Philopedon, 174. ii. 330, 331, 332, 333
Philopotamus, 317
Phloëobius? 193
Phlogophora, ii. 102, 84
Phora, ii. 325
Phosphuga, 77
Phragmatobia, ii. 55
Phryganea, 321, 316
Phtheochroa, ii. 191
Phthiridium, ii. 328
Phthirus, ii. 329
Phyllobius, 179
Phyllopertha, 410
Phyllostoma, 373
Phycis, ii. 214, 217, 224
Phycita, ii. 214, 217
Physostomum, ii. 335
Phytocoris, ii. 349
Phytometra, ii. 110, 104, 105, 107, 108, 109, 111, 113
Phytonomus, 167, 170
Pieris, ii. 3, 5, 6, 12
Pimelia, 55, 244
Pimpla, 344, 350
Pinophilus, 166
Pinicola, 341
Piophila, ii. 319
Pipiza, ii. 282, 281
Pipunculus, ii. 266
Pissocles, 166
Pissodes, 166
Pison, 361
Pithecopus, ii. 22
Pithitis, 371

- Planuria*, ii. 319
Platycerus, 103, 195
Platyderus, 21, 405
Platygaster, 397, 398
Platynus, 16
Platypalpus, ii. 264
Platypeza, ii. 266
Platyptera, ii. 263
Platypterygia, ii. 263
Platypteryx, ii. 155, 156,
 157
Platypus, 145
Platyrhinchus, 183
Platyrhinus, 192
Platysma, 25, 21, 22, 23
Platysoma, 103, 102
Platystoma, ii. 320
Platyura, ii. 250, 251
Plœa, ii. 354
Plinthisus, ii. 343
Plinthus, 170
Plöa, ii. 354
Ploäs, ii. 273
Ploaria, ii. 351
Plusia, ii. 105, 104
Plutella, ii. 222
Podalarius, 377
Pæcilia, ii. 93
Pæcilocampa, ii. 47
Pæcilocroma, ii. 183
Pæcillus, 15, 22
Pæcilosoma, ii. 346
Pæcillus, 22, 21, 23, 25
Pogonocerus, 197
Pogonophorus, 12
Pogonus, 22
Polia, ii. 89, 63, 88, 105
Polistichus, 2
Polydrosus, 178, 179
Polydrusus, 178
Polyommatus, ii. 22, 19
Polyraphia, ii. 242
Pompilus, 359, 360, 361,
 362, 364
Pontia, ii. 3, 5, 6
Porphyrops, ii. 267
Porrectaria, ii. 211, 210
Porthesia, ii. 53
Poryzon, 350
Potamides, ii. 14
Potomaria, 318
Potamobius, 54
- Prasocuris*, 225
Pria, 81
Principes, ii. 1
Prionomyia, ii. 237
Prionus, 196
Pristiphora, 328
Pristonychus, 405
Proapis, 387
Procris, ii. 28
Procrustes, 9
Proctotrupes, 399
Prognathus, 292
Proscarabæus, 253
Prosopis, 371, 388, 390
Prosoponia, 319
Proteinus, 295
Psammochares? 359
Psammodius, 113, 114
Psarus, ii. 281
Pselaphus, 255, 256, 257
Psen, 361, 340, 366, 399
Psenia, 361
Pseudocupis, 7, 24
Pseudotomia, ii. 175
Psilopus, ii. 267
Psilota, ii. 281
Psila, 230. ii. 317
Psilura, ii. 50
Psilus, 398
Psocus, 312, 313
Psodos, ii. 114
Psyche, ii. 57
Psychoda, ii. 241
Psychophora, ii. 114
Psylla, ii. 361
Pterapherapteryx, ii. 143
Pterocera, ii. 292
Pterocheilus? 368
Pteromalus, 396, 395
Pteronotus, 527, 328
Pterophorus, 251
Ibid. ii. 229, 231
Pterostichus, 25, 23, 24,
 26, 405
Ptilia, 325
Ptilinus, 137, 139, 171,
 241
Ptilium, 83
Ptilodontis, ii. 43, 42, 44,
 371
Ptilophora, ii. 44
Ptinus, 139, 127, 142
- Ptomaphagus*, 73, 74
Ptomophagus, 73
Ptycholoma, ii. 183
Ptychopoda, ii. 150
Ptychoptera, ii. 249
Ptychopteryx, 83. ii. 249
Pulex, 54. ii. 328
Pullata, ii. 255, 257
Pygæra, ii. 39, 40, 371
Pyralis, ii. 160, 109, 150,
 155, 156, 157, 158,
 159, 168, 224
Pyrausta, ii. 162, 161
Pyrochiroa, 252, 245
Pyrophila, ii. 77
Pyrrhocoris, ii. 341
Quedius, 277
Ranatra, ii. 353
Raphidia, 314
Raphirus, 284
Raptor, 22
Recurvaria, ii. 195, 198,
 199, 211, 212, 225
Reduvius, ii. 350, 351
Reichenbachia, 257
Rembus, 14
Rhagio, ii. 269, 257, 268,
 318
Rhagium, 202, 203, 209
Rhamphomyia, ii. 263,
 264
Rhamphus, 189
Raphium, ii. 266
Rhina, 183, 184
Rhingia, ii. 293, 289, 292
Rhinocyllus, 182
Rhinodes, 183
Rhinomacer, 192, 182,
 184, 190, 191, 194
Rhinoncus, 156
Rhinosimus, 194
Rhinusa, 150
Rhipidia, ii. 246
Rhipiphorus, 250
Rhopalum, 366
Rhynchænus, 143, 182,
 189
Rhynchites, 190, 191,
 192
Rhyncolus, 148, 149

- Rhyncophorus*, 148
Rhynobatus, 182
Rhyphus, ii. 257
Rhyzobius, 239, 240
Rhyzophagus, 91, 90
Rhyzophilus, 3
Ricinus, ii. 330
Ripiphorus, 250
Risophilus, 3
Rissa, 93
Rogas, 355
Rugilus, 288
Rusina, ii. 64
Rustici, ii. 19
Ryghium, 368
Ryzobius, 239, 240

Salda, ii. 344, 351
Salius, 160, 162
Salpingus, 194
Saperda, 198, 199
Sapromyza, ii. 312
Sapyga, 358
Sarcophaga, ii. 303
Sargus, ii. 275, 316, 318
Saropoda, 377
Sarrothripus, ii. 184
Sarrotrium, 241
Saturnia, ii. 45
Satyra, ii. 268
Satyrus, ii. 15
Scæva, ii. 284, 280, 281,
 283, 286
Scaphidium, 71, 70, 81,
 83, 193, 272
Scaphiosoma, 71
Scarabæus, 54, 60, 62,
 65, 104, 106, 108, 117
Scarites, 6, 24
Scatomyza, ii. 311
Scatophaga, ii. 311, 313,
 314, 317, 320, 321
Scatopse, ii. 255, 254
Scelio, 397
Sceliphrons, 361
Scenopinus, ii. 324
Schizocerus, 327
Sciaphilus, 176
Sciara, ii. 252, 253, 255,
 257
Sciophila, ii. 251
Scirtes, 128

Scolia, 358
Scolytus, 146, 144, 145,
 242
Scoparia, ii. 214
Scopea, ii. 214
Scopelopus, ii. 110
Scopula, ii. 167
Scotias, 140
Scotophila, ii. 87
Scotosia, ii. 139
Scraptia, 247
Scutellera, ii. 337, 338
Scydmaenus, 255
Scymnus, 238, 239
Segetia, ii. 74
Scioptera, ii. 313
Selandria, 330
Semasia, ii. 179
Semblis, 314, 315
Semiophora, ii. 70
Sepedon, ii. 321
Sepsis, ii. 318
Serica, 115
Sericaria, ii. 371
Sericoderus, 409
Sericomyia, ii. 291
Serrocerus, 139, 141
Serromyia, ii. 237
Serropalpus, 247, 248
Sesia, ii. 34, 35
Setina, ii. 62, 59, 60
Siagonium, 292
Siagonum, 292
Sialis, 314
Sibinia, 160, 159
Sibynes, 160
Sicus, ii. 264, 294
Sigalus, 355
Sigara, ii. 354
Silpha, 76, 56, 62, 65,
 66, 68, 69, 71, 83, 114,
 240, 242, 272.
Silvanus, 92
Simæthis, ii. 161
Simothelus, 25
Simplocaria, 99
Simulia, ii. 254
Simulium, ii. 254
Simyra, ii. 102
Sinodendron, 104
Sinodendrum, 104
Sinoxylon, 411

Siphona, ii. 295
Sirex, 342, 341, 358
Sitaris, 250
Sitona, 177
Smerinthus, ii. 30
Smiera, 393
Sogines, 23
Spalangia, 394
Sparazion, 402
Spathius, 352
Spectrum, ii. 30, 31
Speranza, ii. 114
Spercheus, 59
Sphæridium, 65, 62, 66,
 69, 71, 79, 80, 81, 238
Sphæriestes, 194
Sphæriophagus, 88
Sphærocera, ii. 325
Sphæroderus, ii. 405
Sphæromias, ii. 236
Sphæropyx, 355
Sphærosoma, 238
Sphærula, 151
Sphecodes, 387
Spectrum, ii. 31, 32
Sphegina, ii. 281
Sphex, 361, 342, 343,
 357, 358, 359, 362, 363,
 364, 367, 387, 390, 391,
 392, 393, 399
Sphinx, ii. 31
Sphodrus, 17, 16
Spilomyia, ii. 290
Spilonota, ii. 173
Spilosoma, ii. 56
Staphylinus, 275, 82,
 257, 258, 259, 274
Stauropus, ii. 42, 371
Steganolophia, ii. 185
Steganoptychia, ii. 176
Stelis, 371
Stene, 242, 86
Stenepteryx, ii. 327
Stenolophus, 33
Stenorhynchus, 149
Stenosoma, 149
Stenus, 288, 291, 294
Stenochorus, 199, 202,
 203, 205, 206, 413
Stenopterus, 202
Steropus, 24
Stigmus, 366

- Stilbia*, ii. 110
Stomis, 24
Stomoxoides, ii. 294
Stomoxyx, ii. 293, 294
Stratiomys, ii. 277, 276,
278, 279
Strongylus, 79, 78, 80,
81, 239, 240
Strophosomus, 175
Stygia, ii. 273
Stylops, 403
Styphlus, 167
Sunius, 287
Sybistroma, ii. 267
Sylvicolæ, ii. 257, 259,
269, 270
Symmorphia, 376
Synchita, 90, 91, 92, 94
Syntomium, 415
Synuchus, 20
Syrex, 341
Syrphus, ii. 286, 274,
275, 279, 296, 297,
301, 317, 321
Systropha, 370

Tabanus, ii. 271
Tachina, ii. 297, 298, 299,
300
Tachinus, 273, 268, 269
Tachydromia, ii. 264, 261
Tachyerges, 162
Tachyporus, 268, 272,
273
Tachypus, 40, 9
Tachys, 36
Tachytes, 363
Taniptera, ii. 246
Tanymecus, 181
Tanypus, ii. 236
Tanysphyrus, 171
Taphira, 20
Tarpa, 339
Tarus, 5
Tasgius, 276
Telephorus, 130, 136,
134, 133
Tenebrio, 241, 6, 8, 72,
86, 93, 194, 195, 211,
224, 240, 244, 246, 247
Tenthredo, 323, 336
Tephritis, ii. 314, 299,
- Teredines*, ii. 39
Termes, 312
Tetanocera, ii. 320, 321
Tethea, ii. 96, 95
Tetraopes, 413
Tetratoma, 89, 66, 69
Tetrix, 302
Tetrops, 199
Tettigonia, ii. 357, 355,
358
Tetyra, ii. 337, 338
Thamnophilus, 183
Thanasimus, 138
Thanatophilus, 76, 183
Thecla, ii. 19
Thiereva, ii. 270, 296
Thrips, ii. 363
Throscus, 95
Thyatira, ii. 94
Thylacites, 175, 176, 181
Thymalus, 77
Thymele, ii. 26
Thyreocoris, ii. 338
Thyridophila, ii. 255
Tillus, 137, 136, 138
Timarcha, 224
Tinea, ii. 224, 57, 62,
193, 209, 213
Tinearia, ii. 241
Tingis, ii. 336, 337
Tinodes, 316, 317
Tiphia, 358, 363, 387
Tipula, ii. 247, 233
Tomicus, 144
Tortrix, ii. 169, 59, 168
Torymus, 394, 395
Toxotus, 203
Trachelus, 341
Trachusa, 373, 374, 370,
371, 372, 387
Trachyphlæus, 174, 176
Trachys, 120
Trachyscelis, 114
Trachea, ii. 88, 87
Trechus, 34, 33, 35
Triarthria, ii. 300
Tribolium, 90, 409
Tribonophoræ, ii. 102
Trichiosoma, 324
Trichiura, ii. 47
- Trichius*, 117
Trichocera, ii. 249
Trichodectes, ii. 330
Trichoda, ii. 48
Trichodes, 138
Trichodia, ii. 48
Trichoptera, ii. 241
Trichopteryx, 83
Trichostoma, ii. 217
Trigonophorus, 396
Trimorphus, 405
Trineura, ii. 325
Trinodes, 97
Trinoton, ii. 334
Trixia, ii. 297
Trixagus, 86, 95
Triphæna, ii. 62
Triphosa, ii. 139
Triphyllus, 87
Triplax, 88
Tritoma, 66, 68, 73, 74,
88, 91, 238
Trochilium, ii. 34, 35
Trogosita, 195, 242
Trogus, 53
Tropideres, 192
Tropidia, ii. 290
Trox, 114, 55, 115
Trupanea, ii. 312, 313,
314, 320
Trypeta, ii. 314
Tryphon, 345, 350
Trypoxylon, 364, 361
Tychius, 159
Tychus, 258
Typhæa, 85
Typhœus, 106
Tyrophaga, ii. 313, 318,
319
- Uleiota*, 195
Ulidia, ii. 320
Ulodes, 414
Uloma, 242
Ulopa, ii. 359
Unomyia, ii. 243, 244
Urapteryx, ii. 121
Urbani, ii. 26, 27
Urocerus, 342
Usoma, 242
Valeria, ii. 88

- | | | |
|--|---|--|
| Vanessa, ii. 11 | Xerene, ii. 137, 130, 136,
147, 149, 152 | Xyphidria, 342 |
| Vappo, ii. 275 | Xiphidria, 342 | Yponomeuta, ii. 203,
202, 217, 222 |
| Velia, ii. 352 | Xorides, 343 | Ypsipetes, ii. 138 |
| Velleius, 274 | Xyela, 341 | <i>Ypsolophus</i> , ii. 222, 199,
225 |
| Vespa, 369, 358, 361,
364, 368, 390, 391, 393 | Xylena, ii. 44, 77, 78, 79,
104 | Zabrus, 27 |
| Vipio, 352 | Xylcta, 247 | Zaræa, 325 |
| Volucella, ii. 292, 293,
302, 311, 317 | Xyletinus, 139 | Zeugophora, 210 |
| Volucra, ii. 193, 195 | Xylinia, ii. 78, 79, 104, 373 | Zeuzera, ii. 38 |
| Volvoxis, 66, 68 | Xylita, 247 | Zodion, ii. 294 |
| Xanthia, ii. 98, 99, 104 | Xylocopa, 378, 373 | Zolmænus, 291 |
| Xantheumia, 115 | Xylophagus, ii. 279 | Zonitis, 252 |
| Xantholinus, 284, 285 | Xylophasia, ii. 79 | Zuphium, 2 |
| Xanthosetia, ii. 192 | Xylopoda, ii. 161 | Zygæna, ii. 28, 29 |
| | Xylota, ii. 290 | |

FINIS.

LONDON,

PRINTED BY RICHARD TAYLOR,

RED LION COURT, FLEET-STREET.



7
3047 Ⓢ

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00239226 4

nhent QL482.G7S83

A systematic catalogue of British insect